Two-step condensation of lattice bosons

R.Ram akum ar^1 and $A.N.Das^2$

¹D epartm ent of P hysics and A strophysics, U niversity of D elhi, D elhi-110007, India

²Saha Institute of Nuclear Physics, 1/AF Bidhannagar, Kolkata-700064, India

(1 D ecem ber 2009)

We present a theoretical study of Bose-E instein condensation in highly anisotropic harm onic traps. The bosons are considered to be moving in an optical lattice in an overallanisotropic harm onic con ning potential. We nd that two-step condensation occurs for lattice bosons at much reduced harm onic potential anisotropy when compared to the case of an ideal bose gas in an anisotropic harm onic con nem ent. We also show that when the bosons are in an isotropic harm onic con nem ent but with highly anisotropic hopping in the optical lattice, two-step condensation does not occur. We interpret some of our results using single boson density of energy states corresponding to the potentials faced by the bosons.

PACS numbers: 03.75 Lm, 03.75 Nt, 03.75 Hh

I. IN TRODUCTION

The experimental observation¹ $\{3 \text{ of Bose-Einstein}\}$ (BE) condensation in con ned bose atom clouds have launched extensive experimental and theoretical studies of this phenom enon and the various properties of the condensates of free bosons⁴ and lattice bosons $5^{\{10\}}$. In three dimensional non-interacting free⁷ or lattice bose system s¹¹ in isotropic harm onic traps, the BE condensation is accompanied by a peak in the specic heat at the condensation tem perature. However, not long after the initial discovery of bose condensation in harm onic traps, D ruten and K etterle (DK)¹² found that bosons in highly anisotropic three dimensional (3D) harm onic traps show a qualitatively di erent behavior of the speci c heat. Their theoretical calculations showed that the peak in the speci c heat of this system is not at the bose condensation tem perature, but in a higher tem perature range in which the bosons, as the tem perature decreases, are progressively transferred from the tightly con ned dim ensions to the loosely con ned dim ension. Thus, in this system, the bose condensation occurs in two steps: rst the aforem entioned transfer and second the condensation of the transferred bosons in to the overall ground state. The calculations of DK are for free bosons in anisotropic 3D harm onic traps. The earlier¹³ and the later works¹⁴ are also for free bosons with anisotropic box and anisotropic 3D harm onic con nem ents, respectively.

Now, considering rapidly growing investigations of the properties of lattice bosons in power law con nem ents⁸¹⁰, an investigation of the two-step condensation of lattice bosons in anisotropic harm onic traps is of contem porary interest. In this paper we present results of our calculations in such an investigation. Am ong other results, we show that a two-step condensation occurs for lattice bosons at anisotropies m uch sm aller than that required for free bosons. Further, since it is by now relatively easy to experim entally change the boson hopping in di erent spatial directions in an optical lattice, we also study a case of lattice bosons with anisotropic hopping in an isotropic harm onic con ning potential. One may argue that this is equivalent to bosons with isotropic hopping in an anisotropic trap and hence two-step condensation would occur in this case as well. Our calculations show that two-step condensation does not occur in this case.

This paper is organized as follows. In the next section, we revisit the system of free bosons in an anisotropic harm onic trap. We complement the analysis of DK by new features we nd in the single boson density of energy states (DOS). In Sec. II, we analyze two-step condensation of lattice bosons in anisotropic harm onic traps. In Sec. III, we study the bose condensation of lattice bosons with anisotropic hopping in an isotropic harm onic trap. The conclusions are given in Sec. IV.

II.TW O-STEP CONDENSATION OF FREE AND LATTICE BOSONS

A.Free bosons in an anisotropic harm onic potential

In this section we consider boson atoms in an anisotropic harm onic con ning potential (K $_{x}x^{2}$ + K $_{y}y^{2}$ + $K_z z^2$). The single boson energy levels are E ($n_x; n_y; n_z$) = $(n_x + 1=2)h!_x + (n_y + 1=2)h!_y + (n_z + 1=2)h!_z$, where $n_x; n_y; n_z = 0, \frac{1}{p}, \frac{2...1}{2K}, \frac{2}{x}$ h is the Plank's constant, and $!_{x;y;z} = \frac{1}{2K} \frac{2}{x_{x;y;z}}$ in which m is the atom ic mass. We use $K_x = K_z$ so that the potentials, from the center of the trap, along the y and z directions are much steeper compared to that along the x direction. In order to exhibit the two-step condensation in this system, we calculate the ground state occupancy (N_0) , the occupancy in the loosely con ned direction (N $_{\rm 1D}$), and the speci c heat by determ ining rst the chem ical potential () from the bosons number equation N = $\frac{1}{n_x=0} = \frac{1}{n_y=0} = \frac{1}{n_z=0} N (E(n_x;n_y;n_z));$ where N (E) = $1 = (\exp[(E))$)] 1), $= 1 = k_{\rm S} T$,

T the temperature, and then calculating N $_{0}$ = N (E (0;0;0)) and N $_{1D}$ = ${1 \atop n_{x}=0}$ N (E (n_x;0;0))). The specic heat is obtained from the temperature derivative¹¹ of the total energy (E_{tot}) W e evaluated N $_0$, N $_{1D}$, and C $_v$ num erically to obtain exact results. The results of our calculations for 10000 bosons in harmonic traps of varying anisotropies are shown in Fig. 1. The condensation temperature^{11;15} (T_0) , mentioned in this and other gures, is obtained by setting $N_0 = 0$ and = E(0;0;0) in the bosons number equation. For low anisotropy, the peak in C_v is clearly associated with the growth of the bose condensate fraction (N $_0=\!\!N$). W ith increasing an isotropy, the peak in C $_{\rm v}$ becom es associated with the dim ensionality cross-over in which bosons are transferred from the tightly con ned directions (y and z) into the loosely con ned direction (x). To complement the analysis of DK, we calculated the single boson energy DOS for these systems. First we recall that the analytical approximation to the DOS of a boson in a D-dimensional anisotropic harm onic trap⁷ is

$$D(E) = \frac{E^{D}}{(D-1)!} (D(E) = \frac{E^{D}}{(D-1)!} (D(E) = \frac{E^{D}}{1!} (D(E) = \frac{E^{D}}{1!}$$

From exact num erical calculations, we nd that the DOS for highly anisotropic traps, shown in Fig. 2a, show features qualitatively di erent from the analytical approximation. The DOS is found to have one dimensional (ID) character (at regions). In the very low temperature range, only the lowest at region is occupied by bosons so that the C_{ν} shows 1D character as shown in the inset of Fig. 1. This is consistent with the higher temperature cross-over in which the bosons are transferred from the tightly con ned directions to the lowesly con ned direction. We also note that 1D features are absent in the DOS when the anisotropy is comparatively sm aller as shown in Fig. 2b. In the next section, we consider consider two-step condensation of lattice bosons.

B.Lattice bosons in an anisotropic harm onic potential

In this section we consider boson atoms in a three dimensional simple cubic (sc) lattice in an overall anisotropic harmonic con ning potential. The system Ham iltonian is

$$H = t _{\langle ij \rangle} c_{i}^{y}c_{j} + c_{j}^{y}c_{i} + V (i)n_{i} _{i} i$$

where t is the kinetic energy gain when a boson hop from site i to its nearest neighbor site j in the optical lattice, c_i^y is a boson creation operator, V (i) = $(K_x x_i^2 + K_y y_i^2 + K_z z_i^2)$ is the potential at site i, $n_i = c_i^y c_i$

the boson number operator, and the chemical potential. W e num erically diagonalize this ham iltonian to obtain the energy levels (E1) of a lattice boson for di erent values of the anisotropy of the harm onic trap with $k_y = k_z$, where $k = K a^2$, = x; y; z and a is the k_x lattice constant of the sc optical lattice. The chem ical potential and the boson populations in di erent energy levels are calculated at a temperature T , using the boson number equation: $N = \sum_{l=0}^{m} N(E_l)$, where E_0 and E_m are the lowest and the highest single boson energy levels and N (E_1) = 1=[exp[(E_1)= k_B T] 1]. The specic heat is calculated from the tem perature derivative of total energy (E tot = $\lim_{l=0}^{m} N$ (E 1)E 1). The lattice size, we use, is large enough that the results are free of nite size e ects. The results for the tem perature dependence of the bose condensate fraction (N $_0$ =N), fractional boson population in the x-direction (N $_{1D}$ =N), and the speci c heat for lattice bosons in harm onic traps with di erent anisotropies are shown in Fig. 3. The two-step condensation is clearly seen in highly an isotropic traps (dash-dot and dotted lines), while it is absent for sm all an isotropies. Further, on com paring Figs. 1 and 3, we can immediately infer that the two-step condensation of lattice bosons is possible form uch smaller an isotropies compared to the free bosons in anisotropic harm onic traps. We also nd that most of the lattice bosons are con ned in the xdirection at much higher tem peratures com pared to the case of free bosons even though the anisotropy is much sm aller for the form er com pared to the latter. This is clear if we compare N_{1D} = N in both cases, as shown in Figs. 1 and 3, for $T > 2:5T_0$. In order to get som e insight into the two-step condensation occurring for sm aller anisotropies for lattice bosons, we calculated the single boson energy DOS for these systems. The results of our calculations are shown in Fig. 4. W ith increasing anisotropy there is a dram atic change in the single particle DOS (Fig. 4). Except for very low energies, the DOS for low an isotropy is very sim ilar to that for the isotropic case. W ith increasing anisotropy, the DOS develops features similar to that expected in 1D. It has peaks separated by broad regions of com paratively very sm all values of DOS. Since the DOS shows strong 1D features for small an isotropies compared to the free boson case (without the lattice potential), the 1D behavior in N_{1D} = N sets in for comparatively smaller anisotropies of the harm onic traps.

C.D im ensionality cross-overs of lattice bosons

In this section, we investigate the dimensionality crossover in some more detail. The speci cheat, being a very sensitive function of dimensionality changes, is an useful property to study for this purpose. As mentioned earlier, for bosons in a highly anisotropic harm onic trap, the peak in the speci cheat occurs in a temperature range in which the bosons are transferred from the tightly con-

ned directions to the loosely con ned direction (here xdirection passing through the center of the trap). W ith low ering of tem perature, when the transfer to the single 1D chain along the x-direction is complete, the system would show 1D behavior. To visualize this cross-over, we have plotted the speci c heats of lattice bosons in 3D anisotropic traps and in a 1D trap in Fig. 5. It is seen that at low temperatures the specic heats of the anisotropic system s completely coincide with that of the 1D chain showing that the anisotropic 3D systems have become purely 1D. The departure from the 1D behavior starts at a tem perature which is higher for larger anisotropy (Fig. 5). However, this tem perature is much low er than the tem perature where the speci cheat shows the peak. It is also found that in the region just above the tem perature where the departure from the 1D behavior starts in C_v, a very sm all change in N_{1D} produces a very large change in C_v. This is also clear from Fig.1 (for free bosons) and from Figs. 3 and 5 (for lattice bosons) on com paring the tem perature dependences of C_{y} and N_{1D} in the above mentioned region.

III. LATTICE BOSONSW ITH AN ISOTROPIC HOPPING IN AN ISOTROPIC HARMONIC POTENTIAL

In this section, we investigate if the properties of lattice bosons with an isotropic hopping in an isotropic harmonic trap is similar to those with isotropic hopping in an anisotropic harm onic trap. For anisotropic hopping the hopping matrix t is direction dependent and we use the hopping along the x-direction t_x $t_v = t_z \cdot W e$ have studied the e ects of an isotropic hopping on C $_{\rm v}$ and condensate fraction in isotropic harm onic traps. The results of our calculations for various an isotropy ratios are shown in Fig. 6. We do not nd a two-step behavior in this system. The speci c heat is suppressed with increasing hopping anisotropy. The system shows anisotropic 3D behavior in all the properties studied even for large hopping anisotropies. The reason is that even though the hopping is an isotropic, since the trap is isotropic, one will have a large collection of 1D chains, symmetric about the central one, coupled by the sm all inter-chain hopping. At the bose condensation tem perature the particles condense, in real space, at the center of the trap. There is no higher tem perature cross-over region as in the case of lattice bosons with isotropic hopping in a highly anisotropic harm onic con nem ent.

IV . C O N C LU S IO N S

In this paper we presented a theoretical study of twostep condensation of lattice bosons in anisotropic harmonic con ning potentials. We nd that two-step condensation occurs for lattice bosons with much smaller an isotropies of the harm onic potential com pared to that for free bosons. We nd unusual 1D features in the one boson DOS both for free and lattice bosons in highly anisotropic harm onic traps. Using C_v as the indicator, we also investigated the dimensionality cross-overs in the system . We nd that the system show spurely 1D behavior in a much lower temperature range compared to the temperature range in which the peak in C_v occurs. Further, we investigated if two-step condensation occurs for lattice bosons with anisotropic hopping in an isotropic harm onic trap. We nd that two-step condensation does not occur in this system .

ACKNOW LEDGMENTS

RRK thanks Saha Institute of Nuclear Physics for hospitality during part of the time this work was carried out.

- ¹ M. H. Anderson, J. R. Ensher, M. R. Matthews, C. E. Weiman, and E. A. Cornell, Science 269, 198 (1995).
- ² K.B.Davis, M.-O.Mewes, M.R.Andrews, N.J.van Druten, D.S.Durfee, D.M.Kum, and W.Ketterle, Phys. Rev.Lett. 75, 3969 (1995).
- ³ C.C.Bradley, C.A.Sackett, J.J.Tollett, and R.G.Hulet, Phys.Rev.Lett. 75, 1687 (1995).
- ⁴ The phrases free bosons and lattice bosons refers to bosons in the absence and the presence of an optical lattice potential, respectively.
- ⁵ F. D alfovo, S. G iorgini, L. P. P itaevskii, and S. Stringari, Rev. M od. Phys. 71, 463 (1999).
- ⁶ A.J.Leggett, Rev.M od.Phys. 73, 307 (2001).
- ⁷ C.J.Pethick and H.Sm ith, Bose-E instein condensation in dilute gases (C am bridge U niversity P ress, C am bridge UK, 2002).
- ⁸ M. Lewenstein, A. Sanpera, V. Ahunger, B. Damski, A. Sen De, and U. Sen, Adv. Phys. 56, 243 (2007).
- ⁹ I. B boch, J. D albard, and W . Zwerger, Rev. M od. Phys. 80, 885 (2008).
- ¹⁰ V.I.Yukalov, Laser Physics 19, 1 (2009).
- ¹¹ R.Ram akum ar, A.N.Das, and S.Sil, Eur. Phys. J.D 42, 309 (2007).
- ¹² N. J. van D ruten and W . K etterle, P hys. R ev. Lett. 79, 549 (1997).
- ¹³ E. A. Sonin, Zh. Eksp. Teor. Fiz. 56, 963 (1969) [Sov. Phys.JETP 29, 520 (1969)].
- ¹⁴ K. Shiokawa, J. Phys. A: Math. Gen. 33, 487 (2000).
- ¹⁵ W. Ketterle and N. J. van Druten, Phys. Rev. A 54, 656 (1996).



2.5 2 N₀N, C_vNk_B 1.5 V./N 1 0.5 0 0.8 N, D/N 0.6 0.4 0.2 0 0 0.5 1.5 2 2.5 з 3.5 1 т/т_о

FIG.1. The variation of the speci c heat (C_v), bose condensate fraction ($N_0 = N$), and the fractional population in the x-direction ($N_{1D} = N$) with temperature for free bosons in anisotropic harmonic traps. T_0 is the condensation temperature as de ned in the text. Solid line: $K_x = 0.01$, $K_y = K_z = 10$, dotted line: $K_x = 0.01$, $K_y = K_z = 1000$, and dash-dot line: $K_x = 0.01$, $K_y = K_z = 50000$. In our energy units $h!_x = 0.1414$, whereas $h!_y = h!_z$) = 4.47, 44.72, and 316.2 for $K_y = 10,1000$, and 50000, respectively. The number of bosons (N) used is 10000. The inset shows a comparison between C_v 's of an anisotropic case (dotted lines for $K_x = 0.01$, $K_y = K_z = 50000$) and a pure 1D case (solid line) with $K_x = 0.01$.

FIG.3. The variation of the speci c heat (C_v), bose condensate fraction (N₀=N), and the fractional population in the x-direction (N_{1D}=N) with temperature for bosons in combined optical lattice and anisotropic harmonic potentials. Solid line: $k_x = 0.01$, $k_y = k_z = 10$, dotted line: $k_x = 0.01$, $k_y = k_z = 100$, and dash-dot line: $k_x = 0.01$, $k_y = k_z = 1000$ (in units oft = 1). The number of bosons (N) used is 10000.



FIG.2. The single particle DOS for free bosons in an anisotropic harm onic trap vs energy E. Top panel (a): $K_x = 0.01$ and $K_y = K_z = 50000$; triangles give the num erically calculated exact DOS, dashed line is the DOS obtained from the analytical expression in Eq. 1. Bottom panel (b): $K_x = 0.01$ and $K_y = K_z = 10$; thin solid line represents num erically calculated exact DOS, dashed line is the DOS obtained from Eq. 1. In our energy unit h!_x = 0.1414.



FIG.4. The single particle DOS for bosons in combined optical lattice (t = 1) and di erent anisotropic harmonic potentials. Circles: $k_x = 0.01$, $k_y = k_z = 10$ and solid line: $k_x = 0.01$, $k_y = k_z = 100$.





FIG. 5. Comparison of the specic heat (C_v) of 10000 bosons in the 3D anisotropic harm onic and optical lattice potentials with that of bosons in a 1D combined harm onic and optical lattice. D otted line: $k_x = 0.01$, $k_y = k_z = 1000$, dash line: $k_x = 0.01$, $k_y = k_z = 2000$, and dash-dot line: $k_x = 0.01$, $k_y = k_z = 4000$ (in units oft = 1). The solid line is for a 1D lattice with $k_x = 0.01$.

FIG.6. The variation of the speci c heat (C $_v$), bose condensate fraction (N $_0$ =N), and the fractional population in the x-direction (N $_{1D}$ =N) with temperature for bosons in combined isotropic harmonic ($k_x = k_y = k_z = 0.01$) and anisotropic optical lattice potentials. Solid line: $t_y = t_z = 1.0$, dotted line: $t_y = t_z = 0.01$, and dash-dot line: $t_y = t_z = 0.001$ (all energy parameters are in units of $t_x = 1.0$). The num ber of bosons (N) used is 10000.

Two-step condensation of lattice bosons

R.Ram akum ar^1 and $A.N.Das^2$

¹D epartm ent of P hysics and A strophysics, U niversity of D elhi, D elhi-110007, India

²Saha Institute of Nuclear Physics, 1/AF Bidhannagar, Kolkata-700064, India

(1 D ecem ber 2009)

We present a theoretical study of Bose-E instein condensation in highly anisotropic harm onic traps. The bosons are considered to be moving in an optical lattice in an overallanisotropic harm onic con ning potential. We nd that two-step condensation occurs for lattice bosons at much reduced harm onic potential anisotropy when compared to the case of an ideal bose gas in an anisotropic harm onic con nem ent. We also show that when the bosons are in an isotropic harm onic con nem ent but with highly anisotropic hopping in the optical lattice, two-step condensation does not occur. We interpret some of our results using single boson density of energy states corresponding to the potentials faced by the bosons.

PACS numbers: 03.75 Lm, 03.75 Nt, 03.75 Hh

I. IN TRODUCTION

The experimental observation¹ $\{3 \text{ of Bose-Einstein}\}$ (BE) condensation in con ned bose atom clouds have launched extensive experimental and theoretical studies of this phenom enon and the various properties of the condensates of free bosons⁴ and lattice bosons $5^{\{10\}}$. In three dimensional non-interacting free⁷ or lattice bose system s¹¹ in isotropic harm onic traps, the BE condensation is accompanied by a peak in the specic heat at the condensation tem perature. However, not long after the initial discovery of bose condensation in harm onic traps, D ruten and K etterle (DK)¹² found that bosons in highly anisotropic three dimensional (3D) harm onic traps show a qualitatively di erent behavior of the speci c heat. Their theoretical calculations showed that the peak in the speci c heat of this system is not at the bose condensation tem perature, but in a higher tem perature range in which the bosons, as the tem perature decreases, are progressively transferred from the tightly con ned dim ensions to the loosely con ned dim ension. Thus, in this system, the bose condensation occurs in two steps: rst the aforem entioned transfer and second the condensation of the transferred bosons in to the overall ground state. The calculations of DK are for free bosons in anisotropic 3D harm onic traps. The earlier¹³ and the later works¹⁴ are also for free bosons with anisotropic box and anisotropic 3D harm onic con nem ents, respectively.

Now, considering rapidly growing investigations of the properties of lattice bosons in power law con nem ents⁸¹⁰, an investigation of the two-step condensation of lattice bosons in anisotropic harm onic traps is of contem porary interest. In this paper we present results of our calculations in such an investigation. Am ong other results, we show that a two-step condensation occurs for lattice bosons at anisotropies m uch sm aller than that required for free bosons. Further, since it is by now relatively easy to experim entally change the boson hopping in di erent spatial directions in an optical lattice, we also study a case of lattice bosons with anisotropic hopping in an isotropic harm onic con ning potential. One may argue that this is equivalent to bosons with isotropic hopping in an anisotropic trap and hence two-step condensation would occur in this case as well. Our calculations show that two-step condensation does not occur in this case.

This paper is organized as follows. In the next section, we revisit the system of free bosons in an anisotropic harmonic trap. We complement the analysis of DK by new features we nd in the single boson density of energy states (DOS). In Sec. II, we analyze two-step condensation of lattice bosons in anisotropic harmonic traps. In Sec. III, we study the bose condensation of lattice bosons with anisotropic hopping in an isotropic harmonic trap. The conclusions are given in Sec. IV.

II.TW O-STEP CONDENSATION OF FREE AND LATTICE BOSONS

A.Free bosons in an anisotropic harm onic potential

In this section we consider boson atoms in an anisotropic harm onic con ning potential (K $_{x}x^{2}$ + K $_{y}y^{2}$ + $K_z z^2$). The single boson energy levels are E ($n_x; n_y; n_z$) = $(n_x + 1=2)h!_x + (n_y + 1=2)h!_y + (n_z + 1=2)h!_z$, where $n_x; n_y; n_z = 0, \frac{1}{p}, \frac{2...1}{2K}, \frac{2}{x}$ h is the Plank's constant, and $!_{x;y;z} = \frac{1}{2K} \frac{2}{x_{x;y;z}}$ in which m is the atom ic mass. We use $K_x = K_z$ so that the potentials, from the center of the trap, along the y and z directions are much steeper compared to that along the x direction. In order to exhibit the two-step condensation in this system, we calculate the ground state occupancy (N_0) , the occupancy in the loosely con ned direction (N $_{\rm 1D}$), and the speci c heat by determ ining rst the chem ical potential () from the bosons number equation N = $\frac{1}{n_x=0} = \frac{1}{n_y=0} = \frac{1}{n_z=0} N (E(n_x;n_y;n_z));$ where N (E) = $1 = (\exp[(E))$)] 1), $= 1 = k_{\rm S} T$,

T the temperature, and then calculating N $_{0}$ = N (E (0;0;0)) and N $_{1D}$ = ${1 \atop n_{x}=0}$ N (E (n_x;0;0))). The specic heat is obtained from the temperature derivative¹¹ of the total energy (E_{tot}) W e evaluated N $_0$, N $_{1D}$, and C $_v$ num erically to obtain exact results. The results of our calculations for 10000 bosons in harmonic traps of varying anisotropies are shown in Fig. 1. The condensation temperature^{11;15} (T_0) , mentioned in this and other gures, is obtained by setting $N_0 = 0$ and = E(0;0;0) in the bosons number equation. For low anisotropy, the peak in C_v is clearly associated with the growth of the bose condensate fraction (N $_0=\!\!N$). W ith increasing an isotropy, the peak in C $_{\rm v}$ becom es associated with the dim ensionality cross-over in which bosons are transferred from the tightly con ned directions (y and z) into the loosely con ned direction (x). To complement the analysis of DK, we calculated the single boson energy DOS for these systems. First we recall that the analytical approximation to the DOS of a boson in a D-dimensional anisotropic harm onic trap⁷ is

$$D(E) = \frac{E^{D}}{(D-1)!} (D(E) = \frac{E^{D}}{(D-1)!} (D(E) = \frac{E^{D}}{1!} (D(E) = \frac{E^{D}}{1!}$$

From exact num erical calculations, we nd that the DOS for highly anisotropic traps, shown in Fig. 2a, show features qualitatively di erent from the analytical approximation. The DOS is found to have one dimensional (ID) character (at regions). In the very low temperature range, only the lowest at region is occupied by bosons so that the C_{ν} shows 1D character as shown in the inset of Fig. 1. This is consistent with the higher temperature cross-over in which the bosons are transferred from the tightly con ned directions to the lowesly con ned direction. We also note that 1D features are absent in the DOS when the anisotropy is comparatively sm aller as shown in Fig. 2b. In the next section, we consider consider two-step condensation of lattice bosons.

B.Lattice bosons in an anisotropic harm onic potential

In this section we consider boson atoms in a three dimensional simple cubic (sc) lattice in an overall anisotropic harmonic con ning potential. The system Ham iltonian is

$$H = t _{\langle ij \rangle} c_{i}^{y}c_{j} + c_{j}^{y}c_{i} + V (i)n_{i} _{i} i$$

where t is the kinetic energy gain when a boson hop from site i to its nearest neighbor site j in the optical lattice, c_i^y is a boson creation operator, V (i) = $(K_x x_i^2 + K_y y_i^2 + K_z z_i^2)$ is the potential at site i, $n_i = c_i^y c_i$

the boson number operator, and the chemical potential. W e num erically diagonalize this ham iltonian to obtain the energy levels (E1) of a lattice boson for di erent values of the anisotropy of the harm onic trap with $k_y = k_z$, where $k = K a^2$, = x; y; z and a is the k_x lattice constant of the sc optical lattice. The chem ical potential and the boson populations in di erent energy levels are calculated at a temperature T , using the boson number equation: $N = \prod_{l=0}^{m} N(E_l)$, where E_0 and E_m are the lowest and the highest single boson energy levels and N (E_1) = 1=[exp[(E_1)= k_B T] 1]. The specic heat is calculated from the tem perature derivative of total energy (E tot = $\lim_{l=0}^{m} N$ (E 1)E 1). The lattice size, we use, is large enough that the results are free of nite size e ects. The results for the tem perature dependence of the bose condensate fraction (N $_0$ =N), fractional boson population in the x-direction (N $_{1D}$ =N), and the speci c heat for lattice bosons in harm onic traps with di erent anisotropies are shown in Fig. 3. The two-step condensation is clearly seen in highly an isotropic traps (dash-dot and dotted lines), while it is absent for sm all an isotropies. Further, on com paring Figs. 1 and 3, we can immediately infer that the two-step condensation of lattice bosons is possible form uch smaller an isotropies com pared to the free bosons in anisotropic harm onic traps. We also nd that most of the lattice bosons are con ned in the xdirection at much higher tem peratures com pared to the case of free bosons even though the anisotropy is much sm aller for the form er com pared to the latter. This is clear if we compare N_{1D} = N in both cases, as shown in Figs. 1 and 3, for $T > 2:5T_0$. In order to get som e insight into the two-step condensation occurring for sm aller anisotropies for lattice bosons, we calculated the single boson energy DOS for these systems. The results of our calculations are shown in Fig. 4. W ith increasing anisotropy there is a dram atic change in the single particle DOS (Fig. 4). Except for very low energies, the DOS for low an isotropy is very sim ilar to that for the isotropic case. W ith increasing anisotropy, the DOS develops features similar to that expected in 1D. It has peaks separated by broad regions of com paratively very sm all values of DOS. Since the DOS shows strong 1D features for small an isotropies compared to the free boson case (without the lattice potential), the 1D behavior in N_{1D} = N sets in for comparatively smaller anisotropies of the harm onic traps.

C.D im ensionality cross-overs of lattice bosons

In this section, we investigate the dimensionality crossover in some more detail. The speci cheat, being a very sensitive function of dimensionality changes, is an useful property to study for this purpose. As mentioned earlier, for bosons in a highly anisotropic harm onic trap, the peak in the speci cheat occurs in a temperature range in which the bosons are transferred from the tightly con-

ned directions to the loosely con ned direction (here xdirection passing through the center of the trap). W ith low ering of tem perature, when the transfer to the single 1D chain along the x-direction is complete, the system would show 1D behavior. To visualize this cross-over, we have plotted the speci c heats of lattice bosons in 3D anisotropic traps and in a 1D trap in Fig. 5. It is seen that at low temperatures the specic heats of the anisotropic system s completely coincide with that of the 1D chain showing that the anisotropic 3D systems have become purely 1D. The departure from the 1D behavior starts at a tem perature which is higher for larger anisotropy (Fig. 5). However, this tem perature is much low er than the tem perature where the speci cheat shows the peak. It is also found that in the region just above the tem perature where the departure from the 1D behavior starts in C_v, a very sm all change in N_{1D} produces a very large change in C_v. This is also clear from Fig.1 (for free bosons) and from Figs. 3 and 5 (for lattice bosons) on com paring the tem perature dependences of C_{y} and N_{1D} in the above mentioned region.

III. LATTICE BOSONSW ITH AN ISOTROPIC HOPPING IN AN ISOTROPIC HARMONIC POTENTIAL

In this section, we investigate if the properties of lattice bosons with an isotropic hopping in an isotropic harm onic trap is similar to those with isotropic hopping in an anisotropic harm onic trap. We have studied the e ects of an isotropic hopping on C_{v} and condensate fraction in isotropic harm onic traps. The spatial direction dependent hopping we use are such that t_x $t_v = t_z$. The results of our calculations for various an isotropy ratios are shown in Fig. 6. We do not nd a two-step behavior in this system . The speci c heat is suppressed with increasing hopping anisotropy. The system shows anisotropic 3D behavior in all the properties studied even for large hopping an isotropies. The reason is that even though the hopping is an isotropic, since the trap is isotropic, one will have a large collection of 1D chains, sym m etric about the central one, coupled by the small inter-chain hopping. At the bose condensation tem perature, the bosons condense in to the central region of the trap. There is no higher tem perature cross-over region as in the case of lattice bosons with isotropic hopping in a highly an isotropic harm onic con nem ent.

$\ensuremath{\texttt{IV}}$. C O N C LU S IO N S

In this paper we presented a theoretical study of twostep condensation of lattice bosons in anisotropic harmonic con ning potentials. We nd that two-step condensation occurs for lattice bosons with much smaller anisotropies of the harm onic potential com pared to that for free bosons. We nd unusual 1D features in the one boson DOS both for free and lattice bosons in highly anisotropic harm onic traps. Using C_v as the indicator, we also investigated the dimensionality cross-overs in the system . We nd that the system show spurely 1D behavior in a much lower temperature range compared to the temperature range in which the peak in C_v occurs. Further, we investigated if two-step condensation occurs for lattice bosons with anisotropic hopping in an isotropic harm onic trap. We nd that two-step condensation does not occur in this system.

ACKNOW LEDGM ENTS

RRK thanks Saha Institute of Nuclear Physics for hospitality during part of the time this work was carried out.

- ¹ M. H. Anderson, J. R. Ensher, M. R. Matthews, C. E. Weim an, and E. A. Cornell, Science 269, 198 (1995).
- ² K.B.Davis, M.-O.Mewes, M.R.Andrews, N.J.van Druten, D.S.Durfee, D.M.Kum, and W.Ketterle, Phys. Rev.Lett. 75, 3969 (1995).
- ³ C.C.Bradley, C.A.Sackett, J.J.Tollett, and R.G.Hulet, Phys.Rev.Lett. 75, 1687 (1995).
- ⁴ The phrases free bosons and lattice bosons refers to bosons in the absence and the presence of an optical lattice potential, respectively.
- ⁵ F.Dalfovo, S.G. iorgini, L.P.P. itaevskii, and S.Stringari, Rev.M od.Phys.71, 463 (1999).
- ⁶ A.J.Leggett, Rev.M od.Phys. 73, 307 (2001).
- ⁷ C.J.Pethick and H.Sm ith, Bose-Einstein condensation in dilute gases (C am bridge U niversity P ress, C am bridge UK, 2002).
- ⁸ M. Lewenstein, A. Sanpera, V. Ahunger, B. Damski, A. Sen De, and U. Sen, Adv. Phys. 56, 243 (2007).
- ⁹ I. Bloch, J. D alibard, and W . Zwerger, Rev. M od. Phys. 80, 885 (2008).
- $^{\rm 10}$ V .I.Yukalov, Laser Physics 19,1 (2009).
- ¹¹ R.Ram akum ar, A.N.Das, and S.Sil, Eur.Phys.J.D 42, 309 (2007).
- ¹² N. J. van D ruten and W. K etterle, Phys. Rev. Lett. 79, 549 (1997).
- ¹³ E. A. Sonin, Zh. Eksp. Teor. Fiz. 56, 963 (1969) [Sov. Phys.-JETP 29, 520 (1969)].
- ¹⁴ K.Shiokawa, J.Phys.A:Math.Gen.33, 487 (2000).
- ¹⁵ W. Ketterle and N. J. van Druten, Phys. Rev. A 54, 656 (1996).



2.5 2 N₀N, C_vNk_B 1.5 V./N 1 0.5 0 0.8 N, D/N 0.6 0.4 0.2 0 0 0.5 1.5 2 2.5 з 3.5 1 т/т_о

FIG.1. The variation of the speci c heat (C_v), bose condensate fraction ($N_0 = N$), and the fractional population in the x-direction ($N_{1D} = N$) with temperature for free bosons in anisotropic harmonic traps. T_0 is the condensation temperature as de ned in the text. Solid line: $K_x = 0.01$, $K_y = K_z = 10$, dotted line: $K_x = 0.01$, $K_y = K_z = 1000$, and dash-dot line: $K_x = 0.01$, $K_y = K_z = 50000$. In our energy units $h!_x = 0.1414$, whereas $h!_y = h!_z$) = 4.47, 44.72, and 316.2 for $K_y = 10,1000$, and 50000, respectively. The number of bosons (N) used is 10000. The inset shows a comparison between C_v 's of an anisotropic case (dotted lines for $K_x = 0.01$, $K_y = K_z = 50000$) and a pure 1D case (solid line) with $K_x = 0.01$.

FIG.3. The variation of the speci c heat (C_v), bose condensate fraction (N₀=N), and the fractional population in the x-direction (N_{1D}=N) with temperature for bosons in combined optical lattice and anisotropic harmonic potentials. Solid line: $k_x = 0.01$, $k_y = k_z = 10$, dotted line: $k_x = 0.01$, $k_y = k_z = 100$, and dash-dot line: $k_x = 0.01$, $k_y = k_z = 1000$ (in units oft = 1). The number of bosons (N) used is 10000.



FIG.2. The single particle DOS for free bosons in an anisotropic harm onic trap vs energy E. Top panel (a): $K_x = 0.01$ and $K_y = K_z = 50000$; triangles give the num erically calculated exact DOS, dashed line is the DOS obtained from the analytical expression in Eq. 1. Bottom panel (b): $K_x = 0.01$ and $K_y = K_z = 10$; thin solid line represents num erically calculated exact DOS, dashed line is the DOS obtained from Eq. 1. In our energy unit h!_x = 0.1414.



FIG.4. The single particle DOS for bosons in combined optical lattice (t = 1) and di erent anisotropic harmonic potentials. Circles: $k_x = 0.01$, $k_y = k_z = 10$ and solid line: $k_x = 0.01$, $k_y = k_z = 100$.





FIG. 5. Comparison of the specic heat (C_v) of 10000 bosons in the 3D anisotropic harm onic and optical lattice potentials with that of bosons in a 1D combined harm onic and optical lattice. D otted line: $k_x = 0.01$, $k_y = k_z = 1000$, dash line: $k_x = 0.01$, $k_y = k_z = 2000$, and dash-dot line: $k_x = 0.01$, $k_y = k_z = 4000$ (in units oft = 1). The solid line is for a 1D lattice with $k_x = 0.01$.

FIG.6. The variation of the speci c heat (C $_v$), bose condensate fraction (N $_0$ =N), and the fractional population in the x-direction (N $_{1D}$ =N) with temperature for bosons in combined isotropic harmonic ($k_x = k_y = k_z = 0.01$) and anisotropic optical lattice potentials. Solid line: $t_y = t_z = 1.0$, dotted line: $t_y = t_z = 0.01$, and dash-dot line: $t_y = t_z = 0.001$ (all energy parameters are in units of $t_x = 1.0$). The num ber of bosons (N) used is 10000.