Time-dependent Andreev bound states of a quantum dot coupled to two superconducting leads

R. Taranko,¹ T. Kwapiński,¹ and T. Domański^{1,*}

¹Institute of Physics, M. Curie Skłodowska University, 20-031 Lublin, Poland

(Dated: January 1, 2022)

Sub-gap transport properties of a quantum dot (QD) coupled to two superconducting and one metallic leads are studied theoretically, solving the time-dependent equation of motion by the Laplace transform technique. We focus on time-dependent response of the system induced by a sudden switching on the QD-leads couplings, studying the influence of initial conditions on the transient currents and the differential conductance. We derive analytical expressions for measurable quantities and find that they oscillate in time with the frequency governed by the QD-superconducting lead coupling and acquire damping, due to relaxation driven by the normal lead. Period of these oscillations increases with the superconducting phase difference ϕ . In particular, for $\phi = \pi$ the QD occupancy and the normal current evolve monotonically (without any oscillations) to their stationary values. In such case the induced electron pairing vanishes and the superconducting current is completely blocked. We also analyze time-dependent development of the Andreev bound states. We show, that the measurable conductance peaks do not appear immediately after sudden switching of the QD coupling to external leads but it takes some finite time-interval for the system needs create these Andreev states. Such time-delay is mainly controlled by the QD-normal lead coupling.

I. INTRODUCTION

Transient effects of the quantum dot (QD) systems have been intensively studied over last years, providing useful insight into the electron transport properties. These effects could be of special importance in experiments on nanoscopic devices, where different types of time-dependent pulses can effectively control the electron flow. Transient effects have been studied, both theoretically and experimentally for the QDs coupled to the metallic (conducting) $electrodes^{1-67}$ and in the presence of superconducting reservoirs $^{68-84}$. Numerous theoretical approaches have been developed to deal with such time-dependent problems, e.g. the iterative influence-functional path integral,³⁵ Keldysh formalism and time-dependent partition-free approach,⁴⁰ weak-coupling continuous-time Monte-Carlo method²⁷ and many other techniques 53,61.

The coherent oscillations and current beats have been found in a short time scale response of a system upon abrupt change of the bias voltage.^{9,14} From the periods of the current beats it is possible to estimate the values of the QDs energy levels or the hopping parameters between them.^{38,51,57} The transient current characteristics can be also used to determine the spin relaxation time in some QD systems.⁴ Such phenomena have been investigated for QDs coupled to the normal leads as a result of the bias voltage pulse, 5,22,29,31,36,41,53,60,75driven by an arbitrary time-dependent bias,^{26,27,40,53,61} by a sequence of rectangular pulses applied to the input lead^{17,32} or applied to the contact gradually switched on in time.²⁵ The transient dynamics has been also studied for QD after a sudden symmetrical connection to the leads^{27,37,78,85} or asymmetrically coupled to electrodes following a sudden change of the QD energy levels.¹¹ The transient heat generation driven by a step-like pulse

bias with the Anderson-Holstein model or the timedependent current through QD suddenly coupled to a vibrational mode have been studied in nanostructures with the normal^{19,30,47,56,63} or superconducting electrodes.⁷¹

Technological progress in the real-time detection of single electrons has opened a possibility for studying electron transport from a perspective of the stochastic processes. Among theoretical tools for investigating the electron hopping statistics there are e.g. the full counting statistics (FCS) and the waiting time distribution $(WTD)^{54,55,62,66,73,79}$. These theoretical techniques have been successfully applied to investigations of the transient processes via OD coupled to the normal leads⁶² or in hybrid systems with superconductors.^{66,73,79} Timedependent processes are often investigated numerically, however, in exceptional cases some analytical results can give the deeper insight into considered problem. For instance, WTD in the normal lead–QD–superconducting junction exhibit the coherent oscillations between the empty and doubly occupied QD.⁷³ Similarly, some analytical calculations are possible for the energy transport in the polaronic regime described within the FCS method⁵⁹, for transient dynamics after a quench⁶⁴, for a phononic heat transport in the transient $regime^{65}$ or for transient heat generation under a step-like bias pulse.⁴⁴

In this paper we analyze the sub-gap transport properties of a system comprising of a single QD which is tunnel coupled to: one metallic (normal) and two superconducting electrodes, focusing on transient effects driven by abrupt coupling of these constituents. It is natural that oscillations of the transient current would appear as a result of such quench, and the should depend on initial conditions of the system. Such hybrid nanostructures with QD between the normal and superconducting electrodes, reveal many interesting effects with potential applications in nanoelectronics, spintronics or quantum computing.^{29,30,42,63,64} The superconducting reservoir affects the QD via proximity effect, and could be responsible for the Cooper-pair tunneling and Josephson currents, even in absence of any bias voltages. Additional normal electrode coupled to the system allows for good control of the electron transport $^{86-89}$ and could significantly affect the transient phenomena. Our goal is to investigate analytically the time-dependent QD occupation, the currents flowing from the normal and superconducting leads, the induced QD pairing, the conductance and the time evolution of the Andreev bound states (ABS).^{90–95} The formation of ABS signifies that superconducting correlations are induced in the QD via the proximity effect. We investigate appearance in time of these states and study their spin-dependence. To perform analytical time-dependent calculations we assume that superconducting gap of both superconducting leads is the largest energy scale and we put it equal to infinity. Nevertheless, the realistic physics in the Andreev transport regime is still captured in this limit. Knowledge of the analytical formulas allows us to find the answers to such questions as: (i) how do the considered quantities and their characteristics depend on the QD energy levels or the individual coupling of the QD with a given lead, (ii) what is the time period and frequency of these timedependent quantities, and many related issues. Our investigations allow us also to analyze time evolution of the Andreev bound states and their dependence on the phase difference between the superconducting reservoirs. In our calculations we apply the equation of motion method for the second quantization operators and obtain their analytical form using the Laplace transform technique. Numerical calculations could provide results only for a specific choice of parameters and would not give deep insight into specific dependence of here considered quantities of our system. In this context the analytical calculations are much more general and could have some advantage over numerical data.

The paper is organized as follows. In Sec. II we present our model and discuss the theoretical formalism. The time-dependent QD occupancy is analyzed in Sec. III, whereas Sec. IV is devoted to the proximity-induced pairing effects. The normal and superconducting transient currents through the QD are analyzed in Sec. V and in Sec. VI we discuss the subgap conductance. In the last Sec. VII we draw the main conclusions of our study.

II. MODEL AND THEORETICAL DESCRIPTION

The system under consideration consists of a QD placed between two superconducting leads (S1 and S2) and one metallic electrode, N, see Fig. 1. The model Hamiltonian for this system can be written in the following form: $H = H_{S1} + H_{S2} + H_N + H_{QD} + H_{int}$, where H_{Si} (j = 1, 2) describes electrons in the left or right su-




FIG. 1. Schematic diagram for a quantum dot coupled with two superconducting leads (S1 and S2) and one normal (metallic) electrode (N).

perconducting lead

$$H_{Sj} = \sum_{q\sigma} \varepsilon_{q_j,\sigma} c^+_{q_j\sigma} c_{q_j\sigma} + \sum_{q_j} \left(\Delta_j c^+_{-q_j\uparrow} c^+_{q_j\downarrow} + h.c. \right) (1)$$

 H_N refers to the normal lead, $H_N = \sum_{k\sigma} \varepsilon_{k\sigma} c_{k\sigma}^+ c_{k\sigma}$, H_{QD} describes the QD, $H_{QD} = \sum_{\sigma} \varepsilon_{\sigma} c_{\sigma}^+ c_{\sigma}$. Electron transitions between external leads and the QD are established by the tunnel Hamiltonian:

$$H_{int} = \sum_{k,\sigma} V_{k\sigma} c_{k\sigma}^{+} c_{\sigma} + \sum_{j=1,2} \sum_{q\sigma} V_{q_{j}\sigma} c_{q_{j}\sigma}^{+} c_{\sigma} + h.c.$$
(2)

We assume that the electron dispersion in all leads is spin-independent and impose the order parameters, Δ_j , of the superconducting leads to be phase-dependent, $\Delta_j = |\Delta_j| \exp(i\varphi_j)$. In our notation $k(q_j)$ shall denote itinerant states of the normal (superconducting) lead. Correlations are neglected in our calculations.

We are going to study time-response of this system on abrupt switching of the coupling parameters. We shall thus calculate the time-dependent QD occupations, $n_{\sigma}(t)$ and the currents flowing from the leads, $j_{N\sigma}(t)$, $j_{S_i\sigma}(t)$. Additionally we will compute $\langle c_{\downarrow}(t)c_{\uparrow}(t)\rangle$, which characterized the electron pairing induced at QD via proximity effect. In what follows we assume that all couplings between the QD and the leads are suddenly switched on at $t = 0^+$ (for $t \leq 0$ the QD is decoupled from the leads). The time evolution of the considered quantities for t > 0 depends on the initial QD filling and the chemical potentials. As time goes to infinity, we reproduce the stationary limit results known from the corresponding system. In this paper we use the Laplace transform method and our strategy in the calculations is as follows: we construct the closed set of the equation of motion for creation and annihilation operators (in the Heisenberg representation) $c_{\sigma}(t)$, $c_{k\sigma}(t)$, $c_{q_j\sigma}(t)$, $c_{\sigma}^+(t)$, $c_{k\sigma}^+(t)$, $c_{k\sigma}^+(t)$, $c_{q_j\sigma}^+(t)$, using the Laplace transformations for these differential equations we obtain the set of coupled algebraic forms $c(s) = \int_0^\infty dt e^{-st} c(t)$ for all considered operators. For instance, the QD occupation $n_{\sigma}(t)$ can be found from the relation

$$n_{\sigma}(t) = \langle \mathcal{L}^{-1}\{c_{\sigma}^{+}(s)\}(t) \cdot \mathcal{L}^{-1}\{c_{\sigma}(s)\}(t)\rangle$$
(3)

where $\mathcal{L}^{-1}\{a(s)\}(t)$ stands for the inverse Laplace transform of a(s) and $\langle ... \rangle$ is the statistical averaging.

Let us find the Laplace transforms of operators $c_{\sigma}(t)$ and $c_{q_{j}\sigma}(t)$ which are required to calculate the QD occupancy $\langle c_{\sigma}^{\dagger}(t)c_{\sigma}(t)\rangle \equiv n_{\sigma}(t)$, the QD induced pairing $\langle c_{\downarrow}(t)c_{\uparrow}(t)\rangle$ and the currents flowing from the leads. We write the Laplace transformed equations of motions for the closed set of twelve operators (in the Heisenberg representation): c_{\uparrow} , c_{\downarrow}^{\dagger} , $c_{k\uparrow}$, $c_{q_{j}\uparrow}$, $c_{-q_{j}\downarrow}^{\dagger}$, $c_{-q_{j}\uparrow}$, j = 1, 2.

$$(s+i\varepsilon_{\uparrow})c_{\uparrow}(s) = -i\sum_{r=k,q_1,q_2} V_r c_{r\uparrow}(s) + c_{\uparrow}(0), \quad (4a)$$

$$(s+i\varepsilon_{q_j})c_{q_j\uparrow}(s) = -iV_{q_j}c_{\uparrow}(s) - i\Delta_j c^{\dagger}_{-q_j\downarrow}(s) + c_{q_j\uparrow}(0),$$
(4b)

$$(s - i\varepsilon_{q_j})c^{\dagger}_{-q_j\downarrow}(s) = iV_{q_j}c^{\dagger}_{\downarrow}(s) - i\Delta^*_j c_{q_j\uparrow}(s) + c^{\dagger}_{-q_j\downarrow}(0),$$
(4c)

$$(s+i\varepsilon_k)c_{k\uparrow}(s) = -iV_kc_{\uparrow}(s) + c_{k\uparrow}(0),$$
 (4d)

$$(s - i\varepsilon_{\downarrow})c_{\downarrow}^{\dagger}(s) = i \sum_{r=k,q_1,q_2} V_r c_{r\downarrow}^{\dagger}(s) + c_{\downarrow}^{\dagger}(0), \qquad (5a)$$

$$(s - i\varepsilon_{q_j})c^{\dagger}_{q_j\downarrow}(s) = iV_{q_j}c^{\dagger}_{\downarrow}(s) - i\Delta^*_j c_{-q_j\uparrow}(s) + c^{\dagger}_{q_j\downarrow}(0),$$
(5b)

$$(s+i\varepsilon_{q_j})c_{-q_j\uparrow}(s) = -iV_{q_j}c_{\uparrow}(s) - i\Delta_j c^{\dagger}_{q_j\downarrow}(s) + c_{-q_j\uparrow}(0),$$
(5c)

$$(s - i\varepsilon_k)c_{k\downarrow}^{\dagger}(s) = iV_k c_{\downarrow}^{\dagger}(s) + c_{k\downarrow}^{\dagger}(0).$$
(5d)

From Eqs. 4a-4d and Eqs. 5a-5d we get

$$c_{\uparrow}(s)M_{\uparrow}^{(+)}(s) = A(s) - iK(s)c_{\downarrow}^{\dagger}(s), \qquad (6a)$$

$$c_{\downarrow}^{\dagger}(s)M_{\downarrow}^{(-)}(s) = B(s) - iK^*(s)c_{\uparrow}(s), \qquad (6b)$$

where

$$K(s) = \sum_{j=1,2} \frac{V_{q_j}^2 \Delta_j}{s^2 + \varepsilon_{q_j}^2 + |\Delta_j|^2},$$
 (7)

$$A(s) = -\sum_{j=1,2} \frac{V_{q_j} \left(\Delta_j c^+_{-q_j \downarrow}(0) + i(s - i\varepsilon_{q_j}) c_{q_j \uparrow}(0) \right)}{s^2 + \varepsilon_{q_j}^2 + |\Delta_j|^2}$$
$$-i\sum_k \frac{V_k c_{k\uparrow}(0)}{s + i\varepsilon_k} + c_{\uparrow}(0) , \qquad (8)$$

$$B(s) = \sum_{j=1,2} \frac{V_{q_j} \left(\Delta_j^* c_{-q_j\uparrow}(0) + i(s + i\varepsilon_{q_j}) c_{q_j\downarrow}^+(0) \right)}{s^2 + \varepsilon_{q_j}^2 + |\Delta_j|^2} + i \sum_k \frac{V_k c_{k\downarrow}^+(0)}{s - i\varepsilon_k} + c_{\downarrow}^+(0) , \qquad (9)$$

$$M_{\sigma}^{(+/-)}(s) = s \pm i\varepsilon_{\sigma} + \sum_{j=1,2} \frac{V_{q_j}^2(s \mp i\varepsilon_{q_j})}{s^2 + \varepsilon_{q_j}^2 + |\Delta_j|^2} + \sum_k \frac{V_k^2}{s \pm i\varepsilon_k}.$$
 (10)

Solving Eqs. 6a, 6b we obtain for $c_{\uparrow}(s)$

$$c_{\uparrow}(s) = \frac{M_{\downarrow}^{(-)}(s)A(s) - iK(s)B(s)}{M_{\uparrow}^{(+)}(s)M_{\downarrow}^{(-)}(s) + K(s)K^{*}(s)} \,. \tag{11}$$

Repeating the same procedure to the set of operators: c_{\downarrow} , c^{\dagger}_{\uparrow} , $c^{\dagger}_{k\uparrow}$, $c_{k\downarrow}$, $c_{q_{j}\downarrow}$, $c^{\dagger}_{-q_{j}\uparrow}$, $c^{\dagger}_{q_{j}\uparrow}$ and $c^{\dagger}_{-q_{j}\downarrow}$ one can get

$$c_{\downarrow}(s) = \frac{M_{\uparrow}^{(-)}(s)B^{+}(s) + iK(s)A^{+}(s)}{M_{\uparrow}^{(-)}(s)M_{\downarrow}^{(+)}(s) + K(s)K^{*}(s)}.$$
 (12)

Laplace transforms of c^{\dagger}_{\uparrow} and c^{\dagger}_{\downarrow} can be obtained, taking the hermitian conjugation of c_{\uparrow} and c_{\downarrow} , respectively.

In the wide-band limit approximation and for $|\Delta_j| = \infty$ the functions $M_{\sigma}^{+/-}(s)$ and K(s) can be expressed in the following analytical forms: $M_{\sigma}^{+/-}(s) = s \pm i\varepsilon_{\sigma} + \Gamma_N/2$, and $K(s) = (\Gamma_{S_1} e^{i\varphi_1} + \Gamma_{S_2} e^{i\varphi_2})/2$. Here we have assumed $\Gamma_{N/S_j} = 2\pi \sum_{k/q_j} V_{k/q_j}^2 \delta(\varepsilon - \varepsilon_{k/q_j})$ and $\varepsilon_{k\sigma} = \varepsilon_k$, $\varepsilon_{q_j\sigma} = \varepsilon_{q_j-\sigma} = \varepsilon_{-q_j}$. As an example, let us present explicit form of the Laplace transform for $c_{\uparrow}(t)$

$$c_{\uparrow}(s) = \frac{1}{(s-s_3)(s-s_4)} \left\{ \left(s - i\varepsilon_{\downarrow} + \frac{\Gamma_N}{2} \right) \right\}$$
(13)

$$\times \left[c_{\uparrow}(0) - i\sum_{k} \frac{V_k c_{k\uparrow}(0)}{2} \right]$$

$$\left. \left\{ \begin{array}{l} \sum_{k} \frac{iV_{q_{j}}(s-i\varepsilon_{q_{j}})c_{q_{j}\uparrow}(0)+V_{q_{j}}\Delta_{j}c_{-q_{j}\downarrow}^{\dagger}(0)}{s^{2}+\varepsilon_{q_{j}}^{2}+|\Delta_{j}|^{2}} \right] \\ -\sum_{j=1,2} \frac{iV_{q_{j}}(s-i\varepsilon_{q_{j}})c_{q_{j}\uparrow}(0)+V_{q_{j}}\Delta_{j}c_{-q_{j}\downarrow}(0)}{s^{2}+\varepsilon_{q_{j}}^{2}+|\Delta_{j}|^{2}} \right] \\ +\sum_{j=1,2} \frac{iV_{q_{j}}(s+i\varepsilon_{q_{j}})c_{q_{j}\downarrow}^{\dagger}(0)+V_{q_{j}}\Delta_{j}c_{-q_{j}\uparrow}(0)}{s^{2}+\varepsilon_{q_{j}}^{2}+|\Delta_{j}|^{2}} \right] \right\},$$

where $s_{3,4} = \frac{1}{2} \left[-i(\varepsilon_{\uparrow} - \varepsilon_{\downarrow}) - \Gamma_N \pm i\sqrt{\delta} \right], \ \delta = (\varepsilon_{\uparrow} + \varepsilon_{\downarrow})^2 + \Gamma_{12} \text{ and } \Gamma_{12} = \Gamma_{S_1}^2 + \Gamma_{S_2}^2 + 2\Gamma_{S_1}\Gamma_{S_2}\cos(\varphi_1 - \varphi_2).$ Note, that in the formula (13) there appears the finite superconducting energy gap Δ_j . The limit $|\Delta_j| = \infty$ will be imposed later on, when computing the expectation values of the product of two corresponding operators, e.g. $\langle c^{\dagger}_{\sigma}(t)c_{\sigma}(t) \rangle$ or $\langle c^{\dagger}_{\sigma}(t)c_{\sigma,\sigma}(t) \rangle$. Additionally, expres-

sion for
$$c_{q_j\sigma}(s)$$
 needed for calculations of the currents
flowing between the QD and the superconducting leads
can be obtained from Eqs. 4b, 4c, 11, 12 and it reads

$$c_{q_j\sigma}(s) = \frac{1}{s^2 + \varepsilon_{q_j}^2 + |\Delta_j|^2} \left[(s - i\varepsilon_{q_j})(c_{q_j\sigma}(0) - iV_{q_j}c_{\sigma}(s)) + \alpha V_{q_j}\Delta_j c_{-\sigma}^+(s) - i\alpha \Delta_j c_{-q_j-\sigma}^+(0) \right],$$
(14)

where $\alpha = +(-)$ for $\sigma = \uparrow (\downarrow)$. Using these formulas for $c_{\sigma}(s)$ and $c_{q_j\sigma}(s)$ we can analytically determine the QD occupancy, pairing parameter, subgap currents and its differential conductance.

In the following we set $e = \hbar = k_B \equiv 1$ and make use of the wide-band limit approximation. All numerical calculations shall be performed for $\Gamma_{S_1} = \Gamma_{S_2} = \Gamma_S$ and $\mu_N = 0$, unless stated otherwise. The energies, currents and time are expressed in units of Γ_S , $e\Gamma_S/\hbar$ and \hbar/Γ_S , respectively. We assume the chemical potentials of superconducting leads $\mu_{S_1} = \mu_{S_2} = 0$ to be grounded. For experimentally available values of Γ_S , $\Gamma_S \sim 200 \mu e V^{82-84}$ the typical time and current units would be $\sim 3.3 psec$ and $\sim 48 nA$, respectively.

III. QUANTUM DOT OCCUPANCY

Let us consider the time-dependent QD occupancy after abrupt coupling (at $t = 0^+$) to the normal and superconducting electrodes. We assume no bias voltage between electrodes and make use of the wide band limit approximation and impose $|\Delta_j| = \infty$. Under these assumptions the QD occupation, $n_{\sigma}(t)$, reads (cf.⁸⁰ for N-QD-S and⁹⁶ for N-QD-N systems):

$$n_{\sigma}(t) = \mathcal{L}^{-1} \left\{ \frac{s + i\varepsilon_{-\sigma} + \Gamma_N/2}{(s - s_1)(s - s_2)} \right\} (t) \mathcal{L}^{-1} \left\{ \frac{s - i\varepsilon_{-\sigma} + \Gamma_N/2}{(s - s_3)(s - s_4)} \right\} (t) n_{\sigma}(0)$$

$$+ \frac{\Gamma_{12}}{4} \mathcal{L}^{-1} \left\{ \frac{1}{(s - s_1)(s - s_2)} \right\} (t) \mathcal{L}^{-1} \left\{ \frac{1}{(s - s_3)(s - s_4)} \right\} (t) (1 - n_{-\sigma}(0))$$

$$+ \sum_{k_1, k_2} V_{k_1} V_{k_2} \mathcal{L}^{-1} \left\{ \frac{s + i\varepsilon_{-\sigma} + \Gamma_N/2}{(s - s_1)(s - s_2)(s - i\varepsilon_{k_1})} \right\} (t) \mathcal{L}^{-1} \left\{ \frac{s - i\varepsilon_{-\sigma} + \Gamma_N/2}{(s - s_3)(s - s_4)(s + i\varepsilon_{k_2})} \right\} (t) \left\langle c_{k_1\sigma}^+(0) c_{k_2\sigma}(0) \right\rangle$$

$$+ \frac{\Gamma_{12}}{4} \sum_{k_1, k_2} V_{k_1} V_{k_2} \mathcal{L}^{-1} \left\{ \frac{1}{(s - s_1)(s - s_2)(s + i\varepsilon_{k_1})} \right\} (t) \mathcal{L}^{-1} \left\{ \frac{1}{(s - s_3)(s - s_4)(s - i\varepsilon_{k_2})} \right\} (t) \left\langle c_{k_1 - \sigma}(0) c_{k_2 - \sigma}^+(0) \right\rangle ,$$

where $s_{1,2} = \frac{1}{2} \left[i(\varepsilon_{\uparrow} - \varepsilon_{\downarrow}) - \Gamma_N \pm i\sqrt{\delta} \right]$, and for $\sigma = \downarrow$ one should replace $(s_1, s_2) \leftrightarrow (s_3, s_4)$, respectively. The first two terms describe the transient QD charge oscillations which depend on the initial QD occupations. The last two terms (with the sums over k) are related to the normal lead and they give non-vanishing and non-oscillating contribution to $n_{\sigma}(t)$, regardless of the initial conditions. Note that in Eq. 15 the terms involving the expectation values of the product of electron annihilation and creation operators $c_{q_j\sigma}$ and $c_{q_j\sigma}^{\dagger}$ of the superconducting lead electrons do not appear. Such terms take e.g. the following integral form (cf.⁸⁰):

$$\frac{\Gamma_S}{2\pi} \int_{-\infty}^{+\infty} d\varepsilon f_S(\varepsilon) \mathcal{L}^{-1} \left\{ \frac{\left(s + i\varepsilon_{\downarrow} + \frac{\Gamma_N}{2}\right) \left(s + i\varepsilon\right)}{\left(s - s_1\right) \left(s - s_2\right) \left(s^2 + \varepsilon^2 + |\Delta_j|^2\right)} \right\} (t) \mathcal{L}^{-1} \left\{ \frac{\left(s - i\varepsilon_{\downarrow} + \frac{\Gamma_N}{2}\right) \left(s - i\varepsilon\right)}{\left(s - s_3\right) \left(s - s_4\right) \left(s^2 + \varepsilon^2 + |\Delta_j|^2\right)} \right\} (t) , \quad (16)$$

where $f_s(\varepsilon)$ is the Fermi distribution function. It is easy to check numerically that the above integral over the energy is smaller and smaller with increasing $|\Delta_j|$. Thus in our calculations for $|\Delta_j| = \infty$ we can neglect all terms involving operators $\hat{c}_{q\sigma}(0)$. The formula 15 can be further elaborated and after some algebra one rewrites the two first terms explicitly while the third and fourth terms can be expressed by integrals over the energy in the normal lead spectrum

$$n_{\sigma}(t) = e^{-\Gamma_{N}t} \left[n_{\sigma}(0) + (1 - n_{\sigma}(0) - n_{-\sigma}(0)) \sin^{2} \left(\frac{\sqrt{\delta}t}{2} \right) \frac{\Gamma_{12}}{\delta} \right]$$

$$+ \frac{\Gamma_{N}}{2\pi} \int_{-\infty}^{+\infty} d\varepsilon f_{N}(\varepsilon) \mathcal{L}^{-1} \left\{ \frac{s + i\varepsilon_{-\sigma} + \Gamma_{N}/2}{(s - s_{1})(s - s_{2})(s - i\varepsilon)} \right\} (t) \cdot \mathcal{L}^{-1} \left\{ \frac{s - i\varepsilon_{-\sigma} + \Gamma_{N}/2}{(s - s_{3})(s - s_{4})(s + i\varepsilon)} \right\} (t)$$

$$+ \frac{\Gamma_{N}}{8\pi} \Gamma_{12} \int_{-\infty}^{+\infty} d\varepsilon \left(1 - f_{N}(\varepsilon) \right) \mathcal{L}^{-1} \left\{ \frac{1}{(s - s_{1})(s - s_{2})(s + i\varepsilon)} \right\} (t) \cdot \mathcal{L}^{-1} \left\{ \frac{1}{(s - s_{3})(s - s_{4})(s - i\varepsilon)} \right\} (t).$$

$$(17)$$

Here $f_N(\varepsilon)$ is the electron Fermi distribution function for the normal lead and for $\sigma = \downarrow$ the replacement $(s_1, s_2) \leftrightarrow (s_3, s_4)$ should be done. The phase difference ϕ enters Eq. 17 only through the function $\cos \phi$, therefore the QD occupancy satisfies the symmetry relation $n_{\sigma}(\phi) = n_{\sigma}(\phi + 2\pi)$. Note that the part which depends on the initial QD filling oscillates with the period $2\pi/\sqrt{\delta}$. These oscillations depend on the QD electron energies, $\varepsilon_{\uparrow} + \varepsilon_{\downarrow}$, both couplings Γ_{S_1} , Γ_{S_2} and the phase difference ϕ of the superconducting order parameters, $\phi = \varphi_1 - \varphi_2$. The oscillations are damped due to the exponential factor $e^{-\Gamma_N t}$ and in the asymptotic time limit the information about the initial QD occupation is entirely washed out. From Eq. 17 we infer that, when QD is coupled only to the superconducting leads and the initial conditions are $n_{\sigma}(0) = (1,0)$ or (0,1), the time-dependent QD occupancy does not change at all (independently of ϕ and $\Gamma_{S_{1/2}}$). In this case the QD is occupied only be one electron which cannot be exchanged with the superconducting reservoirs due to the infinity large energy gaps. For the initial conditions $n_{\sigma}(0) = (1,1)$ or (0,0) the oscillations of the QD occupancy oscillates with the time period $T = \frac{2\pi}{\sqrt{\delta}}$ for $\phi \neq \pi$ independently of $\Gamma_{S_{1/2}}$ or for $\phi = \pi$, $\Gamma_{S_1} \neq \Gamma_{S_2}$. These oscillations, however, disappear for $\phi = \pi$ and $\Gamma_{S_1} = \Gamma_{S_2}$ as shown in Fig. 2.

The formula (17) for $\Gamma_N = 0$ resembles the Rabbi oscillations of a typical two-level quantum system described by the effective Hamiltonian $H_{eff} = \frac{1}{2} \left(\Gamma_{S_1} e^{i\varphi_1} + \Gamma_{S_2} e^{i\varphi_2} \right) c_{\uparrow}^{\dagger} c_{\downarrow}^{\dagger} + h.c. + \sum_{\sigma} \varepsilon_{\sigma} n_{\sigma}$. Assuming that at t = 0 the QD is empty, $n_{\sigma}(0) = 0$, we can calculate the probability P(t) of finding the QD in the doubly occupied configuration, $n_{\uparrow} = n_{\downarrow} = 1$. Within the standard treatment of a two-level system we have^{80?}

$$P(t) = \frac{\Gamma_{12}}{\Gamma_{12} + (E_1 - E_2)^2} \sin^2 \left(\sqrt{\Gamma_{12} + (E_1 - E_2)^2} \frac{t}{2} \right),$$
(18)




FIG. 2. Time evolution of the QD occupancies $n_{\uparrow}(t)$, $n_{\downarrow}(t)$ as a function of the phase difference ϕ for $\varepsilon_{\sigma} = 0$ (upper panel) and $\varepsilon_{\uparrow} = -\varepsilon_{\downarrow} = 0.5$ (bottom panel). $\Gamma_{S1} = \Gamma_{S2} = \Gamma_S = 1$, $\Gamma_N = 0.1$, $\mu_N = 0$, $|\Delta_1| = |\Delta_2| \to \infty$, $n_{\sigma}(0) = 0$. The QD occupancies satisfy the relation $n_{\sigma}(\phi) = n_{\sigma}(\phi + 2\pi)$ and for $t = \infty$ are symmetrical regard to $\phi = \pi$.

where $E_1 = 0$ and $E_2 = \varepsilon_{\uparrow} + \varepsilon_{\downarrow}$ are energies of the empty and double occupied configurations, respectively. This formula can be rewritten as $P(t) = \frac{\Gamma_{12}}{\delta} \sin^2\left(\frac{\sqrt{\delta}}{2}t\right)$ and becomes identical with our expression (17) obtained for $n_{\sigma}(0) = 0, \Gamma_N = 0.$

To illustrate such analytical results and to reveal influence of the phase difference of two superconducting leads on the QD occupation in Fig. 2 we show $n_{\uparrow}(t)$ and $n_{\downarrow}(t)$ with respect to time and ϕ for $\varepsilon_{\sigma} = 0$ (upper panel) and for the Zeeman splitting $\varepsilon_{\sigma} = -\varepsilon_{-\sigma} = 0.5$ (bottom panel). We consider here the symmetric coupling $\Gamma_{S_1} = \Gamma_{S_1} = \Gamma_S$ and assume the initial conditions $n_{\sigma}(0) = (0,0)$. Note that for $\varepsilon_{\sigma} = 0$ the QD occupancy becomes spin-independent, i.e. $n_{\sigma}(t) = n_{-\sigma}(t)$ (see Eq. 17). For $t \to \infty$ it always tends to 0.5, regardless of the superconducting phase difference. In absence of any phase-difference we observe the oscillations of $n_{\sigma}(t)$ with the period $T = \pi/\Gamma_S$ which are damped according to the exponential function $e^{-\Gamma_N t}$. Notice, that period of these oscillations is twice shorter compared to the oscillations in the N-QD-S system.⁸⁰ For $\phi \neq 0$ these oscillations are characterized by the phase-dependent period $T = \pi/[\Gamma_S|\cos(\phi/2)|]$. For the special case $\phi = \pi$ $(\Gamma_{12} = 0)$ the oscillations disappear and the QD charge develops in time exactly in the same way as for the QD coupled only to the normal lead (with $\varepsilon_{\sigma} = 0$), e.g.¹:

$$n_{\sigma}(t) = n_{\sigma}(0)e^{-\Gamma_{N}t}$$

$$+ \frac{\Gamma_{N}}{\pi}e^{-\Gamma_{N}t/2} \int_{-\infty}^{+\infty} d\varepsilon f_{N}(\varepsilon) \frac{\cosh(\Gamma_{N}t/2) - \cos(\varepsilon t)}{(\Gamma_{N}/2)^{2} + \varepsilon^{2}}$$
(19)

For $\mu = 0$ and the zero temperature case we obtain $n_{\sigma}(t) = \frac{1}{2} + e^{-\Gamma_N t} \left(n_{\sigma}(0) - \frac{1}{2} \right)$. It means that for $n_{\sigma}(0) = (0,0)$ or (1,1) the QD occupation increases or decreases monotonically in time without any oscillations, changing from zero (one) to 0.5 (see Fig. 2, upper panel).

The situation changes in the presence of the Zeeman splitting (bottom panel). For symmetric splitting of around $\mu_N = 0$, $\varepsilon_{\uparrow} = -\varepsilon_{\downarrow}$, the first term of Eq. 17 depends only on the phase difference ϕ and Γ_{S_i} . Its contribution to the final QD occupancy is the same for arbitrary values of ε_{σ} . On the other hand the two last terms in Eq. 17 depend separately on ε_{σ} . For $\phi = \pi$ the contribution from these terms is identical with the case of the QD coupled only to the normal lead. For t = 40 and $\varepsilon_{\uparrow} = -\varepsilon_{\downarrow} = 0.5$ (bottom panel in Fig. 2), the contribution from $\uparrow (\downarrow)$ is ~ 0.03 (~ 0.95). For $\phi = 0$ such contributions become ~ 0.49 and ~ 0.51, respectively. One can thus control the QD occupancy by means of the phase difference parameter ϕ .

Let us analyze more carefully variation of the QD occupancy against the phase difference ϕ . In Fig. 3 (upper panel) we present the ABS energies of the proximitized QD, $E_{\alpha\beta} = \bar{E}_{\alpha} - \varepsilon_{\beta}$, $(\alpha = \pm, \beta = \pm \equiv \uparrow / \downarrow)$, where $\bar{E}_{\alpha} = \frac{1}{2}(\varepsilon_{\uparrow} + \varepsilon_{\downarrow}) + \alpha \sqrt{\frac{(\varepsilon_{\uparrow} + \varepsilon_{\downarrow})^2}{4} + \Gamma_S^2 \cos^2 \frac{\phi}{2}}$ is the quasiparticle energy representing a superposition of the empty and double occupied states⁹⁷. In the lower panel




FIG. 3. Energies of the Andreev bound states of the proximitized QD, $E_{\alpha\beta}$, (upper panel) and QD occupancies: $n_{\uparrow}, n_{\downarrow}$ and $n_{\downarrow} - n_{\uparrow}$ (solid black, broken red and thick red curves, respectively) as a function of ϕ . The occupancies are obtained for t = 10, t = 50 (shifted down by 1.5) and for t = 200u.t. (shifted down by 3.0). The vertical black lines indicate characteristic points for $\phi = \frac{2\pi}{3}$ and $\phi = \frac{4\pi}{3}$, and the other parameters are $\varepsilon_{\uparrow} = -\varepsilon_{\downarrow} = 0.5$, $\Gamma_{S1} = \Gamma_{S2} = \Gamma_S = 1$, $\Gamma_N = 0.02, \mu_N = 0$.

we show the QD occupancies $n_{\uparrow}(t)$, $n_{\downarrow}(t)$ and the difference $n_{\perp}(t) - n_{\uparrow}(t)$ for $\Gamma_N = 0.02$ obtained for particular times t. QD occupancy rapidly changes for such values of ϕ which satisfy the relation $E_{++} = E_{--}$, i.e. for $\phi = \pi \pm \arccos \frac{\varepsilon_{\uparrow}}{\Gamma_s}$ (here $\varepsilon_{\uparrow} + \varepsilon_{\downarrow} = 0$, $\varepsilon_{\uparrow} > 0$). Exactly for such values of ϕ we observe the transition $0 - \pi$ in our system. This transition is clearly visible in the long time (steady) limit. In our case for $\Gamma_N = 0.02$ this time equals 200 u.t. (approximately equal to $\frac{4}{\Gamma_N}$). For greater Γ_N , $\Gamma_N = 0.1$, such transition is observed (although it is smeared around $\phi = \pi \pm \pi/3$ already for t 40 u.t., see the lower panel in Fig. 2. At very early stage of the time evolution such $0 - \pi$ transition is only weakly manifested by the time-dependent magnetization $n_{\perp}(t) - n_{\uparrow}(t)$. On the other hand, oscillations of the QD occupancies hardly detect existence of this transition. However, already for $t \simeq \frac{1}{\Gamma_N} = 50$ u.t. this transition is well marked on the occupancy curves as well as on $n_{\perp}(t) - n_{\uparrow}(t)$. Notice the decreasing amplitude and increasing frequency of the QD occupancies versus time. These transient characteristics are described by the factor $\sin^2(2\Gamma_S|\cos(\phi/2)|t)e^{-\Gamma_N t}$, see the first term of Eq. 17. Let us emphasize, that despite oscillatory character of $n_{\sigma}(t)$, the resulting magnetization $n_{\downarrow}(t) - n_{\uparrow}(t)$ is a smooth function of ϕ .

IV. INDUCED ON-DOT PAIRING

We shall now calculate the pairing amplitude $\chi(t) \equiv \langle c_{\downarrow}(t)c_{\uparrow}(t)\rangle$ driven by the proximity effect, assuming absence of any bias voltage ($\mu_N = 0$). Using the expressions for $c_{\uparrow}(s)$ and $c_{\downarrow}(s)$ obtained in Sec. II we find

$$\chi(t) = -\frac{i}{2} \left(\Gamma_{S1} e^{i\varphi_1} + \Gamma_{S2} e^{i\varphi_2} \right) \times$$

$$\left[-n_{\uparrow}(0) \mathcal{L}^{-1} \left\{ \frac{1}{(s-s_1)(s-s_2)} \right\} (t) \right]$$

$$\mathcal{L}^{-1} \left\{ \frac{s-i\varepsilon_{\downarrow} + \Gamma_N/2}{(s-s_3)(s-s_4)} \right\} (t) + (1-n_{\downarrow}(0)) \mathcal{L}^{-1} \left\{ \frac{s-i\varepsilon_{\uparrow} + \Gamma_N/2}{(s-s_1)(s-s_2)} \right\} (t)$$

$$\mathcal{L}^{-1} \left\{ \frac{1}{(s-s_3)(s-s_4)} \right\} (t) + \frac{\Gamma_N}{2\pi} \Phi_{\uparrow}^* \right]$$
(20)

where

$$\Phi_{\sigma} = \int_{-\infty}^{+\infty} d\varepsilon \mathcal{L}^{-1} \left\{ \frac{1}{(s-s_1)(s-s_2)(s+i\varepsilon)} \right\} (t) \quad (21)$$
$$\mathcal{L}^{-1} \left\{ \frac{s+i\varepsilon_{\sigma} + \Gamma_N/2}{(s-s_3)(s-s_4)(s-i\varepsilon)} \right\} (t)(1-f_N(\varepsilon))$$
$$- \int_{-\infty}^{+\infty} d\varepsilon f_N(\varepsilon) \mathcal{L}^{-1} \left\{ \frac{s+i\varepsilon_{-\sigma} + \Gamma_N/2}{(s-s_1)(s-s_2)(s-i\varepsilon)} \right\} (t)$$
$$\mathcal{L}^{-1} \left\{ \frac{1}{(s-s_3)(s-s_4)(s+i\varepsilon)} \right\} (t),$$

and the replacement $(s_1, s_2) \to (s_3, s_4)$ should be made for $\sigma = \downarrow$. The terms proportional to $n_{\uparrow}(0)$ and $(1-n_{\downarrow}(0))$ in the above relation can be expressed analytically, and

$$\chi(t) = \frac{i}{2} \left(\Gamma_{S_1} e^{i\varphi_1} + \Gamma_{S_2} e^{i\varphi_2} \right)$$

$$\left\{ -\frac{\Gamma_N}{2\pi} \Phi^*_{\uparrow} + \left(n_{\downarrow}(0) + n_{\uparrow}(0) - 1 \right) e^{-\Gamma_N t} \right.$$

$$\times \left[\sqrt{\delta} \sin\left(\sqrt{\delta}t\right) + i(\varepsilon_{\uparrow} + \varepsilon_{\downarrow})(\cos(\sqrt{\delta}t) - 1) \right] / \delta \right\}$$
(22)

Notice, that for $\Gamma_{S_1} = \Gamma_{S_2} = \Gamma_S$ and $\phi = \pi$ the factor $\Gamma_{S_1} e^{i\varphi_1} + \Gamma_{S_2} e^{i\varphi_2} = 2\Gamma_S \cos \frac{\phi}{2}$ vanishes therefore the ondot pairing $\langle c_{\downarrow}(t)c_{\uparrow}(t)\rangle$ is absent (see upper and bottom panels in Fig. 4 for $\phi = \pi$). However, for $\phi \neq \pi$ and $\varepsilon_{\uparrow} + \varepsilon_{\downarrow} = 0$ we have

$$\chi(t) = -\frac{\Gamma_N \Gamma_S}{2\pi} \cos \frac{\phi}{2} \Im \Phi_{\uparrow} + \frac{i}{2} \left(n_{\downarrow}(0) + n_{\uparrow}(0) - 1 \right)$$
$$\times e^{-\Gamma_N t} \frac{\cos \frac{\phi}{2}}{|\cos \frac{\phi}{2}|} \sin \left(2\Gamma_S |\cos \frac{\phi}{2}| t \right) , \qquad (23)$$

where we have used the obvious property $\Re \Phi_{\sigma} = 0$, corresponding to $\mu_N = 0^{80}$. The imaginary part of $\chi(t)$ oscillates with the same period as the QD occupancy, i.e. with $T = \pi/[\Gamma_S |\cos(\phi/2)|]$, but the real part changes monotonically from zero to some constant value without any oscillations (upper panel). We can notice, that




FIG. 4. The real (upper panel) and imaginary (bottom panel) parts of the QD induced pairing $\chi(t) = \langle c_{\downarrow}(t)c_{\uparrow}(t) \rangle$ as a function of time and the phase difference $\varphi_1 - \varphi_2$ for $\varepsilon_{\sigma} = 0$, $\Gamma_{S_1} = \Gamma_{S_2} = \Gamma_S$, $\Gamma_N = 0.1$ and $n_{\sigma}(0) = 0$. $\chi(t)$ satisfies the relation $\chi(t,\phi) = \chi(t,\phi + 4\pi)$ and for $t = \infty$ is symmetrical about $\phi = 2\pi$. The bold green line for t = 40 in the upper panel corresponds to the case $\varepsilon_{\uparrow} = -\varepsilon_{\downarrow} = 0.5$.

the imaginary part of χ vanishes when the QD is filled by a single electron at the initial time t = 0. On the other hand, the real part of χ is a non-vanishing function irrespective of the initial conditions. It is worth mentioning, that for $\Gamma_N = 0$ (i.e. Josephson junction setup) and for $\varepsilon_{\uparrow} + \varepsilon_{\downarrow} = 0$ the expression for $\chi(t)$ becomes purely imaginary and is characterized by undamped oscillations inducing d.c. current (see the next section V). In general, from the analysis of Eq. 20 we infer that the QD induced pairing satisfies the symmetry relation $\chi(t, \phi) = \chi(t, \phi + 4\pi)$. In particular, for $t = \infty$, it becomes symmetric with respect to $\phi = 2\pi$.

V. SUBGAP CURRENTS

Let us consider the currents $j_{N\sigma}(t)$ and $j_{Sj\sigma}(t)$ flowing between the QD and the normal or superconducting electrodes, respectively. These currents depend on time due to the abrupt coupling of all parts of the considered system. For t > 0, even at zero bias voltage, there are induced transient currents. Such electron currents can be obtained from the evolution of the total number of electrons of the corresponding electrode¹. For the normal lead we can express it $as^{38,50,51,57,68}$:

$$j_{N\sigma}(t) = 2\Im\left(\sum_{k} V_{k\sigma} e^{-i\varepsilon_{k\sigma}t} \langle c_{\sigma}^{+}(t)c_{k\sigma}(0)\rangle\right) - \Gamma_{N} n_{\sigma}(t), \qquad (24)$$

where we have assumed the energy-independent normal lead spectrum. Using the formulas of Sec. II we find

$$j_{N\sigma}(t) = \frac{\Gamma_N}{\pi} \Re \left(\int_{-\infty}^{+\infty} d\varepsilon f_N(\varepsilon) e^{-i\varepsilon t} \right)$$

$$\mathcal{L}^{-1} \left\{ \frac{s + i\varepsilon_{-\sigma} + \Gamma_N/2}{(s - s_1)(s - s_2)(s - i\varepsilon)} \right\} (t)$$

$$-\Gamma_N n_\sigma(t).$$
(25)

Inserting the inverse Laplace transform and using the expression for $n_{\sigma}(t)$ one can obtain analytical relation for $j_{N\sigma}(t)$. However, this solution for arbitrary t cannot be written in relatively compact (or transparent) form,




FIG. 5. The time dependent currents flowing between the QD and the normal lead, $j_{N\uparrow}(t)$, (upper panel) and between the QD and the superconducting lead, $j_{S1\uparrow}(t)$, (bottom panel), as a function of the phase difference $\varphi_1 - \varphi_2$. The system parameters are: $\varepsilon_{\sigma} = 0$, $\Gamma_{S_1} = \Gamma_{S_2} = \Gamma_S$, $\Gamma_N = 0.1$ and $n_{\sigma}(0) = 0$.

so we restrict ourselves to the asymptotics $t = \infty$

$$j_{N\sigma} = \frac{\Gamma_N}{\pi} \int d\varepsilon \left\{ f_N(\varepsilon) \left[\Re \left(\frac{i(\varepsilon + \varepsilon_{-\sigma}) + \frac{\Gamma_N}{2}}{\left(\frac{\Gamma_N}{2} + i\varepsilon_{++}\right) \left(\frac{\Gamma_N}{2} + i\varepsilon_{-+}\right)} \right) - \frac{\Gamma_N}{2} \frac{(\varepsilon + \varepsilon_{-\sigma})^2 + \frac{\Gamma_N^2}{4}}{\left(\frac{\Gamma_N^2}{4} + \varepsilon_{++}^2\right) \left(\frac{\Gamma_N^2}{4} + \varepsilon_{-+}^2\right)} \right]$$
(26)
$$- (1 - f_N(\varepsilon)) \frac{\Gamma_N \Gamma_{12}}{8 \left(\frac{\Gamma_N^2}{4} + \varepsilon_{+-}^2\right) \left(\frac{\Gamma_N^2}{4} + \varepsilon_{--}^2\right)} \right\},$$

where $\varepsilon_{\alpha\beta} = \varepsilon + E_{\alpha\beta}$ and $E_{\alpha\beta}$ are the quasiparticle energies of the proximitized QD.

Fig. 5 (upper panel) shows the time-dependent current flowing from the normal lead to the QD as function of the phase difference $\phi = \varphi_1 - \varphi_2$ obtained for the unbiased system $\varepsilon_{\sigma} = 0$. At a beginning the current starts to flow from the normal electrode to the empty QD. In a next stage, electrons tunnel in both directions with the characteristic oscillations. These damped oscillations are clearly visible and for $t \to \infty$ the current vanishes for all ϕ . The period of these oscillations increases with ϕ , similarly to the behavior observed for the QD occupancy. Exceptionally, for $\phi = \pi$, the current tends to its asymptotic value without any oscillations according to the formula (valid for the zero temperature, $\varepsilon_{\sigma} = 0$ and $\Gamma_{S_1} = \Gamma_{S_2}$):

$$j_{N\sigma}(t) = \Gamma_N e^{-\Gamma_N t} \left(\frac{1}{2} - n_\sigma(0)\right) \,. \tag{27}$$

We can notice, that right after the abrupt coupling (at $t = 0^+$) the large value of transient current $j_{N\sigma}$ is induced in the system ($\sim \frac{\Gamma_N}{2}$) which is artifact of the WBL approximation.¹⁵ We have checked that by applying a more realistic (smooth) QD-leads coupling profile the initial current would gradually increase, revealing the same period of oscillations and other overall features.⁸⁰

The situation looks a bit different for the currents, flowing between the QD and superconducting leads. To calculate these currents we start from the standard formula $j_{Sj\sigma}(t) = 2\Im \left(\sum_{qj} V_{qj} \langle c^+_{\sigma}(t) c_{qj\sigma}(t) \rangle \right)$ and use the Laplace transforms for $c^+_{\sigma}(s)$ and $c_{qj\sigma}(s)$, obtaining⁸⁰

$$j_{S_{1/2}\sigma}(t) = \Re \left\{ \frac{\Gamma_{S_{1/2}}}{2} \left(\Gamma_{S_{1/2}} + \Gamma_{S_{2/1}} e^{\pm i\phi} \right) \times \left[\frac{\Gamma_N}{2\pi} \Phi_\sigma - n_\sigma(0) \mathcal{L}^{-1} \left\{ \frac{1}{(s-s_3)(s-s_4)} \right\} (t) \mathcal{L}^{-1} \left\{ \frac{s+i\varepsilon_{-\sigma} + \Gamma_N/2}{(s-s_1)(s-s_2)} \right\} (t) + (1-n_{-\sigma}(0)) \mathcal{L}^{-1} \left\{ \frac{1}{(s-s_1)(s-s_2)} \right\} (t) \mathcal{L}^{-1} \left\{ \frac{s+i\varepsilon_{\sigma} + \Gamma_N/2}{(s-s_3)(s-s_4)} \right\} (t) \right\},$$
(28)

As usually, the replacement $(s_1, s_2) \leftrightarrow (s_3, s_4)$ should be made for $\sigma = \downarrow$. After straightforward algebra we can derive more explicit form for the superconducting current

$$j_{S_{1/2}\sigma}(t) = \frac{\Gamma_{S_{1/2}}}{2\delta} \left(1 - n_{\sigma}(0) - n_{-\sigma}(0)\right) e^{-\Gamma_{N}t}$$
(29)
$$\left[\left(\Gamma_{S_{2/1}} \cos \phi + \Gamma_{S_{1/2}}\right) \sqrt{\delta} \sin(\sqrt{\delta}t) \right. \\\left. \left. \left. \left. \left. \left(\Gamma_{S_{2/1}} \cos \phi + \Gamma_{S_{1/2}}\right) \sqrt{\delta} \sin(\sqrt{\delta}t) \right. \right. \right. \right. \right. \right. \\\left. \left. \left. \left. \left(\Gamma_{S_{1/2}} + \Gamma_{S_{2/1}} e^{\pm i\phi}\right) \Phi_{\sigma} \right\} \right] \right. \right] \right.$$

Using the relation for the induced pairing, Eq. 20, the above current can be recast as $j_{S_j\sigma}(t) =$ $\Im \left(\Gamma_{S_j} e^{i\varphi_j} \langle c_{\downarrow}(t)c_{\uparrow}(t) \rangle^* \right)$. Assuming that $\langle c_{\downarrow}(t)c_{\uparrow}(t) \rangle =$ $|\langle c_{\downarrow}(t)c_{\uparrow}(t) \rangle| e^{i\varphi_d}$, where φ_d is the argument (phase) of $\langle c_{\downarrow}(t)c_{\uparrow}(t) \rangle$, we obtain (e.g.⁶⁹):

$$j_{S_j\sigma}(t) = \Gamma_{S_j} \left| \langle c_{\downarrow}(t) c_{\uparrow}(t) \rangle \right| \, \sin(\varphi_j - \varphi_d) \,, \qquad (30)$$

where j = 1, 2. Inspecting (30) we conclude that the currents flowing between the QD and a given superconducting lead does not depend on spin, $j_{S_{1\sigma}}(t) = j_{S_{1-\sigma}}(t)$, irrespective of the spin dependent QD energy levels. This

is a consequence of the fact that the QD can exchange charge with the superconducting leads only vi pairs of opposite spin electrons.

This formula simplifies for the case $\Gamma_{S_1} = \Gamma_{S_2} \equiv \Gamma_S$ and $\varepsilon_{\uparrow} + \varepsilon_{\downarrow} = 0$, when we obtain

$$j_{S_1\sigma}(t) = \frac{\Gamma_S}{2} e^{-\Gamma_N t} \left[1 - n_\sigma(0) - n_{-\sigma}(0)\right]$$
(31)
$$\cdot \cos(\phi/2) \sin(2\Gamma_S | \cos(\phi/2) | t)$$
$$+ \frac{\Gamma_N \Gamma_S^2}{2\pi} \cos^2(\phi/2) \Re \left\{\Phi_\sigma\right\} - \frac{\Gamma_N \Gamma_S^2}{4\pi} \sin \phi \Im \left\{\Phi_\sigma\right\}.$$

For $\mu_N = 0$ the real part of Φ_{σ} , $\Re \{\Phi_{\sigma}\}$, vanishes⁸⁰ and in such case for $\phi = \pi$ and identical couplings to both superconducting leads the currents $j_{S_j\sigma}(t)$ vanish.

Under non-equilibrium conditions $\mu_N \neq 0$, for symmetric couplings and for $\varepsilon_{\uparrow} = -\varepsilon_{\downarrow}$), the asymptotic (for $t \to \infty$) value of the superconducting current can be ex-

pressed as

$$j_{S_{1}\sigma} = \frac{\Gamma_{N}^{2}\Gamma_{S}^{2}}{4\pi} \left\{ \int \frac{(1-f_{N}(\varepsilon))d\varepsilon}{\left[(\Gamma_{N}^{2}/4+\varepsilon_{+-}^{2})\right]\left[(\Gamma_{N}^{2}/4+\varepsilon_{--}^{2})\right]} - \int \frac{f_{N}(\varepsilon)d\varepsilon}{\left[(\Gamma_{N}^{2}/4+\varepsilon_{-+}^{2})\right]\left[(\Gamma_{N}^{2}/4+\varepsilon_{++}^{2})\right]} \right\} \cos^{2}\left(\frac{\phi}{2}\right) - \frac{\Gamma_{N}\Gamma_{S}^{2}}{4\pi} \left\{ \int \frac{(1-f_{N}(\varepsilon))(\varepsilon+\varepsilon_{\uparrow})d\varepsilon}{\left[(\Gamma_{N}^{2}/4+\varepsilon_{+-}^{2})\right]\left[(\Gamma_{N}^{2}/4+\varepsilon_{--}^{2})\right]} (32) - \int \frac{f_{N}(\varepsilon)(\varepsilon-\varepsilon_{\uparrow})d\varepsilon}{\left[(\Gamma_{N}^{2}/4+\varepsilon_{-+}^{2})\right]\left[(\Gamma_{N}^{2}/4+\varepsilon_{++}^{2})\right]} \right\} \sin\phi$$

where $\varepsilon_{\alpha\beta} = \varepsilon + E_{\alpha\beta}$ and $E_{\alpha\beta}$ denote quasiparticle energies of the proximitized QD. Notice, that the first term in the above formula vanishes for zero temperature and $\mu_N = 0$. In this case the superconducting current can be rewritten to the following (Josephson-like) formula

$$j_{S_1\sigma} = \frac{\Gamma_S}{4\pi} \frac{\sin\phi}{|\cos\left(\frac{\phi}{2}\right)|}$$

$$\left[\arctan\frac{\varepsilon_{\uparrow\uparrow}^2 + \frac{\Gamma_N^2}{4} - \Gamma_S^2 \cos^2\left(\frac{\phi}{2}\right)}{\Gamma_S \Gamma_N |\cos\left(\frac{\phi}{2}\right)|} - \frac{\pi}{2} \right].$$
(33)

Let us remark that the formula for the current, Eq. 31, can be used to determine the coupling value Γ_S . As the time-oscillations are described by the first term of Eq. 31 then for a given ϕ the oscillating part of $j_{S_j\sigma}(t)$ is proportional to $\sin(2\Gamma_S|\cos(\phi/2)|t)$. The period of these oscillations $T = \frac{\pi}{\Gamma_S|\cos(\phi/2)|}$ for the system characterized by a sufficiently small Γ_S and $\phi \simeq \pi$ should be experimentally detectable.

Lower panel in Fig. 5 presents the current $j_{S_1\uparrow}(t)$ as a function of ϕ for $n_{\uparrow}(0) = n_{\downarrow}(0) = 0$. The current oscillates with a damping amplitude and for large time it tends to a non-zero asymptotic value given in Eq. 33. The asymptotic value of the current does not depend on the initial QD occupancies, see Eq. 29. However, the transient currents are different for the QD initial occupancies, $n_{\sigma}(0) = (0,0), (1,1)$ and for $n_{\sigma}(0) = (0,1), (1,0)$. In the first case the current indicates rather rich time-dependent structure before it attains the asymptotic value. This is a consequence of the Rabi-like oscillations (damped via $e^{-\Gamma_N t}$ due to the coupling with normal lead) between the empty and double occupied QD configurations and is described by the first term of Eq. 29 which depends on the factor $(1 - n_{\sigma}(0) - n_{-\sigma}(0))$. This factor disappears for the initial occupancies $n_{\sigma}(0) = (0, 1)$ or (1, 0) and all time-dependence of $j_{S_i\sigma}(t)$ is described by the last term of Eq. 29. This term, however, in contrast to the former case does not introduce any visible oscillations for small Γ_N but enters the formulas for $j_{S_i\sigma}$, irrespective of the initial conditions. From Fig. 5 we can learn, that at short time after the quench the current is symmetric with respect to $\phi = \pi$. This symmetry, however, is quickly lost and in the long time scale.




FIG. 6. Time dependent currents flowing between the QD and the superconducting leads, $j_{S_1\uparrow}(t)$, $j_{S_2\uparrow}(t)$ as a function of the phase difference $\varphi_1 - \varphi_2$ in the presence of the Zeeman splitting $\varepsilon_{\uparrow} = -\varepsilon_{\downarrow} = 0.5$ (upper panel). In the bottom panel the asymptotic spin up currents (solid curves) and corresponding QD occupancies (broken curves) obtained for $t = \infty$ are shown for the Zeeman splitting: $\varepsilon_{\uparrow} = -\varepsilon_{\downarrow} = 0, 0.25, 0.5, 0.75$ and 1.0. The parameters are: $\Gamma_{S_1} = \Gamma_{S_2} = \Gamma_S$, $\Gamma_N = 0.2$ and $n_{\sigma}(0) = 0$.

In Fig. 6 we present time dependent currents $j_{S_1\uparrow}$ and $j_{S_2\uparrow}$ vs. the phase difference ϕ for the finite Zeeman splitting of energy levels, $\varepsilon_{\uparrow} = -\varepsilon_{\downarrow} = 0.5\Gamma_S$. Both currents oscillate with the period, dependent on the phase difference ϕ . As before, this period increases with ϕ and for $\phi = \pi$ the currents do not flow in the system. Comparing such ϕ -dependence of the currents with those presented in Fig. 5 (lower panel) for $\varepsilon_{\sigma} = 0$ we observe a different behavior, especially at asymptotic large time. In presence of the Zeeman splitting the asymptotic currents almost vanish for some ϕ interval around $\phi = \pi$. To study this effect in more detail we show in Fig. 6, bottom panel, the superconducting currents for several values of the Zeeman splittings (solid lines for $\varepsilon_{\uparrow} = -\varepsilon_{\downarrow} = 0, 0.25, 0.5, 0.75$ and 1.0 (in units of Γ_S). As one can see, in absence of the Zeeman splitting the current does not flow only for $\phi = 0, \pi$. In presence of the Zeeman term the zero-value superconducting current interval of ϕ increases, but at the same time the maximal values of the currents diminish. For $\varepsilon_{\uparrow} = -\varepsilon_{\downarrow} \gg 1$ the superconducting currents do not flow. The corresponding asymptotic occupancies




FIG. 7. The current $j_{S_2\uparrow}(t)$ as a function of the phase difference $\varphi_1 - \varphi_2$ for different times: t = 5, 20, 60 and 200 u.t. (from upper to bottom curves in both panels, respectively). The upper (bottom) panel corresponds to $\Gamma_N = 0.1(0.02)$ and the Zeeman splitting is $\varepsilon_{\uparrow} = -\varepsilon_{\downarrow} = 0.5$, $\Gamma_{S_1} = \Gamma_{S_2} = \Gamma_S$, and $n_{\sigma}(0) = 0$. The curves for t = 20, 60, 200 are shifted down by 0.5, 1.0, 1.5, respectively, for better visualization.

of the QD, $n_{\uparrow}(\phi, t = \infty)$ are shown in Fig. 6, bottom panel (broken lines). One can notice, that the occupancies decrease monotonically with ϕ and remain very low for the zero-current interval of ϕ . The changes of the QD occupancies in presence of the Zeeman splitting reflect phasal-dependence of the superconducting currents. These changes are related to $0 - \pi$ transition and will be discussed in the next paragraph (compare ϕ -dependence of n_{\uparrow} for $\varepsilon_{\uparrow} = -\varepsilon_{\downarrow} = 0.5$ and $\Gamma_N = 0.1$ shown in the lower panel of Fig. 3).

In Fig. 7 we analyze the time dependence of $j_{S_2\sigma}(t)$ for some selected values of time t, starting from the quench t = 0 until nearly the asymptotically large times. In the lower panel, $\Gamma_N = 0.02$, the ϕ -dependence of the current demonstrates abrupt changing of the current value at points corresponding to $E_{++} = E_{--}$ (see upper panel in Fig. 3). These jumps of the current are clearly visible for large times. However, for larger Γ_N , e.g. for $\Gamma_N = 0.1$ (upper panel, Fig. 7) the ϕ -dependence of the current even for asymptotically large times does not show such sharp changes. Notice, that the time at which the current achieves constant (in time) values is much shorter in comparison to the case of $\Gamma_N = 0.02$. In both regimes of Γ_N we can estimate this time as $\frac{4}{\Gamma_N}$ (compare the results for ϕ -dependence of $n_{\sigma}(t)$). For small time $0 - \pi$ transition is not visible but for larger time it becomes evident in spite of the oscillations. Such transition is very well visible in the asymptotics, where the oscillations vanish. For larger Γ_N the current tends to its asymptotic value

(without time-oscillations) in much shorter time than for smaller Γ_N , due to the damping factor $e^{-\Gamma_N t}$ [see the first term in Eq. 31].

Let us consider the simple case of the QD coupled solely to superconducting leads, assuming $\Gamma_{S_1} = \Gamma_{S_2} = \Gamma_S$, $\varepsilon_{\uparrow} = -\varepsilon_{\downarrow}$ and $n_{\uparrow}(0) = n_{\downarrow}(0) = 0$. In this case

$$n_{\sigma}(t) = \sin^2(\Gamma_S \cos(\phi/2)t), \qquad (34)$$

$$j_{S_{1/2}\sigma}(t) = \frac{\Gamma_S}{2} \cos(\phi/2) \sin(2\Gamma_S |\cos(\phi/2)|t) \,. \quad (35)$$

The QD occupancy and the current do not depend on spin and, in addition, both superconducting currents, $j_{S_{1/2}\sigma}(t)$, are exactly identical. Note, however, that for $\varepsilon_{\uparrow} + \varepsilon_{\downarrow} \neq 0$ these currents differ one from another, see Eq. 29, and their difference equals $\Gamma_S^2 \sin \phi (1 - \cos(\sqrt{\delta} t))(\varepsilon_{\uparrow} + \varepsilon_{\downarrow})/\delta$. The current $j_{S_{j\sigma}}$ vanishes for $\phi = \pi$ and $\Gamma_{S_1} = \Gamma_{S_2}$. For different couplings, $\Gamma_{S_1} \neq \Gamma_{S_2}$, the current does not vanish, even for $\phi = \pi$. For instance $j_{S_{1\sigma}}$ in this case (for $\varepsilon_{\sigma} = 0$) is found to be $j_{S_1\sigma}(t) = \frac{\Gamma_{S_1}}{2} \sin [(\Gamma_{S_1} - \Gamma_{S_2}) t]$.

It would be interesting to consider the transition from the permanently oscillating superconducting currents in the system of the QD placed only between two superconducting leads ($\Gamma_N = 0$) to finite constant asymptotic values of such currents in the presence of the third normal lead ($\Gamma_N \neq 0$), see e.g. bottom panel in Fig. 6. From Eq. 31 we see, that for $\Gamma_N \neq 0$ the current consists of two parts. The first one corresponds to the transient oscillations damped by the factor $e^{-\Gamma_N t}$, whereas the second one is described by the imaginary part of Φ_{σ} . This part of the current slowly evolves in time to some nonzero asymptotic value given in Eq. 33. Asymptotic value of this current vanishes with decreasing Γ_N , therefore the oscillating part of is damped less and less effectively, and simultaneously the imaginary part of Φ_{σ} vanishes thereby the current oscillates with constant amplitude $\frac{\Gamma_S}{2}\cos(\phi/2)$, Eq. 33.

VI. DIFFERENTIAL SUBGAP CONDUCTANCE

The last part of our studies is devoted to the subgap time-dependent Andreev conductance $G_{\sigma}(\mu, t) = \frac{\partial}{\partial \mu} j_{N\sigma}(t)$, expressing it in units of $\frac{4e^2}{h}$. We investigate this quantity as a function of the bias voltage ($\mu = \mu_N$) applied to the normal lead. Using the expressions for the current and QD charge, Eqs. 17 and 26, we obtain at zero




FIG. 8. Time-dependent Andreev conductance (in $4e^2/h$ units) as a function of the bias voltage μ for the phase difference $\phi = \varphi_1 - \varphi_2 = 0$ (upper panel) and for $\phi = 0.85\pi$ (bottom panel). The other system parameters are the same as in Fig. 2.

temperature

$$G_{\sigma}(\mu, t) = \Re \left[\Gamma_{N} e^{-i\mu t} \mathcal{L}^{-1} \left\{ \frac{s + i\varepsilon_{-\sigma} + \Gamma_{N}/2}{(s - s_{1})(s - s_{2})(s - i\mu)} \right\} (t) \right] \\ + \frac{\Gamma_{N}^{2} \Gamma_{12}}{8} \mathcal{L}^{-1} \left\{ \frac{1}{(s - s_{1})(s - s_{2})(s + i\mu)} \right\} (t) \\ \mathcal{L}^{-1} \left\{ \frac{1}{(s - s_{3})(s - s_{4})(s - i\mu)} \right\} (t) \\ - \frac{\Gamma_{N}^{2}}{2} \mathcal{L}^{-1} \left\{ \frac{s + i\varepsilon_{-\sigma} + \Gamma_{N}/2}{(s - s_{1})(s - s_{2})(s - i\mu)} \right\} (t) \\ \mathcal{L}^{-1} \left\{ \frac{s - i\varepsilon_{-\sigma} + \Gamma_{N}/2}{(s - s_{3})(s - s_{4})(s + i\mu)} \right\} (t)$$

where for $\sigma = \downarrow$ the replacement $(s_1, s_2) \rightarrow (s_3, s_3)$ should be made. Notice, that for $\varepsilon_{\uparrow} = \varepsilon_{\downarrow}$ the conductance is spin independent $(G_{\uparrow} = G_{\downarrow} = G)$. In Fig. 8 we plot the timedependent conductance $G_{\sigma}(\mu, t) = G$ as a function of μ for different phase difference between the superconducting leads, i.e. for $\phi = 0$ (upper panel) and for $\phi = 0.85\pi$ (bottom panel), in the presence of weakly coupled normal electrode, $\Gamma_N = 0.1\Gamma_S$ ($\Gamma_{S_1} = \Gamma_{S_2} = \Gamma_S = 1$) and $\varepsilon_{\sigma} = 0$. The process of forming the Andreev subgap states is clearly visible. We observe that for $\phi = 0$ in the limit of large time the conductance is characterized by two well pronounced maxima appearing at $\mu \simeq \pm \Gamma_S$ whose half-widths gradually shrink in time. These maxima appear after some time-interval after abrupt switching of the QD-leads couplings (we denote such time-scale by τ_1 see Fig. 9). This characteristic time is needed to




FIG. 9. Positions of the quasiparticle maxima vs. time and μ appearing in the differential conductance $G_{\sigma}(\mu, t)$ for different Γ_N indicated in the legend and for superconducting phase difference $\phi = 0, \pi/2$ and $3\pi/4$, respectively (upper panel). The bottom panel shows the result for $\Gamma_N = 0.1$ where different time scales, τ_1, τ_2 and τ_3 are indicated. For negative values of μ the results are symmetrical. The QD energy levels are: $\varepsilon_{\sigma} = 0$ and $\Gamma_{S_1} = \Gamma_{S_2} = \Gamma_S$.

build up two distinct maxima of G is longer depends on the phase difference ϕ – compare the upper and bottom panels in Fig. 8. Time-evolution of such quasiparticle peaks allows us to estimate how fast the Andreev quasipatricles appear in the system and thus it is desirable to study this process in more detail.

By inspecting $G_{\sigma}(\mu, t)$ in Fig. 8 we observe, that up to some specific time, τ_1 , a broad one-peaked structure of G is present. Then, the conductance rapidly transforms in time into two-peak structure. The position of each quasiparticle peak evolves in time to its steady limit value (that time is called τ_2) and finally the width and height of peaks are established after the time τ_f (see Fig. 2, bottom panel). In Fig. 9 we display position of the quasiparticle peaks maxima vs. time and μ for different values of Γ_N and ϕ indicated in the legend (upper panel). As one can see, the moment of appearance of two-peak structure, τ_1 , depends on both ϕ and Γ_N . However, for $\phi = 0$ this time only slightly depends on Γ_N . With increasing ϕ it increases with remarkable dependence on Γ_N (for a given ϕ it increases with Γ_N). The time scale for appearance of the two-peak structure is very small and for $\phi = 0$ it equals approximately 2.5 u.t., for $\phi = \pi/2$ it changes from ~ 3 u.t. for $\Gamma_N = 0.1$ up to ~ 4 u.t. for $\Gamma_N = 0.5$, and for $\phi = 3\pi/4$ it changes from ~ 6 u.t. for $\Gamma_N = 0.1$ up to ~ 8.5 u.t. for $\Gamma_N = 0.5$, respectively (see upper

panel, Fig. 9). Positions of the maxima versus μ evolve in time during approximately $\tau_2 \simeq 12$ u.t. (the bold parts of lines in the bottom panel) and attain their steady-state values. Note, that the asymptotic quasiparticle peaks heights and widths are achieved with the envelope function $1 - \exp(-t/\tau_f)$, where $\tau_f = \frac{2}{\Gamma_N}$ can be deduced from the explicit expression for $G_{\sigma}(\mu, t)$ in which the long living terms proportional to $\exp(-\Gamma_N t/2)$ are present.

Let us consider a few special cases, for which the simpler analytical formulas can be given. In the limit $\phi = \pi$, $\varepsilon_{\sigma} = 0$ and $\Gamma_{S_1} = \Gamma_{S_2}$ the conductance takes the form (here $G_{\uparrow} = G_{\downarrow} = G$):

$$G(\mu, t) = \frac{\Gamma_N}{\left(\frac{\Gamma_N^2}{4} + \mu^2\right)} \left[\frac{\Gamma_N}{2} + e^{-\Gamma_N t/2} \cdot \left(\frac{\Gamma_N}{2}\cos(\mu t) - \Gamma_N \cosh\left(\frac{\Gamma_N t}{2}\right) + \mu \sin(\mu t)\right)\right].$$
(37)

In this case the zero bias conductance reads $G(\mu = 0, t) = 2 \left[1 + e^{-\Gamma_N t/2} \left(1 - 2 \cosh(\Gamma_N t/2) \right) \right]$ and for $t = 2 \ln 2/\Gamma_N$ it reaches the optimal value equal to 0.5 and it vanishes for $t \to \infty$.

As differential conductance depends on the couplings $\Gamma_{S_1}, \Gamma_{S_2}$ and ϕ only through Γ_{12} so different choices of these parameters can lead to the same values of G_{σ} . Note, that vanishing conductance $G_{\sigma}(\mu, t = \infty)$ for $\phi = \pi$ is obtained, assuming the symmetric couplings $\Gamma_{S_1} = \Gamma_{S_2}$. For $\Gamma_{S_1} \neq \Gamma_{S_2}$ even for $\phi = \pi$ the conductance looks quite different. Assuming, e.g. $\frac{\Gamma_{S_2}}{\Gamma_{S_1}} = k$ we obtain $\Gamma_{12} = \Gamma_{S_1}^2 (1 + k^2 + 2k \cos \phi)$, than for $k \neq 1$ and $\phi = \pi$ one has $\Gamma_{12} = \Gamma_{S_1}^2 (1 - k)^2$. The same value of Γ_{12} one can obtain for k = 1 and $\phi = \arccos\left(\frac{(1-k)^2}{2} - 1\right)$. The conductance $G_{\sigma}(\mu, t)$ shown in Fig. 8 for $\phi = 0.85\pi$ and $\Gamma_{S_1} = \Gamma_{S_2} = 1$ is identical with that one calculated for $\frac{\Gamma_{S_2}}{\Gamma_{S_1}} = \frac{1}{2}$ and $\phi = \arccos\left(-\frac{7}{8}\right)$. It means that asymmetry in the couplings to superconducting leads $\Gamma_{S_1}, \Gamma_{S_2}$ can be effectively captured by the phase difference parameter, ϕ . This conclusion refers also to the QD occupancy and the current flowing between the QD and the normal lead. Since explicit expression for $G_{\sigma}(\mu, t)$ is rather lengthly, we skip it here and present only its asymptotic form $(t \to \infty)$ for $\Gamma_{S_1} = \Gamma_{S_2} = \Gamma_S$, $\varepsilon_{\uparrow} = -\varepsilon_{\downarrow}$ $(G_{\uparrow} = G_{\downarrow} = G)$

$$G(\mu) = \frac{\Gamma_N^2 \Gamma_S^2}{2} \cos^2\left(\frac{\phi}{2}\right) \left\{ \frac{1}{\left(\frac{\Gamma_N^2}{4} + \mu_{-+}^2\right) \left(\frac{\Gamma_N^2}{4} + \mu_{++}^2\right)} + \frac{1}{\left(\frac{\Gamma_N^2}{4} + \mu_{+-}^2\right) \left(\frac{\Gamma_N^2}{4} + \mu_{--}^2\right)} \right\},$$
(38)

where $\mu_{\alpha\beta} = \mu + E_{\alpha\beta}$. For $\Gamma_N \ll \Gamma_S$ the asymptotic conductance has four maxima placed at $\mu \simeq \pm \varepsilon_{\uparrow} \pm \Gamma_S |\cos\left(\frac{\phi}{2}\right)|$ or equivalently at $\mu = E_{++}, E_{+-}, E_{-+}$ and




FIG. 10. The asymptotic conductance obtained for $t \to \infty$ as a function of μ and the phase difference $\phi = \varphi_1 - \varphi_2$. The contour lines correspond to G = 0.5 and $\Gamma_{S1} = \Gamma_{S2} = \Gamma_S$, $\Gamma_N = 0.75$.

μ[Γ_S]

 E_{--} , respectively. Note that the asymptotic conductivity $G(\mu)$ does not depend on spin but in general $G_{\sigma}(\mu, t)$ it can be spin-dependent.

It is also interesting to check influence of the superconducting phase difference on the the asymptotic Andreev conductance behavior. For arbitrary $\phi \neq \pi$ and $\varepsilon_{\sigma} = 0$, the asymptotic value of $G(\mu, t)$ can be written as follows (for $t = \infty$)

$$G(\mu) = \frac{\Gamma_N^2 \Gamma_{12}}{4 \left[\frac{\Gamma_N^2}{4} + \left(\frac{\sqrt{\Gamma_{12}}}{2} - \mu \right)^2 \right] \left[\frac{\Gamma_N^2}{4} + \left(\frac{\sqrt{\Gamma_{12}}}{2} + \mu \right)^2 \right]}.$$
(39)

Fig. 10 presents the asymptotic conductance, $G(\mu, t)$ ∞), as a function of the bias voltage μ , and the phase difference ϕ . As one can see for $\phi = 0$ two distinct maxima of G are visible (cf. Fig. 8 for t = 100). For nonzero ϕ , which satisfies the condition $\cos(\phi) > \frac{\Gamma_N^2 - \Gamma_{S1}^2 - \Gamma_{S2}^2}{2\Gamma_{S1}\Gamma_{S2}}$ these two maxima appear at points $\mu = \pm \sqrt{\frac{\Gamma_{12}}{4} - \frac{\Gamma_{2}^{2}}{4}}$. In the opposite case, there is only one maximum at $\mu = 0$ whose height is reduced to zero value with $\phi \to \pi$. In consequence, for $\phi = \pi$ and $t = \infty$ the conductance vanishes for all μ . Note that, for the QD coupled only to one superconducting and one normal electrode, the zero-bias conductance is invariant under the replacement $\Gamma_N \leftrightarrow \Gamma_S$ ⁷⁰. However, in our system with two superconducting leads this conclusion is no longer valid, even for the symmetric couplings case, $\Gamma_{S_1} = \Gamma_{S_2}$. Such property is achieved only for $\phi = \frac{2\pi}{3}$.

In the last part of our studies we discuss the timeevolution of the ABS for nonzero splitting of the QD energy levels. In the first case we consider the symmetric splitting around the zero energy (Fig. 11, $\varepsilon_{\uparrow} = -\varepsilon_{\downarrow} = 0.5$ for $\phi = 0.85\pi$) and in the second case the splitting is symmetric but around the nonzero energy value equal 0.5 (Fig. 12, $\varepsilon_{\uparrow} = 1$, $\varepsilon_{\downarrow} = 0$ for some specific values of




FIG. 11. Time-dependent Andreev conductance G_{\uparrow} (in $4e^2/h$ units) as a function of the bias voltage μ for the phase difference $\phi = \varphi_1 - \varphi_2 = 0.85\pi$ and the Zeeman splitting $\varepsilon_{\uparrow} = -\varepsilon_{\downarrow} = 0.5$. The upper (bottom) panel corresponds to $\Gamma_N = 0.1$ ($\Gamma_N = 0.02$) and $\Gamma_{S1} = \Gamma_{S2} = \Gamma_S$.

time after the quench). In Fig. 11 we analyze the approach to equilibrium of $G_{\uparrow}(\mu, t)$ for two values of Γ_N , $\Gamma_N = 0.1(0.02)$ upper (bottom) panel. We show only $G_{\uparrow}(\mu, t)$ as $G_{\downarrow}(\mu, t)$ is symmetric (with respect to $\mu = 0$) in relation to G_{\uparrow} . The maxima of G_{\uparrow} for large time correspond to E_{-+} , E_{++} , E_{--} and E_{+-} ABS states (on the negative side of μ -axis). It is interesting that the time evolution of E_{-+}, E_{++} ABS is different from the evolution of E_{--} and E_{+-} , respectively. The stationary values of the conductance peaks corresponding to G_{\uparrow} and G_{\downarrow} are all the same (according to Eq. 38) but the ABS E_{-+} and E_{++} begin to appear later than E_{--} and E_{+-} . For $\Gamma_N = 0.1 \ (0.02)$ this delay time can be approximately estimated as 30 (60) u.t. For stronger coupling Γ_N (upper panel) the ABS peaks are wider in comparison to the case of weakly coupled normal electrode (bottom panel) and appear earlier than for smaller Γ_N . In Fig. 12 we show the phasal-dependence of G_{\uparrow} and G_{\downarrow} calculated for small time, t = 10 u.t. (upper panels), for t = 30 u.t. (middle panels) and for long time, t = 100 u.t. (bottom) panels) at which the conductance attains the stationary values. In addition, in the upper panels the curves representing the localization of the ABS states on the (μ, φ) plane are depicted. We observe essential difference with strong asymmetry between G_{\uparrow} and G_{\downarrow} at short period of time after the quench. The time evolution of G_{\uparrow} (G_{\downarrow}) is limited to the appearance of E_{-+} (E_{--}) ABS. Next, for larger time other Andreev states appear but the most visible are still the curves corresponding to E_{-+} and E_{--} , respectively. Notice, that for $\varphi = \pi$ and large time the conductance vanishes for both spins (cf. Eq. 38) as shown in the bottom panels. However, for smaller time after the quench all ABS states also vanish for $\varphi = \pi$ except E_{-+}




FIG. 12. Phase-dependent Andreev conductance G_{\uparrow} (left panels) and G_{\downarrow} (right panels) (in $4e^2/h$ units) as a function of the bias voltage μ for t = 10, 30 and 100 u.t. (upper, middle and bottom panels, respectively) after the quench. Other parameters: $\varepsilon_{\uparrow} = 1$, $\varepsilon_{\downarrow} = 0$, $\Gamma_N = 0.1$, $\Gamma_{S1} = \Gamma_{S2} = \Gamma_S$. The lower curves in all panels correspond to $\varphi = 0$ and each next upper curve is shifted up by $\frac{2\pi}{33}$, so the upper curves correspond to $\varphi = 2\pi$. $E_{+-}, E_{++}, E_{--}, E_{-+}$ are represented by corresponding solid lines in the upper panels: they show the localization of the ABS (for $\Gamma_N = 0$) on the (μ, φ) plane.

(for $\sigma = \uparrow$) and E_{--} (for $\sigma = \downarrow$). These states vanish only at relatively large times after the quench.

VII. CONCLUSIONS

We have analyzed theoretically the transient sub-gap quasiparticle and transport properties of the QD coupled to one metallic and two superconducting electrodes (with large energy gaps), using the equation of motion for the second quantization operators and determining their Laplace transforms. Response of the system to the sudden coupling of its constituent parts and influence of the initial QD occupations on the induced electron pairing, the transient currents, and the differential conductance have been studied. The analytical formulas for these quantities have been derived and for some specific situations and their mutual relations have been analyzed. We have addressed the equilibrium case (with identical chemical potentials of all leads) and investigated the conductivity on non-equilibrium (biased) system.

We have shown that formulas for the QD occupation, $n_{\sigma}(t)$, on-dot pairing amplitude $\langle c_{\downarrow}(t)c_{\uparrow}(t)\rangle$ and charge current flowing between the QD and superconducting

leads, $j_{S_j\sigma}(t)$, consist of two parts. The first one depends on the initial QD occupancies, but does not depend on the chemical potentials of external reservoirs. This term describes the oscillating transient behavior of the considered quantities which is damped via $\exp(-\Gamma_N t)$ due to the QD-normal lead coupling. It is proportional to the factor $(1 - n_{\uparrow}(0) - n_{\downarrow}(0))$ and vanishes for some specific initial QD filling. The second part of the considered formulas depends mainly on the QD-normal leads coupling and results in monotonic time-dependence of the corresponding quantities. In contrast to the first part, it appears in all formulas regardless of the initial conditions.

Having analytical expressions for the physical observables we have shown, how the amplitude and time period of the transient oscillations depend on the model parameters ε_{σ} , Γ_{S_i} , Γ_N and φ_1 , φ_2 . We have also presented a reminiscence of the Rabi-type oscillations between the empty and doubly-occupied configurations of the proximitized QD. We have found that for $\varepsilon_{\sigma} = 0$ the asymptotic QD occupancy does not depend on the superconducting leads phase difference ϕ and it tends to half-filling. In presence of the Zeeman splitting $n_{\sigma}(t)$ relevantly depends on the phase difference ϕ , indicating signatures of $0 - \pi$ transition. Such transition is at smaller time (right after the quench) rather not much evident, but it becomes more and more clear at larger times, $t \ge \frac{4}{\Gamma_N}$.

Finally, we have analyzed the time-dependent differential conductance as a function of the bias voltage between the normal and superconducting leads and we have inspected its phasal dependence. It has been found, that two-peak structure of the conductance (for $\varepsilon_{\sigma} = 0$) known from the stationary transport properties, does emerge after some characteristic time-interval. This time scale increases with the phase differences ϕ . We have analyzed the spin-dependent conductance considering the Zeeman splitting of the QD levels, and found different temporal evolution of the corresponding Andreev bound states. Ultimately, for asymptotically large times, these Andreev peaks become symmetric and spinindependent. Our theoretical predictions could be verified by the present-day experimental methods and they could shed light on dynamics of the sub-gap quasiparticle states.

ACKNOWLEDGEMENTS

This work was supported by National Science Centre (NCN, Poland) under the grant UMO-2017/27/B/ST3/01911 (T.D. and R.T.).

- * doman@kft.umcs.lublin.pl
- ¹ A.-P. Jauho, N. S. Wingreen, and Y. Meir, "Time-dependent transport in interacting and noninteracting resonant-tunneling systems," Phys. Rev. B **50**, 5528 (1994).
- ² Q. f. Sun and T. h. Lin, "Transient current through a quantum dot with two time-dependent barriers," J. Phys.: Condens. Matter 9, 3043 (1997).
- ³ P. Nordlander, M. Pustilnik, Y. Meir, N.S. Wingreen, and D.C. Langreth, "How long does it take for the Kondo effect to develop?" Phys. Rev. Lett. 83, 808 (1999).
- ⁴ T. Fujisawa, D. G. Austing, Y. Tokura, Y. Hirayama, and S. Tarucha, "Electrical pulse measurement, inelastic relaxation, and non-equilibrium transport in a quantum dot," J. Phys.: Condens. Matter 15, R1395 (2003).
- ⁵ Yu Zhu, J. Maciejko, T. Ji, H. Guo, and J. Wang, "Timedependent quantum transport: Direct analysis in the time domain," Phys. Rev. B **71**, 075317 (2005).
- ⁶ M. Plihal, D.C. Langreth, and P. Nordlander, "Transient currents and universal time scales for a fully time-dependent quantum dot in the kondo regime," Phys. Rev. B **71**, 165321 (2005).
- ⁷ A.F. Izmaylov, A. Goker, B.A. Friedman, and P. Nordlander, "Transient current in a quantum dot subject to a change in coupling to its leads," J. Phys.: Condens. Matter 18, 8995 (2006).
- ⁸ J. Maciejko, J. Wang, and H. Guo, "Time-dependent quantum transport far from equilibrium: An exact nonlinear response theory," Phys. Rev. B **74**, 085324 (2006).
- ⁹ F.M. Souza, "Spin-dependent ringing and beats in a quantum dot system," Phys. Rev. B 76, 205315 (2007).

- ¹⁰ V. Moldoveanu, V. Gudmundsson, and A. Manolescu, "Transient regime in nonlinear transport through manylevel quantum dots," Phys. Rev. B **76**, 085330 (2007).
- ¹¹ A. Goker, B.A. Friedman, and P. Nordlander, "Transient current in a quantum dot asymmetrically coupled to metallic leads," Phys. Rev. B 76, 205315 19, 376206 (2007).
- ¹² Z. Feng, J. Maciejko, J. Wang, and H. Guo, "Current fluctuations in the transient regime: An exact formulation for mesoscopic systems," Phys. Rev. B **77**, 075302 (2008).
- ¹³ T. L. Schmidt, P. Werner, L. Mühlbacher, and A. Komnik, "Transient dynamics of the anderson impurity model out of equilibrium," Phys. Rev. B 78, 235110 (2008).
- ¹⁴ E. Perfetto, G. Stefanucci, and M. Cini, "Spin-flip scattering in time-dependent transport through a quantum dot: Enhanced spin-current and inverse tunneling magnetoresistance," Phys. Rev. B 78, 155301 (2008).
- ¹⁵ G. Stefanucci, E. Perfetto, and M. Cini, "Ultrafast manipulation of electron spins in a double quantum dot device: A real-time numerical and analytical study," Phys. Rev. B **78**, 075425 (2008).
- ¹⁶ V. Moldoveanu, A. Manolescu, and V. Gudmundsson, "Geometrical effects and signal delay in time-dependent transport at the nanoscale," New J. of Phys. **11**, 073019 (2009).
- ¹⁷ V. Gudmundsson, C. Gainar, Chi-S. Tang, V. Moldoveanu, and A. Manolescu, "Time-dependent transport via the generalized master equation through a finite quantum wire with an embedded subsystem," New J. of Phys. **11**, 113007 (2009).
- ¹⁸ V. Moldoveanu, A. Manolescu, and V. Gudmundsson, "Theoretical investigation of modulated currents in open nanostructures," Phys. Rev. B 80, 205325 (2009).

- ¹⁹ T. L. Schmidt and A. Komnik, "Charge transfer statistics of a molecular quantum dot with a vibrational degree of freedom," Phys. Rev. B 80, 041307 (2009).
- ²⁰ H. Pan and Y. Zhao, "Time-dependent quantum transport behavior through t-shaped double quantum dots," J. Phys.: Condens. Matter **21**, 265501 (2009).
- ²¹ Y. Tomita, T. Nakayama, and H. Ishii, "Transient current behavior through molecular bridge systems; effects of intra-molecule current on quantum relaxation and oscillation," e-J. Surf. Sci. and Nanotechnology 7, 606 (2009).
- ²² P. Myöhänen, A. Stan, G. Stefanucci, and R. van Leeuwen, "Kadanoff-baym approach to quantum transport through interacting nanoscale systems: From the transient to the steady-state regime," Phys. Rev. B 80, 115107 (2009).
 ²³ A. Croy and U. Saalmann, "Propagation scheme
- ²³ A. Croy and U. Saalmann, "Propagation scheme for nonequilibrium dynamics of electron transport in nanoscale devices," Phys. Rev. B 80, 245311 (2009).
- ²⁴ Q.-F. Sun, J. Wang, and T.-H. Lin, "Photon-assisted andreev tunneling through a mesoscopic hybrid system," Phys. Rev. B **59**, 13126 (1999).
- ²⁵ V. Moldoveanu, A. Manolescu, Chi-S. Tang, and V. Gudmundsson, "Coulomb interaction and transient charging of excited states in open nanosystems," Phys. Rev. B **81**, 155442 (2010).
- ²⁶ J. Jin, Matisse Wei-Yuan Tu, Wei-Min Zhang, and Yi-Jing Yan, "Non-equilibrium quantum theory for nanodevices based on the feynman-vernon influence functional," New J. of Phys. **12**, 083013 (2010).
- ²⁷ Ph. Werner, T. Oka, M. Eckstein, and A. J. Millis, "Weak-coupling quantum monte carlo calculations on the keldysh contour: Theory and application to the current-voltage characteristics of the anderson model," Phys. Rev. B **81**, 035108 (2010).
- ²⁸ A. Komnik, "Transient dynamics of the nonequilibrium majorana resonant level model," Phys. Rev. B **79**, 245102 (2009).
- ²⁹ B. Wang, Y. Xing, L. Zhang, and J. Wang, "Transient dynamics of molecular devices under a steplike pulse bias," Phys. Rev. B 81, 121103 (2010).
- ³⁰ E. C. Cuansing and J.-S. Wang, "Transient behavior of heat transport in a thermal switch," Phys. Rev. B 81, 052302 (2010).
- ³¹ S.-H. Ke1, R. Liu, W. Yang, and H. U. Baranger, "Time-dependent transport through molecular junctions," J. Chem. Phys. **132**, 234105 (2010).
- ³² Petri Myöhänen, Adrian Stan, Gianluca Stefanucci, and Robert van Leeuwen, "Kadanoff-baym approach to timedependent quantum transport in ac and dc fields," J. Phys.: Confer. Series 220, 012017 (2010).
- 33 H.D. Za-Cornean, C. Gianesello, and V. grebnov, "A partition-free approach to transteady-state currents," sient and charge J. Phys. A: Math. and Theor. 43, 474011 (2010).
- ³⁴ S. Andergassen, M. Pletyukhov, D. Schuricht, H. Schoeller, and L. Borda, "Renormalization group analysis of the interacting resonant-level model at finite bias: Generic analytic study of static properties and quench dynamics," Phys. Rev. B 83, 205103 (2011).
- ³⁵ D. Segal, Α. Millis, and D. Reichman, quantum "Nonequilibrium transport inimpurity models: exact path integral simulations," Phys. Chem. Chem. Phys. 13, 14378 (2011).
- ³⁶ A. Croy, U. Saalmann, A. R. Hernández, and C. H. Lewenkopf, "Nonadiabatic electron

pumping through interacting quantum dots," Phys. Rev. B **85**, 035309 (2012).

- ³⁷ K. Joho, S. Maier, and A. Komnik, "Transient noise spectra in resonant tunneling setups: Exactly solvable models," Phys. Rev. B 86, 155304 (2012).
- ³⁸ E. Taranko, M. Wiertel, and R. Taranko, "Transient electron transport properties of multiple quantum dots systems," J. Appl. Phys. **111**, 023711 (2012).
- ³⁹ E. Khosravi, A.-M. Uimonen, A. Stan, G. Stefanucci, S. Kurth, R. van Leeuwen, and E. K. U. Gross, "Correlation effects in bistability at the nanoscale: Steady state and beyond," Phys. Rev. B 85, 075103 (2012).
- ⁴⁰ G. Stefanucci and C.-O. Almbladh, "Time-dependent partition-free approach in resonant tunneling systems," Phys. Rev. B **69**, 195318 (2004).
- ⁴¹ L. D. Contreras-Pulido, J. Splettstoesser, M. Governale, J. König, and M. Büttiker, "Time scales in the dynamics of an interacting quantum dot," Phys. Rev. B 85, 075301 (2012).
- ⁴² L. Zhang, Y. Xing, and J. Wang, "First-principles investigation of transient dynamics of molecular devices," Phys. Rev. B 86, 155438 (2012).
- ⁴³ D. M. Kennes, S. G. Jakobs, C. Karrasch, and V. Meden, "Renormalization group approach to timedependent transport through correlated quantum dots," Phys. Rev. B 85, 085113 (2012).
- ⁴⁴ W. Pei, X. C. Xie, and Q. f. Sun, "Transient heat generation in a quantum dot under a step-like pulse bias," J. Phys.: Condens. Matter 24, 415302 (2012).
- ⁴⁵ L. Zhang, Y. Xing, and J. Wang, "First-principles investigation of transient dynamics of molecular devices," Phys. Rev. B 86, 155438 (2012).
- ⁴⁶ M. Kulkarni, K. Tiwari, and D. Segal, "Full density matrix dynamics for large quantum systems: interactions, decoherence and inelastic effects," New J. of Phys. **15**, 013014 (2013).
- ⁴⁷ K. F. Albrecht, A. Martń-Rodero, R. C. Monreal, L. Mühlbacher, and A. Levy Yeyati, "Long transient dynamics in the anderson-holstein model out of equilibrium," Phys. Rev. B 87, 085127 (2013).
- ⁴⁸ I. Knezevic and B. Novakovic, "Time-dependent transport in open systems based on quantum master equations," J. Comput. Electron. **12**, 363 (2013).
- ⁴⁹ Riku Tuovinen, Robert van Leeuwen, Enrico Perfetto, and Gianluca Stefanucci, "Time-dependent landauer-buttiker formula for transient dynamics," J. Phys.: Confer. Series **427**, 012014 (2013).
- ⁵⁰ R. Taranko and P. Parafiniuk, "Influence of the coulomb interaction on the spin-polarized current in the quantum dot system in the presence of the bias voltagepulse," Physica E 49, 5 (2013).
- ⁵¹ T. Kwapiński and R. Taranko, "Charging time effects and transient current beats in horizontal and vertical quantum dot systems," Physica E **63**, 241 (2014).
- ⁵² V. Vovchenko, D. Anchishkin, J. Azema, P. Lombardo, R. Hayn, and A-M Dare, "A new approach to time-dependent transport through an interacting quantum dot within the keldysh formalism," J. Phys.: Condens. Matter 26, 015306 (2014).
- ⁵³ R. Tuovinen, E. Perfetto, G. Stefanucci, and R. van Leeuwen, "Time-dependent landauer-büttiker formula: Application to transient dynamics in graphene nanoribbons," Phys. Rev. B 89, 085131 (2014).

- ⁵⁴ G.-M. Tang and J. Wang, "Full-counting statistics of charge and spin transport in the transient regime: A nonequilibrium green's function approach," Phys. Rev. B **90**, 195422 (2014).
- ⁵⁵ G.-M. Tang, F. Xu, and J. Wang, "Waiting time distribution of quantum electronic transport in the transient regime," Phys. Rev. B 89, 205310 (2014).
- ⁵⁶ R. Seoane Souto, R. Avriller, R. C. Monreal, A. Martín-Rodero, and A. Levy Yeyati, "Transient dynamics and waiting time distribution of molecular junctions in the polaronic regime," Phys. Rev. B **92**, 125435 (2015).
- ⁵⁷ R. Taranko and T. Kwapiński, "Charge and current beats in t-shaped qubit-detector systems," Physica E **70**, 217 (2015).
- ⁵⁸ B. Dong, G. H. Ding, and X. L. Lei, "Time-dependent quantum transport through an interacting quantum dot beyond sequential tunneling: second-order quantum rate equations," J. Phys.: Condens. Matter 27, 205303 (2015).
- ⁵⁹ R. Tuovinen, N. Säkkinen, D. Karlsson, G. Stefanucci, and R. van Leeuwen, "Phononic heat transport in the transient regime: An analytic solution," Phys. Rev. B **93**, 214301 (2016).
- ⁶⁰ M. M. Odashima and C. H. Lewenkopf, "Time-dependent resonant tunneling transport: Keldysh and kadanoff-baym nonequilibrium green's functions in an analytically soluble problem," Phys. Rev. B **95**, 104301 (2017).
- ⁶¹ M. Ridley, A. MacKinnon, and L. Kantorovich, "Partitionfree theory of time-dependent current correlations in nanojunctions in response to an arbitrary time-dependent bias," Phys. Rev. B **95**, 165440 (2017).
- ⁶² R. Seoane Souto, A. Martín-Rodero, and A. Levy Yeyati, "Analysis of universality in transient dynamics of coherent electronic transport," Fortschritte der Physik **65**, 1600062.
- ⁶³ X. Chen, J. Yuan, G. Tang, J. Wang, Z. Zhang, C-M. Hu, and H. Guo, "Transient spin current under a thermal switch," J. Phys. D: Appl. Phys. **51**, 274004 (2018).
- ⁶⁴ G. Tang, Z. Yu, and J. Wang, "Full-counting statistics of energy transport of molecular junctions in the polaronic regime," New J. of Phys. **19**, 083007 (2017).
- ⁶⁵ H.-T. Chen, G. Cohen, A. J. Millis, and D. R. Reichman, "Anderson-holstein model in two flavors of the noncrossing approximation," Phys. Rev. B **93**, 174309 (2016).
- ⁶⁶ R. Seoane Souto, A. Martín-Rodero, and A. Levy Yeyati, "Quench dynamics in superconducting nanojunctions: Metastability and dynamical yang-lee zeros," Phys. Rev. B **96**, 165444 (2017).
- ⁶⁷ P.-Y. Yang, C.-Y. Lin, and W.-M. Zhang, "Master equation approach to transient quantum transport in nanostructures incorporating initial correlations," Phys. Rev. B **92**, 165403 (2015).
- ⁶⁸ Y. Xing, Q.-F. Sun, and J. Wang, "Response time of a normal-metal/superconductor hybrid system under a steplike pulse bias," Phys. Rev. B **75**, 125308 (2007).
- ⁶⁹ M. Governale, M. G. Pala, and J. König, "Real-time diagrammatic approach to transport through interacting quantum dots with normal and superconducting leads," Phys. Rev. B **77**, 134513 (2008).
- ⁷⁰ T. Domański and A. Donabidowicz, "Interplay between particle-hole splitting and the Kondo effect in quantum dots," Phys. Rev. B **78**, 073105 (2008).
- ⁷¹ K.F. Albrecht, H. Soller, L. Muhlbacher, and A. Komnik, "Transient dynamics and steady state behavior of the Anderson-Holstein model with a superconducting lead,"

Physica E 54, 15 (2013).

- ⁷² A. Koga, "Quantum monte carlo study of nonequilibrium transport through a quantum dot coupled to normal and superconducting leads," Phys. Rev. B 87, 115409 (2013).
- ⁷³ L. Rajabi, C. Pöltl, and M. Governale, "Waiting time distributions for the transport through a quantum-dot tunnel coupled to one normal and one superconducting lead," Phys. Rev. Lett. **111**, 067002 (2013).
- ⁷⁴ E. Perfetto, G. Stefanucci, and M. Cini, "Equilibrium and time-dependent josephson current in one-dimensional superconducting junctions," Phys. Rev. B 80, 205408 (2009).
- ⁷⁵ G. Stefanucci, E. Perfetto, and M. Cini, "Timedependent quantum transport with superconducting leads: A discrete-basis Kohn-Sham formulation and propagation scheme," Phys. Rev. B **81**, 115446 (2010).
- ⁷⁶ R. Seoane Souto, A. Martín-Rodero, and A. Levy Yeyati, "Andreev bound states formation and quasiparticle trapping in quench dynamics revealed by time-dependent counting statistics," Phys. Rev. Lett. **117**, 267701 (2016).
- ⁷⁷ G. Michałek, B.R. Bułka, T. Domański, and K.I. Wysokiński, "Statistics of tunneling events in three-terminal hybrid devices with quantum dot," Acta Phys. Polon. A **133**, 391 (2018).
- ⁷⁸ R. Seoane Souto, R. Avriller, A. Levy Yeyati, and A. Martín-Rodero, "Transient dynamics in interacting nanojunctions within self-consistent perturbation theory," New J. Phys. **20**, 083039 (2018).
- ⁷⁹ Shuo Mi, P. Burset, and Ch. Flindt, "Electron waiting times in hybrid junctions with topological superconductors," (2018), arXiv:1805.01704.
- ⁸⁰ R. Taranko and T. Domański, "Buildup and transient oscillations of andreev quasiparticles," Phys. Rev. B 98, 075420 (2018).
- ⁸¹ G. Stefanucci and R. van Leeuwen, "Nonequilibrium manybody theory of quantum systems: A modern introduction," (2013).
- ⁸² A. Eichler, M. Weiss, S. Oberholzer, C. Schönenberger, A. Levy Yeyati, J.C. Cuevas, and A. Martín-Rodero, "Even-odd effect in andreev transport through a carbon nanotube quantum dot," Phys. Rev. B **99**, 126602 (2007).
- ⁸³ R. S. Deacon, Y. Tanaka, A. Oiwa, R. Sakano, K. Yoshida, K. Shibata, K. Hirakawa, and S. Tarucha, "Tunneling spectroscopy of andreev energy levels in a quantum dot coupled to a superconductor," Phys. Rev. Lett. **104**, 076805 (2010).
- ⁸⁴ J.-D. Pillet, P. Joyez, Rok Žitko, and M. F. Goffman, "Tunneling spectroscopy of a single quantum dot coupled to a superconductor: From Kondo ridge to Andreev bound states," Phys. Rev. B 88, 045101 (2013).
- ⁸⁵ F. M. Souza, S. A. Leão, R. M. Gester, and A. P. Jauho, "Transient charging and discharging of spin-polarized electrons in a quantum dot," Phys. Rev. B **76**, 125318 (2007).
- ⁸⁶ R. Maurand, T. Meng, E. Bonet, S. Florens, L. Marty, and W. Wernsdorfer, "First-order $0-\pi$ quantum phase transition in the Kondo regime of a superconducting carbonnanotube quantum dot," Phys. Rev. X **2**, 011009 (2012).
- ⁸⁷ R. Delagrange, D. J. Luitz, R. Weil, A. Kasumov, V. Meden, H. Bouchiat, and R. Deblock, "Manipulating the magnetic state of a carbon nanotube josephson junction using the superconducting phase," Phys. Rev. B **91**, 241401 (2015).
- 88 R. Delagrange, R. Weil, A. Kasumov, M. Ferrier, H. Bouchiat, and R. Deblock, "0- π quantum

transition in a carbon nanotube Josephson junction: Universal phase dependence and orbital degeneracy," Phys. Rev. B **93**, 195437 (2016).

- ⁸⁹ G. Kiršanskas, M. Goldstein, K. Flensberg, L. I. Glazman, and J. Paaske, "Yu-Shiba-Rusinov states in phase-biased superconductor-quantum dot-superconductor junctions," Phys. Rev. B **92**, 235422 (2015).
- ⁹⁰ J. Bauer, A. Oguri, and A. C. Hewson, "Spectral properties of locally correlated electrons in a Bardeen-Cooper-Schrieffer superconductor," J. Phys.: Cond. Matter **19**, 486211 (2007).
- ⁹¹ A. Martín-Rodero and A. Levy Yeyati, "Josephson and andreev transport through quantum dots," Adv. Phys. **60**, 899 (2011).
- ⁹² Y. Yamada, Y. Tanaka, and N. Kawakami, "Interplay of kondo and superconducting correlations in the nonequilibrium andreev transport through a quantum dot," Phys. Rev. B 84, 075484 (2011).

- ⁹³ A. Oguri, Y. Tanaka, and J. Bauer, "Interplay between kondo and andreev-josephson effects in a quantum dot coupled to one normal and two superconducting leads," Phys. Rev. B 87, 075432 (2013).
- ⁹⁴ D. Futterer, J. Świebodziński, M. Governale, and J. König, "Renormalization effects in interacting quantum dots coupled to superconducting leads," Phys. Rev. B 87, 014509 (2013).
- ⁹⁵ I. Weymann and P. Trocha, "Superconducting proximity effect and zero-bias anomaly in transport through quantum dots weakly attached to ferromagnetic leads," Phys. Rev. B 89, 115305 (2014).
- ⁹⁶ G. Schaller, Ph. Zedler, and T. Brandes, "Systematic perturbation theory for dynamical coarse-graining," Phys. Rev. A **79**, 032110 (2009).
- ⁹⁷ K. I. Wysokiński, "Thermoelectric transport in the three terminal quantum dot," J. Phys.: Cond. Matter 24, 335303 (2012).