The Lym an- Forest Power Spectrum from the Sloan Digital Sky Survey

Patrick M cD onald¹, U ro s Seljak¹, Scott Burles², D avid J. Schlegel³, D avid H. W einberg⁴, D avid Shih¹, Joop Schaye⁵, D onald P. Schneider⁶, J. Brinkm ann⁷, R obert J. Brunner⁸, M asataka Fukugita⁹

ABSTRACT

We measure the power spectrum, $P_{\rm F}$ (k;z), of the transmitted ux in the Ly forest using 3035 high redshift quasar spectra from the Sloan Digital Sky Survey. This sample is almost two orders of magnitude larger than any previously available data set, 0**:**6% and 0:005 on, respectively, the overall am pliyielding statistical errors of tude and logarithm ic slope of P_F (k;z). This unprecedented statistical power requires a correspondingly careful analysis of the data and of possible system atic contam inations in it. For this purpose we reanalyze the raw spectra to make use of information not preserved by the standard pipeline. We investigate the details of the noise in the data, resolution of the spectrograph, sky subtraction, quasar continuum, and m etal absorption. We indicate that background sources such as metals contribute signi cantly to the total power and have to be subtracted properly. We also nd clear evidence for SiIII correlations with the Ly forest and suggest a simple model to account for this contribution to the power. W hile it is likely that our new ly developed analysis technique does not elim inate all system atic errors in the $P_F(k;z)$ measurem ent below the level of the statistical errors, our tests indicate that any residual system atics in the analysis are unlikely to a left the inference of cosm ological parameters from $P_F(k;z)$. These results should provide an essential ingredient for all future attempts to constrain modeling of structure form ation, cosm ological param eters, and theories for the origin of prim ordial uctuations.

¹Physics Department, Princeton University, Princeton, NJ 08544, USA ; pm, useljak@princeton.edu

² Physics D epartm ent, M II, 77 M assachusetts Av., C am bridge M A 02139, U SA

³P rinceton University Observatory, Princeton, NJ 08544, USA

⁴D epartm ent of A stronom y, O hio State University, Colum bus, OH 43210, USA

⁵ School of N atural Sciences, Institute for A dvanced Study, E instein D rive, P rinceton N J 08540, U SA

 $^{^{6}\}text{D}$ epartm ent of A stronom y and A strophysics, The Pennsylvania State University, University Park, PA 16802, USA

⁷A pache Point Observatory, 2001 A pache Point Rd, Sunspot, NM 88349-0059, USA

 $^{^8{\}rm NCSA}$ and D epartm ent of A stronom y, U niversity of Illinois, U rbana, IL 61801, U SA

⁹ Inst. for Cosm ic Ray Research, Univ. of Tokyo, Kashiwa 277-8582, Japan

Subject headings: cosm ology: data analysis/observations intergalactic m edium largescale structure of universe quasars: absorption lines

1. Introduction

A lthough the Ly forest was discovered many decades ago (Lynds 1971), it has only recently em erged as one of the prim e tracers of the large scale structure in the Universe. The high resolution m easurem ents using the Keck HIRES spectrograph (Vogt et al. 1994) have been largely reproduced using hydrodynam icalsim ulations (C en et al. 1994; Zhang et al. 1995; H emquist et al. 1996; T heuns et al. 1998) and sem i-analytical models (G nedin & Hui 1998). The picture that has emerged from these studies is one in which the neutral gas responsible for the absorption is in a relatively low density, smooth environment, which implies a simple connection between the gas and the underlying dark matter. The neutral fraction of the gas is determined by the interplay between the recombination rate (which depends on the tem perature of the gas) and ionization caused by ultraviolet photons. Photoionization heating and expansion cooling cause the gas density and tem perature to be tightly related, except where mild shocks heat up the gas. This leads to a tight relation between the absorption and the gas density. Finally, the gas density is closely related to the dark matter density on large scales, while on small scales the e ects of thermal broadening and Jeans sm oothing must be included. In the simplest picture described here, all of the physics ingredients are known and can be modeled. The fact that one can trace the uctuations over a range of redshifts (2. z. 6 using ground based spectrographs) and over a range of scales, which are typically sm aller than the scales of other tracers, is the main strength of this method. It becomes particularly powerful when combined with cosm ic microwave background (CMB) anisotropies or other tracers that are sensitive to larger scales. Such a combination is sensitive to the shape of the prim ordial spectrum of uctuations, which is one of the few observationally accessible probes of the early universe. These observations are therefore directly testing the models of the early universe such as in ation.

Ly forest observations and constraints on cosm ology have been explored by several groups in the past. Most of the analyses focused on the power spectrum, P_F (k), of the uctuations in the Ly forest ux,

$$_{\rm F}() = \exp[()] = \exp() i 1;$$
 (1)

where is the optical depth to Ly absorption. The rst such work was by Croft et al. (1998), followed by M cD onald et al. (2000), Croft et al. (2002), and K im et al. (2003). These groups were limited to a few dozen spectra at most. Recent theoretical analyses, in addition to above, have been performed by G nedin & H am ilton (2002), Zaldarriaga et al. (2001), and Seljak et al. (2003). In the latter two of these papers the degeneracy between the am plitude and slope of the prim ordial power spectrum and the norm alization of the optical depth-density relation [m ost sensitive to the

intensity of UV background, and typically parametrized in terms of the mean transmitted ux fraction, F hexp()i] was emphasized, which leads to a signi cant expansion of the allowed range of cosm ological parameters relative to what one would have inferred from the errors on the ux power spectrum alone. Seljak et al. (2003) have shown that the current Ly forest constraints are consistent with the CDM model favored by recent CMB data, testing it in a regime of redshift and length scale not probed by other measurements, but that within the CDM framework they do not add much leverage on parameter values beyond that a orded by the CMB data alone.

An important practical implication of the theoretical breakthroughs of the 1990s is that large scale structure in the Ly forest can be e ectively studied with moderate resolution spectra. Once the spectrum is modeled as a continuous phenom enon rather than a collection of discrete lines, there is no need to resolve every feature. Some of the studies cited above use high resolution (0.08A) spectra, some use moderate resolution (1.3A) spectra, and some use a mix of the two.

The goal of this paper is to present a new measurement of the Ly forest power spectrum, based 3000 Sloan Digital Sky Survey (SD SS; York et al. (2000)) spectra that probe the Ly forest at on a resolution R 2000 (2:5A FW HM). This sample is almost two orders of magnitude larger than anything that was available before. As such it greatly increases the statistical power of the Ly forest, making it comparable to the CMB from WMAP. At the same time, the required tolerance of system atic errors also increases by the same am ount. This requires a careful investigation of all of the sources of system atic errors, and a large portion of this paper is devoted to the issue of possible system atics in the data and their in uence on the parameters of interest. We also discuss how the analysis we perform and results we obtain di er from what can be done using the standard spectral pipeline outputs in the public SD SS data. In part because of the practicalities of work in a large, multi-institutional collaboration, and in part because of the importance of obtaining an accurate m easurem ent with well understood statistical and system atic errors, the Ly forest power spectrum has been pursued by two independent groups within the SDSS, one led by P.M cD onald and U.Seljak, and the other by L.Huiand A.Lidz. The methods employed are dierent and have been developed independently. Results of the alternative analysis will be presented elsewhere (Hui et al., in preparation).

We only present the observationalm easurement of the SD SS Ly forest power spectrum in the current paper. Independent of any theoretical interpretation, this basic result should be robust on the scales for which we give results, 0:0013 (km s⁻¹)⁻¹ < k < 0:02 (km s⁻¹)⁻¹, where k⁻² = if is the wavelength of a Fourierm ode (not to be confused with spectral wavelength), here measured in km s⁻¹ (note that throughout the paper we frequently use velocity in place of observed wavelength, with the understanding that all that enters into our calculations are velocity di erences between pixels of measured spectra, de ned by v = c - ln() (we do not measure power on scales large enough for the in perfections in this expression to become relevant). The choice of k-range is determined by the continuum uctuations on the low end and spectral resolution at the high end. We note also that the useful range is limited not only by these uncertainties, which are related to the data analysis, but also by the uncertainties in the theoretical modeling and/or additional

astrophysical e ects. We will address these latter issues in more detail in a separate publication. However, we do not completely decouple the theory from the data analysis. For example, when discussing the importance of system atic errors it is useful to understand how they would a ect cosm ological results like the slope and amplitude of the matter power spectrum, so much of our discussion of system atics is devoted to this issue.

The common usage of the term Ly forest is to describe the Ly absorption by neutral hydrogen in the relatively low density bulk of the IGM. In this paper we include dam ped-Ly system s (DLAs) in the de nition of the \forest", so it includes all HI-Ly absorption. We could try to remove DLAs before measuring $P_F(k;z)$, because they are more dicult to simulate than the lower optical depth absorption; however, we believe the advantage of removal is illusory. If the DLAs were located random ly within the IGM (which they certain ly are not completely), it would be simple to include them in the theory using their known column density distribution. If they are not located random ly, the regions obscured by DLAs in the spectra are special, so the elect of removing the DLAs still must be understood using simulations. We leave the handling of the elects of DLAs as a problem for the theory, which we will address elsew here.

Absorption by metals is also di cult to simulate accurately, so we would like to rem ove this contribution to $P_F(k;z)$. This is relatively easy to do for transitions with wavelength & 1300 A, but it is basically impossible for transitions with . , because the metal features always appear mixed with H HLy . We will subtract the power measured in the rest wavelength range 1268 A < $_{\rm rest}$ < 1380 A from our measurement of the power in the forest, which removes the e ect of transitions with longer wavelength, but we have shorter wavelength transitions as part of the forest. The only signi cant contam inant of this kind that we can identify is SiIII absorption at 1206:50A, and we develop a simple and e ective way to account for this in the theory. We refer to our nal background-subtracted power spectrum as $P_F(k;z)$, and use $P_{1;2}(k;z)$ for the raw power measured in the interval $_1 < _{\rm rest} < _2$. We are using the range 1041 A < $_{\rm rest} < 1185$ A for the Ly forest.

The outline of this paper is as follows. In x2, we describe the selection of our data set and the preparation of spectra for the m easurem ent of $P_F(k;z)$. In x3 we describe the m ethod used to m easure the power spectrum and estimate the error bars, test the procedure, and give the basic results. We perform consistency checks on the results and discuss system atic errors in x4, which is followed by a brief recipe for using our results in x5, and conclusions in x6.

2. Data Selection and Preparation

We describe the sample of quasar spectra that we use in x2.1. In x2.2 we explain how we rem ove broad absorption line (BAL) quasars from the sample. In x2.3 we explain how we combine spectra from di erent exposures for the sam e quasar and use the di erences between exposures to understand the noise in the data. We discuss the resolution of the spectra in x2.4. Finally, in x2.5 we describe how we divide each spectrum by an estimate of the quasar continuum, the expected mean absorption level in the spectrum, and a spectral calibration vector (see below), to produce the vectors of transmission- uctuation estimates, $_{\rm f}$, for each quasar, from which we will measure $P_{\rm F}$ (k;z).

2.1. SD SS Observations and Sam ple Selection

The Sloan D igital Sky Survey (York et al. 2000) uses a drift-scanning in aging camera (Gunn et al. 1998) and a 640 ber double spectrograph on a dedicated 2.5 m telescope. It is an ongoing survey to image 10,000 sq. deg. of the sky in the SDSS ugriz AB magnitude system (Fukugita et al. 1996; Stoughton et al. 2002) and to obtain spectra for 10^6 galaxies and 10^5 quasars. The astrom etric calibration is good to better than 0° 1 mm s per coordinate (P ier et al. 2003), and the photom etric calibration is accurate to 3% or better (H ogg et al. 2001; Sm ith et al. 2002). The data sam ple used in this paper was compiled in Summer 2002 and is a combination of data releases one (A baza jian et al. 2003) and two (A baza jian et al. 2004).

About 13% of the spectroscopic survey targets are quasar candidates selected based on their colors (R ichards et al. 2002). Them agnitude lim it for UV -excess objects is i = 19:1, while additional high-redshift candidates (z > 3) are targeted to i = 20:2. Fibers are allocated according to a tiling algorithm (B lanton et al. 2003), with the galaxy sample and the quasar sample being the top priorities. The remaining 8% of bers serve for calibration purposes.

SD SS spectra are obtained using plates holding 640 bers, each of which subtends 3^{0} on the sky; the spectra cover 3800 9200A. The pixel width is a slow ly varying function of wavelength, but is typically 70 km s⁻¹. The resolution also varies, but is typically also 70 km s⁻¹ mm s (i.e., the resolution is 1800 < R < 2100 and there are 2.4 pixels per FW HM resolution element). All quasars have multiple spectra, usually taken one after the other (tim escales of a fraction of an hour), so the quasar variability can be ignored (in the opposite case it would act as an additional source of noise). The co-added spectra in the o cial SD SS release use local spline interpolation onto a uniform grid of pixels of width $\log_{10}() = 0.0001$, and do not guarantee the noise to be uncorrelated. We therefore redo this step starting from the individual exposures. This is discussed in more detail below. Spectral ux errors per pixel in most cases are about 1 10⁻¹⁷ erg s⁻¹ cm⁻² A⁻¹. Redshifts are autom atically assigned by the SD SS spectral classi cation algorithm, which is based on⁻² tting of tem plates to each spectrum (Schlegel et al., in preparation).

We lim it ourselves to quasars with redshift $z_q > 2:3$ when measuring the power in the Ly forest region of spectra, so that each spectrum contains a signi cant stretch of the Ly forest above the detector cuto at 3800A (which corresponds to Ly absorption at z = 2:12). We use the sam ple com piled in Summer 2002, cut down to 3035 spectra by elim inating some plates of questionable quality, some spectra where two diment redshift estimation codes disagree, and some BAL quasars (see below). Figure 1 shows the redshift distribution of the data. The dashed, red histogram shows






Fig. 1. The distribution of the spectral pixels used to probe the Ly forest (black, solid histogram; scale on left axis), and the redshift distribution of our prim ary sam ple of 3035 quasars (red, dotted histogram; right axis). Note the gap at z 2:7 in the quasar redshift distribution, caused by a class of stars being indistinguishable from quasars in the SD SS photom etry (R ichards et al. 2002).

the distribution of quasar redshifts. The solid, black histogram shows the distribution of pixels in the range $1041 < _{rest} < 1185A$. Note that there is a gap in the quasar redshifts around z 2:7, which is due to the stellar locus crossing the quasar locus in the 5-color SD SS photom etry (R ichards et al. 2002). Figure 2 shows an example SD SS spectrum of a z = 3:7 quasar. This spectrum is unusual in that m ost have lower S/N, and m ost quasars are at lower redshift.

We employ an additional sample of 8000 spectra with $z_q < 2.3$, so that we can study the full observed wavelength range, 3800 A . . 9200 A, outside the confusion of the Ly forest. As we discuss in x3.4, we compute a non-negligible background power term (probably mostly metal absorption), by measuring the power in the wavelength range 1268 A < $_{\rm rest} < 1380$ A.U sing only the primary sample, we would not be able to compute this term for observed wavelengths below 4400 A.

We remove several wavelength regions from our analysis because of calibration problem s: < 3800 A, 5575 A < 5583 A, 5888 A < 5894 A, 6296 A < 6308 A, and 6862 A < 6871 A (the last two have no direct e ect on the results we present). Most of these problem s are due to strong sky lines.

2.2. BAL Rem oval

Our sample was initially exam ined by eye, and the most extrem e broad absorption line (BAL) quasars were removed (see Hall et al. (2002) for a discussion of BALs). When we rst measured the background power in the region 1409 < $_{\rm rest}$ < 1523A, we found that the most extreme outliers in power were still obvious BALs (this was not true of the Ly forest region). To test the importance of these systems to our Ly forest power measurement, we removed a further 147 quasars using the following autom ated method: Each spectrum is smoothed by a Gaussian with $m \, \text{swidth} \, 280 \, \text{km s}^{-1}$. The continuum within the region 1420 < $_{rest}$ < 1535A is rede ned by dividing by the mean ux-to-continuum ratio in the region. A quasar is identied as a BAL quasar if the region 1420 < $_{\rm rest}$ < 1535A contains a 2000 km s 1 long continuous set of pixels that all fall m ore than 20% above or below our estim ated continuum (we initially identi ed wide regions with ux above the continuum out of simple curiosity, but found that these are in practice almost always obvious BAL quasars where the continuum has been biased low by the BAL feature). We iterate the continuum rede nition twice, computing the new mean after throwing out pixels more than 20% below the previous mean, but this makes alm ost no di erence to the results. Note that the 280 km s¹ sm oothing was applied to allow easier identication of BALs in noisy spectra. As we show below, this BAL cut makes essentially no di erence to our $P_F(k;z)$ result, although it does have a noticeable e ect on the power measurement in the region 1409 < rest < 1523A.




Fig. 2. Example spectrum of a z = 3.7 quasar with unusually high S/N. The regions we use to measure the Ly forest power and background power are indicated by vertical dotted lines, along with a couple of alternate regions that we will discuss (note that the background and Ly forest observed in the same quasar spectrum correspond to di erent redshifts).

2.3. Combining Exposures and Calibrating the Noise

SDSS obtains multiple (at least 3) exposures for each quasar. We combine the individual exposure spectra to produce a single spectrum, using a nearest-grid-point m ethod that produces uncorrelated noise and a reasonably well-de ned sampling window. For each pixel we record estim ates of wavelength, quasar ux, resolution, sky ux, read-noise, and two di erent total noise estimates. The st noise estimate, which we will call simply p (p for pipeline), is computed using the error array given for the exposure spectra by the spectral reduction pipeline. The second noise estimate, which we call c (c for component), is computed by summing the read-noise and the noise in plied by estimates of the number of photons corresponding to the quasar ux and sky ux. The two noise estimates generally do not agree, but this is not a problem for us because we ultimately recalibrate the noise (next). Finally, we record 2 = for each pixel, computed by treating the determ ination of the combined ux value for each pixel as a one parameter t to the m easurem ents given by the di erent exposures. E xam ples of the m ore im portant of these quantities in Ly forest regions are shown in Figure 3. For comparison to the sky and quasar ux levels, we have converted the Gaussian read-noise into the ux of photons that would contribute the same noise variance. Several elements of Figure 3 (e.g., the estimation of the quasar continuum and $_{\rm w}$) will be described later in this paper.

The noise estimate from the standard SDSS pipeline is only approximate. The accuracy of the noise estimate required for our purpose is much higher than anticipated when the pipeline was developed. For this reason we use the di erences between single-exposure spectra for the same quasar to determ ine the noise properties of the data. We construct di erence spectra by com bining the ux-calibrated exposures with alternating sign for each exposure, i.e., we use exactly the same procedure that we norm ally use to produce combined spectra from the exposures, except half of the exposures are subtracted instead of added, so the mean result is zero (we drop the last exposure when there are an odd number { this is not the most e cient method possible, but we do not need it to be). The result is a direct measure of the exposure-to-exposure changes. We measure the power spectrum of these di erence spectra using the method described in x3.1, including noise subtraction based on the pipeline noise estimates for the pixels. The result is shown in Figure 4 (points with error bars). We obtain a clear detection of power, where there should be none if the spectra di er only by the noise estim ate from the pipeline which is being subtracted. If we assume that the noise has been underestim ated by a constant factor, and t for that factor using the error covariance matrix estimated by bootstrap resampling, we nd a decent t: $^2 = 141.6$ for 107 degrees of freedom (form ally, this t is not good because 2 is unlikely to be this high by chance). This tuses our usual points in 0:0013 (km s¹) $(km s^{1})^{-1} < k < 0:02$ (km s¹) $(km s^{1})^{-1}$. The best tvalue of the excess noise contribution is 16:1 0:4% of the original noise estimate, indicating that the rm s noise was underestim ated by 8%. The best t and goodness of t do not change if we add points on larger scales. The quality of the tbegins to degrade as we add points with larger k, but the best t value changes by only 1% (in power) out to the Nyquist frequency of the data. Of course, we have no reason to expect a single redshift-independent factor to describe the relation between the true






Fig. 3. Examples of the chunks of spectra used to measure power, with (a,b) showing quasars at $z_q = (3.24,2.45)$ over the rest wavelength range 1113 A < rest < 1185 A, and (c) showing a quasar at $z_q = 3.30$ over the rest wavelength range 1041 A < rest < 1113 A. Top panel: quasar ux (solid black line), sky ux (dotted blue line), our continuum estimate (red short-dashed line), and the read-noise as an equivalent photon ux (green long-dashed line). M iddle panel: S/N level show n as a ratio of our continuum to the di erent m s noise levels (see text), w (black solid line), p, (blue dotted line), and c (red dashed line). Bottom panel: Calibration correction vector, S (blue dotted line), m s resolution in units of 100 km /s (red dashed line), and evolution of the mean transm ission fraction, F (z) (black solid line). The perfect degeneracy in our analysis between the overall norm alization of the continuum and F (z) has been broken arbitrarily, so only the evolution of F (z) is meaningful (see text).








Fig. 4. The points show the measured power in dimension spectra, created by subtracting separate exposures for the same quasar. Noise power has been subtracted based on the standard pipeline noise estimates for each exposure. The lines show 16% of the subtracted noise term. The dimension colors, lines, and symbols identify redshift bins, in a pattern that we will use repeatedly throughout the paper. From bottom to top | z=2.2: black, solid line, open square; z=2.4: blue, dotted line, 4-point star (cross); z=2.6: cyan, dashed line, lled square; z=3.8: green, long-dashed line, open triangle; z=3.0: magenta, dot-dashed line, 3-point star; z=3.2: red, dot-long-dashed line, lled triangle; z=3.4: black, thin solid line, open pentagon; z=3.6: blue, thin dotted line, 5-point star; z=3.8: cyan, thin dashed line, lled pentagon. The dimension redshifts have been shifted vertically by arbitrary amounts on this logarithm is plot.

and pipeline noise, so the form ally bad ² is not a fundam ental problem . We check for system atic change with redshift by allowing a power law dependence, $P_{residual noise} / [3:75=(1 + z)]^d$, but nd no signi cant detection (d = 0:07 0:20). Our nalmethod will e ectively account for evolution anyway, as described below.

A k dependence di erent than expected for white noise could be a problem for us, so we check for this by thing for a power law dependence, $P_{residual noise} / (k=k_p)^b$ [with $k_p = 0.0074$ (km s⁻¹)⁻¹], nding b = 0:111 0:025, a signi cant detection (² is now a reasonable 123.3 for 106 dof). A low ing a running of the power law, $P_{residual noise} / (k=k_p)^{b+1=2} c \ln (k=k_p)$, does not improve the t (c = 0:046 0:066). The slope we nd corresponds to a 20% change in 16% of the noise power at the extremes of our k range, i.e., only 3% of the total noise power, which is a relatively sm all fraction of the Ly forest power except at the highest k (see Figure 11 below). We henceforth assume that the extra noise is proportional to k ^{0:111} rather than white (this makes < 1% di erence in the nal results except for the one highest k, low est z point where the di erence is 2%).

How accurate is this noise estimate based on di erences between exposures? Our di erence spectra will contain a component of the Ly forest power if the calibration between exposures is not perfect. The power in this term would be suppressed relative to the Ly forest power by the fractional calibration error squared, so it would be very small unless the exposure-to-exposure calibration errors were quite large. The fact that a simple one parameter extra-noise model ts reasonably well, in the face of variation in redshift, noise amplitude, and k, argues against calibration errors being a big problem. More convincingly, we measure nearly the same excess noise contribution (14:2 0:5%) and slope (b = 0:135 0:028) in the region 1268 A < rest < 1380 A as we do in the Ly forest. This argues against any connection to leaking Ly forest power. Note that the elective absolute level of noise in the 1268 A < rest < 1380 A region is about half that in the Ly forest region, so this test shows that the fraction of extra noise does not depend strongly on the noise level itself.

P ixels in di erent exposures are not perfectly aligned, and m isalignment can allow Ly forest power to leak into our di erence spectra. To test this alternative explanation for the apparent excess noise in the spectra, we split the spectra into two groups with approximately equal weight, based on the m s m isalignment in the forest region (the alignment is known from the wavelength calibration of the exposures, which is thought to be practically perfect). We not the same excess noise power in both the poorly aligned group (16:1 0:6%, b = 0:086 0:036) and the better aligned group (15:3 0:6%, b = 0:123 0:036), suggesting that the excess power is not due to m isalignment. Furthermore, the presence of a sim ilar level of excess noise power outside of the forest region again argues against leakage. We therefore believe that our noise estim ate is considerably m ore accurate than the noise estim ate from the SD SS pipeline.

In our initial power spectrum analysis we multiplied the noise-power estimated from the pipeline errors by the factor 1.16 for all spectra; however, when we split the data based on the mean value of 2 = for the exposure combination (see x4.4) we found that the large and sm all

 2 = subsamples disagreed signi cantly on the $P_{F}(k;z)$ results. We eliminated this problem by estimating the noise-correction factor individually for each spectrum, by tting to the power in the dimense spectrum for that quasar. The mean extra power from these is still close to 16%, but there is considerable scatter. When we use these individual estimates, the correlation between measured $P_{F}(k;z)$ and 2 = disappears, i.e., the mean value of 2 = for a spectrum 's exposure combination was a good indicator of the am ount by which the noise in each spectrum, of the same order as the error for which we are trying to correct; however, there is no systematic bias associated with these errors, and the random error they contribute is automatically included in our nal bootstrap errors. In fact, including the spectrum -by-spectrum noise estimate reduces the bootstrap errors slightly on sm all scales, verifying that these estimates are on average more accurate than the original noise estimates. It is not known why the noise is misestimated by the standard pipeline. Tests at this level have not been done before.

Our naldata product will be a measurement of $P_F(k;z)$ binned in k and z, i.e., a matrix $P_{F,ij}$ where i labels bins with z_i and j labels bins with k_j . We will also give the noise power that was subtracted, $P_{N,ij}$, in the same bins. We suggest allowing a 5% ms freedom in the noise amplitude in each z bin when performing model ts, i.e., for each bin subtract $f_i P_{N,ij}$ from $P_{F,ij}$, and add $(f_i=0.05)^2$ to 2 . This is probably overly conservative for any one bin, but in plies a combined freedom 0.05=3 (for 9 bins) on an overall noise misestimation. This seems prudent, even though it is not really required by any test we have performed.

2.4. A ccuracy of the R esolution

The resolution of the SD SS spectra is estimated using lines from calibration lamps mounted on the telescope structure. Shifts of the detector pixel grid relative to a xed observed wavelength frame during an exposure, which we will call exure, are expected to be the dominant source of error in this spectral resolution estimate. We tried estimating the rate of shifting for each pixel by di erencing the wavelength calibrations of adjacent exposures (this calibration is determined very precisely for each exposure using the positions of sky lines). The implied extra smoothing only changes the power by 2% at our highest k bin.

The strong sky line at 5577 A provides a good opportunity to measure the resolution more directly (note that the spectral wavelengths are in vacuum, and heliocentric, so this and other sky lines generally appear shifted from their standard wavelength). We measure the power spectrum in

3000 sky spectra in the range 5560A < < 5598A. If the sky line has negligible width and the sm oothing has a G aussian shape with rm s width R, the power spectrum should be proportional to $\mathbb{W}^2(k;R;l) = \exp[(kR)^2][\sin(kl=2)=(kl=2)]^2$, where l is the pixel width (the pixelization e ect is subdom inant but not negligible). In Figure 5 we show the measured power averaged over all the sky spectra after dividing each individual measurem ent by $\mathbb{W}^2(k;R;l)$, where R and l are the local values (they are to a good approxim ation constant over the range we are looking at), and also

dividing each measurement by the value at a low k where the resolution should not have any elect. The result is remarkably close to unity, indicating that the estimated resolution is an accurate representation of the true resolution. W hat are the small wiggles? Figure 6 shows an example of the region we Fourier transform to measure the power. We believe the small features to the sides of the main line are OH lines at 5564 and 5589 A (Slanger et al. 2003). We test this explanation for the wiggles by constructing mock sky spectra that simply have a delta function at 5579A and two m one with 0.003 times the main line's amplitude at 5566 and 5591 A, convolved with the resolution and pixelization (0.003 was chosen to give the best t to the wiggles). The red, dotted line in Figure 5 shows the same resolution test using the mocks. We see that the wiggles are essentially perfectly reproduced. In conclusion: the resolution prole appears to be perfectly G aussian, with exactly the width expected from the given resolution. There is apparently no room for even a 2% level elect from exure. We are prevented from performing the same kind of measurement using other sky lines by similar features which are always much larger relative to the central line.

We suggest that to $P_F(k;z)$ include a multiplicative uncertainty on the overall power, of the form exp(k^2), where is a single parameter in the t subject to the rms constraint = $(7 \text{ km s}^{-1})^2$. This allows for a 2% change in the sm oothing kernel at our highest k, sim ilar to our estimate of the error from exure. This error estimate is som ewhat arbitrary, but the evidence we have presented suggests that it should be sm aller, so our estimate is conservative.

Note that this resolution test, and the noise calibration, cannot be used directly with the standard pipeline spectra, where the exposures are combined in a di erent way. The reader may be confused at this point about how our spectra di er from the standard publicly available set, so we give the following summary:

Our nearest-grid-point combination of the exposures produces uncorrelated noise in pixels (to the extent that the noise in the exposures was uncorrelated, which is expected from the way they are extracted), while the standard pipeline uses a local splining procedure which does a good but not perfect job of preventing noise correlation.

W hen combining exposures we record the e ect of di erent pixel sizes, m isalignment of the pixels, and exure of the detector during exposures, which can in uence the e ective resolution.

We record the contribution of quasar ux, sky ux, and read-noise to the total noise in each pixel. Knowing the contribution from quasar ux is important if pixel-by-pixel noise weighting is to be used, because the correlation between ux level and noise amplitude can lead to biases (see the end of x2.5).

We correct for the bias in the exposure combination associated with cross-correlation between the noise variance level in exposure pixels and the quasar ux in the pixel (a di erent incamation of the problem alluded to in the previous point).




Fig. 5. Resolution test. The solid, black line with error bars shows the powerm easured in 3000 sky spectra in the range 5560A < < 5598A (dominated by the strong sky line at 5577A) divided by the asymptotic sm all k power and by the estimated resolution/pixelization kernel W²(k) for each spectrum. If the resolution estimate was perfect, and the sky line was narrow and the only ux present, this division would give exactly 1. The large error bars are the spectrum -to-spectrum

ux present, this division would give exactly 1. The large error bars are the spectrum -to-spectrum variation, the small ones are the error on the mean. The blue, long-dashed line shows the power not divided by W²(k), i.e., basically an averaged version of W²(k), which drops to 0.25 by k = 0.02 (km s⁻¹)⁻¹. The red, dotted line shows the result of our test form ock spectra constructed with a Gaussian at 5579A and two more at 5566 and 5591 A with 0.003 times its amplitude, representing O H lines. The green, short-dashed line shows exp[(k 7 km s⁻¹)²]. The vertical, cyan, dotted line bound the k region in which we will present Ly forest results, while the horizontal, cyan, dotted line just guides the eye to 1.




Fig. 6. Example of the sky ux near the sky line at vacuum wavelength 5579A, relative to the peak of the line (one spectrum only).

in the standard pipeline exposure spectra is underestim ated by on average 16%, on top of any error related to the exposure combination, and the power measured in the di erence spectra is slightly tilted relative to white noise.

The last point is the most im portant.

2.5. Determ ination of the Continuum and Mean Absorption Level

O ur goal is to measure the power spectrum of the uctuations in the transmitted ux fraction through the IGM, $_F() = F() = F() = F() = F() = F() = F() = exp[()] and () is the Ly forest optical depth (as de ned in x1). However, the spectrum of each quasar is the product of F and the quasar continuum (note that we use \continuum " to refer to all the ux emitted by the quasar, including emission lines), further complicated by errors in the detector calibration and absorption by longer wavelength transitions. The details of the procedure we use to separate these contributions will be presented elsewhere, here we give the basic idea and key results that are relevant for the ux power spectrum determ ination.$

W e use an iterative procedure to determ ine the components of the data m odel

$$f^{i} = A_{q} C \left(\frac{i}{\text{rest}} \right) \left(1 + \frac{i}{C} \right) S \left(\frac{i}{I} \right) \left(1 + \frac{i}{S} \right) F \left(z^{i} \right) \left(1 + \frac{i}{F} \right) + n^{i};$$
(2)

where f^i is the raw ux in pixel i, n^i is the noise, A_q is the overall norm alization of the quasar spectrum, C ($_{rest}$) is the mean quasar continuum shape, $_C$ are uctuations around the mean continuum, S () is a mean generalized calibration vector (this includes wavelength dependent calibration errors in the SD SS spectra, but also the mean absorption by metal lines with resonance wavelength & 1300A), $_S$ are uctuations around S, such as individual metal lines or variable calibration errors, F (z) is the mean Ly forest absorption at a given redshift, and $_F$ are the

uctuations in Ly forest absorption. Note that here, as most places in this paper, $z^{i} = i = 1$ is the redshift of gas that would produce Ly absorption in the pixel, not the redshift of the quasar. Brie y, we determ ine A_q for each spectrum, the global functions C ($_{rest}$), S (), and F (z), and a set of principal component analysis (PCA) eigenvectors that describe $_{C}$ by, in turn, computing each component of the model from all the spectra while holding all the others xed. E g., F (z) is estimated in bins of z by averaging $f^{i}=A_{q} C (\frac{i}{rest}) S (i) (1 + \frac{i}{c})$ over all the pixels in the Ly forest that fall in each bin. We separate S () from F (z) by measuring S () in the rest wavelength range 1268 A < $_{rest}$ < 1380 A, i.e., outside the Ly forest. A few iterations su ce to determ ine all the components of the model independently. Three exam ples of the results are shown in Figure 3. The full details of this procedure will be presented in a separate paper focused on a precise determ ination of F (z).

In preparation for measuring the power spectrum, we divide each quasar spectrum by our estimate of $A_q C$ ($_{rest}$) (1 + $_C$) S () F (z). The power in the S () and F (z) terms is completely

negligible (always < 0.5% of P_F (k;z) and usually much less). _C are represented for each quasar by N PCA eigenvectors. We have tried several di erent values for N ranging from 0 to 13, and nd that the power spectrum results depend slightly (but not critically) on the value, as we discuss below. For our nalresults we use N = 0, i.e., we only divide by a mean continuum, although we will also show how using N = 13 a ects the cosm ological tresults. We do not use the PCA continua because we are not satis ed with their robustness, and division by them frequently actually increases the resulting power slightly. Thism ay indicate that the error introduced by allowing additional freedom in the continuum is larger than the continuum uctuations that we are trying to rem ove. Our study of PCA continua was prim arily aim ed at determ ining F (z) rather than the power spectrum, so we cannot be certain that the PCA method could not be used productively in a power spectrum m easurem ent if it was more carefully optim ized for that application. Because we know that our continuum estimate (which involves an extrapolation from outside the Ly forest region) is not perfect within the Ly forest, we further divide each chunk of spectrum that will be used to make a power spectrum estimate by its mean (optimally computed considering both observational noise and absorption variance). We call our resulting observed data vector f = F + S + n, where n is the normalized noise uctuation and we are ignoring the cross-term sbetween $_{\rm F}$, $_{\rm C}$, and $_{\rm S}$. A swe describe in detailbelow, s is treated as a random noise background and its statistical properties are determ ined by measuring the power spectrum in the rest wavelength range 1268 < rest < 1380A, where F 0 (and F 1).

A small but non-negligible detail of our procedure is hidden within our description of the norm alization of the spectra. When we estim ate the mean to divide by, we weight the computation optimally using the covariance matrix, Cii, of the pixels (C is discussed in more detail in our explanation of the power spectrum measurement below). C includes Ly forest uctuations and m easurem ent noise. We do not use our best estim ate of the measurem ent noise directly for the weighting, because the noise variance estimate is correlated with the measured ux in the pixel, which leads to a bias: the mean is underestimated because lower ux pixels have lower noise. The original noise estimate is $p^2 = (f_{quasar} + f_{sky}) + \frac{2}{readnoise}$, where f_{quasar} is the ux from the quasar, f_{sky} is the ux from the sky, and accounts for the conversion between the units of ux and photons (this description is slightly idealized since the reduction of two-dim ensional CCD data to a spectrum introduces som e complications). To rem ove the correlation between ux and noise, we subtract f_{quasar} from $\frac{2}{p}$ and add $hf_{quasar}i$, where $hf_{quasar}i = A_q C$ (rest) (1+ c) S () F (z). We call the nalresult $_{\rm w}$ (w for weight; see Figure 3 for som e comparisons of the noise estimates). The estimate of we have from the spectral reduction pipeline is not perfect, so our replacement of the correlated part of the noise am plitude is im perfect. We make a nal, very sm all, correction to the mean estimation based on a direct computation of the cross-correlation between the ux and noise am plitude. We use the sam e decorrelated noise am plitudes for weighting the power spectrum extraction (discussed below); how ever, the bias is completely insigning cant in that case (i.e., $P_F(k;z)$) com puted using the original noise estim ates for weighting is practically identical).

3. Power Spectrum Determ ination

The high precision of the P_F (k;z) measurement obtainable using the SDSS data sample requires unprecedented (in this eld) care in the design and testing of the procedure used to produce it. We describe the basic method that we use to extract a power spectrum and estimate the errors in x3.1. In x3.2 we present the test of the full method as implemented in our code, using mock data sets. In x3.3 we give the raw result for the measurement of power in the Ly forest region.

We aim to measure the power spectrum of $_{\rm F}$, representing the correlation of uctuations in the Ly forest absorption only; however, the covariance matrix of the data vector $_{\rm f}$ is

$$f f^{T} = F F^{T} + S S^{T} + n n^{T}$$
(3)

(the three components of f as we have de ned it should be uncorrelated). The noise term in equation (3) is relatively easy to compute and subtract. We estimate and subtract most of $s s^T$ by de ning

$$P_{F}(k;z) = P_{1041;1185}(k;z) \quad P_{1268;1380}(k;z);$$
(4)

where z is always de ned by z = 1, so that we are subtracting power measured in the same observed wavelength ranges, not the same quasar spectrum (we remind the reader that we have de ned P_{1;2} to mean the power measured in the range $_1 < _{rest} < _2$). As it appears in P_{1268;1380} (k;z), z is the redshift of gas that would produce Ly absorption in this part of the quasar spectrum, if it was not at a higher redshift than the quasar, i.e., z is really just an indicator of observed wavelength. The subtraction in equation (4) will completely remove the power due to transitions with > 1380 A, including SiIV (a doublet absorbing at rest wavelengths 1393.75 and 1402.77 A) and C IV (another doublet at 1548.20 and 1550.78 A). Note that this subtraction of metal power is exact, not an approximation [except for the approximation that $(1 + _F)(1 + _S)' 1 + _F + _S]$, because we are determining the metal power in exactly the same observed wavelength range as the Ly forest power from which it is being subtracted, i.e., the same gas, at the same redshift, is doing the absorbing both inside and outside the forest, so the absorption will have identical statistical properties. This background subtraction will also rem ove any strictly observed-wavelength-dependent power introduced by the detector, such as spectrum to spectrum variations in the calibration of the detector. We implement it in x3.4.

3.1. Core M ethod

In this subsection we describe our method for extracting the power spectrum, P_X (k;z), from any selected rest wavelength range X (x3.1.1), and estimating its statistical uncertainty (x3.1.2).

3.1.1. Band-Power Estimation

We estim ate P_X (k) using the quadratic estim ation m ethod, which is essentially a fast iterative implementation of the maximum likelihood estimator (we follow the expressions as given in Seljak (1998)). This method is optimal for a Gaussian probability distribution. While the power spectrum estimates are not Gaussian distributed, the deviations are small, as shown below. We measure the power in at bands with edges given by $\log_{10} (k_i) = 42 + 0.1$ i where i ranges from 0 to 30 (to produce 29 bands), although we will not give results for some of the large and small-scale bands when we think they are unreliable. Denning f = X + n, where X are the uctuations we are measuring (e.g., X = F + S within the forest) and n are the normalized noise uctuations, a band-power estimate, \hat{P}_k , for each chunk of spectrum is given by

$$\hat{P}_{k} = \frac{1}{2} \sum_{k^{0}}^{X} F_{kk^{0}}^{1} (f^{T}C^{-1}Q_{k^{0}}C^{-1} f b_{k^{0}}); \qquad (5)$$

where C = $_{f f}^{T} = S + N$, S = $_{X X}^{T}$, N = $_{n n}^{T}$, Q_k = @S=@P_k, $F_{kk^{0}} = \frac{1}{2} tr(C^{-1}Q_{k}C^{-1}Q_{k^{0}})$ (6)

is the Fisherm atrix and the noise bias is

$$b_{k} = tr(C^{-1}Q_{k}C^{-1}N)$$
: (7)

Note that we could include the background power explicitly in these equations as a noise source when measuring the power in the Ly forest region, but we ignore this because its contribution is too small to change the weighting signi cantly. We will subtract it from the estimates later. The noise subtraction term, b_k , is computed using the pipeline noise estimates, p (not w), with the amplitude corrected as discussed above based on the di erences between exposures. In principle, S in these equations should be the true covariance matrix; however, as we discuss below, we use the measured covariance from a previous iteration of the power spectrum determ ination instead.

Except in a few cases that we will identify as they arise, when we set out to measure the power in a de ned rest-wavelength region (e.g., $1041 < _{rest} < 1185$ A for the Ly forest region) we rst use equation (5) to estimate the power separately in halves of the region in each spectrum (e.g., $1041 < _{rest} < 1113$ A and $1113 < _{rest} < 1185$ A). Our choice of half-spectra is a comprom ise between competing desires for resolution in redshift and wavenumber. The full length of the forest in a spectrum corresponds to a redshift interval, z' 0:4, that is unnecessarily large. W hile the precision of the measured power spectrum would support smaller than half-spectrum chunks to give ner redshift resolution than z' 0.2, the shorter chunks would lim it the k-space resolution. Note that we could have used full chunks and still achieved the same z-resolution by m ore carefully applying the estimator equation, as we discuss below, but this would increase the computational tim e without much improvement in the nalerrors on the scales of relevance.

A fler computing estimates \hat{P}_k for each half-spectrum, we perform a weighted average to determ ine P_X (k;z) in redshift bins centered at $z_i = 2 + 0.2$ i where i = 1::13 (in this paper we only

present results up to i = 9). Each bin is the average of the power in all the half-spectra for which the redshift of the central pixel falls within 0:1 of the bin center (we discuss below how we correct for an asym metric distribution of data within a bin). We combine sets of estimates using the F isher matrices (equation 6) for the weighting. In practice this means that we sum the quantity in parentheses in equation (5) over all estimates and multiply the result by the inverse of the sum of the F isher matrices for each individual estimate. Our procedure would be optimal for G aussian data, which the Ly forest is not; however, when we use the G aussian approximation to compute the errors on the measured power the results are not much dierent from the more accurate bootstrap errors (see x3.1.2), so we conclude that our method is not far from optimal.

W henever we have a nite length of spectrum, there will be mixing between the power in di erent bins. Variable noise or gaps in the data will produce more mixing. This mixing is described in terms of a window matrix, which is given by the Fisher matrix in equation 6. In our standard procedure, the power spectrum estimates in equation 5 are multiplied with the inverse of Fisher matrix and are thus deconvolved with the window, which removes the mixing of other modes into the bin one is estimating (however, the bins are still correlated). This method thus produces a diagonal window matrix, so each combined estimate of P_X (k;z) represents exactly the range of k corresponding to its bin. Our tests below show that there is no practical problem with instability in the Fisher matrix inversion (the window matrices are close to diagonal to begin with). A diagonal window matrix is desirable from a theoretical standpoint because our ability to compute the power spectrum from simulations is limited at both low k (by limited box size) and high k (by simulation resolution and complexity of physics). In the few cases where we use the power without deconvolution, we are using the estimator N_k (F P_X)_k, where N_k ($\sum_{k} F_{kk^0}$)¹ (Seljak 1998).

To compute the weight matrix C, we need an estimate of S, i.e., the power spectrum we are trying to measure. We solve this problem by computing $P_X(k;z)$ iteratively. The rst estimate is made assuming S = 0. In subsequent iterations we compute S from the previous estimate of P_X (k;z). This procedure converges quickly (the di erence between S = 0 and a reasonable estimate of S is signi cant, but once S is in the right ballpark it does not matter what it is exactly). We add a large constant (10.0) to all elements of the weight matrix, to remove all direct sensitivity of our power measurement to the mean of the chunk. This makes very little di erence to the results on the scales we present. We are however still sensitive to the mean estim ate from when we divided the spectrum by it. Even if the mean estimates are correct on average, the statistical error on the m ean for each spectrum can still lead to a bias. If the errors on the m ean estim ate were sm all and uncorrelated with the uctuations in the ux eld, the bias would be $1 + 3\frac{2}{m}$, where m is the error on the mean (to lowest order in _m , i.e., the bias is $1=(1 + _m)^2$ ' 1+3 $\frac{2}{m}$, where _m is the fractional error in the mean, and $\frac{2}{m} = \frac{2}{m}$]. We divide each estimate by this factor as part of our standard procedure; however, as we discuss below when we test our code on mock spectra, this approximation is not su cient and we will need to include another small, k-dependent, factor determ ined num erically using the mock spectra (this is the only use of the mock spectra other than for testing).

The reader m ay at this point be wondering what redshift the resulting P_X (k;z_i) should be taken to represent, i.e., z_i is not necessarily the center of weight of the data, and neither is the m ean redshift of the pixels in the bin, considering the rather complicated weighting in equation (5). In fact, the elective redshift is not even the same for each k-bin in the same z-bin. We resolve this question { P_X (k;z_i) represents the power spectrum at precisely z_i (to rst order) { in our construction of $S^{ab} = a b X X and Q_k^{ab} = @S^{ab} = @P_{k;i}$, where a and b label pixels at redshifts z_a and z_b , and i labels the redshift bin in which this chunk of spectrum falls. To account for the evolution from z_a and z_b to z_i , we de ne a power spectrum grow th factor, $D_{k;i}(z) = [(1 + z)=(1 + z_i)]^{k;i}$, where

$$_{k;i} = \frac{d \ln [P_X (k;z)]}{d \ln (1+z)} , \frac{\ln (P_{k;i+1}=P_{k;i-1})}{\ln [(1+z_{i+1})=(1+z_{i-1})]}$$
(8)

(we use a one-sided derivative estimate instead of equation 8 for the rst and last redshift bins). Now $Q_k^{ab} = D_{k;i}(z_{ab}) Q_k^{ab}_{z_i}$, where $z_{ab} = (z_a + z_b)=2$ and $Q_k^{ab}_{z_i}$ is computed as if the pixels were located at the center of the bin. Finally, $S^{ab} = P_k Q_k^{ab} P_k(z_i)$. This correction may be different to understand intuitively at rst, but it is really quite simple. The modification of Q just corrects the power spectrum estimate for the excess (dearth) of power that we expect for pixels in the high (low) redshift ends of the bin. The correction to S a ects the weighting, simply producing a more accurate S at the redshift of the pixels in question.

Note that an alternative m ethod would be to treat the points P_X (k;z_i) as simply parameters of a continuous power spectrum dened by some form of interpolation. This would mean S^{ab} would have non-zero derivative with respect to more than one of the power spectrum bins (e.g., usually two for linear interpolation). This method would be elegant, and probably produce narrower elective window functions in the z direction; however, it will increase the correlation in the z direction between measurement errors, because the same pixels would contribute to more than one power spectrum point. Since this more sophisticated method would allow long chunks of spectra to be used without degrading our z resolution, it would be most useful if we were trying to measure the power on even larger scales.

How does our method compare to the straightforward Fourier transform (FT) method? The basic FT method is to project the data vector, f, onto a set of modes of the form $d = \exp(ik v)$, and to simply compute the variance of the amplitudes of all the modes with k in some bin, i.e.,

$$\hat{P}_{FT} / \begin{array}{c} & & & & \\ & & & & \\ & & & & \\ \end{pmatrix}^{2}_{FT} / & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ \end{array}$$

where $k_{m in}$ and $k_{m ax}$ de ne the bin, and the discrete spacing of k is somewhat arbitrary (the natural spacing is k = 2 = L, where L is the length of the spectrum, but nothing prevents one from choosing more nely spaced ks). Our estimator, equation (5), can be cast in a similar form, i.e., as a projection of the data vector onto a set of modes, and a sum of the squares of the mode am plitudes. We require that the mode am plitudes are statistically independent, which makes their computation equivalent to a computation of K arhunen-Lo eve eigenmodes (see, e.g., Tegm ark et al.

(1997)). Figure 7 shows the two most important modes for our bin with 0.00126 (km s⁻¹) ⁻¹ < k < 0.00158 (km s⁻¹) ⁻¹, for the chunk of spectrum shown in Figure 3a. In this case two modes di ering primarily by a phase shift, analogous to $\sin(kx)$ and $\cos(kx)$, $\cot tain most of the information$, because our bin width is approximately 2 =L. We see that the di erence between our modes and a simple sine wave is not dramatic { there is a little bit of edge tapering (downweighting the edges to make the elective window on the data more compact in Fourier space) and some straightforward downweighting of the most noisy pixels. Curiously, there seems to be an additional elect where pixels adjacent to an edge are given extra weight, possibly as a way of compensating for missing data (this is seen more clearly in spectra where a narrow gap is present in the middle of the data). The picture is similar for bins with larger k, except of course that there are increasingly many important modes as the width of our bins increases (the bins have a xed width log(k), but the relevant mode width is k). For more discussion of the quadratic estimator see, e.g., Tegm ark (1997).

The method we adopt is optimal for Gaussian elds and therefore guarantees that no other method can surpass it. An additional advantage is that within this form alism window and covariance matrices are automatically computed. For continuous spectra with few gaps and near uniform noise one does not necessarily expect an FT method to be significantly worse. In practice the noise level is slow ly varying across the spectrum, so averaging all the pixels uniform ly is not optimal and degrades performance. A nother advantage is that with our method each pixel pair has its own elective redshift and the correlations for a given pair are then interpolated to the redshift of interest using the appropriate evolution. In the FT method the whole spectrum is Fourier transformed

rst, so the redshift inform ation is preserved only in an averaged sense, but a priori it is not clear how this average is de ned.

3.1.2. Bootstrap Error Estimation

W hile the F isher m atrix obtained during the estim ation process would give the error m atrix for P_X (k;z) if the data were G aussian, we cannot reliably assume this. Our solution is to compute a bootstrap error m atrix by the standard procedure (P ress et al. 1992). From our data set of N spectra, we form a bootstrap data set by selecting N spectra at mandom, with replacements. The covariance m atrix of P_X (k;z) is taken to be M ^{ij} = P_X^{i} P_X^{j} , where $P_X^{i} = P_X^{i}$ P_X^{i} , P_X^{i} is an estimate of the power in the ith bin from a bootstrap data set, and him eans average over bootstrap realizations. We generally use 4000 realizations, after checking that this produces convergence in the result. We assume that the error correlations extend only one bin o diagonal in the z direction, because the spectrum of a single quasar practically never contributes to nonadjacent bins.

We have no compelling reason to believe that this method of computing the error bars will give rigorously correct results. Considering the large number of o -diagonal elements that must be




Fig. 7. Black solid and red dotted lines show the two primary modes onto which the data is electively projected when we estimate the power in our bin centered on k = 0.00141 (km s¹)¹, for the spectrum shown in Figure 3a. The horizontal axis scale in the gure is arbitrary. For comparison, the dashed line shows a simple sine wave with k = 0.00141 (km s¹)¹.

estim ated, one worry is that a particular linear combination of the binsm ay accidentally vary very little in our data set, so it will appear to have an unrealistically small error. Our tests on mock spectra (x3.2.2) show no sign of this problem. Still, to be conservative we apply one tweak to M after it is computed, in an attempt to inoculate it against the possibility. We perform a singular-value decomposition on M, which produces a set of independent vectors and their variances. We then compute the variances of the same vectors under the G aussian approximation, using the F isher matrix. If the bootstrap variance is smaller than the G aussian variance we replace it with the G aussian variance. Finally, we transform back to M. The tests on mock samples described below give us con dence that our procedure is reliable.

3.2. Tests on M ock D ata Sets

We validate our procedure as in plemented in code by applying it to mock data sets. Many iterations of these tests were required to produce results that show no serious problems in the error estimation or the power spectrum estimation itself. Testing the results on realistically created mock data is absolutely essential for measurements of such high precision. In x32.1 we describe our procedure for generating the mock spectra. We test our bootstrap error estimates in x32.2. Finally, we test the power spectrum estimation procedure for systematic errors in x32.3.

3.2.1. Generating M ock Spectra

We generate mock spectra by combining the auxiliary information we have for each observed spectrum (e.g., our continuum estimate, noise estimate, sky estimate, etc.) with a simpli ed version of the Biet al. (1992) model for the exp() eld, which results in realistic looking spectra.

For each observed quasar we start with the term we divide by before computing the power spectrum, $A_q C(_{rest})(1+_C)S()$ (see equation 2). We multiply this by exp() (generated as described below), smooth the result using the resolution from the observed spectrum, and sample the result onto the observed grid of pixels. This produces a noise free version of the ux we would observe coming from this quasar. We add ux from the sky as estimated for the observed spectrum, and transform the total ux to the number of photons that would be expected in each pixel. We generate a Poisson deviate with this mean, add the appropriate G aussian read-noise for each pixel, transform back to the original ux units, and subtract the sky ux estimate to obtain an observed (noisy) quasar spectrum. The results of this procedure for each observed quasar are written into

les in the sam e form at as the observed spectra, so exactly the sam e code can be used to measure the power in the mock spectra.

To generate the exp() elds we use a simple model that is arranged to give roughly the correct power spectrum as a function of k and z, and the correct mean absorption as a function of redshift. For each observed spectrum, we start by generating a Gaussian random eld, $_{i;0}$, on a

very long, relatively nely spaced grid (65536 cells with width 7 km s^{1} , to be precise), with power spectrum

$$P(k) = \frac{1 + [0.01 (km s^{1})^{-1} = k_{0}]}{1 + (k = k_{0})} \exp[((kR)^{2}];$$
(10)

where $k_0 = 0.001$ (km s⁻¹)⁻¹, = 0.7, and $R = 5 \text{ km s}^{-1}$ [this P was chosen after some experimentation because it produces a nal ux power spectrum with approximately the same k dependence as the observed $P_F(k;z)$]. An arbitrary cell in this grid is chosen to correspond to the redshift of the quasar, and the evolution of the amplitude of the power spectrum with redshift is in posed by the transformation $_i = a(z_i)_{i,0}$ with $a^2(z_i) = 58.6 [(1 + z_i) = 4]^{2.82}$, where the form of a (z) was chosen so that the nal ux power spectrum would evolve like the observed one. Next we make the squared lognormal transformation $n_i = [\exp((i - \frac{2}{i} = 2)]^2$, where $\frac{2}{i}$ is computed from the input power spectrum, including the amplitude factor (the factor $\frac{2}{i} = 2$ in the exponential just xes the mean of the lognormal eld to 1). We smooth the n eld with a Gaussian liter with m swidth $R = 20 \text{ km s}^{-1}$ and multiply it by a factor $0.374 [(1 + z_i) = 4]^{5:10}$ to produce a eld (this redshift evolution factor produces roughly the observed redshift evolution of F). The mock transmitted ux in each grid cell is then $F_i = \exp((-i)$, which is sampled as described above.

The procedure described above leads to realistic boking spectra of the Ly forest. We have veri ed that it generates a bispectrum that is within a factor of 2 of the one measured in N-body simulations. The main advantages of this procedure over the N-body simulation approach when generating the mock spectra are that it is faster, so one can make an arbitrary number of independent realizations, and that the simulated spectra can be of arbitrary length, in portant to elim inate any periodicity e ects (this would be in possible with simulations, where a typical box size is much shorter than the total length of a single spectrum). Both of these advantages are critical for a high precision test. We determ ine the true $P_{\rm F}$ (k;z) by a simple FFT of extrem ely long exp() elds (without redshift evolution).

3.2.2. Tests of the Error Estimates

W ithout accurate statistical errors it is di cult to identify system atic problem s, so we rst test our bootstrap procedure for estimating the errors. Note that there is no reason to expect bootstrap errors to be perfect (there is even some an biguity in how exactly the bootstrapping should be done when the data do not consist of statistically identical objects). Regardless of systematic errors in the method, the only difference between the power spectra measured from two mock data sets that difference between the power spectra measured from two mock data sets that difference between the to create them should be the statistical errors that we estimate. We test our error bars by generating tendifference mean, using the bootstrap error bars and the 108 points in 0:0013 < k < 0:02 (km s⁻¹)⁻¹, and 2:1 < z < 3:9. This is electively at of 108 parameters to 1080 data points, with 972 degrees of freedom. The total⁻² is 939, perfectly consistent with a random uctuation around the mean, and strongly disfavoring an underestimation of the errors by more than a couple percent.

3.2.3. Tests of the Power Estimates

We can now search for system atic errors. To enhance the statistical signi cance of any errors, we average our ten sets of mock spectra to form a single, more precise measurement. The result is shown in Figure 8. The results bok reasonably good; however, we nd an unacceptably bad 2 = 346 for the comparison between our measured P_F (k;z) and the true power spectrum (there are 108 degrees of freedom). To quantify the systematic problem, we rst assume the bias has the form B (k) = B₀ [k=0.0067 (km s⁻¹)⁻¹] P_{m easured}=P_{input} and t for the values of B₀ and that minimize 2 in the comparison. We nd B₀ = 1.0036 0.0014 and = 0.0173 0.0013 with 2 = 173 for 106 degrees of freedom [the pivot point k₀ = 0.0067 (km s⁻¹)⁻¹ was chosen to make the errors independent; the amplitude coe cient would be larger if we were not already dividing by 1 + 3 2_m as explained in x3.1.1]. The combination of slope and amplitude errors corresponds to a 3.1% excess of power at our largest scale, k = 0.0014 (km s⁻¹)⁻¹, and a 1.3% underestimate at k = 0.018 (km s⁻¹)⁻¹. We nd some less signi cant dependencies by generalizing the tring form ula even more to

$$B(k;z) = B_0 a(z) \frac{k}{k_0} + 1=2 \ln(k=k_0) + \ln[a(z)]; \qquad (11)$$

where $a(z) = (1 + z_0)=(1 + z)$, with $z_0 = 2.85$. The parameters are $B_0 = 1.0073 = 0.0016$, = 0.049 0.012, = 0.0195 0.0015, = 0.0157 0.0038, and = 0.026 0.012, with $^2 = 135$. Where does this bias come from? We expect some bias related to the division of each chunk of spectrum by its overall mean (not because of an integral constraint suppression of largescale power { our estimator should take care of that { but because of statistical error in the estimate of the mean that we divide by). When we measure the power without this division by the mean, which we can only do using mock spectra, we not significantly smaller corrections { smallenough to ignore when model tting.

We expect that this bias should be present when we use real observed spectra, so we will correct for it by dividing the measured power by B (k;z). We describe its elect on the amplitude and slope of the power spectrum below (table 1).

3.3. Raw Power

Figure 9 shows the raw power measured in our standard Ly forest rest wavelength range, $1041 < _{rest} < 1185$. All the gures in this subsection show $P_{1041;1185}$, not the background sub-tracted power P_F . Our normalization convention is:

$${}^{2} = {}^{2} {}^{1} {}_{1} {}^{\frac{dk}{2}} P(k) :$$
 (12)




Fig. 8. Error bands show the average power spectrum $[^{2}(k)$ $^{1}k P(k)]$ m easured from ten sets of mock spectra. Lines show the true power. Redshift bins, strictly from bottom to top, are: black, solid line, z= 2.2, blue, dotted, 2.4, cyan, dashed, 2.6, green, long-dashed, 2.8, m agenta, dot-dashed, 3.0, red, dot-long-dashed, 3.2, black, thin, solid line, 3.4, blue, dotted, thin, 3.6, cyan, dashed, thin, z= 3.8.




Fig. 9. Encorbars show the power spectrum measured from the observed spectra in the wavelength range $1041 < _{rest} < 1185$. The lines connect the points to identify them and to guide the eye. Redshift bins, from bottom to top (roughly) are: black, solid line, z=2.2, blue, dotted, 2.4, cyan, dashed, 2.6, green, long-dashed, 2.8, m agenta, dot-dashed, 3.0, red, dot-long-dashed, 3.2, black, thin, solid line, 3.4, blue, dotted, thin, 3.6, cyan, dashed, thin, z=3.8.

We usually plot the dimensionless quantity 2 (k) 1 k P (k), the contribution to the variance per unit ln k.

Figure 10 shows the fractional errors on all of the measured points. The errors are less than 5% form ost of the points, and frequently as sm all as 3%. If we were only estimating a single amplitude parameter by combining all these points then its error would be 0.6%. An overall logarithm ic slope would have an error 0:005. The errors on the largest scales are increased som ewhat by the diagonalization of the window matrix.

Figure 11 shows the ratio of subtracted noise power to measured signal power ($P_{1041;1185}$) for each point. The noise power is signicant (20-30%) on all scales, but diverges at high k where the resolution suppresses the absorption power. The lowest redshift bin has the most noise, due to the lower Ly forest power combined with extra noise at the short wavelength end of the spectra.

Figure 12 shows our window matrix (at z = 2:6), which we proceed to diagonalize. The matrix is reasonably close to diagonal already, with large contributions only from adjacent bins. It is useful to diagonalize the matrix at this stage, rather than waiting until the model-tting stage, because this allow sus to compute bootstrap errors directly for the nalbins (the bootstrap error calculation and window matrix diagonalization do not perfectly commute).

Figure 13 shows the ratio of the bootstrap errors to the errors estimated assuming the data are Gaussian. We did not apply the Gaussian oor to the bootstrap errors when making this gure. Typically the bootstrap errors are 0-20% larger than the Gaussian errors. Figure 14 shows examples of the estimated correlation between the errors, at z = 2.6. We note that diagonalizing the window matrix noticeably reduces the error correlations. The bootstrap errors are, in contrast to the Gaussian errors, noticeably correlated (h P_i P_ji= P_j: P_j 0.0 0.2 when ji jj> 1, where i and j label the bins) across the full k range. These di erences between bootstrap and Gaussian errors are not necessarily an indication of intrinsic non-Gaussianity in the absorption uctuations. Possible alternative explanations for the di erences include the uncertainty in the mean ux value that each chunk of spectrum is divided by and the uncertainty in the noise-subtraction term for each chunk, neither of which are included in the Gaussian estimate and both of which would increase the error in a way that is correlated across k bins.

3.4. Background Subtraction

O urbackground subtraction is the power in the wavelength range 1268 < rest < 1380 A. Figure 15 show s P_{1268;1380} and P_{1041;1185} for com parison. The bum p at k 0.013 (km s⁻¹) ¹ in P_{1268;1380} is probably due to the C IV doublet at separation 499 km s⁻¹. The bum p at k 0.003 (km s⁻¹) ¹ m ay be due to the SiIV doublet at separation 1933 km s⁻¹. Figure 16 show s P_{1268;1380}=P_{1041;1185}. We see that, even though the background power is a small fraction of the Ly forest power, it is quite signi cant when com pared to the small size of the errors on the Ly forest power. It is important to remember that even a small overall system atic error can be very signi cant if it covers




Fig. 10. Lines connect the fractional errors on each measured $P_{1041;1185}$ (k;z) point, using the usual line-type and color and scheme (see Fig. 9 { the highest two curves are the highest two redshifts, the lowest is z = 2.8).




Fig. 11. Lines, with types following the usual pattern (see Fig. 9), connect the quantity $P_{\text{noise}}=P_{1041;1185}$ for each measured point (the highest line is the lowest redshift).




Fig. 12. The window matrix for bands indicated by the maximum (before diagonalization).




Fig. 13. The ratio of bootstrap errors to the Gaussian estim ate of the errors. See Fig. 9 for the correspondence between lines and redshift bins.





Fig. 14. Examples of the correlations between the errors, h $P_i P_j i = P_{ji} P_{jj}$. The black solid lines and squares show the error correlation when the window matrix is diagonalized. The red dotted lines and triangles show the correlations between points before diagonalization. The lines marked by symbols are the bootstrap estimate, while the unmarked lines are the Gaussian estimate.






Fig. 15. The upper set of lines show $P_{1041;1185}$, the lower set of lines show $P_{1268;1380}$. The colors and line types identify redshift bins as de ned in Fig. 9.




Fig. 16. The lines show the ratio $P_{1268;1380}=P_{1041;1185}$. The upperm ost (black solid) line is z = 2.2, and the next (blue dotted) is z = 2.4 (see Fig. 9 for the rest of the line de nitions). For reference, the error bars starting at zero show the fractional errors on $P_{1041;1185}$ (k; z = 2.6), which are much larger than the errors on $P_{1268;1380}$ (we are simply plotting $P_{\rm e}$ (k)=P (k) as in Fig. 10, except that, for clarity, we show error bars starting at zero instead of a connected line).

m any data points (e.g., a 1=2 error over 100 points shifts the m ean by 5).

We are going to subtract the power in the range 1268-1380 A from the Ly forest power, but it is informative to measure the power at other places in the quasar rest frame for comparison. The range 1409-1523 A includes CIV absorption (at 15482 and 1550.78 A) but excludes SiIV (at 1393.75 and 1402.77 A) and shorter wavelength transitions. Figure 17 show s $P_{1409;1523}=P_{1041;1185}$. If all of the power was coming from metal line absorption, the power in the range 1409 < rest < 1523 A should always be less than the power in the range 1268 < rest < 1380A.As we see in Figure 18, which shows the di erence in the background fractions, $(P_{1268;1380} P_{1409;1523})=P_{1041;1185}$, the power in P_{1268;1380} is greater than P_{1409;1523} except on large scales. The di erence on large scales suggests that there is tiny am ount of power left in the quasar continua (in spite of our division by the mean continuum), which is larger in the range 1409-1523 A than in the range 1268-1380 A. Finally, Figure 19 shows $P_{1558;1774}=P_{1041;1185}$, past the wavelength of CIV absorption. The reduction of power relative to shorter wavelengths is dram atic, but not surprising since C IV is the m ost common metal absorber. It does suggest however that most of the power is due to metals and not continuum uctuations, unless the continuum in the range 1558-1774 A has signi cantly less power relative to other intervals studied here (which is admittedly not inconceivable). It seems likely, although we are not certain, that the z = 2.2 background power has a noticeable contribution from m easurem ent-related problems, because the alternative is a very sudden increase in metal absorption power.

W hat is the upshot from these studies? The metal absorption appears to contribute a small but signi cant amount of power, which should also appear in the Ly forest region. We subtract this power from the powerm easured in the forest. There is some indication of measurem ent-related problems in our lowest redshift bin. The power contributed by deviations of the quasar continua from their mean appears to be small.

W hile the idea that $P_{1268;1380}$ contains alm ost exclusively power due to simplem etal absorption seems plausible at this point, when we perform consistency checks in x4.4 we indicate that this is not the case. Splitting the data set used to measure $P_{1268;1380}$ in half based on the noise level in each spectrum, we indicate the power in the halves is signil cantly diment, by as much as 50% in some bins. Splits based on several other properties of the data (e.g., sky to quasar in ux ratio) also show signil cantidimences, but we indicate the subsamples. Splits of the Ly forest data set show similar trends in $P_{1041;1185}$ with the splitting parameters, although the fractional dimences are much smaller. While we don't know the source of this noise dependence, it is not hard to imagine relatively benign reasons for it. For example, if sky subtraction is imperfect this would add an increasing amount of power as the sky in ux, and thus noise level, increases relative to the quasar ux. The procedure we describe next would remove this power.

Since we know that $P_{1268;1380}$ depends on noise it seems logical to subtract the value of $P_{1268;1380}$ corresponding to the level of noise in the forest, rather than the best measured value of $P_{1268;1380}$,




Fig. 17. | The ratio of $P_{1409;1523}$ to $P_{1041;1185}$.




Fig. 18. The di errence between $P_{1268;1380}$ and $P_{1409;1523}$, divided by $P_{1041;1185}$, with the fractional errors on $P_{1041;1185}$ (k;z = 2:6) plotted as usual.




Fig. 19. The ratio of $P_{1558;1774}$ to $P_{1041;1185}$. The upperm ost (black solid) line is z = 22.

which is dominated in practice by data with less noise. If we had simply misestim ated the noise by an overall factor, for example, the errors in $P_{1041;1185}$ and $P_{1268;1380}$ would cancel for this form of subtraction. To implement this idea, we model the background subtraction term as a linear function of the noise level,

$$P_{1268;1380}(k;z; w) = A(k;z) + B(k;z) w;$$
(13)

where $_{\rm W}$ is the mean noise level in the data computed in the same way as the mean ux level (this is the mean of the normalized noise, i.e., after division by continuum and mean ux). The choice of a linear relation is arbitrary but it does the job (see x4.4) better than the alternatives we tried. We compute A (k;z) and B (k;z) for each value of k and z using a linear t to the full sample of spectra that probe P_{1268;1380} (k;z), weighted by the G aussian estimate of the error on each point for each spectrum. When the time comes to subtract the background from P_{1041;1185} to obtain P_F, we use $_{\rm W}$ computed in the 1041 1185A wavelength range to compute the appropriate subtraction term. Figure 20 shows the extra power subtracted through Equation (13), beyond what we would subtract if we simply used P_{1268;1380} (k;z) from Figure 16. It is typically less than 4% of the Ly forest power, but rises to 10% at the highest k for the lowest redshift.

The reader who is paying attention m ay complain that we have no compelling reason to believe that this source of noise-dependent power that we do not understand depends on noise in the same way inside and outside the Ly forest region. This would be true, except that when we follow this prescription for background subtraction the di erences in $P_{1041;1185}$ between subsamples are rem oved (see x4.4). This would be a remarkable coincidence if our model for the subtraction was not substantially correct.

Note that the background power has much smaller (absolute) statistical errors than $P_{1041;1185}$, mostly because there is simply less power, but also because there are more quasars probing a given redshift interval.

4. Consistency Checks

In x4.1 we describe how we use the of theoretical models to the $P_F(k;z)$ results to help understand the importance of any system atic errors. We plot the correlation function of the Ly forest in x4.2 and use it to identify a signil cant contribution to $P_F(k;z)$ from SiIII absorption. In x4.3 we exam ine the elects of modil cations of our procedure. In x4.4 we break the data set up in many dimensional to book for dependencies of $P_F(k;z)$ that should not exist. In x4.5 we discuss the possibility that continuum uctuations contribute signil cant power. Finally, we compare our results to past measurements in x4.6.




Fig. 20. The di erence between the noise dependent background power that we subtract through Equation (13) and $P_{1268;1380}$, relative to $P_{1041;1185}$, i.e., this is the extra fractional power that is subtracted because we correct for the di erence between the typical noise level in the forest and in the range 1268–1380 A.

4.1. Rudim entary Fitting of Theoretical M odels

The ultim ate purpose of m easuring the Ly forest power spectrum is to determ ine cosm obgical parameters by comparing the observed $P_F(k;z)$ to the predictions for dimensions obgical models. For the CDM models supported by present observations, the universe is nearly E instein-de Sitter at z > 2, so cosm obgy in uncess the Ly forest almost entirely through the linear theory power spectrum of the mass uctuations, $P_L(k;z)$, at z = 3 and k = 0.01 (km s⁻¹)⁻¹ (roughly 1 com oving h/M pc, depending som ewhat on the model). We usually parameterize $P_L(k;z)$ by its amplitude, ${}^2(k_p;z_p) = k_p^3 P_L(k_p;z_p)=2^{-2}$, slope $n_e(k_p;z_p) = d\ln k j_{k_p;z_p}$, and curvature ${}_e(k_p;z_p)$

 $dn_e = d \ln k j_{r_e - z_e}$, where we use $k_p = 0.009$ (km s⁻¹)⁻¹ and $z_p = 2$:6 as the pivot points.

A full discussion of the details of theoretical modeling of $P_F(k;z)$ using numerical simulations is beyond the scope of this paper. Furthermore, the theory of the Ly forest is perhaps less certain than the observations, so we want to present the observational results un-tarnished by theoretical interpretation. However, it is very useful to interpret the possible system atic errors in the appropriate context of cosm ological model tting. In other words: without model tting, it is di cult to know how important a given change in $P_F(k;z)$ is.

In this paper we take a cautious approach to the theoretical model tting { we perform the text of the extraction procedure or dimensional events are softened at a now even, we do not give the central result, only the deviations in the results from the value obtained from our preferred $P_F(k;z)$. These deviations in thing results should give the reader a useful indication of the importance of system atic elects in the data, regardless of the reader's opinion of the theory.

The simulations and thing procedure that we use are described in M cD onald et al. (2004), where we present the nalresult. We use a CDM transfer function, and perform the twith ² and n_e as free parameters (because $_e = dn_e = d \ln k$ is not tightly constrained by the present Ly forest data alone, we x the primordial nunning = dn=d ln k, not to be confused with $_e$ ' 0.2, to zero). Unless otherwise speci ed, we perform the ts using the 108 \mathbb{P} (k;z) points in the ranges 0.0013 < k < 0.02 (km s⁻¹)⁻¹ and 2.1 < z < 3.9. We allow for some error in our noise estimate by permitting the noise subtraction terms to vary independently in each redshift bin by 5% (9 extra free parameters to t for, constrained by G aussian likelihood function with this rm s width). We also allow a single overall parameter describing the squared resolution error to vary with rm s constraint (7 km s⁻¹)².

The Ly forest model in the simulations is controlled by the externally constrained functions F (z), the mean absorption, $T_{1:4}$ (z), the temperature at overdensity 1.4, (1)(z), the logarithm ic slope of the temperature-density relation, and a reionization parameter that we will call x_{rei} . F (z) is described in our ts by the 10 parameter form $ulaF_i = FF_i$, where i labels our 9 redshift bins, F_i gives the arbitrarily normalized z dependence and F is an overall normalization. We have performed a preliminary analysis using the formalism in x2.5 to measure F (z) from SDSS data and we use this to constrain the parameters F_i (the error on each redshift bin is 0.005). Because the SDSS

analysis does not constrain the overall norm alization, we have F free except for the additional constraint that we require F_i interpolated to z = (3:9;3:0;2:4) to match the HIRES constraints $F = (0.458 \quad 0.034; 0.676 \quad 0.032; 0.816 \quad 0.023)$ (see M cD onald et al. (2000) { we have modi ed the numbers slightly and increased the errors to allow for system atic uncertainties, as discussed in Seliak et al. (2003)). We parameterize $T_{1.4}(z)$ and (1)(z) by quadratic functions of z (3) param eters each) with the external constraints $T_{1:4} = (20100 \ 3400; 20300 \ 2400; 20700 \ 2800)K$ $1 = (0.43 \quad 0.45; 0.29 \quad 0.3; 0.52 \quad 0.14)$ at z = (3.9; 3.0; 2.4) (see M cD on ald et al. (2001) and { we added 2000 K in quadrature to the tem perature errors to allow for system atic errors). Note that there are other, som etim es m ore precise, m easurem ents of F (Schaye et al. 2003; Bernardi et al. 2003) and the tem perature-density relation (Schaye et al. 2000; Ricotti et al. 2000) in the literature { our choice of M cD onald et al. (2000) and M cD onald et al. (2001) for this example is simply for convenience. The redshift of reionization and post-ionization temperature of the gas in uence Ly forest predictions because the sm oothing of the gas on sm all scales depends on its pressure history. At the level of precision we care about, this dependence can be captured by a single parameter. In our modeling, we use x_{rei} to interpolate between two reasonable boundaries, reionization heating of the gas to 25,000 K at z = 7 or to 50,000 K at z = 17, both of which are consistent with our tem perature constraints $T_{1:4}$ (z). However, in this paper we x x_{rei} , because it is weakly constrained by the data and the hard lower limit we have to impose on the redshift of reionization leads to non-Gaussian errors on the power spectrum parameters we are interested in (this is a problem of presentation, not of principle).

Figure 21 shows our rst t to the standard $\underline{P}_{\mathbf{r}}(\mathbf{k};\mathbf{z})$ results. The value of $^2 = 193:7$ is much too high for approximately 106 degrees of freedom (we are marginalizing over a large number of nuisance parameters, but these generally are externally constrained so they do not reduce the number of degrees of freedom). Including $_{e}$ as a free parameter does not improve the t signi – cantly. It appears that much of the disagreement comes from bumps in the power spectrum, e.g., at k 0:003 (km s¹)¹. This motivates us to bok at the correlation function of the ux.

4.2. The Correlation Function and the SiIII C ross-C orrelation

Som etim es features in the power spectrum are easier to understand by boking at the correlation function, (v) = h(x)(x + v)i(v) is as usual a stand-in for wavelength di erences, as is x in this case). We show the normalized correlation function, (v)=(0) for the rst six redshift bins in Figure 22. The correlation function shows the expected behavior { positive for small v, negative for large v { except for an obvious bum p at v 2200 km s⁻¹. We focus on this bum p in the inset panel of Figure 22. The most likely explanation seems to be cross-correlation between Ly and SiIII absorption. SiIII absorbs at = 1206.50A, so the SiIII absorption by gas at some point along the line of sight will appear in the spectrum separated by 2271 km/s from the Ly absorption by the same gas. We see that the bum p in (v) appears at this separation, and note that the features that ruined our power spectrum t appear at the expected multiples of k = 2 = 2271 = 0.0028 (km s⁻¹)⁻¹.




Fig. 21. Points with error bars show the observed $P_F(k;z)$. Lines show our rst attempt to ta theoretical model, which is not a good t to the data. From bottom to top | z=2.2: black, solid line, open square; z=2.4: blue, dotted line, 4-point star (cross); z=2.6: cyan, dashed line, lled square; z=2.8: green, long-dashed line, open triangle; z=3.0: magenta, dot-dashed line, 3-point star; z=3.2: red, dot-long-dashed line, lled triangle; z=3.4: black, thin solid line, open pentagon; z=3.6: blue, thin dotted line, 5-point star; z=3.8: cyan, thin dashed line, lled pentagon.




Fig. 22. The normalized correlation function, (v) = (0), in the Ly forest region, uncorrected for resolution. In the inset panel, the solid lines show an expanded view of the SiIII-Ly crosscorrelation bump, the dashed line shows 0.04 (v 2271)= (0) for comparison, and the vertical dotted line marks $v = 2271 \text{ km s}^{-1}$. Note that there is no evidence for any other metal with wavelength close to Ly transition being important. In particular, we see no bump at 5600 km s⁻¹ or 6700 km s⁻¹, corresponding to NV-Ly velocity di erences. This correlation function should not be used for any quantitative science, as we have not corrected for resolution e ects, have not checked carefully for system atic errors, and have not given statistical errors.

Note that this is the only correlation seen; another m etal correlation one m ight expect to see is NV (= 1238.8; 1242.8A), but there is no apparent feature at the corresponding velocity di erences (v = 5600; 6700 km/s), as seen in gure 22.

W hat should we do about this SiIII-Ly cross-correlation, since the poor ² suggests that it is too signi cant to ignore? Our rst guess m ight be that the SiIII-Ly correlation is a simple o set version of the Ly -Ly correlation, i.e., something like _{SiIII Ly} (v) / _{Ly Ly} (jvj 2271 km s¹). The simplest way to model this is to assume that the SiIII structure is equal to that of the Ly forest up to an overall norm alization, $_{\rm F} = (v) + a (v + y)$, where (v) is for Ly only and $v_3 = 2271$ km s¹. The corresponding correlation function is

$$_{\rm F}$$
 (v) = (1 + a²) (v) + a (v + y) + a (v v₃); (14)

with corresponding power spectrum

$$P_{F}(k) = (1 + a^{2}) P(k) + 2 a \cos(v_{3}k) P(k);$$
(15)

where unsubscripted and P are understood to mean Ly Ly . For our rst t to P(k;z) accounting for SiIII using equation (15), we assume $a = f=[1 \quad F(z)]$, with f as a single extra free parameter of the t. We nd a remarkable improvement in ², from 193.7 to 130.9. We nd f 0.011 (a 0.04, depending on the redshift). The small value suggests that the relative contribution of SiIII to the autocorrelation is $a^2 < 0.004$, which will not a ect our t results signi cantly (see x4.3). We thus only need to estimate the cross-correlation term . We also tried allowing a power law 1 + z dependence for f, but the improvement in t, $^2 = 1:1$, was not signi cant.

In the inset panel of Figure 22 we plot scaled (v 2271), to show how the shape of the bum p compares to the zero-lag correlation. It is dicult to compare the shapes by eye, because of the slope of the underlying correlation, but it appears that this model explains the cross-correlation reasonably well. We can allow for a change in scale using the slightly more general form

$$_{\rm F}$$
 (v) = (v) + a [s(v + y)] + a [s(v v₃)] : (16)

A llowing s to vary freely only improves ² by 0.7 (note that the logarithm ic k-binning that we use may reduce our ability to constrain these parameters). The error bars on other parameters may increase when we include z dependence of f and allow s to be free, so to be conservative one probably wants to leave them free even though they are not needed. In our standard t in this paper, we allow f to have z dependence but x = 1. We show the improved t to $P_{r}(k;z)$ in Figure 23.

4.3. M odi cations of the P rocedure

The pipeline developed for this analysis includes many improvements and corrections that were added throughout the development. It is worth taking a step back to ask how important the various




Fig. 23. Points with error bars show the observed $P_F(k;z)$. Lines show our best taffer including SiIII absorption approximately in the theory. See Fig. 21 for line and point de nitions.

corrections are for the nal result. Table 1 lists various modi cations of our procedure (described individually below), and quanties their elects on the tresults. In each case we show the change in the best t 2 and n_e relative to our standard t, and their error bars for comparison to the standard t. We give 2 to indicate the goodness of t of the theory to the modi ed measured $P_F(k;z)$. We reiterate that we are not asserting the correctness of the theory that we use in the tting { we give these 2 values and other tting results only to show trends. We list 2 between the standard procedure best t and the variant best t, to give an indication of how signi cant the deviation is (this is necessary because the errors are correlated so simply knowing 2 and n_e and their errors does not give the full picture { see F igure 26 for an example of the full error contours). Because the statistical uctuations between these di erent ts should be small, a 1 di erence (or even less) should be interpreted as \signi cant", however, since we believe that our standard t is better or m ore conservative than all of the variants, our system atic error should generally be smaller than the deviation shown. Note that where applicable the changes in procedure are only applied to the P_{1041,1185} calculation, not the P_{1268,1380} result that is used in the background subtraction (sm all changes in P_{1268;1380} have no e ect on the nal results).

Our rst variant is to not diagonalize the window m atrix. Figure 24 shows the m easured power spectrum before and after diagonalization. Figure 25 shows the ratio of the diagonal errors after diagonalization of the window m atrix to before diagonalization. Not diagonalizing the window m atrix does lead to a signi cant change in the tted parameter values, and the error on n decreases by about 12%. We are, in elect, using information from a wider range of scales, but this forces us to use theory results outside their range of validity (e.g., at low k we need to extrapolate beyond the size of our simulation boxes). Note that the change in error on n_e, from 0.024 to 0.021 in plies that we should expect a random dilerence between the two results with typical size $(0.024^2 - 0.021^2)^{1=2} = 0.012$, i.e., what might seem like a surprisingly large part of the dilerence between the results could be random.

As discussed above, the correction for SiIII-Ly correlation is very important to the goodness of our t. It is less important for the best tvalues, changing them only by 0.8 for g and 0.4 for ². Normally we allow a power law dependence on redshift for the amplitude of the SiIII-Ly correlation, but removing this freedom makes almost no di erence. A llowing the correlation scale for the SiIII-Ly correlation to be di erent than for Ly -Ly (freeing s in eqn. 16 { we usually x this in this paper for technical reasons) has only a very small e ect. Including the SiIII-SiIII autocorrelation term (the a² part of eqn. 15) in the thas essentially no e ect.

For our standard t, we allow variation in the noise amplitude at each redshift, represented by a multiplicative parameter subject to a 5% rm s G aussian constraint. Our thing procedure then marginalizes over this component. Reducing this constraint to 0.5% (i.e., xing the noise) produces no change in our t result, and does not even reduce the error bars noticeably. Leaving the noise essentially free makes a noticeable di erence in the t results, decreasing the amplitude by about 2=3, increasing its error by 20%, and decreasing ² to 123.8. Changes at this level are expected when we remove the constraints on some parameters, and do not imply that the constraints were




Fig. 24. Dotted lines connect the power spectrum points before diagonalization of the window matrix. Solid lines show the points after diagonalization.




Fig. 25. Ratio of the diagonal errors on $\operatorname{our} P_{1041;1185}$ (k;z) points (connected) after the window matrix diagonalization to before the window matrix diagonalization, with the usual line de nitions.

too small (i.e., we are electively removing 9 data points from the tiso we generally expect a decrease in 2 , increase in the error bars, and some corresponding drift in the parameter values). Removing our spectrum by-spectrum noise estimation makes very little difference. Finally, we note that if we did not correct the noise as discussed in x2.3, the results would change significantly. As an example, we show the timesults in the ln 2 ne plane in Figure 26, for our standard case and these noise-related variants. We show the ratio of the power without individual noise estimates for each quasar to our standard case in Figure 27.

O ur requirem ent that the principal components of the error matrix have at least the G aussian level of variance makes no di erence to the tresults, although it improves ² for the talittle bit. Simply using the Gaussian error matrix instead of bootstrap errors makes no di erence to the tresults but increases ² signi cantly. Ignoring the bootstrap error correlations increases the error on n_e by about 12%, and signi cantly reduces ².

W e norm ally use the range 1268 < $_{\rm rest}$ < 1380A for our background subtraction (i.e., subtract $P_{1268,1380}$). Removing the background subtraction entirely reduces the inferred amplitude by 2 , and the slope by 1, and results in a very large 2 (the error on n_e also decreases signi cantly, but this is mostly because of the change in the best t values, not because of uncertainty in the background subtraction). (Note that removing the background subtraction, which increases P_F (k;z), decreases the inferred amplitude because the tted F decreases more than enough to o set the increase in $P_F(k;z)$.) C learly the background cannot be ignored. Using $P_{1409;1523}$ instead produces a som ew hat disturbingly large 0.028 (1:1) increase in n_e . We expect the longer wavelength range to give a less accurate estim ate of the background power, because som e m etals are m issing, but further investigation shows that most of this di erence is probably caused by CIV BALs adding power to the 1409 < rest < 1523A region. A swe see in Table 1, rem oving the adjustm ent for noise dependence of the background (see E quation 13) brings the two background regions closer together (this is re ected in Figure 18). Adding the 147 BAL quasars identi ed by our autom ated algorithm leads to a huge discrepancy (0.094 in n_e) when we use the $P_{1409:1523}$ background, but only when we adjust for noise level (without this the discrepancy for n_e , not shown in the table, is only 0.029). Note that the BAL cut makes essentially no di erence to our standard tusing the P_{1268:1380} background. All of these di erences are easy to understand: First, BALs are known to be strongest in C IV absorption (Hallet al. (2002)), so it is not surprising that we see the e ects of BALs primarily in this wavelength region. Second, both our original by-eye and subsequent autom ated rem oval of BALs inevitably identify the features more easily in less noisy data, so the power from BALs naturally shows up when we intentionally use the noisier spectra for the background power. The fact that rem oving the 147 m ost obvious BALs has essentially no e ect on our basic result gives us con dence that any remaining BAL features in the Ly forest and 1268 < $_{\rm rest}$ < 1380A regions are not signi cant.

To investigate the e ect of a system atic uncertainty in the spectral resolution, we include in our ts an overall factor of the form exp(k^2) multiplying the power spectrum, where is a free parameter. In our standard twe impose an external constraint on , $(7 \text{ km s}^{-1})^2 \text{ rm s}$. E sentially




Fig. 26. Fit results for variant noise treatments. The error bars show the 1 error on each parameter. The ovals show $^2 = 2.3$. Standard case (with 5% noise amplitude freedom in each redshift bin): black, solid lines. No individual noise estimate for each quasar: red, dotted lines. Noise amplitude freedom 0.5% (50%): green, short-dashed lines (blue, long-dashed lines). The magenta, dot-dashed line shows the result using the pipeline noise estimates.




Fig. 27. Ratio of $P_{1041;1185}$ computed without quasarby-quasar noise re-estimates (a constant 16% extra noise power was assumed instead) to the standard case.

removing this freedom has no e ect on the t, while leaving essentially free increases the error on the amplitude by 40%, and increases n_e by 2=3 (the change in tted amplitude is certainly consistent with drift from the increased error). As we show in Figure 5, our standard t should be conservative.

Simply dividing each chunk of spectrum by its mean instead of also dividing by the mean continuum before estimating the power from the chunk makes little dimense to the tresults. Division by the mean continuum actually increases the measured ux power by 0 2%, as we show in Fig. 28. We have performed a preliminary PCA analysis to try to model uctuations around the mean continuum. When we use continua for each quasar composed of 13 PCA eigenvectors, our results change only a little (n_e is reduced by 0:4), and ² increases, probably an indication of the unsatisfactory level of noise that we know remains in our estimates. A swe see in Figure 29, the modi cation of adding a large constant to the weight matrix to make our measurement less sensitive to the mean of each chunk has little e ect (the e ect is larger on larger scales).

The line \no bin-redshift correction" in Table 1 refers to rem oving the correction for evolution in the power across the width of the redshift bins (see eqn. 8). We see (Fig. 30) that this correction mostly a ects the lowest redshift bin (where the low-z edge of the bin is empty of data) and has little e ect on the t (not surprisingly, leaving out this correction increases ²).

The line \ignore F p correlation" in Table 1 shows the change in the tted parameters if we naively use the given noise estimates for weighting without accounting for the fact that there is a correlation between the ux estimate and the noise amplitude estimate for each pixel. Figure 31 shows that the bias is a fairly constant 3-5% increase in the ux power. The di erence is not actually caused by the change in weighting used in the power spectrum estimation { instead, the power is biased high because the estimation of the mean that each chunk of spectrum is divided by is biased low because low - ux pixels have smaller noise estimates. Ignoring this e ect does not change our t results. Norm ally we base our estimation of the amount of the noise that is due to quasar ux on the separate estimates we have from the spectral reduction pipeline for the ux, sky, and read-noise contributions, however these estimates do not add up to the total noise reported by the pipeline. If we rescale the individual numbers to make them consistent with the total (not necessarily the correct thing to do) we see that the tresults are not changed signi cantly (the line \rescale c" { we use c to refer to noise com puted using the separate ux, sky, and read-noise estimates), although the power does change by as much as 3% (Fig. 32 { this di erence would be a bit larger if we did not directly measure and correct for the cross-correlation between the noise am plitude and ux).

Finally, our power spectrum extraction code has a bias (partially related to division by the mean of each chunk of spectrum), that we correct for by dividing the result by Equation 11. Rem oving this correction decreases the estimated n_e by about 1=2 and increases the amplitude by a similar amount. The combined change is actually quite signi cant because it is transverse to the degeneracy direction for these parameters.




Fig. 28. Ratio of $P_{1041;1185}$ computed without dividing by the continuum estimate to the standard case.




Fig. 29. Ratio of $P_{1041;1185}$ computed without the large constant added to the weight matrices to make the results less sensitive to the mean of the chunks, relative to the standard case.




Fig. 30. Ratio of $P_{1041;1185}$ computed with no correction for the oset between the dened center of each redshift bin and the center of weight of the data to the standard case.




Fig. 31. Ratio of $P_{1041;1185}$ computed without accounting for the correlation between the noise amplitude and the observed ux to the standard case.




Fig. 32. Ratio of $P_{1041;1185}$ computed using an alternative estimate of the fraction of the noise that is due to photon counting noise associated with ux from the quasar (see text) to the standard case.

To sum marize, most of the e ects described above are small relative to the statistical errors on the nalestim ated parameters. We understand the cases where the dierence is significant, and expect that our standard method will be much more accurate than the dierence between it and the variants (we show these variants to help the reader better understand our measurement). These tests give us condence that the nalresults are very robust to small changes in the analysis pipeline.

How sensitive are these conclusions to our assumptions about the nuisance parameters, F, $T_{1:4}$, and , i.e., if these constraints in prove in the future, will we need to worry more about system atic errors in P_F (k;z)? We investigate this by rst xing all the parameters in the t (including removing the noise amplitude uncertainty, resolution uncertainty, and freedom in the SIII correction), so the only uncertainty is on $P_F(k;z)$. Table 1 (the \setminus xed nuisance parameters" line) shows that the error on the am plitude in proves dram atically, by a factor of 5. The error on ne in proves by a factor of 2. So in principle the amplitude error can be improved a lot relative to potential system atic errors, and n_e in proved as well (see also M and elbaum et al. 2003). The next line (\optim istic F"), where we assume the HIRES constraint on F is improved by a factor of 5, and the SD SS constraint by a factor of 2, shows that 2 is substantially degenerate with F (as expected), but ne is less degenerate. Improving the constraints on T_{1:4} and by factors of 5, in addition to the improved constraints on F, leads to little further improvement. Finally, for comparison, we tried simply reducing the errors on $P_F(k;z)$ by a factor of $\frac{P}{3}$, and found that the error on n_e decreases by alm ost the same factor (1.6), but the error on 2 decreases less (a factor of 12). SDSS will collect a factor of 3 m ore data than we have in the present sample. We conclude that the error on n_e can easily be reduced by simply gathering more data, while in provem ents on 2 can be made by in proving the errors on F.

Table 1. E ect of uncertainties or modi cations of the $P_{\!F}(k;z)$ measurement procedure on the inferred linear power spectrum

I o w indow diagonalization -0.06 0.10 -0.024 0.021 1.4 129.5 I o SiIII correction 0.04 0.10 0.017 0.021 0.7 193.7 Pariable with SIIII -0.02 0.11 -0.06 0.025 0.1 129.0 Include SIIII-SIII term -0.02 0.10 -0.03 0.023 0.0 130.3 noisepower = 0.5% 0.00 0.10 -0.000 0.024 0.0 130.3 noisepower = 50% -0.08 0.12 0.008 0.025 1.1 123.8 I o individual noise re-estim ation -0.02 0.10 0.002 0.023 0.1 128.1 Selieve pipeline noise -0.20 0.11 0.019 0.021 9.6 129.9 I o G aussian oro on enrors 0.01 0.10 0.022 0.02 11.128.1 Gene enror contrelations 0.04 0.11 0.002 0.22 11.72 gin ore enror contrelations 0.04 0.11 0.022 0.2 11.72 Go background subtraction -0.20 0.10 <t< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>							
I o w indow diagonalization -0.06 0.10 -0.024 0.021 1.4 129.5 I o SiIII correction 0.04 0.10 0.017 0.021 0.7 193.7 Pariable with SIIII -0.02 0.11 -0.06 0.025 0.1 129.0 Include SIIII-SIII term -0.02 0.10 -0.03 0.023 0.0 130.3 noisepower = 0.5% 0.00 0.10 -0.008 0.225 1.1 123.8 I o individual noise re-estim ation -0.02 0.10 0.002 0.023 0.1 128.1 Selieve pipeline noise -0.20 0.11 0.019 0.021 9.6 129.9 I o Gaussian oro on enrors 0.01 0.10 0.002 0.023 0.1 133.1 Go ackground subtraction -0.20 0.11 0.002 0.22 11.7 13 Go ackground subtraction -0.20 0.10 0.021 0.6 169.6 ackground subtraction -0.20 0.10 -0.022 0.10 7 142.3 Previous, but use 1409-1523A 0	Variant ^a	\ln^2	ln ²	n _e	n _e	2 b	2 c
A o SiIII correction0.040.100.0170.0210.7193.7Heindependent SiIII0.000.100.00.0240.0130.9Pariable with SiIII-0.020.11-0.0060.0250.1129.0Include SiIII-SiIII term-0.020.10-0.0030.0230.0132.1Inclepower = 0.5%0.000.10-0.0000.0240.0130.3Inclepower = 50%-0.080.120.0080.0251.1123.8I o Individual noise re-estination-0.020.100.0020.0230.1128.1Selieve pipeline noise-0.200.110.0190.0219.6129.9I o Gaussian oro on errors0.010.100.0020.0240.0133.1Gaussian errors0.020.100.0010.0230.1151.7Gnore error cornelations0.040.110.0020.0270.2117.2I o background subtraction-0.200.10-0.0280.0251.5133.2I o background noise m atching-0.070.10-0.0440.0210.7142.3Previous, but use 1409-1523A0.140.100.0940.02516.0156.670 km s ⁻¹ /2 resolution error-0.110.140.0150.0240.1132.2C A continuum division0.020.10-0.0030.0240.0130.4I o reduced sensitivity to m ean-0.000.10-0.002<	Standard t	0	0.10	0	0.024	0	129.7
Here independent SiIII0.000.100.000.0240.0130.9rariable width SiIII-0.020.11-0.0060.0250.1129.0include SiIII-SiIII term-0.020.10-0.0030.0230.0132.1noisepower = 05%0.000.10-0.0000.0240.0130.3noisepower = 50%-0.080.120.0080.0251.1123.810 individual noise re-estim ation-0.020.100.0020.0230.1128.13 elizve pipeline noise-0.200.110.0190.0219.6129.910 G aussian oor on enrors0.010.100.0020.0240.0133.13 aussian enrors0.020.100.0010.0230.1151.710 pore enror correlations0.040.110.0020.0270.2117.210 background subtraction-0.200.10-0.0220.0193.6169.63 ackground 1409-1523A0.050.100.0280.0251.5133.210 background noise m atching-0.070.10-0.0040.0210.7142.310 exoton stud use 1409-1523A-0.060.100.0080.0221.7143.110 autom ated BA L cut0.010.100.0240.0130.410 continuum division0.020.10-0.0030.0240.1132.210 continuum division0.020.10-0.0030.0240.	Nowindow diagonalization	-0.06	0.10	-0.024	0.021	1.4	129.5
ariable width SiIII-0.020.11-0.060.0250.1129.0include SiIII-SiIII term-0.020.10-0.0030.0230.0132.1noisepower = 05%0.000.10-0.0000.0240.0130.3noisepower = 50%-0.080.120.0080.0251.1123.810 individual noise re-estim ation-0.020.100.0020.0230.1128.13 elieve pipeline noise-0.200.110.0190.0219.6129.910 G aussian oor on enrors0.010.100.0020.0240.0133.13 aussian enrors0.020.100.0010.0230.1151.7goore enror cornelations0.040.110.0020.0270.2117.210 background subtraction-0.200.10-0.0220.0193.6169.63 ackground 1409-1523A0.050.100.0280.0251.5133.210 background noise m atching-0.070.10-0.0040.0210.7142.32 revious, but use 1409-1523A-0.060.100.0080.0221.7143.110 autom ated BA L cut0.010.100.0240.0130.410 continuum division0.020.10-0.0030.0240.1132.210 cA continuum division0.020.10-0.0030.0240.1132.210 continuum division0.020.10-0.0020.0240.1 <td>No SiIII correction</td> <td>0.04</td> <td>0.10</td> <td>0.017</td> <td>0.021</td> <td>0.7</td> <td>193.7</td>	No SiIII correction	0.04	0.10	0.017	0.021	0.7	193.7
hchude SiIII-SiIII term-0.020.10-0.030.0230.0132.1noisepower = 0.5%0.000.10-0.0000.0240.0130.3noisepower = 50%-0.080.120.0080.0251.1123.810 individual noise re-estim ation-0.020.100.0020.0230.1128.13 elizve pipeline noise-0.200.110.0190.0219.6129.910 G aussian oor on errors0.010.100.0020.0240.0133.13 aussian errors0.020.100.0010.0230.1151.73 gnore error correlations0.040.110.0020.0270.2117.210 background subtraction-0.200.10-0.0220.0193.6169.63 ackground 1409-1523A0.050.100.0280.0251.5133.210 background noise matching-0.070.10-0.0440.0210.7142.312 revious, but use 1409-1523A-0.060.100.0030.0221.7143.114 autom ated BA L cut0.010.0040.02516.0156.670 km s ¹) ² resolution error-0.110.140.0150.0240.4130.415 continuum division0.020.10-0.0020.0240.0130.516 obin-redshift correction-0.020.10-0.0020.0240.0130.516 obin-redshift correction0.060.10-0.013 <td>z-independent SiIII</td> <td>0.00</td> <td>0.10</td> <td>0.0</td> <td>0.024</td> <td>0.0</td> <td>130.9</td>	z-independent SiIII	0.00	0.10	0.0	0.024	0.0	130.9
noisepower = 0.5% 0.000.10-0.000.0240.0130.3noisepower = 50% -0.080.120.0080.0251.1123.8No individual noise re-estin ation-0.020.100.0020.0230.1128.1Believe pipeline noise-0.200.110.0190.0219.6129.9No G aussian oor on errors0.010.100.0020.0240.0133.1G aussian errors0.020.100.0010.0230.1151.7Ignore error cornelations0.040.110.0020.0270.2117.2No background subtraction-0.200.10-0.0220.0193.6169.6Background 1409-1523A0.050.100.0280.0251.5133.2No background noise matching-0.070.10-0.0440.0210.7142.3Previous, but use 1409-1523A-0.060.100.0030.0230.0127.0Previous, but use 1409-1523A0.140.100.0940.02516.0156.670 km s $^1)^2$ resolution error-0.110.140.0150.0241.4126.40.75 km s $^1)^2$ resolution error0.020.10-0.0020.0240.1132.20 C A continuum division0.020.10-0.0020.0240.1132.20 C A continuum division0.020.10-0.0020.0240.1137.20 code bias correction0.06	variable width SiIII	-0.02	0.11	-0.006	0.025	0.1	129.0
Inclusion noisepower = 50%-0.080.120.0080.0251.1123.8noisepower = 50%-0.020.100.0020.0230.1128.13 elieve pipeline noise-0.200.110.0190.0219.6129.910 G aussian oor on errors0.010.100.0020.0240.0133.13 aussian errors0.020.100.0010.0230.1151.73 gin cerror correlations0.040.110.0020.0270.2117.210 background subtraction-0.200.10-0.0220.0193.6169.63 ackground 1409-1523A0.050.100.0280.0221.7143.110 background noise m atching-0.070.10-0.0040.0210.7142.310 extrom ated BAL cut0.010.100.0030.0230.0127.010 extrom s ¹)2 resolution error-0.110.140.0150.0241.4126.410 continuum division0.020.10-0.0030.0240.3130.410 erduced sensitivity to m ean-0.000.10-0.0020.0240.0132.210 bin-redshift correction-0.020.10-0.0020.0240.0132.21112.30.000.100.0020.0240.1132.2120.000.10-0.0030.0240.3130.4130.020.10-0.0020.0240.1132.2	Include SiIII-SiIII tem	-0.02	0.10	-0.003	0.023	0.0	132.1
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	noisepower = 0.5%	0.00	0.10	-0.000	0.024	0.0	130.3
Believe pipeline noise -0.20 0.11 0.019 0.021 9.6 129.9 No Gaussian oor on errors 0.01 0.10 0.002 0.024 0.0 133.1 Gaussian errors 0.02 0.10 0.001 0.023 0.1 151.7 gnore error correlations 0.04 0.11 0.002 0.027 0.2 117.2 No background subtraction -0.20 0.10 -0.022 0.019 3.6 169.6 Sackground 1409-1523A 0.05 0.10 -0.028 0.025 1.5 133.2 No background noise m atching -0.07 0.10 -0.004 0.021 0.7 142.3 Previous, but use 1409-1523A -0.06 0.10 0.008 0.022 1.7 143.1 No autom ated BAL cut 0.01 0.10 0.033 0.02 $1.6.0$ 156.6 $70 {\rm km s}^{-1}$ 2 resolution error -0.11 0.14 0.015 0.024 1.4 126.4 $0.7 {\rm km s}^{-1}$ 2 resolution error 0.02 0.10 -0.003 0.024 0.3 130.4 No continuum division 0.02 0.10 -0.002 0.024 0.1 132.2 CA continuum division 0.02 0.10 -0.024 0.24 0.1 132.2 No code sensitivity to m ean -0.00 0.10 -0.024 0.24 0.1 132.2 CA continuum division 0.02 0.10 -0.024 0.24 0.2	noisepower = 50%	-0.08	0.12	800.0	0.025	1.1	123.8
No G aussian cor on errors 0.01 0.10 0.002 0.024 0.0 133.1 G aussian errors 0.02 0.10 0.001 0.023 0.1 151.7 G nore error correlations 0.04 0.11 0.002 0.027 0.2 117.2 Io background subtraction -0.20 0.10 -0.022 0.019 3.6 169.6 B ackground 1409-1523A 0.05 0.10 0.028 0.025 1.5 133.2 Io background noise m atching -0.07 0.10 -0.004 0.021 0.7 142.3 P revious, but use 1409-1523A -0.06 0.10 0.008 0.022 1.7 143.1 Io autom ated BAL cut 0.01 0.10 0.003 0.023 0.0 127.0 P revious, but use 1409-1523A -0.14 0.10 0.094 0.255 16.0 156.6 $(70 km s^{-1})^2$ resolution error -0.11 0.14 0.015 0.024 1.4 126.4 $0.7 km s^{-1})^2$ resolution error 0.02 0.10 -0.003 0.024 0.3 130.4 Io continuum division 0.02 0.10 -0.002 0.024 0.1 132.2 P CA continuum division 0.02 0.10 -0.002 0.024 0.1 132.2 Io bin-redshift correction -0.02 0.10 -0.002 0.024 0.0 128.7 Rescale c 0.000 0.10 0.002 0.024 0.0 128.7 <td>10 individual noise re-estim ation</td> <td>-0.02</td> <td>0.10</td> <td>0.002</td> <td>0.023</td> <td>0.1</td> <td>128.1</td>	10 individual noise re-estim ation	-0.02	0.10	0.002	0.023	0.1	128.1
Gaussian errors 0.02 0.10 0.001 0.023 0.1 151.7 In particular 0.04 0.11 0.002 0.027 0.2 117.2 In background subtraction -0.20 0.10 -0.022 0.019 3.6 169.6 Background 1409-1523A 0.05 0.10 0.028 0.025 1.5 133.2 In background noise m atching -0.07 0.10 -0.004 0.021 0.7 142.3 Previous, but use 1409-1523A -0.06 0.10 0.008 0.022 1.7 143.1 In a autom ated BAL cut 0.01 0.10 0.003 0.023 0.0 127.0 Previous, but use 1409-1523A 0.14 0.10 0.094 0.025 16.0 156.6 $(70 \text{ km s}^{-1})^2$ resolution error -0.11 0.14 0.015 0.024 1.4 126.4 $0.77 \text{ km s}^{-1})^2$ resolution error 0.02 0.10 -0.003 0.024 0.3 130.4 In continuum division 0.02 0.10 -0.002 0.024 0.1 132.2 In a reduced sensitivity to m ean -0.00 0.10 -0.006 0.023 0.1 137.2 In orduced sensitivity to m ean -0.00 0.10 -0.002 0.024 0.0 128.7 In orduced sensitivity to m ean -0.00 0.10 -0.022 0.024 0.0 128.7 In orduced sensitivity to mean -0.00 0.10 0.002 0.024 <td>3 elieve pipeline noise</td> <td>-0.20</td> <td>0.11</td> <td>0.019</td> <td>0.021</td> <td>9.6</td> <td>129.9</td>	3 elieve pipeline noise	-0.20	0.11	0.019	0.021	9.6	129.9
genome error correlations 0.04 0.11 0.002 0.027 0.2 117.2 No background subtraction -0.20 0.10 -0.022 0.019 3.6 169.6 Sackground 1409-1523A 0.05 0.10 0.028 0.025 1.5 133.2 No background noise m atching -0.07 0.10 -0.004 0.021 0.7 142.3 Previous, but use 1409-1523A -0.06 0.10 0.008 0.022 1.7 143.1 No autom ated BA L cut 0.01 0.10 0.003 0.023 0.0 127.0 Previous, but use 1409-1523A 0.14 0.10 0.094 0.025 16.0 156.6 70km s^{-1}) ² resolution error -0.11 0.14 0.015 0.024 1.4 126.4 0.7km s^{-1}) ² resolution error 0.02 0.10 -0.003 0.024 0.3 130.4 No continuum division 0.02 0.10 -0.002 0.024 0.3 130.4 No reduced sensitivity to m ean -0.00 0.10 -0.02 0.024 0.1 132.2 No bin-redshift connection -0.02 0.10 -0.02 0.024 0.0 128.7 Rescale c 0.00 0.10 0.002 0.024 0.0 128.7 No code bias correction 0.06 0.10 -0.025 0.012 $1.28.5$ Xed nuisance param eters 0.083 0.021 -0.025 0.012 $1.28.5$ <	NoGaussian oor on errors	0.01	0.10	0.002	0.024	0.0	133.1
No-0.200.10-0.0220.0193.6169.6Background 1409-1523A0.050.100.0280.0251.5133.2No background noise m atching-0.070.10-0.0040.0210.7142.3Previous, but use 1409-1523A-0.060.100.0080.0221.7143.1No autom ated BA L cut0.010.100.0030.0230.0127.0Previous, but use 1409-1523A0.140.100.0940.02516.0156.670 km s ¹) ² resolution error-0.110.140.0150.0241.4126.40.7 km s ¹) ² resolution error0.020.10-0.0030.0240.3130.4No continuum division0.020.10-0.0020.0240.1132.20 CA continuum division0.020.10-0.0020.0240.1132.2No bin-redshift correction-0.020.10-0.0020.0240.1132.2No bin-redshift correction-0.020.10-0.0020.0240.0130.5No code bias correction0.000.100.0020.0240.0128.7Rescale c0.000.10-0.0250.0121122.3000 bootstrap sets0.000.10-0.0250.0121128.5xed nuisance param eters0.0830.021-0.0250.01211optim istic T _{1.4} ,0.0020.082-0.0140.0211<	Gaussian errors	0.02	0.10	0.001	0.023	0.1	151.7
Background 1409–1523A0.050.100.0280.0251.5133.2No background noise matching-0.070.10-0.0040.0210.7142.3Previous, but use 1409–1523A-0.060.100.0080.0221.7143.1No autom ated BA L cut0.010.100.0030.0230.0127.0Previous, but use 1409–1523A0.140.100.0940.02516.0156.670 km s ⁻¹) ² resolution error-0.110.140.0150.0241.4126.400.7 km s ⁻¹) ² resolution error0.020.10-0.0030.0240.3130.4No continuum division0.020.10-0.0020.0240.1132.2CA continuum division0.020.10-0.0020.0240.1132.2No bin-redshift correction-0.020.10-0.0020.0240.0130.5No bin-redshift correction0.000.10-0.0020.0240.0128.7escale c0.000.10-0.0130.0243.0132.30000 bootstrap sets0.000.10-0.0250.01211optim istic T _{1.4} ,0.0830.021-0.0250.01211	gnore error correlations	0.04	0.11	0.002	0.027	02	117,2
No background noise m atching -0.07 0.10 -0.004 0.021 0.7 142.3 P revious, but use 1409-1523A -0.06 0.10 0.008 0.022 1.7 143.1 No autom ated BAL cut 0.01 0.10 0.003 0.023 0.0 127.0 P revious, but use 1409-1523A 0.14 0.10 0.094 0.025 16.0 156.6 $(70 \text{ km s}^{-1})^2$ resolution error -0.11 0.14 0.015 0.024 1.4 126.4 $(0.77 \text{ km s}^{-1})^2$ resolution error 0.02 0.10 -0.003 0.024 0.3 130.4 No continuum division 0.02 0.10 -0.010 0.024 0.3 130.4 No reduced sensitivity to m ean -0.00 0.10 -0.002 0.024 0.1 132.2 No bin-redshift correction -0.02 0.10 -0.002 0.024 0.0 130.5 No bin-redshift correction -0.02 0.10 -0.002 0.024 0.0 128.7 Rescale c 0.00 0.10 0.002 0.024 0.0 128.7 No code bias correction 0.06 0.10 -0.013 0.024 0.0 128.7 Rescale c 0.000 0.10 0.002 0.024 0.0 128.7 No code bias correction 0.06 0.021 -0.013 0.024 0.0 128.5 Xed nuisance param eters 0.083 0.021 -0.014 0.021 $ $ <	lo background subtraction	-0.20	0.10	-0.022	0.019	3.6	169.6
P revious, but use 1409–1523A-0.060.100.0080.0221.7143.1Io autom ated BAL cut0.010.100.0030.0230.0127.0P revious, but use 1409–1523A0.140.100.0940.02516.0156.670 km s 1) ² resolution error-0.110.140.0150.0241.4126.40:7 km s 1) ² resolution error0.020.10-0.0030.0240.3130.4Io continuum division0.020.10-0.0020.0240.1132.2P CA continuum division0.020.10-0.0020.0240.0130.5Io reduced sensitivity to m ean-0.000.10-0.0020.0240.0130.5Io bin-redshift correction-0.020.10-0.0060.0230.1137.2Genore F $_{p}$ correlation0.060.10-0.0130.0240.0128.7Rescale $_{c}$ 0.000.10-0.0250.0121.32.3000 bootstrap sets0.000.100.0000.0240.0128.5xed nuisance param eters0.0830.021-0.0250.012 uptin istic T $_{1:4}$,0.0020.082-0.0140.021	ackground 1409–1523A	0.05	0.10	0.028	0.025	1.5	133.2
No autom ated BAL cut 0.01 0.10 0.003 0.023 0.0 127.0 Previous, but use 1409–1523A 0.14 0.10 0.094 0.025 16.0 156.6 $(70 {\rm km s}^{-1})^2$ resolution error -0.11 0.14 0.015 0.024 1.4 126.4 $(0.7 {\rm km s}^{-1})^2$ resolution error 0.02 0.10 -0.003 0.024 0.3 130.4 No continuum division 0.02 0.10 -0.002 0.024 0.1 132.2 PCA continuum division 0.02 0.10 -0.002 0.024 0.8 139.1 No reduced sensitivity to m ean -0.00 0.10 -0.002 0.024 0.0 130.5 No bin-redshift correction -0.02 0.10 -0.002 0.024 0.0 137.2 Ignore F p correlation 0.00 0.10 0.002 0.024 0.0 128.7 No code bias correction 0.06 0.10 -0.013 0.024 0.0 128.7 No code bias correction 0.06 0.10 -0.013 0.024 0.0 128.5 xed nuisance param eters 0.083 0.021 -0.025 0.012 $ $ $ $ optim istic F 0.068 0.062 0.009 0.019 $ $ $ $	Io background noise m atching	-0.07	0.10	-0.004	0.021	0.7	142.3
revious, but use 1409-1523A0.140.100.0940.02516.0156.670 km s 1) ² resolution error-0.110.140.0150.0241.4126.40.7 km s 1) ² resolution error0.020.10-0.0030.0240.3130.410 continuum division0.020.100.0020.0240.1132.2CA continuum division0.020.10-0.0100.0240.8139.110 reduced sensitivity to m ean-0.000.10-0.0020.0240.0130.510 bin-redshift correction-0.020.10-0.0060.0230.1137.210 code bias correction0.000.100.0020.0240.0128.710 code bias correction0.060.10-0.0130.0243.0132.3000 bootstrap sets0.000.100.0000.0240.0128.5xed nuisance param eters0.830.021-0.0250.012 nptim istic T0.0680.0620.0090.019	revious, but use 1409–1523A	-0.06	0.10	800.0	0.022	1.7	143.1
$(70 {\rm km \ s}^{-1})^2$ resolution error -0.11 0.14 0.015 0.024 1.4 126.4 $(0.7 {\rm km \ s}^{-1})^2$ resolution error 0.02 0.10 -0.003 0.024 0.3 130.4 (0.000) continuum division 0.02 0.10 0.002 0.024 0.1 132.2 (0.000) continuum division 0.02 0.10 -0.010 0.024 0.8 139.1 (0.000) reduced sensitivity to mean -0.00 0.10 -0.002 0.024 0.0 130.5 (0.000) reduced sensitivity to mean -0.02 0.10 -0.006 0.023 0.1 137.2 (0.000) reduced sensitivity to mean -0.02 0.10 -0.002 0.024 0.0 128.7 (0.000) reduced sensitivity 0.000 0.10 0.002 0.024 0.0 128.7 (0.000) reduced bias correction 0.06 0.10 -0.013 0.024 0.0 128.7 (0.000) reduced bias correction 0.06 0.10 -0.013 0.024 0.0 128.7 (0.000) reduced bias correction 0.06 0.10 -0.025 0.012 $1.28.5$ (0.000) reduced bias correction 0.083 0.021 -0.025 0.012 $1.28.5$ (0.000) reduced bias correction 0.068 0.062 0.009 0.012 $1.28.5$ (0.001) reduced bias correction 0.083 0.021 -0.025 0.012 $1.28.5$ (0.001) reduced bias correction<	Io autom ated BAL cut	0.01	0.10	0.003	0.023	0.0	127.0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	revious, but use 1409–1523A	0.14	0.10	0.094	0.025	16.0	156.6
No continuum division 0.02 0.10 0.002 0.024 0.1 132.2 CA continuum division 0.02 0.10 -0.010 0.024 0.8 139.1 No reduced sensitivity to mean -0.00 0.10 -0.002 0.024 0.0 130.5 No bin-redshift correction -0.02 0.10 -0.006 0.023 0.1 137.2 Ignore F p correlation 0.00 0.10 0.002 0.024 0.0 128.7 rescale c 0.00 0.10 0.002 0.024 0.0 129.0 No code bias correction 0.06 0.10 -0.013 0.024 0.0 128.7 S000 bootstrap sets 0.00 0.10 0.000 0.024 0.0 128.5 xed nuisance parameters 0.083 0.021 -0.025 0.012 $ $ $ $ optim istic F 0.068 0.062 0.009 0.019 $ $ $ $	$(70 \text{ km s}^{-1})^2$ resolution error	-0.11	0.14	0.015	0.024	1.4	126.4
PCA continuum division 0.02 0.10 -0.010 0.024 0.8 139.1 No reduced sensitivity to mean -0.00 0.10 -0.002 0.024 0.0 130.5 No bin-redshift correction -0.02 0.10 -0.006 0.023 0.1 137.2 Ignore F $_{p}$ correlation 0.00 0.10 0.002 0.024 0.0 128.7 rescale $_{c}$ 0.00 0.10 0.002 0.024 0.0 129.0 No code bias correction 0.06 0.10 -0.013 0.024 0.0 132.3 8000 bootstrap sets 0.00 0.10 0.000 0.024 0.0 128.5 xed nuisance param eters 0.083 0.021 -0.025 0.012 $ $ $ $ optim istic F 0.068 0.062 0.009 0.019 $ $ $ $	$(0.7 \text{ km s}^{-1})^2$ resolution error	0.02	0.10	-0.003	0.024	0.3	130.4
No reduced sensitivity to mean -0.00 0.10 -0.002 0.024 0.0 130.5 No bin-redshift correction -0.02 0.10 -0.006 0.023 0.1 137.2 Ignore F $_{p}$ correlation 0.00 0.10 0.002 0.024 0.0 128.7 rescale $_{c}$ 0.00 0.10 0.002 0.024 0.0 129.0 No code bias correction 0.06 0.10 -0.013 0.024 3.0 132.3 0000 bootstrap sets 0.00 0.10 0.000 0.024 0.0 128.5 xed nuisance parameters 0.083 0.021 -0.025 0.012 $ $ $ $ optim istic F 0.068 0.062 0.009 0.019 $ $ $ $	Jo continuum division	0.02	0.10	0.002	0.024	0.1	132.2
No bin-redshift correction -0.02 0.10 -0.006 0.023 0.1 137.2 Ignore Fp correlation 0.00 0.10 0.002 0.024 0.0 128.7 rescale c 0.00 0.10 0.002 0.024 0.0 129.0 No code bias correction 0.06 0.10 -0.013 0.024 3.0 132.3 3000 bootstrap sets 0.00 0.10 0.000 0.024 0.0 128.5 xed nuisance parameters 0.083 0.021 -0.025 0.012 $ $ $ $ optim istic F 0.068 0.062 0.009 0.019 $ $ $ $	PCA continuum division	0.02	0.10	-0.010	0.024	0.8	139.1
gnore F p correlation0.000.100.0020.0240.0128.7rescale c0.000.100.0020.0240.0129.0No code bias correction0.060.10-0.0130.0243.0132.33000 bootstrap sets0.000.100.0000.0240.0128.5xed nuisance parameters0.0830.021-0.0250.012 optim istic F0.0680.0620.0090.019	No reduced sensitivity to mean	-0.00	0.10	-0.002	0.024	0.0	130.5
pescale c 0.00 0.10 0.002 0.024 0.0 129.0 No code bias correction 0.06 0.10 -0.013 0.024 3.0 132.3 0000 bootstrap sets 0.00 0.10 0.000 0.024 0.0 128.5 xed nuisance parameters 0.083 0.021 -0.025 0.012 optim istic F 0.068 0.062 0.009 0.019 optim istic T _{1:4} , 0.002 0.082 -0.014 0.021	lobin-redshift correction	-0.02	0.10	-0.006	0.023	0.1	137.2
No code bias correction 0.06 0.10 -0.013 0.024 3.0 132.3 3000 bootstrap sets 0.00 0.10 0.000 0.024 0.0 128.5 xed nuisance parameters 0.083 0.021 -0.025 0.012 optim istic F 0.068 0.062 0.009 0.019 optim istic T _{1:4} , 0.002 0.082 -0.014 0.021	gnore F _p correlation	0.00	0.10	0.002	0.024	0.0	128.7
0000 bootstrap sets 0.00 0.10 0.000 0.024 0.0 128.5 xed nuisance parameters 0.083 0.021 -0.025 0.012 optim istic F 0.068 0.062 0.009 0.019 optim istic T _{1:4} , 0.002 0.082 -0.014 0.021	rescale _c	0.00	0.10	0.002	0.024	0.0	129.0
xed nuisance parameters 0.083 0.021 -0.025 0.012 optim istic F 0.068 0.062 0.009 0.019 optim istic T _{1:4} , 0.002 0.082 -0.014 0.021	lo code bias correction	0.06	0.10	-0.013	0.024	3.0	132.3
$pptim istic F$ 0.068 0.062 0.009 0.019 $pptim istic T_{1:4}$, 0.002 0.082 -0.014 0.021	3000 bootstrap sets	0.00	0.10	0.000	0.024	0.0	128.5
ptim istic T _{1:4} , 0.002 0.082 -0.014 0.021	xed nuisance param eters	0.083	0.021	-0.025	0.012		
	optim istic F	0.068	0.062	0.009	0.019		
ptim istic F, T _{1:4} , 0.002 0.051 -0.016 0.018	optim istic T _{1:4} ,	0.002	0.082	-0.014	0.021		
	optim istic F , T _{1:4} ,	0.002	0.051	-0.016	0.018		

 $\begin{tabular}{|c|c|c|c|} \hline Table 1 & Continued \\ \hline Variant^a & ln^2 & n_e & n_e & 2 \ b & 2 \ c & P_F (k;z) \ errors \ divided \ by $\frac{p_3}{3}$ -0.051 & 0.081 & -0.000 & 0.015 & | & | \\ \hline \end{tabular}$

Note. $| z_p = 2.6, k_p = 0.009$ (km s⁻¹)⁻¹.

^aThe meaning of each variant is explained in x4.3.

 $^{\rm b}$ 2 of the $\,$ tted parameters relative to the standard parameters, using the errors from the variant $\,$ t.

 $^{\rm c}$ ² for the t (essentially unrelated to $^{\rm 2}$).

4.4. Subsam ples of the D ata

Another way to test for system atic errors is to search for internal discrepancies between the di errent subsam ples of the same data. O focurse, there are only a nite number of possible subsam – ples we can try, so this test cannot be fully exhaustive. In addition, with m any such tests perform ed one m ust worry that som e will give an apparently statistically signi cant deviation just by random chance. Table 2 shows results of splitting the data into roughly equal weight subsam ples, de ned by various properties of the spectra that, at least at rst glance, should not be correlated with the m easured power. In practice, we rank the spectra by the property of interest and split the sam ple into halves by requiring that the G aussian errors on the k = 0.007 (km s⁻¹)⁻¹ point are equal for the two halves (the bootstrap errors will not be precisely equal). We list the probability of obtaining ⁻² greater than the value com puted by di erencing the power spectra (these di erences include the di erent background subtraction com puted using eqn. 13 for di erent noise levels). We also list the tring param eter results for each subsam ple, and give the probability for obtaining the observed level of di erence between the ts. B ecause these subsam ples are basically independent, deviations within the error bars are expected and are not an indication of system atic errors. We

The power we measure should be independent of the rest fram e region of the quasar continuum in which it is measured. Figure 33 show sP_{1041;1113} (k;z) and P_{1113;1185} (k;z) to test this expectation. The results look pretty similar, but to compare them quantitatively, we compute $^2 = (P < P_>)^T (C_< + C_>)^{-1} (P_< - P_>)$, nding $^2 = 111$.0 for 108 points. The agreement appears perfect. To compare the two in a dimension way, we perform separate the softhe linear mass power spectrum parameters 2 and n_e to P_F (k;z) computed from $P_{1041;1113}$ (k;z) and $P_{1113;1185}$ (k;z). The results, given in the rest line of Table 2, are consistent within the expected errors. This test provides some evidence that power from continuum uctuations is not an important contribution to the total, beyond what we would expect from looking at the red side of the Ly emission line. It is possible that the two halves of the forest could have signing cant extra continuum power, but if they do it has to be the same in each half.

We compute the weighted mean of the rms noise for each chunk of spectrum as we use it to estimate the power spectrum. A split based simply on this noise level, illustrated in Figure 34, produces a small but unambiguously signicant discrepancy in the raw measurement of $P_{1041;1185}$, $^2 = 185$, though the t parameters agree within their errors (Table 2, line 3). This discrepancy in power is the motivation for, and is largely removed by, our noise-dependent background subtraction procedure de ned by equation (13). Figure 35 show sthe power $P_{1268;1380}$ that is used for background subtraction, again subsampled by noise level. There is a clear dimense in power, which is not isolated to a few wavenum bers or redshifts. Once the $P_{1268;1380}$ power is subtracted according to equation (13), we obtain P_F estimates and corresponding t parameters from the high and low noise subsamples that agree within the errors (Table 2, line 2). Since the t parameters agree even without noise-dependent background subtraction, it appears that the discrepancy in raw $P_{1041;1185}$ power does not m in ic a change in cosm obgical parameters, and our ultim ate conclusions would

Split	P _{>2} ª (points)	$\ln \frac{2}{5}$		n _e ≮		$\ln \frac{2}{2}$		n _{e ≯}		P _{> 2} (t)
rest	40%	0:03	0:12	0 : 027	0:031	0:04	0:11	0:018	0 : 029	51%
noise	10%	0:01	0:11	0:020	0:028	0:01	0:12	0:001	0:030	76%
noise (raw) ^c	0.0006%	0:05	0:11	0:027	0:029	0:19	0:13	0:010	0:026	61%
sky	5.9%	0:02	0:11	0:001	0:028	0:02	0:12	0:014	0:030	93%
W C	34%	0:02	0:11	0:029	0:030	0:01	0:12	0:011	0:030	49%
read noise	94%	0 : 08	0:11	0:020	0:030	0 : 05	0:12	0:015	0:028	68%
cont. $^{2}=$	33%	0:04	0:11	0:017	0:028	0:06	0:12	0:001	0:030	40%
resolution	73%	80 : 08	0:11	0:036	0:031	80 : 08	0:12	0:025	0:028	32%
exure	14%	0:10	0:11	0:040	0:030	0:11	0:11	0:033	0 : 026	19%
alignm ent	29%	0:09	0:11	0:031	0:030	0:09	0:11	0:031	0:027	29%
$exp.^{2}=$	65%	0:01	0:11	0:015	0:029	0:00	0:12	0:010	0:030	63%
error on mean	56%	0:07	0:10	0:014	0:030	0:07	0:11	0:018	0:031	67%
error on A_q	40%	0 : 06	0:09	0:020	0 : 027	0:01	0:12	0:014	0 : 030	68%

Table 2. Comparison between subsamples of the data

 a P robabilities m ay not be fully reliable because we have not demonstrated that 2 is properly distributed.

^bThe subsample t results cannot be combined to produce the result of the t to the full data set because the underlying nuisance parameters were not required to be the sam e.

 $^{\rm c}{\rm T}$ he \noise (raw)" line shows the comparison without accounting for the noise dependence of the background.




Fig. 33. Comparison of $P_{1041;1113}$ (k;z) (connected by dotted lines) to $P_{1113;1185}$ (k;z) (connected by solid lines, and shifted slightly to the right). The di erent redshifts have been shifted vertically by arbitrary amounts on this logarithm ic plot (z increases from bottom to top).




Fig. 34. $|P_{1041;1185}$ split by noise in the Ly forest region. The dotted line connects the low noise results, while the high noise results are o set slightly to the right. The results at di erent redshifts have been shifted vertically by arbitrary amounts (z increases from bottom to top).




Fig. 35. $|P_{1268;1380}$ split by noise in the same region. The dotted line connects the low noise results, while the high noise results are o set slightly to the right. The results at di erent redshifts have been shifted vertically by arbitrary amounts.

therefore not change even if we did not implement it. Nonetheless, the origin of the di erence remains som ewhat mysterious, since we went to great e ort to estimate noise correctly.

Two more splits that yield discrepant $P_{1041;1185}$ but show no sign of trouble after the noisedependent background subtraction are based on the ratio of the mean sky ux to the mean quasar ux and on w c, the di erence between the pipeline estimate of the noise and the sum of our estimates of the quasar ux, sky ux, and read-noise components of the noise. We are not sure what w c means, since we do not understand the source of noise m isestimation in the standard pipeline. Even without noise dependent background subtraction, the t results did not di er signi cantly in either of these cases. They are almost surely symptoms of the same noise-related problem discussed above.

The split based on read-noise in the spectra shows good agreement between the $P_F(k;z)$ m easurements, even without noise dependent background subtraction as does a split based on how well the mean continuum matches the quasar spectrum outside the Ly forest, quantied by computing 2 = for the difference between the continuum and spectrum (\cont. 2 = " in Table 2). Several other splits that show little or no sign of trouble are based on: the mean value of 2 = computed for each pixel when combining exposures (this was the comparison that motivated our spectrum by-spectrum noise re-estimation), the mean resolution, the movement of the spectrum relative to the detector pixel grid during the observation (\ exure"), the alignment of the pixels in the different exposures for the same spectrum (closely related to exure), the error on the overall normalization of the spectrum, A_q (see eqn. 2, this error is set by a combination of the noise level outside the forest and the length of spectrum observed outside the forest), and the error on the means computed for the forest chunks (differences at xed z are related to the length of the chunk and the noise in the forest).

O verall, the agreem ent between our subsamples is excellent, both for the $P_F(k;z)$ results and the tresults. In some cases this agreem ent relies on the noise-dependent background subtraction, which we would like to understand better (in no case does the tagreem ent rely on this).

4.5. Continuum Power

The power in the mean continuum, for the 4 di erent rest fram e regions identi ed in Figure 2, is shown in Figures 36a-d, relative to the Ly forest power (the mean continuum power was measured by replacing the quasar ux in each pixel by the mean continuum level at that pixel). The mean continuum is very well behaved over the k range that we use $(0.0013 \quad 0.02 \text{ (km s}^{-1})^{-1})$, but its uctuations quickly become signi cant at k . 0.001 (km s¹)⁻¹. W hat little power the mean continuum shows in our chosen k range should be removed when we divide the spectra by the continuum; it is only uctuations around the mean that matter.

W e sum m arize our strong, but m aybe not airtight, argum ent for believing that continuum uctuations are not corrupting our m easurem ent as follow s:







Fig. 36. Power in the mean continuum relative to the Ly forest power, for various rest wavelength intervals: (a) $1041 < _{rest} < 1185A$, (b) $1268 < _{rest} < 1380A$, (c) $1409 < _{rest} < 1523A$, (d) $1558 < _{rest} < 1774A$. The error bars show the fractional error on P_{1041;1185} (without diagonalizing the window matrix because the diagonalization works poorly at the lowest ks that we show).







The power in the mean continuum is small.

The results for the P_F (k;z) m easurement in two halves of the forest region, $P_{1041;1113}$ and $P_{1113;1185}$, agree.

The power in the background regions, $P_{1268;1380}$ and $P_{1409;1523}$, agree at the level we care about in the low-noise data, as long as BALs (which mostly a ect the latter region) are removed.

D ivision by prelim inary 13 eigenvector PCA estimates of the continua (i.e., including uctuations around the mean) does not change the results.

To be quantitatively in portant despite these arguments, the power in quasar-to-quasar continuum uctuations in the forest must be substantially larger than the power in the mean continuum itself, the continuum uctuations in the forest must be substantially di erent from those in the background regions (despite those regions being similar to each other and the two halves of the forest being similar to each other), and our PCA analysis must be substantially awed. Further study is warranted, but a big e ect seem s unlikely.

4.6. Comparison with Past M easurements

There are three $P_F(k;z)$ m easurements already in the literature, M cD onald et al. (2000), C roft et al. (2002), and K in et al. (2004), all using at least some high resolution data. Each uses its own set of redshift bins, so to compare we need a way to interpolate our results to these redshifts. W e do this by performing our standard cosm ological t to all of the data (at rst { later we will rem ove some of the past results). This gives us a set of best t m odel parameters that can be used to compute the power at any k and z. W ithin the range of k where we have SD SS measurements, the t is always dominated by the SD SS points. The tted curves always m atch the SD SS results to m uch better than the size of the errors on the past results, meaning that, for the the purpose of comparison to the past results, the curves are simply a faithful interpolation between the SD SS points. At k > 0.02 (km s⁻¹)⁻¹, the t is elively a weighted average of the past results, although the constraint that it must m atch SD SS at lower k has some in uence (our simulation predictions do not allow for sharp features in $P_F(k;z)$.)

We rst perform a t to all the data with $k < 0.05 (km s^1)^{-1}$ and z > 2.1, nding an atrociously bad $^2 = 392$ for 238 dof. Removing M cD onald et al. (2000), reduces 2 by 53.4 (for 39 data points), removing C roft et al. (2002) reduces 2 by 85.2 (for 65 points), and removing K in et al. (2004) reduces 2 by 123.3 (28 points). C learly there is gross disagreem ent between K in et al. (2004) and the other results. Figure 37 shows the K in et al. (2004) points at z = 2.18 and z = 2.58 (from their Table 5) along with the t prediction for them. Note that we include SiIII contam ination in the model as described in x4.2, so the model curves are not perfectly sm ooth. We see large discrepancies, as we expect from the bad 2 . The point at k = 0.0012 (km s 1) 1 ,




Fig. 37. The black, solid line and open squares (blue, dotted line and crosses) show the t prediction and measured points from K im et al. (2004) at z = 2.18 (2.58). Red (green) error bars show our SD SS measurement at z = 2.2 (2.6).

{ 80 {

z = 2.58 is 5.9 below the prediction (as well as any reasonable extrapolation of the other K in et al. (2004) points), and the points at increasingly high k are generally too high (at the highest k, this is a rejection of disagreement with the other high resolution data, but actually the agreement is not much better if we only include SD SS in the t, because no model can t the highest k SD SS points and then clim b to m atch the higher k K im et al. (2004) points). To reassure the reader that we are not playing gam es with the tted curves, we also plot the SD SS points at z = 2.2 and 2.6.

Since the K in et al. (2004) results clearly have some problem, unless the other three measurements are all wrong (we will see that, with one exception, the other three agree with each other), we eliminate them from the rest of the comparison. A t to SDSS, M cD on ald et al. (2000), and C roft et al. (2002) gives $^2 = 269$ for 210 dof (still a bad t). Removing M cD on ald et al. (2000), reduces ² by 44.3 (39 points), while rem oving C roft et al. (2002) reduces ² by 97.2 (for 65 points this reduction would occur by chance only 0.6% of the time). Figure 38 shows the Croft et al. (2002) points, along with the tprediction for them. The agreem ent is actually very good for 4 of the 5 redshift bins, while the z = 2.47 points are obviously out of place (these 13 points increase 2 by 54). Figure 39 shows the M cD onald et al. (2000) points, along with the $\,$ t prediction for them (for this two removed the z = 2.47 C roft et al. (2002) points). The agreement is good, with the agreement at z = 2.41 disfavoring the anom abus C roft et al. (2002) z = 2.47 points; further investigation by R. C roft (private com m unication) does not reveal any obvious error in this redshift bin that would explain the anom aly. Note that the agreem ent of M cD on ald et al. (2000) and C roft et al. (2002) at high k adds weight to the idea that som ething is seriously wrong with Kim et al. (2004). Kim et al. (2004) show some comparisons with past results, and claim they agree, but these comparisons used custom redshift bins (i.e., not the bins in their table), and were not high precision (for example they compare the C roft et al. (2002) points at z = 2.13 to a bin with z = 2.04, so evolution cancels some of the amplitude o set, and they call the apparent 50% di erence at k $0.04 (\text{km s}^{1})^{1} \text{ a \slight" excess}$.

5. Final R esults Table and D irections for U se

Table 3 gives the prim ary power spectrum results. The columns are: z, the redshift of the bin; k, the wavenum ber of the bin; P_F (k;z), our nally forest power spectrum result (along with the square roots of the diagonal elements of the error covariance matrix); P_{noise} , the noise power that was subtracted from each bin; and $P_{background}$, the background that was subtracted from each bin ($P_{1268;1380}$ adjusted according to the am ount of noise in the forest, eqs. 3, 4, and 13). P_{noise} is just the noise subtracted from $P_{1041;1085}$ (a roughly comparable am ount of noise was subtracted from the covariance matrix of the errors are available at http://feynman.princeton.edu/ pm.cdonal/LyaF/sdss.htm l. The covariance matrix must be used in any serious quantitative tting. When using this table to constrain m odels, the follow ing allow ances should be made for residual system atic uncertainties:




Fig. 38. Measured points and t prediction for the Croft et al. (2002) results. From bottom to top (roughly) | z=2.13: black, solid line, open square; z=2.47: blue, dotted line, 4-point star (cross); z=2.74: cyan, dashed line, lled square; z=3.03: green, long-dashed line, open triangle; z=3.51: m agenta, dot-dashed line, 3-point star.




Fig. 39. Measured points and tprediction for the M cD onald et al. (2000) results. >From bottom to top (roughly) | z=2.41: black, solid line, open square; z=3.00: blue, dotted line, 4-point star (cross); z=3.89: cyan, dashed line, lled square;

A llow 5% ms error on the noise-power amplitude at each redshift. We do not have any reason to think the error is really this large, but, considering the complications related to the noise, we think it is prudent to include it. O perationally, we suggest subtracting $f_i P_{noise}(k; z_i)$ from $P_F(k; z_i)$, where f_i are free parameters in the t (one for each redshift bin), and adding $P_{ij}(f_i=0.05)^2$ to 2.

A llow $(7 \text{ km s}^1)^2 \text{ m}$ s overall error on the resolution variance (i.e., the square of the m s width of the G aussian resolution kernel). This is the expected size of the uncertainty due to exure in the detector, although F igure 5 suggests that it m ay actually be sm aller. Speci cally, multiply P_F (k;z) by exp(k²), with a free parameter in the t, and add $[=(7 \text{ km s}^1)^2]^2$ to 2 .

SITTLy cross-correlation must be accounted for. We have suggested a simple method { assume the cross-correlation has the same form as the Ly -Ly auto-correlation up to an amplitude that is a free parameter, and possibly include freedom in the correlation width and/or redshift evolution of the amplitude { but others could be devised (e.g., including SiTTL in the simulated spectra through a parameterized sem i-analytic model).

Table 3. P_F (k;z) Results

Z	k	P _F ()	k ; z)	P _{noise}	P _{background}
22	0.00141	18 : 09	1 : 74	6.20	3.29
22	0.00178	17 : 55	1:34	6.07	2.71
22	0.00224	19 : 05	1:21	6.20	2.46
22	0.00282	18:93	1:03	6.23	2.45
22	0.00355	15 : 80	0:74	5.92	1.97
22	0.00447	12 : 68	0:60	5.57	1.18
22	0.00562	14:04	0:53	5.85	1.04
2,2	0.00708	11:09	0 : 45	5.87	1.17
2,2	0.00891	9:38	0:39	6.06	1.20
22	0.01122	8:09	0:38	6.87	1.40
22	0.01413	6 : 99	0:34	8.48	1.32
22	0.01778	4 : 69	0:35	10.52	0.87
2.4	0.00141	21:52	1:91	5.70	3.72
2.4	0.00178	23 : 66	2:09	5.65	2.63
2.4	0.00224	23:57	1:39	5.65	2.45
2.4	0.00282	22:25	1:24	5.58	2.47
2.4	0.00355	18 : 65	0:89	5.31	1.82
2.4	0.00447	15 : 74	0 : 65	5.15	1.18
2.4	0.00562	18 : 07	0 : 68	5.43	0.79
2.4	0.00708	13:16	0:51	5.32	1.07
2.4	0.00891	12:58	0:41	5.71	1.14
2.4	0.01122	10 : 42	0:41	6.27	1,29
2.4	0.01413	8:17	0:36	7.32	1,22
2.4	0.01778	6 : 08	0:33	9.37	0.91
2.6	0.00141	28 : 29	2:55	6.78	4.02
2.6	0.00178	29 : 04	1 : 85	6.68	3.18
2.6	0.00224	32:13	1 : 76	6.76	2.65
2.6	0.00282	27 : 44	1:39	6.63	2.41
2.6	0.00355	25 : 06	1:09	6.52	1.79
2.6	0.00447	20 : 67	0 : 85	6.40	1.27
2.6	0.00562	22 : 49	0 : 72	6.69	1.05
2.6	0.00708	17 : 19	0 : 60	6.71	1.17
2.6	0.00891	15 : 40	0:51	7.12	1.05

Table 3 | Continued

Z	k	₽ _F ()	<;z)	P _{noise}	P _{background}
2.6	0.01122	13 : 25	0 : 48	7.91	1.24
2.6	0.01413	10:25	0:41	9.15	1.22
2.6	0.01778	8:43	0:37	11.66	0.95
2.8	0.00141	37:25	2 : 75	6.83	2.99
2.8	0.00178	37 : 52	2:20	6.75	2.10
2.8	0.00224	38 : 74	1:80	6.79	1.84
2.8	0.00282	37:12	1:48	6.78	2,29
2.8	0.00355	30 : 11	1:23	6.60	1.52
2.8	0.00447	25 : 67	0:92	6.52	1.22
2.8	0.00562	25 : 74	0:83	6.73	1.19
2.8	0.00708	22:54	0 : 67	6.95	0.98
2.8	0.00891	20:12	0 : 62	7.41	1.11
2.8	0.01122	15 : 89	0 : 48	8.06	1.18
2.8	0.01413	13:04	0 : 42	9.37	1.13
2.8	0.01778	9 : 63	0:36	11.64	0.90
3.0	0.00141	46:36	3 : 72	7.76	3.51
3.0	0.00178	42 : 53	2:87	7.63	2.74
3.0	0.00224	47 : 66	2 : 69	7.73	2.20
3.0	0.00282	42:20	2:19	7.66	2.84
3.0	0.00355	36 : 99	1 : 72	7.51	1.81
3.0	0.00447	29 : 47	1:20	7.34	1.30
3.0	0.00562	30:12	1:07	7.56	1.33
3.0	0.00708	24:30	0:81	7.63	0.99
3.0	0.00891	22 : 51	0 : 75	8.15	1.30
3.0	0.01122	18 : 75	0 : 66	8.83	1.30
3.0	0.01413	14:33	0:52	9.89	1.38
3.0	0.01778	11:26	0 : 47	11.90	0.91
32	0.00141	54 : 73	4 : 97	9.57	5.07
32	0.00178	49 : 72	4:12	9.44	3.73
32	0.00224	52 : 86	3:29	9.46	3.01
32	0.00282	48:44	2:58	9.38	2.59
32	0.00355	44:01	2:33	9.28	2.71
32	0.00447	35 : 12	1:54	8.95	1.36

Table 3 | Continued

Z	k	P _F (k	(;z)	P _{noise}	P _{background}
3.2	0.00562	34 : 57	1:41	9.15	1.28
32	0.00708	31:14	1:19	9.40	1.29
32	0.00891	26 : 96	0 : 95	9.80	1.48
32	0.01122	22:21	0:83	10.49	1.80
32	0.01413	18:37	0:70	11.74	1.38
32	0.01778	15:12	0 : 66	14.07	1.18
3.4	0.00141	56 : 42	5 : 85	11.12	4.08
3.4	0.00178	75 : 75	5 : 33	11.32	2.41
3.4	0.00224	56 : 79	3 : 87	10.97	2.09
3.4	0.00282	58 : 40	3:43	11.04	3.16
3.4	0.00355	52 : 56	2:85	10.96	2.62
3.4	0.00447	43:43	2:21	10.76	2.00
3.4	0.00562	41 : 67	1 : 73	10.99	2.04
3.4	0.00708	37:36	1:43	11,28	1.55
3.4	0.00891	32:57	1:19	11.87	1.77
3.4	0.01122	28:51	1:15	13.06	2.00
3.4	0.01413	22:28	0 : 88	14.63	1.63
3.4	0.01778	18:01	0 : 79	17.80	1.23
3.6	0.00141	79 : 46	8:33	15.11	2.25
3.6	0.00178	85 : 12	8:28	14.90	2.87
3.6	0.00224	75 : 03	5 : 88	14.87	3.28
3.6	0.00282	66 : 15	4 : 98	14.51	3.30
3.6	0.00355	66 : 32	4:08	14.59	2.26
3.6	0.00447	55 : 66	3:36	14.22	1.33
3.6	0.00562	49 : 51	2 : 72	14.17	1.28
3.6	0.00708	43 : 77	2:15	14.41	1.62
3.6	0.00891	40:20	1:93	15.09	1.98
3.6	0.01122	32 : 04	1 : 63	15.72	1.61
3.6	0.01413	25 : 82	1:31	17,26	1.25
3.6	0.01778	21 : 49	123	21.11	1.51
3.8	0.00141	118 : 61	15 : 47	22.58	6.89
3.8	0.00178	61 : 52	9 : 80	20.93	6.40
3.8	0.00224	77:29	7 : 09	20.91	5.07

k	P _F (k	;z)	P _{noise}	P _{background}
0.00282	71 : 78	7 : 42	20.76	2.20
0.00355	77 : 49	5 : 65	21.00	2.51
0.00447	59 : 12	4:21	20.37	2.37
0.00562	57 : 53	3 : 72	20.78	2.61
0.00708	56 : 25	3 : 45	21.63	2.79
0.00891	42 : 46	2:34	21.69	2.57
0.01122	36 : 93	2:25	23.43	2.69
0.01413	29 : 52	2:25	26.14	2.47
0.01778	27 : 72	1:85	33.51	2.15
	0.00282 0.00355 0.00447 0.00562 0.00708 0.00891 0.01122 0.01413	0.00282 71:78 0.00355 77:49 0.00447 59:12 0.00562 57:53 0.00708 56:25 0.00891 42:46 0.01122 36:93 0.01413 29:52	0.00282 71:78 7:42 0.00355 77:49 5:65 0.00447 59:12 4:21 0.00562 57:53 3:72 0.00708 56:25 3:45 0.00891 42:46 2:34 0.01122 36:93 2:25 0.01413 29:52 2:25	0.00282 71:78 7:42 20.76 0.00355 77:49 5:65 21.00 0.00447 59:12 4:21 20.37 0.00562 57:53 3:72 20.78 0.00708 56:25 3:45 21.63 0.00891 42:46 2:34 21.69 0.01122 36:93 2:25 23.43 0.01413 29:52 2:25 26.14

Table 3 | Continued

Note. | k has units (km s¹) ¹, power spectra have units km s¹. The error covariance m atrix must be used for any quantitative tting.

6. Conclusions

We have analyzed a sample of 3035 quasar spectra measured by SD SS and covering the redshift range 2 < z < 4. This data set is alm ost two orders of magnitude larger than previously available data sets. We have focused on the ux power spectrum in the redshift range 2.1 < z < 3.9 and for modes 0.0013 (km s⁻¹) ⁻¹ < k < 0.02 (km s⁻¹) ⁻¹. The extraordinary size of the data sample leads to an order of magnitude reduction in errors compared to previous analyses. Consequently, to do justice to this data set requires a much more careful analysis than was needed in the past. To this end we have developed a new analysis pipeline using quadratic power spectrum estimation with near optim al perform ance. We applied this analysis to realistic mock spectra and demonstrated (after several tweaks) that the method performs as expected. We emphasize that realistic mock spectra are essential if one is to trust the results at the level of precision allowed by this data set. O ur error estimation is based on bootstrap resampling, which works well here because the individual quasars are independent of each other. The errors were tested against mock spectra and found to be accurate. We also compared the bootstrap errors to G aussian errors, noting them to be in general less than 20% higher than G aussian.

Given the smallerrors on the recovered ux power spectrum the required control of system atic e ects must be improved correspondingly as well. A signi cant part of this paper is devoted to this issue. We nd several sources of contam ination present in the data and develop m ethods to rem ove them . M etal absorption for m etals with rest wavelength transitions above 1300A, uncertainties in sky subtraction, and calibration errors can be subtracted essentially exactly by m easuring the power on the red side of Ly forest using the same observed wavelength range. We search for a contribution from m etals with transitions close to Ly- using a correlation function analysis, assuming that they are correlated with hydrogen. We indicate evidence of SiIII contam ination and develop a simple and e ective scheme to remove it. This procedure improves the ² of the t from 194 to 129 for 104 degrees of freedom and is thus necessary for a satisfactory t. We indicate evidence of any other m etal line contribution to the background subtracted ux power spectrum.

We reduce any contribution of the continuum to the ux power spectrum by dividing each spectrum by the mean quasar continuum. If contributions from quasar-to-quasar continuum differences are similar in dierent regions of the spectrum, then our subtraction of power from the red side of Ly, as described above, should remove them. Several tests suggest that any residual contributions from continuum uctuations are negligible. First, we measure the power in the mean continuum in several rest frame regions, nding it to be always small relative to our error bars, so power in quasar-to-quasar uctuations has to be larger than power in the mean continuum itself to be signi cant. Second, measurements of the background in several rest frame regions place upper limits on the uctuations in those regions. Third, a split of the Ly forest region into two halves reveals no evidence that residual continuum uctuations dier from one half to the other. Finally, estimating the continuum quasar-by-quasar using a principal component analysis does not change the power spectrum results signi cantly. In section x4 we perform a series of tests to verify the robustness of the analysis against several modi cations of the standard procedure and splits of the data. This reveals an interesting correlation between the power in the red side and the average noise (and some other properties of the spectra that correlate with noise, like the am plitude of the sky ux relative to the quasar ux). While we do not have a detailed explanation for this elect, we are able to remove it by modifying the standard procedure to include this correlation. From our full battery of tests, we conclude that system atic elects in the power spectrum measurement are not likely to signi cantly a lect the results of cosm ological tting (i.e., it is likely that some elects remain form ally signi cant relative to the errors on $P_F(k;z)$, but the shape of these system atic errors does not seem to correspond to a change in the cosm ological parameters). This conclusion is further con read by the analysis of di errent subsets, which do not reveal any system atic deviations from those expected statistically.

In this paper we lim it ourselves to the analysis of the ux power spectrum, without attempting to compare it to cosm ological models. The results of this paper should thus be fairly noncontroversial and can be used by others who wish to perform their own cosm ological analysis. Our own analysis will be presented in a separate publication, as will the cosm ological in plications that follow from it. We note that the expected error on the linear rm s am plitude of uctuations is 5% and on the slope is 0:024, both at the pivot point k = 0:009 (km s⁻¹)⁻¹. This should be compared to 10% error on the amplitude and 0.04 on the slope from the W MAP data at $k = 0.05M \text{ pc}^{-1}$ (Spergel et al. 2003). This data set provides very tight constraints on the am plitude and slope of the matter power spectrum. Many additional analyses can be performed using this data set, among them the mean ux evolution, cross-correlations between close pairs, and a bispectrum measurement. These will provide a wealth of additional information both on cosm ology and on the state of the intergalactic medium at 2 < z < 4, and they will allow us to test the basic picture of the Ly forest that has emerged over the last decade. We believe that the unprecedented size of this data set will revolutionize our understanding of the high redshift universe; this work is merely a rst step in this endeavor.

Funding for the creation and distribution of the SDSS Archive has been provided by the A lfred P. Sloan Foundation, the Participating Institutions, the National Aeronautics and Space A dm inistration, the National Science Foundation, the U.S. Department of Energy, the Japanese M onbukagakusho, and the M ax P lanck Society. The SDSS W eb site is http://www.sdss.org/.

The SDSS is managed by the A strophysical Research Consortium (ARC) for the Participating Institutions. The Participating Institutions are The University of Chicago, Fermilab, the Institute for A dvanced Study, the Japan Participation G roup, The Johns Hopkins University, Los A lam os N ational Laboratory, the M ax-P lanck-Institute for A stronom y (M P IA), the M ax-P lanck-Institute for A strophysics (M PA), New M exico State University, University of Pittsburgh, Princeton University, the United States N aval O bservatory, and the University of W ashington.

Some of the computations used facilities at Princeton provided in part by NSF grant AST - 0216105, and some computations were performed at NCSA.

Transition wavelengths used in this paper are from the Atom ic Line List, http://www.pa.uky.edu/ peter/atom is

JS is grateful for support from the W $\,$ M .Keck Foundation and NSF grant PHY -0070928.DPS is supported by NSF grant AST 03-07582.

REFERENCES

- Abazajjan, K., et al. 2003, AJ, 126, 2081
- Abazajian, K., et al. 2004, astro-ph/0403325
- Bernardi, M., et al. 2003, AJ, 125, 32
- Bi, H.G., Boemer, G., & Chu, Y. 1992, A&A, 266, 1
- Blanton, M. R., Lin, H., Lupton, R. H., Maley, F. M., Young, N., Zehavi, I., & Loveday, J. 2003, AJ, 125, 2276
- Cen, R., Miralda-Escude, J., Ostriker, J.P., & Rauch, M. 1994, ApJ, 437, L9
- Croft, R.A.C., Weinberg, D.H., Bolte, M., Burles, S., Hemquist, L., Katz, N., Kirkman, D., & Tytler, D. 2002, ApJ, 581, 20
- Croft, R.A.C., Weinberg, D.H., Katz, N., & Hemquist, L. 1998, ApJ, 495, 44
- Fukugita, M., Ichikawa, T., Gunn, J.E., Doi, M., Shimasaku, K., & Schneider, D.P. 1996, AJ, 111, 1748
- Gnedin, N.Y., & Hamilton, A.J.S.2002, MNRAS, 334, 107
- Gnedin, N.Y., & Hui, L.1998, MNRAS, 296, 44
- Gunn, J.E., et al. 1998, AJ, 116, 3040
- Hall, P.B., et al. 2002, ApJS, 141, 267
- Hemquist, L., Katz, N., Weinberg, D.H., & Jordi, M. 1996, ApJ, 457, L51
- Hogg, D.W., Finkbeiner, D.P., Schlegel, D.J., & Gunn, J.E. 2001, AJ, 122, 2129
- K in , T . ., V iel, M ., H aehnelt, M . G ., C arswell, R . F ., & C ristiani, S . 2003, ArX iv A strophysics e-prints
- Kim, T.-S., Viel, M., Haehnelt, M.G., Carswell, R.F., & Cristiani, S. 2004, MNRAS, 347, 355
- Lynds, R. 1971, ApJ, 164, L73
- Mandelbaum, R., M cD onald, P., Seljak, U., & Cen, R. 2003, MNRAS, 344, 776
- M cD onald, P., M iralda-Escude, J., Rauch, M., Sargent, W. L.W., Barlow, T.A., & Cen, R. 2001, ApJ, 562, 52
- M cD onald, P., M iralda-Escude, J., Rauch, M., Sargent, W. L. W., Barlow, T. A., Cen, R., & Ostriker, J.P. 2000, ApJ, 543, 1

- Pier, J. R., Munn, J. A., Hindsley, R. B., Hennessy, G. S., Kent, S. M., Lupton, R. H., & Ivezic, Z.2003, AJ, 125, 1559
- Richards, G.T., et al. 2002, AJ, 123, 2945
- Ricotti, M., Gnedin, N.Y., & Shull, J.M. 2000, ApJ, 534, 41
- Schaye, J., Aguirre, A., Kim, T., Theuns, T., Rauch, M., & Sargent, W. L.W. 2003, ApJ, 596, 768
- Schaye, J., Theuns, T., Rauch, M., Efstathiou, G., & Sargent, W. L.W. 2000, MNRAS, 318, 817
- Seljak, U.. 1998, ApJ, 506, 64
- Seljak, U., M cD onald, P., & M akarov, A. 2003, M NRAS, 342, L79
- Slanger, T.G., Cosby, P.C., Osterbrock, D.E., Stone, R.P.S., & Misch, A.A. 2003, PASP, 115, 869
- Sm ith, J.A., et al. 2002, AJ, 123, 2121
- Spergel, D.N., et al. 2003, ApJS, 148, 175
- Stoughton, C., et al. 2002, AJ, 123, 485
- Tegm ark, M . 1997, Phys. Rev. D , 55, 5895
- Tegm ark, M., Taylor, A.N., & Heavens, A.F. 1997, ApJ, 480, 22
- Theuns, T., Leonard, A., Efstathiou, G., Pearce, F.R., & Thomas, P.A. 1998, MNRAS, 301, 478
- Vogt, S.S., et al. 1994, in Proc.SP IE Instrum entation in Astronom y VIII, David L.Craw ford; Eric R.Craine; Eds., Volum e 2198, p. 362, Vol. 2198
- York, D.G., et al. 2000, AJ, 120, 1579
- Zaldarriaga, M., Scoccim arro, R., & Hui, L. 2001, ApJ, submitted (astro-ph/0111230)
- Zhang, Y., Anninos, P., & Norm an, M.L. 1995, ApJ, 453, L57

This preprint was prepared with the AAS ${\rm I\!P} T_E X$ m acros v52.