Calculations of the Local Density of States for Som e

Sim ple System s

A lexandre Losev Bulgarian Academ y of Sciences, Institute of General and Inorganic Chemistry, So a 1113, Bulgaria

and

Stoyan V laev

E scuela de Fisisca, Universidad Autonom a de Zacatecas, 98068 Zacatecas, Mexico

M arch 22, 2024

Abstract

A recently proposed convolution technique for the calculation of local densities of states (LDOSs) is described m one thoroughly and new results of its application are presented. For separable systems the exposed m ethod allows to construct the LDOS for a higher dimensionality out of lower dimensional parts. Some practical and theoretical aspects of this approach are also discussed.

PACS 7120.-b, 71.15.-m, 73.20.-r

1 Introduction

Recently we proposed and demonstrated a new convolution technique for the calculation of the local density of states [1,2]. The idea of this novel approach is intuitively accessible, so we had not yet exposed its mathematical description. The analytic formulation of ers the advantage of a more comprehensive view about the interplay of parameters in the utilized models, which could be benee cial with view to further developments. Exact analytic results being rather scarce in this area [3-6], the calculations of the LDOS and other characteristics rely on numerical schemes but usually they become a cumbersome task even for some of the most simple systems. In consequence, a wealth of alternatives has

been produced and among them the ones exploiting tight-binding (TB) models appear as particularily useful [7-9]. The TB approximation also provides a convenient fram ework for the present work. The approach considered here proposes to utilize in a constructive manner the already know LDOSs in analytic or numeric form, no matter how they have been arrived at.

2 M odel and M ethod

W ithin the tight-binding model the H am iltonian of a simple D -dimensional crystal is written as $H = +2^{-1}_{i} \cos(k_{x_i}d_i)$, i = 1:D. Considered from a statistician's point of view, the distribution of the values generated by a form such as H is a 'composition' or 'convolution' [10] of the distributions of its additive parts which correspond to the independent variables. Thus, the eigenvalues of the system are indeed obtained by a combination of eigenvalues corresponding to its components. A coordingly, separating the system into a one-dimensional part and a D -1 dimensional subsystem, the LD OS of a the whole system can be obtained from the subsystem s with smaller dimensions through the recurrence: D = D = 1 (1)

where $^{(0)}$ = and the sign denotes the convolution operation. The idea of this approach is presented graphically in Fig.1. For a better view all the curves in this plot have been scaled to a same maximum height, instead of keeping the same (unit) area. If the singularities of the one-dimensional curve are well pronounced, they are reproduced in subsequent calculations, as it can be seen on this gure.

In order to have a more substantial derivation we proceed in the opposite direction, starting with D = 1. In this case the Ham iltonian is $H = +2 \cos(k_x)$. The distance d is assumed to be d = 1 and the energy is expressed everywhere below through the dimensionless variable E = () = 2.

From the meaning of LDOS one can write directly dk (E) dE i.e. dk=dE. For oscillators, as it has been noted 1=jvjv = dE = dk being the group velocity or more generally [11] $v = \operatorname{grad}_k(E)$. So for this H am iltonian $k_x = \arccos(E)$ and thus

$$^{(1)} = \frac{p_{-1}}{(1 - E^{2})},$$

the coe cient 1= being written in order to scale the overall density to a unit, assuming it is equal to zero outside the energy interval (-1,1). In two dimensions H = +2 (cos(k_x) + cos(k_y)) and in the same way we obtain for the partial LDOS

 $y = p \frac{1}{1 (E \cos(k_y))^2}$.

Integrating for all values of k_y and substituting k_y with $\arccos\left(\!u\right)\!$, after inverting the integration limits, the LDOS is

$${}^{(2)} = \frac{1}{2} \prod_{1}^{1} \frac{p_{1}}{1} \frac{1}{(E - u)^{2}} \frac{1}{1 - u^{2}} du$$

The obtained form ula is the canonical expression for a convolution,

 $f(x) = \frac{R_1}{1} g(x) + h(x)d$

for which the usual notation f = g h has been adopted. In our particular case g and h are indeed the same function and thus we have a self-convolution, which can be of special interest), but this does not need to be so as our examples in the next section dem onstrate. The same consideration is applicable to higher dimensionalities as the multiple integrations are consecutive convolutions e.g.

 $\frac{P - \frac{1}{(1 - (E - u) - v)^2} P - \frac{P}{(1 - u^2)} P}{(1 - u^2)} du dv$ would be more generally

f(x) = g((x))h()l()dd,

or f = g h l for some functions f;g;h and l representing LDOSs. The advantages of this approach appear to be fairly obvious: the results for m ore simple systems are utilized to obtain know ledge about m ore complicated ones. M ost offen such results are available in numeric form and then the convolution is implemented simply as the sum $f_k = \frac{1}{2}g_k$ $\frac{1}{2}h_i$. However a more sophisticated procedure m ight be needed in order to evaluate precisely the integral which represents it. In our particular case it m ay be noted that the quadratures for expressions containing $1 = (1 - x^2)$ can be electively simplified [12]. Also, as it is known, a convolution can be expressed in Fourier space by a simple multiplication of the transforms and here we have $(D) = FT(jJ_0^D)$. Any way, the computational advantages of this method can be considerable as it was already pointed [1].

3 Results and Discussion

As examples of application we shall consider brie y two cases of sem i-in nite structures and also o era comment on the e ect of an electric eld in the present context.

For the simple model consisting of two in nite wires in interaction or, which is the same, an in nite chain of dimers, the convolution method readily o ers a solution. The LDOS for a dimer is given [13] by the formula:

 $= \frac{1}{1} \operatorname{Im} \operatorname{ag}(\frac{g}{(1 - g^2 t^2)}),$

where g(E) = 1 = (E + i) is the G reen function for an isolated atom and t is the interaction between atoms (in the dimer). The explicit expression for the LDOS is a sum of two Lorentzians centered at t and whose width is vanishingly small. In the limit, as they tend to delta functions, the convolution produces a sum of two one-dimensional LDOSs centered now at t:

 $(E) = \frac{1}{2} ((1) (E) (E) + (1) (E + t)).$

Fig 2 presents the result for this most simple case. M odifying the value of the interaction twould just change the distance between the delta peaks and this will be rejected in the overlap of the one-dimensional LDOS, whose width is governed by . An algebraic treatment for a nite variant of this structure is found in Ref.6. More complicated cases are accessible when the poles of the G reen function are known. Indeed, if one chooses to consider the LDOSs as consisting of Lorentzian (or G aussian) peaks whose centers are distributed following some law, e.g. a cosine for one dimension, then the convolution would a ect only the distribution, as it produces out of two such peaks a new one with a larger full width at half max.

A nother case of a sem i-in nite structure is the model of a slab which is in nite in along two axes and restricted to only one side of the third. In this case the LDOS corresponding to an in nite plane should be convoluted with the LDOSs for atom s in a sem i-in nite chain, which are di erent according to their distance from the origin [13]. This has been illustrated in Fig.3 which in fact reproduces results presented by Haydock and Kelly and who in their turn were assessing the possibilities of their own approach by repeating a plot originally shown in Kalkstein [14]. The last curve in the plot is essentially a replication of the lower row of curves in Fig.1 as for atom s far from the beginning of the chain the LDOS is the same as in an in nite structure. However one m ight presume that here we have gained some insight into the constitution of these well known results.

A dopting this view, we could reconsider the e ect of a constant electric eld on the LDOS [15]. Here the analytic result is known for the one-dimensional case [5] and it has to be convoluted with its an appropriate counterpart in order to obtain the results of interest [1]. As it was pointed, a convolution can be expressed in Fourier space by a multiplication, and this form makes it easier to account for the e ect of an electric eld: the Fourier Transform of J_o (2sin (!)=F), where F is the eld strength along the axis, matches [16] the result for an in nite chain obtained by Davison et al. The FT of the LDOS, being represented by a product of such factors corresponding each to an axis, for higher eld strength along any one of them, turns into a constant (J_c (0) = 1), so its original is now a delta function and the dimensionality of the system is lowered. The physical aspect of this phenom enon has been considered in the work already mentioned as Ref.15.

The limitations for this way of proceeding are fairly evident as it relies on the additivness of the Ham iltonians. However some insight in the production of the LDOS has been gained. For instance, a ⁽²⁾ curve now can be seen as (the passage to the limit for) a weighted sum of 'U' shapes centered at di erent energies. If second neighbours are to be included in the tight-binding Ham iltonian, it ceases to be additively separable but it still can be factorized, now as a product, and then the sum mation would include not just weighted and displaced one-dimensional 'U' shapes but ones with a di erent spread. This suggests that our constructive approach could perhaps o er further possibilities for the calculation of more complicated cases.

Conclusion

The proposed technique allows to utilize e ectively already obtained results and to extend them further. It is able to generate new ones and in many instances otherwise di cult to obtain results became easily accessible. However the method relies on the separability of the Ham iltonian, which severely lim its its scope. The analytic form ulation of the method suggests a novel view even if the complexity of the calculations most offen de estheir completion. The convolutional form has a rather intuitive meaning, which might be more intelligible than the abstract elliptic integrals expressing the same result.

References

1 A.Losev, S.V laev and T M ishonov, J.Phys. C 11 7501 (1999)

2 A.Losev, S.V laev and T M ishonov, Phys stat. solidi(b) 220 747 (2000). 3 M.Saitoh, J.Phys. C 5 914 (1972).

4 P.K irkm an and J.Pendry, J.Phys. C 17 4327 (1984).

5 S.Davison, R.English, Z.M iskovic, F.Goodman, A.Atmos and B.Burrows, J.Phys.C 9 6371 (1997).

6 R. Farchioni, G. Grosso and P. Vignolo, Phys. Rev. B 59 16065 (1999).

7 C.Goringe, D.Bow ler and E.Hernandez, Rep Prog. Phys. 60 1447 (1997).

8 P.O rdejon, Com putational Material Sci. 12 157 (1998).

9 G. Grosso and G. Parravicini, Adv. in Chem. Phys. 62 133 (1985).

10 H.Cramer, 1946 Mathematical Methods of Statistics, Princeton, ch. 15.12.

11 C.K ittel, Introduction to Solid State Physics, (John W iley, Toronto, New York and London, 1978), formula 6.33a.

12 H andbook of M athem atical Functions, eds. M . A bram ow itz and I. Stegun, (N ational B ureau of Standards, W asington, 1964), form ula 25.4.38.

13 S.V laev, Comm. of the Department of Chem. Bulgarian Acad. of Sci., vol17 497 (1984).

14 R.Haydock and J.Kelly, Surf. Sci. 38 139 (1973); D.Kalkstein and P. Soven, Surf. Sci. 26 85 (1971); seen also in R.Messmer, Surf. Sci. 106 225 (1981).

15 A. Losev and S. V laev, Phys. stat. solidi(b) 223 627 (2001).


16 F.O berhettinger, Fourier Transform s of D istributions and their Inverses, (A cadem ic Press, New York and London, 1973), Part I, table 1.10, form ula 390.

Figure Captions


Figure 1. The LDOS of a 3D simple cubic crystal obtained by self convolution. Upper panel: the convolution of two 1D LDOS produces a 2D LDOS; Lower panel: the convolution of the 2D LDOS and 1D LDOS produces the 3D LDOS.

Figure 2. LDOS for an in nite chain of dimers obtained by convolution.

Figure 3. LDOS in a sem i-in nite slab for the rst three atom ic layers and bulk (z = 0;1;2::1). The dotted curves present on a smaller scale the LDOS in a sem i-in nite chain while the inset shows the 2D LDOS in a plane used to produce the curves.



Energy [a. u.]



Energy [a. u.]

