## R eqular binary therm al lattice-gases

Ronald Blaak

G rupo Interdisciplinar de Sistem as Complicados (GISC), D epartam ento de M atem aticas, Universidad Carlos III de M adrid, A vda. de la Universidad, 30, 28911, Leganes, M adrid, Spain

David Dubbeldam<sup>y</sup>

D epartm ent of C hem ical Engineering, U niversity of Am sterdam , N ieuwe Achtergracht 166, 1018 W V Am sterdam , The N etherlands

We analyze the power spectrum of a regular binary them al lattice gas in two dimensions and derive a Landau-P laczek formula, describing the power spectrum in the low-wavelength, low frequency domain, for both the full mixture and a single component in the binary mixture. The theoretical results are compared with simulations performed on this model and show a perfect agreement. The power spectrum s are found to be similar in structure as the ones obtained for the continuous theory, in which the central peak is a complicated superposition of entropy and concentration contributions, due to the coupling of the uctuations in these quantities. Spectra based on the relative di erence between both components have in general additional Brillouin peaks as a consequence of the equipartition failure.

K eyw ords: therm al lattice gas; binary m ixture; transport coe cients;

#### I. IN TRODUCTION

Lattice-gas autom ata (LGA), as introduced by Frisch, Hasslacher, and Pom eau [1], are ideal testing systems for kinetic theory. A lthough they have a simple structure, which makes them extrem ely e cient simulation tools, they still address the fullm any-body particle problem. M uch of the e ciency originates from the discretization of the positions and velocities of the point-like particles onto a lattice. The simplied dynamics is a cyclic process: a stream ing step, where all particles propagate to neighboring lattice sites, followed by a local collision step. The collisions typically conserve mass and momentum, and in addition energy if the model under consideration is therm al.

Lattice-gases are capable of simulating macroscopic uid ow [1, 2], and can be used for studying ow through porousm edia [3], imm iscible multicomponent uids [4], reaction-di usion [5], von K arm an streets [6], R ayleigh-B enard convection [7], interfaces and phase transitions [8]. However, there are practical problem s when using LG A's: the models are not G alilean-invariant, temperature is not well-de ned, the transport coe cient have unexpected behavior as a function of temperature and density, and m any models contain spurious invariants [9, 10, 11]. It is therefore di cult to make connections with realistic system s. A lthough in the early years the LGA's were thought to seriously compete with other uid ow solvers, the m ain line of research has shifted to a testing ground for concepts in kinetic theory. The m ain motivation for this paper lies in the exploration of the lim its of therm al lattice-gas capabilities concerning di usion-like phenom ena.

D i usion can be incorporated in LGA's in several ways. The computational most e cient method is the color mixture [2, 12, 13], which we have analyzed in detail for a therm alm odel [14]. The otherwise identical particles are in such a mixture painted with a probability corresponding to the concentration and a color-blind observer would not notice any di erence, i.e. all transport properties are the same as for the single-component uid. But in addition there is an extra hydrodynam ical and color-dependent di usion mode that does not interfere with the other modes.

In this paper we consider a di erent way to include di usion, nam ely the regular binary m ixture [12]. In the regular binary m ixture one has two distinct species of particles, i.e. di erent mass. For particles of the sam e species the exclusion principle holds and hence there can be at most one particle of a given species in any velocity channel. There is, how ever, no m utual exclusion for particles o di erent species. Consequently, a given velocity channel can be occupied by two particles, provided they both belong to a di erent species.

O ne can interpret this as each species living on its own but identical lattice with exclusion. Since each specie is restricted to its own lattice there can be nom assexchange between the two lattices and there is localm ass conservation

C urrent A ddress: Institut fur T heoretische P hysik II, H einrich-H eine-U niversitat, D -40225 D usseldorf, G em any; e-m ailblaak@ thphy.uniduesseldorf.de

<sup>&</sup>lt;sup>y</sup>E lectronic address: dubbelda@ science.uva.nl




FIG.1: The spatial layout of the velocity set of the regular binary mixture. It is identical to the one for the GBL model, but now a channel can be occupied by a red, a blue or both at the same time.

for both species. Upon interaction, however, particles of both lattices corresponding to the same node are able to exchange momentum and energy, provided this does no violate local mass conservation and exclusion for each species. Consequently, the dynamics of the regular binary mixture is much more involved than that of the color mixture, but it is closer to the dynamics of real uids. For simplicity we here will assume the special case of the two species having the same physical properties, i.e. the same mass, and distinguish both species by a di erent color label.

We analyze the model at the microscopic level and focus mainly on the behavior of the power spectrum. The coupling between energy transport and di usion that arises in these systems, results in a more complicated structure of the power spectrum [15, 16, 17], in which the central peak now contains combined elects of both entropy uctuations and concentration uctuations. Macroscopically this coupling manifests itself as the D ufour elect (a concentration gradient induces a heat-ow) and the Soret elect (a temperature gradient induces a di usion ux).

The remainder of this paper is organized as follows. We start by introducing the regular binary therm al lattice gas model in section II and use the molecular chaos assumption to obtain the linearized collision operator. Section III is concerned with a mode analysis of the linearized system, revealing the appearance of an extra di usion mode. The modes related to thermal di usivity and mass-di usion are coupled and form two non-propagating, di usive modes. Furthermore, in section IV we derive a Landau-P laczek analogue, a formula which describes the power spectrum in the hydrodynamic limit (long wavelength, sm all frequency dom ain), which we check with simulation results perform ed on this system in section V. In the nal section we give a brief overview of the main results and some concluding remarks.

# II. THE REGULAR BINARY GBL-MODEL

The LGA model we like to consider here is a therm alm odel consisting of two dimensional hexagonal lattices of particles with identical mass. They can be thought of to live on separate two-dimensional hexagonal lattices on which they propagate independently, but red and blue particles corresponding to the same node interact during the collision. The velocities are discretized and have a spatial layout as shown in gure 1. They are distributed over four rings: one ring contains a single null-velocity, and three rings each contain six velocities with magnitude 1,  $\overline{3}$ , and 2. The velocity set is of size 19, and equivalent to the GBL-model, proposed by G ros ls, B oon, and Lallem and [18]. Since the model under consideration is basically a combination of two GBL models, particles of diment type (red and blue) can have the same velocity. However, there can not be more than a single particle of each type in a given velocity state. The multiple rings correspond each to a diment energy level and are a necessary requirement in order to introduce therm alproperties. This particular velocity set guarantees the absence of spurious invariants and results in macroscopically isotropic behavior [19].

The state of a node can be specified by a set of boolean occupation numbers  $n_i$ , denoting the presence or absence of a particle of type = fr;bg in velocity channel  $c_i$ , where i is a label running over all 19 velocities. Due to the boolean nature of the LGA, the ensemble average of the occupation numbers  $f_i$  in equilibrium, is described by a

Ferm i-D irac distribution [2]

$$f_{i}$$
  $m_{i}$   $i = \frac{1}{1 + e^{-\frac{1}{2}c_{i}^{2}-c_{i}}};$  (1)

where r, b, and are Lagrange multipliers and xed by setting the value of the average red density  $r = \int_{ir}^{p} f_{ir}$ , the average blue density  $b \overline{p} = \int_{ib}^{b} f_{ib}$  (or alternatively the total density p = r + b and the fraction  $P_r$  of red particles), the average velocity  $u = \int_{i}^{b} f_{ic} c_{i}$ , and the energy density  $e = \frac{1}{2} \int_{i}^{c} f_{i} c_{i}^{2}$ . Here, is the inverse temperature, r and b full la chemical potential role, and is a parameter conjugate to the ow velocity. In the remainder of this paper we will restrict ourselves to the global zero-momentum case by putting r = 0.

The lattice-gas Boltzm ann equation, describing the time-evolution of the average occupation numbers, is given by [2]

$$f_{i} (r + c_{i}; t + 1) = f_{i} (r; t) + {}_{i} (f);$$
(2)

where the nonlinear collision term  $_{i}$  (f) is a sum mation over all pre-and post-collision states s and s<sup>0</sup>

$${}_{i} (f) = \sum_{s;s^{0}}^{X} P(s)A(s! s^{0})(s_{i}^{0} q);$$
(3)

The collision rules that are used are taken in to account by the transition matrix A, which contains the probability that on collision a state is transformed into an \equivalent" state. We denote the collection of states that can be transformed into each other by an equivalence class =  $(M_r; M_b; P; E)$ , i.e. a class having the same red  $mass M_r = \frac{1}{1}s_{ir}$ , the same blue mass  $M_b = \frac{1}{1}s_{ib}$ , the same momentum  $P = \frac{1}{1}s_i$  c<sub>i</sub>, and the same energy  $E = \frac{1}{1}\frac{1}{2}s_i$  c<sub>i</sub><sup>2</sup>. We adopt maximal collision rules, i.e. under collision a state can transform in any other state within the same equivalence class, including itself, thus fullling all conservation laws. Hence A() =  $\frac{1}{j}$ , where we use j j to denote the number of elements in the class . The density and energy density enter the collision operator through P(s), the probability of occurrence of state s in equilibrium. In the Boltzm ann approximation, the velocity channels are assumed to be independent, hence P(s) can be written as

$$P(s) = \int_{i}^{Y} f_{i}^{s_{i}} (1 f_{i})^{1 s_{i}} :$$
(4)

If the velocity uctuations are su ciently smalla Taylor expansion of the collision term in the neighborhood of the equilibrium distribution is justimed [2], yielding the linearized collision operator

() 
$$_{i ; j} = \bigwedge_{s; s^{0}}^{\Lambda} P(s) A(s ! s^{0})(s_{i}^{0} s_{j}) s_{j};$$
 (5)

where the diagonal matrix i;j is determined by  $i;i = f_i (1 - f_i)$ , which is the variance in the occupation number of a channel with the corresponding labels. It can easily be checked from Eq. (5) that is a symmetric 38 38 matrix. In contrast with the colored LGA [14], is a 38-dimensional diagonal matrix due to the fact that there is no mutual exclusion of a red and blue particle with the same velocity. It also enables us to introduce the colored therm all scalar product [11, 13, 14],

$$hA B i = \int_{i}^{X} A (c_{i}) B (c_{i}) i;$$
 (6)

$$hA j jB i = \begin{cases} X \\ A (c_i) ()_{i,j} B (c_j); \\ i j \end{cases}$$
(7)

where we adopt the convention that the matrix is attached to the right vector.

## III. PERTURBATION THEORY

In rst approximation the behavior of the system can be obtained by considering the uctuations  $f_i$  (r;t) =  $f_i$  (r;t)  $f_i$  and analyze these deviations from the uniform equilibrium state in terms of eigenmodes. The solutions of the Boltzm ann equation (2) are then of the form

$$f_{i} = (k;c_{i})e^{\{k r+z (k)\}};$$
(8)

where z (k) represents the eigenvalue of the m ode at wavevector k. The hydrodynam ic m odes are related to the collisional invariants and satisfy z ! 0 for k ! 0. There are ve independent collision invariants  $a_n$  corresponding to the conservation of the red and blue m ass, the conservation of m om entum, and the conservation of energy

$$ha_n j = 0 \qquad ja_n i = 0; \tag{9}$$

$$\dot{\mathbf{p}}_{n} \mathbf{i} = \mathbf{f} \mathbf{\mathcal{R}} \mathbf{i}; \mathbf{\mathcal{B}} \mathbf{i}; \dot{\mathbf{p}}_{x} \mathbf{i}; \dot{\mathbf{p}}_{y} \mathbf{i}; \mathbf{j}_{2}^{2} c^{2} i \mathbf{g};$$
(10)

where  $\Re i_i = r$ ,  $\Im i_i = b$ , and can be combined to form  $j i = \Re i + \Im i$ . It turns out that an equivalent and m ore convenient set of invariants is given by the following ve combinations which are mutual orthogonal with respect to the colored therm all scalar product (6)

$$\dot{\boldsymbol{p}}_{n} \boldsymbol{i} = \boldsymbol{f} \dot{\boldsymbol{p}}_{x} \boldsymbol{i}; \dot{\boldsymbol{p}}_{y} \boldsymbol{i}; \dot{\boldsymbol{p}} \boldsymbol{i} = \frac{1}{2} c^{2} \boldsymbol{i}; \dot{\boldsymbol{p}} \boldsymbol{i} = \dot{\boldsymbol{p}} \boldsymbol{i} \quad c_{s}^{2} \boldsymbol{j} \boldsymbol{i}; \dot{\boldsymbol{p}} \boldsymbol{i} \boldsymbol{g};$$
(11)

where jsi is the analogue to the microscopic entropy for the GBL model [19] and  $c_s^2 = \frac{hp \cdot p \cdot i}{hp \cdot j \cdot i}$  the speed of sound following from the orthogonality requirement hp jsi = 0. The remaining invariant jdi is, contrary to the one in the colored GBL model [14], not simply the weighted dimension between the red and blue densities  $\frac{1}{hR \cdot p \cdot i} \mathcal{R} \cdot i = \frac{1}{hB \cdot p \cdot i} \mathcal{B} \cdot i$ , but is given by

$$\dot{p}li = \frac{\dot{R}i}{hs\dot{R}i} \frac{\dot{B}i}{hs\dot{B}i} \frac{\dot{p}Ri}{hs\dot{R}i} \frac{\dot{p}\beta\dot{B}i}{hs\dot{R}i} \frac{\dot{p}i}{hs\dot{B}i} \frac{\dot{p}i}{hp\dot{p}i}$$
(12)

This form is determined by the requirement that it is orthogonal to the four other invariants. In the case of equal red and blue density the last term on the righthand side vanishes, but in general this is not the case. The origin of this term is in fact the absence of equipartition in this model due to the exclusion principle, which causes the ratio  $f_{ir}=f_{ib}$ to be dependent on the velocity of the particles as can be seen from Eq. (1). Note that this last invariant is also perpendicular to the density, i.e. h jdi = 0.0 ther useful relations between these invariants are h  $jpi = h \frac{q}{K}i = h \frac{q}{J_{Y}}i$ and  $hpjpi = hp\frac{q}{K}i = hp\frac{q}{K}i$ .

The choice of jsi and jdi m ade here is based on the correspondence of the de nition of jsi with the one m ade for the GBL m odel and its colored counterpart [14, 19]. Since jsi nor jdi, with the exception of some special limits, is going to be the zeroth order of an eigenm ode the choice is som ew hat arbitrary and any two linear com binations that are m utual orthogonal could be used as well. The current choice, how ever, will facilitate us to m ake a connection with continuous theory and the proper transport coe cients.

Note that this is similar to what is done in the case of continuous theory and generalized versions of hydrodynamics (See R ef. [16] and references therein), where one also needs to obtain a set of variables that are statistically independent based on therm odynamic uctuation theory. This does not uniquely x these variables, and the freedom that remains can be used in order to select an appropriate, orthogonal set for the specie c problem.

Following the method of Resibois and Leener [20] we need to nd the k-dependent eigenfunctions and eigenvalues of the single-time step Boltzmann propagator

$$e^{k} (1 + )j (k)i = e^{z(k)}j (k)i;$$
 (13)

h (k)
$$\dot{\mathbf{j}}e^{i\mathbf{k}\cdot\mathbf{c}}(1+) = e^{z(\mathbf{k})}h(\mathbf{k})\dot{\mathbf{j}}$$
 (14)

where  $e^{k} c$  has to be interpreted as a diagonal matrix, and 1 is the identity matrix. The symmetries of the matrices cause the left and right eigenvectors to be related by  $(k) = e^{k} c$  (k)=M, and form a complete biorthonormal set

where we used  $\quad$  and  $\quad$  to label the dimension eigenfunctions and introduced the normalization constants M  $\quad$  .

To obtain the hydrodynam ic modes characterized by z(k) ! 0 in the lim it k ! 0, we make a Taylor expansion of the eigenfunctions and eigenvalues

$$(k) = {}^{(0)} + (k) {}^{(1)} + (k)^2 {}^{(2)} + ;$$
(16)

(17)

$$z(k) = (\{k\})z^{(1)} + (\{k\})^2 z^{(2)} + ;$$

where we already used that  $z^{(0)} = 0$ . The functions (k) will be determined up to a normalization factor. As this normalization is not allowed to be observable, and in fact will not be observable, we can choose it in a convenient way by

$$h^{(0)} j^{(0)} k) i = h^{(0)} j^{(0)} i;$$
 (18)

which leads to

$$h^{(0)} j^{(n)} i = {}_{n0} h^{(0)} j^{(0)} i:$$
(19)

Substitution of the expansions in Eq. (13) and grouping according to the same order in k gives

$$j^{(0)} i = 0;$$
 (20)

$$j^{(1)}i = (c_1 + z^{(1)})j^{(0)}i;$$
 (21)

$$j^{(2)}i = (c_{1} + z^{(1)})j^{(1)}i + z^{(2)} + \frac{1}{2}(c_{1} + z^{(1)})^{2} j^{(0)}i; \qquad (22)$$

with  $c_1 = \hat{k}$  c and its orthogonal counterpart<sub>2</sub>  $c = \hat{k}_2$  c.

The solution of the zeroth order equation is straightforward and gives

$$j^{(0)}i = \begin{bmatrix} X \\ A \\ n \\ p \\ n \end{bmatrix} = \begin{bmatrix} X \\ A \\ n \\ p \\ n \end{bmatrix}$$
(23)

with some unknown coe cients A  $_n$ . Substitution in the rst order equation and multiplying with  $ha_m$  jat the left gives for each m a linear equation in the A  $_n$ 

$$A_{n}ha_{m}\dot{j}c_{r} + z^{(1)}\dot{j}a_{n}\dot{i} = 0; \qquad (24)$$

where we used that  $ha_m j = 0$ . This set of equations has a solution provided the determ inant is zero, leading to the following eigenvalue equation for  $z^{(1)}$ 

$$z^{(1)}$$
 hppihc, j.i.  $z^{(1)}$  hppi $z^{(1)} = 0;$  (25)

where it is used that combinations containing an odd power of c or c? are necessarily zero. This determ ines two of the ve zeroth order eigenfunctions

$$j^{(0)}i = \dot{p}i + c_s \dot{p}i z^{(1)} = c_s;$$
 (26)

where = denotes opposite directions parallel to k and

$$z^{(1)} = \frac{hpjc^{2}i^{2}}{hpjihpji} = c_{s}^{2}:$$
 (27)

For the remaining three eigenfunctions we can only conclude at this level that they satisfy  $z^{(1)} = 0$  and are formed by combinations of jdi, jsi, and jc<sub>2</sub> i only. On physical grounds it can be argued that jc<sub>2</sub> i will be a mode on itself, how ever, it also will follow in a natural way later on.

The combination  $jj i = c_1 + z^{(1)} j^{(0)} i$  is called the current. We will extend the denitions of the current j and (0) to include s and d as a possible value for . This is for convenience, since strictly speaking jsi and jdi will in general not be the source of an eigenfunction, but both will be a linear combination of two \true" modes of the system.

W ith the introduction of these currents it follows im m ediately from Eqns. (9) and (21) that invariants and currents are orthogonal

6

hence the currents lie in the complement of the null-space. Since this is not a ected by applying we obtain

h 
$$^{(0)}$$
j<sup>m</sup> jji=0 (29)

for any integer m, including negative values. Note that for negative values of m the expression m ji is uniquely determ ined by the requirem ent that the result has no component in the null-space. Therefore the solution of the rst order equation (21) can form ally be written as

$$j^{(1)}i = \frac{1}{-}jji + Bj^{(0)}i;$$
 (30)

with yet to be determined coe cients B and also three still unknown currents. The coe cients B = 0 as follows from the chosen normalization (19) of the eigenfunctions.

Multiplying the second order equation (22) with h <sup>(0)</sup> jat the left side we nd

$$0 = h^{(0)} j(c_{1} + z^{(1)}) j^{(1)} i + (z^{(1)} z^{(1)}) h^{(0)} j^{(1)} i + z^{(2)} h^{(0)} j^{(0)} i + \frac{1}{2} h^{(0)} j(c_{1} + z^{(1)}) (c_{1} + z^{(1)}) j^{(0)} i + \frac{1}{2} (z^{(1)} z^{(1)}) h^{(0)} j(c_{1} + z^{(1)}) j^{(0)} i:$$
(31)

U sing the de nition of the currents, substitution of the form al solution of the rst order equation (30), and using the orthogonality relations (28) this leads to

$$z^{(2)}h^{(0)}j^{(0)}i+(z^{(1)}z^{(1)})Bh^{(0)}j^{(0)}i=hjj\frac{1}{2}+\frac{1}{2}jji$$
: (32)

For = this gives the ve transport coe cients

$$z^{(2)} = \frac{hj j^{1} + \frac{1}{2} jj i}{h^{(0)} j^{(0)} i};$$
(33)

and for 🗧

$$(z^{(1)} z^{(1)})B h^{(0)}j^{(0)}i = hjj\frac{1}{2} + \frac{1}{2}jji;$$
 (34)

from which some of the values of B can be obtained, provided that  $(z^{(1)} z^{(1)})$  is nonzero, and of which the resulting expressions can be found in Appendix A. Note that at this stage three of the zeroth order eigenfunctions and their corresponding currents are still undetermined.

In the space of jdi, jsi, and jc? i one can rewrite Eq. (32) in the form of a new eigenvalue problem in the still undeterm ined coe cients A  $_{n}$ 

$$X \qquad hj_{m} j + \frac{1}{2} j_{n} i + z^{(2)} ha_{m} j_{n} i A_{n} = 0:$$
(35)

Equating the determ inant to zero we nd that there are three di erent eigenvalues and we can obtain the form of the remaining three zeroth order eigenfunctions. Using the fact that there is no degeneracy we know that we can diagonalize the matrix in terms of the proper functions. Hence the o -diagonal matrix elements hj  $\frac{j^2}{2} + \frac{1}{2}jj$  i need to vanish, which could already be seen from Eq. (34) since for these modes we have  $z^{(1)} = 0$ . It can also easily be checked from symmetry considerations that  $jc_2$  i is one of the modes as was suggested earlier. The solution of the remaining two zeroth order eigenfunctions is straightforward and leads to

$$j_{2}^{(0)} i = j_{2} i;$$
 (36)

$$j_{s}^{(0)}i = j_{s}i = p \frac{j_{s}i}{h_{s}j_{s}i} + \frac{p}{1+2} \frac{j_{s}i}{p} \frac{j_{s}i}{h_{s}j_{s}i}; \qquad (37)$$

where the prefactors are determ ined by the requirem ents

hs js 
$$i = 0;$$
 (38)

$$hj_{s} j + \frac{1}{2} j_{s} i = 0;$$
 (39)

with

$$\frac{\mathrm{hj}_{\mathrm{s}}\,j^{\underline{1}}\,+\,\frac{1}{2}\,j_{\mathrm{s}}\,\mathrm{i}}{\mathrm{hs}\,\mathrm{js}\,\mathrm{i}};\tag{41}$$

$$D \qquad \frac{hj_{d}j^{1} + \frac{1}{2}jj_{d}i}{hdjdi}; \qquad (42)$$

$$Q \qquad \frac{hj_s j^{\frac{1}{2}} + \frac{1}{2} jj_a i}{p}; \qquad (43)$$

As the form of the last three quantities suggests by comparison with Eq. (33), these quantities are related to transport coe cients. In the low density limit and in the limit of only one specie, one can identify as being the therm al di usivity of the GBL model. In the low density limit D will correspond to the self-di usion coe cient. Their interpretation as transport coe cients is justiled in Appendix B. The remaining value Q can not be interpreted as a transport value, but rather is some measure of the coupling between di erent modes.

U sing Eq. (33) we can evaluate the ve transport coe cients corresponding to the hydrodynam ic modes. In the case of the two soundmodes (26) this leads to the sounddam ping

$$z^{(2)} = = \frac{hj j + \frac{1}{2} j i}{h^{(0)} j^{(0)} i};$$
(44)

while the perpendicular mode (36) gives rise to the viscosity

$$z_{?}^{(2)} = = \frac{hj_{?}j^{1} + \frac{1}{2}jj_{?}i}{hc_{2}j_{?}i}$$
(45)

By writing out the de nitions of  $j_s$  i and  $j_s$  i and using the introduced quantities (40) - (43) where needed, we can rewrite the second order eigenvalues of the two non-propagating modes  $j_s$  i as

$$s = \frac{hj_s \ j^{\underline{1}} + \frac{1}{2} \ j_s \ i}{hs \ js \ i} = \frac{1}{2} (+D) \quad Q \quad 1 + \frac{(D)^2}{4Q^2} :$$
(46)

In the low density limit one nds that the two eigenmodes (37) up to a norm alization factor will converge to jsi and jdi as de ned in Eqns. (11) and (12). Consequently one obtains s ! ;D, which is an illustration of the decoupling of entropy and concentration uctuations in this limit. In general, however, these two \true" transport coe cients do not seem to correspond with a conventional transport coe cient, but rather they always appear in combination with each other, and it is only in the appropriate limits that they reduce to the therm aldi usivity and di usion coe cient. This is completely in agreement with the results known for the continuous theory [16], where the coupling of uctuations in concentration and entropy results in the sam e e ect.

In the present model, however, there is some ambiguity in the choice mode for the basic invariants. To arrive at this last form ula it was only necessary to assume that the invariants jsi and jdi, are mutually orthogonal, and span a 2-dimensional subspace in the null-space which is perpendicular to joi, joi, joi, and joi. A good choice necessarily leads to the proper modes in the fully known lim it of one specie. A though this puts some lim itations on the possible choices it will not uniquely at the basis. The present choice for jsi in (11) is however the most natural extension of the conventional form ulation [19] and we will refer to as being the generalized therm aldi usivity.

This problem is more easily identied in the di usion-like mode jdi. In the present formulation (12), it contains in general a contribution proportional to jpi, rather than being a weighted di erence of the red and blue densities only as found in the colored GBL model [14]. This already suggests that this vector is not the proper generalization of the self-di usion mode. This is consistent with the continuous theory [16], where the analogue of the s also depend on more than the therm aldi usivity and di usion only. We will address this subject again in a later section.

Similar to the case of the GBL model we can introduce , the ratio of specic heats by

$$= 1 + \frac{\text{hsjsi}}{\text{hpjsi}} = \frac{\text{hpjsh} j i}{\text{hpj} 2} = \frac{c_s^2}{c_T^2}; \qquad (47)$$




FIG.2: The realpart of the full eigenvalue spectrum as a function of the wavevector k j in reciprocal lattice units. The system parameters are = 6.0, e = 1.0, and  $P_r = 0.75$ . Note that there are ve hydrodynamic modes in the small wavevector limit. Two of them, related to the soundmodes, coincide.

with  $c_s^2 = hpjpi=hpji$  the adiabatic speed of sound,  $c_1^2 = hpji=hji$  the isotherm alspeed of sound. Two additional usefulde nitions are  $x_y = c_1c_2$  and  $x_x = \frac{1}{2}(c_1^2, c_2^2)$ . These allow us to rewrite the currents related to the sound modes as  $jj = j_s i = j_s i = j_s i$ . Consequently this leads to

$$= \frac{hj_{s}j^{\frac{1}{2}} + \frac{1}{2}j_{s}i + c_{s}^{2}h_{xx}j^{\frac{1}{2}} + \frac{1}{2}j_{xx}i \quad 2\hat{c}hj_{s}j^{\frac{1}{2}} + \frac{1}{2}j_{xx}i}{hpjpi + c_{s}^{2}hc, j_{c}i \quad 2ghpjc, i}$$
(48)

From symmetry considerations it follows that  $hpj_{xi} = 0$  and  $hj_{s}j^{1} + \frac{1}{2}j_{xx}i = 0$ , and since  $h_{xx}j^{1} + \frac{1}{2}j_{xx}i = h_{xy}j^{1} + \frac{1}{2}j_{xy}i$  because of the isotropy of the lattice, we obtain the following relation for them ain transport one cients

$$= \frac{1}{2}(+(1)):$$
(49)

An example of the full wave-vector dependent real eigenvalue spectrum is shown in Fig.2, which also con m s the absence of spurious invariants. Of all eigenvalues only the verelated to the hydrodynamic modes go to zero in the lim it  $k \mid 0$ . It is with these modes that the binary-mixture responds to deviations from thermal equilibrium

$$z(k) = \{ck \ k^2;$$
 (50)

$$z_{2}(k) = k^{2};$$
 (51)

$$z_{s}(k) = s k^{2}$$
: (52)

The rst two eigenvalues describe sound propagation in the two opposite directions parallel to k with  $c_s$  the adiabatic sound speed, the third eigenvalue describes the shear mode, and the last two eigenvalues represent purely di usive, non-propagating processes. In this hydrodynam ic regime characterized by k 1, where is the mean free path length, one can exploit the fact that the real component of the eigenvalues of the hydrodynam ic modes is much smaller than that of the kinetic modes. We will use this in the next section in order to obtain the Landau-P laczek form ula (59) for the power spectrum.

For larger wavevectors (here roughly 0.5 k 1.5) the relations (50)–(52) start to deviate from the true values. This is the generalized hydrodynamic regime (k < 1), and the transport coe cients become k dependent. The hydrodynamic modes are, how ever, stillsm aller than the kinetic modes yielding a reasonable accurate Landau-P laczek form ula. In the kinetic regime (k > 1) the hydrodynam ic modes and kinetic modes become of the same order of m agnitude. The distinction between fast and slow modes can not be made and all modes contribute to the power spectrum.




FIG. 3: The \true" transport values s, and the transport coe cients , D as a function of the density at = 0.05 and  $P_r = 0.75$ . In the low density limit, and by the duality of the model also in the high density limit, the two sets converge.

In Fig. 3 the di usive transport properties are shown at xed reduced temperature  $= \exp(\frac{1}{2})$ . The modes s are the modes observed in the eigenvalue spectrum and are combinations of , D, and Q. In the low density limit these two modes converge to the therm aldi usivity and di usion, i.e.  $s_+ ! , s ! D$ , and is caused by the decoupling of the uctuations in the concentrations and entropy. In our model this means that the ratio Q = (D) vanishes. The value of Q, how ever, will in general remain small but nite due to the divergencies of the transport coe cients in the low density limit of LGA. The same is observed in the high density limit, which is merely an illustration of the duality of the LGA-model if one interchanges particles and holes. In both cases this is a direct consequence of the fact that the uctuations in the occupation numbers become linear in the average occupation densities, thus leading to equipartition.

As an additional remark we like to mention that the value of Q can be both positive and negative. Therefore the correct curves of s need not be continuous as a function of the density, but can contain discontinuities located at points where Q changes sign. Consequently, depending on the system parameters, the role of  $s_+$  and s is interchanged with respect to and D. This is merely due to the choice in convention we have used in Eq. (37) and of no physical importance.

For some intermediate values of the density one also nds that the values of s and ;D coincide. This is, how ever, not caused by decoupling of the uctuations. In these cases there is no e ective equipartition, but one obtains Q = 0 as a consequence of the cancellation of term s. M oreover, the location of these points depends in a non-trivial way on the system parameters.

The di usive transport properties versus the relative concentration of both species at xed density and reduced temperature is shown in Fig. 4. In the low density limit we have s ! ;D for all relative concentrations. This is not generally true as can be seen from the higher density gure. It does, how ever, reveal that the decoupling also occurs in general for the single specie limits  $P_r$  ! 0 and  $P_r$  ! 1. This is not surprising, as in those limits the model e ectively reduces to a norm alGBL model with only a single di usive mode related to the therm aldi usivity. This is actually also the case in the high density limit of Fig. 3, because there one has a situation in which the red lattice is almost completely led and therefore an elective blue system that remains.

Finally, decoupling can also be observed in the case  $P_r = P_b$ . In fact this is a rather special limit and could be analyzed completely in a manner similar to the one used for the colored GBL model [14], because based on the symmetry of the problem one can decompose the linearized Boltzmann operator in two type of contributions, i.e. Ri + Bi and Ri = Bi.

For  $P_r = 0$  the di usion m ode vanishes, since we then recover the original GBL m odel, but for  $P_r ! 0$  the di usion m ode remains nite. This case is illustrated in Fig. 5. Here, in the low density limit the di usion m ode becomes equal to the self-di usion of the GBL m odel (and hence also equal to the di usion m ode in the GBL colorm ixture), but for higher density they deviate. A behavior that nds its origin in the fact that the colorm ixture does not allow m ore than one particle in a single velocity channel and, although the number of particles of the second specie gets very sm all, they still have a large in pact on the di usion.




FIG. 4: The transport coe cients as a function of P<sub>r</sub> at (a) = 4, = 0.05 and (b) = 0.25, = 0.05. For low densities decoupling occurs for any composition, for higher densities only in the lim its  $P_r = 1$  and  $P_r = 1=2$ .




FIG.5: A comparison of the transport coe cients of the present model in the limit P  $_{\rm r}$ ! 1 with those of the GBL model for xed average energy density e = 1.0. coincides with the thermal di usivity  $_{\rm GBL}$  of the GBL model, D matches the self-di usion D  $_{\rm GBL}$  only for the lower densities. The values of s are not shown but overlap completely with and D.

# IV. LANDAU-PLACZEK THEORY

#### A. Full spectrum

In the hydrodynamic regime of small wavevectors (k ! 0) and the frequency ! being linear in k, the spectral density S (k;!) can be expanded in powers of (k. In this long-wavelength, small frequency limit the hydrodynamic modes are well separated from the kinetic modes, which can be neglected due to their exponential decay. By keeping only terms up to O  $(k^2)$  (!=k is kept constant for consistency), one obtains the Landau-Placzek approximation.

It has been shown that the dynam ic structure factor can be evaluated by [19]

$$\frac{S(k;!)}{S(k)} = 2Re \frac{h j(e^{j! + (k c} 1)^{1} + \frac{1}{2}ji}{h ji};$$
(53)

The closely related spectral function F(k;!) can be written as

F (k;!) h j(
$$e^{j! + \{k \ c \ 1 \ )^1} + \frac{1}{2}$$
 j i = 2 ReN D ; (54)

where

$$D = \frac{1}{e^{\{w \ z \ 1\}}} + \frac{1}{2} - \frac{z^{(2)}}{(z^{(2)}k^2)^2 + (w \ z^{(1)}k)^2};$$
(55)

$$N = h j ih j i; (56)$$

The coe cients N are evaluated in Appendix A for small k and yield

$$N = \frac{h j i}{2} 1 + \frac{\{k c_s [+ (1)]\}}{c_s} ;$$
 (57)

$$N_{s} = \frac{(1)h j i}{2} 1 \frac{D}{s_{+} s} :$$
 (58)

From symmetry considerations one can conclude that the shear mode will not contribute to the spectrum and one nds N<sub>?</sub> = 0. Combining these results with the expressions (54) and (55), we nally obtain the Landau-Placzek form ula, describing the power-spectrum in the hydrodynam ical dom ain

$$\frac{s_{(k;!)}}{s_{(k)}} = \frac{1}{n} \frac{h}{1 + \frac{D}{s_{+} s}} \frac{s_{+} k^{2}}{\frac{1^{2} + (s_{+} k^{2})^{2}}{s_{+} s_{+} s_{+}$$

The spectrum contains an unshifted central peak that is form ed by two Lorentzians due to the two processes related to the non-propagating modes s. The two propagating modes lead to the presence of the two shifted B rillouin lines. Their width at half-height can be used as a measurement of  $k^2$ , the position of the peaks can be used a measurement of gk. The last two terms in Eq. (59) give an asymmetric correction to the B rillouin peaks and induce a slight pulling of the peaks tow and the central peak.

The symmetry of the dimension contributions is such that the ratio of the integrated contributions of the central peak and the Brillouin components is constant and given by

$$\frac{P}{P} \frac{d! \operatorname{Re}(N_{s} D_{s})}{d! \operatorname{Re}(N D)} = 1:$$
(60)

In Fig. 6 the Landau-P laczek form ula is compared with the fullBoltzm ann spectrum for two di erent wavevectors. For the sm allest wavevector inside the hydrodynam ic regime they coincide, while for the larger they di er considerably and indicates that this wavevector is outside the hydrodynam ic, and in fact inside the kinetic regime.




FIG.6: Boltzm ann spectra and Landau-Placzek approximations for the full (a,c) and for the red spectrum (b,d). The system parameters are = 10,  $P_r = 0.25$ , e = 0.75,  $k_x = 10$  2 =512 (a,b) and = 1,  $P_r = 0.35$ , e = 1.0,  $k_x = 52$  2 =512 (c,d). The solid and dotted curves are the Boltzm ann results and Landau-Placzek approximations respectively. Simulations results are indicated by the points. The wavevector k is given in reciprocal lattice units, the frequency ! in reciprocal time (2 =T with T the total num ber of time steps), and the spectral functions in reciprocal ! units.




FIG.7: The central peak of the full spectrum at = 6.5,  $P_r = 0.05$ , = 0.05, and  $k_x = 4$  2 =512. The Boltzm ann spectrum and Landau P laczek form ula overlap alm ost completely. The two isolated contributions of the central peaks in the later are indicated as well. The t is made on the simulation results (points) with a single central peak only. Note that the two sound peaks fall outside the interval shown here.

In general the contributions forming the central peak cannot easily be separated. Even in the case they dier su ciently in order to t the central peak with two Lorentzians, one only obtains information on the values of s , which is not enough to determ ine the more interesting values of the thermal di usivity and di usion. An exam ple of this is shown in Fig. 7 where we decom posed the central peak in the two Lorentzians using the theoretical expressions. For comparison we included the least square t according to Eq.(59) to the full range of the spectrum, including the B rillouin peaks, where we only used a single Lorentz for the central peak.

For this reason it is in portant to consider the lim its where decoupling occurs, since in those cases the the relevant transport values can be obtained from the spectra. Here we have how ever an interesting di erence with respect to light

scattering experiments [16]. Whereas in that case the sensitivity of the dielectric uctuations with respect to density is much larger than with respect to temperature, the amplitude factors will dier orders of magnitude. This results in the observation that the di usion component will usually dominate the spectrum. For LGA this does not apply, and by using the decoupling limits ! ;D on the rst term o the Landau-Placzek form ula (59), one immediately obtains that the central component of the spectrum is given by a single peak characterized by the thermal di usivity

$$\frac{S^{\text{cen}}(k;!)}{S(k)} = \frac{1}{\frac{2k^2}{!^2 + (k^2)^2}};$$
(61)

One could in principle use this also in some of the interm ediate cases seen in Fig. 3. The location of these points in term s of density and relative fractions, how ever, depends in a non-trivial way on the system parameters. Moreover, the identication with the therm aldi usivity and di usion can only be made if one interpret and D as generalizations of these quantities.

#### B. Red spectrum

The red dynam ic structure factor can be evaluated by [13, 14]

$$\frac{S^{\text{red}}(k;!)}{S(k)} = 2Re \frac{hRj(e^{\{!+\{k \ c \ 1\ )^1 + \frac{1}{2}}Ri)}{hRjRi};$$
(62)

It is possible to follow the same route for the red dynam ic structure factor as for the full spectrum. However, since h jdi = 0, but hR  $jdi \in 0$ , it is more convenient to use a di erent set of basic invariants

$$\dot{\mathbf{j}}_{n} \mathbf{i} = \mathbf{f} \mathbf{j}_{x} \mathbf{i}; \mathbf{j}_{y} \mathbf{i}; \mathbf{p} \mathbf{i} = \mathbf{j} \frac{1}{2} c^{2} \mathbf{i}; \mathbf{j}_{r} \mathbf{i} = \mathbf{p} \mathbf{i} \quad \frac{\mathbf{p} \mathbf{p} \mathbf{i}}{\mathbf{p} \mathbf{R} \mathbf{i}} \mathbf{R} \mathbf{i}; \mathbf{j}_{r} \mathbf{i} \mathbf{g};$$
(63)

where jdris constructed to be perpendicular to the other conserved quantities and de ned by

$$jd_{r}i = jpi \qquad \frac{hp \Re i}{hR \Re i} \Re i \qquad \frac{hp \Re i^{2}}{hR \Re i hp \Re i} \beta ji :$$
(64)

Note that by construction it is perpendicular to the red density, i.e.  $hR \ jdi = 0$ . A nalogous to the case of the norm al density we introduce some transport-like coe cients related to this basis

$$r = \frac{hs_{r}j^{1} + \frac{1}{2}js_{r}i}{hs_{r}js_{r}i};$$
(65)

$$D_{r} = \frac{hd_{r}j^{\perp} + \frac{1}{2}jd_{r}i}{hd_{r}jd_{r}i};$$
(66)

$$r = 1 + \frac{hs_r \dot{p}_r i}{hp \dot{p} i}$$
(67)

O by iously, the sound damping , the modes s , and the speed of sound  $c_s$  are all unchanged, since these are true transport values and independent of a chosen set of basis functions. A loo in this case we can derive a Landau-P laczek form ula, describing the red power-spectrum in the hydrodynam ical dom ain

$$\frac{s^{\text{red}}(k;!)}{s(k)} = \frac{r}{r} \frac{1}{r} \frac{h}{h} + \frac{r}{s_{+}} \frac{D}{s} \frac{s_{+}k^{2}}{(!+c_{s}k)^{2}} + \frac{1}{r} \frac{r}{s_{+}} \frac{D}{s} \frac{s}{r} \frac{s^{2}k^{2}}{(!+c_{s}k)^{2} + (k^{2})^{2}} + \frac{k^{2}}{(!+c_{s}k)^{2} + (k^{2})^{2}} + \frac{k^{2}}{(!+c_{s}k)^{2} + (k^{2})^{2}} + \frac{1}{r} \frac{k^{2}}{(!+c_{s}k)^{2} + (k^{2})^{2}} + \frac{k^{2}}{(!+c_{s}k)^{2} + (k^{2})^{2}} \frac{1}{r} \frac{1}{r}$$

In principle the quantities r,  $D_r$ , and r can be expressed in the normal transport values. However, these relations lead to more complex expressions and are for that reason on itted here. In Fig. 6 this formula is compared with the full Boltzm ann red spectrum for a wave vector in the hydrodynamic regime, yielding a satisfactory approximation, and one in the kinetic regime with a large discrepancy.

#### C. Di usion spectrum

Finally we like to consider the spectra of the di usive processes only. Due to the nature of LGA, how ever, it is not obvious how to de ne di usion properly. On the one hand we have the requirement that a di usive process is not propagating, on the other hand one expects the di usion only to be related to the densities of both components in the mixture. As we will show in this section, it turns out that these two views are not completely compatible.

In the colored GBL model [14] and in the continuous case [21] a di usion spectrum can be obtained by considering uctuations in the norm alized di erence of the red and blue density

$$di = \frac{red}{P_r} \frac{blue}{P_b};$$
(69)

The proper translation in terms of invariants is given by

$$j \text{di} \text{i} = \frac{\Re \text{i}}{P_{r}} \quad \frac{\Re \text{i}}{P_{b}} \text{:} \tag{70}$$

However, a spectrum based on this vector, does not lead to purely di usive peaks only, but also includes parts of the propagating modes. This can easily be checked since the vector is in general not orthogonal to the two soundmodes due to the absence of equipartition.

A simple solution is to subtract the propagating part by adding the appropriate term proportional to pi

$$jdi i = \frac{\Re i}{P_r} \frac{\Re i}{P_b} \frac{h R i}{P_r} \frac{h R i}{P_b} \frac{h R i}{P_b} \frac{h R i}{h p p i}$$
(71)

In a binary atherm alm ixture [12], however, it was suggested to use

$$jdi i = \frac{\Re i}{R \Re i} \quad \frac{\Im i}{B \Re i}:$$
(72)

Unfortunately this choice also leads to a propagating mode in the thermal case. One could again subtract the propagating part, but the result would be dierent from (71). The origin of this problem is that we have two dierent di usive modes and any linear combination would lead to a di usive spectrum. However, due to the lack of equipartition the dierent choices of uctuations one wishes to consider do not coincide, not even after the propagating part is eliminated.

N aively one would expect a combination of the red and blue component only and in addition it should be perpendicular to the propagating modes. This leads to the following generalization of the atherm alresult (72), which in the case of an atherm alm odel would coincide

$$jdi i = \frac{\Re i}{hp \Re i} \quad \frac{\Im i}{hp \Re i};$$
(73)

O by iously there is some freedom here in order to choose the generalization of the di usion. The natural extension would be one that that satis as the appropriate lim its. However, in the low density lim it and in the lim it  $P_r ! 1$ , they all converge to the same value equal to the one found for the single component GBL model. The special case of an equal density for red and blue particles is not helpful either. This lim it can be completely analyzed in a manner analogous to what is done for colored GBL model [14]. For reasons of symmetry this will cause none of the de nitions to have a propagating character and the resulting di usions would coincide.

In Appendix B we derive the proper de nition (B7) for the transport values related to these quantities. Since none of them are proportional to a single eigenm ode the usual form ulation (33) is no longer valid. The results can be found in Fig. 8, where the di usions obtained for the various di 's are shown as function of the density. In general the ve di erent di 's described above all lead to di erent values for the corresponding transport value, although depending on the choice of system parameters this di erence m ight be marginal. A lso com pare with Fig. 3 to see the di erence with respect to D.

A lthough the choice (73) is the most natural generalization, the di usion is only properly identied in the limiting cases. In general some arbitrariness remains in a binary therm al lattice gas.

The corresponding di usion spectrum is obtained by

$$\frac{S(k;!)}{S(k)} = 2Re \frac{hdi j(e^{\{!+\{k \ c \ 1\ )^1 + \frac{1}{2}jdi i})}{hdi jdi i};$$
(74)




FIG.8: A comparison of the di erent di 's as a function of the density at = 0.05 and  $P_r = 0.75$ . The curves labeled by a \* are corrected by subtracting the propagating part as is described in the text. The di usion according to Eq. (70) is not shown explicitly but overlaps on this scale with its corrected counterpart.




FIG.9: The Boltzm ann di usion spectrum based on Eqns. (72) and (73). The curve labeled by a \* is corrected by subtracting the propagating part as is described in the text. The system parameters are  $P_r = 0.15$ , = 10.0, and = 0.05. The wavevector k is given in reciprocal lattice units, the frequency ! in reciprocal time.

and shown in Fig.9 for two di 's: the jdi i de ned in Eq. (72) based on an athem alm odeland the correct adjustment for the therm alm odelEq. (73). For comparison we also included the curve for which the propagating part in Eq. (72) is subtracted as was described above. The rst di usion spectrum has a Brillouin-like pair of peaks which is a manifestation of the propagating part of jdi i according to (72), while the other two are di erent superpositions of two Lorentzians characterized by s<sup>(0)</sup>.</sup>

### V. SIM ULATION RESULTS

We have veri ed our results with simulation results. Some notes on the implementation are in order. The model we consider is a true 38-bits model, i.e. the collision operator can act on  $2^{38}$  dimensions that model we reported the simulation results of a colored GBL model [14]. The number of states in that model was  $3^{19}$ , since no red and blue particle could exist with the same velocity. The simulations could, however, be performed by realizing

that the collisions could be separated in a norm alGBL collision followed by a redistribution of the colors over the di erent particles present. These two separated processes can easily be performed by any computer.

In the present m odel this approach can not be used. One could of course make use of the symmetries present in the model. The hexagonal lattice leads to six rotations and two rejections. In addition we can make use of the interchange of red and blue particles, and the interchange of particles and holes. At best this would lead to a reduction with a factor of 48 on the total number of di erent states, but in practice this factor is less because a large fraction of the states is invariant with respect to some of these symmetries. This is however still too large in order to be applied in any but the largest supercomputers available at present. An alternative, but rather ine cient scheme, would be to store only part of the collision table and generate other collisions on the y.

B inary m ixtures, how ever, do allow for a more convenient solution, which is less e cient than storing the complete collision table, but still has a relative good performance (about a factor 2-5 slower than the colored GBL model). Rather than storing a collision table based on the states, we make one based on the di erent classes. In the GBL model there are 29926 di erent classes C = (M; P; E), characterized by the totalmass, momentum, and energy. Since the the binary mixture is the combination of two GBL models there are 29926<sup>2</sup> di erent combinations ( $C_R; C_B$ ) of a red and blue class which form a total of 4478568 classes  $= (M_r; M_p; P; E)$ . If we combine this with the 48 sym metry operations we get a working algorithm that already can be used on a computer with 256 MB of memory.

A n arbitrary input state is now analyzed in order to determ ine to which class it belongs. From its characterization one can easily nd which transform ation is needed in order put it in a form with  $M_R = M_B$ ,  $M_R + M_B = 19$ , and  $0 = P_y = P_x = 3$ . The last inequality con nest the total momentum to an angle of =6. For each in this limited set of classes only, all the classes  $C_R$ , that with the appropriate class  $C_B$  can give rise to it, have been stored, including the number of states in each ( $C_R$ ;  $C_B$ ) combination. From this we generate with the proper weight an <code>\outgoing"</code> class combination to which the inverse transform ation is applied. Finally we only need to determ ine a random state in  $C_R$  and  $C_B$ , which is just a GBL-like process.

Simulation results along with the Boltzm ann approximation and the Landau-Placzek formula are shown in Fig. 6 for both the normal and red spectrum. In the Figs. 6a and 6b the spectra at low k value completely overlap and the Landau-Placzek formula describes the power spectrum very well. If we increase the wavevector k, and/or lower the density, the hydrodynam ical regime is left and deviations start to appear. In that generalized regime, the transport properties are k-dependent. Figs. 6c and 6d show a spectrum even further away from the hydrodynam ic regime, in the kinetic regime. Several kinetic modes invade the spectrum, and a param eterization into Lorentzians has lost all physical meaning. The full spectrum based on the Boltzm ann approximation, however, still leads to a very good description, supporting the molecular chaos assumption.

### VI. DISCUSSION

We have constructed a thermal binary lattice gas mixture. The model is characterized by cross-e ects between energy transport and di usion. The Landau-Placzek formula derived in the the low wavevector, low frequency domain gives an excellent description. For larger wavevectors it will fail, but the spectra can still accurately be described by the Boltzm ann approximation.

The Landau-P laczek form ula for a regular binary therm alm ixture is quite similar in structure as the one for the continuous case. The main feature is a central peak form ed by two Lorentzians due to the coupled entropy-concentration uctuations. In the limits of low density, single specie, their dual interpretations, and equal red and blue density it is possible for the central peak of the spectrum to be decomposed into two Lorentzians with linew idths given by  $k^2$  and  $Dk^2$ , otherwise the linew idths depend on both these values.

In the low density lim it the true modes s converge to and D. M oreover, they can be identied with the therm all di usivity and mass-di usion coe cient of the GBL model and coincide with the low density lim it of the continuous binary mixture. In contrast with continuous theory, how ever, it is the therm aldi usivity that dominates the central part of the spectrum, rather than the di usion. The interpretation of as the therm aldi usivity can be extended to the general situation. For D this not true, since the related spectrum will contain B rillouin peaks, which is a not a purely di usive property. A lthough it is possible to correct for this, there remains some ambiguity in the choice for the generalized di usion coe cient.

The analysis and results presented here are in general true for binary therm al lattice gasses and not restricted to this particular model only. It also reduces autom atically to the proper form ulation for an atherm alm odel, in which case som e of the am biguities are rem oved.

#### A cknow ledgm ents

We would like to thank H.Bussen aker and D.Frenkel for helpful discussions. R.B. acknow ledges the nancial support of the EU through the Marie Curie Individual Fellow ship Program (contract no.HPM F-CT-1999-00100).

# APPENDIX A

To calculate term s of the type N given in Eq. (56) we express the left eigenvectors in term s of right eigenvectors, and expand N to linear order in k

$$N = \frac{h j^{(0)} j^{2}}{h^{(0)} j^{(0)} i} + 2 \{k \frac{h j^{(1)} i}{h j^{(0)} i} \frac{h^{(0)} j^{(1)} j^{(1)} i}{h^{(0)} j^{(0)} j^{(0)} i} + \frac{k j^{(0)} k}{h^{(0)} j^{(0)} j^{(0)} i} + O(k^{2}) ;$$
(A1)

A scan be seen from the second term on the righthand side, partial know ledge of the j<sup>(1)</sup> i is required. From the form al solution (30) of the rst order equation and the orthogonality relation (29) it follows that we only need to evaluate the coe cients B . From the norm alization (19) we already know that B = 0. In addition we like to mention that from symmetry considerations one can conclude that the mode related to the viscosity will not contribute. Hence the values of B  $_2$  and B  $_2$  need not be determined.

In order to facilitate the calculations we st list some simple relations

h 
$${}^{(0)}j{}^{(0)}i=2hpjpi;$$
 (A2)

$$h j^{(0)} i = h \dot{p} i; \tag{A3}$$

h js 
$$i = \frac{\binom{1}{p}}{\frac{1}{hsjsi}}h$$
 js; (A4)

hs js 
$$i = 2^{p} \frac{p}{1+2} \frac{p}{1+2}$$
 : (A5)

M ost coe cients can be evaluated from the relation (34). In the case of the soundm odes this leads to

$$B_{i} = \frac{hj_{j} + \frac{1}{2}j_{i}}{(z^{(1)} - z^{(1)})h^{(0)}j^{(0)}}$$
(A 6)

and with the use of jj i =  $jj_si$   $gj_{xx}$  is this can be rewritten in terms of the basic transport coe cients

B ; = 
$$\frac{(1)}{4c_s} = \frac{()}{2c_s}$$
: (A7)

The next coe cient we need to evaluate is

$$B_{s}; = \frac{hj j^{1} + \frac{1}{2} j j_{s} i}{(z_{s}^{(1)} z^{(1)}) h^{(0)} j^{(0)} i};$$
(A8)

and here we can use the same relation to rewrite the current of the soundmodes. For the other current the relation (37) can be used. Realizing that the term s containing  $j_{xx}i$  will vanish, the remaining term s can be manipulated to yield

$$B_{s}; = (1) \frac{s}{2c_{s}} \frac{1}{hsjsi};$$
 (A9)

From Eq. (34) we can now also see that

$$B_{;s} = \frac{h^{(0)} j^{(0)} i}{hs js i} B_{s}; = 1 \frac{p_{1+2}}{1+2} \frac{s^{p} hs js i}{2c_{s}}:$$
(A10)

The last two coe cients which we will need are B  $_{s}$ ; However, since  $z_s^{(1)} = 0$  they can not be obtained from (34). In order for them to be determined we need to make use of the third order equation of the eigenvalue problem (13)

$$j^{(3)}i = (c_{2} + z^{(1)})j^{(2)}i + z^{(2)} + \frac{1}{2}(c_{2} + z^{(1)})^{2} j^{(1)}i + z^{(3)} + z^{(2)}(c_{2} + z^{(1)}) + \frac{1}{6}(c_{2} + z^{(1)})^{3} j^{(0)}i:$$
(A11)

As we only want to determ ine the values of  $B_s$ ; , we do not attempt to solve the complete third order equation but restrict ourselves to the two equations from which they can be obtained. Note that we have  $z_s^{(1)} = 0$  and hence  $j_k$   $i = j_k$ s i.

Substituting these results in the third order equation, replacing by s, and multiplying on the left with the appropriated term hs jwe nd

$$0 = hs j_{r}j_{s}^{(2)}i + hs j_{s} + \frac{1}{2}c_{s}^{2}j_{s}^{(1)}i + hs j_{s}^{(3)} + s c_{s} + \frac{1}{6}c_{s}^{3}j_{s} i:$$
(A12)

The last term will disappear due to the odd power of  $c_i$  and because hs  $j_s$  i = 0. In order to proceed we not only need the solution of the rst order equation (30) but also solution of the second order equation. Fortunately the later does not have to be computed completely but the form al solution will su ce

$$j^{(2)}i = \frac{1}{2}(c_{s} + z^{(1)})j^{(1)}i + \frac{1}{2}z^{(2)} + \frac{1}{2}(c_{s} + z^{(1)})^{2}j^{(0)}i + \frac{P}{C}j^{(0)}i;$$
(A13)

where the C are some unknown coe cients. Substitution of both solutions in Eq. (A 12) gives

$$0 = hs \ \dot{p}_{s} \stackrel{1}{\xrightarrow{}} c_{s} j_{s} \stackrel{(1)}{\xrightarrow{}} i + hs \ \dot{p}_{s} \stackrel{1}{\xrightarrow{}} s + \frac{1}{2}c_{s}^{2} \ \dot{j}s \ \dot{i} + {}^{P} C_{s} \ hj_{s} j \stackrel{(0)}{\xrightarrow{}} i + hs \ \dot{j}s + \frac{1}{2}c_{s}^{2} \stackrel{1}{\xrightarrow{}} \dot{p}_{s}s \ \dot{i} + {}^{P} B_{s} \ hs \ \dot{j}s + \frac{1}{2}c_{s}^{2} \ \dot{j} \stackrel{(0)}{\xrightarrow{}} i:$$
(A14)

The second and fourth term on the right are zero because of the odd power in c, the third term is zero because of the orthogonality relations (28). Another substitution of the rst order solution leads to

$$0 = hs j_{2} \cdot \frac{1}{c} c_{1} \cdot \frac{1}{c} c_{2} \cdot j_{1} + B_{s} hs j_{2} \cdot \frac{1}{c} c_{2} \cdot j_{1}^{(0)} i + B_{s} hs js + \frac{1}{2} c_{1}^{2} \cdot j_{1}^{(0)} i:$$
(A15)

The st term is again zero because of the odd power in c. W riting out the sum, using the orthogonality relations, and realizing that the shear mode dependent term cancels due to symmetries this leads to

$$B_{s} ;_{s} s hs j_{s} i + B_{s} ;_{s} hj_{s} j_{-}^{1} + \frac{1}{2} jj_{s} i + B_{s} ;_{s} hj_{s} j_{-}^{1} + \frac{1}{2} jj_{s} i + B_{s} ;_{s} hj_{s} j_{-}^{1} + \frac{1}{2} jc^{(0)} i = 0;$$
(A16)

From symmetry considerations it follows that the terms with  $j^{(0)}$  i only contribute via jpi and by using the denition of the transport values on the second term we obtain

$$B_{s;s}$$
 (s s) hs js i + ( $B_{s;+} + B_{s;}$ ) hj<sub>s</sub> j<sup>1</sup> +  $\frac{1}{2}$  jc pi = 0: (A17)

Using the expressions for  $B_s$ ; and the fact that  $s_+$  and s are dimensional times that  $B_s$ ; s = 0.

The evaluation of the N now becomes straightforward. The last term at the righthand site of Eq. (A 1) will vanish because of symmetry reasons. From the second term it can be observed that even if we would not have chosen B = 0

as a norm alization, this coe cient would not contribute to the spectrum. For the viscosity we immediately obtain  $N_{?} = 0$ . In the case of = this results in

$$N = \frac{h \dot{p} \dot{r}}{2hp \dot{p} \dot{p}} 1 + 2 \{k B ; + B_{js_{+}} \frac{h \dot{p}_{+} \dot{i}}{h j^{(0)} \dot{i}} + B_{js} \frac{h \dot{p} \dot{i}}{h j^{(0)} \dot{i}} ;$$
  
$$= \frac{h j \dot{i}}{2} 1 + \frac{\{k c_{s} [+(1)]\}}{c_{s}} (+(1)];$$
 (A18)

where in the second line we have elim inated the viscosity. The js i lead to

$$N_{s} = \frac{(1)^{2}h \dot{p}\dot{r}}{2hs \dot{p}\dot{i}} + 2 k B_{s} + \frac{h \dot{j}_{+}^{(0)}\dot{i}}{h \dot{p}^{(0)}\dot{i}} + B_{s} + \frac{h \dot{j}_{+}^{(0)}\dot{i}}{h \dot{p}\dot{j}\dot{i}} + B_{s} + \frac{h \dot{j}_{+}^{(0)}\dot{i}}{h \dot{p}\dot{j}\dot{j}} + B_{s} + \frac{h \dot{j}_{+}^{(0)}\dot{i}}{h \dot{p}\dot{j}\dot{j}} + B_{s} + \frac{h \dot{j}_{+}^{(0)}\dot{i}}{h \dot{p}\dot{j}\dot{j}} + B_{s} + \frac{h \dot{j}_{+}^{(0)}\dot{j}\dot{j}}{h \dot{j}} + \frac{h \dot{j}_{+}^{(0)}\dot{j}\dot{j}} + B_{s} + \frac{h \dot{j}_{+}^{(0)}\dot{j}\dot{j}}{h \dot{j}} + \frac{h \dot{j}_{+}^{(0)}\dot{j}\dot{j}}{h \dot{j}} + \frac{h \dot{j}_{+}^{(0)}\dot{j}}{h \dot{j}} + \frac{h \dot{j}_{+}^{(0)}\dot{j}}{h} + \frac{h \dot{j}_{+}^{(0)}\dot{j}}{h \dot{j}} + \frac{h \dot{j}_{+}^{(0)}\dot{j}}{h \dot{j}} + \frac{h \dot{j}_{+}^{(0)}\dot{j}}{h} + \frac{h \dot{j}_{+}^{(0)}\dot{j}}{h}$$

where the imaginary part cancels com pletely.

#### APPENDIX B

In general one de nes a transport coe cient via the decay of small uctuations with respect to the equilibrium distribution. If we take f(k) to be such a uctuation, we obtain for a single timestep

$$e^{z(k)} = \frac{h f \dot{f} e^{ik c} (1 + )j fi}{h f j fi};$$
(B1)

where the second order term in k of z (k) will be the transport coe cient.

Naturally these uctuations can always be written in terms of the eigenfunctions of the linearized Boltzmann operator

$$jf(k)i = \frac{X}{h} \frac{h}{j} \frac{fi}{i} (k)i; \qquad (B2)$$

where the coe cients on the right-hand site are independent of k and therefore can be obtained from the k = 0 lim it h j fi=h j i= h  ${}^{(0)}$  j  $f^{(0)}$  i=h  ${}^{(0)}$  j  ${}^{(0)}$  i. C om bining this form all expansion with Eq. (B1) and using the results of the eigenvalue problem (13) we obtain

$$e^{z(k)} = \frac{1}{h \text{ fjfi}} \frac{X}{h \text{ jfi}} \frac{h \text{ jfi}}{h \text{ ji}} f \frac{f}{f} \frac{f}{f} \frac{f}{f} \text{ ji}$$
(B3)

If we restrict ourselves to uctuations proportional to the hydrodynam ic modes, and thus assume the exponential fast decay of the kinetic modes, the eigenvalues  $e^z$  can be expanded in term s of k. This results in

$$e^{z(k)} = 1 + \frac{X}{h \text{ j fih fj i}} \frac{h \text{ j fih fj i}}{h \text{ j ih fj fi}} \left\{k z^{(1)} \quad k^2 \ z^{(2)} + \frac{1}{2} (z^{(1)})^2 + O(k^3)\right\}$$
(B4)

Note that the prefactors also depend on k, but can be rew ritten as

$$\frac{h \ j \ fih \ fj \ i}{h \ j \ ih \ fj \ fi} = \frac{h \ {}^{(0)} \ j \ f^{(0)} \ i}{h \ {}^{(0)} \ j \ {}^{(0)} \ i} - \frac{h \ j \ i}{h \ fj \ fi} = \frac{h \ {}^{(0)} \ j \ f^{(0)} \ i}{h \ {}^{(0)} \ j \ {}^{(0)} \ i} + O \ (k^2):$$
(B5)

This allows us to calculate the lowest order term s of z (k) via

$$z^{(1)} = \frac{X}{h^{(0)} j f^{(0)} i h f^{(0)} j^{(0)} i} z^{(1)} \frac{1}{h^{(0)} j^{(0)} i h f^{(0)} j^{(0)} i} z^{(1)}$$
(B6)

$$z^{(2)} + \frac{1}{2} z^{(1)}^{2} = \frac{X}{h^{(0)} j^{(0)} ih f^{(0)} j^{(0)} i} z^{(2)} + \frac{1}{2} (z^{(1)})^{2}$$
(B7)

It can easily be checked that in the case of a single eigenm ode for the uctuation f these equations reduce to the normal results, in particular Eq. (33). In general, however, such a formulation in terms of currents is not valid. The fact that it nevertheless is consistent for Eqns. (41) and (42) is a consequence of the orthogonality relation (39) between the currents of the two di usive eigenm odes.

In the case of the di erent di usions calculated in Sec. IV C we need to make use of these equations, because the uctuations under consideration are not eigenmodes. From symmetry arguments it follows that in all those cases  $z^{(1)} = 0$ , and strictly speaking none of these uctuations will therefore be propagating. In the case of Eqns. (70) and (72), however, the soundmodes will contribute to the transport value (B7) and spectra based on these uctuations will contain B rillouin peaks.

We nally like to mention that these results are only valid in the limit k ! 0 and for small times, because if one considers the decay for larger time intervals one would obtain

$$e^{z(k)t} = \frac{h \text{ fje } (k \text{ } c(1 + ) \text{ }^{t} \text{ jfi}}{h \text{ fjfi}} = X \qquad \frac{h \stackrel{(0)}{}_{i} \text{ f}^{(0)} \text{ i}}{h \stackrel{(0)}{}_{j} \stackrel{(0)}{}_{i} \text{ }^{i}} \frac{h \text{ } \text{ ji}}{h \text{ fjfi}} e^{z \text{ } t} \text{ (B8)}$$

I

This results in a dierent behavior for short and long times in the case one considers uctuations that are not proportional to a single eigenmode (See also Ref. [15]).

- U. Frisch, B. Hasslacher, and Y. Pom eau, Lattice-G as Autom ata for the Navier-Stokes Equation, Phys. Rev. Lett. 56, 1505(1508 (1986).
- [2] J.P.R ivet and J.P.Boon, Lattice G as Hydrodynam ics, C am bridge N on linear Science N r.11 (C am bridge U niversity P ress, C am bridge, 2001).
- [3] S. Chen, K. Diemer, G. D. Doolen, K. Eggert, C. Fu, S. Gutman, and J. Travis, Lattice gas automata for ow through porous media, Physica D 47, 72 (84 (1991).
- [4] A.K.Gunstensen and D.H.Rothman, A Galilean-invariant imm iscible lattice gas, Physica D 47, 53(63 (1991).
- [5] B. Chopard, P. Luthi, and M. Droz, Reaction-di usion cellular autom ata model for the formation of Leisegang patterns, Phys. Rev. Lett. 72, 1384 (1387 (1994).
- [6] A.M alevanets and R.K apral, Continuous-velocity lattice-gas model for uid ow, Europhys. Lett. 44, 552 (558 (1998).
- [7] O.Baran, C.C.W an, and R.Harris, A new therm al lattice gas, Physica A 239, 322 (328 (1997).
- [B] D.H.Rothman, Lattice-gas models of phase separation: interfaces, phase transitions and multiphas ow, Rev. Mod. Phys. 66, 1417 (1479 (1994).
- [9] R.Brito, M.H.Emst, and T.R.K inkpatrick, Staggered D i usivities in Lattice G as Cellular Autom ata, J. Stat. Phys. 62, 283(295 (1991).
- [10] S.P.D as and M.H.Emst, Therm al transport properties in a square lattice gas, Physica A 187, 191 (209 (1992).
- [11] M.H.Emst and S.P.Das, Therm al Cellular Autom ata Fluids, J. Stat. Phys. 66, 465 (483 (1992).
- [12] M.H.Emst and J.W. Duffy, Hydronam ics abd T im e Correlation Functions for Cellular Autom ata, J. Stat. Phys. 58, 57(86 (1990).
- [13] D. Hanon and J. P. Boon, Di usion and correlations in lattice-gas autom ata, Phys. Rev. E 56, 6331 (6339 (1997).
- [14] R.B laak and D.D ubbeldam, Boltzm ann approximation of transport properties in them al lattice gases, Phys. Rev. E 63, 021109 (2001).
- [15] R.D.Mountain and J.M.Deutch, Light Scattering from Binary Solutions, J.Chem. Phys. 50, 1103(1108 (1969).
- [16] J.P.Boon and S.Yip, Molecular Hydrodynamics (M cG raw-Hill Inc., New-York, 1980).
- [17] R.B laak and D.D ubbeldam, Coupling of therm aland m ass di usion in regular binary therm al lattice-gases, Phys. Rev. E 64, 062102 (2001).
- [18] P.G ros ls, J.P.Boon, and P.Lallem and, Spontaneous Fluctuation Correlations in Thermal Latice-G as Autom ata, Phys. Rev. Lett. 68, 1077(1080 (1992).
- [19] P.G ros ls, J.-P.Boon, R.Brito, and M.H.Emst, Statistical hydrodynamics of lattice-gas automata, Phys. Rev. E 48, 2655{2668 (1993).
- [20] P.Resibois and M. de Leener, Classical Kinetic Theory of Fluids (Wiley, New-York, 1977).
- [21] J.A.McLennan, Introduction to Non-Equillibrium Statistical Mechanics (Prentice Hall, Englewood Clis, New Jersey, 1988).