E lectrom agnetic Surface M odes at Interfaces with N egative R effactive Index m ake a \N ot-Quite-P erfect" Lens.

F.D.M.Haldane

D epartm ent of Physics, Princeton University, Princeton, NJ 08544-0708 (D ated: June 21, 2002)

Interfaces between m edia with negative relative refractive index generically support propagating electrom agnetic surface polariton m odes with large wavenum ber. The relation of these m odes to a recent prediction by Pendry of \perfect (real) in age form ation" by a parallel slab of negative-refractive-index m aterial is analyzed. The \perfect in age" theory is found to be incom plete without inclusion of a large-wavenum ber cuto that derives from a necessary wavenum ber-dependence of the constitutive relations, and which controls the resolution of the im age.

PACS num bers: 78.20.C i, 42.30.W b, 73.20 M f, 42.25 Bs

Long ago, Veselago [1] noted that if an object could be viewed though a transparent slab of thickness w of a notional material with negative relative refractive index n = 1, simple ray optics shows that there is a focused im age at a distance 2w in front of the object, which is real if the distance between the object and the back surface of the slab is less than w. In general, as seen below, the condition n = 1 can be satisted only for light with a frequency belonging to a discrete set of one or more special frequencies ! that characterize an interface that supports \negative refraction".

Ray optics is only valid at lengthscales large com pared to the wavelength of light, but recently Pendry [2] reported that if the condition n = 1 can be supplem ented with the condition of perfect im pedance-m atching between electrom agnetic waves in the two media at the special frequency ! , the form al solution of M axwell's equations, with a local e ective-m edium approximation for the constitutive relations, predicts that a real in age form ed by light at that frequency is \perfect", in that it reproduces the features of the object at all lengthscales, how ever sm all. Pendry describes this counterintuitive prediction from Maxwell's equation as \superlensing"; super cially, his solution appears m athem atically correct, but it has been controversial, and various com m entators [3, 4, 5, 6] have looked for aws in his reasoning.

Ruppin [7] has found that, unlike conventional refracting interfaces, interfaces with negative refractive index support surface electrom agnetic modes (\surface polaritons"). In this Letter, I point out that Pendry's \perfect in age" result, and its lim itations, can be understood from a degeneration of these modes in the impedancematched lim it. In the locale ective-medium approxim ation, the surface polaritons become degenerate and dispersionless at the \lensing frequency" !, with no upper lim it to their surface wavenumber. It is this unphysical feature that \explains" the \perfect im age" prediction, but this does not appear to have been previously explicitly noticed, either by Pendry (though he hints [2] at a connection to \well-de ned surface plasmons"), or his critics, or in Ref. 7. The dispersionless surface modes are clearly a pathology of the approximation which neglects any wavenumber dependence of the constitutive relations. In fact, as with all realmatter, the microscopic nature of the lensing medium will provide an \ultraviolet" (large wavenumber) cuto . This cuto is relevant for optics only in the \superlensing" limit, when it controls the actual resolution of real im ages.

Since the direction of light rays in the ray-optics lim it is the direction of the group velocity of the light, and the component of the wavevector parallel to the surface is conserved during refraction, it is easy to see that a surface with negative relative refractive index in some frequency range is an interface between media which both support propagating long-wavelength electrom agnetic waves at those frequencies, but with group velocities of opposite sign. The group velocity of electrom agnetic waves must be positive in both the low-frequency and high-frequency lim its, but can be negative at intermediate frequencies, as shown in Fig.(1); in an isotropic medium, transverse modes with negative group velocity must become e degenerate with a nite-frequency longitudinalm ode as k ! 0.

The Poynting vector E H of a propagating electrom agnetic wave is parallel to the group velocity. Referring to the orthogonal triad of three vectors (E;H;k) that characterize propagating electrom agnetic waves in an isotropic m edium, Veselago [1] introduced the term \lefthanded m edia" to describe m edia with negative group velocity, as opposed to conventional \right-handed" m edia with positive group velocity. (This term inology seem s potentially m isleading, as the \handedness" it refers to derives from the representation of the m agnetic eld as an axial vector, not intrinsic chirality of the m edium.)

Note that the model spectrum shown in Fig.(1) will only exhibit dissipation at the frequencies $!_{T1}$ and $!_{T2}$. Some of the commentators [4, 6] have suggested that Pendry's calculation must fail in practice because it om its absorption e ects, which, because the constitutive relations are frequency-dependent, must be present at some frequencies because of the K ram ers-K ronig relation. How ever, this does not require dissipation in the




FIG.1: In this model spectrum, the photon couples to the transverse components of two polarization modes (one electric, one magnetic) in a material. The propagating modes at low and high frequencies are of the usual so-called \right-handed" type, with a positive group velocity, but are \left-handed" in the frequency range $!_{T1} < ! < !_{L2}$, where the group velocity is negative. A surface has a negative refraction index in a frequency range where it is an interface between bulk regions with opposite signs of the group velocity.

frequency range of interest. In fact, if the \left-handed" m edium can be treated as loss-free, it must be a periodic structure, so a m icroscopic lengthscale is provided by its lattice spacing. If the material is a perfectly-periodic \photonic crystal", and possesses only one propagating m ode (of each polarization) in the frequency range of interest, it can be treated as non-dissipative to the extent that non-linearity is negligible.

In an isotropic medium with frequency-dependent but local (wavenum ber-independent) constitutive relations, the spectrum of electrom agnetic waves predicted by the electrice M axwell equations is given by $c^2k^2 =$ $!^2$ (!) (!), where and are the dielectric constant and relative permeability. If waves in the two media have opposite group velocities, there will be a particular frequency ! at which the wavelengths of propagating waves in the two media coincide: $_1(!) = _2(!) = 2 = k$; the condition n = 1 for a at interface to produce a focused in age is only realized at this special frequency. The group velocity v at this frequency is given by the expansion in ! = !

$$!^{2}$$
 (!) (!) = $c^{2}k^{2} + 2c^{2}k v^{1} ! + 0 (!)^{2}$: (1)

Let the interface be the plane z = 0. Follow ing Ruppin [7], I look for an \S-polarized" interface mode

$$B^{z}(x;y;z) = B^{z}_{0}e^{1z}e^{1(k_{k}x + t)}; z = 0;$$

= $B^{z}_{0}e^{-2z}e^{i(k_{k}x + t)}; z = 0;$ (2)

where $_1$ and $_2$ are both positive; B^z couples to H^x and E^y, and allare continuous at the interface: $k_k E^y = !B^z$, and $k_k _0 H^x = i B^z$, where [7]

$$=$$
 $\frac{1}{1} = \frac{2}{2}$: (3)

This only has a solution when $_{1}=_{2}$ is negative. Since by assumption $_{1}$ $_{1}$ and $_{2}$ $_{2}$ are both positive, $_{2}=_{1}$ is also negative, and the interface has negative refractive index. The source of these elds is an oscillating transverse surface polarization current

$$J^{Y}(x;y) = J_{0}^{Y}e^{i(k_{k}x + t)};$$
(4)

$$k_{k_0} J_0^{\gamma} = i (_1 _2) B_0^{z}$$
: (5)

The condition giving the frequency of the mode comes from combining (3) with

$$c^{2} {}^{2}_{1} = c^{2}k_{k}^{2} {}^{!}_{1 1};$$

$$c^{2} {}^{2}_{2} = c^{2}k_{k}^{2} {}^{!}_{2 2};$$
 (6)

For frequencies close to ! , the expansion (1) can be used: for sm all positive k_k = k_k , k , ! = k_k ! v, as k_k ! 0^+ , where

$$\mathbf{v} = \frac{\mathbf{v}_1 \mathbf{v}_2 \left(\begin{array}{cc} 2 & 2 \\ 1 & 2 \end{array} \right)}{\left(\mathbf{v}_1 \begin{array}{c} 2 & \mathbf{v}_2 \end{array} \right)}; \tag{7}$$

where v_1 and v_2 are the group velocities in the twom edia at frequency ! , which have opposite signs.

This result is easy to understand: the group velocity of the surface mode is a weighted average of the bulk group velocities of the two media, with a larger weight given to the velocity in the medium with smaller , into which the edds penetrate deeper. In the special case 1 = 2, 1 = 2, the competition between the two media is exactly balanced, and v vanishes; in this lim it the predicted frequency of the mode becomes perfectly dispersionless with $!(k_k) = !$ for all $k_k > k$. This corresponds to perfect in pedance matching at frequency ! : 1(!) = 1(!) = 2(!) = 2(!), when no relation of incident propagating waves with $k_k < k$ will occur.

There is a second (\P-polarized") mode, deriving from longitudinal surface polarization currents:

$$J^{x}(x;y) = J_{0}^{x}e^{i(k_{k}x + t)};$$
(8)

$$D^{z}(x;y;z) = D_{0}^{z}e^{\int_{1}^{0}z}e^{i(k_{k}x \cdot !t)}; z \quad 0;$$
$$= D_{0}^{z}e^{\int_{2}^{0}z}e^{i(k_{k}x \cdot !t)}; z \quad 0; \quad (9)$$

where ! $(_{2} _{1})D_{0}^{z} = k_{k}J_{0}^{x}$, $k_{k}H^{y} = !D^{z}$, and $k_{k}_{0}E^{x} = i ^{0}D^{z}$, with [7]

$${}^{0} = \frac{{}^{0}_{-1}}{{}^{1}_{1}} = \frac{{}^{0}_{-2}}{{}^{2}_{2}} :$$
(10)

Because $_{1}(!) = _{2}(!) = _{2}(!) = _{1}(!)$, when one of these interface modes has positive group velocity along the interface, the other group velocity is negative. The spectrum is schematically depicted in Fig.(2).

It is now instructive to exam ine the coupling between the two sets of modes on the opposite faces of a slab of width d of a medium 2 embedded in medium 1. The consistency condition (3) for the (B^z; H^x; E^y) slab polariton




FIG.2: (a): Generic spectrum of electrom agnetic modes that propagate along a negative-refractive-index interface with surface wavenum ber $k_k > k$: there are two surface modes, respectively with positive and negative group velocity; the shaded regions of the $(!;k_k)$ plane indicate where either one or both of the m edia supports propagating bulk m odes, and is the special frequency at which waves have the same = 2 =k in both media. (b): The degenerw avelength ate spectrum predicted by the local M axwell equations in the im pedance-m atched lim it where \perfect lens" behavior has been predicted: the two surface m odes becom e degenerate at the frequency ! for all $k_k > k$. Such exactly-dispersionless degenerate surface m odes are an artifact of the approxim ation which neglects wavenum ber-dependence of the constitutive relations of the $\left-handed" m edium$.

m odes becom es [8]

$$\frac{1}{1} = \frac{2}{2} (\tanh(2d=2))^{1}; \quad (11)$$

where the distinguishes the modes which have sym metric (+) and antisymmetric () ux $B^{z}(z)$. When 1, 2d is very large, and the splitting bek)d (k_k tween the symmetric and antisymmetric combinations of the modes on the two faces is very small, proportional to exp($k_k d$). In the other lim it, they become the n = 0 and n = 1 bands of modes con ned to the slab, that emerge from the edge of the continuum of exterior propagating modes with initial group velocity v_1 at k_k $n^{2} = 2k d^{2}$, n 0 (the n k 2 bands rem ain within the region of the $(!; k_k)$ -plane where the slab m edium has propagating m odes). Sim ilar considerations apply to the $(D^{z}; E^{x}; H^{y})$ modes, but with replaced by . The predicted spectrum is shown schematically in Fig.(3). There is a single band-crossing of the surface modes (allowed because S and P polarizations do not m ix) exactly at the frequency !, when 1 = 2 = 0, at a surface wavenum ber $k_0 > k$ given by:

$$k_0^2 = k^2 + {}^2_0; e^{0} = {}^2 < 1;$$
 (12)

where is the ratio

$$= \frac{2(!) + 1(!)}{2(!) + 1(!)} = \frac{1(!) + 2(!)}{1(!) + 2(!)}$$
(13)

(the two expressions for are equivalent because $_{1 \ 1}$ = $_{2 \ 2}$ at the frequency !). Note that $k_0 \ ! \ 1$ in the impedance-m atched \perfect lens" lim it where = 0.




FIG.3: (a): Generic spectrum of the coupled electrom agnetic surface modes of a at slab of \left-handed" medium, with nite thickness d, embedded in a standard \right-handed" medium, calculated assuming local (wavenum berindependent) constitutive relations. The splitting between the even and odd combinations of the surface modes becomes exponentially sm all for k_k large. An allowed band crossing occurs exactly at the frequency !, at $k_k = k_0$ (see text). (b): Predicted spectrum in the \perfect lens" limit (perfect in pedance matching). The band-crossing point k_0 recedes to $k_k = 1$, and for large k_k the surface mode frequencies di er from the \perfect lens" frequency ! by exponentially sm all splittings proportional to exp(k_k d).

I now exam ine the solution of M axwell's equations for the steady-state radiation eld of an object illum inated with radiation at the special frequency ! . The sources of the radiation eld are the oscillating currents in the object that are excited by the illum inating eld. I will assume the source current distribution is restricted to the 0, and that the object is viewed though a slab region z of \left-handed" medium that is present in the region $0 < z_1 < z < z_2$, where z_2 $z_1 = d > 0$. The source can be resolved into transverse Fourier components k_k in the x and y coordinates, and the radiation eld of each Fourier com ponent com puted separately. Consider a Fourier component with k_k^2 $k^{2} = {}^{2} > 0$, which produces an evanescent eld in the region z > 0:

$$B^{z} = B_{0}e^{i(k_{k}x \cdot ! \cdot t)}F(z;);$$

$${}_{k}E^{y} = ! B^{z}; \quad ik_{k} \ {}_{0}H^{x} = \frac{{}_{1}\frac{\partial B^{z}}{\partial z}}{\partial z}; \quad (14)$$

$$D^{z} = D_{0}e^{2ik_{k}} + e^{ik_{k}} + e^$$

where (using continuity of H $^{\times}$ and E $^{\times}$ at the interfaces)

k

$$= \frac{+e^{2} d}{2e^{2} d} e^{z_{1}}; \qquad (17)$$

$$\frac{+1}{2 e^{2} d} e^{z_{2}}$$
: (18)

W hen presented in this form, the solution of M axwell's equations has a simple physical interpretation: F(z;) is the sum of the evanescent radiation eld of the object, driven directly by the illumination, plus the radiation

elds of the induced surface polarization currents of the slab, driven by the radiation eld of the object. The amplitudes of the two surface currents diverge when $k_k = k_0$ (exp 2 d = ²), when the driving frequency ! is exactly resonant with the coupled surface modes. This resonance recedes to $k_k = 1$ as the in pedances are tuned to the \perfect lens" lim it = 0.

When = 0, the eld of the small surface polarization current on the left interface at z_1 exactly cancels the eld of the object for $z > z_1$, while for $z < z_1$, it cancels the eld of the second polarization current on the right interface at z_2 . The eld observed for $z > z_1$ is then just the radiation eld of the surface polarization current at z_2 . If $z_1 < d$, this current has an amplitude that, as $k_k \ ! \ 1$, grows exponentially / exp $k_k \ (d \ z)$ relative to the strength of the source radiation eld. Since the object was taken to be to the left of the plane z = 0, the condition $z_1 < d$ is precisely the condition that a real im age of som e part of the object can be form ed.

The predicted exponentially-large amplication in the large-wavenum ber lim it lim it occurs because the di erence between the coupled surface mode frequencies and the driving frequency ! becomes exponentially small as $k_k ! 1$ (see Fig.(3b). It is a pathology of Pendry's solution that was noted in Ref. 6; however, while those authors recognized that, for jz ₂j< d z, this exponential ampli cation leads to an \ultra-violet" (large wavenumber) divergence of the expression for the predicted radiation eld of a point object at z = 0, they drew the incorrect conclusion that this divergence in plied that the evanescent radiation eld of such a point ob ject cannot penetrate the slab. In fact, the divergence will be always controlled by the short-distance cuto provided by the physical nature of the interface; thism ay either be the maximum wavenumber of a surface polarization current (e.g., a surface B rillouin zone boundary), or a wavenum ber at which k-dependent constitutive relations move the surface mode frequencies away from near-resonance with the driving frequency ! .

Pendry's solution is only strictly valid without a cuto in the case $z_1 > d$, but remains non-singular in the marginal case $z_1 = d$, where the image of a source at z = 0 is neither real nor virtual, but is exactly on the right surface $z = z_2$ of the slab. In this limit, there is an interesting interpretation of Pendry's form al result: the replacement ! , ! is equivalent to the transformation (B;D;E;H)! (B; D;E;H), which in turn is equivalent to time-reversal of the sourcefree M axwell equations. The predicted \perfect im age" form ed by m onochromatic radiation with frequency ! is then analogous to the \spin-echo" after a -pulse in m agnetic resonance: the radiation eld from a source at $z\,=\,0\,$ rst propagates a distance d along the z-axis in the norm al medium , with dispersion of its k_k -Fouriercom ponents, then this dispersion is exactly reversed by subsequent propagation through an equal thickness d of the <code>\time-reversing"</code> medium to refocus the eld at the <code>\perfect</code> in age" point. How ever, this intriguing interpretation is spoiled by the inequivalence between a physical <code>\left-handed"</code> medium and an idealized <code>\time-reversed</code> vacuum ": the equivalence is only valid at a single frequency ! , and as k ! 0 the frequency of <code>\left-handed</code> light" approaches a <code>nite</code> value ! L (see Fig.(1)); also, the medium will provide a large-w avenum ber cuto .

In summary, I have shown Pendry's [2] controversial \superlens" theory is incom plete, in that it fails to explicitly include a large-m om entum cuto, which is needed to regularize the theory when it describes a real in age. The high Fourier components of the image are produced by the near-elds of surface polariton modes [7, 8] which in the \superlens" lim it are exponentially close to resonance at the special lensing frequency ! . The microscopic structure of the surface of the lensing medium will determ ine this cuto, which is unspecied in a locale ective medium approximation, and will lim it the resolution of the image. W hile \not-quite-perfect", it seems that this resolution can in principle be engineered to be signi cantly smaller than the wavelength of the illum inating radiation, without violating any fundam ental physical principles.

T his work is supported in part by NSF MRSEC DMR-98094983 at the Princeton Center for C om plex M aterials.

- [1] V.G. Veselago, Usp. Fiz. N auk. 92, 517 (1964) [Sov. Phys. Usp. 10, 509 (1968)].
- [2] J.B.Pendry, Phys. Rev. Lett. 85, 3966 (2000).
- [3] G. W. t'Hooff, Phys. Rev. Lett. 87, 249701 (2001); response by J. Pendry, ibid, 87, 249702 (2001).
- [4] J. M. W illiam s, Phys. Rev. Lett. 87, 249703 (2001); response by J. Pendry, ibid, 87, 249704 (2001).
- [5] P. M. Valanju, R. M. W alser, and A. P. Valanju, Phys. Rev. Lett. 88, 187401 (2002). These authors question whether negative refraction is possible at all, but appear to use an incorrect operational de nition of group velocity which allows it to have a component perpendicular to the wavevector in an isotropic medium.
- [6] N. G arcia and M. N ieto-Vesperinas, Phys. Rev. Lett. 88, 207403 (2002);
- [7] R.Ruppin, Phys. Lett. A. 277 61, (2000).
- [8] R. Ruppin, J. Phys. Condens. M atter 13, 1811 (2001).