Impurity and spin e ects on the magneto-spectroscopy of a TH z-m odulated nanostructure

Vidar Gudmundsson and Chi-Shung Tang

Physics D ivision, N ational Center for Theoretical Sciences, P.O. Box 2-131, H sinchu 30013, Taiwan

Andrei Manolescu

Science Institute, University of Iceland, Dunhaga 3, IS-107 Reykjavik, Iceland

W e present a grid-free DFT model appropriate to explore the time evolution of electronic states in a sem iconductor nanostructure. The model can be used to investigate both the linear and the nonlinear response of the system to an external short-time perturbation in the THz regime. W e use the model to study the elects of impurities on the magneto-spectroscopy of a two-dimensional electron gas in a nanostructure excited by an intense THz radiation. W e do observe a reduction in the binding energy of the impurity with increasing excitation strength, and at a nite magnetic eld we ind a slow onset of collective spin-oscillations that can be made to vanish with a stronger excitation.

I. IN TRODUCTION

The interest in the properties of radiation induced excited states in bulk sem iconductors,^{1,2} or a twodimensional electron gas (2DEG),³ and sem iconductor nanostructures⁴ has grown in the last years parallel to advances in high precision experimental techniques and sam plemaking skills. Increased brilliance of coherent farinfrared (THz) synchrotron radiation⁵ and sensitive photoconductivity measurements techniques^{1,2} will certainly intensify research activities on electronic systems driven far from equilibrium and time-dependent phenomena in nanostructures.

W e model and investigate here the time evolution of a short nanoscale quantum wire or an elongated quantum dot with one embedded in purity after the system with several electrons has been irradiated by a short intense THz pulse. Corresponding atom ic systems have been investigated,⁶ but the present model of an articial two-dimensional (2D) molecule in a GaAs structure allows us to consider the elects of an external magnetic eld B < 2 T, that is commonly available in the labs and has large elects on the 2DEG in a AlGaAs/GaAs heterostructure, but very small elects on usual atom ic system s.

H aving seen that an intensive T H z pulse can cause nonlinear e ects in quantum dots⁷ and rings⁸ and possibly change the binding energy of in purities in bulk m aterial² we study its e ects in the present system on the binding energy of the in purity in presence of other interacting electrons, and ask ourselves if it is possible to excite collective spin m odes in the system in an external magnetic

eld. THz radiation with the equivalent energy of few meV is simply on an appropriate scale with the energy spectrum of our system determined by its geometry (-nite size) and the host material of G aAs.

M odeling time-dependent phenomena in nanosystems in a magnetic eld driven out of equilibrium does not leave many options to a researcher. The Coulomb interaction between the electrons is usually of paramount interest together with the spin structure of the system. This can be emphasized by its nite size even though the e ective g-factor m ay be small as is the case in G aAs. The well established time-dependent Hartree-Fock approximation can be adequate in m any cases,⁷ but one would hope for more accurate spin structure delivered by a time-dependent local spin-density approximation (LSDA).⁹ It has to be kept in m ind that both the inclusion of the magnetic eld in a LSDA¹⁰ and its extensions to dynam ic system s¹¹ are nontrivial tasks and are not fully completed to date. In our approach we shall use the ground state param eterization of the exchange and correlation functionals and ignore the small corrections due to current terms in the functionals in a magnetic eld.¹²

Commonly, both in calculations for excited atoms and m olecules $^{6,1\bar{3},14}$ or nanostructures, 7,9 a spatial grid has been employed. In this work we resort to recently developed grid-free in plem entation of LSD ${\rm A}^{\,15,16,17,18}$ in the hope to be able to describe complex dynam ical system s for a longer period of time. The grid-free methods, as will become clear below, result in the transform ation of the relevant equations to compact matrix equations of not too large size. On the other hand the matrix elements are usually much more complicated than in grid methods, even though most of them are known analytically. This com pact m atrix structure of the problem lends itself very well to the matrix and vector handling of modern com puter languages and facilitates parallelization that does neither require lare bandwidth nor high communication speed between the nodes of a CPU cluster.

II. MODEL

A. The ground state

To calculate the time evolution of the system requires the knowledge of the initial state, its ground state, at a particular time $t = t_0$, which within the LSDA is described by the Kohn-Sham equations

$$H j) = (H_0 + H + V + H_{int}) j) = " j);$$
 (1)

where H₀ is the Ham iltonian for the 2DEG in the perpendicular magnetic eld B = B², that is conned by the parabolic potential $V_{conf}(r) = m !_0^2 r^2 = 2$. A more general shape of the system is attained through the additional connem ent potential V breaking the rotational symmetry of H₀ and modifying the radial connem ent

$$V (r) = \frac{1}{2}m !_{0}r^{2} \int_{p=1}^{Max} p \cos(p') + V_{0} \exp((r^{2}); (2))$$

where $p_{m ax}$ is an even integer to ensure con nem ent. The eigenstates j i of the Fock-D arw in¹⁹ H am iltonian H₀ are used as a m athem atical basis in which the eigenstates j) of H are expanded, as a result Eq. (1) can be transformed into a m atrix eigenvalue equation. A suitable truncation of the basis fj ig, that can be varied to improve the accuracy, then leads to a num erically tractable eigenvalue problem .

In this LSDA mean-eld type of an approximation the e ective interaction H $_{\rm int}$ is composed of the direct C oulom b repulsion potential, or the H artree term

$$V_{\rm H}(\mathbf{r}) = \frac{e^2}{2} \frac{n(\mathbf{r}^0)}{\mathbf{r} \mathbf{r}^0} d\mathbf{r}^0; \qquad (3)$$

and the potential describing the elects of the exchange and correlation

$$V_{xc}$$
; (r;B) = $\frac{0}{0}$ (n xc [n ; n ; B]) $\dot{J}_{n = n (r)}$; (4)

where n (r) is one of the two spin (= ";#) components of the total electron density $n = n_{*} + n_{\#}$. The Zeem an energy of the electrons is included in H with the appropriate electrong and the Bohrm agneton, B, H = $(1=2)g_{B}B$.

In a large 2D EG the natural length and energy scales are the magnetic length l = hc=(eB) and the cyclotron energy $h!_c = heB = (m \ c)$, and instead of the electron density it is convenient to de ne the local lling factor $(r) = 2 \ fn(r)$. In the con ned system described by H₀ the appropriate length scale is a $= \frac{1}{p} \frac{1}{\frac{1}{c}^2 + 4!_0^2}$ is the new characteristic frequency of the system . We shall thus use a modi ed lling factor appropriate for a nite system

$$\sim$$
 (r) = 2 a²n (r); (5)

and the polarization $(r) = [n_r (r) n_{\#} (r)] = n (r)$ as new variables to express the exchange and correlation potentials (4) in. This will allow us to have a uni ed description of the system in a nite or vanishing magnetic eld.

In these new variables the exchange and correlation potentials \mbox{are}^{20}

$$V_{xc;"} = \frac{\theta}{\theta} (\sim x_c) + (1) \qquad \frac{\theta}{\theta} x_c$$
$$V_{xc;#} = \frac{\theta}{\theta} (\sim x_c) \qquad (1+) \frac{\theta}{\theta} x_c: \qquad (6)$$

In the magnetic eld the exchange and correlation energy density is interpolated between the in nite and the noeld limits as²¹

$$B_{xc}(~;) = \frac{1}{xc}(~)e^{f(~)} + \frac{0}{xc}(~;)(1 e^{f(~)}); \quad (7)$$

with $f(\sim) = (3\sim=2)+7^4$ and $\frac{1}{x_c}(\sim) = 0.782^{p} - e^2 = (kl)$. The low - eld energy functional is interpolated between the spin-polarized and the unpolarized lim its²²

The exchange and correlation contributions are then separated $x_c(~;~) = x(~;~) + c(~;~)$, and the exchange contribution for the unpolarized system is expressed as $x(~;0) = [A=(3)] -e^2 = (kl)_{S} while for the polarized one it is <math>x(~;1) = [A=(3)] -2e^2 = (kl)$. We use the parameterization of C eperley and Tanatar for the correlation contribution²³

$$_{c}(~;) = a_{0} \frac{1 + a_{1}x}{1 + a_{1}x + a_{2}x^{2} + a_{3}x^{3}} E_{Ryd};$$
 (9)

where $x = {}^{p} \overline{r_{s}} = (2=\sim)^{1=4} (a=a_{B})^{1=2}$, and a_{B} is the electrive B ohr radius. The optimized values of the correlation parameters a_{i} have been found by C eperley and Tanatar using a M onte C arlo m odel of a 2D EG.²³

So stated, the $V_{\rm xc};$'s are complicated functionals of the the spin densities, or ~ and , and thus a com – m on m ethod is to solve the resulting K ohn–Sham equations on a spatial grid. We instead follow the alternative example of a number of researchers to use the m athem atical basis fj ig to cast the LSDA functionals into m atrix expressions in order to implement a grid-free LSDA 15,16,17,18 B rie y, the m ethod relies on the following steps: In the end we need the matrix elements of the exchange and correlation potentials, h $j v_{\rm xc};$ j i, so we start by constructing h j~j i. The polarization

has to be treated as a combination of two functions, $f = \sim_{\pi} \sim_{\#}$ and $g = \sim^{1}$. Due to the completeness of the basis we then have h j j i = h jf j ih jg j i, and to evaluate the latter matrix elements we need to nd a unitary matrix U that diagonalizes the matrix \sim , i.e. $\sim = U \text{ diag}(_{1}; _{n})U^{+}$, where i are the eigenvalues of \sim . All functions of the matrix \sim are now calculated according to

$$f[~] = U diag(f(_1); ;f())U^+: (10)$$

C orresponding m ethods are used for m ore complex functionals of \sim and ~ .

The matrix elements of the electron density n or the electron ling factor ~ can be written in terms of a generalized one-electron overlap integral and the matrix elements of the density operator

h j~j i=
$$\begin{array}{c} X & Z \\ qp & dr & (r)_{p}(r)_{q}(r) & (r): (11) \end{array}$$

In the ground state the density matrix is constructed from the expansion coe cients of electronic states in term s of the basis states, the occupation of the states expressed by the Ferm i distribution, and the chem ical potential ensuring the conservation of the number of f(" electrons, _{qp} =)c $_{\rm p}$ c $_{\rm q}$. W e use here the density matrix qp in anticipation of the situation when the system will be subjected to a strong external timedependent perturbation and quantities like the singleelectron energy spectrum, and the occupation described by the Ferm idistribution will have no meaning. The analytic expression for the generalized one-electron overlap integral can be found in Appendix. The matrix elements of the direct Coulomb interaction and the con nem ent potential have been published elsew here.^{24,25}

B. T im e-dependent excitation

At t = t_0 the H am iltonian of the system acquires time dependence, H (t) = H + W (t), caused by an external perturbation of a nite duration

$$W (t) = V_t r^{\mathcal{N}_p j} \cos(N_p) \exp(sr^2 t)$$

sin (!_1t) sin (!t) (!_1t): (12)

Since the perturbation is of arbitrary strength we have to assume the task of solving the equation of motion for the density operator

$$ihd_t$$
 (t) = [H + W (t); (t)]: (13)

The structure of this equation is inconvenient for num erical evaluation so we resort instead to the tim e-evolution operator T, de ned by $(t) = T(t)_0 T^+(t)$, which has simpler equation of motion

$$ihT_{-}(t) = H(t)T(t)$$
 (14)
 $ihT_{-}^{+}(t) = T^{+}(t)H(t)$:

In each time step the density operator changes and thus also the DFT Ham iltonian which is a functional of . Sim ilar nonlinear problem is encountered when the timedependent K ohn-Sham equations are solved directly on a spatial grid.⁹ W e apply a sim ilar procedure here discretizing time and using the C rank-N icholson algorithm for the time integration resulting in the coupled equations

$$(t + t) = T(t)(t)T^{+}(t)$$
 (15)

$$1 + \frac{it}{2h}H[;t+t]T(t) = 1 - \frac{it}{2h}H[;t];$$

with the initial condition, T(0) = 1, already used on the right hand side of (15). In each time-step the equations have to be iterated until self-consistency is attained. This is perform ed in the truncated Fock-D arw in basis fj ig for the corresponding matrix version of the equations (15).

The accuracy and the ne-tuning of the model has been tested for the ground state with comparison to the exact results calculated for a circular parabolically con ned quantum dot,²⁶ and in the tim e-evolution by convincing us that the model can reproduce the Kohn results for the absorption of a Far-infrared radiation.^{27,28} In addition, the norm alization condition for the density matrix is tested regularly during the integration of the tim edependent problem.

C. Speci cation of m odel param eters

In order to model a short G aAs quantum wire with or without an embedded in purity and several electrons we select the parameters, $h!_0 = 3:37 \text{ meV}$, and assume g = 0.44, and m = 0.067m. The inpurity potential is selected to be G aussian (2) with $V_0 = 10 \text{ meV}$, and $a^2 = 1.0$. The G aussian shape is used here in order to limit the size of the basis during the CPU-intensive time integration of the problem. The wire shape of the system is attained by setting $_2 = 0.7$ and $_i = 0$ for all $i \neq 2$. The charge density for 10 electrons in the system is shown in Fig.1 with and without an embedded in purity. At B = 0 T the length of the system is approximately 200nm, and the di erence between the charge densities with and without an inpurity in the system turns up in Fig.1b as a fairly well localized in purity state. This can



FIG.1: Color online. The electron density of the interacting system without an impurity (a), the di erence in the electron density of system with and without an impurity (b), and the density for a system with an impurity (c). B = 0 T, $V_0 = 10 m eV$, T = 1 K, N = 10, and a 13 nm.

be con nm ed by the K ohn-Sham energy spectra displayed

in Fig. 2, where the main change due to the addition of the impurity potential into the system is the lowering of the energy of the highest almost degenerate doubly occupied state by approximately 1 m eV. The calculations



FIG.2: Color online. The Kohn-Sham single-electron energy spectra for the interacting electron system with (2) and without () an impurity for B = 0 T (a), and B = 1 T (b). The integer is a quantum number labeling the states. The lower horizontal line (yellow) represents the chem ical potential for system with an impurity, and the higher one (blue) indicates for a system without an impurity. T = 1 K and N = 10.

reported here are for B = 0 T, and B = 1 T. In order to avoid num erical problem s with the determ ination of the eigenvectors for exactly degenerate eigenvalues in the diagonalization of the H am iltonian we actually use $B = 10^8 T$ instead of B = 0 T.

For the radiation pulse (12) of duration just over 3 ps_{r}^{1} we select = 2 ps ¹. The envelope frequency corresponds to $h!_1 = 0.658 \text{ meV}$, and the base frequency is equivalent to h! = 2:63 m eV . M eanwhile, we select a $\mathfrak{N}_{p} \mathfrak{j} = 1$ and $\mathfrak{s} = 0$ in (12) to represent a dipole radiation. But, due to the nite cut-o in the basis j i the m atrix elements of the excitation can never be purely of the dipole type. We choose the orientation of the initial radiation pulse (12) to be either parallel, k, to the long axis of the system or perpendicular to it, ? . The nite asymmetric cut-o of the basis can introduce a tiny mixing of the perpendicular and the parallel excitation at vanishing magnetic eld. In fact, the basis cut-o is perform ed by specifying the highest radial quantum num ber n_{max} used in the calculation, by doing so an asymmetry is introduced between the number of negative and positive angular quantum numbers M. This asymmetry is made unimportant with respect to the energy spectrum and the wave functions of the system by selecting a high enough $n_{m\ ax}$, but the representation of a dipole potential is not quite so clean. A simple alternative method is not easy since the elective asymmetry does depend on the magnetic eld.

W e integrate the equations for the tim e-evolution operator (15) over a tim e interval of 50 ps using an increment t = 0.0025 ps and evaluate the expectation values for the coordinates x and y for each spin direction, hxi, etc. W e can thus identify oscillations perpendicular or parallel to the long axis of the system, talking about perpendicular or parallel detection. Resonances in the collective oscillations of the electron spin densities are sought by Fourier transform ation of the tim e series in the interval 5 50 ps, when the external excitation has been turned o and switch-on e ects have vanished and the system has reached a steady state".

III. RESULTS

A. The B = 0 T case

In Fig. 3 the Fourier power spectra of the time series for the coordinates x and y are used to represent the excitation spectra of the system without an impurity. The k polarized excitation is seen to introduce a tiny ? oscillation (1=10 the amplitude) as has been explained earlier, but at the same frequency. This simple excitation spectrum does not change much with increasing excitation strength V_t. A second harm onic shows up in the parallel oscillation, but more interestingly the height of the main peak does not grow linearly with the excitation strength when $V_ta > 1 \text{ meV}$. The excitation then becom es nonlinear and as $V_t a = 5 \text{ m eV}$ we see that it shifts slightly to lower energy. Before commenting on the red shift of the peak with increasing Vt we show what happens in the system with an embedded impurity in Fig. 4. The main peak in the longitudinal oscillation (Fig. 4b) is slightly blue shifted compared to the system with no impurity. The reason is readily explained by a glance at the Kohn-Sham energy spectra in Fig. 2; the presence of the impurity potential enlarges the energy gap around the chemical potential . Instead of a spatially fairly extended state just below there is now a localized state at lowered energy. Again, with increasing excitation strength Vt we see a red shift of the resonance in the parallel oscillations. At strong excitation we can not refer back to the K ohn-Sham spectra of the ground state, but we can expect that the energy pum ped into the system makes the states just below the gap more extended, thus reducing the e ective energy gap. The perpendicular oscillation in Fig. 4a is more complex than before. Again, there is a resonance at the same energy as in the parallelm ode that is slightly red shifted with increased excitation, but there now appear resonances at higher





FIG. 3: Color online. The Fourier power spectrum of the time series for the expectation values of the coordinates perpendicular (?) (a), and parallel (k) (b) to the long axis of the system. The excitation is parallel to the same axis. D ivision factors for the stronger excitations are indicated in the gure. No impurity is in the system B = 0 T, T = 1 K, and N = 10.

energies indicating the presence of more localized modes in the system, an extra excitation mode located at the impurity site. This is again supported by a look at the K ohn-Sham energy spectra in Fig.2a, at the changes just above the gap caused by the impurity.

The case of the initial excitation pulse aligned perpendicular with the long axis is review in Fig. 5. We see that again in the ? detection we have the peak structure encountered in Fig. 4a as could be expected, but the slight presence of a k excitation in the initial pulse is not of the dipole kind so mostly higher order modes are excited in the k direction. Exactly this, is further displayed in Fig. 6a, where, in addition, the relative strength of the response is also visible. In contrast, the strong con nem ent in the perpendicular direction of the system or the wire ensures the ? response to be not strongly dependent on the main excitation polarization, see Fig. 6b.

To clearly dem onstrate the collective oscillations in the system we show in Fig.7 the induced electron density for the system with and without an embedded in purity for

FIG. 4: Color online. The Fourier power spectrum of the time series for the expectation values of the coordinates perpendicular (?) (a), and parallel (k) (b) to the long axis of the system. The excitation is parallel to the same axis. D ivision factors for the stronger excitations are indicated in the gure. Im purity is present in the system B = 0 T, T = 1 K, and N = 10.

the two polarizations of the excitation pulse. The two gures Fig. 7a and b for the ? excitation show that the ends of the system oscillate in the ? direction while the oscillation around the impurity is at least at this moment parallel to the long axis. In case of no impurity in the system the oscillation of the center part is more perpendicular. W hen the excitation is applied k to the system (see Figs. 7c and d) the main oscillation mode is also along the system of the fundam ental dipole type as can be seen by comparing the induced density to the total density in Fig. 1. In this case the oscillation seems to be more extended to the whole system when there is an impurity present in it, but when there is no impurity present the center of the system displays a tiny bit of a? mode superimposed on its motion. In fact, the induced density can show higher order oscillation modes that we can not discern with our time series of the expectations values for the the coordinates x and y, which are most sensitive to dipole oscillations occuring in the system $.^{7,9}$

The red shift of the collective resonance for the system



FIG. 5: Color online. The Fourier power spectrum of the time series for the expectation values of the coordinates perpendicular (?) (a), and parallel (k) (b) to the long axis of the system. The excitation is perpendicular to the same axis. Division factors for the stronger excitations are indicated in the gure. Impurity is present in the system. B = 0 T, T = 1 K, and N = 10.

with an embedded in purity is further explored in F ig.8 in comparison with the response of the system without an impurity. C learly, the resonance is red shifted and broadened with increasing excitation strength V_t pointing towards a reduction in the binding energy of the impurity.

C om parison between the sub gures of Fig. 8 reveals that with increasing excitation strength more energy ows into a simple dipole oscillation of the system when an impurity is present in it. This is con med by the induced electron density in this case showing large oscillations of the electron density around the impurity site parallel to the system, and mostly in harmony with the oscillations in the rest of the system, rejected in a single resonance. The broadening of the resonance is indicative of a ner structure that we are unable to resolve in our calculations.

The case is di erent with the perpendicular oscillation shown in Fig. 9, where in the end a strong excitation will lead to many modes becom ing active. So, even though



FIG.6: Color online. Comparison of the Fourier power spectrum of the time series for the expectation values of the coordinates parallel (k) (a), and perpendicular (?) (b) to the long axis of the system in the case of an excitation perpendicular or parallel to the same axis. A multiplication factor is indicated in the gure. Impurity is present in the system . $V_ta = 1.0 \text{ meV}$, B = 0 T, T = 1 K, and N = 10.

the parallel collective oscillation remains simple the perpendicular one is generally more complex.

B. The B = 1 T case

The collective oscillations in the nite magnetic eld B = 1 T are for short times after the initial excitation pulse very similar to the oscillations encountered in the system in no magnetic eld as could be guessed by com – paring the Kohn-Sham energy spectra for the two cases, see Fig. 2. It has though to be kept in m ind that the Lorentz force now ensures a quick communication between the parallel and the perpendicular modes, they are not independent. But more happens: The nite size of the system together with the small Zeem an energy, and the nite temperature T = 1 K establish a tiny spin polarization in the ground state, i.e. the two spin densities do not have exactly the same spatial dependence.



FIG. 7: Color online. The induced density at time t = 50 ps for ? excitation for a system without (a), and with an impurity (b), and for k excitation without (c), and with an impurity (d). The excitation strength $V_{ta} = 1.0 \text{ meV}$ (a), 5.0 meV (b) 10² meV (c), 1.0 meV (d). B = 0 T, T = 1 K, and N = 10.

The spatially varying exchange force in the LSDA gives a di erent restoring force to the spin densities. All these factors lead to a slow ow of energy into the individual oscillations of the spin densities as can be seen in Fig. 10. This ow is so slow that after 50 ps the system has still not entered a \steady state" as in the case of B = 0 T. W e are still observing switch-on e ects for the collective oscillations of the spin densities after 50 ps. In the spin oscillation we see present both high and low frequency components but the lack of a steady state prevents us from making a Fourier analysis. Just to avoid any misconception we should mention that the time increment of t = 0:0025 ps gives us 20,000 points in the range of 50 ps and at a ner level of resolution the spin oscillation looks very sm ooth with no apparent noise like m ight be hastily inferred by looking at Fig. 10.

Even m ore am azing is the fact that to begin with this spin oscillation increases with the strength of the excitation V_t but, as is seen in Fig. 10, for a still stronger excitation it again decreases. Stronger excitation of the system prevents the energy in owing into the collective spin oscillations, but directs it to the center-ofm assmotion and the other collective charge oscillations. This behavior is de nitely a nonlinear phenom ena that can not be observed in a model of linear response.

The presence of the in purity also quite e ectively directs m ore energy into the spin oscillation as is seen in Fig.10. This can be explained by a stronger spatial variation of the exchange force around the im purity.



FIG.8: Coloronline. The Fourierpower spectrum of the time series for the expectation values of the coordinate parallel (k) to the long axis of the system with or without an impurity in the case of an excitation along the same axis. B = 0 T, T = 1 K, and N = 10.

The regularity of the collective spin oscillations can be seen in Fig.11 where sim ply both spin densities are seen almost overlapping at t = 50 ps. The peak structure of the spin densities closely follows the structure of the ground state charge density displayed in Fig.1.



8



FIG. 9: Color online. The Fourier power spectrum of the time series for the expectation values of the coordinate perpendicular (?) to the long axis of the system with or without an in purity in the case of an excitation along the same axis. B = 0 T, T = 1 K, and N = 10.

IV. DISCUSSION AND SUMMARY

W ithout the external magnetic eld present the collective charge oscillations excited in the system by the short THz pulse do reach a \steady state" condition within 1 or 2 picoseconds after the excitation is switched o allowing a Fourier analyzes to discern the modes present.



FIG.10: Coloronline. The time evolution of spin oscillations, characterized by $(hxi_{\#} hxi_{\#})=a$, for a system without (a) and with (b) an impurity. t = 0.0025 ps, B = 1 T, T = 1 K, and N = 10.



FIG.11: Color online. The two components of the spin density at the time point t = 50 ps in a system with an impurity. The spin densities are very similar in shape and are superim – posed here on one another with di erent shades. $V_ta = 10^2$ meV, B = 1 T, T = 1 K, and N = 10.

At low excitation level we observe a linear regime, but at higher excitation nonlinear e ects show up. The excitation gap in the system is reduced indicating a less localized single-electron states and in particular the effective binding energy of the impurity is reduced.

At nite magnetic eld (B = 1 T) a slow ly increasing collective oscillation of the spin densities has not reached a \steady state" condition after 50 ps. As the spin oscillation is directly coupled with the collective charge oscillations a Fourier analyses is not possible in this case for either component. The excitation of the collective spin oscillations is much more e ective when an impurity is present in the system, since then the initial spin densities at t = 0 have a larger spatial variation. The more am azing fact is that with increased intensity of the initial excitation the onset of the spin oscillation can be e ectively shut down. We contribute this to the ow of the energy nonadiabatially pumped into the system being more easily directed to the oscillations of the charge density in this case.

For the results shown in this paper we have alw aysused the sam e type of excitation pulse. W hat would happen if we use a longer pulse with several oscillations or of a different form . We can not claim that we have thoroughly investigated this question, but our limited experimenting with this seems to indicate that the pulse form is indeed in portant for the heights of the resonance peaks, but does not a ect their location strongly. W e are pum ping energy into the system by the excitation in varying am ounts depending on the peak shape and duration and it can be expected that this also a ects the initial distribution of the energy between the modes. By removing the system further from equilibrium than we do we are sure that stronger nonlinear e ects can occur with considerable change of peak locations also. W e already see the precursors of this in the redshift of the peaks connected to the impurity embedded in the system.

W e are aware that our choice of an impurity potential represented by a Gaussian well does not correspond to unscreened Coulomb impurities that might be situated in the plane of the 2DEG in a nanosystem s. This form has only been selected in order to keep the truncation of the Fock-Darwin basis within reasonable bounds in order to enable the \long-time" integration of the time evolution operator to extend to 50 ps with 20,000 steps, within each one the self-consistency was attained with further 4 loops to properly update the density operator. W ith these requirem ents in m ind it should be reiterated that the present m odel was not designed to describe any known experim entaldevice, but rather it was constructed to give qualitative insight into tim e-dependent phenom ena that can take place in a nanosystem that is irradiated by short and intensive THz pulse, in response to the

preparations underway in several experimental groups to study these phenomena. We only study the behavior of the system for a short time after the application of the excitation and neglect all possible damping and dissipation e ects that would be caused by the coupling of the system to its immediate environment. These are certainly very important e ects that await further investigation.

A cknow ledgm ents

The research was partly funded by the Icelandic Natural Science Foundation, the University of Iceland Research Fund, the National Science Council of Taiwan under Grant No. 91-2119-M -007-004, and the National Center for Theoretical Sciences, T sing Hua University, H sinchu Taiwan. VG acknow ledges instructive discussions with Llorens Serra and a bene cial exchange of programming ideas with Ingib jorg Magnusdottir and G abrielVasile.

THE GENERALIZED ONE-ELECTRON OVERLAP INTEGRAL

In order to reduce the m em ory size needed to store the generalized overlap integral it is convenient to split it into two parts by applying the com pleteness of the basis once

$$Z_{pq} = dr (r)_{p}(r)_{q}(r) (r) = X_{pq};$$

(16)

where an analytic expression for the wave functions corresponding to the Fock-D arw in basis states j i = M; n i gives

$$p = 2 a^{2} M + M_{p}M p 2^{(M j + M j + M j)=2}$$

$$X X^{a_{p}} X^{a} (1)^{i + i_{p} + i} n + M j n_{p} + M p^{j}$$

$$i = 0 i_{p} = 0 i = 0$$

$$n + M j M j M j + M j + M j + i + i_{p} + i !$$

$$\frac{2}{3} [(M j + M j + M j)=2] + i + i_{p} + i + i_{p} + i + i_{p} + i + i_{p} + i$$

with

$$= \frac{1}{2^{(M + j+1)=2}} \frac{n !}{(M + j+n)}$$
(17)

Perm anent address: Science Institute, University of Iceland, Dunhaga 3, IS-107 Reyk javik, Iceland

¹ P.C.M.Planken, P.C. van Son, J.N.Hovenier, T.O. Klaassen, W.T.Wenckebach, B.N.Murdin, and G.M.H.

Knippels, Phys. Rev. B 51, 9643 (1995).

- ² J. L. Nie, W. Xu, and L. B. Lin (2003), condmat/03044258.
- ³ R.G.Mani, J.H.Smet, K.von Klitzing, V.Narayanamurti, W.B.Johnson, and V.Umansky, Nature 420, 646 (2002).
- ⁴ A. Lorke, R. J. Luyken, A. O. G ovorov, J. P. K otthaus, J.M. Garcia, and P.M. Petro, Phys. Rev. Lett. 84, 2223 (2000).
- ⁵ M. Abo-Bakr, J. Feikes, K. Holldack, P. Kuske, W. B. Peatman, U. Schade, and G. W stefeld, Phys. Rev. Lett. 90, 094801 (2003).
- ⁶ X.Chu and S.-I.Chu, Phys.Rev.A 63, 023411 (2001).
- ⁷ A.Puente, L.Serra, and V.Gudmundsson, Phys.Rev.B 64, 235324 (2001).
- ⁸ V.Gudmundsson, C.-S.Tang, and A.Manolescu, Phys. Rev.B 67, 161301(R) (2003).
- ⁹ A. Puente and L. Serra, Phys. Rev. Letters 83, 3266 (1999).
- ¹⁰ Z.Qian, A.Constantinescu, and G.Vignale, Phys.Rev. Lett. 90, 066402 (2003).
- ¹¹ F. Aryasetiawan and O. Gunnarsson, Phys. Rev. B 66, 165119 (2002).
- ¹² G. Vignale and M. Rasolt, Phys. Rev. Lett. 59, 2360 (1987).
- ¹³ A.D.Bandrauk and H.Z.Lu, Phys. Rev. A 62, 053406 (2000).
- ¹⁴ X.Chu and S.-I.Chu, Phys.Rev.A 64,063404 (2001).
- $^{\rm 15}\,$ Y .C . Zheng and J.A lm lof, C hem .P hys. Letters 214, 397

(1993).

- ¹⁶ K.R.G laesem ann and M.S.Gordon, Journal of Chem. Phys. 108, 9959 (1998).
- ¹⁷ K.R.G laesem ann and M.S.Gordon, Journal of Chem. Phys.110, 6580 (1999).
- ¹⁸ G.Berghold, J.Hutter, and M.Parrinello, Theor. Chem. Acc. 99, 344 (1998).
- ¹⁹ V.Fock, Z.Phys. 47, 446 (1928).
- ²⁰ M.I.Lubin, O.Heinonen, and M.D.Johnson, Phys. Rev. B 56, 10373 (1997).
- ²¹ M. Koskinen, M. Manninen, and S. M. Reimann, Phys. Rev. Lett. 79, 1389 (1997).
- 22 U.von Barth and B.Holm , Phys.Rev.B 54, 8411 (1996).
- ²³ B. Tanatar and D. M. Ceperley, Phys. Rev. B 39, 5005 (1989).
- ²⁴ I. Magnusdottir, Master's thesis, Haskoli Islands, http://www.raunvishi.is/reports/1999/RH-08-99 html (1999).
- ²⁵ G. Vasile, Master's thesis, Haskoli Islands, http://www.raunvishi.is/reports/2002/RH-18-2002.html (2002).
- ²⁶ D.Pfannkuche, V.Gudmundsson, and P.Maksym, Phys. Rev.B 47, 2244 (1993).
- ²⁷ P.A.Maksym and T.Chakraborty, Phys. Rev. Lett 65, 108 (1990).
- ²⁸ V. Gudmundsson and R. Gerhardts, Phys. Rev. B 43, 12098 (1991).