Surface P lasm on D ispersion R elations in C hains of M etallic

N anoparticles: Exact Q uasistatic C alculation

Sung Yong Park and David Stroud

D epartm ent of Physics, The Ohio State University, Columbus, Ohio 43210
(March 22, 2024)

Abstract

We calculate the surface plasm on dispersion relations for a periodic chain of sphericalm etallic nanoparticles in an isotropic host, including all multipole m odes in a generalized tight-binding approach. For su ciently sm all particles (kd 1, where k is the wave vector and d is the interparticle separation), the calculation is exact. The lowest bands dier only slightly from previous point-dipole calculations provided the particle radius a < d=3, but dier substantially at sm aller separation. We also calculate the dispersion relations for m any higher bands, and estim ate the group velocity v_q and the exponential decay length D for energy propagation for the lowest two bands due to singlegrain damping. For a=d=0.33, the result for D is in qualitative agreement with experiments on gold nanoparticle chains, while for larger a=d, such as a=d=0.45, v_{α} and D are expected to be strongly k-dependent because of the multipole corrections. When a=d 1=2, we predict novel percolation e ects in the spectrum, and nd surprising sym metry in the plasm on band structure. F inally, we reform ulate the band structure equations for a D rude m etal in the time domain, and suggest how to include localized driving electrice elds in the equations of motion.

I. IN TRODUCTION

Recently, it has been shown that energy can be transmitted along a one-dimensional (1D) chain of equally spaced metallic nanoparticles, via propagating surface plasm on (SP) modes [1{8]. These modes are basically linear combinations of single grain SP modes, i.e. oscillations of electronic charge within a single grain [9]. The single-grain modes are accompanied by an oscillating electric moment (dipole and higher) on the grain. The electric eld of this moment in turn generates oscillating moments on neighboring spheres.

The propagating SP m odes are simply traveling waves of these oscillating moments. They are characterized by well de ned dispersion relations! (k) which relate their frequencies! and wave vectors k [2,3]. If the damping is su ciently small, the energy transmitted by these ways may travel at speeds up to 0.1c. Thus, one can imagine a variety of possible uses for these waves.

The calculation of ! (k) typically involves several approximations. The rst of these is the near eld approximation – that is, one assumes that kd 1, where k is the wave number and d the interparticle separation. This assumption permits the electric eld E to be calculated in the quasistatic limit, in which E is expressed as the gradient of a scalar potential.

A second common approximation is that the eld produced by a given particle at its neighbors is that of a point dipole. However, this second assumption is stronger than the quasistatic approximation, and becomes inaccurate when the particles are closely spaced. Under these conditions, the quasistatic elds may be modified significantly by multipolar interactions. Typically, these multipolar elds have been included by numerical techniques such as nite-difference time-domain calculations. However, it may be diffult to obtain accurate results by these numerical techniques, because the higher multipole excitations may produce elds which vary rapidly in space, whereas numerical studies with insuicient discretization may not achieve adequate resolution. Thus, an exact calculation in a simple geometry may not only provide physical insights into this system, but also give useful

guidelines for the validity of num erical calculations in more complex geometries.

In the present work, we will show how these multipolar corrections can be calculated exactly, using a straightforward analytical approach. The form alism is analogous to the generalized tight-binding method in conventional band theory. In this approach, one constructs B loch states from individual atom ic orbitals, and then diagonalizes the H amiltonian matrix in the basis of these atom ic orbitals. In the surface plasm on analog, the individual atom ic orbitals are multipolar SP oscillations for each sphere. The matrix elements needed to calculate the H amiltonian matrix are easily constructed, especially for a periodic one-dimensional (1D) chain of spheres. The diagonalization needed to calculate the bands is readily carried out. The entire calculation is made simpler in 1D systems, because the H amiltonian matrix decomposes into separate blocks, one for each azimuthal quantum number m.

The basic form alism necessary to carry out this calculation [10] has thus far been applied only rather sparingly, because there have been few experimentally available realizations of the ordered geometry required for this approach. It has been applied mainly to calculating the electric complex dielectric function $_{\rm e}(!)$ of a periodic composite medium, which requires the SP band structure only at Bloch vector ${\bf k}=0$. Only recently has it become possible to produce well-controlled ordered metallic structures at the nanoscale, and hence to generate and detect these SP waves at general wave vectors. In this paper, we describe and numerically solve the equation necessary to calculate this band structure in the general case of ${\bf k} \in 0$ in 1D systems.

Besides giving the solutions in the fullmultipolar case, we also include damping of the SP modes due to losses within the individual metallic particles. For a D rude metal, these losses can be treated by including a nite relaxation time in the D rude dielectric function. This damping can be included approximately by adding an imaginary part to the SP frequencies. We also brie y discuss why the damping due to radiative energy losses is expected to be small. These losses arise from the breakdown of the quasistatic approximation, and can, in principle, also be approximately included by adding an imaginary part to the surface plasm on frequency.

We will also present the multipolar SP equations in the time domain for a D rude metal, where they take the form of a set of coupled second order ordinary dierential equations. In this form, it is straightforward to include single-particle damping (and also, in principle, radiative damping). Moreover, one can also incorporate driving terms, arising, e.g., from external electric elds. These equations may thus be useful in modeling specietypes of experimental probes which produce localized time-dependent electric elds.

The remainder of this paper is organized as follows. In Section II, we describe the formalism needed to calculate the SP band structure, and specialize to the calculation for a 1D chain. Section III presents numerical results in this 1D chain system. In Section IV, we discuss our results, and suggest some possible extensions to other geometries. Finally, the Appendix presents an alternative formulation of the equations of motion in the time domain, and describes how localized time-dependent driving electric elds can be included in these equations.

II.FORM ALISM

We consider a 1D chain of spherical particles of radius a, separated by a distance d (d 2a). The particles are assumed to be arranged along the z axis with centers at z=0, d, 2d, . We assume that the particles and host have dielectric functions and h(!). To be denite, we may consider the particles as metallic and the host as insulating, but the discussion below applies to any choice of m and h. All the formalism is given in terms of a frequency variable s dened by

$$s = \frac{1}{1_{m = h}}:$$
 (1)

As will be seen below, and as is discussed indirectly in Ref. [10], all the allowed propagating SP frequencies correspond to s in the range 0 s 1, or equivalently, to 1 $_{\rm m}$ = $_{\rm h}$ 0, assuming that $_{\rm m}$ and $_{\rm h}$ are both real.

Wewill calculate the SP band structure in an \atomic" basis n; ';m. Here, 'and m label the \angular momentum" of the eigenfunction, and n labels the grain. Thus the allowed

values of these indices are n=0; 1; 2; , '= 1;2;3; , and m= '; '+ 1; In order to calculate the SP band structure in this basis, we rst need the matrix element $Q_{n m n^{0.0}m^{0}}$, where $n \in n^{0}$. This matrix element is given by (see, e.g., Ref. [10])

$$Q_{n \text{ im } m^{0}} \circ \circ_{m} \circ = (1)^{\circ_{+m} \circ} \frac{a}{j_{1} n^{0} j_{2} l} \frac{! \cdot_{+} \cdot \circ_{+1}}{(2 \cdot + 1) (2 \cdot 0 + 1)} \frac{! \cdot_{1=2}}{(2 \cdot + 1) (2 \cdot 0 + 1)} \frac{(' + ' \cdot 0 + m m^{0})!}{[(' + m)! (' \cdot m)! (' \cdot m^{0})!]^{1=2}} : \exp(i_{b} (m^{0} m)) P_{\circ_{+}}^{m^{0}} \cdot_{m}^{m} (\cos_{b}) :$$
 (2)

Here we have introduced $b=(n^0-n)d\hat{z}$, which is the vector separation between the grains centered at $n^0\hat{z}$ and $n\hat{z}$, and the polar and azim uthal angles $_b$ and $_b$ for this displacement vector. Since $b=b\hat{z}$, $_b$ is either 0 or $_b$, depending on whether b is positive or negative. If b>0, $P_{v_0}^{m^0}$, $p_{v_0}^{m^0}$. Incorporating these simplications, we note that with

$$Q_{n \text{ 'm } \text{ } m^{0} \text{ '} 0_{m} \text{ } 0} = (1)^{0+m} \frac{a}{\dot{p}^{0} \quad n \dot{p}} \frac{! \text{ '} + \text{ '} 0+1}{(2 \text{ '} + 1) (2 \text{ '} 0+1)} \frac{! \text{ } 1=2}{(2 \text{ '} + 1) (2 \text{ '} 0+1)} \frac{(1 + 1)^{0} (1 + 1)^{0} (1 + 1)^{0}}{(2 \text{ '} + 1) (2 \text{ '} 0+1)} \frac{n^{0} \quad n^{0} \quad n^{0}}{\dot{p}^{0} \quad n \dot{p}} \frac{! \text{ '} + n^{0}}{\dot{p}^{0} \quad n \dot{p}} \frac{1}{\dot{p}^{0} \quad n^{0}} \frac{1}{\dot{p}^{0} \quad n$$

The matrix elements are diagonal in m because the one-dimensional chain is unchanged on rotation by any angle about the zaxis.

Next, we de ne the matrix element

$$Q_{m}; \circ_{m} \circ (k) = X \qquad Q_{0}; _{m,m} \circ_{m} \exp (inkd)_{m,m} \circ;$$
 (4)

where the sum runs over all positive and negative integers except n=0. We have used the fact that, for this periodic 1D system, $Q_{n \text{ in } n^{0.0}\text{m}}$ is a function only of n of and vanishes for $m \in m^0$. A first a little algebra, using Eqs. (3) and (4), we obtain

$$Q_{m}; v_{m} \circ (k) = \frac{a}{d} \int_{n=1}^{n+\sqrt{n}+1} \frac{\cos(nkd)}{n^{n+\sqrt{n}+1}} K_{m+m} \circ (5)$$

for '+ $'^0$ even, and

$$Q_{m}; v_{m}(k) = \frac{a}{d} \sum_{n=1}^{n+1} \frac{\sin(nkd)}{n^{n+1}} K_{m+1} K_{m+1}$$
(6)

for '+ '0 odd, where

$$K_{i,0} = 2(1)^{0+m} \frac{1}{(2+1)(2+1)} \frac{(1+1)(2+1)}{(2+1)(2+1)} \frac{(1+1)(1+m)!(1+m)$$

Finally, in terms of the matrix elements Q $_{\mbox{\scriptsize in}}$ ' the SP structure is given by

$$detjs H j = 0; (8)$$

where the \H am iltonian" H has matrix elements

$$H_{m}; \phi_{m}(k) = s_{v}; \phi + Q_{m}; \phi_{m}(k);$$
 (9)

and the \atom ic" eigenvalues s, are given by

$$s_{i} = \frac{i}{2i+1}$$
: (10)

Note that $s_1 = 1=3$, while $s_1 ! 1=2$ as '! 1.

The full SP band structure at wave vector k is obtained by diagonalizing the matrix (9). As in conventional band theory, there are many band energies for a given k, and one need consider only the bands in the rst Brillouin zone, i.e., in this case, for =d < k = d since the states at other values of k are equivalent to those in the rst zone. For this one-dimensional system, the Ham iltonian breaks into separate blocks, one for each value of m; this conveniently reduces the size of the matrix which needs to be diagonalized. Finally, as in the LCAO (linear combination of atom ic orbital) method of conventional band theory, the band structure that results from this analysis is composed of bands which originate from various \atom ic" orbitals. In the present case, the the \atom ic" states are multipolar SP modes associated with the individual spheres. These are degenerate at dierent method is individual particles are spheres), and have eigenvalues $s_1 = \frac{1}{2}(2^2 + 1)$.

The band structure that results from diagonalizing the matrix (9) is expressed in terms of the variable s. Thus, the bands have the form s (k), where labels the individual bands. These may be converted into frequencies using the relation (1). This dispersion relation will take on various form s, according to how m (and m) depend on !. Here we

assume that the system consists of D rude metal particles in vacuum, so that $_h=1$ and $_m$ (!) = 1 $_p^2=[!\ (!\ +\ i=\)]$. If $!_p$! 1, then the appropriate conversion is given by

!
$$(k) = !_p s (k)$$
: (11)

For '= 1 there are three degenerate m odes at frequency $!_p = 3$, while for '! 1 , the m odes approach the \lim iting value of $!_p = 2$.

If the relaxation time is nite, then the relation

$$s = \frac{1}{1_{m = h}} = \frac{! (! + i =)}{!_{p}^{2}}$$
 (12)

can be inverted to express! as a function of s. For a real s, the corresponding! has both a real and imaginary part. Thus, we can map an eigenvalue s (k) (where is a band index) to a complex eigenvalue

!
$$(k) = {}^{q} \frac{1}{!_{p}^{2}s(k)} = (4^{2})$$
 $i=(2)$: (13)

The imaginary part describes the damping of this mode due to the nite lifetime of the surface plasmons in the individual spheres. If $!_p$ 1, this damping is small, and the shift due to the damping (as embodied in the factor $1=^2$ within the square root) is even smaller. Note that we have not included radiative damping in this expression. In contrast to single-particle damping, the radiative damping depends on the particle size, being greater for larger particles. For 10-nm radius gold spheres, it has been estimated that only 1.5% of the total damping rate is due to radiative damping [11]. Also, according to Refs. [3] and [4], the radiative damping should be small for particles of such a size because of strong near-eld interactions.

In the Appendix, we present an alternative formulation of the equations of motion in the time domain to obtain the SP band structure, assuming a D rude dielectric function. In this formulation, which has the advantage that it can deal with localized time-dependent driving electric elds, these radiative corrections could easily be included, as has been discussed, for example, in Ref. [3].

In order to compare with experiment, we will consider two more quantities which can be obtained from the dispersion relation ! (k): First, the k-dependent group velocity v_g (k) is given by the relation

$$v_g(k) = \frac{d!}{dk};$$
 (14)

and can be easily computed numerically, given ! (k). Secondly, we can also use Eqs. (13) and (14) to estimate the energy loss from a plasmon propagating along a chain, which is important in applications. For this purpose, we de ne energy decay lengths, $_{\rm D}$ (k) for the lowest longitudinal and transverse modes, as the distance over which the energy density in the wave amplitude decreases by a factor exp (1). If the complex band frequency is denoted $!_1(k) + i!_2(k)$, then $_{\rm D}$ (k) is denoted by

$$\frac{d}{d} = \frac{v_g(k)}{2!_2 d} = \frac{1}{2!_2} \frac{d!(k)}{d(kd)};$$
(15)

Note that in the case of the D rude approximation, the imaginary part of the complex band frequency does not depend on k, and thus $_{D}$ is just proportional to v_{g} (k).

III.NUM ERICAL RESULTS

We have diagonalized the matrix (9) to obtain the surface plasm on band structure for various values of the parameter a=d. We include all bands up to '= 80, which is sucient to insure convergence of s (k) to within 1%. The results are shown in Fig. 1. For comparison, we also show the results of truncating the Hamiltonian matrix at '= 1. In this latter case, the Hamiltonian matrix is a diagonal 3 matrix with elements

$$H_{1m;lm}(k) = \frac{1}{3} + \frac{a}{d} \int_{n=1}^{3} \frac{x^{l}}{n^{3}} \frac{\cos(nkd)}{n^{3}} K_{1;l,m}; \qquad (16)$$

where $K_{1;1;0} = 4=3$ and $K_{1;1;1} = 2=3$. The corresponding plasm on bands, expressed as s(k), are shown as open square (m = 0) and circle (m = 1) in Fig. 1. If we use the D rude expressions $!^2(k) = !^2_p s(k)$, then these correspond exactly to the dipolar SP band structures obtained in Ref. [3]. This behavior is as expected, since when we retain only the

'= 1 terms in the Hamiltonian, we are neglecting all the quasistatic contributions except the dipole elds.

As is evident, the plasm on bands take on quite a dierent form when the higher values of 'are included in the H am iltonian matrix. For small values of a=d (i.e. a=d < 0.3), the lowest three bands are very similar to the bands obtained when only the '= 1 matrix elements are included. This behavior is not surprising, since at these values of a=d the matrix elements connecting the '= 1 states to those of higher 'are quite small, for any value of k. This smallness originates in the factors of (a=d)'+'0+1 which appear in all the expressions for the matrix elements. The smallest factor connecting '= 1 to higher 'is (a=d)⁴ for k \leftarrow 0, and (a=d)⁵ for k = 0. Thus, for relatively small values of a=d, these connecting matrix elements are substantially smaller than the diagonal ones.

When a=d > 0.35, the interband matrix elements start to become substantial. When this happens, the shapes of the lowest bands start to depart signicantly from the purely dipolar form seen for smaller a=d. As is evident, by the time a=d! 1=2, the band structures of the lowest bands are so altered that they no longer bear any obvious relation to these dipolar band shapes. Precisely at a=d=1=2, the lowest state at k=0 reaches the limiting value s=0. This behavior is a percolation elect: when a=d=1=2, the two neighboring spheres just touch, and the entire line of spheres becomes one connected chain. Thus, one might expect that the lowest eigenvalues of this chain would resemble that of a very long cylinder, which indeed has as its lowest eigenvalue s=0.

The band structure also acquires a striking sym m etry near a=d=1=2. First, there appears to be a nearly perfect rejection sym m etry about the line s=1=2. In addition, there is another rejection sym m etry about the line k==(2d), i.e. at the middle value of k in the line rest Brillouin zone. As particular examples of these sym metries, there appear to be eigenvalues of s=0 and s=1 at k==d, just as there are at k=0. We do not fully understand the reasons for these sym metries. The s=0 eigenvalue at k==d apparently corresponds to a longitudinal mode (dipole moment of the spheres parallel to the z axis) in which each sphere oscillates 180° out of phase with its neighbors. The multitude of modes

near s=1=2 presum ably originate in the high-'\atom ic" modes, which have eigenvalues approaching s=1=2.

In Fig. 2, we show the eigenvalues of the two lowest bands at k=0 plotted as a function of a=d. Here, the lowest band corresponds to longitudinal mode (m=0) and the second lowest band to degenerate transverse modes (m=1). We performed two dierent calculations: In the rst calculation, shown as open circles and squares, we assumed the dipole approximation and included only the '= 1 part of the Hamiltonian matrix. This calculation corresponds to the tight-binding approximation used in Ref. [3]. In the second, we included all bands up to '= 80, which is su cient to ensure the convergence of these two bands, as in Fig. 1, and this inclusion of the higher multipoles starts to make a substantial dierence for a=d > 0:35.

The inset to Fig. 2 shows the splitting s between the longitudinal and transverse modes at k = 0, plotted as a function of a=d. In the dipole approximation (dashed line), this splitting increases monotonically as a=d increases. However, as shown by the solid line in the inset, when the higher multipoles are included, the splitting reaches a maximum near a=d=0.46, then decreases again.

In order to compare with experiment, one needs to re-express the band structure as dispersion relations for ! (k) rather than s(k), using Eq. (1). With the resulting ! (k), we can also obtain v_g (k) from Eq. (14) and p_g from Eq. (15). We show the resulting dispersion relations! (k)=! p_g in Fig. 3 (a), and the resulting p_g (k) and p_g (k) in Fig. 3 (b) for the lowest longitudinal and transverse bands as a function of kd. We denote these results as open square and circle for a=d = 0:33, the value used in experiments, and also as solid and dashed lines for a=d = 0:45, which is near the maximum of the splitting s. In order to calculate ! (k)=! p_g , we choose ! p_g = 6:79 10⁵ rad/s and = 4 fs, as used in Ref. [7]. This choice allows us to compare the present result for a=d = 0:33 with those given in Refs. [5] and [7].

First, we compare our results for a=d=0.33 with experiment. For a=d=0.33, the result of the full calculation for ! (k) is not significantly different from the dipole approximation, since multipole experiment on the lowest bands in this case. However, the multipole experiment can be seen much more clearly in the k-dependent group

velocity $v_g(k)$ for these bands, and this quantity can be easily computed numerically, using the ! (k) shown in Fig. 3 (a). In contrast to the result from the dipole approximation of Ref. [3], the maximum in v_g for a=d = 0:33 does not occur at k = -(2d), but instead around k = -(4d), when the multipolar corrections are included. However, if we assume d = 75 nm, ! $p = 6:79 ext{ } 10^{15} ext{ } rad/s$, and $e = 4 ext{ } fs$ as in Ref. [7], the magnitude of the maximum v_g for the longitudinal (m = 0) mode is approximately 1.9 e^{-10} m/s, which is close to the result of Ref. [7], while the magnitude of v_g for the transverse (m = 1) modes is slightly larger than the value (1:1 e^{-10} m/s) estimated in Ref. [7]. Also, the values of e^{-10} in the lowest longitudinal and transverse modes for a=d = 0:33 are comparable to the experimental values for gold, as given in Ref. [6].

For a=d=0.45, which is near the maximum of the splitting s, them ultipole corrections to the band structure are much greater. As a=d approaches the maximum splitting between longitudinal (m=0) and transverse (m=1) modes, the variation of y with k becomes non-monotonic. In contrast to the dipole approximation, which gives a maximum group velocity at k=(2d), our exact calculation actually gives a local minimum in v_g for this value of k (for both polarizations). As can be seen from Fig. 3(b), v_g (k) has, in fact, two maxima as a function of k for this separation, for both longitudinal and transverse modes. The maximum estimated exponential decay length shown in Fig. 3(b), for the optimum k, corresponds to an m=0 wave, and is about three times larger than that for a=d=0.33. But this decay length is calculated for a wave with k vector corresponding to the maximum group velocity. The actual v_g is strongly k-dependent, especially for the larger a=d. Thus a typical wave, which would likely propagate as a packet of many different wave vectors, would likely have a quite different decay length, and also would probably not decay exponentially. It is possible that this k-dependence is related to the non-exponential spatial decay of SP's found in the numerical simulations of Ref. [1].

We have not commented thus far about the role of the higher SP bands. For values of a=d greater than about 0.33, most of these bands are nearly dispersionless, with eigenvalues s (k) 1=2. The SP modes corresponding to these bands will thus propagate with very

sm all group velocity v_g ; = d! (k)=dk, and are likely to contribute very little to energy transport along the chain.

IV . D ISC U SSIO N

In this work, we have calculated the surface plasm on dispersion relations for a one-dimensional chain of spherical particles in a uniform host. In contrast to previous work, we have included all the multipolar terms in our calculation, within the quasistatic approximation. We not that the dipole approximation is reasonably accurate for a=d 1=3, but becomes increasingly inaccurate for larger a=d. When a=d! 1=2, the lowest band shapes are entirely different from the point-dipole predictions. Thus, an accurate comparison of theory to experiment should take into account these corrections, when a=d exceeds about 1/3.

In our results near a=d=1=2 we see conspicuous percolation e ects. Speci cally, the k=0 m ode approaches zero frequency for a chain of D rude spheres in an insulating host. Furtherm ore, when a=d! 1=2, the entire band structure shows remarkable rejection symmetry, both around k=20 and around the frequency midpoint at s=1=20. We do not presently understand the reasons for this symmetry.

Besides producing shape distortions in the lowest bands, the present calculations also lead to an in nite number of higher propagating SP bands. We believe, however, that these will contribute little to energy propagation, because they are characterized by much lower group velocities than the lowest two bands.

Our calculations in Fig. 3 have, of course, been carried out in the D rude approximation. As mentioned earlier, we used values of l=1 and l=1 as best to experiments on bulk gold, as described in Ref. [7]. In actuality, the complex dielectric functions of silver, and especially gold, have substantial interband contributions, and cannot be described by a D rude dielectric function in the visible. An accurate translation of the SP band structure from the variable s to the variable l=1 should use this more accurate dielectric function, e.g. by using a t

of the experim ental m (!) to a sum of free-electron and Lorentz oscillator parts. This more complicated procedure might som ewhat change the plasm on band structures, especially for gold. A nother possible complication is that, in typical experiments, the nanoparticle chains are laid down on a substrate, whose dielectric constant diers from that of vacuum. Thus, the chain is not really embedded in a homogeneous dielectric. Some workers have taken this complication into account by treating the host as homogeneous but with a dielectric function which is an average over the air and substrate dielectric functions [5]. Once again, this correction, if included, would also modify the calculated SP band structure.

The present work could be readily be generalized to higher dimensions, e.g. to an ordered layer of spheres deposited on a substrate. This extension should be straightforward, since the matrix elements required are the same as used here. The same approach could also be applied to particles of dierent shapes, e.g. ellipsoids or short cylinders, although the calculation of the single particle eigenstates and the overlap integrals might be more dicult. We plan to carry out some of these extensions in the near future.

ACKNOW LEDGM ENTS

This work was supported by NSF Grant No.DMR01-04987, and bene ted also from the computational facilities of the Ohio Supercomputer Center.

APPENDIX: FORMULATION IN THE TIME DOMAIN

If the small spherical particles are described by a D rude dielectric function, the SP band structure can be also obtained, in perhaps a more intuitive way, by writing down a set of coupled equations of motion in time for the multipole moments. We rst introduce the scalar quantities $q_{n,m}$, de ned as the ('m) the multipole moment of the n^{th} particle. Then, in the absence of damping, the coupled equations of motion can be written in the form

$$q_{n \ m} = !_{m}^{2} q_{n \ m} + !_{p}^{2} Q_{n \ m \ p_{n} \circ n_{0}} q_{n \circ n_{0}}$$

where the prime over the sum indicates a sum only over the grains $n^0 \in n$. For spherical grains, the single-grain resonant frequencies are given by

$$!_{m}^{2} = \frac{1}{2+1}!_{p}^{2}; (18)$$

and the coupling constants $Q_{n \text{ in } n^{0.0}\text{m}}$ of are given by Eq. (3). Eqs. (17) are readily solved for the eigenfrequencies by substituting assumed solutions of the form

$$q_{n,m}(t) = Re[q_m \exp(inkd \quad i! \ t)]$$
(19)

into Eqs. (17). Here q_m is the amplitude of the ('m) the multipole in a propagating mode of wave vector k. With this substitution, Eqs. (17) reduces to a set of coupled homogeneous linear algebraic equations. A solution is obtained if the determinant of the matrix of coe cients vanishes. This condition is equivalent to that of Eqs. (8), (9), and (11).

Eq. (17) has a straightforward physical interpretation. The right-hand side of Eq. (17) describes two contributions to the force acting on the multipole moment $q_{n,m}$. The rst term is the restoring force due to charge motion within a single particle. The second term on the right comes from the electric elds of all the multipole elds from the other particles, evaluated at the position of the n^{th} particle. Damping is easily included in Eq. (17) by adding to the right-hand side the term $q_{m} = 0$. To obtain solutions in the presence of damping, we assume the form (19) but with a complex frequency ! (k) = !1 + i!2. The resulting! (k) is given by Eq. (13).

An appealing feature of Eqs. (17) is that one can easily add a driving term. For example, if a uniform electric eld E_n (t) is applied to the n^{th} grain, the interaction energy between that eld and the n^{th} grain would be $H^0 = p_n = E(t)$, where p_n is the dipole moment of the n^{th} grain. To calculate the force on the n^{th} grain, we write $p_n = qx_n$, where q is the total electronic charge in the n^{th} grain, and x_n is its displacement from its equilibrium position. The interaction energy between this charge and the applied eld is thus $qx_n = E(t)$. The corresponding force on the charge is just $qE = M x_n$, where M is the total mass of the electronic charge in the grain. Thus $p_n = qx_n = \frac{q^2}{M}E = (4 \ a^3n_ee^2 = 3m_e)E = (a^3!_p^2 = 3)E$,

where $m_e = 3M = (4 \text{ a}^3 n_e)$ is the electron mass, $e = 3q = (4 \text{ a}^3 n_e)$ is the magnitude of the electron charge, n_e is the electron density, and $!_p^2 = 4 n_e e^2 = m_e$ is the squared plasma frequency.

Finally, to incorporate the damping and driving terms into the right-hand side of Eq. (17), we express the applied electric eld in terms of the spherical components m=0 and m=1. Thus, we write $E_{n;1;0}(t)=E_{n;z}(t)$, $E_{n;1;1}(t)=E_{n;x}(t)$ $E_{n;y}(t)$. We then obtain the following equations of motion:

$$q_{n m} = !_{m}^{2} q_{n m} - \frac{1}{q_{n m}} + \frac{!_{p}^{2} a^{3}}{3} E_{n;1,m} (t) _{1} + !_{p}^{2} Q_{n m;n} Q_{n m;n} Q_{n m;n} Q_{n m;n} (t)$$
(20)

Eqs. (20) are generalizations of the equations written down in Ref. [3] which include all multipole m om ents, within the quasistatic approximation, and single-grain damping within the D rude approximation. They also include the e ects of a uniform but time-dependent electric eld applied to the n^{th} nanoparticle.

Finally, we note that we have not included radiative corrections to the calculated SP bands. However, the present work could also be extended beyond the quasistatic approximation to include radiative corrections, in a simple manner, by adding an additional imaginary part to the eigenvalues. These corrections could easily be included within the dipole approximation, as has been discussed, for example, in Ref. [3].

FIGURES




FIG. 1. D ispersion relations s(k) for the surface plasm on bands propagating along a chain of spherical nanoparticles of dielectric function m in a host of dielectric function m, plotted versus wave vector k. (a) a=d=0.25, (b) a=d=0.33, (c) a=d=0.4, (d) a=d=0.45, (e) a=d=0.49, (f) a=d=0.5. The solid and dashed curves correspond to m=0 and m=1 respectively for the full band structure, incorporating all bands up to m=0 and circles (m=1) denote calculations for the m=1 modes in the dipole approximation. Note that the m=1 modes are degenerate.




FIG. 2. Eigenvalues s(k) for the lowest two bands of the band structure shown in Fig. 1 at k=0, evaluated as a function of a=d. Solid and dashed curves correspond to m=0 and m=1 respectively for full multipole calculations. Open squares (m=0) and circles (m=1) are point-dipole calculations. Inset: Splitting s between lowest m=1 and m=0 bands at k=0 as calculated in the dipole approximation (open squares) and using full H am iltonian matrix (solid line).




FIG. 3. (a) D ispersion relations! (k) for the lowest two bands in a chain of metallic nanoparticles at a=d=0.33 or 0.45. The solid (m = 0) and dashed (m = 1) lines correspond to a=d=0.45; the open squares (m = 0) and circles (m = 1), to a=d=0.33. The curves are computed using the full H am iltonian up to '= 80, using a D rude dielectric function for the metal. (b) Energy decay lengths D, in units of the lattice constant d, and corresponding group velocities v_g in units of! pd, plotted versus kd for the lowest two bands, assuming a=d=0.33 or 0.45. The labeling of the curves follows the notation of Figs. 3 (a).

REFERENCES

- [1] M. Quinten, A. Leitner, J. R. Krenn, and F. R. Ausenegg, Opt. Lett. 23, 1331 (1998).
- [2] J.R.Krenn, A.Dereux, J.C.Weeber, E.Bourillot, Y.Lacroute, J.P.Goudonnet, G. Schider, W.Gotschy, A.Leitner, F.R.Aussenegg, and C.Girard, Phys.Rev.Lett.82, 2590 (1999).
- [3] M.L.Brongersma, J.W. Hartman, and H.A. Atwater, Phys. Rev. B 62, R16356 (2000).
- [4] S.A.Maier, M.L.Brongersma, P.G.Kik, S.Meltzer, A.A.G.Requicha, and H.A. Atwater, Adv.Mater. 13, 1501 (2001).
- [5] S.A.Maier, P.G.Kik, and H.A.Atwater, Appl. Phys. Lett 81, 1714 (2002); S.A. Maier, M.L.Brongersma, P.G.Kik, and H.A.Atwater, Phys. Rev. B 65, 193408 (2002).
- [6] S.A.Maier, P.G.Kik, H.A.Atwater, S.Meltzer, E.Harel, B.G.Koel, and A.A.G. Requicha, Nature Materials 2, 229 (2003); J.R.Krenn, Nature Materials 2, 210 (2003).
- [7] S.A.M aier, P.G.Kik, and H.A.Atwater, Phys. Rev. B 67, 205402 (2003).
- [8] S.K.Gray and T.Kupka, Phys. Rev. B 68, 045415 (2003).
- [9] See, e.g. U. Kreibig and M. Vollmer, Optical Properties of Metal Clusters (Springer-Verlag, Berlin, 1995), p. 23.
- [10] D.J. Bergman, Phys. Rev. B 19, 2359 (1979).
- [11] C. Sonnichsen, T. Franzl, T. Wilk, G. von Plessen, J. Feldmann, O. Wilson, and P. Mulvaney, Phys. Rev. Lett. 88, 077402 (2002).