Phase diagram and magnetic collective excitations of the Hubbard model in graphene sheets and layers

N.M.R.Peres^{1,2}, M.A.N.Araujo^{2,3} and DanielBozi^{1,2}

¹Departamento de F sica, Universidade do Minho, P-4710-057, Braga, Portugal,

²GCEP-Center of Physics, Universidade do Minho, P-4710-057, Braga, Portugal, and

³Departamento de F sica, Universidade de Evora, P-7000, Evora, Portugal

(Dated:December 31, 2021)

A bstract

We discuss the magnetic phases of the Hubbard model for the honeycomb lattice both in two and three spatial dimensions. A ground state phase diagram is obtained depending on the interaction strength U and electronic density n. We nd a rst order phase transition between ferrom agnetic regions where the spin is maximally polarized (Nagaoka ferrom agnetism) and regions with smaller magnetization (weak ferrom agnetism). When taking into account the possibility of spiral states, we nd that the lowest critical U is obtained for an ordering momentum dierent from zero. The evolution of the ordering momentum with doping is discussed. The magnetic excitations (spin waves) in the antiferrom agnetic insulating phase are calculated from the random-phase-approximation for the spin susceptibility. We also compute the spin uctuation correction to the mean eld magnetization by virtual emission/absorpion of spin waves. In the large U limit, the renormalized magnetization agrees qualitatively with the Holstein-Primako theory of the Heisenberg antiferrom agnet, although the latter approach produces a larger renormalization.

PACS num bers: 71.10 Fd, 75.10 Lp, 75.30 Ds, 75.30 Kz, 81.05 Uw

I. INTRODUCTION

The interest in strongly correlated systems in frustrated lattices has increased recently because of the possible realization of exotic magnetic states [1], spin and charge separation in two dimensions [2], and the discovery of superconductivity in Na_xCoO₂ yH₂O [3]. Many researchers have discussed superconductivity in non-B ravais lattices, mainly using self-consistent spin uctuation approaches to the problem [4{6}]. The honeycomb lattice, which is made of two interpenetrating triangular lattices, has received special attention after the discovery of superconductivity in MgB₂ [7]. Additionally, the honeycomb lattice has been shown to stage many di-erent types of exotic physical behaviors in magnetism and the growing experimental evidence of non-Fermi liquid behavior in graphite has led to the study of electron-electron correlations and quasi-particle lifetimes in graphite [8].

A round a decade ago, Sorella and Tossatti [9] found that the Hubbard model in the half-lled honeycomb lattice would exhibit a Mott-Hubbard transition at nite U. Their Monte Carlo results were con med by variational approaches and reproduced by other authors [10, 11]. As in portant as the existence of the Mott-Hubbard transition in strongly correlated electron systems is the possible realization of Nagaoka ferrom agnetism. The triangular, the honeycomb and the Kagome lattices were studied, but a strong tendency for a Nagaoka type ground state was found only in non-bipartite lattices (triangular and Kagome) [12]. On the other hand, the elect of long range interactions in half lled sheets of graphite was considered from a mean eld point of view, using an extended Hubbard model. A large region of the phase diagram having a charge density wave ground state was found [13]. More recently, the existence of a new magnetic excitation in paramagnetic graphite has been claimed [14], but its existence was reanalyzed by two of the present authors [15].

In this work the magnetic phases of the Hubbard model in the honeycomb lattice are studied. In addition to the two-dimensional problem we also address the three-dimensional system composed of stacked layers. The critical lines associated with instabilities of the paramagnetic phase are obtained in the U; n plane (interaction versus particle density). Spiral spin phases are also considered. A ground state phase diagram containing ferro and antiferrom agnetic order is obtained. Interestingly, we not ferrom agnetic regions with fully polarized spin in the vicinity of regions with smaller magnetization. The transitions from one to the other are discontinuous.

We also address the calculation of the magnetic excitations (spin waves) in the half-lled antiferrom agnetic honeycomb layer within the random phase-approximation (RPA). It is known that the Hartree-Fock-RPA theory of the half-lled Hubbard model is correct in both weak and strongly interacting limits: at strong coupling, the spin wave dispersion obtained in RPA agrees with the Holstein-Primako theory for the Heisenberg model; at intermediate interactions (U=t=6), the RPA dispersion shows excellent agreement with experiment [16, 17]. The Hartree-Fock-RPA theory should, therefore, be considered as a usefull starting point to study the intermediate coupling regime. Starting from the spin wave spectrum obtained in RPA theory, we calculate the quantum uctuations correction to the ground state magnetization arising from virtual emission/reabsorption of spin waves. In the strong coupling limit, we indicate magnetization which is about 67% of full polarization. This is not so great a reduction as predicted by the Holstein-Primako theory of the Heisenberg model, which is about 48%.

Our paper is organized as follows: in section II we introduce the Ham iltonian and its mean eld treatment. In section III, we discuss the possibility of a well de ned magnetic excitation in the paramagnetic phase. In the ordered phase at half lling, the spin wave spectrum is computed and the electron of different hopping terms in the spin wave spectrum is discussed. In section IV, the magnetic instability lines are obtained and the possibility of spiral spin phases for n < 1 is discussed. The corresponding lowest critical U is determined as function of the ordering wave-vector q. Section V is devoted to the phase diagram of the system, where two different types of ferromagnetism are found. The instantagram of the renormalization of the electron's spectral function and magnetization by the spin wave excitations.

II. MODEL HAM ILTONIAN

The magnetic properties of the honeycomb lattice is discussed in the context of the Hubbard model, which is dened as

$$\hat{H} = \begin{pmatrix} X & X & X & X & X & X \\ t_{i,j}\hat{c}_{i,}^{V} & \hat{c}_{j,} & + U & \hat{c}_{i,}^{V}\hat{c}_{i,}^{V}\hat{c}_{i,}^{V}\hat{c}_{i,}^{V} & \hat{c}_{i,}^{V} & \hat{c}_{i,}^{$$

where $t_{i;j}$ are hopping integrals, U is the onsite repulsion and denotes the chemical potencial. The honeycomb lattice is not a Bravais lattice since there are two atoms per unit cell. Therefore, it is convenient to define two sublattices, A and B, as shown in Figure 1.




FIG. 1: Prim it ive vectors for the honeycom b lattice and the corresponding Brillouin zone.

The expressions for the lattice vectors are

$$a_1 = \frac{a}{2}(3; \sqrt[p]{3}; 0);$$
 $a_2 = \frac{a}{2}(3; \sqrt[p]{3}; 0);$ $a_3 = c(0; 0; 1):$ (2)

where a is the length of the hexagon side and c is the interlayer distance. The reciprocal lattice vectors are given by

$$b_1 = \frac{2}{3a} (1; {}^p \overline{3}; 0); \qquad b_2 = \frac{2}{3a} (1; {}^p \overline{3}; 0); \qquad b_3 = \frac{2}{c} (0; 0; 1):$$
 (3)

The nearest neighbors of an atom belonging to the A sublattice are:

while the second nearest neighbors (in the plane) are: $_{1}^{0} = a_{1}; _{2}^{0} = a_{2}; _{3}^{0} = (a_{2} a_{1})$. In a broken sym m etry state, antiferrom agnetic (AF) order is described by the average lattice site occupation:

$$\langle \hat{\mathbf{n}}_{j;} \rangle = \frac{\mathbf{n}}{2} \quad \frac{\mathbf{m}}{2} \quad \cos(\mathbf{Q}_{z}) : \qquad ;j \geq B$$

$$(5)$$

where the z axis ordering vector $Q = (0;0;Q_z)$ will be used when studying multi-layers, n denotes the electron density, m is the staggered magnetization, and = 1. We introduce eld operators for each sublattice satisfying the usual Fourier transform ations:

$$\hat{a}_{i2A}^{Y}$$
, = $\frac{1}{P} \frac{X}{N}$ $e^{ik R_i} \hat{a}_k^{Y}$; \hat{b}_{i2B}^{Y} , = $\frac{1}{P} \frac{X}{N}$ $e^{ik R_i} \hat{b}_k^{Y}$ (6)

(where N denotes the number of unit cells). Within a Hartree-Fock decoupling of the Hubbard interaction in (1) we obtain an e ective Ham iltonian matrix

with matrix elements given by

$$H_{11} = D(k) + U \frac{n - m}{2}; \quad H_{12} = _k = H_{21}; \quad H_{22} = D(k) + U \frac{n + m}{2}$$
 (8)

w here

$$_{k} = t e^{ik}$$
; D $(k) = 0 e^{ik}$ 2 t^{00} cos (ck_{z}) ; $0 = 0 e^{ik}$ (9)

In the above equations t and t⁰ are the second neighbor hopping integrals, respectively, while t^0 describes interlayer hopping. The dispersion relation for the case where $t^0 = t^{00} = 0$ is

D iagonalization of the e ective H am iltonian yields a two band spectrum. The band energies are:

E (k) = D (k) +
$$\frac{U}{2}$$
n $\frac{Um^{-2}}{2}$ + $j_k j_k^2$: (11)

Because there are two sublattices, the M atsubara G reen's function is a 2 elem ents are given by:

$$G^{aa}(i!;k) = {X \over i!} {j \over j!} {j \over j!}$$
(12)

$$G^{ab}(i!;k) = \begin{cases} X & A_{j}B_{j}\\ i! & E_{j}(k) \end{cases}$$
 (13)

$$G^{ba}(i!;k) = X \frac{A_{ij}B_{ij}}{i! E_{ij}(k)}$$
 (14)

$$G^{ab}(i!;k) = \begin{cases} X & A_{ij}B_{ij} \\ i! & E_{j}(k) \end{cases}$$

$$G^{ba}(i!;k) = \begin{cases} X & A_{ij}B_{ij} \\ X & A_{ij}B_{ij} \\ i! & E_{j}(k) \end{cases}$$

$$G^{bb}(i!;k) = \begin{cases} X & B_{ij}B_{ij} \\ X & A_{ij}B_{ij} \\ X & A_{ij}B_{ij}$$

where the coherence factors are:

A , (k)B , (k) =
$$\frac{(k)}{2E (k)}$$
 (17)

In the ferrom agnetic (F) phase, the site occupation is the same for both sublattices:

In this case the quasiparticle energy bands are given by

E
$$(k) = D(k) + \frac{U}{2}(n m) j_k j$$
; (19)

In the param agnetic phase of the system the energies and propagators are simply obtained by setting m=0 in the equations above. The density of states of single electrons is shown in Figure 2 against particle density and energy. In the two upper panels we have included a second-neighbor hopping while in the two lower panels only nearest neighbor coupling is considered. An important feature is that () vanishes linearly with as we approach the half led $\lim_{t\to\infty} t_0 = 0$ and $t^0 \in 0$. This is related to the K-points of the Brillouin Zone (see Figure 1), where the electron dispersion becomes linear:

$$E(k)$$
 $t \frac{3a}{2} j dk j$

(dk denotes the deviation from the K-point). This dispersion is called the \D irac cone".




FIG. 2: Single particle density of states, (), for independent electrons in an honeycomb lattice. The left and right panels show () as function of energy and electron density, respectively. The solid line refers to $t^0 = 0.2$ and the dashed line to $t^0 = 0$.

III. COLLECTIVE EXCITATIONS AT HALF FILLING

The magnetic excitations are obtained from the poles of the transverse spin susceptibility tensor, , which is de nded, in Matsubara form, as

$$\overset{i,j}{\underset{+}{\text{if}}} (q;i!_n) = \int_{0}^{Z_{1=T}} d e^{i!_n} hT \hat{S}_{i}^{+} (q;)\hat{S}_{j} (q;0)i$$
 (20)

where i; j = a; b label the two sublattices (not lattice points) and S_i^+ (q); S_j^- (q) denote the spin-raising and lowering operators for each sublattice.

In the param agnetic, F, or AF phases, the zero order susceptibility is just a simple bubble diagram with the G reen's functions given in equations (12)-(15):

$${}_{+}^{(0)i;j}(q;i!_{n}) = \frac{T}{N} {}_{k:!_{m}}^{X} G_{*}^{ji}(k;i!_{n})G_{*}^{ij}(k q;i!_{n} i!_{m})$$
(21)

Going beyond mean-eld, the random-phase-approximation (RPA) result for the susceptibility tensor is obtained from the Dyson equation

$$= {}^{0} + U {}^{0}) = \hat{f} U {}^{0} {}^{0}$$
 (22)

where \hat{I} denotes the 2 2 identity m atrix. The poles of the susceptibility tensor, corresponding to the magnetic excitations, are then obtained from the condition:

h i Det
$$\hat{I}$$
 U 0 = 0: (23)

We note that the tensorial nature of the spin susceptibility is a consequence of there being two sites per unit cell and is not related to the magnetic order in the system.

A. M agnetic excitations in a single param agnetic layer

Here we discuss the possibility of existence of magnetic excitations in a single honeycom b param agnetic layer. Our interest in this problem stems from a recent claim, by Baskaran and Jafari [14], who recently proposed the existence of a neutral spin collective mode in graphene sheets. In the calculations of Ref. [14] a half-lled Hubbard model in the honeycom b lattice (with $t^0 = t^{00} = 0$) was considered but the tensorial character of the susceptibility was neglected [15]. Since inelastic neutron scattering can be used to study this spin collective mode in graphite, we decided to re-exam ine this problem taking into account the tensorial nature of the transverse spin susceptibility.

Collective magnetic modes with frequency! and momentum q are determined from the condition (23) after performing the analytic continuation i!! $! + i0^+$. The determinant is given by

$$D_{+} (q;!) = 1 \quad 2U_{+}^{(0)aa} + U_{-}^{2} (_{+}^{(0)aa})^{2} \quad _{+}^{(0)ab} (_{+}^{(0)ba})^{2};$$
 (24)

where we have taken into account that in a param agnetic system $_{+}^{(0)aa} = _{+}^{(0)bb}$. Below the particle-hole continuum of excitations, the spectral (delta-function contributions) part in $_{+}^{(0)ij}$ (q;! + i0⁺) vanishes and there is the additional relation $_{+}^{(0)ba} = (_{+}^{(0)ab})$. Collective modes are only well de ned outside the particle-hole continuum (inside the continuum they become Landau damped). We searched [15] for well de ned magnetic modes,! (q), below the continuum of particle-hole excitations, and found no solutions for any value of the interaction U. In Figure 1 of Ref. [15] we plot D + (q;!) for eight dierent q-vectors and! ranging from zero to the point where the particle-hole continuum begins. Our analysis reveals that the full tensorial structure of the Hubbard model's RPA susceptibility in the honeycomb lattice does not predict a collective magnetic mode.

B. Spin waves in the antiferrom agnetic layer

The spin wave dispersion! (q) for the AF layer with one electron per site can be obtained from equations (21) and (23) using expressions (12)-(15) for the propagators. Spin wave spectra, for dierent values of second-neighbor hopping, t⁰, are plotted in Figures 3 and 4. In the large U limit, spin wave energies agree with those obtained from the Holstein-Primako theory of the Heisenberg model. We give an analytical derivation of this limit in Appendix B. The Holstein-Primako result for the Heisenberg model in the honeycomb lattice, which is derived in Appendix C, can be written as

$$!_{HP}(q) = JS^{p} \frac{}{z^{2} + j(q)^{2}} :$$
 (25)

This result can be mapped on the Hubbard model provided that $J=4t^2=U$ and S=1=2. Figure 3 shows the spin wave energies for the 2D lattice ($t^0=0$) along a closed path in the Brillouin Zone. Energies in Figure 3 are normalized by the Holstein-Primakov result at the K-point, $!_{HP}$ (K) (see Figure 1). It can be seen that the results for U=8 are very close to the asymptotic behavior of the RPA, whereas, for smaller U, the spin wave energy is reduced. The e ect of t^0 on ! (q) is depicted in Figure 4. It is of particular interest the fact

that the dispersion along the X K direction is almost absent for U 4. The presence of t^0 does not change this e ect.




FIG. 3: Spin-wave excitation spectrum for several values of U. The dashed-dotted line gives the Holstein-Primako result for the Heisenberg antiferrom agnet in the honeycomb lattice.




FIG. 4: Spin-wave excitation spectrum for several values of U and $t^0 \in 0$.

IV. MAGNETIC INSTABILITIES

The magnetic instabilities in the paramagnetic phase can be obtained from the divergence of the RPA susceptibilities at critical values of the interaction, U_c , driving the system towards

a magnetically ordered phase. At a given electron density n we always not two instability solutions, one ferrom agnetic and one antiferrom agnetic. One of these solutions minimizes the free energy. Since U_c is determined from D_+ (q;0) = 0, taking into account that ${}^{(0)aa}_+ = {}^{(0)bb}_+$ and ${}^{(0)ab}_+ = {}^{(0)ba}_+$ in the paramagnetic phase, we obtain:

$$U_{c} = \frac{1}{(0)aa} ; (0)ab; (26)$$

Figure 5 shows U_c obtained from the static uniform susceptibilities (q=0 and !=0), as a function of electron density for various values of t^0 . Detailed equations for the instability lines are given in Appendix A. The left panel of Figure 5 refers to the 2D case, corresponding to a single honeycom b layer, whereas the right panel refers to the 3D system with a constant interlayer hopping $t^0=0:1$. The Van-H ove singularity (associated with the X point) plays an important:




FIG. 5: left panel: E ect of t^0 on the instability lines, as determined from the equation (26), for a single honeycomb layer. right panel: E ect of t^0 on the instability lines, as determined from equation (26), for a layered honeycomb. This panel diers from the other inasmuch a small $t^{00} = 0:1$ hoping term was included coupling the 2D layers.

As we have already mentioned, the two solutions of Eq. (26) correspond to two dierent magnetic transitions, one between a paramagnetic phase and a ferromagnetic phase and another between a paramagnetic phase and an antiferromagnetic phase. That this is so can easily be con rmed by solving the self-consistent equations for the ferromagnetic and the antiferromagnetic magnetizations, respectively, derived from the HF Hamiltonian (7). By

m in im izing the free energy with respect to magnetization, one nds the following expressions for ferro and antiferromagnetic magnetizations

$$m_F = \frac{1}{2N} {X \atop k}$$
 (f (E₊) + f (E)); $m_{AF} = \frac{1}{N} {X \atop k} = \frac{j_k j}{1 + \frac{2}{k}}$ (f (E) f (E₊)); (27)

where f (x) is the Ferm i function and $_{k}$ = U m $_{A\,F}$ = (2j $_{k}$ j). Letting both m $_{F}$ and m $_{A\,F}$ approach zero, one obtains the same lines as those in Figure 5. Generally speaking, for electron densities lower than 0.85, the value of U_c that saparates the param agnetic region from the ferrom agnetic region is lower than the corresponding value of U_c separating the param agnetic region from the antiferrom agnetic region. The critical U associated with the ferrom agnetic instability increases with t^0 . The size of the param agnetic region in Figure 5 increases with t^0 . On the other hand, for $t^0 = 0.2$, we see that the critical line for the ferrom agnetic region is very close the critical line of the antiferrom agnetic region. Therefore, the ferrom agnetic region is progressively shrinking with increasing t^0 . If we now turn to densities larger than 0.85, we nd that the antiferrom agnetic critical line is the one with lowest U_c. However, in contrast to lower densities, the antiferrom agnetic critical line hardly changes when varying t^0 . This description applies equally well to the single honeycom b layer and weakly coupled layers, even though the quantitative functional dependence of Uc on n is dierent in the two cases, the main dierence coming from the van Hove singulary present in the 2D case. At nite temperature the van Hove singularity is rounded o and the 2D phase diagram will be much more similar to the 3D case. We therefore, consider that a weak 3D inter-layer coupling does not qualitatively modify the conclusions valid for the 2D case.

Besides collinear spin phases, the system may also present non-collinear { spiral { spin phases in some regions of the phase diagram. We now study what are the changes in the critical U values determining the instability of the paramagnetic phase if we allow for non-collinear ground states, since it is well known that the Hubbard model on bipartite and non-bipartite lattices can have the lowest U_c for spiral spin phases [12, 18, 19] for some electronic densities. In a spiral state, the spin expectation value at site i, belonging to sublattice = a;b, is given by [20]

$$hS_{i}i = \frac{m}{2} (\cos(q R_{i}); \sin(q R_{i})):$$
 (28)

If $q \in 0$, the ferrom agnetic and antiferrom agnetic spin con gurations become twisted. We shall refer to the twisted $q \in 0$ con gurations as F_q whenever $m_A = m_B$, and AF_q

whenever $m_A = m_B$. The criterion for choosing the q-vectors is taken directly from the geometry of the lattice by requesting a constant angle between spins on neighboring sites, i.e. $q_1 = q_2 = q_3$. Unfortunately, however, this cannot be achieved in the




FIG.6: (color on line) F_q (upper) and AF_q (lower) spin con gurations for $q_x = \frac{1}{6}$.

honeycomb lattice with only one q-vector. The closest one can get to a 'true' spiraling state is by letting $q_1 = q_3$ (or equivalently, $q_2 = q_3$), which implies that $q = (q_k; q_y) = q_k (1; \frac{1}{p-3})$ ($q = q_k (1; \frac{1}{p-3})$). For the moment we let q_k be zero which means that we consider identical layers. The condition $q_1 = q_3$ means that the increase in spin angle between two lattice sites in the q_3 direction is the same as the increase in spin angle between two lattice sites in the q_3 direction. There is no increase in the spin angle in the q_4 direction. Examples of the spin-congulations obtained in this way are shown in Figures 6 and 7. Several notes are in order at this stage. First, although we do not have a 'true' spiraling state over the whole lattice, we do have a spiraling congulation in the q_3 and q_4 directions, as can be seen from the Figures 6 and 7, going from the lower left to upper right. Secondly, when travelling along the q_4 direction, the spin angles do not increase. Instead,




FIG. 7: (color online) F_q (upper) and AF_q (lower) spin con gurations for $q_x = \frac{2}{3}$.

neighboring spins in this direction are always aligned ferrom agnetically when $m_A = m_B$, and antiferrom agnetically when $m_A = m_B$. However, two successive $_2$ bonds ('sliding down' the lattice from left to right) have the same increase in spin angle as any two neighbors connected by $_3$ or $_1$. The q-vector (i.e. the spin con guration) that a system with a given density would prefer is the one with the lowest value of $U_c(q)$. In Figure 8 we present a curve showing the q vectors that minimize $U_c(q)$, as functions of particle density n. We consider discrete values $q_k = i_{\overline{12}}$ with i = 0;1; :::;12. The dependence on t^0 is overall the same as that discussed for q = 0 (for example, the shrinking elect with increasing t^0 is also seen here). There is no reason to restrict q to integer multiples of $\overline{12}$, other than a pure computational one. By performing the same calculation with more q-vectors, the 'step function' like appearance of the lower graphs of Figure 8 can be smoothed out. Our analysis is suicient, however, to get an insight into how the q vectors (which minimize $U_c(q)$) vary with n.

The solid line limiting the paramagnetic region is shown in the lower graphs of Figure




FIG. 8: The upper panels show the m in im um $U_c(q)$ according to Eq. (26). The solid line separates the param agnetic phase from magnetically ordered phases, while the dashed line separates dierently ordered magnetic phases. The lower panels show the q_k component of the ordering vector (corresponding to the minimum U_c) as function of electron density n.

8). We see that the behavior of q_k , as function of n, is almost the same for the 2D and 3D cases. As the system approaches half lling, the preferred spin conguration approaches that with q=0. In a doped system, however, minimization of $U_c(q)$ is attained for a non-zero q. It is also seen that the dependence of q on n is not monotonic. Either in 2D or 3D, q_k goes all the way from 0 (at n=1) to , displaying two local maxima (and a local minimum in between) as n ranges from 1 towards 0.

The value of q_k reaches a local m in im um at $q_k = \frac{7}{12}$, at n=0.37 (in 2D) or at n=0.45 (in 3D). For even lower densities, q_k attains another maximum at $q_k=$, which means that the spins of any two nearest neighbors, in the $_3$ and $_1$ directions, point exactly in opposite directions to each other.

The same type of behavior is seen also for the critical line separating m agnetically ordered phases (dashed line). A gain, the 2D and the 3D cases are very similar to each other. For densities around 0:30 0:35 (2D) and 0:35 0:40 (3D), we have $q_x = \frac{8}{12}$ yielding the lowest U_c . Moreover, the solid and the dashed lines coincide, illustrating the previously mentioned ferrom agnetic 'shrinking out' e ect. In other words, for $q_x = \frac{8}{12}$, the two solutions of $U_c(q)$ almost coincide for all n, leaving only a thin strip of ferrom agnetism between the param agnetic and the antiferrom agnetic regions. A lthough this is true for all n, it is only

for n=0.37 0:40 (2D case) and n=0.35 0:37 (3D case) that $U_c(q_k=\frac{8}{12})$ is minimum. So far, our analysis has been restricted to q-vectors lying in the x y spin plane. This means that two inter-layer neighbors have the same spin. If we now consider neighboring layers with opposite spin, we put $q_z=$. At half lling, the lowest $U_c(0;0;)=2.04$ limiting the paramagnetic region is lower than the corresponding $U_c(0;0;0)=2.35$, independently of t^0 . Moreover, for n=1, $U_c(q_k;\frac{2k}{3};)$ is always lower than $U_c(q_k;\frac{2k}{3};0)$ for any q_k , showing that, at half lling, we should expect antiferrom agnetic ordering along the z-direction.

The study above was focused on the second order instability lines, both in the case of collinear and spiral spin phases, being clear that spiral states have a lower critical U over a large range electronic densities. It is instructive to compare our results with those of Ref. [12]. Looking at Fig. 2 of Ref.[12] we see that for the triangular lattice there are som e nite regions where the more stable ground states correspond to spiral states. These regions are located at electronic densities smaller than 0.5 and larger than 0.8. Since the honeycomb lattice consists of two interpenetrating triangular lattices we expect the same type behavior, at least at the qualitative level. That is, we do expect to have nite regions of the phase diagram where spiral phases have the lowest energy. A lso, in Ref. [12] the authors do not discuss the full phase diagram of the Hubbard model in the honeycom b lattice, as we do in next section. They are primarily interested in the stability of the Nagaoka state. Their study is done using three di erent approaches (i) The Hartree single ip ansatz; (ii) the SKA Gutwiller ansatz; (iii) the Basile-Elser ansatz. A comparison can be established between the the Hartree single ip ansatz which roughly speaking, produces a straight line for all densities 5, and our self consistent Hartree-Fock study. If we at the on-site Coulomb interaction U forget, for a m om ent, the van H ove singularity, both results are qualitatively the same for n up to 0.8. Above this value our Hartree-Fock analysis, forgetting about the existence of the antiferrom agnetic phase, predicts a very strong increase of the critical U value (not shown in Fig. 5, since the AF phase presents the lowest critical U-value), in agreem ent with the SKA ansatz. This behavior is not captured by the the Hartree single ip ansatz. It seems that our study interpolates between the Hartree single ip ansatz for low densities and the SKA ansatz for densities above 0.8. Quantitatively there are di erences between the two studies, which are understandable on the basis of the dierent types of proposed ground states.

V. PHASE DIAGRAM

As we mentioned in the previous section, the study of Ref. [12] is mainly concerned with the stability of the Nagaoka state, and in the previous section we studied the values of the Hubbard interaction associated with instabilities of the param agnetic system. The transition from the param agnetic to a magnetically ordered state is determined by the lowest Uc. Since we have found the possibility of having, at least, two (ferro and antiferro) di erent types of ground states, then in the case where interaction is stronger than both critical values, we need to address the problem of competition between the two ordered phases. The phase with the lowest free energy is the one prefered by the system. In this section we restrict ourselves to the study of a single layer but we shall consider di erent band structures. Spiral states will not be considered, since we are most interested in a weak ferrom agnetic phase showing up in region of the phase diagram where the studies of Ref. [12] suggest that the collinear ferrom agnetic (fully polarized) phase should be the most stable one. In the ferrom agnetic phase we distinguished two types of ferrom agnetic ground states: the Nagaoka ground state, with a maximally polarized spin ($m_F = n$), and a weak ferrom agnetic state with $m_F < n$. The order parameter and free energies were obtained from the mean eld Hamiltonian (7). Figure 9 shows the c




FIG. 9: left panel: G round state phase diagram of the Hubbard model in the (n;U) plane for a single layer with $t^0 = 0$. right panel: G round state phase diagram of the Hubbard model in the (n;U) plane for a single layer with $t^0 = 0.2$. In both cases dashed and continuous lines represent rst and second order transitions, respectively.

The e ect of t^0 on the phase diagram can be seen in right panel of Fig. 9. In Figure 9 the dashed lines represent stronger phase transitions, where the order parameter do not vanish smoothly, while continuous lines represent second order transitions, where the order param eter vanishes smoothly, but its rst derivative is discontinuous. In both cases ($t^0 = 0$ and $t^0 \in 0$) we not a nite region of weak ferrom agnetism. In general the Nagaoka phase is m ore stable for large U. The weak ferrom agnetic phase is separated from the Nagaoka phase by rst or second order transition lines, depending on the path followed on (U;n) diagram. The second order transition manifests itself through a discontinuity of the derivative of the m agnetization with respect to $U \cdot At n = 0.75$ the instability line towards the ferrom agnetic phase shows a dip (pronouced if $t^0 = 0$), which is due to the logarithm ic van-H ove singularity at n = 0.75. A negative t⁰ produces two excits on the phase diagram: (i) the instability line towards the F phase moves downwards; (ii) the point where the instability lines towards F and AF meet moves to larger n. Sim ilarly to what was found in the previous section, the overalle ect of t^0 is to modify the ferrom agnetic region of the phase diagram. Further, for negative t⁰ we expect collinear ferrom agnetism to exist over a large phase of the phase diagram relatively to the case t^0 0, since it is well known that a negative t^0 stabilizes the ferrom agnetic phase. On the other hand we don't expect the phase diagram presented in this section to be fully accurate for low densities, where the ndings of Ref. 12 should apply.

The rst order critical lines do separate two di erent ferrom agnetic (or ferrom agnetic from antiferrom agnetic) regions, in what concerns the total magnetization. In view of the results published in Ref. [21], where a rst order transition between the two competing phases is transformed by disorder into two second order phase transitions, we expect the same behavior to apply here, that is, disorder may change the order of the transition, since the arguments put forward in Ref. [21] are of very general nature. It would be very interesting to study whether the introduction of disorder in the system could change the nature of the rst order transitions.

VI. QUANTUM FLUCTUATIONS

This section is devoted to the calculation of quantum—uctuation corrections to the magnetization. An analogous calculation for the Hubbard model in the square lattice in the t=U ! 0 limit was sketched by Singh and Tesanovic.[22]

The computation of the renormalized staggered magnetization requires the evaluation of the Feynman diagram shown in Figure (10), which shows the second order (in the interaction U) contribution to the self-energy. The diagram describes the emission and later




FIG. 10: The self-energy for a "-spin electron. The bubble represents the transverse susceptibility computed in RPA.

absorption of a spin wave by an up-spin electron. The em ission and absorption processes are accompanied by electron spin reversal. This e ect, consisting of virtual spin ips, is going to renormalize the staggered magnetization. The spin-" electron G reen's function is

$$G_{"}(p;i!) = G_{"}^{0}(p;i!) + G_{"}^{0}(p;i!) * (p;i!)G_{"}(p;i!);$$

hence, $G^{-1} = [G^{(0)}]^{-1}$. Here, G^{0} denotes the Hartree-Fock Green's functions matrix appearing in equations (12)-(15). The self-energy matrix is given by

where i; j are sublattice indices. The self-energy for a #-spin electron would be similar to that in equation (29) with the $G^{(0)ij}$ -spin reversed and $_+$ repaced with $_+$. The renormalized staggered magnetization at T=0 is given by

$$m = \frac{1}{N} \sum_{k=1}^{X} \frac{d!}{2} \left[\text{Im } G_{;Ret}^{aa}(k;!) \right] \text{Im } G_{;Ret}^{bb}(k;!) ;$$
 (30)

where Im $G^{ij}_{Ret}(k;!)$ stands for the imaginary part of the retarded G reen's function for a spin electron.

The RPA susceptibility has poles corresponding to the spin waves calculated in section III, with energy $j(k)\hat{j}=U$, but it also has poles describing a particle-hole continuum of excitations at higher energies (of order U). In what follows we ignore this particle-hole

continuum and take into account only the contribution from the spin wave poles to the selfenergy. Physically, this means that we shall calculate the magnetization renormalized by the spin waves. To this end, we start by replacing the susceptibility in equation (29) by the expression

$${}^{(RPA)ij}(q;i!) = \frac{R^{ij}[!(q)]}{i!(q)} + \frac{R^{ij}[!(q)]}{i!+!(q)};$$
(31)

where $R^{ij}[\ !\ (q)]$ denotes the residue of $^{(RPA)ij}_+$ at the spin wave pole with dispersion $!\ (q)$. Equation (31) describes an elective spin wave propagator. A fler performing the M atsubara frequency sum mation in equation (29) we obtain:

where we have introduced the notation num $fG_{jb}^{(0)ij}g$ for the num erators of the G reen's functions, as expressed in equations (12) through (17).




FIG. 11: The magnetization in the half-led honeycomb AF layer. The continuous line represents the Hartree-Fock result. Renormalized magnetizations are shown for dierent lattice sizes: 20 20; 62 62; 82 82. The vertical dashed line represents the mean eld critical U value at which the magnetic instability develops.

Figure 11 we show the renormalized magnetization versus U. The Hartree-Fock magnetization is also shown in the Figure 11 for comparison. The calculation was performed for three dierent lattice sizes. It can be seen that convergence does not require a very large

number of k points in the Brillouin Zone. This is not surprising because the Hartree-Fock magnetization itself already converges to the correct value in a 40–40 lattice. We have also checked that the RPA propagators return the original electron density n=1, meaning that no spectral weight was lost in the used approximation for the self energy. In the large U limit, the renormalized magnetization saturates at about 67% of the (fully polarized) mean eld value. This is in qualitative agreement with the Holstein-Primako result for the S=1=2 Heisenberg model in the honeycomb lattice, which predicts a ground state magnetization of 48%. We should remark, however, that the spin wave spectrum calculated within RPA theory has shown much better agreement with experimental results for Mott-Hubbard antiferromagnetic insulators than the Holstein-Primako theory [16, 17].

In Figure 12 we show the imaginary part of the electron's Green's function at negative frequencies, on both sublattices, for two dierent values of U. It is clear that, for strong couplings, part of the Hatree-Fock spectral weight is shifted to the bottom of the (negative) energy band. This shifting of the spectral weight is responsible for the renormalization of the staggered magnetization. It is interesting to see that for low U the spectral weight is most significant at high energy, in the interval [-2,0], with a much smaller weight in the interval]-4,-2[. At a stronger Hubbard interaction most of the high energy spectral weight (previously in the interval [-2,0]) has been displaced to lower energies and become localized around well de ned energies, whereas the spectral weight at intermediate energy (in the interval]-4,-2]) remains essentially unchanged. Therefore, increasing Hubbard coupling has the effect of displacing the distribution of spectral weight from the top to the bottom of the energy band.

Finally, a comment regarding approximation (31). The commutation relation between the spin raising and lowering operators,

is equivalent to the following relation between the Hartree-Fock magnetization, m, and the transverse susceptibilities:

$$aa_{+}(q; = 0^{+})$$
 $aa_{+}(q; = 0) = \begin{bmatrix} I_{+i1} & idz & I_{+i1} \\ \hline i & 2 & A_{+}(z)e^{z0^{+}} \end{bmatrix}$
 $aa_{+}(z)e^{z0^{+}}$
 $aa_{+}(z)e^{z0^{+}}$

at T = 0. The integration of the term e^{z0^+} (e^{z0^+}) is performed along the sem i-circular




FIG. 12: Im aginary part of the retarded electron G reen's function multiplied by 1, Im $G_n^{aa\,(bb)}$ (!), versus negative frequency. The G reen's function includes the quantum uctuations.

contour on the right (left) half of complex plane. Approximation (31) would predict

$$R^{bb}[! (q)] \quad R^{aa}[! (q)] = m :$$
 (34)

Indeed, we have checked that our num erical calculation of the residues satis es (34) to an accuracy of 1:3%.

VII. FINAL REMARKS

In this paper we have studied them agnetic properties of the H ubbard m odel in honeycom b layers. Our study focused on the instabilities of the param agnetic phase, on the magnetic phase diagram and on the collective excitations of the half lled phase. O fparticular interest is the fact that it is not possible to describe a true spiraling state in the honeycom b lattice, as opposed to the usual cubic case. As a consequence, the magnetic spiral order follows a kind of one dimensional path over the 2D lattice. This kind of ordering, here studied at mean eld level, may have important consequences to the study of spin charge separation in 2D

lattices. A lso interesting, was the identi cation of two types of ferrom agnetic order, which have eluded previous studies. For moderate values of U and electron densities not far from the half lled case, a region of weak ferrom agnetism was found to have lower energy than the more usual N agaoka ferrom agnetic phase. The renormalization elect of the spin wave excitations on the Hartree Fock magnetization was also studied. However, our calculation does not take into account the renormalization of the mean eld critical U. It is well known that quantum uctuations should induce an increase the value of U_c . Our calculation cannot capture this elect, since it only takes into account the elect of well defined spin waves. We believe, however, that the calculation can be extended to include the elect of high-energy damped particle-hole processes leading to a renormalization of U_c , but this would require a modication of our numerical calculations and a signicant increase of the computational time.

APPENDIX A: USEFUL EXPRESSIONS FOR THE U_c CRITICAL LINES AT q=0

In this appendix, we derive the equations for the critical lines from the static susceptibilities (q = 0 and ! = 0). Our starting point is the zero order spin-spin susceptibility in equation (21). The G reen's functions in the param agnetic region are obtained from equations (12)-(15) after setting the magnetization to zero. Performing the M atsubara sum mations in (21), the analytical continuation and taking the zero frequency limit, we obtain

where $_k$ = arg($_k$). The critical interaction strength, U_c , is given by $U_c=N = \left[\begin{smallmatrix} (0)aa \\ + & ;0 \end{smallmatrix} \right]$ $j_{+}^{(0)ab}$ $j_{-}^{(0)ab}$, in the limit q! 0. Expanding all q dependent quantities around the point

q = 0 up to rst order, we obtain

Inserting this result in the expression for U_c gives (for q=0):

$$\frac{U_{c}}{N} = \frac{1}{2} X f [E_{+} (k)] + [E_{-} (k)]g$$
 (A 6)

$$\frac{U_{c}}{N} = \frac{1}{2} \frac{X}{\sum_{k} \frac{(j_{k} j + j)(k)j}{j_{k} j}}$$
(A 7)

We recognize the density of states, () = $\frac{1}{N}$ $\frac{P}{k}$ f (E₊ (k) +) + (E (k) +)g, appearing in equation (A 6), which is just the Stoner criterion. The critical interaction strengths are given by

$$U_{C;+} = \frac{2}{()} \tag{A 8}$$

$$U_{c;} = \frac{2}{\frac{1}{N} \sum_{k = \frac{(j_{k} j + j_{k} (k) j_{k}}{j_{k} j}} :$$
 (A 9)

Note that all t^0 and t^{00} dependence is contained in D (k). Of course, these equations could also have been obtained by taking the lim it m_F; m_{AF}! 0 in equation (27).

APPENDIX B:LARGE U RESULTS FOR THE SUSCEPT IB ILITIES AND SPIN WAVES

We give asymptotic expressions for the susceptibilities $^0_+$ (z;q) and spin wave dispersion for a half-led honeycomb antiferromangetic layer with nearest neighbor hopping. In this case, the chemical potential = 0 and the two energy bands are given by $E(k) = \frac{Um}{2}^2 + j_k f$.

The expressions for coherence factors appearing in the single electron propagators, ex-

panded up to second order in t=U, are:

$$^{2}A_{";+}(k)^{2} = ^{2}A_{\#;}(k)^{2} = ^{2}B_{\#;+}(k)^{2} = ^{2}B_{";}(k)^{2} = ^{2}B_{";+}(k)^{2}$$
(B1)

$$\mathring{A}_{"}; (k)\mathring{J} = \mathring{A}_{\#;+}(k)\mathring{J} = \mathring{B}_{\#;}(k)\mathring{J} = \mathring{B}_{";+}(k)\mathring{J} = 1 \frac{j(k)\mathring{J}}{U^2m^2}$$
(B2)

$$A_{\#;}(k)B_{\#;}(k) = A_{\#;+}(k)B_{\#;+}(k)$$

$$= A_{\#;}(k)B_{\#;+}(k) = A_{\#;+}(k)B_{\#;+}(k) - \frac{(k)}{Um}$$
(B3)

We therefore may use the approximate expressions for the $^0_+$ susceptibilities:

(0)aa (z;q)
$$\frac{1}{N} \frac{X}{z + (k) + (k+q)} = \frac{1}{(k+q)^{\frac{2}{3}}}$$
(B4)

$$\frac{1}{N} = \frac{1}{N} = \frac{1}{z + E(k) + E(k + q)} = \frac{j(k)j + j(k + q)j}{U^2 m^2}$$
 (B5)

$$\frac{1}{N} = \frac{1}{N} = \frac{1}{z + E(k) + E(k + q)} = \frac{1}{z + E(k) + E(k + q)} = \frac{(k) + (k + q)}{U^2 m^2} = \frac{(k) + (k + q)}{U^2 m^2}$$

$$\frac{1}{N} = \frac{1}{N} = \frac{1}{z + k} = \frac{1}{z + k + q} = \frac{1}{z + k + q} = \frac{1}{z + k + q} = \frac{(k) + q}{U^2 m^2} = \frac{(k) + q}{U^2 m^2}$$

We anticipate that the spin wave energies are of order $z=t^2=U$ so that we may use the expansion

$$\frac{1}{z + E(k) + E(k + q)} \quad \frac{1}{Um} \quad \frac{1}{Um} \quad \frac{z}{Um} \quad \frac{j(k)j + j(k + q)j}{U^{2}m^{2}} + \dots$$

in equations (B4)-(B7). The condition (23) for the spin wave dispersion now takes the form:

But we must take into account that the self-consistent equation for the Hatree-Fock magnetization, expanded to second order in t=U, is

$$1 \frac{1}{m} \frac{2}{U^{2}m^{3}N} \int_{p}^{X} j(p)j^{2}$$
 (B9)

Introducing (B9) in (B8) we nally obtain the spin wave dispersion:

$$z = ! (q)$$
 $\frac{2}{Um} = \frac{1}{N} \frac{X}{N} + \frac{1}{$

which agrees with the result predicted by the Holstein-Primako theory.

APPENDIX C: HOLSTEIN-PRIMAKOFF ANALYSIS OF THE HEISENBERG MODEL

The Heisenberg Ham iltonian in the honeycomb lattice is given by

$$H = \frac{J}{2} \sum_{i \geq A;}^{X} [S_{i}^{z} S_{i+}^{z} + \frac{1}{2} (S_{i}^{+} S_{i+} + S_{i}^{z} S_{i+}^{+})] + \frac{J}{2} \sum_{i \geq B;}^{X} [S_{i}^{z} S_{i+}^{z} + \frac{1}{2} (S_{i}^{+} S_{i+}^{z} + S_{i}^{z} S_{i+}^{+})] : (C1)$$

W e introduce two sets of operators

$$g = a_i^y a_i + S;$$
 $S_i^+ = 2S a_i^y a_i a_i;$ $S_i^+ = a_i^y 2S a_i^y a_i;$ (C2)

and

$$S_{i}^{z} = b_{i}^{y}b_{i} + S;$$
 $S_{i}^{+} = 2S$ $b_{i}^{y}b_{i}b_{i};$ $S_{i}^{+} = b_{i}^{y}$ 2S $b_{i}^{y}b_{i}:$ (C3)

Making the usual linear expansion and introducing the momentum representation for the bosonic operators, the Hamiltonian can be written as

$$H = JN_A zS^2 + JzS (a_k^Y a_k + b_k^Y b_k) + JS (k) a_k b_k + (k) b_k^Y a_k^Y) : (C4)$$

Next we introduce a set of quasiparticle operators de ned by

$$a_{k}^{Y} = u_{k} {}_{1;k}^{Y} v_{k} {}_{2;k}; \qquad b_{k}^{Y} = u_{k} {}_{2;k}^{Y} v_{k} {}_{1;k}; \qquad (C.5)$$

where the coherence factors obey $j u_k \hat{j} = 1$. A fter introducing the above transform ations in the H am iltonian we nd

which implies the conditions

$$JzS (ju_k j^2 + jv_k j^2) \quad JS \quad (k)v_k u_k \quad JS \quad (k)v_k u_k) = ! (k);$$

$$2JzSv_k u_k + JS \quad (k)v_k v_k + JS \quad (k)u_k u_k = 0 : \tag{C7}$$

The second condition reveals that we can choose u_k to be real and $v_k = (k)$ (k), with (k) real. A fler some straightforward manipulations we not

! (k) =
$$JS^{p} \overline{z^{2} + j_{k}^{2}};$$
 (C8)

The stagered magnetization is given by

$$m = S \frac{1}{2N_{A}} \sum_{k} ha_{k}^{y} a_{k} + b_{k}^{y} b_{k} i = S \frac{1}{N_{A}} \sum_{k} \frac{1}{2} + \frac{1}{2} \frac{z}{p \cdot z^{2} \cdot j_{k} j^{2}} \frac{1}{N_{A}} \sum_{k} \frac{zn_{B} [! (k)]}{z^{2} \cdot j_{k} j^{2}};$$
(C.9)

and at zero tem perature we assum e n_B [! (k)] = 0. Com puting the integral gives a m agnetization value of 0.24, that is about 50% the Neel value $\frac{1}{2}$.

- [1] P.W. Anderson, Science 235, 1196 (1987).
- [2] L.Balents, M.P.A.Fisher, and S.M.Girvin, Phys. Rev. B 65, 224412 (2002).
- [3] K. Takada, H. Dakurai, E. Takayama-Muromachi, F. Izumi, R. A. Dilinian, and T. Sasaki, Nature 422, 53 (2003).
- [4] K.Kurokiand R.Arita, Phys. Rev. B 63, 174507 (2001).
- [5] S.Onari, K.Kuroki, R.Arita, and H.Aoki, Phys. Rev. B 65, 184525 (2002).
- [6] See Tôru Moriya, Acta Phys. Pol. B 34, 287 (2003); cond-mat/0207669 for a recent review on spin uctuations and superconductivity.
- [7] J.Nagamatsu, N.Nakagawa, T.Muranaka, Y.Zenitani, J.Akimitsu, Nature 410, 63 (2001).
- [8] J.Gonzalez, F.Guinea, and M.A.H. Vozmediano, Nucl. Phys. B 424, 595 (1994) J.Gonzalez, F.Guinea, and M.A.H. Vozmediano, Phys. Rev. Lett. 77, 3589 (1996).
- [9] S. Sorella and E. Tosatti, Europhys. Lett. Vol 19, 699 (1992).
- [10] L.M. Martelo, M. Dzierzawa, L. Siert, and D. Baeriswyl, Z. Physik B 103, 335 (1997).
- [11] N. Furukawa, J. Phys. Soc. Jpn. 70, 1483 (2001).
- [12] T. Hanisch, B. Kleine, A. Ritzl, and E. Muller-Hartmann, Ann. Physik 4, 303 (1995).
- [13] A.L.Tchougree and R.Homann, J.Phys.Chem. 96, 8933 (1992).
- [14] G.Baskaran and S.A.Jafari, Phys. Rev. Lett. 89, 016402 (2002).
- [15] N.M.R.Peres, M.A.N.Arajo, and A.H.C.Neto Phys.Rev.Lett. 92, 199701 (2004); G. Baskaran and S.A.Jafari Phys.Rev.Lett. 92, 199702 (2004)
- [16] N.M.R.Peres and M.A.N.Araujo Phys.Rev.B 65, 1324404 (2002)
- [17] N.M.R. Peres and M.A.N. A raujo Physica Status Solidi 236, 523 (2003)
- [18] H.R.Krishnamurthy, C. Jayaprakash, S. Sarker, and W. Wenzel Phys. Rev. Lett. 64, 950 (1990)

- [19] A.P.Kam pf, Phys. Rev. B 53, 747 (1996).
- [20] M ore general spin states than those discussed in this work are considered by Subir Sachdev in Rev. M od. Phys. 75, 913 (2003), but these are outside the scope of our treatment. However the states we consider in this paper are included in the analysis of the above reference.
- [21] J.Burgy, M.M. ayr, V.M. artin-M. ayor, A.M. oreo, and E.D. agotto, Phys.Rev.Lett.87, 277202 (2001).
- [22] A. Singh and Z. Tesanovic Phys. Rev. B 41, 11457 (1990); Phys. Rev. B 41, 11604 (1990); Phys. Rev. B 45, 7258 (1992)
- [23] The calculations presented in this table were performed at the GCEP cluster, in the Center of Physics of the University of Minho.