## G lass transition in m odels with controlled frustration

Annalisa Fierro

IN FM -C oherentia, D ipartim ento di Scienze F isiche, Universita di Napoli \Federico II", C om plesso Universitario M onte Sant'Angelo, V ia C inthia, I-80126, Napoli, Italy (D ated: A pril 14, 2024)

A class of models with self-generated disorder and controlled fustration is studied. Between the trivial case, where fustration is not present at all, and the limit case, where fustration is present over every length scale, a region with local fustration is found where glassy dynamics appears. We suggest that in this region, the mean eld modelm ight undergo a p-spin like transition, and increasing the range of fustration, a crossover from a 1-step replica symmetry breaking to a continuous one m ight be observed.

PACS num bers: 75.10 N r, 64.70 P f, 05.20.-y

The study of spin glasses and glass form ers has shown that these systems present similar complex dynamical behaviors. In particular the dynamical equations of pspin models [1], a generalization of the spin glass model. in mean eld, coincide above the dynam ical transition tem perature with the mode coupling equations for supercooled liquids [2]. However the connection in nite dim ension between spin glasses and glass form ers is not completely clear. On one hand, spin glasses undergo a therm odynam ic transition at a well de ned tem perature, where the nonlinear susceptibility diverges. The system s that show a transition of this kind, in spite of very different m icroscopic structures, have two essential com m on characteristics: The presence of competitive interactions (frustration) and quenched disorder. On the other hand, glass formers are a class of systems where disorder is not originated by som e xed external variables, but is \self-generated" by the particle positions and orientations. M oreover there is no sharp therm odynam ic transition characterized by the divergence of a therm odynam ic quantity analogous to the nonlinear susceptibility. In order to clarify the connection and the di erences between glasses and spin glasses, and to investigate the roles of disorder and frustration in the behaviors observed, in the present paper we study a class of models with annealed interactions and controlled frustration.

We consider a diluted spin glass, the fustrated lattice gas (FLG) [3], constituted by di using particles, and therefore suited to study quantities like the di usion coe cient, or the density autocorrelation functions, im portant in the study of liquids. The Ham iltonian of the m odel is:

$$H = J (_{ij}S_{i}S_{j} \ 1)n_{i}n_{j} + n_{i}; \quad (1)$$
<sub>hiji</sub>

where  $S_i = 1$  are Ising spins,  $n_i = 0;1$  are occupation variables, and  $_{ij} = 1$  are ferrom agnetic and antiferrom agnetic interactions between nearest neighbor spins. This model was studied both for quenched [3, 4] and annealed interactions [5]: In the quenched case the interactions,  $_{ij}$ , are quenched variables random by distributed with equal probability; in the annealed case  $_{ij}$  evolve in time.

In the lim it = T goes to in nity all sites are occupied 1 for each site i), and the quenched model repro-(n<sub>i</sub> duces the Ising spin glass. In the other  $\lim it$ , T=J=0, the model, eq. (1), has properties recalling a \frustrated" liquid. Indeed the st term of the Ham iltonian im plies that two nearest neighbor sites can be freely occupied only if their spin variables satisfy the interaction, that is if  $_{ij}S_iS_j = 1$ , otherwise they feel a strong repulsion. Since in a frustrated loop the spins cannot satisfy all the interactions, in this model particle con qurations in which a frustrated loop is fully occupied are not allowed. The frustrated loops in the model are the same of the spin glass model and correspond in the liquid to those loops which, due to geom etrical hindrance, cannot be fully occupied by the particles.

Here we study a class of annealed FLG models de ned by the following partition function:

$$Z_{an} = \begin{array}{c} X & X \\ e^{H} ; \\ fgfg \end{array}$$
(2)

where H is given by eq. (1), the sum  $\int_{f - g}$  is over all the possible con gurations of spin and particles f g f q is over all the possible interfS<sub>i</sub>;n<sub>i</sub>g, and the sum action con gurations such that the annealed averages of the frustrated loop number coincide with the quenched ones for every length of the loops until a maximum value,  $r_{max}$  ( $r_{max} = 0$ ; 4; 6; 8; ... on a cubic lattice). Varying  $r_{m ax}$  from zero to in nity a class of models with controlled frustration is obtained. In the lim it,  $r_{max} = 0$ , frustration is not present at all: the model [5] is equivalent to a lattice gas with a repulsion between nearest neighbors, and without frustration and correlations between spin, and no therm odynam ic transition is present. In the other limit,  $r_{m ax}$  goes to in nity, frustration is present over every length scale, as in the quenched case: W e expect that the partition function, eq. (2), coincides with the quenched one, namely the model undergoes a spin glass-like transition [4], as shown in Ref. [6] for the Ising spin glassm odel [7]. For interm ediate values of  $r_{max}$ a class of m odels with local frustration and self-generated disorder is obtained.

In the present paper the models, eq. (2), have been

studied for  $r_{m ax} = 4$  and  $r_{m ax} = 6$ : In the st case a trivial dynam ical behavior is observed, with one step relaxation functions and a smooth increasing of relaxation time as function of density; in the second case a dynam ical behavior very similar to that of glass form ers is instead found. We therefore observe that by increasing the degree of frustration the system moves from a liquid-like to a glassy-like behavior.

The system was simulated using M onte Carlo techniques over a cubic lattice of linear size L = 8. At the beginning the interactions,  $_{ij}$  = 1, are random ly distributed with equal probability. At each step of the dynam ics an attempt to m ove a particle to a nearest neighbor site (the spin is ipped with a probability equal to 1=2) is alternated with an attempt to exchange two nearest neighbor interactions: in the lim it here considered, T=J = 0, a particle can move to a nearest neighbor site only if its spin satis es the interactions with all the new nearest neighbors, and an interaction can be changed only if at least one of its extreme is empty. The frustrated loop numbers of any xed length until  $f_{max}$  are independently kept constant during the dynam ics.

At a given value of the density, , we calculated the two-time relaxation function of the self-overlap, C (t;t\_w) = 1=N\_p^{P\_{L^3}} \overline{S\_i(t\_w)n\_i(t\_w)S\_i(t)n\_i(t)}, where N<sub>p</sub> is the number of particles, and the average  $\div$ : is done over 8 32 di erent realizations of the system. For values of t\_w long enough, the system reaches a stationary state, where the time translation invariance is recovered, i.e., C (t;t\_w) = C (t\_{-}t\_w). In this time region we calculated the equilibrium relaxation function of the self-overlap:

$$hqi(t) = \frac{1}{N_{p}} \sum_{i=1}^{k^{3}} hS_{i}(t)n_{i}(t)S_{i}(t+t^{0})n_{i}(t+t^{0})i; \quad (3)$$

and the dynam ical nonlinear susceptibility [9]:

$$(t) = N_p (hq^2 i(t) hq i^2(t)):$$
 (4)

Here h is the time average on time of the density the quantities of interest are averaged over 8 32 dierent realizations of the system, and the errors are calculated as the uctuations over this statistical ensemble.

We rst consider the model with  $r_{max} = 4$ : Since  $r_{max}$  equals the loop m inimum length, the interactions evolve under the constraint that the number of frustrated loops of length 4 is kept constant. In this case, both hqi(t) and

(t) show a liquid-like behavior also at high densities: hqi(t), plotted in Fig. 1, relaxes with a one step decay well thed by a stretched exponential function, f(t) =A exp  $\frac{t}{}$ , with ' 0:93 not depending on the density; and (t) tends to a plateau, which smoothly increases as a function of density. We suggest that this behaviorm ight be due to the fact that there is only a few residual frustration on boops of length greater than 4, and frustration is too local to originate a slow dynam ics.

A very di erent behavior is instead observed in the model with  $r_m_{ax} = 6$  (where the interactions evolve under the constraint that the number of frustrated loops of



FIG.1: The relaxation functions of the self-overlap, hqi(t), for  $r_{m ax} = 4$  at the densities = 0:63; 0:70; 0:74; 0:76 (from left to right). The continuous curves in gure are stretched exponential functions with = 0:93.



FIG. 2: The relaxation functions of the selfoverlap, hqi(t), for  $r_{m ax} = 6$  at the densities = 0:48; 0:54; 0:59; 0:63; 0:66; 0:71; 0:73 (from left to right).

length 4 and 6 are independently kept constant.) In Fig. 2, hqi(t) are plotted at di erent values of the density. At high density two step decays appear and the curves are well tted at interm ediate times by the forms predicted near the dynam ical transition by the mode coupling theory (MCT) [2, 8] (see Fig. 3). In Fig. 4, the scaled relaxation functions of the self-overlap, hqi(t= )=f\_0, are plotted as function of the scaled time, t= . At long times the curves collapse onto a single master function, well t



FIG. 3: The relaxation functions of the self-overlap, hqi(t), for  $r_{m \ ax} = 6$  at the density = 0:69. The curve in gure is the correlator of the MCT with exponent parameters a = 0:327 and b = 0:641, and plateau height  $f_0 = 0.84$ .



FIG.5: The relaxation time, , and the inverse di usion coe cient, D $^{1}$ , (the empty circles in gure) are plotted as function of . The curves are the power laws obtained as tting functions.





FIG. 4: The scaled relaxation functions of the self-overlap, hqi(t= )=f\_0, as a function of the scaled time, t= , at the densities = 0.54; 0.59; 0.63; 0.66; 0.71 (from right to left). The continuous curve is a stretched exponential function with = 0.71.

ted by a stretched exponential (the continuous curve in gure), and the relaxation time, , diverges as a power law, ( ), with '0:79 0:02 and = 4:9 0:7 (see Fig. 5).

The dynamical nonlinear susceptibility, (t), shown in Fig. 6, presents a maximum at a time, t, which we interpret as the relaxation time of the interactions: Until t the dynamical nonlinear susceptibility increases as if the

FIG. 6: The dynamical nonlinear susceptibility, (t), for  $r_{m ax} = 6$  at the densities = 0:48; 0:54; 0:59; 0:69 (from left to right).

environm entwere quenched, and only fort> t the interactions evolve and (t) can decrease to the equilibrium value. A dynam ical nonlinear susceptibility with a maxim um is typical of glassy systems [9, 10]. As in Lennard-Jones liquids we found that the value of the maxim um,

(t), which diverges in the p-spin model [9] as the dynam ical transition is approached from above, has instead a maximum: We suggest that in the present case this behavior might due to the fact that the system becomes less and less frustrated as the density increases [11]. Finally we calculated the particle mean square displacement,  $h r^2 i(t) = 1 = N_p \sum_{i=1}^{N_p} h(r_i(t + t^0)) r_i(t^0))^2 i$ , where  $r_i$  (t) is the position of the i th particle at the time t. At high density the mean square displacement is not linear at short time, and the di usion coe cient, D, is calculated from the long time regime of the mean square displacement via the relation,  $D = \lim_{t \ge 1} h r^2 i(t) = 6t$ . The di usion coe cient, shown in Fig. 5, is well tted by a power law, (  $_{\rm D}$ )  $^{\rm D}$  , with  $_{\rm D} = 0.80$  0.01 and  $_{D}$  = 2:46 0:19. The critical density,  $_{D}$ , obtained in this way coincides with the value, = 0:79 0:02, where the relaxation time, , diverges; the exponent,  $_{\rm D}$  , is instead not consistent with = 4:9 0:7.

In conclusions the properties of the annealed models, eq. (2), strongly depend on the value of  $r_{m ax}$ . In particular by increasing the degree of frustration a crossover from a liquid-like to a glassy-like behavior is found. We suggest that them odelw ith  $r_{m ax} = 6$ , where a dynam ical glass transition is observed, in mean eld m ight undergo

- [L] T.R.K irkpatrick and D.Thirum alai, Phys.R ev.Lett 58, 2091 (1987).T.R.K irkpatrick and D.Thirum alai, Phys. Rev.B 36, 5388 (1987).M.M. ezard and G.Parisi, J.Phys I (France) 1, 809 (1991).A.Crisanti, H.J.Sommers, and H.Homer, Z.Phys.B 87, 341 (1992).L.F.Cugliandolo and J.Kurchan, Phys.R ev.Lett.71, 173 (1993).S.Franz and M.M. ezard, Europhys.Lett. 26, 209 (1994).
- [2] W. Gotze, in Liquids, Freezing and Glass Transition, eds. J.P. Hansen, D. Levesque, and Zinn-Justin, Elsevier (1991). T. Franosch, M. Fuchs, W. Gotze, M. R. Mayr and A. P. Singh, Phys. Rev. E 55, 7153 (1997). M. Fuchs, W. Gotze and M. R. Mayr, Phys. Rev. E 58, 3384 (1998).
- [3] A. Coniglio, \Frustration and connectivity in glass form ing system s and granularm aterials", in Proc. Int. School on the Physics of Complex Systems \Enrico Ferm i" CXXX IV course (Varenna 1996), F.M allam ace and H E. Stanley Eds., p.491. M. Nicodem i and A. Coniglio, J. Phys. A Lett. 30, L187 (1996). A. Coniglio, A. de Candia, A. Fierro and M. Nicodem i, J. Phys.: Condens. M atter. 11, A167 (1999). F. Ricci-Tersenghi, D. A. Stariolo and J. Arenzon, Phys. Rev. Lett. 84, 4473 (2000). M. H. Vainstein, D. A. Stariolo and J. J. Arenzon, J. Phys. A. Math. Gen. 36 (43), 10907 (2003).
- [4] A. de Candia and A. Coniglio, Phys. Rev. E 65, 16132 (2002).
- [5] A. Fierro, A. de Candia and A. Coniglio, Phys. Rev. E 62, 7715 (2001).
- [6] G. Palladin, M. Pasquini and M. Serva, J. Phys. I (France) 5,337 (1995).
- [7] The partition function of the Ising spin glass model is shown to coincide wpith that of the annealed model, eq. (2), where  $H = J_{hiji} ij S_i S_j$ , the sum  $f_{gp}$  is over all the possible spin con gurations, and the sum  $f_{g}$  is over all the possible interaction con gurations such that the annealed averages of frustrated loop number coincide with the quenched ones for every length of the loops. This was obtained from the observation that the partition function of the Ising spin glass model for a single

a p-spin like transition with a 1-step replica symmetry breaking in the spin overlap distribution. M oreover it is reasonable to expect that, by further increasing the degree of frustration, the annealed partition function, eq. (2), m ight tend to the quenched one, where a spin glasslike transition [4, 12] and the development of a continuous replica symmetry breaking in the spin overlap distribution [14] is found, and a crossover from glassy-like to spin glass-like behavior m ight be observed.

## A cknow ledgm ents

W e would like to thank A.Coniglio, E.DelG ado and M.Pica Ciam arra for many interesting discussions and suggestions. This work has been partially supported by EU Network Number MRTN-CT-2003-504712, MIUR-PRIN 2002, MIUR-FIRB 2002, and INFM-PCI.

realization of the interactions depends only on the quantities,  $_{fL_s^{(r)}g} _{hiji2L_s^{(r)}} ij$ , where the sum is over all the possible loops,  $L_s^{(r)}$ , and s labels di erent loops with the same length, r. In the present model an analogous proof is not so direct.

- [8] The -correlator predicted by the MCT is given by (t) =  $f_c + g(t=t)$ , where  $g(t=t) / (t=t)^a$  for  $t_0 + t$ , and  $g(t=t) / (t=t)^b$  fort t.
- [9] S. Franz, C. Donati, G. Parisi and S. C. G lotzer, Philos. Mag. B 79, 1827 (1999). C. Donati, S. Franz, S. C. G lotzer and G. Parisi, J. Non-cryst. Solids, 307, 215 (2002)
- [10] S. C. G lotzer, V. N. Novikov, and T. B. Schr der, J. Chem. Phys. 112, 509 (2000).
- [11] The annealed model can reach the equilibrium state at density above the quenched maximum density ( $_{max}$  ' 0:68) only if the frustration on bops of length above  $r_{max}$  is reduced in comparison with the quenched case. We suggest that for this reason the plateau height,  $f_0$ , which is constant near the glass transition in the MCT, always increases as function of the density: A s the frustration length scale decreases also the cage dimension decreases, and consequently the plateau height increases.
- [12] In the quenched FLG model the relaxation functions of the spin self-overlap were found to be well tted by the function ct <sup>x</sup> exp( (t= )), proposed by 0 lgielski for the Ising spin glass [13], and the dynam ical non linear susceptibility to increase as function of time to a plateau value, which coincides with the static nonlinear susceptibility and diverges at the transition [5].
- [13] A.T.Ogielski, Phys. Rev. B 32, 7384 (1985).
- [14] J.J.A renzon, M.N. icodem i, and M. Sellitto, J.P. hysique I 6, 1143 (1996). M. Sellitto, M.N. icodem i, and J.J. A renzon, J.P. hysique I 7, 945 (1997). A. Crisanti and L. Leuzzi, P. hys. Rev. Lett. 89, 237204 (2002). A. Crisanti and L. Leuzzi, cond-m at/0402243.