Phase Behavior of Short Range Square W ell M odel

D.L.Pagan and J.D.Gunton

Departm ent of Physics, Lehigh University, Bethlehem, P.A. 18015

(Dated: April 14, 2024)

Abstract

Various M onte C arlo techniques are used to determ ine the complete phase diagram s of the square well m odel for the attractive ranges = 1:15 and = 1:25. The results for the latter case are in agreement with earlier M onte C arlo simulations for the uid-uid coexistence curve and yield new results for the liquidus-solidus lines. Our results for = 1:15 are new. We not that the uid-uid critical point is metastable for both cases, with the case = 1:25 being just below the threshold value for metastability. We compare our results with prior studies and with experimental results for the gam m a-II crystallin.

I. IN TRODUCTION

It has been known since the the work of G ast et al.¹, and subsequently con rm ed by others^{2,3}, that the phase behavior of colloidal particles depends sensitively on the range of attraction between them. For su ciently short range attractive interactions, the phase diagram exhibits a solid- uid coexistence curve that is subtended by a metastable uid- uid coexistence curve. Such phase behavior is also typical of certain globular proteins in solution⁴. This has led scientists to model globular proteins in solution using the ideas developed in colloid science. Several models with short range attractive interactions ^{6,7,8,9} have been used to calculate the phase diagram s of various proteins using computer simulation. A s well, m any of these models have been shown to obey a kind of van der W aal's extended states behavior¹⁰. These isotropic short-range models have also been used to characterize^{7,8} the nucleation rates for globular proteins. The simplest of these models is the square well potential, given by

$$V(\mathbf{r}) = \begin{cases} 8 \\ \$ & 1; & r < \\ ; & r < \\ \$ & 0; & r & : \end{cases}$$
(1)

The uid-uid coexistence curve for values of 125 is know H. However, to date, no direct simulation results of the complete phase diagram are available for = 125 or for smaller ranges away from the adhesive-sphere limit. This choice of = 125 for the the range of interaction is believed to be close to the threshold value below which the square wellm odel becomes metastable. Indeed, theoretical and sem i-analytical treatments con methics hypothesis^{9,12}, although the threshold values for other short-range models is smaller. A lso, the phase behavior at this value for the square wellm odel has been compared to that of the gamma crystallin proteins¹³, mutants of which have been linked to genetic cataracts¹⁴. The square wellm odel has also been used to determ ine nucleation rates at several ranges of

to better understand protein crystallization¹⁵ and is also of interest for comparing results with theoretical approaches modelling phase behavior¹⁶, as well as for comparison with experimental studies. It is important, therefore, that these phase diagrams be accurately calculated, both at and below = 1.25. In this paper, we present such results using standard M onte C arb and parallel tem pering techniques.

A. Solid-uid coexistence

K of ke^{17} showed that the solid-uid coexistence curve can be obtained by solving the rst-order C lausius-C lapeyron equation, given by¹⁸

$$\frac{dP}{d} = -\frac{4 h}{4 v}$$
(2)

where P is the pressure, = 1=T is the inverse tem perature, h is the molar enthalpy, and v is the molar volume, respectively. The method, known as the Gibbs-Duhem method, requires that two isobaric-isotherm al (NPT) Monte Carlo simulations be carried out in parallel so that information can be used to calculate the next state and, thus, points along the whole coexistence curve can be obtained. This method has been employed for solid-uid coexistence for a variety of models^{6,17,19}. One caveat is that an initial coexistence point must rst be known in order to integrate the Clausius-Clapeyron equation. To do this, the equation of state along an isotherm is obtained using NPT simulations. Once the equation of state is known, we t the uid-solid lines with an equation of the form

$$P = \frac{1}{1 - a} + b(\frac{1}{1 - a})^2 + c(\frac{1}{1 - a})^3$$
(3)

where is the number density. The solid line is t to a 2^{d} order polynom ial equation of the form a 2 + b + c. Integrating these two equations yields the chem ical potentials for the liquid and solid, as shown in equations (4) and (5), respectively.

$$_{1} = \ln\left(\frac{2}{1 a}\right) + \frac{b=a c=a^{2} + 1}{1 a} + \frac{c=2a^{2} + b}{(1 a)^{2}} + \frac{c^{2}}{(1 a^{3})} \quad (b=a c=2a^{2} + 1)$$
(4)

$$s = 2a + b(\ln + 1)$$
 (a + bln c=)+ $f^{ex}() + \ln^{2} 1$ (5)

It should be noted that eq.(5) requires the know ledge of the free-energy at the reference density \cdot . To calculate this, we use the Frenkel-Ladd²⁰ m ethod of coupling a solid to

harm onic springs, referred to as an E instein lattice. The bene t of coupling the solid in this way is that the free energy of the E instein lattice can be easily calculated analytically, allowing one to obtain the free energy of the system of interest. We consider a system that is dependent upon a coupling parameter such that the total energy of the system may be written as

$$U() = U_{o} + U = U_{o} + (\mathbf{r}_{i} - \mathbf{r}_{o,i})$$
 (6)

where N is the number of particles, r_{o;i} the position of the lattice site to which the particle i is assigned, U_o the energy of the system of interest, and r_i are the positions of the particles. A s the coupling parameter becomes large, the system becomes more strongly coupled to the lattice. For very large values the system will behave as a non-interacting E instein lattice. To verify this behavior, the mean-squared displacements of the system for various values of are computed and compared to those of a non-interacting E instein lattice. O noe this value max is obtained, we can calculate the free energy of the square well model at a reference density by²¹

$$F_{SW} = F(m_{ax}) \qquad d < U(x^{N};) > ; \qquad (7)$$

where the st term represents the free energy of the Einstein lattice. W ith the chemical potentials of both phases now known, it is straightforward to calculate a coexistence point and to subsequently perform the G ibbs-D uhem method, thereby obtaining the uid-solid coexistence curve.

To obtain a coexistence point, NPT simulations are rst performed for N = 256 particles in a periodic simulation cell. In one NPT simulation, on average, one volume displacement is attempted for every N attempts at displacing a particle. This is done because a volume move is computationally more expensive than a particle displacement. Equilibration runs lasted for 10 m illion M onte C arlo steps and production runs ran for 20 m illion M onte C arlo steps, a step being an attempt at either displacing a particle or changing the volume of the cell, on average. In order to compare the chemical potentials for coexistence, we must rst perform simulations on a system coupled to an E instein lattice, as described previously. W e




FIG.1: C on parison of mean squared displacements for a coupled solid with that of an E instein lattice (solid line) for the range = 1.25.

the constraint that the center of m ass of the particles remains xed^2 . If a particle is given a random displacement, all particles are subsequently shifted in the opposite direction to ensure that the center of m ass is constant. We update the position of the center of m ass every time a trial move is accepted. Thus, the shift in the center of m ass is continually updated in order to properly calculate the harm onic energy contribution²². Einstein lattice simulations were equilibrated for 5 m illion M onte C arlo steps and were run for a total of 10 m illion M onte C arlo steps. These simulations are carried out at di erent values of the coupling parameter . Fig. 1 shows our results for the mean squared displacements for = 1.25. We use $_{max}$ = 4000 at = 1.25 and $_{max}$ = 3000 at = 1.15 for the square well systems, respectively. The integral in eq. (5) is evaluated using a 10-point G aussian quadrature²³ to obtain the free energy of the square well system . O noe this free energy is obtained, the chemical potentials are plotted versus pressure to obtain a coexistence point, given by the point at which the two curves intersect.

The G ibbs-D uhem integration is perform ed using two NPT simulations in parallel. Sim – ulations were equilibrated for 20 m illion M onte C arlo steps and ran for 40 m illion M onte C arlo steps in production. E ach NPT simulation was perform ed under the sam e conditions as described previously. The coexistence pressures were calculated using a simple predictor-




FIG. 2: Equation of state of the square well model for = 1.15. A los shown as the dashed lines are our ts according to equations in the text. D ata was collected at the tem perature T = 1.0.




FIG. 3: Equation of state of the square well model for = 1.25. A los shown as the dashed lines are our ts according to equations in the text. D ata was collected at the tem perature T = 1.0.




FIG. 4: Determ ination of a coexistence point for = 1.25. The point at which the curves cross satis es the condition for coexistence, namely, equal chem ical potentials at equal pressures.

corrector algorithm 23 . W ith the predicted/corrected pressure, NPT simulations are done in parallel to obtain the next coexistence point, and the process is repeated until the full uid-solid coexistence curve is obtained. This procedure was in plan ented for both system s at = 1:15 and = 1:25.

B. Fluid-uid coexistence

To calculate uid- uid coexistence of the square well model at = 1.25, we use the G ibbs ensemble M onte C arlo m ethod²⁴. Two physically separated but therm odynam ically connected simulation cells are used to calculate both the less dense and more dense uid phases, respectively. This method circum vents the problem of an interface, which would hinder sampling, by altogether removing it. The two cells are allowed to exchange particles and both separately undergo volume displacements such that the total number of particles $N = N_1 + N_2$ and total volum e $V = V_1 + V_2$ remain constant. Particles are also displaced within each cell according to the regular M etropolis method. Simulations for N = 512 particles were conducted on a periodic simulation cell. Simulations were equilibrated for 50 m illion steps and produced for 100 m illion steps. W e required that the chem ical potentials

of both phases at each state point be equal to ensure coexistence had been reached.

At shorter interaction ranges, , it becomes increasingly di cult to sample phase space. The system becomes non-ergodic and standard techniques used to calculate uid- uid coexistence are unable to obtain coexistence points. As is decreased, the critical temperature T_c is decreased, and the particles tend to 'stick' together. Stickiness^{5,26} is a phenom enon usually associated with the adhesive hard-sphere model²⁵. It is not unusual, therefore, that for su ciently short-range square-well potentials stickiness begins to manifest itself. (An adhesive sphere interaction can be derived from a square-well interaction in the limit where the well becomes in nitesim ally narrow and in nitesim ally deep.)

To overcome this di culty, we employ parallel-tem $pering^{27}$ M onte Carlo to speed up equilibration of the system. Parallel tem pering allows local M onte Carlo simulations (replicas) to communicate and exchange information between each other. The benet of this is that systems that were unable to properly sample phase space are able to do so. Parallel tem pering is quickly becoming a standard method of sampling systems that become trapped in local energy minim $a^{26,29,30}$. We set up global M onte Carlo simulations using grand canonical M onte Carlo simulations in each replica, where each replica is allowed to exchange particle-con gurations according to

$$p_{acc}(x_i \ x_{i+1}) = m in [1; exp(N)];$$
 (8)

where x_i is the state of the ith replica and is the reduced chem ical potential $=k_B T$. The potential used is actually $= 3 \ln [=]$ (as in Ref⁸). In what follows, we denote as for simplicity. To ensure detailed balance is obeyed, a replica is selected at random and tested to swap particle-con gurations with a neighboring replica according to the above probability. W ithin each replica three trial moves are attempted: 1) insertion/deletion trial moves are attempted according to standard M onte C arb as adapted for use in the grand canonical ensemble²⁸, 2) particle displacements are employed according to the regular M etropolis method, and 3) cluster moves³¹ are attempted to break-up any sm all clusters that m ay have formed. The last trial move is similar to those of particle displacements, however, extra care must be taken so that detailed balance is observed. Thus, a cluster of particles is displaced such that no new clusters are form ed and no old clusters are destroyed.

Periodic boundary conditions are used for a simulation cell of size L = 8. Simulations




FIG. 5: Phase diagram of square well model for = 1:15 using M onte C arb m ethods described in the text. Shown are the uid-solid (O) and m etastable uid-uid (4) coexistence curves along with our t (solid line) to the latter.

were equilibrated for 10 m illion steps and production runs lasted 100 m illion steps. At each state point we chose to run our replicas at a common temperature with each di ering in chemical potential . We used 6 to 7 replicas per global simulation, choosing the chemical potentials such that approximately 20% of particle exchanges were accepted. Once a density distribution was obtained in this way, coexistence points were determined using an equalarea criterion according to

$$Z_{hi} P_{L}^{(00)} () = 0.5:$$
(9)

To facilitate our grand canonical simulations, we employ histogram -reweighting³² after each set of simulations. This method allows information at one state point to be obtained from a neighboring one, such that

$$P_{L}^{(^{0};^{0})}(;u) = \frac{\exp[(^{0}) V (^{0})uV P_{L}^{(;)}(;u)}{\exp[(^{0}) V (^{0})uV P_{L}^{(;)}(;u)};$$
(10)




FIG. 6: Phase diagram of square well model for = 1.25 using M onte C arb m ethods described in the text. Shown are the uid-solid (O) and m etastable uid-uid (4) coexistence curves along with our t (solid line) to the latter. The inset shows a close-up view of the phase diagram near the estimated critical point ().

TABLE I: Results from t to uid-uid coexistence curves

	T _c	С	С	А	В
1.15	0 . 565 (3)	0.404 (3)	0.212	0,55(2)	0.89(1)
1.25	0.765(2)	0.390 (4)	0,204	0.50(2)	0.82(1)

III. RESULTS AND DISCUSSION

We calculated the phase diagram softhe square wellm odel for both = 1.15 and = 1.25, respectively. Our equations of state for both interaction ranges, simulated at the isotherm T = 1.0, are shown in Figs. 2 and 3. Our ts to the data are also shown in these gures, as described previously in the text. We emphasize the importance of obtaining very good

ts to the data, as one must have accurate values of the chem ical potentials of the two phases, vis-a-vis eqs. (4) and (5). Errors in thing the data, particularly for the liquid, lead to errors in the value for a coexistence point and, ultimately, in determining the uid-solid coexistence phase boundaries. Care was taken such that deviations between the data and the twere usually less than 1.0%, no data point deviated from the tby more than 3.0% for either model. Certain data points were obtained by running longer simulations to minim ize uctuations.

A fler obtaining good ts to our isotherms, we obtained coexistence points for the square well models. This is shown in Fig. 4 where a coexistence point for = 1.25 has been determined by comparing the chemical potential versus pressure. We then employed the G ibbs-D uhem method for each model to obtain the uid-solid coexistence curve. Figs. 5 and 6 show the phase diagram s for both interaction ranges studied. It can be seen that for

= 1:15 the m etastable uid- uid coexistence curve is far below the liquidus line. This curve clearly indicates that the threshold for m etastability lies above above this value for the interaction range. O ther studies^{16,33,34} have been done on the Yukawa and square well m odels for extrem ely short range interactions. There, a phenom enon of isostructural solid-solid coexistence is observed, with the appearance of a solid-solid critical point. We observe no such coexistence at = 1:15, although we have not extended our simulations to high densities where such a phenom enon has been observed at lower ranges. Fig. 6 shows the phase diagram for = 1:25, show ing that the uid- uid coexistence curve is m etastable. We note that at the liquidus line just above the critical tem perature, T_c, simulations exhibited large uctuations in the density. We therefore ran longer simulations in this region than for other parts of the uid-solid phase diagram to m inim ize uctuations.

A loo shown in Figs. 5 and 6 are our attempts to t the metastable uid-uid coexistence curves to the equation $_{c} = A JT$ $T_{c}j$ B JT $T_{c}j$, where T_{c} and $_{c}$ are the critical temperature and density, respectively, and = 0.3258 (Ref³⁵) is the Ising exponent. Table I shows our values for both = 1:15 and = 1:25. Our estimates compare well with other predictions^{9,11} of the critical point for these two ranges. The critical density $_{c}$ is shifted toward a higher density for = 1:15 as compared to that at = 1:25, as shown in Table I, but is smaller than the critical density predicted in (Ref^{9,41}).

As noted in the introduction, m any m odels capture the qualitative characteristics of protein phase diagram s. It is interesting, however, that the Yukawa, M LJ, and 2n-n Lennard Jones m odels all have been show n^{10} to become m etastable at the interaction range R =

1 = 0.13 0.15. As noted, this is not, however, the case for the square wellm odel. Our results con m that R ' 0.25, as previous^{2,12} studies have predicted.

In another study⁹ of the square well model at = 1.25, the authors obtain the phase




FIG. 7: C om parison of our M onte C arb results (N) to the cell m odel results of R ef. ⁹ (O) for the range = 1.25. A lso plotted are our estimates of the critical temperature $T=T_c$. The m etastability gap is represented as a solid line.




FIG.8: C om parison of our M onte C arlo results for both = 1:15 (2) and = 1:25 (0), respectively, to the gam m a-II crystallin ().

diagram by a combination of M onte C arb and extrapolation techniques⁴¹. We compare our phase diagram at = 1.25 to theirs in Fig. 7, converting to the units $T=T_c$ and volume fraction = $_c$ (= $_c$). It is observed that both studies predict similar behavior for both the solidus line and metastable uid-uid coexistence curve. The liquidus lines, however, are not compatible. We quantify this discrepancy by measuring the metastability gap, de ned by⁹

$$\frac{T_{\rm L} \quad T_{\rm c}}{T_{\rm c}} = \frac{n_{\rm s} \quad n_{\rm s}}{n_{\rm s} \quad n_{\rm l}} \tag{11}$$

where n_i are phenom enological values used in their model. Using this de nition we nd the gap values 0.240 for = 1:15 and .035 for = 1:25 for the metastability gaps. The form er predictions⁹ overestim at the metastability gap by approximately 50% and 60%, respectively. The fact that our results for the solidus line agree with the early study is probably due to the fact that their choice for the number of contacts a given particle has within its interaction range in their cell model approximation is consistent with the foc crystal structure for this model.

M uch interest has been focused on the gam m a crystallins³⁶, a group of m onom eric eye lens proteins. C ertain m utations³⁷ of these proteins has been linked to genetic cataracts and protein crystallization¹⁴. These proteins have been well studied¹³ and their phase behavior are sim ilar to those of the square well m odel, w arranting a com parison of the two. F ig. 8 shows our square well phase diagram s to those⁹ of the gam m a-II crystallins. A lthough we com pare our data with the gam m a-II crystallin, it has been show n⁴¹ that the data for the

uid- uid coexistence curve of the entire gam m a crystallin fam ily lies on the same curve, within the scatter of the data. Our values for $_{\rm c}$, shown in Table I, are close to that of the value for the fam ily of gam m a crystallins. Both models qualitatively capture the characteristics of the gam m a protein, with the model at the range = 1:15 m ore closely resembling it. The case = 1:15 yields better agreem ent with the liquidus and solidus lines than the model with = 1:25. For both models, however, the uid- uid coexistence curve is not as broad as that of the gam m a-II crystallin. Indeed, som e studies^{38,39} have attempted to remedy this by including anisotropy in the interactions among particles in the square wellm odel, thereby broadening the uid- uid coexistence curves. One studig³⁸ averages out the rotational degrees of freedom to obtain an elective temperature-dependent isotropic potential that better approximates both the liquidus and metastable uid-uid coexistence curves of the gam ma-IIIb crystallin.

IV. CONCLUSION

The square well model for the interaction ranges = 1:15 and = 1:25 have been obtained using M onte C arbo simulations, including parallel tempering. We not that the latter interaction range is just below the threshold value for metastability of the uiduid coexistence curve. Finite-size e ects have not been taken into account for either the liquidus line or metastable uid- uid coexistence curve near the critical point where critical uctuations could a ect our results. However, the metastability gap is su ciently large that we believe our conclusion about the metastable nature of the coexistence curve for = 1:25is correct. We have also compared our M onte C arbo results for the complete phase diagram at = 1:25 to another study⁹ and not that this study does not predict the correct liquidus line. The complete phase diagram at = 1:15 was obtained by using standard M onte C arbo techniques, overcom ing the problem of 'stickiness' by using parallel tempering for the

uid-uid coexistence curve. A comparison of these two phase diagrams with the gam m a- Π crystallin has been m ade. Better qualitative agreement is obtained at = 1:15 with the experimental results for the gam m a- Π crystallin, but there is no quantitative agreement.

Isotropic uids cannot be expected to quantitatively m atch experimental systems. Although certain characteristics of the phase diagram s of proteins can be captured by these simple models, it is unlikely that a correct solidus line can be obtained. This is due to anisotropic interactions and the (non spherical) ellipsoidal shape of certain globular proteins, such as the gamma crystallins⁴⁰. M odels such as the square well model, or similar ones, alone, cannot account for elects such as anisotropy, solvent-solute interactions, or hydration elects commonly found in experimental systems and are, thus, too simple to be quantitatively accurate. However, the isotropic models do seem to provide a useful inst approximation which can then be extended to include elects such as anisotropy and hydrophobicity.

14

V. ACKNOW LEDGEMENTS

This work is supported by NSF grant DMR 0302598.

- ¹ A.P.Gast, C.K.Hall, and W.B.Russel, J.Colloid Interface Sci., 96, 251 (1983)
- ² H.N.W .Lekkerkerker et al., Europhys. Lett., 20, 559 (1992); Tejero et al., Phys. Rev. Lett., 73, 752 (1994)
- ³ S.M. Ilett et al, Phys. Rev. E, 51, 1344 (1995)
- ⁴ M.Muscholand F.Rosenberger, J.Chem. Phys., 107, 1953 (1997)
- ⁵ D.Rosenbaum, P.C. Zam ora, and C.F. Zukoski, Phys. Rev. Lett., 76, 150 (1996)
- ⁶ M.H.J.Hagen and D.Frenkel, J.Chem. Phys. 101, 4093, (1994)
- ⁷ P.R.ten W olde and D.Frenkel, Science 277, 1975 (1997)
- ⁸ D.W. Oxtoby and V.Talanquer, J.Chem.Phys.101, 223 (1998)
- ⁹ N.Asherrie, A.Lomakin, and G.B.Benedek, Phys. Rev. Lett. 77, 4832 (1996)
- ¹⁰ Massim o G. Noro and Daan Frenkel, J. Chem. Phys. 113, 2941 (2000)
- ¹¹ L.Vega, E.de Miguel, L.F.Rull, G.Jackson and I.A.M cLure, J.Chem. Phys. 96, 2296 (1992)
- ¹² A.Daanoun, C.F.Tejero, and M.Baus, Phys. Rev. E 50, 2913 (1994); C.Rascon, G.Navasques, and L.Mederos, Phys. Rev. B 51, 14899 (1995)
- ¹³ M.L.Broide et al, Proc.Natl.Acad.Sci.USA 88, 5660 (1991); C.R.Berland et al., ibid, 89, 1214 (1992)
- ¹⁴ S.Km och et al, Hum an M olecular G enetics 9, 1779 (2000); A.Pande et al, Proc.Natl.A cad. Sci.USA 98, 6116 (2001)
- ¹⁵ N.M. Dixit and Charles F. Zukoski, Journal of Colloid and Interface Science 228, 359 (2000)
- ¹⁶ G.Fo et al, Phys.Rev.E 65, 031407 (2002)
- ¹⁷ D.A.Kofke, J.Chem.Phys. 98, 4149 (1993); ibid, Mol.Phys. 78, 1331 (1993)
- ¹⁸ W e use di erent form s of the C lausius-C lapeyron equation at high and low tem peratures to m inim ize num erical errors as in R efs. (^{6,17,19})
- ¹⁹ M.G.Noro and D.Frenkel, J.Chem. Phys. 114, 2477 (2001)
- ²⁰ D.Frenkeland A JC.Ladd, J.Chem.Phys. 81, 3188 (1984)
- ²¹ To correct for nite-size e ects for crystals with a xed center of mass, we calculate the free-

energy contribution for discontinuous potentials as in the following reference: J.M. Polson et al., J.Chem. Phys. 112, 5339 (2000)

- ²² D.Frenkeland B.Sm it, Understanding Molecular Simulation, (San Diego, Academ ic Press 2002)
- ²³ Num erical Recipes Online, World Wide Web, http://www.library.comell.edu/nr
- ²⁴ A.Z.Panagiotopoulos, Mol.Phys. 61, 813 (1987)
- ²⁵ R.J.Baxter, J.Chem . Phys. 49, 2770 (1968)
- ²⁶ M.A.M iller and D.Frenkel, Phys. Rev. Lett. 90, 135702, (2003)
- ²⁷ C.J.Geyer and E.A.Thom pson, J.Am. Stat. Assoc. 90, 909 (1995)
- ²⁸ M.P.Allen and D.J.Tildesley, Computer Simulations of Liquids, (Clarendon, Oxford, 1990)
- ²⁹ Q.Yan and J.J.de Pablo, J.Chem .Phys. 111, 9509 (1999)
- ³⁰ D.L.Pagan, M.E.Gracheva, and J.D.Gunton, J.Chem. Phys. 120, 8292 (2004)
- ³¹ N.A. Seaton and E.D.G landt, J.Chem. Phys. 84, 4595 (1986)
- ³² R.H.Swendsen, Physica A 194, 53, (1993)
- ³³ P.and D. Frenkel, Phys. Rev. Lett. 72, 2211 (1994)
- ³⁴ C.Rascon, L.Mederos, and G.Navascues, Phys. Rev. Lett. 77, 2249 (1996); ibid, J.Chem. Phys. 103, 9796 (1995)
- ³⁵ A.M. Ferrenberg and D.P. Landau, Phys. Rev. B 44, 5081 (1991)
- ³⁶ J.G raw, Biol. Chem. 378, 1331 (1997)
- ³⁷ D.A. Stephan et al, Proc. Natl. A cad. Sci. USA 96, 1008 (1999); A. Pande et al., Proc. Natl. A cad. Sci. USA 97, 1993 (2000)
- ³⁸ A.Lomakin, N.Asherie, and G.B.Benedek, Proc. Natl. Acad. Sci. USA, 96, 9465 (1999)
- ³⁹ N.Kem and D.Frenkel, J.Chem .Phys. 118, 9882 (2003)
- ⁴⁰ A jit Basak et al., J. M ol. B iol. 328, 1137 (2003)
- ⁴¹ A.Lomakin, N.Asherie, and G.B.Benedek, J.Chem. Phys. 104, 1646 (1996)