Transition to the Fulde-Ferrel-Larkin-Ovchinnikov phases in three dimensions : a quasiclassical investigation at low temperature with Fourier expansion

C.M ora and R.Com bescot

Laboratoire de Physique Statistique, Ecole Norm ale Superieure*, 24 rue Lhom ond, 75231 Paris Cedex 05, France

(Received M arch 22, 2024)

W e investigate, in three spatial dimensions, the transition from the norm al state to the Fulde-Ferrel-Larkin-Ovchinnikov super uid phases. W e make use of a Fourier expansion for the order param eter and the G reen's functions to handle the quasiclassical equations in the vicinity of the transition. We show that, below the tricritical point, the transition is always rst order. We nd that, at the transition, the higher Fourier components in the order parameter are always essentially negligible. Below the tricritical point we have the already known result that the order parameter has a spatial dependence which is essentially $\cos(q \mathbf{r})$. However when the tem perature is lowered, the order parameter switches to a sum of two cosines, with equal weigths and wavevector with the sam e length, but orthogonal directions. Finally by further lowering the tem perature, and down to T = 0, one nds a another transition toward an order parameter which is the sum of three cosines with again equalweigths and orthogonal directions. Hence the structure of the order parameter gets m ore com plex as the tem perature is low ered. On the other hand the resulting critical tem peratures are found to be only slightly higher than the ones corresponding to the standard second order FFLO transition. We apply our results to the specic case of ultracold Ferm igases and show that the di erences in atom ic populations of the two hyper ne states involved in the BCS condensation display sizeable variations when one goes from the norm al state to the super uid FFLO phases, or one FFLO phase to another. Experim entally this should allow to identify clearly the various phase transitions.

PACS num bers: 05.30 Fk, 67.90.+ z, 74.20 Fg, 74.25 Op

I. IN TRODUCTION

Although initiated a long time ago [1,2] the problem of the Fulde-Ferre-Harkin-Ovchinnikov phases is far from having found a complete solution. In its simplest version one disregards the standard coupling of the magnetic eld to the orbital degrees of freedom and one boks at the coupling with the electronic spins which gives rise to a di erence between the chemical potentials of the up and the down spin populations. The question is to know how the superconducting transition is modied under these circum stances, and naturally the answer is relevant to dealwith the m ore com plex structures expected to appear when the orbital coupling is taken into account and vortex-like structures will be produced [3]. A recent and quite interesting developm ent has been the realization that this FFLO phases are equally of high interest for the physics of ultracold atom ic gases in their super uid BCS-like state [4], and also in the physics of quark m atter and dense nuclearm atter [57] as it m ight be found in the center of neutron stars. Our results near the transition at higher temperature [3] have con med the earlier results found in the literature [3] 11]. Namely the preferred order param eter is a one-dimensional order parameter, whether the space itself is three-dimensional (3D) or two-dimensional (2D) (as it is relevant for lamellar superconductors or cuprate superconductors). At the transition it is proportional to a simple cosine (r) cos(q:r), this result being exact in 2D and alm ost exact in 3D. However we have found recently [12] that, in 2D, the situation gets increasingly complex at low temperature. Indeed in this case the order parameter at the transition takes the form of a superposition of cosines, with wavevectors having the sam e length but di erent directions, the num ber of these cosines increasing inde nitely when the tem perature is going to zero.

In the present paper our purpose is to explore the same problem in three dimensions. This question is technically much more di cult than in 2D, since the transition turns out to be always rst order in contrast with the 2D case. This fact is already known from higher temperature results $[9\{11,8]$ and we will not that it remains true down to T = 0. This makes it impossible to make use of a G inzburg-Landau type of expansion, which in 3D is valid only near the tricritical point and, in 2D, at any temperature. One is thus forced, even at the transition, to face the full non-linear problem, which is quite di cult to handle. A most convenient way to attack it is to make use of the quasiclassical equations of E ilenberger [13], Larkin and O vchinnikov [14]. Nevertheless these equations them selves are not so easy to manipulate, even numerically, with the prospect of noting possible solutions with a three-dimensional order parameter, in a way analogous to what we have done in 2D. In a preceding paper [15] we have made a progress in this direction by showing that the introduction of a Fourier expansion in the quasiclassical equations allows to obtain a

solution which converges very rapidly toward the exact result. As a consequence a few term s in the expansion provide an excellent approximation. In this preceding paper only the principle of this method and its application to the a transition with one-dimensional order parameter have been considered. It has been checked against results obtained by M atsuce at a [10], which started also from the quasiclassical equations, but used another method to solve them. We have found excellent agreement. In the present paper we will apply our technique to more complex cases where the order parameter does not have anymore a simple one-dimensional dependence. Naturally this was actually the aim of introducing this Fourier expansion method. We will explore which order parameter is actually favored by FFLO phases, in three dimensions, at low temperature. We nd that this is no longer a one-dimensional order parameter, as it found at higher temperature, with a spatial which is nearly given by (r) $\cos(q r)$ at the transition. We will rather obtain an order parameter with a more complicated structure. At the transition it is nearly the sum of two or three cosines (this last case being found near T = 0), with directions of oscillations orthogonal to each other. As a result the transition does no longer switch to a second order one at low temperature, as found by M atsuce tal [10], and go to the second order transition originally investigated at T = 0 by Larkin and 0 vchinnikov [2]. It stays rather a rst order transition down to T = 0.0 ur results have been brie y reported elsewhere [16].

Finally we apply our results to the case of ultracold Ferm i gases and calculate the di erence between the atom ic populations of the two hyper ne states involved in the form ation of C ooper pairs. We nd that these di erences can be quite sizeable and allow experim entally a clear distinction between the various phases, norm alor super uid, which may be found in these systems. In particular this should allow experim entally a clear identication of the transitions between these phases.

II.FORMALISM

In this section we will brie y recall for com pleteness the m ain points of the m ethod presented in R ef. [15], hereafter referred to as I. How ever we will write it im m ediately for the m ost general case we have in m ind, i.e. a general Fourier expansion for the order parameter (r) and the G reen's functions. M ore explicit form ulations can be found in I.

W e write E ilenberger's equations for the diagonal $g(!;\hat{k};r)$ and o -diagonal $f(!;\hat{k};r)$ quasiclassical propagators. Here r is the spatial variable while \hat{k} is the angular location of the wavevector on the spherical Ferm i surface of radius k_F . Finally ! is a general M atsubara frequency, to be continued into $!_n$ i, where $!_n = (2n + 1)$ T is the standard M atsubara frequency and 2 = " # is the chem ical potential di erence between spin up and spin down populations of the particles form ing C coper pairs. These equations read [13]:

$$(! + k \mathbf{r}) f (!; \hat{k}; \mathbf{r}) = (\mathbf{r}) g (!; \hat{k}; \mathbf{r})$$

$$(! + k \mathbf{r}) f^{+} (!; \hat{k}; \mathbf{r}) = (\mathbf{r}) g (!; \hat{k}; \mathbf{r})$$

$$2k \mathbf{r} g (!; \hat{k}; \mathbf{r}) = (\mathbf{r}) f (!; \hat{k}; \mathbf{r}) \quad (\mathbf{r}) f^{+} (!; \hat{k}; \mathbf{r}) \quad (1)$$

in which we have simplied the writing by taking h = 1 and m = 1=2 for the particle mass. These linear equations are closed by the normalization condition:

$$g(!;\hat{k};r) = (1 \quad f(!;\hat{k};r)f^{+}(!;\hat{k};r))^{1=2}$$
(2)

from which one can see that the last of Eq.(1) results from the two rst ones. Finally the order parameter itself is linked to f(!; \hat{k} ;r) by the self-consistency equation [13,15] which we will not write explicitly here.

W e assume then a very general Fourier expansion form for the order parameter:

$$(\mathbf{r}) = \begin{array}{c} X & X \\ fn_{ig} \exp(\mathbf{i} & n_{i}q_{i}\mathbf{r}) \\ fn_{ig} & i \end{array}$$
(3)

where the n_i are relative integers with $i = 1;2; ...; N_q$ and the q_i are N_q general wavevectors for which no speci c relations are assumed. If we had only three wavevectors q_i with i = 1;2;3 this would mean that we consider a general periodic order parameter. However we do not restrict ourselves to three wavevectors, and we will indeed consider below explicitely the case of four wavevectors. We note that such an order parameter is not periodic in general. Naturally the num erics gets rapidly more di cult when the number of wavevectors q_i increases. We will nevertheless assume for simplicity a real order parameter since, at least in three spatial dimensions, all the order parameters found for actual FFLO phases have this property. This is plies $f_{n_ig} = f_{n_ig}$. We also restrict ourselves as before to an order parameter having real components f_{n_ig} . Finally we will only explore the case where all the wavevectors have equal length $j_{r_ij} = q$. Indeed we know from the original work [2] of Larkin and O vchinnikov that the physics of the

FFLO phases is that there is a competition between the di erent directions of the wavevectors having same modulus. At least this is the prevalent situation near the transition, in which we are interested in.

W e m ake for the G reen's functions sim ilar expansions:

$$f(r) = \begin{pmatrix} X & X & & \\ f_{f_{nig}} \exp(i & n_i q_i r) & f^+(r) = \begin{pmatrix} P & P & X & X \\ f_{nig} f_{f_{nig}}^+ \exp(i & n_i q_i r) & g(r) = \begin{pmatrix} X & X & & \\ g_{f_{nig}} \exp(i & n_i q_i r) & (4) & \\ f_{nig} & i & & \end{pmatrix}$$

and substitute them into Eilenberger's equations Eq.(1). We introduce for convenience $d_{fn_ig} = (f_{fn_ig} - f_{fn_ig}^+)=2i$, which gives $f_{fn_ig} = (i + (fn_ig))d_{fn_ig}$, where $(fn_ig) = k$: n_iq_i . This leads to:

$$d_{fn_{i}g} = \frac{(fn_{i}g)}{!^{2} + 2(fn_{i}g)} \int_{p_{i}=1}^{X^{i}} fp_{i}g (g_{fn_{i} p_{i}g} + g_{fn_{i}+p_{i}g})$$

$$g_{fn_{i}g} = \frac{1}{(fn_{i}g)} \int_{p_{i}=1}^{X^{i}} fp_{i}g (d_{fn_{i} p_{i}g} + d_{fn_{i}+p_{i}g})$$
(5)

Just as in I, we consider only order parameters with zero spatial average i.e. $_{f0g} = 0$ when all the $n_i = 0$, because mixing in the uniform BCS phase order parameter is likely to be unfavorable. Then it can be seen iteratively, as in I, that only odd components of $d_{fn_{ig}}$ and even components of $g_{fn_{ig}}$ are non zero, i.e. precisely $d_{fn_{ig}} = 0$ if $_i n_i$ is even, and $g_{fn_{ig}} = 0$ if $_i n_i$ is odd.

Eq.(5) look quite complicated, but it turned out that we had to deal with them only in rather simple cases. Indeed we studied not the case of two cosines, and concluded as in I that the weight of higher order harmonics for the order parameter is quite small (we will give speci c results below). We have then taken this conclusion for granted when we studied three or four cosines. This means that we have mostly dealed with Eq.(5) only in the case where all the fn_{ig} are zero, except when $i_i jn_i j = 1$, i.e. all the n_i are zero except one of them which is 1. In this case we have only $2N_q$ terms in the sum s in the right of Eq.(5). Similarly we have studied in some cases for two cosines the situation where the weights fn_{ig} are not equal and we have come with the conclusion that the symmetric situation with equal weights is the most favorable. We have then taken this conclusion for granted in the rest of our study. This means nally that, in all these cases, we have to deal with a single non zero component of fn_{ig} , which we call 1 in the following. Naturally, apart from the complexity of the equations, the essential di culty in this FFLO problem is that the functional space to be explored is huge, to say the least, and that it seem shopeless to explore it completely. O ne has thus to appeal to symmetry arguments, like the equal weight argument, to restrict it.

O ur two sets of Fourier components, g_{fn_ig} and d_{fn_ig} , are de ned on a discrete p_q -dimensional lattice. However since on any site one of these two components is zero depending on the parity of $_in_i$, as we have seen, we have actually to deal on each site with a single component. Then Eq.(5) relate the value of this component on a given site to its a value on the nearest neighbours of this site on the N_q-dimensional lattice. By the same kind of arguments as in I it can be seen that the Fourier components decrease very rapidly on the site goes far away from the origin. Hence we will nd an approximate solution for our problem by requiring that our components are zero when the site is far away from the origin. Speci cally we will take them to be zero when $_ijn_ij > N_{max}$. This serves as boundary condition for our linear system Eq.(5). In this way equations become a nite dimensional linear system, which we solve numerically by standard and e cient methods. In principle when we let N $_{max}$ go to 1 we nd the exact solution. In practice, as will be discussed below, the convergence is found to fast enough so that the size of our linear system stays quite reasonable. We note that, because we have the properties $g_{fnig} = g_{fnig}$ and $d_{fnig} = d_{fnig}$, we have only to deal with half of the sites satisfying $_ijn_ij N_{max}$. This domain D for summation over the fnig is shown explicitely in Fig. 1 in the case of two cosines N_q = 2 and for N_{max} = 3.




FIG.1. Lattice sites, in the fn₁;n₂g space, involved in the summation in Eq.(7), in the case of two cosines $N_q = 2$ and for $N_{max} = 3$. The numbers correspond to the actual ordering we use in writing the corresponding equations, which goes by increasing $j_{n_1}j_{+}j_{n_2}j_{-}$.

In practice we have set, as in I:

$$d_{fn_ig} = (fn_ig)D_{fn_ig}g_0$$

$$g_{fn_ig} = G_{fn_ig}g_0$$
(6)

where g_0 is for $g_{fn_1=0g}$, i.e. the value of g_{fn_1g} at the origin of our discrete lattice. Then Eq.(5) becomes explicitly:

$$[!^{2} + {}^{2}(\text{fn}_{ig})] D_{\text{fn}_{ig}} + {}^{1}_{1} G_{\text{fn}_{ig}} = 0$$

$$(\text{fn}_{ig}) G_{\text{fn}_{ig}} + {}^{X}_{1} (\text{fn}_{jg}) D_{\text{fn}_{jg}} = 0$$

$$(fn_{ig}) G_{\text{fn}_{ig}} + {}^{1}_{1} (fn_{jg}) D_{\text{fn}_{jg}} = 0$$

$$(7)$$

W e norm alize these new components by the condition $G_0 = 1$. W hen the norm alization condition Eq.(2) is expressed with these components, one nds:

$$g_0^2 = 1 + 2 \sum_{D}^{X} G_{fn_ig}^2 + 2 \sum_{D}^{X} [!^2 - 2(fn_ig)] \mathbb{D}_{fn_ig}^2$$
(8)

This component g_0 , the spatial average of the G reen's function, is just the quantity we need to calculate [15] the free energy di erence s n between the super uid and the norm alphase:

$$\frac{s}{2N_{0}} = N_{q} \frac{2}{1} \ln \left[\frac{T}{T_{sp}(-T)} \right] + 2 T \frac{k^{2} Z_{1}}{n = 0!^{n}} \frac{2}{S_{F}} d_{k} \operatorname{Re}[g_{0}(! i;\hat{k}) 1 + \frac{N_{q} \frac{2}{1}}{2(! i)^{2}}]$$
(9)

where N₀ is the single spin density of states at the Ferm i surface. In Eq.(9) the angular average is over the direction of \hat{k} at the Ferm i surface S_F. We have also, instead of the standard BCS critical temperature T_{c0} at zero elective eld

= 0, introduced the critical temperature T_{sp} (=T) for the spinodal transition, which is the second order transition from the normal to the uniform BCS phase. This T_{sp} is conveniently seen as a function of =T, which is a kind of angular coordinate when one explores the (;T) plane. More speci cally, since we are only interested in the location T_c of the rst order transition, we look at xed =T for the highest temperature $T = T_c$ at which we will have $s_n = 0$. Naturally we maximize this temperature with respect to the amplitude T_1 of the order parameter and to the common length q of the wavevector q_i .

III.NUMERICAL RESULTS

We start the presentation of our numerical results by the case of two wavevectors $N_q = 2$. Indeed as already mentionned we have in this case made speci c explorations, the results of which we have taken for granted in the numerically more heavy situations of three or four wavevectors.

A . Two wavevectors

We have investigated how the critical temperature T depends on the angle between the two wavevectors q_1 and q_2 . In this study we have assumed that only the lowest Fourier components are important, so that our order parameter is actually the sum of two cosines corresponding to these wavevectors. Our results are given in Fig2. As in I, we plot the ratio of the critical temperature $T=T_{\rm FFLO}$ to the FFLO critical temperature $T_{\rm FFLO}$ (=T) obtained for the same value of the ratio =T. Instead of =T, we give on the x-axis the value of $T_{\rm FFLO}$ (=T) itself, compared to the standard BCS critical temperature $T_{\rm c0}$.




FIG.2. Critical temperature T for the order parameter $(r) = 2_{-1} [\cos(q_1 - r) + \cos(q_2 - r)]$, for a selection of angles between the wavevectors q_1 and q_2 . Precisely we plot the ratio of the critical temperature $T = T_{FFLO}$ to the FFLO critical temperature T_{FFLO} (=T) obtained for the same value of the ratio =T. On the x-axis, instead of =T, we give the value of T_{FFLO} (=T) itself, compared to the standard BCS critical temperature T_{c0} .

We give results only for selected angles between 0 and =2, since the results are the same for and .We also give the result for = 0 which is just the result for a single cosine. It can be seen that, above $T_{FFLO} = T_{c0}$ '0.154, this is this single cosine order parameter which is favored. Below this temperature the order parameter switches discontinuously to two cosines, with an angle = =2 between the corresponding wavevectors. Hence there is no situation where an angle 0 < < =2 is favored. We note that the lim it ! 0 is singular. This can be seen on Fig2 where this lim it is noted € 0. This singularity can be understood since, for two cosines, the spatial average of the order parameter is always 4 $\frac{2}{1}$, even if the angle between the two vectors is very small, while it is 8 $\frac{2}{1}$ when this angle is exactly zero. In the follow ing we take this symmetry result for granted and assume that the situation with orthogonal wavevectors is always the most favorable. We have also made some exploration of the evolution of the critical tem perature when the relative weights $_{1}$ of the cosines vary. For example, we have kept the wavevectors orthogonal or with an angle =3 and minimized independently the two weights. We have found that, in either case, the optimum is for equal weights.

We consider next the sensitivity to our upper bound N_{max} to the order of Fourier components we take into account, that is we study how fast our procedure converges to the exact result, obtained in principle for $N_{max} = 1$. We make this study only for the most favorable situation = =2, which is the only one we consider from now on. The result is displayed in Fig.3, where we plot, as a function of the tem perature, the results for $N_{max} = 3$, 4 and 5. The results for $N_{max} = 4$ and $N_{max} = 5$ are undistinguishable within our precision, and it can be seen that $N_{max} = 3$ gives already an excellent precision. This is actually better than what we have found in I, for the case of a single cosine. On the other hand the numerics is more complicated in the case of two cosines because the angular average requires two angular integrations, one on the polar angle and the other one on the azim uthal angle, while for symmetry reasons only the polar integration is necessary for a single cosine. We note that, in this respect, the situation does not get worse when we consider three or four cosines, since we have still only two angular integrations to perform.




FIG.3. Critical temperature T for the order parameter $(r) = 2_{1} [\cos(q_{1} r) + \cos(q_{2} r)]$, for an angle = =2 between the wavevectors q_{1} and q_{2} . The full line is for $N_{max} = 3$, while the led circles and the open diamonds are for $N_{max} = 4$ and 5. A ctually these last results $N_{max} = 4$ and 5 can not be distinguished within our precision.

We also give for completeness in Fig.4 the corresponding results for the size $_1$ = of the order parameter and the corresponding length $q = qk_F = (2m)$ of the wavevectors. The results are somewhat scattered, since our minimization procedure makes it dicult to nd exactly the location of the minimum. On the other hand the critical temperature is much more precisely known.




FIG.4. Relative amplitude $_1$ = of the order parameter and corresponding length $q = qk_F = (2m)$ of the wavevectors, as a function of the upper bound N_{max} for the order of Fourier components. The full line is for N_{max} = 3, the led circles for N_{max} = 4 and the open diamonds for N_{max} = 5.

Finally we consider how our results are modied when we go beyond the lowest harm onic approximation. We take for this purpose the order parameter:

$$(\mathbf{r}) = 2 \, _{1} \left[\cos(q_{1} \ \mathbf{r}) + \cos(q_{1} \ \mathbf{r}) \right] + 2 \, _{3} \left[\cos(3q_{1} \ \mathbf{r}) + \cos(3q \ \mathbf{r}) \right]$$
(10)

and study the size of the higher harm onic correction $_3$ as a function of tem perature. This is done for Nm ax= 4. The result is found in Fig.5. We see that the harm onic $_3$ is always quite small, since the ratio $_3=_1$ is typically a few 10³. Hence, just as in the case of the one-dimensional order parameter [15], it is quite justimed to consider only the lowest harm onic.





FIG.5. Relative amplitude of the higher harm onic $_3 =$ for the order parameter Eq.10.

We give also in Fig.6 the results for the critical temperature, the lowest harm onic amplitude and the wavevector length with and without taking into account the higher harm onic $_3$. One can see that the results are indeed essentially undistinguishable.






FIG.6. Critical temperature, lowest harm onic amplitude $_1$ = and corresponding wavevector length $q = qk_F = (2m)$ for the order parameter Eq.10 with $_3 = 0$ and $_3 \neq 0$ (as given by Fig.5) respectively.

B. Three wavevectors

We consider now the case of three wavevectors q_1 , q_2 and q_3 . Following the above study, we take for granted that higher harm onics give a negligible contribution so that we can restrict ourselves to the order parameter:

$$(\mathbf{r}) = 2 \, {}_{1} \left[\cos(q_{1} \, \mathbf{r}) + \cos(q_{1} \, \mathbf{r}) + \cos(q_{1} \, \mathbf{r}) \right] \tag{11}$$

which in plies that we also assume the amplitude for the three cosines are equal. Similarly we assume that the optimum order parameter corresponds to wavevectors with same length $j_{1}j = j_{2}j = j_{3}j$. Finally we have again studied in this case how the critical temperature depends on the angle between the three wavevectors, by taking them in a mom boedral geometry and varying the mom boedric angle. We have found again that the most favorable situation is found when the wavevectors are orthogonal. In the same way as for two wavevectors, this result is consistent with a phenomenological interpretation in terms of an elective repulsive potential between any two wavevectors, decreasing when the angle between them increases. With such a description the total potential is clearly minimized when the three wavevectors are orthogonal.

We present now our numerical results for this species situation of orthogonal wavevectors. The critical temperature is given in Fig.7. We display again for comparison on this gure the results for a single cosine and for two cosines, given in Fig.2. We see from this gure that the order parameter at the transition switches from a single cosine for $T_{FFLO} = T_{c0} > 0.154$ to an order parameter with two cosines for $0.080 < T_{FFLO} = T_{c0} < 0.154$, and to an order parameter with three cosines for $T_{FFLO} = T_{c0} < 0.080$. Naturally, since they do not have the same symmetry, this implies that, inside the super uid phase, there are inst order transition lines between these various order parameters (or rather their continuation, because higher harm onics are expected to be more important deeper in the super uid phase). On the other hand it is rather striking that the switch of the order parameter from a given symmetry to

another has very little e ect on the value of the critical tem perature itself since $T_c=T_{FFLO}$ is only slightly larger than unity.




FIG.7. Critical tem perature for an order parameter with respectively three cosines (short dashed), two cosines (long dashed) and a single cosine. The actual transition between the norm al and the super uid state corresponds to the highest possible transition tem perature between these three possibilities. The led dots refer to the "cube" con guration, considered in the next subsection.

The results in Fig.7 for three cosines have been obtained for $N_{max} = 3$. We have made several checks, by performing calculations for $N_{max} = 4$, that convergence is indeed already reached. This is shown in Fig.8 where the results for $N_{max} = 4$ are barely distinguishable from those for $N_{max} = 3$.




FIG.8. Critical tem perature for an order parameter with three cosines. The full line is for $N_{max} = 3$, while the led circles are for $N_{max} = 4$.

Finally we present for completeness in Fig.9 our corresponding results for the relative amplitude $_1$ = and the reduced wavevector length q of the order parameter.




FIG.9.0 rder parameter amplitude 1= and corresponding reduced wavevector length q as a function of tem perature.

C . Four wavevectors

As we have seen above, when T ! 0, increasing the number of cosines from a single cosine to three increases the critical temperature. It is natural to wonder if this trend does not keep going for a larger number of cosines, all the more since this is indeed what happens in two dimensions [12] when T ! 0. In order to explore this possibility we have considered the transition toward an order parameter which is the sum of four cosines:

$$(\mathbf{r}) = 2 \, \left[\cos(q_1 \, \mathbf{r}) + \cos(q_1 \, \mathbf{r}) + \cos(q_1 \, \mathbf{r}) + \cos(q_1 \, \mathbf{r}) \right] \tag{12}$$

with same wavevector length $\dot{y}_1 j = \dot{y}_2 j = \dot{y}_3 j = \dot{y}_4 j$. We have considered only the most symmetrical situation, where these wavevectors point toward the corners of a cube, corresponding to the directions

(1; 1; 1); (1;1; 1); (1; 1;1) and (1;1;1). The angle between any of these wavevectors is 70.5. We have restricted our calculations to the case $N_{max} = 3.0 \text{ ur results}$ are given in Fig.7, as the "cube" con guration. It is clear that this con guration is never favored. Hence when the temperature goes to zero the optim al con guration has three cosines, with wavevectors pointing in orthogonal directions. We discuss below a possible phenom enological interpretation of this result.

D . A pproxim ate $N_{max} = 1$ solutions

Since it is not so easy to nd an insight into the com plex solutions obtained num erically, it is worthwhile to consider the sim plest meaningful approximation obtained by retaining only the lowest order Fourier components of the G reen's function, that is taking $N_{max} = 1$. A major advantage is that it can be handled easily analytically, which could be useful to reach a deeper understanding of the solutions for the FFLO phases. For example the n = 0 component of the diagonal propagator is given by:

$$g_{0} = 1 + 2 \sum_{i=1}^{X^{n}} j_{i} j^{2} \frac{!^{2} (k \cdot q)^{2}}{[!^{2} + (k \cdot q)^{2}]^{2}}$$
(13)

for a general order parameter, which is the sum of n cosines with weights $_{i}$ and wavevectors q_{i} . Naturally this makes also the nalnumerical treatment much easier.

In the case of a single cosine we have seen [15] that this solution gives the proper qualitative behaviour, with a switch from a rst order to a second order transition, although the location of the switching tem perature is not very accurately given. We perform here the same kind of study in the case of two, three and four cosines. In Fig.10 we compare the results of this $N_{max} = 1$ solution with our complete solution, presented in the preceding subsections.




FIG.10. Upper panel: critical tem perature for our two cosines order param eter with $N_{m ax} = 1$ approxim ation (dotted line) compared to our complete result (dashed-dotted line). Same comparison for our three cosines order param eter : dashed line ($N_{m ax} = 1$ approxim ation), full line (complete result). Low er panel : same comparison for our four cosines order param eter : dotted line ($N_{m ax} = 1$ approxim ation), full circles (complete result).

It can be seen that this $N_{max} = 1$ approximation is quite satisfactory since it reproduces quite well qualitatively and semiquantitatively our complete results. Nevertheless this is compounded with the fact that all the results are quite near unity. Hence small di erences, which could by them selves be considered as unsigni cant, can lead to qualitative di erences in the nal results. This is displayed in Fig. 11 where we gather the results for the various order parameters within the $N_{max} = 1$ approximation. It can be seen that the three cosines order parameter always dominates at low temperature, in contrast to our complete results where there is a temperature range where the two cosines order parameter is the best one. Similarly the four cosines order parameter is better than the two cosines one at very low temperature within the $N_{max} = 1$ approximation while this never occurs with our complete solution. In conclusion this $N_{max} = 1$ approximation is quite convenient for a fast exploration of the free energy minimization problem . It gives a sem iquantitatively correct picture of the com petition between various order param eters. How ever it can not be fully trusted quantitatively.




FIG.11. Comparison between the two, three and four cosines order parameters within the $N_{max} = 1$ approximation.

E.Phenom enological interpretation

We compare now our results to the phenom enological picture suggested by Bowers and Rajagopal (BR) [5]. In their T = 0 study BR m ade use of a G inzburg-Landau expansion to nd the m ost favored order param eters in the case of a second order transition, even if in many cases the transition is actually rst order which invalidates the expansion. They came in the course of this work to the following heuristic picture. To each wavevector present in the order param eter, one associates a circle drawn on the unit sphere, the axis of this circle being the wavevector direction and its angular opening _0 being given by $\cos(0=2) = 1=q$ where q' 1.2 is the reduced wavevector [1,2] for the T = 0 second order FFLO phase transition. This gives 0' 67:1. This circle, in the Fulde-Ferrell description, corresponds to a favored region for pairing (it is in nitely thin because we are just at the second order phase transition where the order parameter is zero). A rst principle in BR heuristic picture is that the most favored order parameter has the m axim um num ber of wavevectors, in order to increase the num ber of circles, i.e. the dom ains where favorable pairing occurs. On the other the second principle is that the crossing of two circles is very unfavorable energetically and must be avoided. This no-crossing principle of circles with a de nite angular size leads clearly to an upper bound in the num ber of possible wavevectors. It has been found by BR to be 9 wavevectors. How ever the corresponding situation is not a sym m etrical one for the wavevectors, and accordingly BR suggested that the sym m etrical form, corresponding actually to our 'cube' con quration, would be the most favorable. This can be understood if the no-crossing principle is considered as a manifestation of an e ective repulsive interaction between wavevectors directions. In this case it is reasonable to believe that the repulsion will be minimized for a symmetrical geometry for the wavevectors.

Now we have just found that the most favorable order parameter at T = 0 has 6 wavevectors (corresponding to our 3 cosines order parameter) instead of 8. But this can be understood qualitatively as resulting from the fact that the transition is actually rst order, instead of second order, which makes the order parameter non zero at the transition. In such a case, instead of being in nitely thin, the region corresponding to favorable pairing will widen with a thickness linked to the non zero value of the order parameter. This will make the circles e ectively larger, which may explain why it is no longer possible to t 8 circles on the unit sphere and it is necessary to reduce their number to 6. Hence there is a reasonable agreement between this phenomenology and our results. We note nally that the results we have found in two dimensions [12] support also this picture. Here the circles on a unit sphere are replaced by to points on a unit circle. In this case the transition is second order, and as T ! 0 the distance between the two points goes to zero. This allows to t on the unit circle an ever increasing number of wavevectors, as T ! 0. This is indeed what we have found [12].

IV . THE CASE OF ULTRACOLD FERM IGASES

We will now apply our results to the case of ultracold gases, which is presently a eld of very strong interest both experimentally and theoretically. So far our analysis has been restricted to the case where the chem ical potential di erence between the two spin species is xed. This is of course the relevant situation for superconductors where this chem ical potential di erence is produced by very high magnetic elds, and the resulting phase diagram which we have found above applies directly to this case. On the other hand in ultracold gases these are rather the populations of the various hyper ne states of the atom under study which are under direct experim ental control. A coordingly, in order to apply our results to the case of ultracold atom ic Ferm i gases, we need to investigate more speci cally the e ect of a xed density di erence on the phase diagram, rather than a chem ical potential di erence.

Thism odi cation is quite relevant in our 3D case since we have essentially to deal with rst order transitions. This is in contrast with the 2D case where the transitions are found [12] to be second order. A cross a second order transition, physical quantities like the order parameter or the density are continuous. This is plies that phase diagram s for xed chem ical potentials or xed densities are essentially equivalent. On the other hand the order parameter and the density are discontinuous for a rst order transition, as for example in the well known case of the standard liquid-gas transition. There is a forbidden domain in the phase diagram, corresponding to phase separation, where the two phases, normal and super uid, are coexisting in the system. This amounts, so to speak, to split the transition line which appears for xed chemical potential di erence into two lines in the case of xed density di erence. Each of this line gives the density of one of the coexisting phases. In our case the situation is somewhat more complicated since depending on the tem perature we have di erent phases com ing into play. Hence we consider now the density di erence in the various FFLO phases we have found.

From the solutions of the E ilenberger equations that we have obtained using our Fourier expansion m ethod, it is quite straightforward to calculate any physical quantities. In particular the di erence in the densities for spin up and down is given by

$$\frac{n_{*}(\mathbf{r}) \quad n_{\#}(\mathbf{r})}{N_{0}} = 2 + 4 \text{ T Im} \begin{cases} \dot{\mathbf{x}} \\ \mathbf{x} \\ \mathbf{x} \end{cases} < g(!_{n} \quad \mathbf{i}; \hat{\mathbf{k}}; \mathbf{r}) \quad g_{n}(!_{n} \quad \mathbf{i}; \hat{\mathbf{k}}) >_{\hat{\mathbf{k}}} \end{cases}$$
(14)

where the rst term in the right-hand side, 2, is actually the result for the norm al state and g_n is the norm al state G reen's function. It is worth noting that this density di erence shows oscillations at spatial frequencies equal to 2q, 4q, and so on, which we have found num erically to be quite sizeable. These oscillations could be used as signatures of the FFLO phases, in analogy with the oscillations of the magnetization in the case of superconductors. However we will restrict ourselves to macroscopic physical quantities, and accordingly we consider only the average value of the density di erence which am ounts to replace g in Eq. (14) by g_0 .

The calculation of this average density di erence for the di erent relevant phases leads us to the phase diagram shown in Fig. 12.




FIG.12. Phase diagram for reduced temperature $T=T_{c0}$ versus atom ic population di erence n. The transition lines for cases 1, 2 and 3 (see text) are respectively represented by full lines, by full circles and by diam onds. The dashed-dotted line represents the standard second order FFLO transition which goes into the standard BCS transition above the tricritical point.

Just as in the previous case where the chem ical potential was xed, we have three di erent tem perature dom ains below the tricritical point:

1. The region $0.154 T_{c0} < T < T_{tcp}$ ' $0.561 T_{c0}$ where the transition is from the normal state to the super uid state with (r) = $1 \cos(qx)$.

- 2. The region $0.08 T_{c0} < T < 0.154 T_{c0}$ where one goes from the normal state to the (r) = $1 (\cos(qx) + \cos(qy))$ state.
- 3. The region $T < 0.08 T_{c0}$ where the order parameter of the super und state is $(r) = \frac{1}{1} (\cos(qx) + \cos(qy) + \cos(qy))$.

The most remarkable feature of these results is that the di erences for the value of n between the norm al and the various FFLO phases are quite sizeable, which should allow experimentally to locate clearly the BCS transition. The other important point is that, between the various FFLO phases them selves, n changes in a quite noticeable way. Its evolution is qualitatively easy to understand. The important di erences in atom ic populations come [9] from the regions where the order parameter is sm allwhile, in the regions where it is large, pairing favorsm or equal populations. Since the number of cosines is increased when we go to lower tem peratures, this implies that the regions with sm all order parameter are more important. This is coherent with the fact that, at low tem perature, the super uid phase allows a larger di erence between atom ic populations than the super uid phases found at higher tem perature. This feature should allow to locate rather easily the change of structure of the order parameter, while as we have seen the changes in the critical tem perature between the various phases is quite sm all and would not allow an convenient observation.

V. CONCLUSION

In this paper we have considered the original problem raised by Fulde, Fernell, Larkin and O vchinnikov, nam ely the possibility and the nature of the transition from a norm al Fermi liquid to a super uid phase with a space dependent order parameter, when the chem ical potential of the two spin populations are dierent. The Fermi surface is assumed to be spherical, in three spatial dimensions. As the transition turns out to be rst order we have made use of the quasiclassical E ilenberger's equations to handle this non linear problem. In order to solve these equations we have introduced a Fourier expansion for the order parameter as well as for the G meen's functions. In a preceding paper [15] we have introduced in details this procedure, we have checked that it worked properly on the case of a one-dimensional order parameter and that it is quite e cient, at least in the vicinity of the transition.

In the present paper we have m ade use of it to show that, at low tem perature the order param eter sw itches from the one-dimensional form, found at higher temperature, which at the transition, is essentially a simple cosine, to a more complex structure. At zero temperature we nd that the most stable order parameter is essentially, at the transition, the sum of three cosines with equal weights and orthogonal wavevectors. When the temperature is raised, the order parameter sw itches to a sum of two cosines, also with equal weights and orthogonal wavevectors, before reducing to a single cosine at higher temperature. Hence we have obtained that, at the transition, the higher Fourier components in the order parameter are essentially negligible. This makes clearly our procedure particularly e cient. We have found that, actually, the critical temperatures for the rst order FFLO transition. This seems st o show that there are m any phases with nearly equal free energy. This should be for example included in the theory when, for superconductors, the coupling of the magnetic eld to orbital degrees of freedom is also taken into account. We stress again that our method provides a way to obtain some insight in the analytical structure of this complex theory. Finally we have applied our results to the specie c case of ultracold ferm ionic atom s and shown that the various FFLO phases arising at low tem perature give rise to di erences in atom ic populations which allows to identify them easily.

* Laboratoire associe au Centre National de la Recherche Scienti que et aux Universites Paris 6 et Paris 7.

- [1] P.Fulde and R.A.Fernell, PhysRev. 135, A 550 (1964).
- [2] A.I.Larkin and Y.N.Ovchinnikov, ZhETF 47, 1136 (1964) [Sov.Phys.JETP 20, 762 (1965)].
- [3] U.Klein, Phys. Rev. B 69, 134518 (2004) and references therein.
- [4] M.A.Baranov, M.Yu.Kagan and Yu.Kagan, JETP Lett. 64, 301 (1996); R.Com bescot, Europhys. Lett. 55, 150 (2001).
- [5] J.A.Bowers and K.Rajagopal, Phys.Rev.D 66 065002 (2002).
- [6] W .V.Liu and F.W ilczek, Phys. Rev. Lett. 90, 047002 (2003).
- [7] R.Casalbuoniand G.Nardulli, Rev.Mod.Phys. 76, 263 (2004).
- [8] R.Combescot and C.Mora, EurPJ.B 28, 397 (2002).

- [9] H.Burkhardt and D.Rainer, Ann Physik 3, 181 (1994).
- [10] S.M atsuo, S.H igashitani, Y.N agato and K.Nagai, J.Phys. Soc. Japan, 67 280 (1998).
- [11] M. Houzet, Y. Meurdesoif, O. Coste and A. I. Buzdin, Physica C 316 89 (1999).
- [12] C.M ora and R.Com bescot, Europhys.Lett. 66, 833 (2004).
- [13] G.Eilenberger, Z.Phys. 214, 195 (1968).
- [14] A.I.Larkin and Y.N.Ovchinnikov, ZhETF 55, 2262 (1968) [Sov.Phys.JETP 28, 1200 (1969)].
- [15] R.Combescot and C.M ora cond-m at/0410672
- [16] R.Com bescot and C.M ora, Europhys.Lett. 68, 79 (2004).