## E ect of E lastic D eform ations on the C ritical B ehavior of T hree-D im ensional System s with Long-R ange Interaction

S.V. Belim

Om sk State University, 55-a, pr. M ira, Om sk, Russia, 644077 nn (D ated: A pril 14, 2024)

D ated: A prii 14, 202

A eld-theoretical description of the behavior of compressible Ising systems with long-range interactions is presented. The description is performed in the two-loop approximation in three dimensions with the use of the PadB orel resummation technique. The renormalization group equations are analyzed, and the xed points that determine the critical behavior of the system are found. It is shown that the elect of elastic deformations on a system with a long-range interaction causes changes in its critical, as well as multicritical, behavior.

+

PACS num bers: 64.60.-i

In compressible systems, the relation of the order param eter to elastic deform ations plays an important role. Earlier [1] it was shown that, in the case of an elastically isotropic body, the critical behavior of a com pressible system with a quadratic striction is unstable with respect to the relation of the order param eter to acoustic modes, and a rst-order phase transition close to a second-order one is realized. However, the conclusions formulated in the cited paper [1] hold only for low pressures. As was shown later [2], at high pressures beginning from a certain tricritical point Pt, the deform ations induced by the external pressure a ect the system to a greater extent and lead to a change of sign of the e ective interaction constant for the order param eter uctuations and, as a consequence, to a change in the order of the phase transition. In this case, according to [2], a hom ogeneous compressible system is characterized by two types of tricritical behavior with a fourth-order critical point form ed as the point of intersection of the two tricritical curves. Calculations perform ed in term s of the two-bop approximation [3] con med the presence of two types of tricritical behavior for Ising system s and provided values of the tricritical indices.

In structural phase transitions that occur in the absence of the piezoelectric e ect, in the paraphase the elastic strains play the role of a secondary order parameter whose uctuations are not critical in most cases.

The e ect of the long-range interaction described by the power law  $1=r^{D}$  at long distances was studied analytically in terms of the "-expansion [46] and num erically by the M onte C arlo m ethod [79] in two and three dimensions. It was found that the long-range interaction considerably a ects the critical behavior of Ising systems s for the parameter values < 2. A recent study carried out for a three-dimensional space in the two-loop approximation [10] con rm ed the prediction of the "-expansion for system s with long-range interactions.

This paper describes the critical and tricritical behavior of three-dimensional compressible systems by taking into account the e ect of the long-range interaction with di erent values of the parameter  $\ .$ 

For a hom ogeneous Ising-like m odel with elastic deform ations and a long-range interaction, the H am iltonian can be represented in the form

$$H_{0} = d^{D} x \left[\frac{1}{2}(_{1} + r)S(x)^{2} + \frac{u_{0}}{4!}(S(x)^{2})^{2}\right]$$

$$+ d^{D} x \left[a_{1}(_{u}(x))^{2} + a_{2}(_{u}^{3}u^{2})^{2}\right] + \frac{1}{2}a_{3}d^{D} x S(x)^{2}(_{u}(x))$$
(1)

where S (x) is the scalar order parameter,  $u_0$  is a positive constant,  $_0$  Jr  $T_c j T_c$  is the phase transition tem perature, u is the strain tensor,  $a_1$  and  $a_2$  are the elastic constants of the crystal, and  $a_3$  is the quadratic striction parameter. Let us change to the Fourier transforms of the variables in Eq. (1) and perform integration with respect to the components depending on the non uctuating variables, which do not interact with the order param – eter S (x) Then, introducing, for convenience, the new variable  $y(x) = \begin{bmatrix} P^3 \\ u \end{bmatrix}$  (x), we obtain the Ham iltonian

variable y(x) = u(x), we obtain the Hamiltonian =1 of the system in the form

In Eq. (2), the components  $y_0$  describing the hom ogeneous strains are separated. A coording to [1], such a separation is necessary, because the inhom ogeneous strains  $y_q$  are responsible for the acoustic phonon exchange and

E lectronic address: belim @ univer.om sk.su

lead to long-range interactions, which are absent in the case of hom ogeneous strains. For the system under study, let us determ ine the e ective H am iltonian that depends only on the strongly uctuating order parameter S

$$expf H [S]g = B expf H_R [S;y]g dy_q (3)$$

If the experim ent is perform ed at constant volum e,  $y_0$  is a constant and the integration in Eq. (3) is perform ed with respect to only the inhom ogeneous strains, while the hom ogeneous strains do not contribute to the e ective H am iltonian. If the experim ent occurs at constant pressure, the term P is added to the H am iltonian, the volum e is represented in term s of the strain tensor com – ponents as

$$= {}_{0} [1 + {}_{u} + {}_{u} u + {}_{0} (u^{3})]$$
(4)  
= 1 6

and the integration in Eq. (3) is perform ed with respect to the hom ogeneous strains as well. A coording to [11], the inclusion of quadratic term s in Eq. (4) m ay be in portant when dealing with high pressures and crystals with large striction e ects. The neglect of these quadratic term s restricts the applicability of the results obtained by Larkin and Pikin [1] to the case of low pressures. Thus, the H am iltonian has the form

$$H = \frac{1}{2} \begin{bmatrix} Z \\ d^{D} q(_{0} + q) S_{q} S_{q} \\ Z \\ + (u_{0} \quad \frac{Z_{0}}{2}) & d^{D} q_{1} d^{D} q_{2} d^{D} q_{3} S_{q1} S_{q2} S_{q3}^{a} S_{q1 q2 q3} \\ + \frac{1}{2} (z_{0} \quad w_{0}) & d^{D} q_{1} d^{D} q_{2} S_{q1} S_{q1} S_{q2} S_{q2} ;$$
(5)  
$$z_{0} = a_{1}^{2} = (4a_{3}); \quad w_{0} = a_{1}^{(0)2} = (4a_{3}^{(0)});$$

The elective interaction parameter  $v_0 = u_0$   $z_0=2$  that appears in the H am iltonian due to striction e ects, which are determ ined by the parameter  $z_0$ , can take not only positive but also negative values. As a result, the H am iltonian describes both st-order and secondorder phase transitions. At  $v_0 = 0$ , the system exhibits a tricritical behavior. In its turn, the e ective interaction determ ined in Ham iltonian (5) by the parameter di erence  $z_0 w_0$  may cause a second-order phase transition in the system when  $z_0 w_0 > 0$  and a rst-order phase transition when  $z_0 w_0 < 0$ . This form of the elective Hamiltonian suggests that a higher order critical point can be realized in the system as the point of intersection of the tricritical curves when the conditions  $v_0 = 0$  and  $z_0 = w_0$  are simultaneously satis ed [2]. It should be noted that, with the tricritical condition  $z_0 = w_0$ , Ham iltonian (5) of the m odel under consideration is isom orphic with the H am iltonian of a rigid hom ogeneous system .

In the fram ework of the ekd-theoretical approach [12], the asymptotic critical behavior and the structure of the phase diagram s in the uctuation region are determined by the CallanSymanzik renormalization group equation for the vertex parts of the irreducible G reen functions. To calculate the and -functions as the functions involved in the CallanSym anzik equation for renorm alized interaction vertices u,  $a_1$ , and  $a_1^{(0)}$ , or complex vertices  $z = a_1^2 = 4a_3$ ,  $w = a_1^{(0)2} = 4a_3^{(0)}$ , and v = u12z, which are more convenient for the determ ination of critical and tricritical behavior, a standard m ethod based on the Feynman diagram technique and on the renormalization procedure [L3] was used with the propagator G ( $\tilde{K}$ ) = 1 = +  $\tilde{K}j$ . As a result, the following expressions were obtained for the and -functions in the two-loop approximation:

$$\begin{array}{rcl} & & & & & & & & & \\ \mathbf{v} & = & & & & & & \\ (2 & D)\mathbf{v} & 1 & 36\mathbf{v}\mathbf{J}_{0} + 1728 & 2\mathbf{J}_{1} & \mathbf{J}_{0}^{2} & \frac{2}{9}\mathbf{G} & \mathbf{v}^{2}^{i}; \\ & & & & & \\ \mathbf{z} & = & & & & \\ (2 & D)\mathbf{z} & 1 & 24\mathbf{v}\mathbf{J}_{0} & 2\mathbf{z}\mathbf{J}_{0} \\ & & & & & \\ + & 576(2\mathbf{J}_{1} & \mathbf{J}_{0}^{2} & \frac{2}{3}\mathbf{G})\mathbf{v}^{2}^{i}; \\ & & & & \\ \mathbf{t} & = & & & \\ (2 & D)\mathbf{w} & 1 & 24\mathbf{v}\mathbf{J}_{0} & 4\mathbf{z}\mathbf{J}_{0} + 2\mathbf{w}\mathbf{J}_{0} \\ & & & & \\ + & 576(2\mathbf{J}_{1} & \mathbf{J}_{0}^{2} & \frac{2}{3}\mathbf{G})\mathbf{v}^{2}^{i}; \\ & & & \\ \mathbf{t} & = & & & \\ (2 & D)\mathbf{w} & 1 & 24\mathbf{v}\mathbf{J}_{0} & 2\mathbf{z}\mathbf{J}_{0} + 2\mathbf{w}\mathbf{J}_{0} \\ & & & \\ + & 288 & 2\mathbf{J}_{1} & \mathbf{J}_{0}^{2} & \frac{1}{3}\mathbf{G} & \mathbf{v}^{2}^{i}; \\ & & & \\ \mathbf{J}_{1} & = & & & \\ & & & & \\ \mathbf{Z} & & & & \\ \mathbf{J}_{1} & = & & & \\ & & & & \\ \mathbf{Z} & & & & \\ \mathbf{J}_{1} & = & & & \\ \mathbf{Z} & & & & \\ \mathbf{J}_{1} & = & & & \\ & & & & \\ \mathbf{Z} & & & & \\ \mathbf{J}_{1} & = & & & \\ & & & & \\ \mathbf{Z} & & & & \\ \mathbf{J}_{1} & = & & & \\ & & & & \\ \mathbf{Z} & & & & \\ \mathbf{J}_{1} & = & & \\ \mathbf{Z} & & & & \\ \mathbf{J}_{1} & = & & \\ & & & \\ \mathbf{Z} & & & & \\ \mathbf{J}_{1} & = & & \\ \mathbf{Z} & & & & \\ \mathbf{Z} & & & & \\ \mathbf{J}_{1} & = & & \\ \mathbf{Z} & & & & \\ \mathbf{Z} & &$$

Rede ning the e ective interaction vertices as

$$v_1 = v \quad d; \quad v_2 = z \quad d; \quad v_3 = w \quad d:$$
 (6)

we arrive at the following expressions for the and -

functions:

The rede ning procedure makes sense for a D=2. In this case,  $J_0$ ,  $J_1$ , and G become divergent functions. Introducing the cuto parameter and considering the ratios  $J_1=J_0^2$ ,  $G=J_0^2$  in the limit of ! 1, we obtain nite expressions.

The values of the integrals were determined num erically. For the case a a D = 2, a sequence of the values of  $J_1=J_0^2$  and  $G=J_0^2$  was constructed for di erent and then approximated to in nity.

It is well known that perturbative series expansions are asymptotic and the interaction vertices of the order parameter uctuations in the uctuation region are sufciently large to directly apply Eqs. (7). Therefore, to extract the necessary physical information from the expressions derived above, the P adeB orelm ethod generalized to the three-parameter case was used. The corresponding direct and inverse B orel transformations have the form

$$f(v_{1};v_{2};v_{3}) = \prod_{\substack{i_{1};i_{2};i_{3}}}^{P} c_{i_{1};i_{2};i_{3}} v_{1}^{i_{1}} v_{2}^{i_{2}} v_{3}^{i_{3}}$$

$$= \prod_{e t F}^{R} e^{t} F(v_{1}t;v_{2}t;v_{3}t;v_{4}t)dt;$$

$$F(v_{1};v_{2};v_{3}) = \prod_{\substack{i_{1};i_{2};i_{3}}}^{P} \frac{c_{i_{1};i_{2};i_{3}}}{(i_{1}+i_{2}+i_{3})!} v_{1}^{i_{1}} v_{2}^{i_{2}} v_{3}^{i_{3}};$$

For an analytical continuation of the Borel transform of a function, a series in an auxiliary variable is introduced:

$$F'(v_1;v_2;v_3;) = \sum_{k=0}^{k} \sum_{\substack{i_1,i_2,i_3\\k=0}} \frac{c_{i_1;i_2;i_3}}{k!} v_1^{i_1} v_2^{i_2} v_3^{i_3} \sum_{i_1+i_2+i_3;k} ;$$
(8)

and the [L=M] Pade approximation is applied to this series at the point = 1. This approach was proposed and tested in [14] in describing the critical behavior of systems characterized by several vertices of interaction of the order parameter uctuations. The property [14] of the system retaining its symmetry under the Pade approximants in the variable is essential in the description of multivertex models. In the two-loop approximation, the functions were calculated using the [2/1] approximant. The character of the critical behavior is determined by the existence of a stable xed point satisfying the set of equations

$$i(v_1; v_2; v_3) = 0$$
 ( $i = 1; 2; 3$ ): (9)

The requirement that the xed point be stable is reduced to the condition that the eigenvalues  $b_i$  of the matrix

$$B_{i;j} = \frac{@_{i}(v_{1};v_{2};v_{3})}{@v_{j}}:$$
(10)

lie in the half-plane of the right-hand com plex. The xed point with v = 0, which corresponds to the tricritical behavior, is a saddle point and must be stable in the directions determ ined by the variables z and w and unstable in the direction determ ined by the variable v. The stabilization of the tricritical xed point in the direction determ ined by the variable v is achieved by taking into account the sixth-order term s w ith respect to the order parameter uctuations in the elicitive H am iltonian of the model. The xed point with z = w, which corresponds to the tricritical behavior of the second type, is also a saddle point and must be stable in the directions determ ined by the variables v and z and unstable in the direction determ ined by the variable w. Its stabilization is possible at the expense of the anharm onic elects.

The resulting set of the resum med functions contains a wide variety of xed points. The table speci es the xed points that are of most interest for describing the critical and tricritical behavior and lie in the physical region of vertex values with v, z, w 0. The table also shows the eigenvalues of the stability matrix for the corresponding xed points and the critical indices and

The analysis of the values and stability of the critical points suggests the following conclusions. Qualitatively, the critical phenomena seem to be identical for any value of the long-range interaction parameter a. The critical behavior of incompressible systems is unstable with respect to the deformation degrees of freedom (points 1). The stable point proves to be the one at a constant strain (points 2). Fixed points 3 describe the rst type of tricritical behavior of compressible systems, which occurs at constant pressure. Fixed points 4 are tricritical for systems studied at constant volum e. Points 5 are fourthorder critical points at which two tricritical curves intersect.

For the tricritical behavior of the st type (points 3), H am iltonian (5) is isom orphic with the H am iltonian of an incompressible hom ogeneous model and, hence, the critical indices also coincide with those of the incom – pressible model. The tricritical behavior of the second type (points 4) corresponds to the critical behavior of a spherical model and is determined by the corresponding indices. The fourth-order xed points (points 5) are characterized by the eld-average values of the critical indices. The large values of the e ective vertices z and w in comparison w ith the system s w ith short-range interactions [3] are caused by the fact that the m echanism goveming the e ect of elastic deform ations on the critical phenom ena is related to the dependence of the interaction integral in the Ising m odel on the distance between the lattice sites.

The study described above revealed the considerable

- [1] A.I.Larkin and S.A.Pikin, Zh.ksp.Teor.Fiz. 56, 1664
   (1969) [Sov.Phys.JETP 29, 891 (1969)].
- [2] Y. Im ry, Phys. Rev. Lett. 33 (21), 1304 (1974).
- [3] S.V.Belim and V.V.Prudnikov, Fiz. Tverd. Tela (St. Petersburg) 43, 1299 (2001) Phys. Solid State 43, 1353 (2001)1.
- [4] M.E.Fisher, S.K.Ma, and B.G.Nickel, Phys. Rev. Lett. 29, 917 (1972).
- [5] J.Honkonen, J.Phys. A 23, 825 (1990).
- [6] E.Luijten and H.M ebingfeld, Phys. Rev. Lett. 86, 5305 (2001).
- [7] E. Bayong and H. T. Diep, Phys. Rev. B 59, 11 919 (1999).
- [8] E.Luijten, Phys. Rev. E 60, 7558 (1999).

e ect of elastic deform ations on the critical behavior of system s with a long-range interaction. This e ect m anifests itself as a change in the values of the critical indices for Ising system s along with the appearance of multicritical points in the phase diagram s of the substances.

The work is supported by Russian Foundation for Basic Research N 04-02-16002.

- [9] E.Luijten and H.W.J.Blote, Phys. Rev. B 56, 8945 (1997).
- [10] S.V.Belim, Pisma Zh.ksp. Teor. Fiz. 77, 118 (2003) [JETP Lett. 77, 112 (2003)].
- [11] D.J.Bergm an and B.I.Halperin, Phys. Rev. B 13, 2145 (1976).
- [12] D. Am it, Field Theory the Renorm alization G roup and Critical Phenomena (M cG raw + Hill, New York, 1976).
- [13] J.Zinn-Justin, Quantum Field Theory and CriticalPhenom ena (Clarendon Press, Oxford, 1989).
- [14] A.I.Sokolov and K.B.Vamashev, Phys. Rev. B 59, 8363 (1999).

Ν	v <sub>1</sub>	v <sub>2</sub>	v <sub>3</sub>	b	b <sub>2</sub>	b <sub>3</sub>		
= 1:9								
1	0.042067	0	0	0.684	-0.184	-0.184	0.652688	0.113420
2	0.044353	0.095190	0	0.684	0.185	0.183	0.751433	0.113420
3	0.044353	0.095190	0.095190	0.684	0.185	-0.185	0.652688	0.113420
4	0	0.5	0	-1	1	1	1.052632	0.1
5	0	0.5	0.5	-1	1	-1	0.526316	0.1
= 1.8								
1	0.023230	0	0	0.628	-0.488	-0.488	0.636349	0.207461
2	0.023230	0.245404	0	0.628	0.489	0.490	0.782912	0.207461
3	0.023230	0.245404	0.245404	0.628	0.489	-0.489	0.636349	0.207461
4	0	0.5	0	-1	1	1	1.111111	0.2
5	0	0.5	0.5	-1	1	-1	0.555556	0.2
= 1:7								
1	0.020485	0	0	0.699	-0.532	-0.532	0.667452	0.304862
2	0.020485	0.266497	0	0.699	0.533	0.532	0.830648	0.304862
3	0.020485	0.266497	0.266497	0.699	0.533	-0.533	0.667452	0.304862
4	0	0.5	0	-1	1	1	1.176471	0.3
5	0	0.5	0.5	-1	1	-1	0.588235	0.3
= 1:6								
1	0.015974	0	0	0.874	-0.616	-0.616	0.697361	0.403936
2	0.015974	0.309684	0	0.874	0.617	0.620	0.889473	0.403936
3	0.015974	0.309684	0.309684	0.874	0.617	-0.618	0.697361	0.403936
4	0	0.5	0	-1	1	1	1.25	0.4
5	0	0.5	0.5	-1	1	-1	0.625	0.4