

Conformational Transitions of Non-Grafted Polymers Near an Adsorbing Substrate

Michael Bachmann and Wolfgang Janke[†]
 Institut für Theoretische Physik, Universität Leipzig,
 Augustusplatz 10/11, D-04109 Leipzig, Germany

We have performed multicanonical chain-growth simulations of a polymer interacting with an adsorbing surface. The polymer, which is not explicitly anchored at the surface, experiences a hierarchy of phase transitions between conformations binding and non-binding with the substrate. We discuss the phase diagram in the temperature-solubility plane and highlight the transition \path" through the free-energy landscape.

PACS numbers: 05.10.-a, 87.15.Aa, 87.15.Cc

The recent developments in single molecule experiments at the nanometer scale, e.g., by means of atomic force microscopy (AFM) [1] and optical tweezers [2], allow now for a more detailed exploration of structural properties of polymers in the vicinity of adsorbing substrates. The possibility to perform such studies is of essential biological and technological significance. From the biological point of view the understanding of the binding and docking mechanisms of proteins at cell membranes is important for the reconstruction of biological cell processes. Similarly, specificity of peptides and binding affinity to selected substrates could be of great importance for future electronic nanoscale circuits and pattern recognition devices. Since single-molecule experiments allow monitoring of polymer chains adsorbed at surfaces, the investigation of structural deformations of the polymer shape near substrates is a central aspect of experimental, computational, and theoretical studies [3].

In computer simulations and analytical approaches, typically, one end of the polymer is anchored at a substrate and the influence of adhesion and steric hindrance [4, 5, 6, 7, 8, 9], pulling forces [10, 11] or external fields [12] on the shape of the polymer is considered. The question how a flexible substrate, e.g., a cell membrane, bends as a reaction of a grafted polymer, was, for example, addressed in Ref. [13]. Proteins exhibit a strong specificity as the affinity of peptides to adsorb at surfaces depends on the amino acid sequence, solvent properties, and substrate shape. This was experimentally and numerically studied, e.g., for peptide-metal [14, 15] and peptide-semiconductor [16, 17] interfaces. Binding/folding and docking properties of lattice heteropolymers at an adsorbing surface were subject of a recent numerical study [18].

In this work we investigate in detail the temperature and solubility dependence of adsorption properties for a polymer which is not fixed at the surface of the substrate with one of its ends. This model was inspired by the experimental setup used in Refs. [16, 17], where the

peptides are initially freely moving in solution before adsorption. Therefore, there are two main differences in comparison with studies of polymers explicitly grafted at the substrate: First, the chain can completely desorb from the substrate allowing for the investigation of the binding/unbinding transition. Second, adsorbed conformations are possible, where none of the two polymer ends is in contact with the surface.

We use a lattice model [5] for a polymer near an adsorbing substrate where nearest-neighbor contacts between monomers (nonadjacent along the chain) and contacts between monomers and the substrate are assigned different energy scales. The polymer energy is given by

$$E = \epsilon_s n_s + \epsilon_m n_m; \quad (1)$$

where $n_{s,m}$ are the numbers of contacts with the surface and between the monomers, respectively. The associated energy scales are set to $\epsilon_s = 1$ and $\epsilon_m = s$, for convenience. The solvent parameter s takes account of the goodness of the implicit solvent and rates the two energy scales. As a first guess, $s > 0$ for a poor solvent, where globular conformations of the polymer are preferred. For $s = 1$, adsorption and collapse are equally attractive for the polymer. Negative values of s refer to good solubility and stretched conformations dominate. The partition sum per surface area A for the polymer with the described properties at inverse temperature $\beta = 1/k_B T$ ($k_B = 1$ in the following) can be written as

$$Z(\beta; s) = A \sum_{n_s, n_m} g_{n_s, n_m} e^{-(n_s + s n_m)}; \quad (2)$$

where $g_{n_s, n_m} = g_{n_s, 0}^u + (1 - g_{n_s, 0}^u) g_{n_s, n_m}^b$ is the contact density. In this decomposition, $g_{n_s, 0}^u$ stands for the density of unbound conformations, whereas g_{n_s, n_m}^b is the density of surface and intrinsic contacts of all conformations bound to the substrate. Since the number of unbound conformations in the half-space accessible to the polymer is unrestricted, $g_{n_s, 0}^u$ formally diverges. For regularization, we introduce an impenetrable (but neutral, i.e., non-adhesive) wall at a sufficiently large distance z_w from the substrate, in order to keep its influence on the unbound polymer small.

We apply the powerful multicanonical chain-growth algorithm, originally introduced for the simulation of lat-

E-mail: Michael.Bachmann@itp.uni-leipzig.de
[†]E-mail: Wolfgang.Janke@itp.uni-leipzig.de;
 Homepage: <http://www.physik.uni-leipzig.de/CQT>




FIG. 1: (Color online) Pseudo-phase diagram of a polymer with 100 monomers obtained from the specific heat C_V as a function of temperature T and solubility parameter s . The white and black drawn lines indicate the ridges of the specific heat profile (see text). The dashed line separates the regions of poor and bad solvent ($s > 0$) from good solvent ($s < 0$).

tice proteins [19], in order to simulate the contact density g_{n,s,n_m} directly. With this algorithm, which sets up on PERM chain-growth [20], the contact distributions are attained in a recursive way. This enables optimal sampling of the conformational space, and all energetic quantities such as, e.g., the specific heat are obtained by reweighting the density of contacts with respect to temperature and solubility. The main advantage is that the whole phase diagram can in principle be constructed within a single simulation [21]. This method is the key for unravelling the detailed structure of the phase diagram, in particular, at low temperatures, where most importance sampling Monte Carlo algorithms run into difficulties. In order to break correlations being inherent in the chain-growth process, we averaged over independent simulations (including the determination of the multicanonical weights), and a total statistics of more than 10^9 chains was accumulated in the production runs for a homopolymer with 100 monomers. For comparison, we also investigated polymers with up to 200 monomers [22].

In Fig. 1 we show the pseudo-phase diagram of the 100mer near an attractive substrate and the steric wall in a distance $z_w = 200$ from the substrate. The color codes the height of the specific heat C_V as the function of the temperature T and the solvent parameter s ; the brighter the larger the value of C_V . The white and black lines emphasise the maxima of the specific heat which shall serve as an orientation for the phase boundaries. While the white lines indicate pseudo-transitions being specific for the 100mer, lines drawn in black separate regions which are expected to be phases in the strict thermodynamic sense. The precise locations of transition lines in the thermodynamic limit $N \rightarrow \infty$ will, however, differ from the position for the finite-length system under study. We distinguish six thermodynamic phases, four for the ad-

sorbed (AC1, AC2, AE1, AE2) and two for the desorbed (DC, DE) polymer [23]. In the adsorbed-collapsed phase AC1, all monomers are in contact with the substrate and the two-dimensional (single-layer) conformation ($\sim \ln N$) is very compact. The transition from AC1 to AC2 is the layering phase transition from single to double-layer conformations. The white transition lines within AC2 indicate pseudo-transitions to compact conformations with more than two layers. These transitions are expected to disappear in the thermodynamic limit [8]. The transition line between AC1 and the adsorbed-expanded phase AE1 is the two-dimensional collapse. It separates the compact single-layered conformations in AC1 from the dissolved, but still basically two-dimensional conformations. White lines in AE1 indicate conformational transitions to unstructured conformations extending partially into the third dimension. The substrate-contacting layer is dissolved and although several layers can form, no explicit layering transitions are observed in this region. In contrast to AE1, the conformations dominating phase AE2 possess a very compact surface layer but less compact upper layers. As in AE1, the formation of higher-order layers is not accompanied with noticeable conformational transitions. The difference between AE1 and AE2 becomes more apparent when approaching the unbinding transition line to the phases DE and DC, where the polymer has completely desorbed from the substrate: In the desorbed-expanded phase DE random-coil conformations dominate, while in the desorbed-collapsed phase DC globular conformations are favored. Phases DE and DC are separated by the transition line indicating the three-dimensional collapse.

The main difference to a polymer which is explicitly anchored at the substrate with one of its ends, is the occurrence of the strong binding/unbinding transition between the A and D phases. In the D phases, the polymer can move freely within the cavity, restricted only by the presence of the two impenetrable walls. This transition influences, however, also the conformational behavior of the polymer in the phases AE1 and AE2, the latter not being present for the anchored polymer. In fact, phases AC2, AE2, and DC lie within the DC/SAG (surface-attached globule) regime of the anchored polymer [6, 8], whose precise phase structure is not yet completely clarified. The phases AE1, AC1, and AC2 approximately coincide in the two systems for low temperatures, although the system in our study has more entropic freedom since also adsorbed conformations are possible, where none of the ends is anchored at the substrate. This may have consequences for the location of transition lines.

Apart from the thermodynamic transitions in the traditional meaning we also see pseudo-transitions being specific to the chosen number of monomers (e.g., a reorientation transition from the $5 \times 5 \times 4$ cube with 25 surface contacts to the rotated cube exhibiting only 20 contacts with the substrate, which occurs within phase AC2 at $T \approx 0.7$). We are convinced that growing experimental capabilities will allow the observation of these effects also




FIG. 2: Map of free energy minima identified in the space of contact numbers n_s with the substrate and n_m between monomers. Also shown are exemplified "paths" through the free-energy landscape for different fixed solvent parameters s . The labels I to VII refer to the pseudo phases in the case $s = 1$, described in detail in the text and in Table I. The lines are only guides to the eye.

for short synthetic or naturally occurring polymers (e.g., peptides). Details of the different conformational phases will be reported elsewhere [22].

Thermodynamically, the conformations dominating a certain phase correspond to the minimum of a suitably coarse-grained free energy depending on a few characteristic observables of the system. The complexity of the free energy landscape and its dependence on external parameters such as temperature or solvent strongly influences the kinetics of phase transitions. For the polymer near an adsorbing surface we choose the numbers of monomer-substrate contacts, n_s , and those between monomers, n_m , as system observables. According to Eq. (2), the probability for a polymer conformation is given by $p(n_s; n_m) / g_{n_s n_m} \exp(-(n_s + s n_m)/T)$ and the contact free energy reads as

$$F_{s;T}(n_s; n_m) = -T \ln p(n_s; n_m); \quad (3)$$




FIG. 3: Probability distribution $p(n_s; n_m)$ for the 100mer in solvent with $s = 1$ at $T = 0.49$, where the polymer experiences the layering transition from single to double layer.

TABLE I: "Path" through the landscape of free energy minima for a 100mer in solvent with solubility $s = 1$ with increasing temperature. Monomers in contact with the adsorbing substrate are shaded in light grey.

phase	T	n_s	n_m	typical conformations
I	0.0 { 0.2	100	81	
AC1				
II	0.2 { 0.5	100	77 1	
AC2				
III	0.5 { 0.6	58	108	
IV	0.6 { 1.1	61	4 95 5	
AE2				
V	1.1 { 1.4	53	2 88 2	
AE1				
VI	1.4 { 2.2	50	4 71 7	
DE				
VII	2.2 { 1	0	62	

where the temperature T and the solubility s are fixed external parameters.

In Fig. 2 we have included all minima of the contact free energy for the parameter set $T \in [0; 4.0]$, $s \in [2.0; 4.0]$. Given a fixed solubility s , the stability of a conformation with minimal free energy is connected with the range of temperatures T over which the associated free energy is actually the global free energy minimum. We have included into Fig. 2 for several fixed solubilities the "paths" of free energy minima hit when increasing the temperature from $T = 0$ up to $T = 4$, that is moving from right to left.

As an example we consider the case $s = 1$ for the whole region of temperatures. In Table I we have listed the conformational transitions the 100mer experiences by increasing the temperature. We start at $T = 0$ with the ground state which is a lamellar two-dimensional conformation with 100 surface contacts and 81 monomer-monomer contacts. This is the maximal compact conformation that is possible in two dimensions. Note that with a conformation characterising a phase we mean all structures with the same number of surface and intrinsic contacts as the minimum of the free energy. The conformation characterising phase I is highly degenerate.

There are in fact about 10^{14} (including all symmetries except translation) different realizations of the ground state. The ground-state conformation remains stable until $T = 0.2$, where the structures become less ordered. The lamellar structure is dissolved, but all in all they are still two-dimensional and very compact. The conformational changes in the transition from I to II are rather local (in contrast to the probably actual phase transition from II to III at $T = 0.5$, where the number of surface contacts is drastically reduced to about half the value of the ground-state conformation and thus a second layer forms. In Fig. 2 this transition appears as a jump from the surface state $(n_s; n_m) = (100; 77)$ to $(58; 108)$. As can be seen in Fig. 3, the probability distribution $p(n_s; n_m)$ exhibits two distinct peaks at this temperature, which is interpreted as strong signal for a first-order transition. Entering regime IV, i.e., the adsorbed-expanded phase AE2, the dissolution of the surface-contacting layer begins. This process continues after passing the pseudo-transition line to section V, where higher-order layers form. Respective bottom layer and upper layers still form connected parts (in contrast to phase VI (which belongs to AE1), where upper layers can break apart and form isolated islands. Increasing the temperature further, we approach the second strong first-order-like transition line and the polymer unbinds from the substrate for temperatures $T > 2.2$. The free energy minimum jumps from the contact state $(46; 65)$ to $(0; 62)$ discontinuously (see once more Fig. 2). Therefore, the conformations occurring in phase VII do not longer prefer surface contact. Since the thermal energy superimposes the relatively weak attraction between the monomers at these temperatures, the 100mer in solvent with $s = 1$ does not experience the three-dimensional transition, because it is already in

the random coil phase after the unbinding. Note that we have also missed the two-dimensional collapse on the substrate. For this to happen, the quality of the solvent would have to be better (i.e., smaller values of s). From the free-energy perspective, both collapse transitions are of second order, since the free-energy minimum of the 100mer at $(n_s; 100)$ (two-dimensional surface-layer conformations) and $(0; n_m)$ (three-dimensional conformations without contact to the surface) change continuously for increasing temperature (see Fig. 2).

In this work, we have qualitatively analysed the complete phase diagram for a polymer with 100 monomers in solvent near an adsorbing substrate. By means of an analysis of the global minimum in the free-energy landscape we discussed conformational transitions in the temperature and solubility parameter space. Two types of transitions are experienced by the polymer, phase transitions in the thermodynamic sense and transition-type cross-over effects which are specific to the given finite number of monomers. In the first case, further simulations of longer polymers combined with finite-size scaling analyses will give estimates for the associated transition lines. Physically perhaps even more interesting, however, are the geometrically induced cross-over effects which are expected to become more and more important as the high-resolution experimental equipment allows concrete measurements in the nanometer range and the design of nanoscale devices will take advantage of the specific properties of finite-length polymers.

We thank Karsten Goede for interesting discussions on peptide adsorption at semiconductor surfaces. This work is partially supported by the German-Israel Foundation (GIF) grant No. I-653-181.14/1999.

-
- [1] M. Rief, H. Clausen-Schaumann, and H. Gaub, *Nature Struct. Biol.* 6, 346 (1999).
 - [2] D. E. Smith, S. Tans, S. Smith, S. Grimes, D. L. Anderson, and C. Bustamante, *Nature* 413, 748 (2001).
 - [3] J. J. Gray, *Curr. Opin. Struct. Biol.* 14, 110 (2004).
 - [4] R. Hegger and P. Grassberger, *J. Phys. A* 27, 4069 (1994).
 - [5] T. Vrbova and S. G. Whittington, *J. Phys. A* 29, 6253 (1996); *J. Phys. A* 31, 3989 (1998); T. Vrbova and K. Prochazka, *J. Phys. A* 32, 5469 (1999).
 - [6] Y. Singh, D. Giri, and S. Kumar, *J. Phys. A* 34, L67 (2001); R. Rajesh, D. Dhar, D. Giri, S. Kumar, and Y. Singh, *Phys. Rev. E* 65, 056124 (2002).
 - [7] M. S. Causo, *J. Chem. Phys.* 117, 6789 (2002).
 - [8] J. Krawczyk, T. P. Reilberg, A. L. Owczarek, and A. Rechenitzer, e-print: cond-mat/0408310 (2004).
 - [9] J. H. Huang and S.-J. Han, *J. Zhejiang Univ. Sci. A* 5, 699 (2004).
 - [10] F. Celestini, T. Frisch, and X. Oyharcabal, *Phys. Rev. E* 70, 012801 (2004).
 - [11] J. Krawczyk, T. P. Reilberg, A. L. Owczarek, and A. Rechenitzer, e-print: cond-mat/0407611 (2004).
 - [12] P. Benetatos and E. Frey, *Phys. Rev. E* 70, 051806 (2004).
 - [13] M. Breidenreich, R. R. Netz, and R. Lipowsky, *Europhys. Lett.* 49, 431 (2000); *Eur. Phys. J. E* 5, 403 (2001).
 - [14] S. Brown, *Nature Biotechnol.* 15, 269 (1997).
 - [15] R. Braun, M. Sarkaya, and K. Schulten, *J. Biomater. Sci. Polymer Edn* 13, 747 (2002).
 - [16] S. R. Whaley, D. S. English, E. L. Hu, P. F. Barbara, A. M. Belcher, *Nature* 405, 665 (2000).
 - [17] K. Goede, P. Busch, and M. Grundmann, *Nano Lett.* 4, 2115 (2004).
 - [18] N. Gupta and A. Imbach, *J. Chem. Phys.* 120, 3983 (2004).
 - [19] M. Bachmann and W. Janke, *Phys. Rev. Lett.* 91, 208105 (2003); *J. Chem. Phys.* 120, 6779 (2004).
 - [20] P. Grassberger, *Phys. Rev. E* 56, 3682 (1997).
 - [21] For a related method, see T. P. Reilberg and J. Krawczyk, *Phys. Rev. Lett.* 92, 120602 (2004).
 - [22] M. Bachmann and W. Janke, preprint (2005).
 - [23] The intersection of the transition lines near $T = 2.5$ splits in fact in two tricritical points, as we know from first studies of polymers with up to 200 monomers [22].