Hysteresis, force oscillations and non-equilibrium e ects in the adhesion of spherical nanoparticles to atom ically sm ooth surfaces

G erm an D razer^y, Boris K husid^x, Joel K oplik ^z, and A ndreas A crivos ^y

^y Benjam in Levich Institute, City College of the

City University of New York, New York, NY 10031

* Department of Mechanical Engineering,

New Jersey Institute of Technology,

University Heights, Newark, NJ 07102 and

^z Benjam in Levich Institute and Department of Physics,

City College of the City University of New York, New York, NY 10031

(Dated: March 23, 2022)

Abstract

M olecular dynam ics sin ulations are used to exam ine hysteretic e ects and distinctions between equilibrium and non-equilibrium aspects of particle adsorption on the walls of nano-sized uidlled channels. The force on the particle and the system 's Helmholtz free energy are found to depend on the particle's history as well as on its radial position and the wetting properties of the uid, even when the particle's motion occurs on time scales much longer than the spontaneous adsorption time. The hysteresis is associated with changes in the uid density in the gap between the particle and the wall, and these structural rearrangements persist over suprisingly long times. The force and free energy exhibit large oscillations with distance when the lattice of the structured nanoparticle is held in register with that of the tube wall, but not if the particle is allowed to rotate freely. A doorbed particles are trapped in free energy minim a in equilibrium, but if the particle is forced along the channel the resulting stick-slip motion alters the uid structure and allows the particle to desorb.

PACS num bers: 47.15.G f,47.11.+ j,47.15 R q,68.08.-p

K eyw ords: nanochannel,m olecular dynam ics, adhesion, hysteresis

The behavior of uids in con ned geometries with characteristic length scales in the nanom eter range has received enorm ous attention in recent years. Am ong the m otivations for such nano uidic studies is the developm ent of controlled fabrication techniques form aterials at this scale, and their potential application to \lab-on-a-chip" devices [1] which could perform analyses of biochem ical species at the single-m olecule level [2]. O by iously, understanding the transport of suspended nanom eter-size particles under microscopic con nem ent is a crucial ingredient in achieving the potential bene ts of integrated nano uidic system s. A tom istic num erical simulations have provided invaluable insight into the behavior of uids under nanocon nem ent, and have illustrated som e dram atic phenom ena not present in m acroscopic hydrodynam ics [3]. In previous work we used molecular dynam ics (MD) sim – ulations to study the transport of closely-tting nanom eter-size particles driven through a uid-lled nanochannel, and observed a sharp transition between steady transport and spontaneous adsorption of the suspended particles, as a function of the solid-uid interaction strength [4, 5]. Even for the computationally-e cient Lennard-Jones interactions used in that work, we were severely limited in the time scales accessible to simulation to values < 0:1 s, and extrapolation to operational, laboratory time scales is somewhat uncertain. It would be very desirable therefore to develop multi-scale simulation techniques to bridge this gap, and to this end we study here the same adhesion phenom ena from a therm odynam ic perspective, exploring the free energy and uid con gurational changes associated with the adsorption of nanoparticles. The free energy is particularly relevant to mesoscale calculational methods such as phase eld models and dissipative particle dynamics.

In fact, we observe substantial hysteresis in the Helm holtz free energy of the system when a nanoparticle executes a controlled adsorption/desorption cycle, even over times much larger than the time scale of the natural phenomena. The underlying mechanism appears to be the long-lived structural rearrangements of the uid molecules in the gap region between the particle and the wall, in particular a delay in replenishing uid in the gap between the wall and a receding particle. The persistence of this retarded condensation is quite surprising in a liquid with such simple short-ranged interactions. Since the free energy is a state variable, in the therm odynamic limit it should not exhibit hysteresis, and our results raise qualms about the conventional assumption of local therm odynamic equilibrium in most continuum modeling. In addition to hysteresis, nanoscale particle forces often exhibit oscillations as a function of radial position, and we observe that their presence depends on the ability of the

2

particle to rotate as it approaches the wall. O scillations are present when the underlying lattice of the structured particles has a xed orientation relative to that of the tube wall, but not if the particle is allowed to rotate freely. Lastly, we compare the desorption of the particle from the wall in equilibrium and non-equilibrium situations: in equilibrium there is a substantial free energy barrier to particle release, whereas if the particle is driven parallel to the wall it is more likely to detach.

The MD simulations are based on an atom istic description of a uid interacting via Lennard-Jones potentials, $V_{LJ}(r) = 4$ [(r=)¹² A (r=)⁶], where r is the interatom ic separation, is roughly the size of the repulsive core, of order a few angstrom s, and will be used as the length scale, is the strength of the potential (and the energy unit), and A is a dimensionless parameter that controls the attraction between the various atom ic species and thus determ ines the wetting properties of the system [6]. The corresponding characteristic time scale, = $\frac{P}{m^2}$, where m is the mass of the uid atoms, is a few picoseconds. A Nose-Hoover therm ostat is used to x the temperature of the system at $T = 1.0 = k_B$, with k_B the Boltzm ann constant. Further technical details of the simulations may be found in [5]. The uid is con ned to a cylindrical channel, whose walls are composed of atom s of m ass $m_{w} = 100m$, tethered by a stillinear spring to xed lattice sites obtained from a cylindrical section of an fcc lattice with lattice constant ' = 1:71 corresponding to a wall number density w = 0.8. (Length of the tube: $L_x = 34.20$. Inner and outer radii: R = 10.26 and $R_0 = 16.25$) The spherical nanoparticle is constructed in an analogous fashion using a spherical section of radius a = 5.13. The atom s in the particle are, however, xed at the lattice sites, allowing the motion of the nanoparticle to be computed by rigid body dynamics, integrating Newton's and Euler's equations. Finally, to avoid a perfect m atching in the underlying structures of both solids the equilibrium position of each atom is perturbed by a small random displacement [5]. The particle and channel wall are made of the same material and their atoms interact via the LJ potential with A = 1. The uid atom s also interact among them selves with the A = 1 standard LJ potential and the volum eaverage number density is the same as that of the tube wall, $a_v = 0.8$, which, at T = 1.0, corresponds to the uid phase of the Lennard-Jones bulk system, slightly above the critical tem perature.

In our previous work, we applied an axial force to the particle, and observed a sudden spontaneous transition from statistically steady motion parallel to the tube axis to adsorption on the walls, when the strength of the solid-uid van der W aals attraction falls below a critical value A_c ' 0.8 (for both spherical and ellipsoidal particles). Here, we fist measure the changes in the Helm holtz free energy F of the system as the sphere quasi-statically approaches the wall in the radial direction and then recedes to its original position at the center of the tube, by performing a therm odynamic integration. The free energy difference between any two points during this switching process is then given by F (r) F (0) = W = $\frac{R_r}{_0}$ hF ()id, where W is the work done on the system and hF i is the radial force acting on the particle at radius, averaged over an ensemble of 10 statistically independent realizations, and over a time interval t_s. Specifically, the center of m ass of the sphere is translated at constant velocity in the radial direction, typically over a distance r = 0.01 in time t_s = 50 (u = 2 10⁴ 1 cm/s), then held in place for a further time interval t_s, then translated again. First, we consider the case where the sphere is allowed to rotate freely in the suspending uid at all times. The time average is meant as a substitute for an ensemble average, assuming ergodicity, with the (modest) ensemble average is meant to compensate for any peculiarities in the initial con quration.

In Fig. 1 we show the average force on the sphere as a function of its radial position, for various degrees of wetting, A = 0.6, 0.8 and 1.0, which exhibits large hysteresis as A ! 1. On the other hand, we found no hysteresis, even at relatively large approaching velocities, for the A = 0 case of a completely non-wetting uid. (An isolated uid drop with this interaction would oat o a solid wall.) The inset to Fig. 1 compares, for one case, the average force during the translation step to that when the sphere is held in place, and the agreem ent between the two values indicates that the observed hysteresis is not due to drag or other irreversible forces arising from the motion of the sphere, in spite of the relatively large approaching speed (u 10cm /s) used in this comparison. In Fig. 2 we present the Helm holtz free-energy of the system, together with the potential energy, for the same values of A. The adsorption/desorption hysteresis is clear in the A > 0 cases, with the work needed to separate the particles from the wall clearly higher that the gain in free-energy from bringing the particles in contact with the wall, i.e., W > 0. This result shows that the adhesion process is generally a non-equilibrium process that dissipates energy. On the other hand, we observe that the potential energy of the system (sum of all LJ interactions) does not display any signi cant hysteresis. In addition, a detailed study of each of the separate contributions shows that the energy increase observed for r > 5.0 in the wetting




FIG. 1: A verage force on the spherical particles during the adsorption/desorption cycles as a function of the radial position for A = 0.6 (circles), A = 0.8 (triangles), and A = 1 (squares). The solid (open) symbols correspond to the approaching (receding) part of the cycle. The approaching velocity is u 1 cm/s. The inset shows, for the case A = 0.8, the average force m easured during radialm otion (squares) and in a stationary radial position (circles) for an overall approaching speed of u 10 cm/s.

case A = 1 results from the deform ation of the wall as the particle pushes against it, rather than structural or solvation e ects.

We have performed simulations at diement approach speeds and for diement wetting conditions and, although W > 0 in all A > 0 cases, the hysteresis is reduced as the characteristic times become larger, as shown in the inset to Fig. 2. This is expected, since the process should be reversible with W = 0 if it were to be carried out in nitely slow ly [7]. It is important to note, however, that the motion of the sphere in these simulations is very slow compared with the natural time scale of the spontaneous process. Indeed, the characteristic time for the approaching and receding parts of the free energy measurements is roughly $25 \quad 10^4$, an order of magnitude larger than typical adsorption times observed when a sphere is freely suspended. (See, for example, the estimate of the di usive time to reach the




FIG. 2: Free-energy and potential-energy di erences as a function of the radial position of the spherical particle for A = 0.6 (bottom curves) and A = 1 (top curves). The points correspond to the potential energy of the system evaluated from the interparticle interactions. The solid line corresponds to the free-energy calculated during the adsorption/desorption cycle (an arrow indicates the curve corresponding to the receding part of the measurem ent.) The inset shows the free-energy di erences computed for A = 0.8 at two di erent approaching velocities, u 10cm/s (dashed lines) and u 1cm/s (solid line).

wall, D = 2500, and the num erical results in Table II for A = 0.6, in Ref. [5].)

The molecular mechanism underlying the hysteresis appears to be the history-dependence of the number of particles in the gap between the sphere and the tube wall, for gap sizes of the order of the diameter of a single uid molecule. In Fig. 3 we see that the number of gap particles during the desorption branch is smaller, corresponding to a depletion of particles relative to the bulk density. The absence of uid leads to the dominance of the attractive wall-particle interactions and depletion forces, explaining the results presented in Fig. 1, including the surprising result obtained for A = 0.80 at u = 10 cm/s, in which the force on the sphere is repulsive when approaching the wallbut attractive in the pull-o measurements (see the inset to Fig. 1). The dependence of hysteresis on the degree of wetting of the uid




FIG. 3: A verage number of uid molecules in the particle-wall gap during the adsorption/desorption cycles for A = 0.85. The number of particles is tracked in a cylindrical region of radius a=4 between the sphere and the tube surfaces, and the corresponding number density is given in the insets. The solid (open) symbols correspond to the approaching (receding) branch and the dashed line marks the radial position at which the volume of the cylindrical region is less than the volume of a single uid molecule. The top (bottom) gure corresponds to u 10 cm/s (u 1 cm/s).

m ay be understood in term softhe relative ease of pushing uid atom sout of the gap region, which obviously in proves as the uid becom es less wetting. Furtherm ore, the presence of a nearly-planar wall induces layering and presum ably other structural correlations within the uid, which can contribute to hysteresis if any signi cant time is required for the structure to reestablish itself after the particle is pulled away. A gain, this e ect is reduced as A ! 0. Lastly, we note from F ig. 3 that the hysteresis in the number of gap particles decreases substantially as the approach velocity is reduced, consistent with the presum ption that it would be absent in the limit of in nitesim ally slow approach.

Som ew hat analogous hysteretic behavior due to uid depletion has been seen in a study of cavitation by Bolhuis and Chandler [8], who measured the force between non-wetting parallelplates which approach and recede while immersed in a Lennard-Jones liquid. These authors consider a W CA potential, whose behavior one would expect to be similar to our A = 0 case, but other operating conditions dier in that the bulk density and temperature are much lower, while the plate velocity is much higher. In rough agreement with our results, force hysteresis is not observed at the highest temperature studied, $T = 0.81 = k_B$, but does




FIG.4: Free-energy di erences as a function of the radial position of the spherical particle for A = 1. The open (closed) symbols correspond to an ordered (disordered) sphere with xed orientation approaching an ordered (disordered) tube wall. The solid line corresponds to the disordered sphere rotating freely.

appear at lower temperatures, perhaps as a result of glassy behavior. In the latter cases, there are high and low density states in the gap between plates with the high density state apparently m etastable, and the hysteresis is attributed to a retardation in the (non)wetting-induced cavitation inside the gap.

A notable feature of the density proles in Fig. 3 is that the particles have the gap continuously, without a noticeable elect on the solvation layers known to occur close to solid surfaces [7, 9, 10]. The sm oothness of this transition is in agreement with the absence of oscillatory solvation forces in the measurements presented in Fig. 1. This elect results from the ability of the particle to rotate freely as it approaches the wall, and indicates that a freely suspended particle might overcome solvation force barriers that prevent strong adhesion, by adjusting its atom ic lattice orientation relative to that of the wall. In Fig. 4 we show the results of an alternate simulation at A = 1 where the orientation of the particle is xed during its slow motion towards the wall, which does exhibit the familiar oscillations as layers of uid

are successively squeezed out of the gap region. In contrast, in the freely rotating case the structured particles have some freedom to avoid close approach to a particular uid atom by a rotation of their atom ic lattice, leading to a gradual displacement of uid atoms, in contrast to the xed case where the approaching particle uniform ly displaces uid away from itself. Furthermore, when the particle is very close to the wall, its orientation tends to lock into values determined by the nearly solid wall structure. Note that the disorder introduced in the position of the solid atoms is smaller than the atom ic diameter of the uid atoms and should not destroy them olecular ordering of the uid close to the wall [7] and in fact density oscillations are observed in our system [5]. The same argument applies to the curvature of the tube wall. In fact, we also show in g. 4 that, although substantially reduced compared to the ordered case, oscillatory solvation forces are still present for disordered solids.

The particle desorption process also exhibits som e in portant physical distinctions depending on whether the particle is left alone in equilibrium or is subject to continued forcing, as in [4, 5]. We see in Fig. 2 that, for partially wetting uids (A < 1), a particle close to the wall is conned by a substantial potential barrier, roughly 40 = k_B (for A = 0.8 and 1 cm /s), and is unlikely to spontaneously desorb under the action of equilibrium ucu tuations alone. However, in our previous study of a driven particle motion we observed a spontaneous desorption of particles whenever A > 0.3, which would indicate a much smaller pullo force. The distinction is that desorption only occurs in non-equilibrium simulations in which a large external force is applied to the particles (F pN). Note however that the e ect is indirect, since the force is not radial but is instead in the direction of the tube axis. As found previously, axial forcing of the particle induces stick-slip motion along the wall after adsorption, which enhances dram atically both the mean and rms uctuation in the number of atom s in the gap region, from a value of 2.0 0.9 while in equilibrium to 7.0 2.9 when the particle is forced along the wall. Related to this, adsorbed spheres undergoing stick-slip motion present comparatively large uctuations in their radial position. A possible mechanism for desorption is that the sphere encounters ordered clusters of uid molecules as it moves interm ittently along the wall, which provide an (inward) radial uctuation to a position where the wall attraction is reduced.

The results in this paper underline som e of the issues arising when particle dynam ics at the nanoscale are exam ined in quantitative detail. The results pose som e challenges for the long-term goal of modifying the continuum description of particle-uid dynam ics to describe

9

phenom ena at these length scales, since for example there is no single unique potential of m ean force which m ay be incorporated. One immediate avenue for further study, would be to explore the validity of the number of particles in the gap as an order parameter for a multi-scale description.

This work was supported by the Engineering Research Program, o ce of Basic Energy Sciences, U.S.Department of Energy under Grant No.DE-FG 02-03ER 46068.

E lectronic address: drazer@mailaps.org

- [1] H.A.Stone, A.D.Stroock, and A.A jdari, Annu. Rev. Fluid Mech. 36, 381 (2004).
- [2] J.W. Hong and S.R. Quake, Nature Biotech. 21, 1179 (2003).
- [3] O.Beckstein and M.S.P.Sansom, Proc.Nat.Acad.Sci.100, 7063 (2003).
- [4] G.Drazer, J.Koplik, A.Acrivos, and B.Khusid, Phys.Rev.Lett. 89, 244501 (2002).
- [5] G.Drazer, J.Koplik, A.Acrivos, and B.Khusid, Phys. Fluids 17, 017102 (2005).
- [6] J.L.Barrat and L.Bocquet, Phys. Rev. Lett. 82, 4671 (1999).
- [7] J.N. Israelachvili, Surf. Sci. Rep. 14, 109 (1992).
- [8] P.G.Bolhuis and D.Chandler, J.Chem. Phys. 113, 8154 (2000).
- [9] P.M.McGuiggan and J.N. Israelachvili, Chem. Phys. Lett. 149, 469 (1988).
- [10] Y.Q in and K.A.Fichthom, J.Chem. Phys. 119, 9745 (2003).