# A MULTISCALE APPROACH TO BROW NIAN MOTORS

G A . Pavliotis Department of Mathematics Imperial College London London SW 7 2AZ, UK

April 14, 2024

#### A bstract

The problem of Brownian motion in a periodic potential, under the in uence of external forcing, which is either random or periodic in time, is studied in this paper. Multiscale techniques are used to derive general formulae for the steady state particle current and the e ective di usion tensor. These formulae are then applied to calculate the e ective di usion coe cient for a Brownian particle in a periodic potential driven simultaneously by additive G aussian white and colored noise. Our theoretical ndings are supported by num erical simulations.

## 1 Introduction

Particle transport in spatially periodic, noisy system s has attracted considerable attention over the last decades, see e.g. [33, Ch. 11], [30] and the references therein. There are various physical system s where B row nian m otion in periodic potentials plays a prom inent role, such as Josephson junctions [1], surface diffusion [18, 34] and superionic conductors [11]. W hile the system of a Brownian particle in a periodic potential is kept away from equilibrium by an external, determ inistic or random, force, detailed balance does not hold. Consequently, and in the absence of any spatial symmetry, a net particle current will appear, without any violation of the second law of therm odynam ics. It was this fundam entalobservation [21] that led to a revival of interest in the problem of particle transport in periodic potentials with broken spatial symmetry. These types of non { equilibrium systems, which are often called B rownian motors or ratchets, have found new and exciting applications e.g as the basis of theoretical models for various intracellular transport processes such as molecular motors [5]. Furtherm ore, various experim ental methods for particle separation have been suggested which are based on the theory of B rownian m otors [4].

The long time behavior of a Brownian particle in a periodic potential is determined uniquely by the e ective drift and the e ective di usion tensor which are de ned, respectively, as

$$U_{eff} = \lim_{t! \ 1} \frac{hx(t) \quad x(0)i}{t}$$
(1)

$$D_{eff} = \lim_{t! \to 1} \frac{hx(t) hx(t)i)}{2t} \frac{(x(t) hx(t)i)i}{2t};$$
 (2)

Here x (t) denotes the particle position, h i denotes ensemble average and stands for the tensor product. Indeed, an argument based on the central limit theorem  $[\beta, Ch. 3]$ , [16] implies that at long times the particle performs an elective B rownian motion which is a Gaussian process, and hence the rst two moments are su cient to determ ine the process uniquely. The main goal of all theoretical investigations of noisy, non (equilibrium particle transport is the calculation of (1) and (2). One wishes, in particular, to analyze the dependence of these two quantities on the various parameters of the problem, such as the friction coelecter, the temperature and the particle mass.

E norm ous theoreticale ort has been put into the study of B row nian ratchets and, m ore generally, of B row nian particles in spatially periodic potentials [30]. The vast majority of all these theoretical investigations is concerned with the calculation of the e ective drift for one dimensional models. This is not surprising, since the theoretical tools that are currently available are not su cient for the analytical treatm ent of the multi{dim ensional problem . This is only possible when the potential and/or noise are such that the problem can be reduced to a one dimensional one [9]. Form ore generalmulti(dimensional problem s one has to resort to num erical simulations. There are various applications, how ever, where the one dimensional analysis is inadequate. As an example we mention the technique for separation of macromolecules in microfabricated sieves that was proposed in [6]. In the two{dimensional setting considered in this paper, an appropriately chosen driving force in the y direction produces a constant drift in the x direction, but with a zero net velocity in the y direction. On the other hand, a force in the x direction produces no drift in the y direction. The theoretical analysis of this problem requires new technical tools.

Furtherm ore, the num ber of theoretical studies related to the calculation of the e ective di usion tensor has also been scarce [12, 20, 31, 32, 35]. In these papers, relatively simple potentials and/or forcing terms are considered, such as tilting periodic potentials or simple periodic in time forcing. It is widely recognized that the calculation of the e ective di usion coe cient is technically m ore dem anding than that of the e ective drift. Indeed, as we will show in this paper, it requires the solution of a Poisson equation, in addition to the solution of the e ective drift. D i usive, rather than directed, transport can be potentially extrem ely im portant in the design of experimental setups for particle selection [30, Sec 5.11] [35]. It is therefore desirable to develop system atic tools for the calculation of the e ective di usion coe cient (or tensor, in the multi{ dim ensional setting).

From a mathematical point of view, non {equilibrium system swhich are subject to unbiased noise can be modelled as non {reversible M arkov processes [28] and can be expressed in terms of solutions to stochastic di erential equations (SD E s). The SD E swhich govern the motion of a B row nian particle in a periodic potential possess inherent length and time scales: those related to the spatial period of the potential and the temporal period (or correlation time) of the external driving force. From this point of view the calculation of the e ective drift and the elective di usion coe cient amounts to studying the behavior of solutions to the underlying SD E s at length and time scales which are much longer than the characteristic scales of the system. A system atic methodology for studying problem s of this type, which is based on scale separation, has been developed many years ago [3, 24, 25]. The techniques developed in the afore-

and

m entioned references are appropriate for the asymptotic analysis of stochastic system s (and M arkov processes in particular) which are spatially and/or tem porally periodic. The purpose of this work is to apply these multiscale techniques to the study B rownian m otors in arbitrary dimensions, with particular emphasis to the calculation of the elective di usion tensor.

The rest of this paper is organized as follows. In section 2 we introduce the model that we will study. In section 3 we obtain form ulae for the elective drift and the elective di usion tensor in the case where allexternal forces are M arkov processes. In section 4 we study the elective di usion coelectent for a Brownian particle in a periodic potential driven simultaneously by additive G aussian white and colored noise. Section 5 is reserved for conclusions. In Appendix A we derive form ulae for the elective drift and the elective di usion coelected for the case where the Brownian particle is driven away from equilibrium by periodic in time external uctuations. Finally, in appendix B we use the method developed in this paper to calculate the elective di usion coelected and overdam ped particle in a one dimensional tilted periodic potential.

### 2 The M odel

We consider the overdam ped d{dimensional stochastic dynamics for a state variable x (t) 2 R<sup>d</sup> [30, sec. 3]

$$\underline{\mathbf{x}}(t) = \mathbf{r} \, \mathbf{V} \, (\mathbf{x} \, (t); \mathbf{f} \, (t)) + \mathbf{y} \, (t) + \frac{P}{2} \, \frac{1}{k_{\rm B} \, \mathrm{T}} \, (t); \qquad (3)$$

where is the friction coe cient,  $k_{\rm B}$  the Boltzm ann constant and T denotes the temperature. (t) stands for the standard d{dimensional white noise process, i.e.

$$h_{i}(t)i = 0$$
 and  $h_{i}(t)_{j}(s)i = ij$  (t s);  $i; j = 1; :::d:$ 

We take f (t) and y (t) to be Markov processes with respective state spaces  $E_f; E_y$  and generators  $L_f; L_y$ . The potential V (x; f) is periodic in x for every f, with period L in all spatial directions:

where  $fe_i g_{i=1}^d$  denotes the standard basis of  $\mathbb{R}^d$ . We will use the notation  $Q = [0; L]^d$ .

The processes f(t) and y(t) can be continuous in time di usion processes which are constructed as solutions of stochastic di erential equations, dichotomous noise [15, Ch. 9], more general M arkov chains etc. The (easier) case where f(t) and y(t) are determ inistic, periodic functions of time is treated in the appendix.

For simplicity, we have assumed that the temperature in (3) is constant. However, this assumption is with no loss of generality, since eqn. (3) with a time dependent temperature can be mapped to an equation with constant temperature and an appropriate e ective potential  $[30, \sec. 6]$ . Thus, the above fram ework is general enough to encompass most of the models that have been studied in the literature, such as pulsating, tilting, or temperature ratchets. We remark that the state variable x (t) does not necessarily denote the position of a B rownian particle. We will, however, refer to x (t) as the particle position in the sequel.

The process fx (t); f (t); y (t)g in the extended phase space  $R^{\,d}$   $E_{\rm f}$   $E_{\rm y}$  is M arkovian with generator

$$L = F(x;f;y) \quad x + D_x + L_f + L_y;$$

where D :=  $\frac{k_B T}{m}$  and

$$F(x;f;y) = \frac{1}{2}(rV(x;f) + y):$$

To this process we can associate the initial value problem for the backward Kolm ogorov Equation [23, Ch. 8]

$$\frac{\partial u}{\partial t} = Lu; \quad u(x;y;f;t=0) = u_{in}(x;y;f):$$
(4)

which is, of course, the adjoint to the Fokker{Planck equation. Our derivation of form ulae for the elective drift and the elective di usion tensor is based on singular perturbation analysis of the initial value problem (4).

### 3 Multiscale Analysis

In this section we derive form ulae for the elective drift and the elective dilusion tensor for x (t), the solution of (3). Let us outline the basic philosophy behind the derivation of form ulae (13) and (18). We are interested in the long time, large scale behavior of x (t). For the analysis that follows it is convenient to introduce a parameter 1 which in elect is the ratio between the length scale de ned through the period of the potential and a large "m acroscopic" length scale at which the motion of the particle is governed by and elective B rownian motion. The limit 1 of the system in this limit can be analysed using singular perturbation theory.

We rem ark that the calculation of the e ective driff and the e ective di usion tensor are perform ed seperately, because a di erent re{scaling is needed in each case. This is due to the fact that advection and di usion have di erent characteristic tim e scales.

#### 3.1 Calculation of the E ective D rift

The backward Kolm ogorov equation reads

$$\frac{(\underline{u}(\mathbf{x};\mathbf{y};\mathbf{f};t))}{(\underline{u}t)} = (\mathbf{F}(\mathbf{x};\mathbf{f};\mathbf{y})) \quad \underline{\mathbf{x}} + \mathbf{D}_{\mathbf{x}} + \mathbf{L}_{\mathbf{f}} + \mathbf{L}_{\mathbf{y}}) \mathbf{u}(\mathbf{x};\mathbf{y};\mathbf{f};t):$$
(5)

We re{scale a space and time in (5) according to

and divide through by to obtain

$$\frac{\partial u}{\partial t} = \frac{1}{F} \quad F \quad (\frac{x}{f}; f; y) \quad g + D_x + L_f + L_y \quad u :$$
(6)

We solve (6) pertubatively by looking for a solution in the form of a two{scale expansion

$$u (x;f;y;t) = u_0 x; -;f;y;t + u_1 x; -;f;y;t + {}^{2}u_2 x; -;f;y;t + ::::$$
(7)

All terms in the expansion (7) are periodic functions of z = x = . From the chain rule we have

$$r_{x} ! r_{x} + \frac{1}{r_{z}}$$
 (8)

Notice that we do not take the term s in the expansion (8) to depend explicitly on t= . This is because the coe cients of the backward K olm ogorov equation (6) do not depend explicitly on the fast time t= . In the case where the uctuations are periodic, rather than M arkovian, in time, we will need to assume that the term s in the multiscale expansion for u (x;t) depend explicitly on t= . The details are presented in the appendix.

We substitute now (7) into (5), use (8) and treat x and z as independent variables. Upon equating the  $\infty$ e cients of equal powers in we obtain the following sequence of equations

$$L_0 u_0 = 0;$$
 (9)

$$L_0 u_1 = L_1 u_0 + \frac{\partial u_0}{\partial t};$$
 (10)  
::: = :::;

where

$$L_0 = F(z;f;y) \quad \underline{r} + D_z + L_v + L_f \tag{11}$$

and

$$L_1 = F(z;f;y)$$
  $r + 2Dr_zr_x$ :

The operator  $L_0$  is the generator of a M arkov process on  $Q = E_y = E_f$ . In order to proceed we need to assume that this process is ergodic: there exists a unique stationary solution of the Fokker{P lanck equation

$$L_0 (z;y;f) = 0;$$
 (12)

with

(z;y;f)dzdydf = 1 Q E<sub>y</sub> E<sub>f</sub>

Ζ

and

$$L_0 = r_z$$
 (F(z;f;y)) +  $D_z + L_y + L_f$ :

In the above  $L_f$  and  $L_y$  are the Fokker{P lanck operators of f and y, respectively. The stationary density (z;y;f) satis esperiodic boundary conditions in z and appropriate boundary conditions in f and y. We emphasize that the ergodicity of the "fast" process is necessary for the very existence of an elective drift and an elective di usion coel cient, and it has been tacitly assumed in all theoretical investigations concerning B rownian m otors [30].

Under the assumption that (12) has a unique solution eqn. (9) in plies, by Fredholm alternative, that  $u_0$  is independent of the fast scales:

$$u_0 = u(x;t):$$

Eqn. (10) now becomes

$$L_0 u_1 = \frac{\partial u(x;t)}{\partial t} \quad F(z;y;f) \quad x u(x;t):$$

In order for this equation to be well posed it is necessary that the right hand side averages to 0 with respect to the invariant distribution (z;f;y). This leads to the following backward Liouville equation

$$\frac{\operatorname{(u(x;t))}}{\operatorname{(t)}} = \operatorname{U}_{eff} \quad \operatorname{xu(x;t);}$$

with the e ective drift given by

$$U_{eff} = F(z;y;f)(z;y;f) dzdydf$$
$$= \frac{1}{\sqrt{Q}} \sum_{\substack{E_y \in F_f \\ Q \in Y \in F_f}} (rV(x;f) + y)(z;y;f) dzdydf: (13)$$

### 3.2 Calculation of the E ective Di usion Coe cient

W e assume for the moment that the e ective drift vanishes,  $U_{eff} = 0$ . W e perform a di usive re{scaling in (5)

and divide through by  $^{2}$  to obtain

$$\frac{\partial u}{\partial t} = \frac{1}{2} F \frac{x}{f;y} \quad x + D_x + L_f + L_y u; \quad (14)$$

W e go through the same analysis as in the previous subsection to obtain the following sequence of equations.

$$L_0 u_0 = 0;$$
 (15)

$$L_0 u_1 = L_1 u_0;$$
 (16)

$$L_0 u_2 = L_1 u_1 \quad L_2 u_0;$$
 (17)

where  $L_0$  and  $L_1$  were de ned in the previous subsection and

$$L_2 = \frac{0}{0t} + D_x$$

Equation (15) implies that  $u_0 = u(x;t)$ . Now (16) becomes

$$L_0 u_1 = F(z;y;f) x u(x;t):$$

Since we have assumed that  $U_{eff} = 0$ , the right hand side of the above equation belongs to the null space of  $L_0$  and this equation is well posed. Its solution is

 $u_1(x;z;f;y;t) = (z;y;f) \quad xu(x;t);$ 

where the auxiliary eld (z;y;f) satis es the Poisson equation

with periodic boundary conditions in z and appropriate boundary conditions in y and f.

We proceed now with the analysis of equation (17). The solvability condition for this equation reads

$$(L_1 u_1 - L_2 u_0) dz dy df = 0;$$

from which, after som e straightforw and algebra, we obtain the lim iting backward K olm ogorov equation for u (x;t)

$$\frac{\mathfrak{gu}(\mathbf{x};t)}{\mathfrak{gt}} = \sum_{i;j=1}^{X^{d}} \mathbb{D}_{ij}^{\text{eff}} \frac{\mathfrak{g}^{2}\mathfrak{u}(\mathbf{x};t)}{\mathfrak{gx}_{i}\mathfrak{gx}_{j}}:$$

The e ective di usion tensor is

Ζ

$$D_{ij}^{eff} = D_{ij} + F_i(z;y;f)^j(z;y;f) + 2D \frac{\theta^{-1}(z;y;f)}{\theta z_j}$$
; (18)

where the notation h ifor the averaging with respect to the invariant density has been introduced.

The case where the elective drift does not vanish, U<sub>eff</sub>  $\stackrel{\bullet}{\bullet}$  0, can be reduced to the situation analyzed in this subsection through a Galilean transformation with respect to U<sub>eff</sub><sup>1</sup>. The elective di usion tensor is now given by

$$D_{ij}^{eff} = D_{ij} + F_i(z;y;f) \quad U_{eff}^{i} \stackrel{j}{}(z;y;f) + 2D \quad \frac{\underline{\theta}^{i}(z;y;f)}{\underline{\theta}_{z_i}} ; \qquad (19)$$

and the eld (z;f;y) satis es the Poisson equation

$$L_0 = F(z;y;f) \quad U_{eff}:$$
 (20)

## 4 E ective D i usion C oe cient for C orrelation R atchets

In this section we consider the following model [2, 8]

$$\underline{x}(t) = r V (x(t)) + y(t) + \frac{p}{2 k_B T} (t);$$
 (21a)

$$y(t) = \frac{1}{-y}(t) + \frac{r}{-}(t);$$
 (21b)

<sup>&</sup>lt;sup>1</sup> In other words, the process  $x^{()}(t) = x (t=^2)$  <sup>2</sup> U<sub>eff</sub>t converges to a mean zero G aussian process with e ective di usivity given by (19)

where (t) and (t) are mutually independent standard d{dimensional white noise processes. The potential V (x) is assumed to be L {periodic in all spatial directions The process y (t) is the d{dimensionalOnrstein{Uhlenbeck (OU) process [13] which is a mean zero G aussian process with correlation function

$$hy_{i}(t)y_{j}(s)i = i_{j} e^{\frac{jt s_{j}}{2}}; i_{j} = 1; ...; d:$$

Let z (t) denote the restriction of x (t) to  $Q = [0; 2]^d$ . The generator of the M arkov process fz (t); y (t)g is

$$L = \frac{1}{2} (r_z V(z) + y) + r + D_z + \frac{1}{2} (y_y + y)$$

with  $D \coloneqq \frac{k_B T}{2}$ . Standard results from the ergodic theory of M arkov processes see e.g. [3, ch. 3] ensure that the process fz (t); y (t) g 2 Q R<sup>d</sup>, with generator L is ergodic and that the unique invariant m easure has a sm ooth density (y; z) with respect to the Lebesgue m easure. This is true even at zero temperature [14, 22]. Hence, the results of section 3 apply: the elective drift and elective di usion tensor are given by form ulae (13) and (18), respectively. Of course, in order to calculate these quantities we need to solve equations (12) and (20) which take the form :

$$\frac{1}{r_z} r_z ((x_z V (z) + y) (y;z)) + D_z (y;z) + \frac{1}{r_y} r_y (y (y;z)) + y_z (y;z) = 0$$

and

$$\frac{1}{2} (r_z V (z) + y) \not \underline{r} (y;z) D_z (y;z)$$

$$\frac{1}{2} y y (y;z) + y (y;z) = \frac{1}{2} (r_z V (z) + y) U:$$

The elective dilusion tensor is positive denite. To prove this, let e be a unit vector in  $\mathbb{R}^d$ , denef = F e;  $u = \bigcup_{ff}$  e and let = e denote the unique solution of the scalar problem

Let now  $h\left(y;z\right)$  be a su ciently smooth function. Elementary computations yield

L (h) = Lh + 2D  $r_z$  (gh) +  $\frac{2}{r_y}$  (gh):

W e use the above calculation in the form ula for the e ective di usion tensor, together with an integration by parts and the fact that h (y;z)i = 0, to obtain

$$e \quad Q_{ff} \quad e = D + hf \quad i + Dhe \quad \underline{r} \quad i$$

$$= D + hu \quad i \quad h \quad L \quad i + 2Dhe \quad \underline{r} \quad i$$

$$= D + Dh \dot{r}_z \quad \hat{f}i + 2Dhe \quad \underline{r} \quad i + -h \dot{r}_y \quad \hat{f}i$$

$$= Dh \dot{r}_e + r_z \quad \hat{f}i + -h \dot{r}_y \quad \hat{f}i:$$

From the above form ulawe see that the e ective di usion tensor is non {negative de nite and that it is well de ned even at zero tem perature:

$$e D_{ff}(T = 0) e = -hjr_y (T = 0)ji$$

A lthough we cannot solve these equations in closed form, it is possible to calculate the small expansion of the elective drift and the elective di usion coel cient, at least in one dimension. Indeed, a tedious calculation using singular perturbation theory, e.g. [15, 27] yields

$$U_{eff} = O(^{3});$$
 (22)

and

$$D_{eff} = \frac{L^2}{Z_{eff}} D + 1 + \frac{1}{D^2} \frac{Z_2}{R} \frac{Z_1}{Z} + O(^2):$$
(23)

In writing eqn. (23) we have used the following notation

It is relatively straightforward to obtain the next order correction to (23); the resulting form ula is, however, too complicated to be ofm uch use.

The small asymptotics for the elective drift were also studied in [2, 8] for the model considered in this section and in [7, 36] when the external uctuations are given by a continuous time M arkov chain. It was shown in [7, 36] that, for the case of dichotom ous noise, the small expansion for  $U_{eff}$  is valid only for su ciently smooth potentials. Indeed, the rst non{zero term {of order O ( $^{3}$ }{ involves the second derivative of the potential. N on {sm ooth potentials lead to an elective drift which is O ( $^{\frac{5}{2}}$ ). On the contrary, eqn. (23) does not involve any derivatives of the potential and, hence, is well de ned even for non{sm ooth potentials. O n the other hand, the O ( $^{2}$ ) term involves third order derivatives of the potential and can be de ned only when V (x) 2 C <sup>3</sup> (0;L).

We also remark that the expansion (23) is only valid for positive temperatures. The problem becomes substantially more complicated at zero temperature because the generator of the M arkov process becomes a degenerate di erential operator at T = 0.

Naturally, in the limit as  $\ ! \ 0$  the elective dilusion coecient converges to its value for y  $\ 0$  :

$$D_{eff} = \frac{L^2 D}{Z \, 2} : \tag{24}$$

This is the elective di usion  $\infty$  cient for a Brownian particle moving in a periodic potential, in the absence of external uctuations [19, 37]. It is well known, and easy to prove, that the elective di usion  $\infty$  cient given by (24) is bounded from above by D. This not the case for the elective di usivity of the correlation ratchet (21).




Figure 1: E ective di usivity for (21) with V (x) =  $\cos(x)$  as a function of , for = 1; D =  $\frac{k_B T}{2}$  = 1; = 1. Solid line: Results from M onte C arlo simulations. D ashed line: Results from formula (23).

We compare now the small asymptotics for the elective dilusion coecient with M onte C arbs simulations. The results presented in gures 1 and 2 were obtained from the numerical solution of equations (21) using the Euler{ M arayam a method, for the cosine potential V (x) = cos(x). The integration step that was used was  $t = 10^{-4}$  and the total number of integration steps was  $10^7$ . The elective dilusion coecient was calculated by ensemble averaging over 2000 particle trajectories which were initially uniform ly distributed on [0;2].

In gure 1 we present the e ective di usion coe cient as a function of the correlation time of the OU process. We also plot the results of the small

asymptotics. The agreement between theoretical predictions and numerical results is quite satisfactory, for 1. We also observe that the elective di usivity is an increasing function of .

In gure 2 we plot the e ective di usivity as a function of the noise strength

of the OU process. As expected, the e ective di usivity is an increasing function of . The agreem ent between the theoretical predictions from (23) and the num erical experim ents is excellent.

## 5 Summary and Conclusions

The problem of B row nian motion in a periodic potential and driven by external forces was studied in this paper. Using multiscale techniques we derived formulae for the elective drift and the elective di usion tensor. We used these formulae to calculate the elective di usion coelected for a B row nian particle in




Figure 2: E ective di usivity for (21) with V (x) =  $\cos(x)$  as a function of , for = 0:1; D =  $\frac{k_B T}{T}$  = 1; = 1. Solid line: Results from Monte Carlo simulations. D ashed line: Results from form ula (23).

a one dimensional periodic potential which is driven by additive colored noise. The theoretical predictions are in very good agreem ent with the results obtained from direct numerical calculations.

In order to stream line the presentation, we studied the cases of M arkovian and time (periodic external uctuations separately. It is straightforward, of course, to combine the two and obtain form ulae for the elective drift and the elective di usion coel cient when some of the processes are random and some periodic. Furtherm ore, the case where the forcing terms depend on the particle position can be treated easily within the fram ework developed in this paper. In order for our m ethod to be applicable in this case it is necessary for the fast process to be ergodic for all values of the state variable x. We believe, thus, that ourm ultiscale approach is general enough to encom pass essentially allm odels for periodic potentials and external uctuations that have been considered within the fram ework of B rownian m otors.

The multiscale technique employed in this paper provides us with a system atic method for analyzing the long time behavior of solutions to the stochastic equations of motion. The assumption of scale separation upon which the method is based is always satis ed for systems with a nite number of characteristic length and time scales. Naturally, the results of the multiscale analysis are valid at length and time scales large compared to the largest length and time scales of the system. For example, the time required for the correlation ratchet (21) to reach its asymptotic B rownian regime increases as the correlation time

increases. How ever, for nite the system will always eventually perform an e ective Brownian motion.

In this paper we only presented form al calculations. We emphasize how ever that all the results presented in this paper can be justied rigorously, and in a very general setting. The key assumptions are the ergodicity of the fast process generated by  $L_0$ , de ned in (11), and the well{posedness of the Poisson equation (20). Ergodicity in plies the existence of the elective drift: this is a consequence of the strong law of large numbers. Ergodicity, together with well{posedness of eqn. (20) in ply the existence of the elective dilusion coelecter: this is a consequence of the martingale central limit theorem, see e.g. [10, ch. 7]. Needless to say, checking the ergodicity of the fast process and the well posedness of (20) are not trivial tasks. Results of this form are proved, for example, in [14].

In the case of stochastic external uctuations, the calculation of the e ective di usion tensor requires the num erical solution of equations (12) and (20). It is conceivable that this task m ight be as computationally dem anding as direct M onte C arb simulations. From this point of view the main advantage of our approach is that it provides a natural starting point for careful asymptotic analysis and rigorous study of the dependence of the e ective drift and the e ective di usion coe cient on the various param eters of the problem .

On the contrary, when the coe cients of eqn. (3) are periodic in time, the calculation of  $D_{eff}$  requires the numerical solution of eqns. (30) and (37). These are PDEs with periodic coe cients and can be routinely solved with e.g. a spectral method. In this setting, our approach o ers a clear computational advantage over M onte C arlo simulations. We also mention in passing that the various form ulae for the elective dilusion coe cient that have been derived in the literature [12, 19, 32, 35] can be obtained from equation (36): they correspond to cases where equations (31) and (37) can be solved analytically. An example (the calculation of the elective dilusion coe cient of an overdam ped B row nian particle in a tilted periodic potential (is presented in appendix. Similar calculations yield analytical expressions for all other exactly solvablem odels that have been considered in the literature.

In this paper we have studied the overdam ped limit. There are various problem s, how ever, where inertial ects are in portant and cannot be neglected. As examples we mention rocking ratchets in SQUIDS, [30, sec. 5.10], surface di usion [18, 34], inertial particles [27, 14]. Our fram ework can be generalized to include inertial ects. It is very interesting, then, to understand the dependence of the e ective di usion coe cient on the particle inertia. This problem is currently under investigation.

A cknow ledgem ents The author is indebted to Professors C R.D oering and A M. Stuart for useful discussions and suggestions.

### A Time{PeriodicCoe cients

In this appendix we derive form ulae for the m ean drift and the e ective di usion coe cient for a B row nian particle which m oves according to

$$\underline{\mathbf{x}}(t) = \mathbf{r} \, \mathbf{V} \, (\mathbf{x} \, (t); t) + \mathbf{y} \, (t) + \frac{\mathbf{r}}{2} \, \mathbf{k}_{\mathrm{B}} \, \mathbf{T} \, (\mathbf{x} \, (t); t) \quad (t); \tag{25}$$

for space{tim e periodic potential V (x;t) and temperature T (x;t) > 0, and periodic in tim e force y(t). We take the spatial period to be L in all directions and the temporal period of V (x;t); T (x;t) and y(t) to be T. We use the notation  $Q = [0;L]^d$ . Equation (25) is interpreted in the Itô sense. This is the correct interpretation when eqn. (25) is obtained from the full phase space dynam ics, in the lim it as the inertia tends to 0 [17, 26]. Since the analysis is very sim ilar to the one presented in [3, 37] we will be brief.

### A.1 Calculation of the E ective D rift

The backward Kolm ogorov equation corresponding to (25) reads

$$\frac{\partial u(\mathbf{x};t)}{\partial t} = F(\mathbf{x};t) \quad xu(\mathbf{x};t) + \frac{k_{\rm B}T(\mathbf{x};t)}{x} \quad xu(\mathbf{x};t);$$
(26)

where  $F(x;t) = \frac{1}{2}(rV(x;y) + y(t))$ . We refscale space and time in (26) according to x = ! x;t! t. We look for a solution of the resulting equation of the form

$$u(x;t) = u_0 x; -;t; - + u_1 x; -;t; - + ^2u_2 x; -;t; - + .... (27)$$

We treat x; z = x = and t; = t = as independent variables. We emphasize that  $u_i(x;z;t;); i = 0;1;2;:::$  are periodic functions in both z and . Upon substituting (27) into (26), using the chain rule and equating the coe cients of equal powers in we obtain the following sequence of equations

$$R_0 u_0 = 0;$$
 (28)

$$R_0 u_1 = R_1 u_0;$$
 (29)

where

$$R_{0} = \frac{\theta}{\theta} \qquad L_{0}; \quad L_{0} = F(z; ) \qquad x + \frac{kT(z; )}{z}$$

::

Z<sub>T</sub>Z

and

$$R_{1} = \frac{\theta}{\theta t}$$
  $L_{1}$ ;  $L_{1} = F(z; )$   $r + \frac{2k_{B}T(z; )}{r_{z}r_{x}}$ 

The equation

$$R_{0}(z; ) = \frac{\theta(z; )}{\theta} + r_{z}(F(z; )(z; )) + \frac{k_{B}T(z; )}{z}(z; ) = 0; \quad (30)$$

with

$$(z; ) dzd = 1$$

and periodic boundary conditions in both z and has a unique solution under appropriate regularity assumptions on F (z;t); T (z;t) [3, Thm. 3.10.1]. By Fredholm alternative, (28) in plies that

$$u_0 = u(x;t):$$

Eqn. (29) now becomes

$$R_0 u_1 = \frac{\partial u(x;t)}{\partial t} \quad F(z; ) \quad x^{III}(x;t):$$

The solvability condition for this equation leads to the following backward Liouville equation

$$\frac{\operatorname{(lu}(x;t))}{\operatorname{(lt)}} = U_{eff} \quad \operatorname{xu}(x;t);$$

w ith

$$U_{eff} = \begin{bmatrix} Z_T & Z \\ F_T & Z_T \end{bmatrix} = \begin{bmatrix} Z_T & Z_T \\ F_T & Z_T \end{bmatrix} = \begin{bmatrix} Z_T & Z_T \\ F_T & Z_T \end{bmatrix} = \begin{bmatrix} Z_T & Z_T \\ F_T & Z_T \end{bmatrix}$$
(31)

### A.2 Calculation of the E ective D i usion Coe cient

W ithout loss of generality we assume that the elective drift given by (31) vanishes,  $U_{eff} = 0$ . We perform the dilusive re{scaling in equation (26),  $x ! x; t ! ^{2}t$ . We go through the same analysis as in the previous subsection to obtain the following sequence of equations.

$$R_0 u_0 = 0;$$
 (32)

$$R_0 u_1 = L_1 u_0;$$
 (33)

$$R_0 u_2 = L_1 u_1 - L_2 u_0$$
 (34)

where  $R_0; L_0; L_1$  were de ned in the previous subsection and

$$L_2 = \frac{0}{0t} \frac{k_B T(z; )}{x}$$
:

Equation (32) gives that  $u_0 = u(x;t)$ . Equation (33) becomes

$$R_0 u_1 = F(z; ) xm(x;t):$$

Since we have assumed that  $U_{\rm eff}$  = 0, this equation is well posed. Its solution is

$$u_1(x;z;t;) = (z;)_x u(x;t);$$

where

$$R_0$$
 (z; ) = F (z; ): (35)

The solvability condition for equation (34) reads

from which, after som e algebra we obtain an evolution equation for u (x;t)

$$\frac{@u(x;t)}{@t} = \sum_{i;j=1}^{X^d} D_{ij} \frac{@^2u(x;t)}{@x_i@x_j}:$$

The e ective di usion coe cient is

$$D_{ij} = \frac{k_{B}}{ij} hT(z; )i + hF_{i}(z; )^{j}(z; )i + \frac{2k_{B}}{I(z; )}T(z; )\frac{\theta^{i}(z; )}{\theta^{j}}$$
(36)

with

$$\begin{array}{c} Z_{T} Z \\ h i = (z; ) dzd : \\ 0 Q \end{array}$$

W hen  $U_{eff} \in 0$ , eqns. (35) and (36) become, respectively,

$$R_0$$
 (z; ) = F (z; )  $U_{ff}$  (37)

and

$$D_{ij} = \frac{k_{\rm B}}{ij} hT(z;)i + hF_{i}(z;) \quad U_{\rm eff}^{i} \quad ^{j}(z;)i + \frac{2k_{\rm B}}{2k_{\rm B}} T(z;) \quad U_{\rm eff}^{i}(z;)$$
(38)

## B E ective D i usion C oe cient for T ilted P eriodic P otentials

In this appendix we use ourm ethod to obtain a form ula for the e ective di usion coe cient of an overdam ped particle m oving in a one dim ensional tilted periodic potential. This form ula was rst derived and analyzed in [32, 31] without any appeal to multiscale analysis. The equation of m otion is

$$\underline{\mathbf{x}} = \mathbf{V}^{0}(\mathbf{x}) + \mathbf{F} + \frac{\mathbf{p}}{2\mathbf{D}} ; \qquad (39)$$

where V (x) is a sm ooth periodic function with period L, F and D > 0 constants and (t) standard white noise in one dimension. To simplify the notation we have set = 1.

The stationary Fokker{Planck equation corresponding to (39) is

with periodic boundary conditions. Formula (13) for the e ective drift now becomes

$$U_{eff} = (V^{0}(x) + F) (x) dx:$$
(41)

The solution of eqn. (40) is [29, Ch. 9]

$$(\mathbf{x}) = \frac{1}{Z} \int_{\mathbf{x}}^{\mathbf{Z}_{x+L}} dy Z_{+} (y) Z_{-} (\mathbf{x}); \qquad (42)$$

w ith

Z (x) = 
$$e^{\frac{1}{D}(V(x) - F(x))}$$
;

and

$$Z = \int_{0}^{Z} \int_{x+L} dy Z_{+} (y) Z_{-} (x):$$
(43)

Upon using (42) in (41) we obtain [29, Ch. 9]

$$U_{eff} = \frac{D L}{Z} \quad 1 \quad e^{\frac{F L}{D}} :$$
 (44)

Our goal now is to calculate the elective di usion coel cient. For this we inst need to solve the Poisson equation (20) which now becomes

L (x) := 
$$D @_{xx}$$
 (x) + (  $V^{0}(x) + F)@_{x} = V^{0}(x)$  F +  $U_{eff}$ ; (45)

with periodic boundary conditions. Then we need to evaluate the integrals in (18):

$$D_{eff} = D + (V^{0}(x) + F U_{eff})(x) dx + 2D (\theta_{x}(x) (x) dx)$$

It will be more convenient for the subsequent calculation to rewrite the above form ula for the e ective di usion coe cient in a di erent form . The fact that

(x) solves the stationary Fokker{Planck equation, together with elementary integrations by parts yield that, for all su ciently smooth periodic functions (x),

$$Z_{L}$$
  $Z_{L}$   
(x) ( L (x)) (x) dx = D ( $(\theta_{x} (x))^{2}$  (x) dx:  
0 0

Now we have

$$D_{eff} = D + (V^{0}(x) + F U_{eff})(x)(x) dx + 2D \theta_{x}(x)(x) dx$$

$$= D + (L (x))(x)(x) dx + 2D \theta_{x}(x)(x) dx$$

$$= D + (L (x))(x)(x) dx + 2D \theta_{x}(x)(x) dx$$

$$= D + D (\theta_{x}(x))^{2}(x) dx + 2D \theta_{x}(x)(x) dx$$

$$= D + D (\theta_{x}(x))^{2}(x) dx + 2D \theta_{x}(x)(x) dx$$

$$= D + (1 + \theta_{x}(x))^{2}(x) dx = 0$$

$$= D (1 + \theta_{x}(x))^{2}(x) dx = 0$$

$$= 0$$

$$= 0$$

Now we solve the Poisson equation (45) with periodic boundary conditions. We multiply the equation by Z (x) and divide through by D to rewrite it in the form

W e integrate this equation from x L to x and use the periodicity of (x) and V (x) together with form ula (44) to obtain

$$(e_x (x)Z (x) 1 e^{\frac{F L}{D}} = Z (x) 1 e^{\frac{F L}{D}} + \frac{L}{Z} 1 e^{\frac{F L}{D}} Z (y) dy;$$

from which we immediately get

$$(\mathbf{x}) + 1 = \frac{1}{Z} \sum_{x=L}^{Z} (y)Z_{+}(x) dy:$$

Substituting this into (46) and using the form ula for the invariant distribution (42) we nally obtain

$$D_{eff} = \frac{D}{Z^{3}} \int_{0}^{Z_{L}} (I_{+}(x))^{2} I(x) dx; \qquad (47)$$

$$I_{+} (x) = \sum_{\substack{x \in I_{+} \\ x \in I_{+}}}^{Z} Z_{+} (y)Z_{+} (x) dy \text{ and } I_{-} (x) = \sum_{\substack{x \in I_{+} \\ x \in I_{+}}}^{Z} Z_{+} (y)Z_{-} (x) dy:$$

Formula (47) for the elective dilusion coel cient (formula (22) in [31]) is the main result of this appendix.

### References

- A.Barone and G.Paterno. Physics and Applications of the Josephson E ect. W iley, New York, 1982.
- [2] R. Bartussek, P. Reim ann, and P. Hanggi. Precise numerics versus theory for correlation ratchets. Phys. Rev. Let., 76(7):1166{1169,1996.
- [3] A. Bensoussan, J.L. Lions, and G. Papanicolaou. A symptotic analysis of periodic structures. North-Holland, Am sterdam, 1978.
- [4] M. Bier and R.D. A stum ian. Biasing Brownian motion in di erent directions in a 3{state uctuating potential and application for the separation of sm all particles. Phys. Rev. Let., 76 (22):4277, 1996.
- [5] C.Bustam ante, D.Keller, and G.Oster. The physics of molecular motors. Acc. Chem. res., 34:412{420, 2001.
- [6] I. Derenyi, and R.D. Astum ian. ac separation of particles by biased Brownian motion in a two{dimensional sieve. Phys. Rev. E, 58(6):7781{ 7784,1998.
- [7] C.R. Doering, L.A. Dontcheva, and M.M. Klosek. Constructive role of noise: fast uctuation asymptotics of transport in stochastic ratchets. Chaos, 8 (3):643 {649, 1998.
- [8] C.R. Doering, W. Horsthemke, and J. Riordan. Nonequilibrium uctuation (induced transport. Phys. Rev. Let., 72 (19) 2984 (2987, 1994.
- [9] R. Eichhom and P. Reimann. Paradoxical directed di usion due to tem perature anisotropies. Europhys. Lett., 69(4):517{523,2005.
- [10] SN. Ethier and T.G. Kurtz. M arkov processes. W iley Series in Probability and M athem atical Statistics: Probability and M athem atical Statistics. John W iley & Sons Inc., New York, 1986.
- [11] P. Fulde, L. Pietronero, W. R. Schneider, and S. Strassler. Problem of brownian motion in a periodic potential. Phys. Rev. Let., 35(26):1776{ 1779, 1975.
- [12] H.Gang, A.Da ertshofer, and H.Haken. Di usion in periodically forced Brownian particles moving in space{periodic potentials. Phys. Rev. Let., 76 (26):4874 {4877, 1996.
- [13] C.W. Gardiner. Handbook of stochastic methods. Springer-Verlag, Berlin, second edition, 1985. For physics, chem istry and the natural sciences.

with

- [14] M. Hairer and G. A. Pavliotis. Periodic hom ogenization for hypoelliptic di usions. J. Stat. Phys., 117 (1/2):261{279,2004.
- [15] W . Horsthem ke and R. Lefever. Noise-induced transitions, volum e 15 of Springer Series in Synergetics. Springer-Verlag, Berlin, 1984. Theory and applications in physics, chem istry, and biology.
- [16] C.K ipnis and S.R.S.Varadhan.Central lim it theorem for additive functionals of reversible M arkov processes and applications to simple exclusions. Comm.M ath.Phys., 104 (1):1{19, 1986.
- [17] R.Kupferm an, G.A.Pavliotis, and AM. Stuart. Itô versus Stratonovich white noise limits for system s with inertia and colored multiplicative noise. Phys. Rev. E, 70:036120, 2004.
- [18] A M .Lacasta, JM Sancho, A H.Romero, IM .Sokolov, and K .Lindenberg. From subdi usion to superdi usion of particles on solid surfaces. Phys. Rev. E, 70:051104, 2004.
- [19] S.Lifson and J.L.Jackson. On the self(di usion of ions in polyelectrolytic solution. J. Chem. Phys, 36:2410, 1962.
- [20] B.Lindner, M.Kostur, and L.Schim ansky-Geier. Optim aldi usive transport in a tilted periodic potential. Fluctuation and Noise Letters, 1(1) R25 R 39, 2001.
- [21] M.O.Magnasco. Forced therm al ratchets. Phys. Rev. Let., 71(10):1477{ 1481, 1993.
- [22] J.C. Mattingly and A.M. Stuart. Geometric ergodicity of some hypoelliptic di usions for particle motions. Markov Processes and Related Fields, 8 (2):199{214, 2002.
- [23] B.Oksendal. Stochastic Dierential Equations. Springer-Verlag, Berlin-Heidelberg-New York, 1998.
- [24] G.C.Papanicolaou. Introduction to the asymptotic analysis of stochastic equations. In Modern modeling of continuum phenomena (N inth Summer Sem. Appl. M ath., Rensselaer Polytech. Inst., Troy, N.Y., 1975), pages 109{147.Lectures in Appl. M ath., Vol. 16.Amer. M ath. Soc., Providence, R.I., 1977.
- [25] G C. Papanicolaou. A sym ptotic analysis of stochastic equations. In Studies in probability theory, volum e 18 of M A A Stud. M ath., pages 111{179.M ath. A ssoc. Am erica, W ashington, D C., 1978.
- [26] G.A. Pavliotisand A M. Stuart. A nalysis of white noise limits for stochastic system s with two fast relaxation times. SIAM J.MMS, 4(1):1{35,2005.
- [27] G.A. Pavliotis and A.M. Stuart. Periodic hom ogenization for inertial particles. Physica D, 204 (3(4):161(187,2005.
- [28] H. Qian, M in Qian, and X. Tang. Therm odynam ics of the general duffusion process: tim e{reversibility and entropy production. J. Stat. Phys., 107 (5/6):1129{1141,2002.
- [29] R.L.R.L.Stratonovich. Topics in the theory of random noise. Vol. II. Revised English edition. Translated from the Russian by Richard A.Silverm an.G ordon and Breach Science Publishers, New York, 1967.

- [30] P.Reim ann.Brownian motors: noisy transport far from equilibrium.Phys. Rep., 361 (2-4) 57 {265, 2002.
- [31] P. Reimann, C. Van den Broeck, H. Linke, P. Hanggi, JM. Rubi, and A. Perez-Madrid. Diusion in tilted periodic potentials: enhancement, universality and scaling. Phys. Rev. E, 65 (3):031104, 2002.
- [32] P.Reim ann, C.Van den Broeck, H.Linke, JM. Rubi, and A.Perez-M adrid. G iant acceleration of free di usion by use of tilted periodic potentials. Phys. Rev. Let., 87 (1):010602, 2001.
- [33] H. Risken. The Fokker-Planck equation, volume 18 of Springer Series in Synergetics. Springer-Verlag, Berlin, 1989.
- [34] JM Sancho, AM. Lacasta, K. Lindenberg, IM. Sokolov, and AH. Romero. Diusion on a solid surface: anomalous is norms. Phys. Rev. Let, 92 (25):250601,2004.
- [35] M Schreier, P. Reimann, P. Hanggi, and E. Pollak. Giant enhancement of di usion and particle selection in rocked periodic potentials. Europhys. Let., 44 (4):416{422,1998.
- [36] T C E lston and C R.D oering. Num erical and analytical studies of nonequilibrium uctuation-induced transport processes. J. Stat. Phys., 83:359{383, 1996.
- [37] M. Vergassola and M. Avellaneda. Scalar transport in compressible ow. Phys. D, 106(1-2):148{166,1997.