# A nalytical approach to the quantum -phase transition in the one-dimensional spinless Holstein model

S.Sykora<sup>1</sup>, A.Hubsch<sup>2;3</sup>, and K.W.Becker<sup>1</sup>

Institut fur Theoretische Physik, Technische Universitat Dresden, D-01062 Dresden, Gem any Departm ent of Physics, University of California, Davis, CA 95616, USA Max-Planck-Institut fur Physik kom plexer System e, Nothnitzer Stra e 38, 01187 Dresden, Gem any

M ay 25, 2006

Abstract. We study the one-dimensional Holstein model of spinless fermions interacting with dispersionless phonons by using a recently developed projector-based renorm alization method (PRM). At half-lling the system shows a metal-insulator transition to a Peierls distorted state at a critical electron-phonon coupling where both phases are described within the same theoretical framework. The transition is accompanied by a phonon softening at the Brillouin zone boundary and a gap in the electronic spectrum. For di erent lling, the phonon softening appears away from the Brillouin zone boundary and thus re ects a di erent type of broken symmetry state.

PACS. 71.10 Fd Lattice ferm ion models (Hubbard model, etc.) { 71.30.+ h M etal-insulator transitions and other electronic transitions

### 1 Introduction

System s with strong electron-phonon (EP) interactions have received considerable attention in the last few years, motivated by new notings which suggest a crucial role of the EP coupling in materials with strong electronic correlations. Examples are high-temperature superconductors [1], colossal magnetoresistive manganites [2], or metallic alkaline-doped C<sub>60</sub>-based compounds [3]. Furtherm ore, in many quasione-dimensional materials, such as M X chains, conjugated polymers or organic transfer complexes [4], the kinetic energy of the electrons strongly competes with the EP interaction which tends to establish, e.g., chargedensity wave structures.

The so-called spinless Holstein model,

$$H = t (c_{i}^{y}c_{j} + hc;) + !_{0} b_{i}^{y}b_{i}$$
(1)  
$$H = t (c_{i}^{y}c_{j} + hc;) + !_{0} b_{i}^{y}b_{i}$$
(1)

is perhaps the simplest realization of a strongly coupled EP system. It describes the local interaction g at a given lattice site i between the density  $n_i = c_i^y c_i$  of electrons and dispersion-less phonons with frequency  $!_0$ . Here, the  $c_i^y$  ( $b_i^y$ ) are ferm ionic (bosonic) creation operators of electrons (phonons), and hi; ji denotes the sum m ation over all neighboring lattice sites i and j.

In the past, a large num ber of di erent analytical and num ericalm ethods have been applied to the Holstein model (1). Strong-coupling expansions [5], variational [6] and

renorm alization group [7,8] approaches, as well as M onte Carlo [5,9] simulations were used to investigate mainly ground-state properties. M ore recently, exact diagonalization [10] (ED) and density matrix renorm alization group (DMRG) [11,12,13] techniques, and dynam icalm ean-eld theory (DMFT) in conjunction with a num erical renormalization group approach [14] were applied. However, most of these approaches are restricted in their applications, e.g., ED techniques can only handle very sm all system sizes, DMRG methods require one-dimensional systems, and the DMFT exploits the limit of in nite spatial dim ensions. Furtherm ore, the phononic part of the Hilbert space is in nite even for nite systems so that all num erical approaches require truncation schemes to limit the num ber of bosonic degrees of freedom, or a num erically expensive system atic reduction of the Hilbert space in the spirit of the DMRG method [15] has to be employed. For these reasons, there is still a clear need of reliable theoretical methods to tackle strongly coupled EP systems in term s of m in in al theoretical m odels. The H olstein m odel of spinless ferm ions (1) shows at half-lling a quantum phase transition from a metallic to an insulating state where both the one-dimensional case and the limit of innite dim ensions have been studied [5,11,14].

A Itemative analytical approaches to interacting m anyparticle systems are o ered by m ethods based on functional renorm alization like the ow equation m ethod [16], the sim ilarity transform ation [17], or the projector-based renorm alization m ethod (PRM) [18]. So far, these m ethods have been successfully applied to electron-phonon system s with the aim to study the e ective electron-electron interaction [19] or superconductivity [20]. However, the quantum -phase transition in the Holstein model has not yet been studied by this kind of approach.

Recently, we applied the projector-based renorm alization m ethod (PRM) [18] to the spinless Holstein m odel (1) at half-lling [21]. This analytical approach does not su er from the truncation of the phononic H ilbert space so that all bosonic degrees of freedom are taken into account. Furtherm ore, the PRM treatm ent provides both ferm ionic and bosonic quasi-particle energies which are not directly accessible with other m ethods. How ever, the PRM approach of Ref. [21] was restricted to the m etallic phase.

Here, we extend our recent work [21] on the one-dim ensional spinless Holstein model (1) where the scope of this paper is twofold: Firstly, we dem onstrate that the PRM approach of Ref. [21] is not restricted to the half-lled case, and that the phonon dispersion relation close to the critical value of the EP coupling re ects the type of the broken sym m etry of the insulating phase. Secondly, we derive modi ed renorm alization equations for the half-lled case that enable a dimerization of the system . Thus, we nd an uniform description for the metallic as well as for the insulating phase of the spinless Holstein model (1) at half-lling. We determ ine the critical coupling  $g_c$  for the metal insulator transition where a careful nite-size scaling is perform ed. Furtherm ore, a phonon softening is found for EP couplings close to the critical value gc which can be understood as a precursor e ect of the phase transition.

This paper is organized as follows. In the next section we brie y describe the basic idea of our recently developed PRM approach [18], and discuss m etallic solutions of the renormalization equations for dierent llings of the electronic band. In particular, we show that the phonon softening close to the critical value  $g_c$  of the metal insulator transition rejects the type of the broken symmetry of the insulating phase. In section 3, we extend the PRM approach of Ref. [21] to derive an uniform description for the metallic as well as for the insulating phase of the spinless H olstein model (1) at half-lling. Furtherm ore, in section 4, the critical coupling  $g_c$  for the metal insulator transition is determined, and electronic as well as phononic quasi-particle energies are presented. Finally, we summarize in section 5.

### 2 M ethodology and m etallic solutions

In the PRM approach [18], the nale ective H am iltonian  $H' = \lim_{n \to 0} H$  is obtained by a sequence of unitary transformations,

$$H_{()} = e^{X_{i}} H e^{X_{i}}$$
; (2)

by which transitions between eigenstates of the unperturbed part H $_0$  of the Ham iltonian caused by the interaction H $_1$  are eliminated in steps. The respective transition energies are used as renorm alization parameter  $% A_{1}^{2}$ . The generator X ; of the unitary transform ation has to be adjusted in such a way so that H  $_{()}$  does only contains excitations with energies smaller or equal (). Interaction with energies larger than () are used up to renorm alize the parameters of the elective H am iltonian. Thus, di erence equations for the dependence of the parameters of the H am iltonian can be derived which we call renorm alization equations.

In Ref. [21] we have m ade the following ansatz

$$H_{0;} = \overset{X}{\underset{k}{}} u_{k;} c_{k}^{y} c_{k} + \overset{X}{\underset{q}{}} !_{q;} b_{q}^{y} b_{q} + E ; \qquad (3)$$

$$H_{1}; = \frac{1}{p_{m}} \sum_{k,q}^{X} g_{k,q}; \quad b_{q}^{y} c_{k}^{y} c_{k+q} + b_{q} c_{k+q}^{y} c_{k}$$
(4)

for the renorm alized H am iltonian H = H $_{0}$ ; + H $_{1}$ ; after all excitations with energies larger than have been elim – inated. In the next step, all excitations within the energy shell between ( ) and have been removed where


$$X \ ; \ = \frac{1}{P \frac{1}{N}} X B_{k;q}; \ ; \ b_{q}^{V} c_{k}^{V} q_{k+q} b_{q} c_{k+q}^{V} q_{k}$$

has been used as generator of the unitary transform ation (2). The coe cients B  $_{k;q;}$ ; have to be xed in such a way so that only excitations with energies smaller than ( ) contribute to H ( ).

Evaluating Eq. (2), operator terms that contain four ferm ionic and bosonic one-particle operators appear. How – ever, to restrict the renorm alization scheme to the operators of the renorm alization ansatz according Eqs. (3) and (4) we have to perform a factorization approximation,

Thus, the renorm alization equations for " $_k$ ; , ! $_q$ ; , E , and  $g_{k;q;}$ , that are obtained by comparing the result of the transform ation (2) with Eqs. (3) and (4), depend on unknown expectation values  $hc_k^y o_k i$  and  $hb_q^y b_q i$ . These expectation values are best de ned with H since the renorm alization step is done from H to H ( ). Note that for simplicity in Ref. [21] the expectation values were evaluated with the unperturbed H am iltonian H  $_0$ ; . In contrast, we now neglect the dependence of the expectation values and perform the factorization approximation with the full H am iltonian H in order to take into account in portant interaction e ects. (A general discussion of the factorization approximation in the PRM can be found in Ref. [22].)

For the evaluation of the expectation values with the fullHam iltonian H we have to apply the unitary transform mations also on operators to exploit hA i = hA i<sub>H</sub> . The transform ed operator A is obtained by the sequence (2) of unitary transform ations, A ( ) =  $e^{X}$ ; A  $e^{X}$ ; W e derive renorm alization equations for the ferm ionic and



F ig.1. (color online) B osonic quasi-particle energies of a chain with 500 lattice sites for di erent EP couplings g obtained from the renorm alization equations without a symmetry breaking term. Note the unphysical jumps at small q values which are due to the factorization approximation of higher order renorm alization processes. For details see the discussion in R ef. [21].


bosonic one-particle operators,  $c_k^y$  and  $b_q^y$ , where the same approximations are used as for the Hamiltonian. In this way, equations for the needed expectation values are obtained.

The resulting set of renorm alization equations has to be solved self-consistently. The explicit (numerical) evaluation starts from the cuto = of the original model and proceeds down to = 0. Note that the case = 0 with self-consistently determ ined expectation values provides the e ectively free model  $H' = \lim_{t \to 0} \frac{1}{t} \int_{0}^{t} H_{0}$ ;

$$\mathbf{H}^{\prime} = \overset{\mathbf{X}}{\underset{k}{\overset{\mathbf{u}}{\underset{\mathbf{x}}{\mathbf{x}}}}} \overset{\mathbf{X}}{\underset{\mathbf{x}}{\overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{x}}}}} \overset{\mathbf{X}}{\underset{\mathbf{y}}{\overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{x}}}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{x}}}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{x}}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{x}}}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{x}}}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{x}}}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{y}}}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{y}}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{y}}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{y}}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{y}}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{y}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{y}}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{y}}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{y}}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{y}}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{y}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{y}}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{y}}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{y}}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{y}}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{y}}} \overset{\mathbf{y}}{\underset{\mathbf{y}}{\mathbf{y}}}} \overset{\mathbf{y}}{\overset{\mathbf{y}}{\mathbf{y}}} \overset{\mathbf{y}}{\overset{\mathbf{y}}{\mathbf{y}}} \overset{\mathbf{y}}{\overset{\mathbf{y}}}} \overset{\mathbf{y}}{\overset{\mathbf{y}}{\mathbf{y}}} \overset{\mathbf{y}}{\overset{\mathbf{y}}}} \overset{\mathbf{y}}{\overset{\mathbf{y}}{\mathbf{y}}} \overset{\mathbf{y}}{\overset{\mathbf{y}}}} \overset{\mathbf{y}}{\overset{\mathbf{y}}}} \overset{\mathbf{y}}{\overset{\mathbf{y}}{\mathbf{y}}}} \overset{\mathbf{y}}{\overset{\mathbf{y}}}} \overset{\mathbf{y}}{\overset{\mathbf{y}}$$

we are interested in Here, we have introduced the renormalized dispersion relations  $\mathbf{w}_k = \lim_{i \to 0} \mathbf{w}_k$ ; and  $\mathbf{t}_q = \lim_{i \to 0} \mathbf{v}_i$ , and the energy shift  $\mathbf{E} = \lim_{i \to 0} \mathbf{v}_i \mathbf{E}$ .

Here, one m ight wonder why it is possible to m ap the Holstein model of spinless ferm ions onto an electively free system as described above. Of course, before the actual calculations can be started a guess of the form of the nal renorm alized H am iltonian H' is needed that can be motivated by the operator terms generated due to the renormalization procedure. Furthermore, the obtained results are a very powerful test of the inital guess: Unphysical ndings are clear signatures of an insu cient renorm al-



F ig. 2. Critical value  $g_c$  of the EP coupling as a function of the electronic band lling for a chain with 500 lattice sites. The value  $g_c$  0:31t for the half-lled case agrees perfectly with the result of R ef. [21] where a sim pler scheme for the evaluation of the expectation values has been used.

ization ansatz. As an example, it will turn out that nonphysical negative phonon energies  $a_q$  are obtained if the electron-phonon coupling g exceeds a critical value. Therefore, we shall later extend ansatz (3), (4) to study both the m etallic and the insulating phase of m odel (1).

Furtherm ore, it is in portant to note that the em ployed factorization approximation is directly related to the renormalization ansatz: Only operator structures that are contained in the renorm alization ansatz H can be taken into account without any approximation. All other operators appearing due to the renorm alization procedure have to be traced back to those of H . Here, as already mentioned, we use a factorization approximation for this purpose. Due to the complexity of the renorm alization equations it is extremely dicult to estimate the e ect of the mentioned factorization approximation on the results. However, in this paper we present two com plem entary renorm alization schemes so that the comparison of the two approaches will provide som e inform ation about the e ects of the employed factorization approximations (see the discussion in Sec. 4).

In the following we concentrate on the so-called adiabatic case !<sub>0</sub> t, where we have chosen  $!_0=t=0:1$ . In panel (a) of Fig. 1, the bosonic dispersion relation of an one-dimensional chain at half-lling is shown for different EP couplings g. Due to the coupling between the phononic and electronic degrees of freedom ,  $\frac{1}{2}$  gains som e dispersion. In particular, a phonon softening appears at the Brillouin-zone boundary if g is only slightly smaller than the critical value g<sub>c</sub> 0:31t of the EP coupling. However, if the EP coupling g exceeds the critical value gc we obtain non-physical negative phonon energies. Therefore, the solutions of the renorm alization equations from Ref. [21] can only describe the metallic phase and break down at the phase transition.

As already mentioned above, in the present calculation an improved scheme for the evaluation of the expectation values has been used. However, the same critical value  $g_c = 0.31t$  for the metal-insulator transition was also found in Ref. [21] where all expectation values had been evaluated using the unperturbed part H  $_{0}$ ; of the dependent H am iltonian and not using the full H am iltonian H.

Note that the critical EP coupling  $q_c$ 0:31t obtained from the vanishing phonon phonon mode at the Brillouin-zone boundary is signi cantly larger than the 0:28t [11,13]. This di erence can DMRG value of  $q_c$ be understood as follows: Our renorm alization scheme as presented in this Sec. starts from a description particularly suitable for the metallic phase as represented by the nalHamiltonian H.As discussed above, a factorization approximation has been employed so that uctuations are suppressed. How ever, these additional uctuations would enhance the phonon softening and, therefore, tend to destabilize the metallic phase. Thus, the realistic critical value gc of the electron-phonon coupling is sm aller than the result we have obtained by the PRM approach as presented above. Note that the situation will change for the modi ed renorm alization scheme of Sec. 3.

Even though only the case of half-lling has been discussed in Ref. [21], the same PRM approach can also be applied to di erent llings without any modi cations. Panel (b) of Fig. 1 shows bosonic dispersion relations for an one-dimensional chain at lling 1/3 for dierent EP couplings. Sim ilar to the half-lled case, we obtain a phonon softening for EP couplings g close to a critical value ofq<sub>c</sub> 0:5t, and negative phonon energies are observed for  $g > g_c$ . However, in contrast to the half-lled case, the phonon softening appears at  $2k_F = 2 = 3$  and not at the Brillouin-zone boundary (where  $k_{\rm F}$  denotes the Ferm im om entum). Consequently, as expected for a onedim ensional ferm ionic system, the broken symmetry of the insulating phase strongly depends on the lling of the electronic band.

Fig. 2 shows the critical values  $g_c$  of the EP coupling as function of the electronic band lling. Here, two aspects of the results are important to be noticed: (i) The critical value  $g_c$  has a m inim um at half-lling which is connected with the highest stability of the insulating phase. (ii) The form of the curve in Fig. 2 re ects the particle-hole sym m etry of the m odel (1).

Above we have argued that the phonon softening is a precursor e ect of the m etal-insulation transition in the H olstein m odel. How ever, in the anti-adiabatic lim it of the m odel where t  $!_0$  holds we do obtain the opposite behavior: A phonon sti ening occurs in the m etallic phase if we increase the electron-phonon coupling g. This nding corresponds to the anti-adiabatic lim it of spin system s where also no phonon softening occurs for fast phonons [23]. Unfortunately, in this work the m etal-insulator transition itself can not be studied in the anti-adiabatic lim it because the presented PRM approach has no stable solutions fort g.

# 3 Uniform description of metallic and insulating phases at half-lling

In this section we want to extend our PRM approach to nd an uniform description for the metallic as well as for the insulating phase of the spinless Holstein model (1). In the following, we concentrate on the case of half-lling because the broken symmetry of the insulating phase depends strongly on the lling of the electronic band as discussed above.

We have already mentioned that the PRM approach as discussed in Sec. 2 breaks down for strong EP couplings. In this case a long-range charge density wave order occurs, and electrons and ions are shifted from their sym – metric positions. To describe such a state with a broken symmetry in the framework of the PRM the ansatz for H must contain suited order parameters [20]. In the case of the half-led Holstein model, one has to take into account that the unit cell of the system is doubled in the case of a dimerized insulating ground-state. Therefore, we consider the H am iltonian in a reduced B rillouin zone and introduce appropriate symmetry breaking terms in our renorm alization ansatz. Thus, the renorm alized H am iltonian H = H  $_0$ ; + H  $_1$ ; reads

$$\begin{array}{c} H_{0; X} = & (6) \\ = & "_{jk; c} c_{jk}^{v} c_{jk} + & !_{jq; b} b_{jq}^{v} b_{jq} + E \\ & \stackrel{k>0; }{X} & q>0; \\ + & \stackrel{c}{k; c} c_{0jk}^{v} c_{1jk} + h c: + \stackrel{p}{N} & b & b_{1jQ}^{v} + h c: \\ & \stackrel{k}{H_{1; c}} = \\ = & \frac{1}{p \frac{1}{N}} & \underset{k;q>0}{X} g_{k;q;} & (b_{jq}^{v}) & (c_{jk}^{v} c_{jk+q}) + h c: \\ & (7) \end{array}$$

after all excitations with energies larger than have been integrated out. Here, due to the usage of the reduced B rilbuin zone, both the ferm ionic and bosonic one-particle operators as well as the model parameters have additional band indices, ; ; = 0;1. Furtherm ore, the de nitions A = A hAi and Q = =a are used in Eq. (7). Note, how ever, that Eq. (6) is restricted to the one-dimensional case at half-lling but could be easily extended: For higher dimensions the term with the order parameter <sup>b</sup> has to take into account allQ values of the B rillouin zone boundary. To describe the insulating phase away from half-lling one has to adjust the order parameters because the broken symmetry type strongly depends on the lling as discussed above.

To derive the renorm alization equations we consider the renorm alization step from to ( ). At rst we perform a rotation in the ferm ionic subspace and a translation to new ionic equilibrium positions so that  $H_0$ ; is diagonalized,

$$H_{0;} = \frac{X X}{m^{C}} e^{C_{jk;} C_{jk;} C_{jk;}} C_{ik;}$$
(8)  
$$K_{k>0} X + I_{kq;}^{k>0} B_{jq;}^{Y} B_{jq;} E :$$
$$K_{q>0} C_{jk;} C_{jk;}$$

N ext we rewrite H<sub>1</sub>; in terms of the new fermionic and bosonic creation and annihilation operators, C<sup>(y)</sup><sub>;k</sub>; and B<sup>(y)</sup><sub>;q</sub>; which we have introduced to diagonalize H<sub>0</sub>; .Finally, we have to evaluate (2) to derive the renorm alization equations for the parameters of H .Here the ansatz

$$X ; = \frac{1}{p_{N}} X X A_{k;q;}^{i;i}$$

$$A_{k;q;}^{i;i}$$

$$B^{Y}_{iq} (C_{k;}^{Y} C_{ik+q;}) hc:$$

is used for the generator of the unitary transform ation (2). The coe cients A  $_{k,q;}^{i,j}$ ; have to be xed in such a way so that only excitations with energies smaller than ( ) contribute to H<sub>1;(</sub>). The renormalization equations for the parameters  $_{k;}$ ;  $_{k;}^{c}$ ;  $_{;q;}^{i}$ ;  $_{pq;}^{b}$ , and  $g_{k,q;}^{i,j}$  are obtained by comparison with (6), (7) after the creation and annihilation operators C  $_{;k;}^{(y)}$ ;  $_{;q;}^{(y)}$ ; have been transformed back to the original operators  $c_{;k;}^{(y)}$ ;  $b_{;q}^{(y)}$ . The actual calculations are done in close analogy to Ref. [21].

As already discussed in Sec. 2, in order to evaluate Eq. (2), an additional factorization approximation must be employed where only operators of the structure of those of (6) and (7) are kept. At this point it is in portant to notice that this factorization approximation is performed in the fram ework of the reduced B rillouin zone. Therefore, in com parison to the PRM scheme of Sec. 2, additional terms occur for non-zero order parameters  $c_k^c$ , and  $b_k^b$ . Due to the factorization approximation, the nal renormalization equations still depend on unknown expectation values. A s already discussed in Sec. 2, these expectation values were evaluated with the full Ham iltonian H in order to take into account in portant interaction e ects. Therefore, we again must apply the sequence (2) of unitary transformations to operators,  $A_{()} = e^{X}$ ;  $A = e^{X}$ ; to exploit hAi = hA  $i_{H}$  . As in Sec. 2, this procedure is perform ed for the ferm ionic and bosonic one-particle operators,  $c_{k}^{y}$  and  $b_{iq}^{y}$ , where the same approximations are used as for the H am iltonian. Thus, we easily obtain equations for the needed expectation values. The resulting set of renorm alization equations is solved num erically where the equations for the expectation values are taken into account due to a self-consistency loop.

The case = 0 with self-consistently determ ined expectation values provides again an e ectively free model  $H = \lim_{t \to 0} H = \lim_{t \to 0} H_{0}$ ; which reads

$$H^{*} = \begin{bmatrix} X & X & X \\ \mu_{k} c^{y}_{,k} c_{,k} + & \sum_{k=0}^{\infty} c_{0,k}^{y} c_{1,k} + h x: \quad (9) \\ X & \mu_{k} c^{y}_{,k} c_{,k} + & \sum_{k=0}^{k>0} c_{0,k} c_{1,k} + h x: \quad (9) \\ + & \mu_{k} c^{y}_{,k} c_{,k} + & \sum_{k=0}^{k>0} c_{0,k} c_{1,k} + h x: \quad (9) \\ + & \mu_{k} c^{y}_{,k} c_{,k} + & \sum_{k=0}^{k>0} c_{0,k} c_{1,k} + h x: \quad (9) \\ + & \mu_{k} c^{y}_{,k} c_{,k} + & \sum_{k=0}^{k} c_{0,k} c_{1,k} + h x: \quad (9) \\ + & \mu_{k} c^{y}_{,k} c_{,k} + & \sum_{k=0}^{k} c_{0,k} c_{1,k} + h x: \quad (9) \\ + & \mu_{k} c^{y}_{,k} c_{,k} + & \sum_{k=0}^{k} c_{0,k} c_{1,k} + h x: \quad (9) \\ + & \mu_{k} c^{y}_{,k} c_{,k} + & \sum_{k=0}^{k} c_{0,k} c_{1,k} + h x: \quad (9) \\ + & \mu_{k} c^{y}_{,k} c_{,k} + & \sum_{k=0}^{k} c_{0,k} c_{1,k} + h x: \quad (9) \\ + & \mu_{k} c^{y}_{,k} c_{,k} + & \sum_{k=0}^{k} c_{0,k} c_{1,k} + h x: \quad (9) \\ + & \mu_{k} c^{y}_{,k} c_{,k} + & \sum_{k=0}^{k} c_{0,k} c_{1,k} + h x: \quad (9) \\ + & \mu_{k} c^{y}_{,k} c_{,k} + & \sum_{k=0}^{k} c_{0,k} c_{1,k} + h x: \quad (9) \\ + & \mu_{k} c^{y}_{,k} c_{,k} + & \sum_{k=0}^{k} c_{0,k} c_{1,k} + h x: \quad (9) \\ + & \mu_{k} c^{y}_{,k} c_{k} + & \sum_{k=0}^{k} c_{0,k} c_{1,k} + h x: \quad (9) \\ + & \mu_{k} c^{y}_{,k} c_{k} + & \sum_{k=0}^{k} c_{k} c^{y}_{,k} c_{k} + & \sum_{k=0}^{k} c_{k} c^{y}_{,k} + & \sum_{k=0}^{k} c_{k} c^{y}_{,k} + & \sum_{k=0}^{k} c^{y}_{,k$$

where " $_{;k} = \lim_{a \to a} e_{a} e_{$ 

Before we present results in Sec. 4, we want to compare the two di erent renorm alization schemes discussed above in m ore detail. As already mentioned, the approach of Sec. 2 is based on a renorm alization ansatz in particular suitable for the metallic phase of the system. In contrast, the renorm alization scheme as discussed in the present section starts from a dimerized system so that this approach provides a description of the system particularly adapted to the insulating phase. Thus, both renorm alization schemes are complementary approaches, and opposite uctuations are suppressed due to the employed factorization approximations: The suppressed uctuations of the renorm alization scheme of Sec. 2 destabilize the metallic phase. In contrast, it will be shown that the neglected uctuations of the approach of Sec. 3 favor the same phase.


On the other hand, the two renorm alization schemes are not only complementary in their starting points but also closely related: The renorm alization scheme as discussed in the present section exactly matches the approach of Sec. 2 if the gap parameters  $c_k^k$  and b vanish for all

values. Thus, nite excitation gaps are only obtained from the renorm alization scheme of this section if the insulating (i.e. gapped) phase has a lower free energy than the metallic solution as discussed in Sec. 2. Note that in actual calculations the PRM approach of this section always leads to a free energy smaller than the one obtained from the scheme discussed in Sec. 2.

#### 4 Results

In the following, we rst show that the PRM treatment can be used to investigate the Peierls transition of the onedimensional spinless Holstein model (1) at half-lling. In particular, our analytical approach provides a theoretical description for the metallic as well as for the insulating phase, and we compare our results with DMRG calculations [11,13].

In order to determ in  $g_c$  we perform a careful nite-size scaling as shown for some g values in the inset of Fig. 3 where a linear regression is applied to extrapolate our results to in nite system size. Note, how ever, that the nite



F ig. 3. G ap in the electronic excitation spectrum for the innite chain. The solid line is a Kosterlitz-Thouless t of the form  $^{-}$ =t =  $P \frac{15:240}{(g=t)^2 (0:195)^2} \exp P \frac{1:400}{(g=t)^2 (0:195)^2}$ . The innet shows the nite-size scaling for g values of 0.26t (circles), 0.266t (squares), and 0.27t (diamonds).

size scaling of our PRM approach is a ected by two di erent e ects: Long-range uctuations are suppressed by the nite cluster size as well as by the used factorization approximation so that a rather unusual dependence on the system size is found. In Fig. 3 the electronic excitation gap ~ for in nite system size, as found from the opening of a gap in the quasi-particle energy  $\mathbf{u}_k$  (see text below), is plotted as function of the EP coupling g.A closer inspection of the data shows that an insulating phase with a nite excitation gap is obtained for g values larger than the critical EP coupling  $q_c$ 0:24t. A comparison with the critical value  $q_c$ 0:28t obtained from DMRG calculations [11,13] shows that the critical values from the PRM approach of Sec.3 m ight be som ew hat too sm all.

In particular, the critical coupling  $q_c$ 0:24t obtained from the opening of the gap in  $\mathbf{w}_k$  is signi cantly sm aller than the  $q_c$  value of 0:31t which was found from the vanishing of the phonon m ode at the Brillouin zone boundary in the metallic solution of Sect. 2. Instead, one would expect that both the gap in  $\mathbf{R}_k$  and the vanishing of  $\mathbf{k}_q$  should occur at the same gc value. This inconsistency can be understood from the di erent nature of the factorization approximations employed in the two PRM approaches presented here: A s discussed above, the due to the factorization approximation suppressed uctuations tend to destabilize the suggested phase of the renorm alization ansatz. Therefore, the neglected uctuations of the two presented PRM approaches have opposite characters: The stability of the metallic phase is overestim ated by the scheme of Sec. 2 whereas the approach of Sec. 3 favors the insulating phase, and the di erent values of the critical coupling exactly re ect the dierent nature of the two PRM approaches. Thus, both approaches (and both ways to deter-




Fig. 4. (color online) Ferm ionic (upper panel) and bosonic (lower panel) quasi-particle energies of a chain with 500 lattice sites for di erent EP couplings g.

m ine  $g_c$ ) would be consistent with each other if additional uctuation could be taken into account, and one would expect a common result for  $g_c$  between 0.24t and 0.31t. This would be in good agreement with the DMRG value of  $g_c$  0.28t [11,13].

A nother way to determ ine q<sub>c</sub> m ight be given by the assum ption that a m arginal relevant interaction in a renorm alization group treatment causes the phase transition in the Holstein model. Corresponding to Ref. [24], the gap  $\sim$ should in this case grow for  $g > g_c$  as exp [ a=g g], where a is som e num erical constant. Such a function ts our data very well, and a critical value of  $q_c = 0.166t$  would result in this way which seems to be questionable small. On the other hand, we could also assume that the metal-insulator transition might be of Kosterlitz-Thouless type [25] as found for the anti-adiabatic lim it of spin-Peilerls chains [26]. A sone can see in Fig. 3, the Kosterlitz-Thouless gap formula [27,26],  $\sim/$  (g<sup>2</sup>  $q_{1}^{2}$ ) <sup>0:5</sup> exp (  $a = \overline{q^{2}}$ gf),also ts our data and leads to a critical value of  $g_c = 0.195t$ . However, such a small value contradicts other nding of our calculations: A s discussed above, the phonon softening at the Brillouin-zone boundary is a clear signature of the occuring phase transition, and the sm allest phonon energies should be obtained for g<sub>c</sub>. This test provides clear evidence for a critical value of q 0:24t.

The quasi-particle energies are also directly accessible: A fler the renorm alization equations were solved selfconsistently the electronic and phononic quasi-particle energies of the system,  $\mathbf{u}_k$  and  $\mathbf{k}_q$ , respectively, are given by the lim it ! 0 of the parameters  $"^{C}_{;k}$ ; and  $!^{B}_{;q}$ ; of the unperturbed part H<sub>0</sub>; of the H am iltonian in its diagonalized form (8).

In Fig. 4 the renorm alized one-particle energies (which have to be interpreted as the quasi-particle energies of the full system ) are shown for di erent values of the EP coupling g.A sone can see from the upper panel, the electronic one-particle energies depend only slightly on g as long as g is smaller than the critical value  $g_c = 0.24t$ . If the EP coupling g is further increased a gap ~opens at the Ferm ienergy so that the system becomes an insulator. Remember that the gap ~ has been used as order param eter to determ ine the critical EP coupling gc of the m etal-insulator transition (see Fig. 3). The lower panel of Fig. 4 shows the results for the phononic one-particle energies  $\frac{1}{2}$ . O ne can see that  $k_q$  gains dispersion due to the coupling g between the electronic and phononic degrees of freedom . In particular, the phonon m ode at m om entum  $2k_{\rm F}$  = , i.e. at the Brillouin-zone boundary, becomes soft if the EP coupling is increased up to g<sub>c</sub> 0:24t. However, in contrast to the m etallic solution of Sect. 2  $k_{\rm g}$  at  $2k_{\rm F}$  always remains posit is very sm all. Note that for g values larger than  $g_c \stackrel{l}{\cdot}_q$  increases again. This phonon softening at the phase transition has to be interpreted as a lattice instability which leads to the form ation of the insulating Peierls state for  $g > g_c$ . The phase transition is associated with a shift of the ionic equilibrium positions. A lattice sti ening occurs if g is further increased to values much larger than the critical value g<sub>c</sub> 0:24t.

## 5 Sum m ary

In this paper, the recently developed PRM approach has been applied to the one-dimensionalHolstein model (1) of spinless fermions interacting with dispersion-less phonons. In extension to our earlier work [21], here, we have im proved the scheme for the evaluation of expectation values, and have discussed the metal-insulator transition of the model for dimensional Holstein model we have derived an uniform description for the metallic as well as for the insulating phase.

We have shown that the renorm alized phonon energies gain a momentum dependence due to the EP coupling. In particular, for half-lling a phonon softening at  $2k_F$  appears if the EP coupling is close to the critical value of the m etal-insulator transition. Therefore, the broken symmetry of the insulating phase strongly depends on the lling of the electronic band. The critical value of the m etal-insulator transition also depends on the band lling, where the insulating phase has at half-lling the highest stability.

The PRM approach of Ref. [21] breaks down if the EP coupling exceeds the critical value of the m etal-insulator transition. Here, we have extended our PRM approach to enable symmetry broken insulating states. Thus, we derived an uniform description for the m etal as well as for the insulating phase (which is restricted to the half-led case of the Holstein m odel). Here, we have used this extended analytical fram ew ork to study the phase transition in more detail. We have determ ined the critical value of the EP coupling for the metal-insulator transition. Furthermore, we have shown the opening of the excitation gap in the electronic quasi-particle energies, and the lattice stiening for EP couplings larger than the critical value.

A cknow ledge ent. W e would like to acknow ledge help-ful discussions with T M. Bryant. This work was supported by the DFG through the research program SFB 463 and under G rant N o. HU 993/1-1, and by the US D e-partm ent of Energy, D ivision of M aterials R escarch, O ce of B asic Energy Science.

### References

- 1. A.Lanzara et al., Nature 412, 510 (2001).
- 2. A J.M illis, P B.L ittlew ood, and B.I.Shraim an, Phys.Rev. Lett. 74, 5144 (1995).
- 3. O.Gunnarson, Rev. M od. Phys. 69, 575 (1997).
- 4. A R.B ishop and B.I.Swanson, Los A lam os Science 21,133 (1993); N. Tsuda, K. Nasu, A. Yanese, K. Siratori, Electronic Conduction in Oxides (Springer-Verlag, Berlin, 1990); J.P.Farges (Ed.), Organic Conductors (M arcelD ekker, New York 1994).
- 5. JE.Hirsch and E.Fradkin, Phys. Rev. B 27, 4302 (1983).
- 6. H. Zheng, D. Feinberg, and M. Avignon, Phys. Rev. B 39, 9405 (1989).
- 7. L.G. Caron and C. Bourbonnais, Phys. Rev. B 29, 4230 (1984).
- 8. G.Benfatto, G.Gallovotti, and J.L.Lebow itz, Helv.Phys. Acta 68, 312 (1995).
- 9. R H .M cK enzie, C J.H am er, and D W .M urray, Phys.Rev. B 53, 9676 (1996).
- 10. A.W ei e and H.Fehske, Phys.Rev.B 58, 13526 (1998); H.Fehske, M.Holicki, and A.W ei e, Advances in Solid State Physics 40, 235 (2000).
- 11. R J.Bursill, R H.M cKenzie, and C J.Hamer, Phys.Rev. Lett. 80, 5607 (1998).
- 12. E. Jeckelm ann, C. Zhang, and S.R. W hite, Phys. Rev. B 60, 7950-7955 (1999).
- 13. H.Fehske, G.W ellein, G.Hager, A.Weie, K.W.Becker, and A.R.Bishop, Physica B 359-361, 699 (2005).
- 14. D.M eyer, A £. Hew son, and R.Bulla, Phys.Rev.Lett. 89, 196401 (2002).
- 15. C. Zhang, E. Jeckelm ann, and S.R. W hite, Phys. Rev. B 80, 2661 (1998).
- 16. F.J.W egner, Ann. Physik (Leipzig) 3, 77 (1994).
- 17. S.D. G lazek and K.G. W ilson, Phys. Rev. D 48, 5863 (1993); ibid. 49, 4214 (1994).
- 18. K W .Becker, A.Hubsch, and T.Sommer, Phys.Rev.B 66, 235115 (2002).
- 19. P.Lenz and F.W egner, Nucl. Phys. B 482, 693 (1996).
- 20. A. Hubsch and K W . Becker, Eur. Phys. J. B 33, 391 (2003).
- 21. S. Sykora, A. Hubsch, K W . Becker, G. W ellein, and H. Fehske, Phys. Rev. B 71, 045112 (2005).
- 22. A. Hubsch and K W . Becker, Phys. Rev. B 71, 155116 (2005).
- 23. see, for example, G S. Uhrig, Phys. Rev. B 57, R14004 (1998); R. Citro, E. Orignac, and T. Giam archi, Phys. Rev. B 72, 024434 (2005).

- 24. S.R.W hite and I.A eck, Phys. Rev. B 54, 9862 (1996).
- 25. JM. Kosterlitz and JM. Thouless, J. Phys. C 6, 1181 (1973).
- 26. L.G. Caron and S.M oukouri, Phys. Rev. Lett. 76, 4050 (1996).
- 27. R.J.Baxter, J.Phys.C 6, L94 (1973).