A Finite Tem perature Treatm ent of Ultracold Atoms in a 1-D Optical Lattice

B.G.Wild, P.B.Blakie and D.A.W. Hutchinson

Department of Physics, University of Otago, Dunedin, New Zealand

Abstract

We consider the e ects of tem perature upon the super uid phase of ultracold, weakly interacting bosons in a one dimensional optical lattice. We use a nite temperature treatment of the Bose-Hubbard model based upon the Hartree-Fock-Bogoliubov formalism, considering both a translationally invariant lattice and one with additional harmonic con nement. In both cases we observe an upward shift in the critical temperature for Bose condensation. For the case with additional harmonic con nement, this is in contrast with results for the uniform gas.

I. INTRODUCTION

Ultracold atom s con ned within optical lattice potentials are of great current interest, both theoretically [1, 2, 3, 4, 5] and experimentally [6, 7]. Of particular interest are the connections to solid state regimes where optical lattices can be manufactured with extraordinary controls as to simulate more complicated, less perfect and, often, less manipulable systems, initially of interest in a condensed matter sphere (eg. Heisenberg or Ising Hamiltonians) [8, 9, 10]. Ultracold atoms in optical lattices have also been proposed as candidates for quantum information processing [11], which has applications in quantum cryptography and quantum computing. Various methods of loading Bose-Einstein concensates into optical lattices have been proposed [12, 13, 14, 15], and this is now routinely performed [14], as is the manipulation and control of the atoms in such a lattice [16].

The focus of this paper is on the microscopic treatment of Bose-E instein condensates in a one dimensional optical lattice. We extend previous treatments at zero temperature [2, 3] to nite temperature using the Hartree-Fock-Bogoliubov mean-eld treatment as applied to a discrete Bose-Hubbard model yielding modied Gross-Pitaevskii and Bogoliubov-de Gennes equations. This set of equations is solved for both the case of a translationally invariant lattice (no external trapping potential) and an inhomogeneous lattice (optical lattice in an external harmonic trapping potential). The use of the mean-eld based treatment means we are only considering the super-uid phase for the atoms in the optical lattice. The model is not valid in the Mott Insulator regime. We use the model to estimate the super-uid to normal phase transition temperature in each case. Thus one is able to obtain a phase diagram for the super-uid and normal gas states in the low-ective interaction strength limit.

II. FORMALISM

We consider a one-dimensional optical lattice with I lattice sites. We begin from the Bose-Hubbard Hamiltonian for atoms in a one-dimensional optical lattice [1, 2, 3]

$$\hat{H} = \begin{matrix} X^{I} & X^{I} & X^{I} \\ \hat{n}_{i i} & J & \hat{a}_{i+1}^{Y} \hat{a}_{i} + \hat{a}_{i}^{Y} \hat{a}_{i+1} + \frac{V}{2} & \hat{n}_{i} (\hat{n}_{i} & 1); \end{matrix}$$
(1)

where J represents the coupling strength between adjacent lattice sites, V is the interaction potential acting between atoms on the same site, and \hat{a}_i is the Bose eld operator for the i^{th} lattice site, and $\hat{n}_i = \hat{a}_i^y \hat{a}_i$. i is the energy on each lattice site i due to the trapping potential. The usual commutation relations apply for the Bose eld operator \hat{a}_i . A ssum ing a macroscopic occupation of the ground state, we express the Bose annihilation operator for each lattice site i in terms of a complex mean eld part z_i and a uctuation operator part \hat{a}_i [17], $\hat{a}_i = z_i + \hat{a}_i$ exp $\frac{i}{h}$, where is the eigenvalue for the generalised G ross-P itaevskii equation to be discussed below, and take the self-consistent mean-eld approximation such that $\hat{a}_i = \hat{a}_i = \hat{$

The resulting Hamiltonian can now be diagonalised using the Bogoliubov (canonical) transformation

and

where u_i^q and v_i^q are the quasiparticle amplitudes, $!_q$ are the quasiparticle excitation frequencies, and y_q (q_q) is the quasiparticle creation (annihilation) operator. This yields [3] a set of coupled equations comprising of a modilled Gross-Pitaevskii equation

$${}^{0}z_{i} = {}^{0}z_{i}$$
 $(\underline{z}_{i+1} + z_{i+1}) + V_{e}$ $(n_{c_{i}}z_{i} + 2n_{i}z_{i} + m_{i}z_{i})$ (4)

and the Bogoliubov-de Gennes equations

with

w here

$$N_{BE} h!_{q}^{0} = \frac{1}{7.1 e^{h!_{q}^{0}}}$$
 (7)

is the usual Bose distribution, the primed quantities are measured in units of J (which depends on the depth of the optical lattice), and where we have assumed without loss of generality the condensate amplitudes z_i to be real. is the energy eigenvalue for the modied G ross-P itaevskii equation (and approximates the chemical potential closely for values of temperature well below the transition temperature) and $h!_q$ is the energy eigenvalue of the B ogoliubov-de G ennes equations. The c^q 's are necessary in order to ensure the orthogonality of the condensate with the excited states β , 18]. Z is a fugacity term resulting from the dierence between the true chemical potential $_T$, and the chemical potential as estimated using the eigenvalue corresponding to the ground state of the modied G ross-P itaevskii equation. Thus $Z = \exp((x_T))$.

In the case of a hom ogeneous gas with a large number of particles in the ground state (ie. n_c 1), the fugacity m ay be approximated by [18]

$$Z = 1 + 1 = n_c$$
 (8)

In the lattice, this is not always a good approximation, since the condition n_c 1 does not always hold, and we will take Z = 1. This will lead to increased values for the excited atom population, and will therefore result in under-estimated values of the transition temperature.

Super uid ow of the condensate occurs when there is a phase gradient. A phase gradient of the condensate modi es the hopping term of the H am iltonian by the introduction of Peierls phase factors. The resulting energy shift may be estimated using second order perturbation theory. Since this energy shift is due entirely to the kinetic energy associated with the super uid ow, and hence due to the super uid fraction, it follows that the super uid fraction f_s may be calculated in terms of this energy shift [3]

$$f_{s} = \frac{1}{N} \frac{E}{J(j)^{2}} = \frac{1}{2NJ} h_{0} j\hat{T} j_{0} i \frac{1}{NJ} \frac{X}{E} \frac{h_{0} j\hat{J} j_{0} i^{2}}{E}$$
(9)

where $\hat{J}=iJ^P_{i=1}^I \hat{a}_{i+1}^Y \hat{a}_i \quad \hat{a}_{i+1}^Y \hat{a}_i \quad \hat{a}_{i+1}^Y \hat{a}_{i+1} \quad \text{and } \hat{T}=J^P_{i=1}^I \hat{a}_{i+1}^Y \hat{a}_i + \hat{a}_i^Y \hat{a}_{i+1}$. The super uid fraction can then be expressed in terms of the condensate and quasiparticle amplitudes

$$f_s = f_s^{(1)} f_s^{(2)}$$
 (10)

w here

$$f_{s}^{(1)} = \frac{1}{2N} \sum_{i=1}^{X^{I}} z_{i+1}z_{i} + z_{i+1}z_{i} + \sum_{q}^{X} v_{i+1}^{q} + v_{i}^{q} v_{i+1}^{q}$$
(11)

and

$$f_{s}^{(2)} = \frac{J}{N} X \begin{cases} 2 & P & 3 \\ 6 & i & u_{i+1}^{q} v_{i}^{q^{0}} & u_{i}^{q} v_{i+1}^{q^{0}} \\ h!_{q} + h!_{q}^{0} & + qq^{0} & 2h!_{q} \end{cases} + qq^{0} \frac{1}{2h!_{q}} x_{i}^{q} u_{i}^{q} v_{i+1}^{q} \begin{cases} 3 & 3 \\ 2 & 2h!_{q} \end{cases}$$
(12)

A. Translationally Invariant Lattice

In the case of a translationally invariant lattice, periodic boundary conditions apply, and the quasi-particle amplitudes are given by

$$u_{j}^{q} = \frac{u^{q} e^{i(qja)}}{T} ; v_{j}^{q} = \frac{v^{q} e^{i(qja)}}{T} ; 1$$
 j I 1 (13)

Furtherm one the condensate amplitudes are equal for each site j and, since there is no trapping potential, i = 0. Solving for the quasiparticle amplitudes we obtain

$$j u^{q} j^{2} = \frac{V z^{2} + 4J \sin^{2} \frac{qa}{2} + h!_{q}}{2h!_{q}}$$
(14)

$$\dot{y}^{q}\dot{J}^{2} = \frac{Vz^{2} + 4J\sin^{2}\frac{qa}{2}}{2h!_{q}};$$
(15)

and

Thus from equations (14), (15) and (16), for the translationally invariant lattice, the superuid fraction is given by

$$f_{s} = \frac{1}{N} I \dot{z} \dot{z}^{2} + \sum_{j=1}^{\bar{X}^{1}} \dot{y}^{q} \dot{z}^{2} \cos \frac{2 \dot{j}}{I} ;$$
 (17)

since q=2 j=Ia for 1 j I 1. The condensate fraction for a given lattice site is given by $f_c=n_c=n_0$ where $n_0=N=I$ is the number of atom sper site.

To calculate the condensate and super uid fraction, we set determ ine the condensate amplitude. Then de ning

$$g_{j(n)} = jz J_{(n-1)}^2 V_e + 4 \sin^2 \frac{j}{I}$$
 (18)

$$e_{j(n)} = 2 \sin \frac{j}{I} \qquad 2 j z_{(n-1)}^{2} V_{e} + 4 \sin^{2} \frac{j}{I}$$
 (19)

and

$$N_{BE_{j(n)}} = \frac{1}{\exp {}^{0}e_{j_{(n-1)}}}; \qquad (20)$$

where $^0 = J = k_B T$, k_B is Boltzm an's constant and where the subscript (n) refers to the variable in question at the n^{th} iteration, one can solve for jz_1^2 using an iterative scheme

$$\dot{\mathcal{F}}_{J_{(n)}}^{2} = \frac{1}{I} \quad N \qquad \frac{\bar{X}^{1}}{2e_{j(n)}} + \frac{g_{j(n)}}{2e_{j(n)}} + \frac{g_{j(n)}}{e_{j(n)}} N_{BE_{j(n)}} \qquad (21)$$

As an initial guess, the value $\dot{z}_{J_{(n)}}^2 = \frac{N}{I}$ is used, and the calculations (18), (19), (20) and (21) repeated until convergence is attained (ie. $\dot{z}_{J_{(n)}}^2 = \dot{z}_{J_{(n)}}^2 = \dot{z$

One rst calculates $g_{j(n)}$, $e_{j(n)}$ and $N_{BE_{j(n)}}$ using equations (18), (19) and (20). The quasiparticle amplitudes (given by equations (14) and (15)) may be calculated using the equations

$$u^{(j)} = \frac{g_{j(n)} + e_{j(n)}}{2e_{j(n)}}$$
 (22)

and

$$v^{(j)} = \frac{g_{j(n)} - g_{j(n)}}{2e_{j(n)}}$$
 (23)

The condensate and super uid fractions are then readily determ ined.

B. Inhom ogeneous Lattice

The condensate amplitudes z_i are found by solving equation (4), where the trapping potential is given by $_i = (i (I+1)=2)^2$ for site i, with $= \frac{1}{2}m !^2 a^2$, and a is the inter-lattice spacing. The quasi-particle amplitudes for site i, u_i^q and v_i^q are found by solving equations (5).

This set of equations can again be solved iteratively. In performing the calculation, we actually set the c^q's to zero when solving the Bogoliubov-de Gennes equations, but do so in the Hartree-Fock basis, thus ensuring orthogonality of the ground state and the excited

states [18]. The Hartree-Fock basis is given by the normalised solutions to the eigenvalue problem given by equation (4), but where the ground state (zero energy solution) is excluded.

First, let us rewrite the Bogoliubov-de Gennes equations (5) in matrix form

$$2 \quad 3 \quad 2 \qquad 32 \quad 3$$

$$h!_{q}^{4} \quad {\overset{u^{q}}{5}} = 4 \qquad {\overset{\hat{L}}{0}} \quad {\overset{M}{0}} \quad 54 \quad {\overset{u^{q}}{5}} ; \qquad (24)$$

w here

$$\hat{L} = 2V_e (n_{c_i} + n_i) + (i (I + 1)=2)^2 \hat{J}$$
 (26)

and

$$M = V_e z_i^2 (27)$$

Here \vec{J} is de ned as the operator acting on z_i , u_i^q , and v_i^q as follows:

$$\hat{J}u_{i}^{q} = u_{i+1}^{q} + u_{i1}^{q} :$$
 (28)

Now, let fz_i^q gconstitute the eigenstates of equation (4) with eigenvalues q . We order the eigenvalues into ascending order, and order the normalised eigenstates accordingly, call these f_i^q g. The state $_i^0$ corresponds to the Goldstone mode, we must exclude this in order to obtain the Hartree-Fock-Bogoliubov basis. Let us de ne the matrix

$$U = {}^{1} \dots {}^{q} \dots {}^{11} ;$$
 (29)

where

Let fu_{HFB}^q ; v_{HFB}^q give the solution to the Bogoliubov-de Gennes equations in the Hartree-Fock-Bogoliubov basis, then the solution to the matrix equation

gives the Bogoliubov quasiparticle amplitudes in the Hartree-Fock-Bogoliubov basis. To obtain the Bogoliubov quasiparticle amplitudes fu_i^q ; v_i^q one transforms back using

$$u^{q} = U u_{H FB}^{q}$$

$$v^{q} = U v_{H FB}^{q}$$
(32)

The iterative solution of these equations is then obtained num erically.

III. RESULTS

We present results for a lattice of depth of approximately $16.8E_R$, where the recoilenergy is dened as $E_R = h^2 = 8m \ a^2$ with a the inter-site spacing. This is dened for the optical lattice parameters dened in reference [20] and using the band structure calculations of [21].

A. Translationally Invariant Lattice

In gures 1 and 2 we present results for a translationally invariant lattice with one atom and ten atom s per site respectively for various values of the elective interaction potential $V_{\rm e}$. In both cases ten lattice sites, with periodic boundary conditions, were used. One observes, a decrease in both the condensate and super uid fractions with temperature and we interpret the point at which these densities approach zero as indicative of the critical temperature $T_{\rm c}$ for the super uid to normal gas phase transition. This interpretation is supported by an examination of the low lying excitation spectrum which, for the case $V_{\rm e}=20$, is shown in panel (b) of gure 2. The \softening" of the modes, indicative of the phase transition, is clearly seen and coincides with the transition temperature obtained by noting the temperature at which the condensate and super uid densities approach zero.

We obtain such a transition temperature for each value of the elective interaction potential $V_{\rm e}$, producing a phase diagram as shown in gures 1 (c) and 2 (c), where the super uid phase and the normal phase are as indicated, the super uid lying to the left of the curve.




FIG. 1: Translationally invariant lattice with ten atoms and ten sites. Overall condensate (a) and super uid (b) fractions as a function of temperature. The corresponding phase diagram is shown in panel (c).

The transition to the M ott insulator phase cannot be determ ined by this analysis, but one would expect the transition from the super uid phase to the M ott insulator phase to occur when the site coupling strength J is decreased below a certain point, depending on the on-site interaction strength V_e . In practice the M ott insulator phase transition will occur when $V_e = V = J$ exceeds some critical value. Thus a transition to the M ott insulator phase is also possible by increasing the on-site interaction strength V for a given coupling strength J. We note here that, in all instances, the transition temperature increases with the elective interaction potential, as is indeed the case with a homogeneous Bose gas (ie. a Bose




FIG. 2: Translationally invariant lattice with ten atoms per site. Condensate Fraction (a), and excitation spectrum as a function of temperature (b) with the corresponding phase diagram (c).

gas in the absence of an optical lattice and of a con ning potential) [22, 23]. This reentrant behaviour has also been predicted for the translationally invariant lattice by K leinert et al. [24]. Our results are consistent with their conclusions. In addition, they predict a reduction of the critical temperature as the elective interaction strength is increased further. We, however, are unable to explore this regime as it extends beyond the validity of our model.




FIG. 3: Inhom ogeneous lattice with forty one lattice sites and ten atoms in total for $V_e=1$, at (a) T=0 nK, (b) T=1 nK (c) T=1:6 nK. Circles represent the number of condensate atoms, squares the number of excited atoms and crosses the total number of atoms

B. Inhom ogeneous Lattice

In this section we present results for the case of an optical lattice in the presence of a harm onic trapping potential. The condensate fraction f_c and the super uid fraction f_s are evaluated as a function of the elective potential V_e and the temperature.

Figure 3 shows plots of the number of condensate atoms, excited atoms and of the total number of atoms for each lattice site for the case of an inhomogeneous optical lattice consisting of forty one lattice sites (odd case) with ten atoms in total, for $V_e = 1$ at various




FIG. 4: O verall condensate and super uid fractions as a function of temperature, and the corresponding phase diagram for an optical lattice in a harm onic potential with forty lattice sites (even case) and ten atom s. (a) corresponds to the condensate fraction, (b) to the super uid fraction and (c) to the phase diagram.

tem peratures ranging from T=0 nK to T=1.6 nK. At zero tem perature, the condensate atom distribution is bell-shaped, peaked at the central lattice site. There is a small quantum depletion even at zero tem perature, and the distribution of excited atoms is shaped as a bim odal distribution, centred about the central lattice site. As the tem perature increases, the condensate population decreases, but the distribution still remains bell-shaped, and the excited population increases. In gure 4 we present the overall condensate and super uid

fractions and the corresponding phase diagram for optical lattices in a harm onic potential consisting of forty lattice sites (even case). Panel (a) corresponds to the condensate fraction, (b) the super uid fraction, and (c) the phase diagram. We note that for higher temperatures, calculations perform ed using forty one lattice sites begin to show a marked di erence. This is indicative of the fact that we are pushing the bounds of validity of our model. In particular we are seeing signi cant nite size e ects, which a ect the value of the chemical potential and, ultim ately, a failure of the mean eld approximation. The dotted continuation of the lines in gure 4 indicate where our calculations become unreliable, but are included for completness. We are still able to use our model to obtain an estimate of the critical temperature and hence the trend in its dependence upon the e ective interaction strength. We therefore conclude from gure 4 that the super uid to normal phase transition temperature increases with increasing V_e . It is clear, then, that the shift in critical temperature with e ective interaction potential is positive de nite for a Bose gas in a one-dim ensional optical lattice, regardless of whether the system is con ned in a (harmonic) trapping potential or not. This is in contrast to the case of a three-dimensional Bose gas, where Tc changes sign for the trapped gas.

IV. CONCLUSIONS

We have applied the descretized Hartree-Fock-Bogoliubov formulation to the Bose-Hubbard model in order to calculate the dependence of the condensate and super uid fractions on the temperature. We have used this to estimate the critical temperature for the super uid to normal phase transition for both a translationally invariant optical lattice (no external trap present), and an inhomogeneous optical lattice (contained within an external harmonic trap). This has enabled us to investigate the phase diagram for both cases and we observe that the transition temperature increases with increasing elective interaction potential $V_{\rm electron}$. Unlike the homogeneous case with no optical lattice, this positive shift in the critical temperature with interaction strength is present in both the translationally invariant case and when a parabolic con ning potential is imposed. In the homogeneous gas the shift in the critical temperature is only positive in the absence of a con ning potential. These conclusions are consistent with previous work for the translationally invariant case [24], extending this result to include parabolic con nement.

V. ACKNOW LEDGEMENTS

We would like to thank the Marsden Fund of the Royal Society of New Zealand and the University of Otago for nancial support.

- [1] D. Jaksch, C. Bruder, J. I. Cirac, C. W. Gardiner, and P. Zoller, Phys. Rev. Lett. 81, 3108 (1998).
- [2] K. Burnett, M. Edwards, C. W. Clark, and M. Shotter, J. Phys. B: At. Mol. Opt. Phys. 35, 1671 (2002).
- [3] A.M.Rey, K.Burnett, R.Roth, M.Edwards, C.J.Williams, and C.W.Clark, J.Phys.B: At.Mol.Opt.Phys.36,825 (2003).
- [4] D. van Oosten, P. van der Straten, and H. T. C. Stoof, Phys. Rev. A 63, 053601 (2001).
- [5] D.B.M.Dickersheid, D.Van Oosten, P.J.H.Denteneer, and H.T.C.StoofPhys.Rev.A 68,043623 (2003).
- [6] S. Friebel, C. D'Andrea, J. Walz, M. Weitz, and T. W. M. Hansch, Phys. Rev. A 57, R20 (1998).
- [7] L.Guidoniand P. Verkerk, Phys. Rev. A 57, R1501 (1998).
- [8] J.J.Garcia-Ripolli and J.I.Cirac, New Journal of Physics 5, 76.1 (2003).
- [9] J. J. Garcia-Ripoll, M. A. Martin-Delgardo, and J. I. Cirac, Phys. Rev. Lett. 93, 250405 (2004).
- [10] V.W.Liu, F.W ilczek, and P. Zoller, Phys. Rev. A 70, 033603 (2004)
- [11] T. Calarco, H. J. Briegel, D. Jaksch, J. I. Cirac, and P. Zoller, J. Mod. Optics 47, 2137 (2000).
- [12] J.Plata, Phys. Rev. A 69, 033604 (2004).
- [13] P.B.B lakie and J.V. Porto, Phys. Rev. A 69, 013603 (2004).
- [14] A.S.Mellish, G.Du y, C.McKenzie, R.Guerson, and A.C.Wilson, Phys. Rev. A 68,051601 (2003).
- [15] S.Peil, J.V.Porto, T.B.Laburthe, J.M.O.Ibrecht, B.E.King, M.Subbotin, S.L.Rolston, and W.D.Phillips, Phys.Rev.A 67, 051603(R) (2003).
- [16] H.L. Haroutyunyan and G. Nienhuis, Phys. Rev. A 64, 033424 (2001).
- [17] A.Gri n, Phys. Rev. B 53, 9341 (1996).

- [18] S.A.Morgan, J.Phys.B:At.Mol.Opt.Phys.33, 3847 (2000).
- [19] D.A.W. Hutchinson, K. Burnett, R.J. Dodd, S.A. Morgan, M. Rusch, E. Zaremba, N.P. Proukakis, M. Edwards, and C.W. Clark, J. Phys. B: At. Mol. Opt. Phys. 33, 3825 (2000).
- [20] M. Greiner, O. Mandl, T. Eslinger, T. W. Hansch, and I. Bloch, Nature 415, 39 (2002).
- [21] P.B.B Lakie and C.W. Clark, J. Phys. B: At. Mol. Opt. Phys. 37, 1391 (2004).
- [22] P.A mold, Phys. Rev. Lett. 87, 120401 (2001).
- [23] B.Kastening, Phys. Rev. A 69, 043613 (2004).
- [24] H.K. Leinert, S. Schmidt, and A. Pelser, Phys. Rev. Lett. 93, 160402 (2004).