Stable and unstable vector dark solitons of coupled nonlinear Schrodinger equations.

Application to two-component Bose-Einstein condensates

V.A.Brazhnyi¹ and V.V.Konotop^{1;2y}

¹ Centro de F sica Teorica e Computacional, Universidade de Lisboa,
Complexo Interdisciplinar, Av. Prof. Gama Pinto 2, Lisboa 1649-003, Portugal

² Departamento de F sica, Universidade de Lisboa,
Campo Grande, Ed. C8, Piso 6, Lisboa 1749-016, Portugal

(Dated: March 23, 2024)

D ynam ics of vector dark solitons in two-component Bose-E instein condensates is studied within the fram ework of the coupled one-dimensional nonlinear Schrodinger (NLS) equations. We consider the small amplitude limit in which the coupled NLS equations are reduced to the coupled K ortewegde Vries (KdV) equations. For a special choice of the parameters the obtained coupled KdV equations are exactly integrable. We note that there exist two branches of (slow and fast) dark solitons corresponding to the two branches of the sound waves. Slow solitons, corresponding to the lower branch of the acoustic wave appear to be unstable and transform during the evolution into the stable fast solitons (corresponding to the upper branch of the dispersion law). Vector dark solitons of arbitrary depths are studied numerically. It is shown that electively different parabolic traps, to which the two components are subjected, cause instability of the solitons leading to splitting of their components and subsequent decay. Simple phenomenological theory, describing oscillations of vector dark solitons in a magnetic trap is proposed.

PACS num bers: 03.75 Lm, 03.75 Kk, 05.45 Yv

I. INTRODUCTION

It is well established that in a one-component Bose-Einstein condensate (BEC) with a positive scattering length, which has cigar-shaped geometry, one can generate dark solitons [1]. Experim ental generation of twocomponent BEC's of dierent hyper ne states of rubidium atom s in a magnetic trap [2] and of sodium atom s in an optical trap [3] stimulated theoretical studies devoted to the mean eld dynamics of multicomponent condensates. As in the one-component case special attention was devoted to existence of solitary waves in such system s. W hen a condensate is cigar-shaped and has relatively low density, i.e. when the healing lengths of the com ponents are much larger than the transverse dim ension of the condensate and much less than its longitudinal dim ension, the transverse atom ic distribution is well approxim ated by the Gaussian ground state and the system of coupled Gross-Pitaevskii (GP) equations, describing the mixture (see e.g. [4]), can be reduced to the coupled one-dim ensional (1D) nonlinear Schrodinger (NLS) equations (see e.g. [5]). The respective models were a subject of recent theoretical studies. In particular, coupled largeam plitude dark-bright solitons have been reported in [6]; bound dark solitons have been num erically studied in [7], where it has been found that creation of slowly moving objects is possible; a diversity of other bound states has been generated num erically in [8].

The present paper aim s further analytical and num eri-

the previous research are as follows. (i) We consider vector dark solitons, i.e. states where two components move with equalor approximately equal velocities. (ii) We do not in pose the condition of equality of the nonlinear coefcients, as a necessary condition, allowing one to reduce the problem to the exactly integrable one { to the socalled M anakov problem, for which vector dark solitons are known [9]. (iii) In the small amplitude lim it we provide analytical description of the phenom enon reducing a system of coupled NLS equations to a system of coupled K ortew eq-de V ries (K dV) equations, w hat allow sus to predict existence of two types of vector dark solitons, moving with dierent velocities. (iv) Finally, we study in detail the e ect of the magnetic trap on the dark soliton dynamics. We show that, due to dierence of its e ect on di erent com ponent, a magnetic trap leads to splitting of the components and subsequent destruction of vector

cal study of dark solitons in two-component BEC's. Main distinctions of the situation considered here compared to

II. STATEM ENT OF THE PROBLEM AND PHYSICAL PARAMETERS

dark solitons.

Evolution of a two-component BEC composed of different hyper ne states is described by the coupled GP equations (j = 1;2) [4]

$$i \sim \frac{\theta}{\theta t} = 4 \frac{2}{2m} r^2 + V_j(r) + \frac{4^2}{m} a_{j1} j_{1} j_{5}^{25} j_{1}(1)$$

where V_j (r) = $\frac{m}{2}!_j^2$ ($^2x^2 + r_?^2$), $_j$ are the m acroscopic wave functions of the states, a_{ij} are scattering lengths of

E lectronic address: brazhnyi@cii.fc.ul.pt

 $^{{}^{}y}$ E lectronic address: konotop@ cii.fc.ul.pt

the respective interactions { it will be assumed that they are positive, $!_j$ are transverse linear oscillator frequencies of the components, and is the aspect ratio of the condensate. Respectively, $N_j = -j_j \hat{j} dr$ is the number of atom sofj-th component and $N_j = N_j + N_j = N_j + N_j$

In the case of an elongated trap, when is small enough, and when densities of the both components are low enough, one can employ the multiple-scale expansion method in order to reduce the original 3D system (1) to the homogeneous coupled 1D GP equations (for details of derivation see e.g. [5])

$$i\theta_{T} = \theta_{X}^{2} + 1 + 1 j_{1} j_{1}^{2} + j_{2} j_{1}^{2};$$

$$i\theta_{T} = \theta_{X}^{2} + j_{1} j_{2}^{2} + 2 j_{2} j_{2}^{2};$$
(2)

Here

$$1 = \frac{1}{(2)^{3=2}}; \qquad 2 = \frac{!}{2} \frac{3=2}{2} \frac{a_{22}}{ja_{11}};$$

$$= \frac{!}{(1+!)} \frac{a_{12}}{ja_{11}}; \qquad (3)$$

 $_{j}$, T and X are the dimensionless wave function envelops, slow time and slow coordinate, respectively, ! = ! $_{2}$ =! $_{1}$, g_{ij} = $\frac{4~N~a_{ij}}{a_{1}}$, and a_{j} = $\frac{\tilde{a}}{m~!~j}$. The sm allparameter of the problem is defined as

$$= \frac{8 N_1 a_{11}^{1=2}}{a_1} : (4)$$

Besides asymmetry of the trap and weakness of the two-body interactions, expressed by the smallness of and , respectively, our model assumes equality of the aspect ratios of the components (does not depend on j). Meantime we emphasize that the linear oscillator frequencies! may be very dierent (say, in the experiment reported in Ref. [10], the relation between the frequencies was! = $\frac{1}{2}$). As a result, even for initially equal scattering lengths, the elective nonlinearities $\frac{1}{2}$, defined in Eq. (3), become dierent because of dierent transverse distributions of the components.

To estim ate a typical value of the parameter we consider a binary condensate of two hyper ne states of rubidium atoms in a trap with the mean value of the transverse oscillator frequency 2 200 Hz and the aspect ratio = 10 4 (this corresponds to the 1 m and 100 m of the transverse and longitudinal linear oscillator lengths). Taking a_{11} 1 nm (here we take into account that the scattering length can be varied by using Feshbach resonance) and assuming the mean atomic density to be 10^{12} cm 3 we obtain 0:05. We also point out here that the respective healing length (for num erical estim ates we assume that the healing lengths of the both com ponents are approxim ately equal) is estim ated to be of order of 4 m.

III. SM ALL AM PLITUDE DARK SOLITONS

A. Rescaled system of equations

An initial value problem for system (2) does not allow solution in a general case, except in the special limit, which is known as the M anakov system and which is discussed below [see (12) the respective discussion]. Some information about possible solutions, is however available in the small amplitude limit, where the coupled NLS equations are reduced to the coupled KdV equations.

In this approximation a dark soliton evolves against a background what means that (2) is considered subject to the boundary conditions

$$\lim_{j \in [1]} j_{j}^{2} = 2_{j}^{2}$$
 (5)

where $\frac{2}{j}$ are properly normalized densities of the components. Taking this into account as well as a large number of free parameters of the problem, is convenient to scale out the boundary conditions for the sake of performing the small-amplitude reduction mentioned above. To this end we introduce the total dimensionless density $\frac{2}{j} = \frac{2}{1} + \frac{2}{2}$, and rescale the variables as follows: $\frac{1}{j} = \frac{1}{j}$, $\frac{1}{j}$, $\frac{1}{j}$, $\frac{1}{j}$, and $\frac{1}{j}$ and $\frac{1}{j}$. Then Eq. (2) is rewritten in the form

$$\begin{array}{lll} i \mathcal{Q}_{t-1} = & \mathcal{Q}_{x-1}^{2} + (U_{1}j_{1}j_{1}j_{1} + \infty s^{2} + j_{2}j_{1})_{1}; \\ i \mathcal{Q}_{t-2} = & \mathcal{Q}_{x-2}^{2} + (\sin^{2} + j_{1}j_{1} + U_{2}j_{2}j_{1})_{2} \end{array} \tag{6}$$

where $U_j = \frac{j-\frac{j}{2}}{2}$, $\cos = -\frac{2}{2}$, $\sin = -\frac{1}{2}$, and thus the parameter determines the relation between the unperturbed densities of the components: $\tan = -\frac{1}{2}$. The boundary conditions now acquire the desirable form

$$\lim_{j \neq j!} j_{j} = 1$$
: (7)

B. Sound propagation

Small am plitude dark solitons, which from the physical point of view represent packets of acoustic waves, for which weak nonlinearity and weak dispersion are balanced, propagate against a background with a speed close to the group velocity of the sound (see e.g. [11, 12], as well as consideration below). The background in our case is computed from (6) and (7) to be $_{\rm j} = \exp{({\rm i}E_{\rm j}t)}$ where

$$E_1 = U_1 + \cos^2$$
; $E_2 = U_2 + \sin^2$: (8)

D esignating frequency and wave vector of a sound wave as and K, respectively, i.e. considering a solution of (6) in a form $_j = 1 + b_j \exp\left[i(K \times t)\right] + c_j \exp\left[i(K \times t)\right]$, where b_j and c_j are small constants, $b_j j_j j_j j_j j_j j_j j_j j_j$, one nds the two branches (upper

with sign \+ " and lower with sign \ ") of the spectrum of the acoustic waves

Since dark solitons will be constructed against a static background we are interested in the lim it of long wavelengths, where the group velocities are given by:

$$v = \lim_{\substack{K \ 1 \ 0}} \frac{d}{dK}$$

$$= U_2 + U_1 \qquad (U_2 \quad U_1)^2 + \sin^2(2) : (10)$$

It follows from (9), that the lower branch is stable subject to the condition

$$= U_1 U_2 \quad \sin^2 \quad \cos^2 \quad 0 \tag{11}$$

and thus, the consideration below will be restricted only to this case. We notice that this constrain corresponds to the condition of the therm odynam ic stability of the condensate with the only dierence, that it is written for the e ective nonlinearities (rather than in terms of the coe cients g_{ij} , see e.g. [4]).

An interesting feature, relevant to the next consideration, is that the group velocity of the long-length excitations of the lowest branch, i.e. v , becom es zero at

$$\sin^2(2) = 4U_1U_2$$
: (12)

Then the matrix of e ective nonlinearities is degenerated. This situation corresponds to the M anakov system, which is an integrable lim it of the coupled NLS equations.

C. A com m ent on the sm all param eter

Let us now turn to the analysis of small amplitude dark solitons. To this end we employ the idea due to Ref. [11] about possibility of the multiple-scale reductions between NLS and KdV equation, noticing that the KdV equation can be obtained as a sm all am plitude lim it of the N LS like equation also in nonintegrable limit and with arbitrary (intensity dependent) nonlinearity [12].

Before going into details of calculations we make the following observation. Derivation of the dynamical equation for small amplitude waves is based on introduction of the small parameter of the problem, which we will be designated as " [see (14), (15) below]. Then the resulting evolution equation (see (18) below) appears in the order "5. If we now recall that the 1D reduction of the coupled GP equations is mathematically justiled by smallness of , introduced in (4), and that the respective 1D NLS equations (2) appear in the 3 order, while term so forder of 4 are neglected, we conclude that strictly speaking the resulting K dV lim it is not applicable for the description of low-dimensional BEC's [it would be valid only if one

could provide the inequality 1, what is not feasible for real experim ental situation, where typical values of are of order of 0:1 0:01, as it has been m entioned above]. Thus the present section although being interested from the viewpoint of the small-amplitude limit of the coupled NLS equations, cannot be directly interpreted as a theory of small amplitude dark BEC solitons (the issue which remains to be an open problem). The signi cance of the results obtained below for the meaneld theory of the BEC is in the indication on new types of the solutions which cannot be directly obtained from the system (2) (or (6)).

There exists one more limitation for the practical use of the small amplitude limit. It is related to the fact that small amplitude solitons are wide and their width may be com parable with the longitudinal extension of the condensate. Indeed, the characteristic size of a (non-sm allam plitude) dark soliton is of order of a healing length i (as above healing lengths of the both components 1:2 are considered of the same order). This means that a small amplitude soliton has a width of order of ;=" The small amplitude expansion fails at the boundaries of the atom ic cloud, as the density approaches zero in those domains. Thus, for the validity of the theory one must require the longitudinal size of the condensate (i.e. $a_j = 1$) to be much bigger than the width of the soliton $a_j = 0$ j=" or in other words one must impose a condition" j=a_j. The obtained constrain is, however, not as strong as the previous one. In particular, the estim ates provided the end of the Sec. II give now " 0:04.

D. Coupled KdV equations

We look for a solution of system (6) in a form of a sm allam plitude excitation of the background exp (iEit), which moves with a velocity close to one of the speeds v given by (10). The respective analytical ansatz reads

$$j = Q_j(;) \exp(i \pm i + i'_j(;))$$
 (13)

where the amplitude, $Q_{\dot{1}}(;)$, and the phase, $'_{\dot{1}}(;)$, are represented in form s of the expansions

$$Q_{j}(;) = 1 + {}^{\hat{H}}Q_{j}(;) + {}^{\hat{H}}Q_{j1}(;) + \qquad ; (14)$$

$$'_{j}(;) = {}^{\hat{H}}_{j}(;) + {}^{\hat{H}}_{j1}(;) + \qquad (15)$$

$$j(i, j-j(i, j+j))$$

and the new slow variables are given by

= "(x vt);
=
$$\frac{\mathbf{u}^3}{(U_1 + U_2)[2(U_1 + U_2)v^2 - 4]}$$
t:

Hereafter v is either v_+ or v, depending on the branch under consideration. One veriles, that subject to condition (11) the denominator in the de nition of the slow time, which is introduced for the sake of convenience, is always positive.

Our aim now is to derive evolution equations for q_j (;) and $_j$ (;), which will describe evolution of the small amplitude dark solitons. Respectively, we impose the boundary conditions

$$\lim_{j \to j^{l} \to 1} q_{j}(\ ;\) = 0; \quad \lim_{l \to 1} \ _{j}(\ ;\) = _{j}\ ; \quad (16)$$

w ith $\ _{\rm j}$ being constants, and consider equations of different orders of ".

W hile equations of the zero and the rst orders are satis ed identically, it follows from the equations of the 2-nd and 3-rd orders with respect to " (see Appendix A for the details), that the amplitudes and the phases of the excitations of the two components are linked by the relations (j = 1;2)

$$q_{j} = \frac{1}{v} e_{j}$$
: (17)

The obtained formula reveals essential dierence between integrable and nonintegrable versions of the coupled NLS equations. In the former case a zero value of the group velocity of the lowest branch does not allow existence of small amplitude solitary pulses. In other words in the integrable case there exists only one branch of dark solitons.

The condition of compatibility of the equations of 4-th and 5-th orders in the small parameter "results in the coupled K dV equations (see Appendix A):

$$Q_{1} + Q_{1} + Q_{1} + Q_{2} + Q_{3} + Q_{3} + Q_{4} = 0$$
 (18)

where j;k;l=1;2

are the e ective nonlinearities,

$$\frac{1}{1} = v$$
 $\frac{v^{3}}{2}(U_{1} + 2U_{2});$
 $\frac{2}{1} = \frac{v^{3}}{2}\cos^{2};$
 $\frac{2}{2} = v$
 $\frac{v^{3}}{2}(2U_{1} + U_{2});$
 $\frac{1}{2} = \frac{v^{3}}{2}\sin^{2}$

are the e ective dispersions, and the E instein sum m ation rule over repeated indexes is used.

Let us return to discussion of the integrable lim it (12), where according to the discussion following (17), one must take $v=v_+=\frac{1}{2(U_1+U_2)}$ (i.e. the upper branch only) and =0. In this case, the coe cients of the coupled K dV equations become $\frac{jk}{j}=(U_1+U_2)^{-jk}$ and

$$\frac{1}{i} = \frac{V}{2} (U_1 + U_2) \xrightarrow{i}_{i}^{j} \text{ where}$$

$$\frac{1}{1} = 2 (U_1 + 2U_2); \quad \frac{2}{1} = 1 + P \frac{1}{1} \frac{4U_1U_2}{1};$$

$$\frac{2}{2} = 2 (2U_1 + U_2); \quad \frac{1}{2} = 1$$

$$\frac{11}{1} = \frac{1}{9} (2 \xrightarrow{2} \frac{1}{1}) (5 \xrightarrow{1} + 2 \xrightarrow{2});$$

$$\frac{11}{1} = \frac{1}{9} (2 \xrightarrow{2} \frac{1}{1}) (5 \xrightarrow{1} + 2 \xrightarrow{2});$$

$$\frac{12}{1} = \frac{1}{2} \xrightarrow{1} = \frac{1}{2} \xrightarrow{1} (\xrightarrow{1} + \xrightarrow{1});$$

$$\frac{22}{1} = \frac{2}{2} \xrightarrow{1}; \quad \frac{11}{2} = \frac{1}{1} \xrightarrow{1};$$

$$\frac{12}{2} = \frac{2}{2} = \frac{1}{2} \xrightarrow{1} (\xrightarrow{2} + \xrightarrow{2});$$

$$\frac{22}{2} = \frac{1}{9} (2 \xrightarrow{1} \frac{2}{1}) (5 \xrightarrow{2} + 2 \xrightarrow{1})$$

(notice that now U_1U_2 1=4). The respective system of the coupled K dV equations is integrable.

E. Sm all am plitude dark solutions

A specic particular solution of Eq. (18) can be searched in the form

$$q_1 = q_2 = \frac{hq - \dot{z}}{\cosh^2 \frac{2}{v} (w)}$$
 (19)

where w, and are real constants to be determined and is a constant parameterizing the problem. Substitution of ansatz (19) in Eq. (18) gives the condition of the equality of the chemical potentials

$$E_1 = E_2$$
: (20)

Next, the parameter $\,$, characterizing the width of the soliton, is computed to be

$$=\frac{2^{2}}{1+U_{1}+U_{2}}:$$
 (21)

The param eterw, which characterizes the soliton velocity in the framem oving with the speed of the sound, is given by

$$W = W_{+} = 4(U_{1} + U_{2})(1 + U_{1} + U_{2})^{2}$$
 (22)

for the upper branch and

$$w = w = 4(U_1 + U_2 - 1)^{2/2}$$
 (23)

for the lower branch of the spectrum . Both w are negative, what means that the solitons move w ith velocities smaller than the sound velocities of the respective branches.

As it follows directly from ansatz (19), solutions describing di erent branches correspond to equal distributions of atom ic densities. Meantime they correspond to di erent phase di erences

$$'$$
 $_{j} = _{j+}$ $_{j}$ (24)

at the in nities [see Eqs. (17) and (16)]: the lower-branch soliton \separates" domains with larger di erence of them ical potentials.

F. Numerical results

As it has been mentioned above, although solutions of the coupled K dV equations represent a good approximation for the exact solutions of the coupled NLS equation in the small amplitude limit, strictly speaking they cannot be considered as satisfactory, when applied to the dynamics of a two-component BEC in an elongated trap. Meantime, the obtained vector soliton (19) can be employed as an initial condition for numerical generation of dark vector solitons of the coupled NLS equations (6), having small but nite amplitudes. Such numerical study is performed in the present section.

Taking into account the existence of two kinds of small amplitude solitons we address the question about persistence of the excitations at nite, but still small, amplitudes, as well as their stability withing the framework of system (6).

An exact vector dark soliton corresponding to the upper branch of the linear spectrum reads

$$q \xrightarrow{\qquad \qquad } 1 \quad \text{iv}_0 + 1 \quad \text{if } \tanh [(x \quad V_0 t)] e^{iE_j t} \quad (25)$$

w here

$$V_0 = {\stackrel{p}{}_{1}} \frac{V_0}{1 + U_1 + U_2} \frac{4^2}{1 + U_1 + U_2}$$
 (26)

and relation (20), which also can be rewritten as $2\cos^2 = 1$ $U_1 + U_2$, is taken into account. By expanding (25) in the Taylor series in terms of the small parameter one veries that the leading orders transform into the upper-branch dark soliton described by the formulas (14), (15), (19), (21), and (22), where the formal small parameter " is substituted by one and is interpreted as the small parameter of the problem.

In Fig.1 (a) the trajectories of the centers of vector dark solitons are shown for three di erent initial conditions: the exact dark soliton (25) (line 1), the approximate distribution (19) corresponding to the upper (line 2), and lower (line 3) branches. The centers of the solutions are de ned as coordinates of the absolute minima of j $_{\rm j}$ $^{\circ}$: they are designated as x $_{\rm min}^{(0)}$ and x $_{\rm min}^{(i)}$ for the exact and two approximate solutions, respectively.

Exact solution (25) appears to be stable, and its approxim ate counterpart given by (19) undergoes small (invisible on the scale of Fig.1) deform ation. In the num erical simulation with the \approxim ate" initial condition corresponding to (19) the exact solution to be of order of 4 = 10 4 what explains dierence between the lines 1 and 2 in Fig.1 (b). The solution corresponding to the lower branch of the spectrum starts to move with the velocity v, but during initial interval of time changes signicantly: it decays into two localized pulses moving in opposite directions, as it is shown in Fig.2. The forward moving part represents the \unstable" dark soliton. Its amplitude continues to change




FIG. 1: (a) Trajectories of dark solitons. Lines 1, 2 and 3 correspond to dynam ics of $x_{m\ in}^{(0)}$, $x_{m\ in}^{(+)}$ and $x_{m\ in}^{(-)}$ computed numerically. The dotted line corresponds to the theoretical prediction of dynam ics of the $x_{m\ in}^{(-)}$. Theoretically predicted values of $x_{m\ in}^{(0)}$ and $x_{m\ in}^{(+)}$ practically coincide, what makes them indistinguishable in the gure. Parameters are $U_1=2$, $U_2=1:5$, =-3, =0:1, "=1. (b) Dynam ics of the minim a of densities of the dark vector solitons: the grows of the minim um shown by the line 3 corresponds to shallowing the soliton solution.

during the evolution (see Fig.1 (b)) and its velocity approaches the group velocity of the upper (stable) branch (see Fig.1 (a)).

The observed instability of the lower branch dark soliton is especially interesting in view of the recent results reported in [13], where it was found that in the 3D coupled GP equations, describing spinor condensates, there exist subsonic (i.e. having velocities below the sound speed of the lowest branch) solitary wave complexes, most of which are suggested to be stable. In our case a subsonic vector dark soliton is unstable, and the stable one has the velocity between the two sound speeds: $v < V_0 < v_+$.

In order to understand this phenom enon, let us consider the energy of the system

$$E = E_1 + E_2 + E_{int}$$
 (27)

which we write down in dimensionless variables

$$E_{j} = \int_{0}^{2} dx \, j_{jx} \hat{j} + \frac{U_{j}}{2} \, j_{j} \hat{j} + 1^{2}$$
 (28)

is the energy of the excitation of j-th component and

$$E_{int} = \frac{1}{2}^{Z} dx j_1 j_1 1 j_2 j_1 1$$
 (29)

is the energy of interaction of the components. Next, we recall that for a given phase dierences between the innities, ' $_{\rm j}$ [see de nition (24)], there exist two types




FIG. 2: Pro le of the unstable lower-branch soliton at t=0 (thin line) and at t=10 (thick line). Parameters are the same as in Fig.1.

of dark solitons, corresponding to two branches of the group velocities. Let us assume now that the respective lower and upper branch solitons are characterized by parameters and +, respectively. Let also initially the low branch soliton is excited. Since it does not represent an exact (but only an approximate) solution it starts to deform with time. Such a deformation has a constrain: the phase dierences 'j are preserved. In the case of a small amplitude soliton, given by (19), one computes from Eq. (17) and de nition (24)

$$\frac{v_{1}}{1+U_{1}+U_{2}} + v_{+}^{3=2} = \frac{2^{3=2}}{1+U_{1}+U_{2}} v_{+}^{3=2} : (30)$$

On the other hand, one can compute the energy in terms of the parameters of the solution by substitution of (19) and (21) into expressions (27)-(29):

$$E = \frac{16^{-3} v^2 + 2(1 + U_1 + U_2)}{3(1 + U_1 + U_2)^2};$$
 (31)

From (30) it follows that $_{+}v_{+}^{3=2}=v^{3=2}$. Since $v < v_{+}$ one nds that $_{+}<$ and hence $E_{+}< E_{-}$. Thus what we observed in the numerical simulations is the transform ation of a high energy vector soliton in a low energy vector soliton, accompanied by quasilinearm odes.

IV. EFFECT OF THE PARABOLIC TRAP

Let us now turn to the situation when the trap is not long enough in the axial direction, such that re ections of a soliton from potential walls can happen. In this case the trap potential must be included explicitly in the equations (instead of including it into the normalized ground states, see e.g. [14]). This leads to coupled 1D GP equations (6) as follows

$$i \mathcal{Q}_{t-1} = \qquad \mathcal{Q}_{x-1}^2 + (\frac{2}{1}x^2 + U_1 j_1 j_1 + \infty s^2 j_2 j_1)_1;$$

$$i \mathcal{Q}_{t-2} = \qquad \mathcal{Q}_{x-2}^2 + (\frac{2}{2}x^2 + \sin^2 j_1 j_1 + U_2 j_2 j_1)_2;$$

$$(32)$$

Here $_1$ = $_2$ and $_2$ = ! $_1$ are elective strengths of parabolic traps. Without restriction of generality in what follows we consider the situation where $_1$ < $_2$.

In the case of equal e ective frequencies, $_1 = _2$, and subject to the speci c initial condition ($_1 = \text{const}_{-2}$), e ectively reducing the system to a single NLS equation, a vector dark soliton oscillates with the frequency $\frac{1}{2}$ times smaller than the frequency of the parabolic trap [15, 16]. If however strengths of the parabolic potentials of the two components are dierent, behavior of the soliton changes dramatically. There exist two competing factors, which determine the dynamics. On the one hand, each component, a ected by its own parabolic potential, latter pts" to oscillate with its own frequency. On the other hand, attractive interaction between the components, described by functional (29), forces them to oscillate with the same frequency.

The dynam ics emerging from the competition of the factors mentioned above is shown in Fig.3. In the case of su ciently wide potentials and small dierence between their strengths (Fig.3(a)) the rst and second components (thin and thick lines correspondingly) initially oscillate with approximately equal frequencies.




FIG. 3: Trajectories of the components of the vector soliton, $x_{m \text{ in};j}$ (j=1;2), corresponding to the rst (thin line) and to the second (thick line) components for parameters , $_1$ and $_2$ being respectively: (a) 1.05, 0.15, and 0.2; (b) 1.05, 0.1, and 0.2; and (c) 1:, 0.1, and 0.2; (d) 1.05, 0.2, and 0.4. Dotted lines show trajectories of the components in the respective traps when interaction between the components is absent. The other parameters are $U_1=2$, $U_2=1.5$, and ==3.

The dynam ics observed in the case when initial soliton velocities are xed and di erence between strengths of the traps is increased is shown in Fig.3 (b). One observes more signicant separation of the components. The dynam ics, however still resembles periodic motion. After subsequent increase of the initial kinetic energy of the soliton, by means of increasing its initial velocity, more visible splitting is observed, as it is shown in Fig.3 (c). After the rst period the soliton splits and each component starts to oscillate with its own frequency.

By increasing the frequencies of the magnetic trap

but keeping constant the ratio between them (this corresponds to passage from Fig.3(b) to Fig.3(d)) one observes fast splitting the components whose trajectories show rather independent behavior. The second component, which exists in electively more narrow trap, does not display periodic motion.

To understand qualitatively the described behavior, we introduce coordinates of the centers of m ass of the components (j = 1;2)

$$X_{j} = \frac{1}{N_{j}} \sum_{j=1}^{Z^{2}} x_{j,j}(x) \int_{z}^{z} dx; \quad N_{j} = \sum_{j=1}^{Z^{2}} j_{j}(x) \int_{z}^{z} dx : (33)$$

W e also de ne the coordinate of the center of mass of the whole condensate $X_+ = (N_1 X_1 + N_2 X_2) = N$, where $N = N_1 + N_2$, and the distance between the two centers of masses: $X_- = X_2 - X_1$. We emphasize that, strictly speaking, $X_{1;2}$ do not describe trajectories of the dark solitons (see the discussion in [15]). One however could expect, that when the vector soliton splitting is small enough (i.e. when X_- 1) the relations among the frequencies of the two-component problem are approximately the same as in the one-component case. That is why we concentrate on dynamics of X_-

D i erentiating X $_{\rm j}$ with respect to time and using (6) we compute

$$X_{+} + \frac{4}{N} N_{1} \frac{2}{1} + N_{2} \frac{2}{2} X_{+}$$

$$+ \frac{4}{N} N_{2} 1 \frac{N_{2}}{N} \frac{2}{2} \frac{N_{1}N_{2}}{N} \frac{2}{1} X$$

$$= \frac{2}{N} \sin^{2} \cos^{2} \int_{1}^{2} \frac{\theta j_{2} j}{\theta x} dx; \qquad (34)$$

$$X_{+} + 4 1 \frac{N_{2}}{N} \frac{2}{2} + \frac{N_{2}}{N} \frac{2}{2} X_{+} + 4 \frac{2}{2} \frac{2}{1} X_{+}$$

$$= 2 \frac{\sin^{2}}{N_{2}} + \frac{\cos^{2}}{N_{1}} \int_{1}^{2} \frac{\theta j_{2} j}{\theta x} dx : \qquad (35)$$

Hereafter overdots stand for derivatives with respect to time.

W hile equations (34) and (35) are exact, they are not closed, and in order to make use of them we have to make some approximation. Below, in Figs. 5(a), (b) we show that, if the dierence $_2$ 1 is small enough, the shapes of the components are preserved for relatively long temporal intervals, even when the splitting is not negligible. Basing on this observation we assume that the components of the vector soliton preserve their shapes and only change their velocities. This allows to us describe each component in the vicinity of the soliton by formula (25) where V_0 t is substituted by X_j (t). We also restrict the consideration (this time for the sake of simplicity only) to zero initial velocities: $v_0 = 0$. Then the integral in the right hand sides of (34) and (35) can be computed

explicitly. It appears to be a function of X only (i.e. independent on X_+).

Let us now take into account that X j X + j [see Figs. 3 and 4, panels (a) and (b)]. Then, in the leading order the term s with X can be neglected in (34) resulting in a simple equation for the center of m ass of the condensate:

$$X_{+} + {}^{2}_{+}X_{+} = 0$$
: (36)

H ere

$$_{+}^{2} = \frac{4}{N} N_{1} \frac{2}{1} + N_{2} \frac{2}{2} :$$
 (37)

In other words $_{\rm S}=_{+}^{+}=\frac{p}{2}$ is expected to be the main frequency of the oscillations of the vector soliton, where we introduce the factor $\frac{p}{2}$ conjecturing that the relation between the frequencies of the condensate and the soliton is the same as in the one-component case. To compare this estimate with the direct numerical simulations shown in Fig.3(a), we use the numerical values N $_{1}$ 12 and N $_{2}$ 7:1 and obtain from (37): the frequency $_{\rm S}$ 0:24 and the period of oscillations T $_{\rm S}$ 26:1. The numerical value of the period subtracted from Fig.3(a) is T $_{\rm num}$; 26:3 what is in a remarkable (taking into account the character of the approximations) agreement with the theoretical prediction T $_{\rm S}$.

In order to analyse the characteristics of the splitting of the soliton, we hold the above assum ptions and rewrite Eq. (35) in the form

$$X + {}^{2}X + \frac{@U_{eff}(X)}{@X} = 4 {}^{2} {}^{2}X_{+}$$
 (38)

where the e ective potential is given by

$$U_{\text{eff}}(X) = 8 \frac{\sin^2}{N_2} + \frac{\cos^2}{N_1}$$

$$\frac{\sinh X}{\sinh^3 X} \times \frac{X \cosh X}{\sinh^3 X} : (39)$$

 $\rm U_{eff}$ (X $\,$) describes additional con nement of the relative motion of the components due to the attractive interaction between the components, which is imposed simultaneously with the parabolic trap characterized by the frequency

$$^{2} = 4 \quad 1 \quad \frac{N_{2}}{N} \quad ^{2}_{2} + \frac{N_{2}}{N} \quad ^{2}_{2} :$$
 (40)

Eq. (38) is nothing but a nonlinear oscillator in a trap made up of the parabolic potential 2 X 2 =2 and of the nonlinear potential $U_{\rm eff}$ (X), driven by the periodic force, 4 2_1 2_2 X $_+$ (t), originated by the oscillation of the condensate as a whole.

To simplify the next consideration we take into account that X is relatively small [see Fig.4(a)] and substitute

 $\rm @U_{\rm eff}$ (X)=@X by the rst term of its Taylor expansion. This results in a modi ed linear frequency, which is determined as

$$^{\sim} = ^{2} + \frac{\theta^{2}U_{\text{eff}}}{\theta x^{2}} (0):$$
 (41)

U sing the data of Fig.3(a) we compute ~ 0.59, what corresponds to the period of modulation T = 10:65, while the numerical value subtracted from the gure is T_{num} ; 11.8. Thus we again observe good agreement between the simple theoretical estimates and the numerical results, what shows that the simple model given by Eqs. (36) and (38) provides adequate description of the vector soliton dynamics in a parabolic trap whenever the splitting between the components is small.




FIG. 4: Dynam ics of $x_{\text{m in};1}$ $x_{\text{m in};2}$ corresponding to Fig.3. The panels (a) { (d) correspond to the respective panels in Fig.3.

Interaction between the components of the vector soliton and soliton interaction with the conning potential in a general case lead to deform ations of the proles of the soliton components, what is shown in Fig.5 for the times t_f corresponding to the naltime of the evolution depicted in Fig.3. A lready after few oscillations the vector soliton decays, except in the case when both components oscillate in elective traps with equal strengths (i.e. when the vector soliton behaves like a single-component dark soliton [15]).

V. CONCLUSION

To conclude, we have investigated dynam ics of vector dark solitons governed by one-dimensional coupled non-linear Schrodinger equations. In the hom ogeneous case and in the smallam plitude limit, when the vector soliton propagates with the velocity close to the speeds of the sound, a stable vector soliton has a velocity close to the higher velocity of the sound and exceeding speed of the slow sound. The respective subsonic (i.e. having a velocity lower than the speed of the slow sound) dark vector




FIG. 5: Density pro les j_j \hat{f} of the rst (solid lines) and second (dashed lines) components at time t_f corresponding to Fig.3. In (a) { (c) $t_f = 40$ and in (d) $t_f = 20$.

soliton is unstable. The both cases are described by the coupled K orteweg-de V ries equations. When the group velocity of the lower branch of the sound dispersion relation becomes zero, what corresponds to the integrable M anakov system, the coupled K orteweg-de V ries equations obtained in the small amplitude limit are integrable (to the best of authors knowledge, such system has not been reported in the literature, so far).

Including a parabolic trap into consideration changes behavior of vector solitons dram atically, leading in a general case to their decay, what is explained by dierent eigenfrequencies of the two components. If meantime the e ective traps for the both components have close frequencies, during initial times the dynamics of the vector soliton can be qualitatively (and also quantitatively, with rather good accuracy) described by the oscillatory m otion of the soliton center with the frequency given by (37). Relative dynamics of the components, when splitting is small enough, can be interpreted as an oscillator driven by a periodic force. Large di erence between strengths of parabolic traps or large initial soliton velocities cause instability of dark vector solitons leading to their splitting and subsequent decay, thus preventing possibility of the long-time dynamics.

A cknow ledgm ents

Authors thank L. P. Pitaevskii, V. S. Gerdjikov and V. E. Vekslerchick for useful comments. VAB. acknowledges support by the FCT fellowship SFRH/BPD/5632/2001. The work was partially supported by the grant POCTI/FIS/56237/2004.

APPENDIX A:DERIVATION OF THE COUPLED KDV EQUATIONS

Substituting (13), (14), (15) and (8) in (6), and gathering terms of the same order of the small parameter " $\,$

one obtains that the equation is satis ed identically in the orders \mathbf{r}^0 and \mathbf{r}^1 . Next one has

in the order "2 and

$$Q^{2}_{1}$$
 veq $Q_{1} = 0$; Q^{2}_{2} veq $Q_{2} = 0$ (A 2)

in the order $^{"3}$. Integrating equations (A 2) once and taking into account (16), one obtains Eq. (17). Substituting link (17) in (A 1) one veri es that the so obtained system is solvable subject to the condition (10), what justi es the value of the soliton velocity as the group velocity of the sound waves.

Equations of the order \mathbf{u}^4 , where the link (17) is used, read

Finally one computes the equations of the order 15 (where the link (17) as well as the explicit value of the group velocity (10) are taken into account and integration with respect to is performed)

The last system allows one to expresses q_{j1} through other dependent variables, and substitute the result in

equations (A3). In this way one obtains the inhomogeneous linear algebraic system of equations for ℓ ℓ ℓ ℓ ℓ which determinant is computed to be zero. This leads to linear dependence of the equations which are solvable only subject to the respective requirement in posed on their right hand sides. Dierentiating the mentioned solvability condition with respect to and using one more time the link (17) in order to express the nal result through the dependent variables ℓ only, one obtains coupled K dV equations (18).

- [1] M R. Andrews, D M. Kum, H.-J. Miesner, D. S. Durfee, C. G. Townsend, S. Inouye, and W. Ketterle, Phys. Rev. Lett. 79, 553 (1997); S. Burger, K. Bongs, S. Dettmer, W. Ertmer, K. Sengstock, A. Sanpera, G. V. Shlyapnikov, and M. Lewenstein, Phys. Rev. Lett. 83, 5198 (1999); J. Denschlag, J.E. Simsarian, D. L. Feder, C. W. Clark, L. A. Collins, J. Cubizolles, L. Deng, E. W. Hagley, K. Helmerson, W. P. Reinhardt, S. L. Rolston, B. I. Schneider, W. D. Phillips, Science, 287, 97 (2000).
- 2] C J. M yatt, E A. Burt, R W . G hrist, E A. Comell, and C E. W iem an, Phys. Rev. Lett. 78, 586 (1997).
- [3] D M . Stam per-Kurn, M R . Andrews, A P. Chikkatur, S. Inouye, H.-J.M iesner, J. Stenger, and W . K etterle, Phys. Rev. Lett. 80, 2027 (1998).
- [4] C J. Pethick and H. Smith, Bose-Einstein Condensation in Dilute Gases, (Cambridge University Press, Cambridge, 2002).
- [5] N A . K ostov, V Z . E no l'skii, V S . G erd jikov, V V . K onotop and M . Salemo, Phys. R ev . E 70, 056617 (2004).
- [6] Th.Busch and J.R.Anglin, Phys.Rev.Lett.87,010401 (2001).

- [7] P. Ohberg and L. Santos, Phys. Rev. Lett. 86, 2918 (2001).
- [8] P.G.Kevrekidis, et.al, Eur. Phys. J.D 28, 181 (2004).
- [9] see, e.g., R. Radhakrishnan and M. Lakshmanan, J. Phys. A: Math. Gen. 28, 2683 (1995) and references therein.
- [10] P.M addaloni, M.M. odugno, C. Fort, F.M inardi, and M. Inguscio, Phys. Rev. Lett. 85, 2413 (2000).
- [11] V E . Zakharov and K uznetsov, Physica D 18, 455 (1986).
- [12] F G. Bass, V V. Konotop, and S A. Puzenko, Phys. Rev. A 46, 4185 (1992).
- [13] N G. Berlo , Phys. Rev. Lett. 94, 120401 (2005); condm at/0412743.
- [14] V A . B razhnyi and V V . K onotop, M od. P hys. Lett. B 18,627 (2004).
- [15] V A. Brazhnyi and V V . Konotop, Phys. Rev. A 68, 043613 (2003).
- [16] Th. Busch and J.R. Anglin, Phys. Rev. Lett. 84, 2298 (2000); V.V. Konotop and L.P itaevskii, Phys. Rev. Lett. 93, 240403 (2004).