The Symmetry of Multiferroics

A.B.Harris

Department of Physics and Astronomy, University of Pennsylvania, Philadelphia, PA 19104

(D ated: M arch 23, 2024)

This paper represents a detailed instruction m anual for constructing the Landau expansion for m agnetoelectric coupling in incommensurate ferroelectric magnets. The rst step is to describe the magnetic ordering in terms of symmetry adapted coordinates which serve as complex valued m agnetic order parameters whose transform ation properties are displayed. In so doing we use the previously proposed technique to exploit inversion symmetry, since this symmetry had been universally overbooked. Having order parameters of known symmetry which describe the magnetic ordering, we are able to construct the trilinear interaction which couples incommensurate m agnetic order to the uniform polarization in order to treat m any of the multiferroic systems so far investigated. The role of this theory in comparison to microscopic models is discussed.

PACS num bers: 75.25.+ z, 75.10.Jm , 75.40.G b

I. IN TRODUCTION

Recently there has been increasing interest in the interaction between magnetic and electric degrees of freedom.¹ Much interest has centered on a family of multiferroics which display a phase transition in which uniform ferroelectric order appears simultaneously with incom m ensurate m agnetic ordering. Early examples of such a system whose ferroelectric behavior and magnetic structure have been thoroughly studied are Terbium Manganate, TbM nO₃ (TMO).^{2,3} and NickelVanadate, N i₃V₂O₈ (NVO)^{4,5,6,7}. A num ber of other system s have been shown to have combined magnetic and ferroelectric transitions,^{8,9,10,11} but the investigation of their m agnetic structure has been less com prehensive. Initially this combined transition was som ewhat mysterious, but soon a Landau expansion was developed⁴ to provide a phenom enological explanation of this phenom enon. An alternative picture, sim ilar to an earlier result¹² based on the concept of a \spin-current," and which we refer to as the \spiral form ulation,"¹³ has gained popularity due to its sim plicity, but as we will discuss, the Landau theory is more universally applicable and has a number of advantages. The purpose of the present paper is to describe the Landau formulation in the simplest possible term s and to apply it to a large num ber of currently studied multiferroics. In this way we hope to demystify this form ulation.

It should be noted that this phenom enon (which we call $\mbox{magnetically induced ferroelectricity"})$ is closely related to the similar behavior of so-called $\mbox{in proper ferroelectrics}$," which are commonly understood to be the analogous systems in which uniform magnetic order (ferrom agnetism or antiferrom agnetism) drive ferroelectricity.¹⁴ Several decades ago such systems were studied¹⁵ and review ed^{14,16} and present m any parallels with the recent developm ents.

One of the problem s one encounters at the outset is how to properly describe the magnetic structure of system s with complicated unit cells. This, of course, is a very old subject, but surprisingly, as will be docum ented

below, the full ram i cations of sym metry are not widely known. Accordingly, we feel it necessary to repeat the description of the symmetry analysis of magnetic structures. W hile the rst part of this symmetry analysis is well known to experts, we review it here, especially because our approach is often far sim pler and less technical than the standard one. However, either approach lays the groundwork for incorporating the e ects of inversion symmetry, which seem to have been overlooked until our analysis of NVO^{3,4,5,6,7} and TMO.³ Inversion sym m etry was also addressed by Schweizer with a subsequent correction.¹⁷ Very recently a more form alapproach to this problem has been given by Radaelliand Chapon.¹⁸ But, at least in the simplest cases, the approach initially proposed by us and used here seems easiest. We apply this form alism to a number of currently studied multiferroics, such as $M n W O_4 (M W O)$, $T b M n_2 O_5 (T M O 25)$, YM n₂O₅ (YM O 25), and CuFeO₂ (CFO). A swasthe case for NVO 4,5,6,7 and TMO, 3 once one has in hand the sym m etry properties of the magnetic order parameters, one is then able to construct the trilinear magnetoelectric coupling term in the free energy which provides a phenom enological explanation of the combined magnetic and ferroelectric phase transition.

This paper is organized in conform ity with the above plan. In Sec. II we review a sim pli ed version of the sym m etry analysis known as representation theory, in which we directly analyze the symmetry of the inverse susceptibility matrix. Here we also review the technique we proposed som e tim e ago^{3,4,5,6,7} to incorporate the consequences of inversion symmetry. In Sec. III we apply this form alism to develop magnetic order parameters for a number of multiferroic systems and in Eq. (122) we give a simple example to show how inversion symmetry in uences the symmetry of the allowed spin distribution. Then in Sec. IV, we use the symmetry of the order param eters to construct a magnetoelectric coupling free energy, whose symmetry properties are manifested. In Sec. V we summarize the results of these calculations and discuss their relation to calculations based on the spin current model¹² or the phenom enology of continuum theory.13

II. REVIEW OF REPRESENTATION THEORY

As we shall see, to understand the phenom enology of the magnetoelectric coupling which gives rise to the com bined m agnetic and ferroelectric phase transition, it is essential to characterize and properly understand the sym metry of the magnetic ordering. In addition, as we shall see, to fully include symmetry restrictions on possible magnetic structures that can be accessed via a continuous phase transition is an extrem ely pow erfulaid in the magnetic structure analysis, Accordingly in this section we review how symmetry considerations restrict the possible magnetic structures which can appear at an ordering transition. The full symmetry analysis has previously been presented elsewhere, 3,4,5,6,7, but it is useful to repeat it here both to x the notation and to give the reader convenient access to this analysis which is so essential to the present discussion. To avoid the com plexities of the most general form of this analysis (called representation theory),^{17,18,19} we will lim it discussion to system s having som e crucial sim plifying features. First, we lim it consideration to system s in which the magnetic ordering is incom m ensurate. In the exam ples we choose k will usually lie along a symmetry direction of the crystal. Second, we only consider system s which have a center of inversion symmetry, because it is only such systems that have a sharp phase transition at which long-range ferroelectric order appears. Thirdly, we restrict attention to crystals having relatively simple symmetry. (W hat this m eans is that except for our discussion of T bM n_2O_5 we will consider system s where we do not need the full apparatus of group theory, but can get away with simply labeling the spin functions which describe magnetic order by their eigenvalue under various sym m etry operations.) By avoiding the complexities of the most general situations, it is hoped that this paper will be accessible to more readers. Finally, as we will see, it is crucial that the phase transitions we analyze are either continuous or very nearly so. In m any of the examples we discuss, our simple approach⁶ is vastly simpler than that of standard representation theory augmented by representation theory specialized techniques to explicitly include exploit inversion symmetry.

A. Sym m etry A nalysis of the M agnetic Free Energy

In this subsection we give a review of the form alism used previously^{3,4} and presented in detail in Refs. 6,7. Since we are mainly interested in symmetry properties, we will describe the magnetic ordering by a version of mean-eld theory in which one writes the magnetic free

energy F_M as

$$F_{M} = \frac{1}{2} X^{1} (r; r^{0}) S (r) S (r^{0}) + O S^{4} ; \qquad (1)$$

where S (r) is the thermally averaged -component of the spin at position r. In a moment, we will give an explicit approximation for the inverse susceptibility . We now introduce Fourier transforms in either of two equivalent formulations. In the rst (which we refer to as \actualposition") one writes

$$S(q;) = N^{1} S(R +)e^{iq(R +)}$$
 (2)

whereas in the second (which we refer to as \unit cell") one writes

$$S(q;) = N^{1} S(R +)e^{iq R};$$
 (3)

where N is the number of unit cells in the system, is the location of the th site within the unit cell, and R is a lattice vector. Note that in Eq. (2) the phase factor in the Fourier transform is de ned in terms of the actual position of the spin rather than in terms of the origin of the unit cell, as is done in Eq. (3). In some case (viz. NVO) the results are simpler in the actual position form ulation whereas for others (viz. MWO) the unit cell form ulation is simpler. We will use whichever form ulation is simpler. In either case the fact that S has to be real indicates that

$$S (q;) = S (q;) : (4)$$

W e thus have

1

$$F_{M} = \frac{1}{2} X^{1} (q; ; {}^{0})S (q;)S (q; {}^{0})$$

+ 0 S⁴; (5)

where (for the \actual position" form ulation)

$$(q; ; ^{0}) = \sum_{R}^{X} (; R + ^{0})e^{iq} (R + ^{0}) : (6)$$

To make our discussion more concrete we cite the sim - plest approximation for a system with general anisotropic exchange coupling, so that the Ham iltonian is

$$H = \begin{cases} X \\ J \\ ; ; r; r^{0} \end{cases} (r; r^{0}) s (r) s (r^{0}) + \begin{cases} X \\ K \\ r \end{cases} K s (r)^{2} ; (7)$$

where s (r) is the -component of the spin operator at r and we have included a single ion anisotropy energy assuming three inequivalent axes, so that the K are all di erent. One has that

$$^{1}(r;r^{0}) = J (r;r^{0}) + [K + ckT] ; r;r^{0}; (8)$$

where $a_{,b}$ is unity if a = b and is zero otherwise and c is a spin-dependent constant of order unity, so that ckTis the entropy associated with a spin S. Then if we have one spin per unit cell, one has

$$^{1}(q) = 2J_{1}[\cos(a q_{x}) + \cos(a q_{y}) + \cos(a q_{z})] + akT + K ; (9)$$

where a is the lattice constant in the -direction²⁰ and we assume that $K_x < K_y < K_z$. Graphs of ¹(q) are shown in Fig. 1 for both the ferrom agnetic ($J_1 < 0$) and antiferrom agnetic ($J_1 > 0$) cases. For the ferrom agnetic case we now introduce a competing antiferrom agnetic next-nearest neighbor (nnn) interaction $J_2 > 0$ along the x-axis, so that

and this is also shown in Fig. 1. As T is lowered one reaches a critical temperature where one of the eigenvalues of the inverse susceptibility matrix becomes zero. This indicates that the paramagnetic phase is unstable with respect to order corresponding to the critical eigenvector associated with the zero eigenvalue. For the ferrom agnet this happens for zero wavevector and for the antiferrom agnet for a zone boundary wavevector in agreement with our obvious expectation. For competing interactions we see that the values of the J's determine a wavevector at which an eigenvalue of 1 is minimal. This is the phenomenon called \wavevector selection," and in this case the selected value of q is determined by extremizing 1 to be²¹

$$\cos(a_x q) = J_1 = (4J_2);$$
 (11)

providing $J_2 > J_1=4$. (O therw ise the system is ferrom agnetic.) Note also, that crystal symmetry may select a set of symmetry-related wavevectors, which comprise what is known as the star of q. (For instance, if the system were tetragonal, then crystal symmetry would im ply that one has the same nnn interactions along the y-axis, in which case the system selects a wavevector along the x-axis and one of equal magnitude along the y-axis.

From the above discussion it should be clear that if we assume a continuous transition so that the transition is associated with the instability in the terms in the free energy quadratic in the spin am plitudes, then the nature of the ordered phase is determ ined by the critical eigenvector of the inverse susceptibility, i. e. the eigenvector associated with the eigenvalue of inverse susceptibility which rst goes to zero as the temperature is reduced. A coordingly, the aim of this paper analyze how crystal symmetry a ects the possible forms of the critical eigenvector.

W hen the unit cell contains n > 1 spins, the inverse susceptibility for each wavevector q is a 3n matrix.

The ordering transition occurs when, for some selected wavevector(s), an eigenvalue rst becom es zero as the tem perature is reduced. In the above simple examples involving isotropic exchange interactions, the inverse susceptibility was 3 3 diagonalm atrix, so that each eigenvector trivially has only one nonzero component. The critical eigenvector has spin oriented along the easiest axis, i. e. the one for which K is minimal. In the present more general case n > 1 and arbitrary interactions consistent with crystal symmetry are allowed. To avoid the technicalities of group theory, we use as our guiding principle the fact that the free energy, being an expansion in powers of the magnetizations relative to the the param agnetic state, must be invariant under all the sym m etry operations of the crystal.^{22,23} T his is the sam e principle that one uses in discussing the symmetry of the electrostatic potential in a crystal.24 W e now focus our attention on the critically selected wavevector q which has an eigenvalue which rst becomes zero as the tem perature is lowered. This value of q is determined by the interactions and we will consider it to be an experim entally determ ined param eter. O perations which leave the quadratic free energy invariant must leave invariant the term in the free energy F2 (q) which involves only the selected wavevector q, namely

$$F_{2}(q) = \frac{1}{2} X^{1}(q; ; {}^{0})S(q;)S(q; {}^{0})(12)$$

A ny sym m etry operation takes the original variables before transform ation, S (q;), into new ones indicated by prim es. W e w rite this transform ation as

$$S^{0}(q;) = \bigcup_{0}^{X} U_{0}(q;) S^{0}(q;) : \qquad (13)$$

According to a well known statement of elementary quantum mechanics, if an operator T commutes with

 1 (q), then the eigenvectors of 1 (q) are simultaneously eigenvectors of T. (This much involves a well known analysis.^{25,26,27} W e will later consider the e ect of inversion, the analysis of which is universally overlooked). We will apply this simple condition to a num ber of multiferroic system s currently under investigation. (This approach can be much more straightforward than the standard one when the operations which conserve wavevector unavoidably involve translations.) As a st example we consider the case of NVO and use the \actual position" Fourier transforms. In Table I we give the general positions (this set of positions is the so-called Wycko orbit) for the space group Cm ca (#64 in Ref. 28) of NVO and this table de nes the operations of the space group of Cm ca. In Table II we list the positions of the two types of sites occupied by the magnetic (N i) ions, which are called \spine" and \cross-tie" sites in recognition of their distinctive coordination in the lattice, as can be seen from Fig. 2, where we show the conventionalunit cellofNVO.Experim ents^{6,33} indicate that as the tem perature is low ered, the system st develops in-




FIG.1: Inverse susceptibility 1 (q;0;0). a) Ferrom agnetic m odel (J₁ < 0), b) Antiferrom agnetic m odel (J₁ < 0), and c) M odel with competing interactions (the nn interaction is antiferrom agnetic). In each panel one sees three groups of curves. Each group consists of the three curves for (q) which depend on the component label due to the anisotropy. The x axis is the easiest axis and the z axis is the hardest. (If the system is orthorhom bic the three axes m ust all be inequivalent. The solid curves are for the highest temperature, the dashed curves are for an interm ediate temperature, and the dash-dot curves are for T = T_c, the critical temperature for m agnetic ordering. Panel c) illustrates the nontrivial wavevector selection which occurs when one has competing interactions.

Er = (x;y;z)	$2_{c}r = (\overline{x}; \overline{y} + 1=2; z + 1=2)$
$2_{b}r = (\overline{x}; y + 1 = 2; \overline{z} + 1 = 2)$	$2_a r = (x; \overline{y}; \overline{z})$
$Ir = (\overline{x}; \overline{y}; \overline{z})$	$m_{c}r = (x;y + 1=2;\overline{z} + 1=2)$
$m_{b}r = (x; \overline{y} + 1=2; z + 1=2)$	$m_{a}r = (\overline{x}; y; z)$

TABLE I: General positions^{28,29} within the primitive unit cell for Cm ca which describe the symmetry operations³¹ of this space group. 2 is a two-fold rotation (or screw) axis and m is a mirror (or glide) which takes r into r.

r _{s1} =	(0 : 25;	0:13;0:25)		
$r_{s2} =$	(0 : 25;	0 : 13;0:75)		
$r_{s3} =$	(0:75;0:13;0:75)			
$r_{s4} =$	(0 : 75;	0:13;0:25)		
$r_{c1} =$	(0;0;0)			
$r_{c2} =$	(0 :	5;0;0:5)		

TABLE II: Positions^{29,30} of N f^{2+} carrying S = 1 within the primitive unit cell illustrated in Fig. 2. Here r_{sn} denotes the position of the nth spine site and r_{cn} that of the nth cross-tie site. NVO orders in space group Cm ca, so there are six m ore atom s in the conventional orthorhom bic unit cell which are obtained by a translation through (0.5a;0.5b;0).

commensurate order with q along the a-direction with $q=0.28\,^{34}$

The group of operations which conserve wavevector are generated by a) the two-fold rotation 2_x and b) the glide operation m_z, both of which are dened in Table I. We now discuss how the Fourier spin components transform under various symmetry operations. Here primed quantities denote the value of the quantity after transform ation. Let 0 $0_s 0_r$ be a symmetry operation which we decompose into operations on the spin 0_s and on the position 0_r . The elect of transforming a spin by such

an operator is to replace the spin at the $\$ nal" position R_f by the transformed spin which initially was at the position O_r¹R_f. So we write

$$S^{0}(R_{f}; f) = O_{s}S(O_{r}^{1}[R_{f}; f])$$

= (O_{s})S(R_{i}; i); (14)

where the subscripts i'' and f'' denote initial and nal values and (O_s) is the factor introduced by O_s for a pseudovector, namely

$$_{x}(2_{x}) = 1; _{y}(2_{x}) = _{z}(2_{x}) = 1;$$

 $_{x}(m_{z}) = _{y}(m_{z}) = 1; _{z}(m_{z}) = 1:$ (15)

Note that OS (R;) is not the result of applying O to move and reorient the spin at R + , but instead is the value of the spin at R + after the spin distribution is acted upon by O. Thus, for actual position Fourier transform swe have

$$S^{0}(q; f) = N^{1} S^{0}(R_{f}; f)e^{iq}(R_{f} + f)$$

$$= (O_{s})N^{1} S(R_{i}; f)e^{iq}(R_{f} + f)$$

$$= (O_{s})S(q; f)e^{iq}(R_{f} + f)e^{iq}(R_{f} + f)$$

$$= (O_{s})S(q; f)e^{iq}(R_{f} + f)e^{iq}(R_{f} + f)$$

W e m ay write this as

 $OS(q; f) = (O_s)S(q; i)e^{iq[R_f + f R_i i]}(17)$

This formulation may not be totally intuitive, because one is tempted to regard the operation O acting on a spin at an initial location and taking it (and perhaps reorienting it) to another location. Here, instead, we consider the spin distribution. The transform ed distribution at a location r is related to the distribution at the initial location $O_r^{-1}r$.

Sim ilarly, the result for unit cell Fourier transform s is

$$S^{0}(q; f) = (O_{s})S^{0}(q; f)e^{iq [R_{f} R_{i}]}$$
: (18)

As before, we may write this as

OS
$$(q; f) = (O_s)S(q; i)e^{iq} \mathbb{F}_{r} \mathbb{R}_{i}$$
: (19)
Under transform ation by inversion, (I) = 1 and
 $S^{0}(q; f) = N^{-1} S(R_{i}; i)e^{-iq} \mathbb{F}_{r} \mathbb{R}_{i}$
= $S(q; i)e^{iq} \mathbb{F}_{r} \mathbb{R}_{i}$ (20)

for actual position Fourier transforms. For unit cell transforms we get

$$S^{0}(q; f) = S(q; i)e^{iq [R_{f} R_{i}]}$$

= $S(q; i)e^{iq [f + i]}$: (21)

Irrep	1	2	3	4
$(2_x) =$	+ 1	+ 1	1	1
(m _z) =	+ 1	1	1	+ 1
S (q;sl)	ns ns ns ns	ns ns ns ns	ns ns ns ns	ns ns cs
S (q;s2)	ns	ns	ns	ns
	ns	ns	ns	ns
	ns	ns	ns	ns
	ns	ns	ns	ns
S (q ; s3)	ns	ns	ns	ns
	ns	ns	ns	ns
	ns	ns	ns	ns
	ns	ns	ns	ns
S (q;s4)	n ^a	ns	ns	n ^a
	n ^b	ns	ns	n ^b
	n ^c	ns	ns	n ^c
	s	ns	ns	s
S (q;cl)	n _c ^a	n _c ^a	0	0
	0	0	n _c	n _c ^b
	0	0	n _c	n _c
S (q;c2)	n _c	n _c	0	0
	0	0	n _c ^b	n ^b _c
	0	0	n _c ^c	n ^c _c

TABLE III: A llowed spin functions (i. e. actual position Fourier coe cients) within the unit cell of NVO for wavevector (q;0;0) which are eigenvectors of 2_x and m_z with the eigenvalues listed. Inrep stands for the irreducible representation as labeled in Ref. 6. The labeling of the sites is as in Table II and Fig. 2. Here n_p (p = s or c, = a;b;c) denotes the com plex quantity n_p (q).

Now we apply this form alism to nd the actual position Fourier coe cients which are eigenfunctions of the two operators 2_x and m_z. In so doing note the sim plicity of Eq. (16): since, for NVO, the operations 2_x and m_z do not change the x coordinate, we sim ply have

$$S^{0}(q; f) = S^{0}(q; i)$$
: (22)

T hus the eigenvalue conditions for 2_x acting on the spine sites (# 1-# 4) are

$$S (q;1)^{0} = (2_{x})S (q;2) = (2_{x})S (q;1)$$

$$S (q;2)^{0} = (2_{x})S (q;1) = (2_{x})S (q;2)$$

$$S (q;3)^{0} = (2_{x})S (q;4) = (2_{x})S (q;3)$$

$$S (q;4)^{0} = (2_{x})S (q;3) = (2_{x})S (q;4); (23)$$

from which we see that $(2_x) = 1$ and

$$S (q;2) = [(2_x) = (2_x)]S (q;1);$$

$$S (q;3) = [(2_x) = (2_x)]S (q;4): (24)$$

The eigenvalue conditions for m $_{\rm z}$ acting on the spine sites are

$$S (q;1)^{0} = (m_{z})S (q;4) = (m_{z})S (q;1)$$

$$S (q;4)^{0} = (m_{z})S (q;1) = (m_{z})S (q;4)$$

$$S (q;2)^{0} = (m_{z})S (q;3) = (m_{z})S (q;2)$$

$$S (q;3)^{0} = (m_{z})S (q;2) = (m_{z})S (q;3); (25)$$

from which we see that $(m_z) = 1$ and

$$S(q;4) = [(m_z) = (m_z)]S(q;1)$$
: (26)

We thereby construct the eigenvectors for the spine sites as given in Table III. The results for the cross-tie sites are obtained in the same way and are also given in the table. Each set of eigenvalues corresponds, in technical terms, to a single irreducible representation (irrep). Since each operator can have either of two eigenvalues, we have four irreps to consider. Note that these spin functions, since they are actually Fourier coe cients, are com plex-valued quantities. [The spin itself is real because F (q) = F (q) .] Note that each column of Table III gives the most general form of an allowed eigenvector for which one has 4 (or 5, depending on the irrep) independent com plex constants. To further illustrate the meaning of this table we explicitly write, in Eq. (45), below, the spin distribution arising from one irrep, 4.


So far, the present enalysis reproduces the standard results and indeed computer program s exist to construct such tables. But for multiferroics it may be quicker to obtain and understand how to construct the possible spin functions by hand rather than to understand how to use the program ! U sually these program s give the results in terms of unit cell Fourier transforms, which we claim are not as natural a representation in cases like NVO. In term s of unit cell Fourier transform s the eigenvalue conditions for 2_x acting on the spine sites (# 1-# 4) are the same as Eq. (23) for actual position Fourier transform s because the operation 2_x does not change the unit cell. However, for the glide operation m_z this is not the case. If we start from site # 1 or site # 2 the translation along the y axis takes the spin to a nal unit cell displaced by $(a=2)\hat{i} + (b=2)\hat{j}$, whereas if we start from site # 3 or site # 4 the translation along the y axis takes the spin to a nalunit cell displaced by (a=2)i + (b=2)j. Now the eigenvalue conditions form z acting on the spine sites (# 1-# 4) are

$$S (q;1)^{0} = (m_{z})S (q;4) = (m_{z})S (q;1)$$

$$S (q;4)^{0} = (m_{z})S (q;1) = (m_{z})S (q;4)$$

$$S (q;2)^{0} = (m_{z})S (q;3) = (m_{z})S (q;2)$$

$$S (q;3)^{0} = (m_{z})S (q;2) = (m_{z})S (q;3);(27)$$



$$F_{2} = \begin{array}{c} X & X \\ F_{2} = & F \\ q ; ^{\circ}; \end{array} F \left(\begin{array}{c} S & (q;) S & (q; \\ \end{array} \right) S (q;) ; \quad (30)$$

where we restrict the sum overwavevectors to the star of the wavevector of interest. One term of this sum is

$$F_{2}(q_{0}) = F^{\circ}S(q_{0};)S(q_{0}; ^{\circ}): (31)$$

It should be clear that the quadratic free energy, F_2 is invariant under all the sym m etry operations of the param agnetic space group (i.e. what one calls the space group of the crystal).^{22,23} For centrosymmetric crystals there are three classes of such symmetry operations. The st class consists of those operations which have q_0 invariant and these are the symmetries taken into account in the usual form ulation.^{25,26,27} The second class consists of operations which take q₁ into another wavevector of the star (call it q_1), where $q_1 \in q_0$. Use of these symmetries allows one to completely characterize the wavefunction at wavevector q_1 in term softhe wavefunction for q_0 . These relations are needed if one is to discuss the possibility of simultaneously condensing more than one wavevector in the star of q.³⁵ F in ally, the third class consists of spatial inversion (unless the wavevector and its negative di er by a reciprocal lattice vector, in which case inversion belongs in class # 1). The role of inversion symmetry is almost universally overlooked, 25,26,27 as is evident from exam ination of a number of recent papers. Unlike the operations of class # 1 which takes S_n (q) into an S_{n^0} (q) (for irreps of dim ension one which is true for most cases considered in this paper), inversion takes S_n (q) into an $S_{n^{\circ}}(q)$. Nevertheless it does take the form written in Eq. (31) into itself and restricts the possible form of the wavefunctions. So we now consider the consequences of invariance of F_2 under inversion.^{3,4,5,6,7} For this purpose we write Eq. (12) in term s of the spin coordinates m of Table III. (The result will, of course, depend on which irrep we consider.) In any case, the part of F_2 which depends on q_0 can be written as

where N and N⁰ assume the values "s" for spin and "c" for cross-tie and and labelcom ponents. Now we need to understand the e ect of I on the spin Fourier coe – cients listed in Table III. Since we use actual position Fourier coe cients, we apply Eq. (20). For the cross-tie




FIG.2: (Coloronline). Nisites in the conventional unit cellof NVO. The primitive translation vectors v_n are $v_1 = (a=2)a +$ $(b=2)\hat{b}$, $v_2 = (a=2)\hat{a}$ $(b=2)\hat{b}$, and $v_3 = c\hat{c}$. The \cross-tie" sites (on-line=blue) c1 and c2 lie in a plane with b= 0. The \spine" sites (on-line= red) are labeled s1, s2, s3, and s4 and they may be visualized as form ing chains parallel to the aaxis. These chains are in the buckled plane with b = where = 0:13b as is indicated. Cross-tie sites in adjacent planes (displaced by $(b=2)\hat{b}$) are indicated by open circles. Spine sites in adjacent planes are located directly above (or below) the sites in the plane shown. In the incommensurate phases the wavevector describing magnetic ordering lies along the a axis. The axis of the two-fold rotation about the x-axis is shown. The glide plane is indicated by the mirror plane at $z = \frac{3}{4}$ and the arrow above m_z indicates that a translation of b=2 in the y-direction is involved.

where = exp(i q). One nds that all entries for S (q;s3), S (q;s4), and S (q;c2) now carry the phase factor = exp(i q). But this is just the factor to make the unit cell result

$$S(R;) = S(q;)e^{iq R}$$
 (28)

be the same (to within an overall phase factor) as the actual position result

$$S(R;) = S(q;)e^{iq(R+)}$$
: (29)

W e should emphasize that in such a simple case as NVO, it is actually not necessary to invoke any group theoretical concepts to arrive at the results of Table III for the most general spin distribution consistent with crystal symmetry.

More importantly, it is not commonly understood^{25,26,27} that one can also extract information using the symmetry of an operation (inversion) variables (which sit at a center of inversion symmetry) inversion takes the spin coordinates of one spine sublattice into the complex conjugate of itself:

$$IS(q;cn) = [S(q;cn)]$$
: (33)

Thus in terms of the n's this gives

$$In_{c} = [n_{c}]$$
; = x;y;z: (34)

The e ect of inversion on the spine variables again follows from Eq. (20). Since inversion interchanges sublattice # 1 and # 3, we have

$$[S (q; s3)]^{0} = [S (q; s1)] :$$
(35)

For $(2_x) = (m_z) = +1$ (i. e. for irrep 1), we substitute the values of the spin vectors from the rst column of Table III to get

$$I[n_{s}^{a}] = [n_{s}^{a}]; I[n_{s}^{b}] = [n_{s}^{b}];$$

$$I[n_{s}^{c}] = [n_{s}^{c}]:$$
(36)

Note that some components introduce a factor 1 under inversion and others do not. (W hich ones have the m inus signs depends on which irrep we consider.) If we make a change of variable by replacing n_s in column # 1 of Table III by in_s for those components for which I introduces a m inus sign and leave the other components alone, then we may rewrite the st column of Table III in the form given in Table IV. In terms of these new variables one has

$$I[h_{s}] = [h_{s}]$$
 : (37)

(It is convenient to de ne the spin Fourier coe cients so that they all transform in the same way under inversion. O therw ise one would have to keep track of variables which transform with a plus sign and those which transform with a minus sign.) Repeating this process for all the other inreps we write the possible spin functions as those of Table IV. We give an explicit form ula for the spin distribution for one inrep in Eq. (45) below.

Now we implement Eq. (32), where the spin functions are taken to be the variables listed in Table IV. First note that the matrix G in Eq. (32) has to be Herm it ian to ensure that F_2 be real:

$$G_{M}; N_{N}; = [G_{N}; M_{N};]$$
: (38)

Then, using Eq. (37), we nd that Eq. (32) is

$$F_{2}(q_{0}) = [n_{M}]G_{M}; N; n_{N}$$

$$= [In_{M}]G_{M}; N; [In_{N}]$$

$$= n_{M}G_{M}; N; [In_{N}]$$

$$= n_{M}G_{M}; N; [n_{N}]$$

$$= [n_{M}]G_{N}; M; [n_{N}]; (39)$$

$$M; N;$$

Irrep=	1	2	3	4
$(2_x) =$	+ 1	+ 1	1	1
(m _z) =	+ 1	1	1	+ 1
S (q;sl)	in ^a n ^b in ^c	ns ins ns ns	in ^a n ^b in ^c	ns ^a ins ^b ns
S (q;s2)	in ^a n ^b in ^c	ns ins ns ns	in ^a n ^b in ^c	n ^a in ^b n ^c s
S (q;s3)	in ^a n ^b in ^c s	ns ^a ins ^b ns	in ^a n ^b in ^c s	ns ^a ins ns
S (q;s4)	in ^a n ^b in ^c s	ns ^a s ins ^b s ns ^c s	in ^a n ^b in ^c s	n ^a s in ^b s n ^c s
S (q;cl)	n _c 0 0	n _c 0 0	0 n _c n _c	0 n _c ^b n _c ^c
S (q;c2)	n ^a 0 0	n _c ^a 0 0	0 n _c ^b n _c ^c	0 n ^b _c n ^c _c

TABLE IV: As Table III except that now the e ect of inversion symmetry is taken into account, as a result of which, apart from an overall phase factor all the n's in this table can be taken to be real-valued.

where, in the last line, we interchanged the roles of the dum my indices M; and N; . By comparing the rst and last lines, one sees that the matrix G is symmetric. Since this matrix is also Herm itian, all its elements must be real valued. Thus all its eigenvectors can be taken to have only real-valued components. But the m's are allowed to be complex valued. So, the conclusion is that for each irrep, we may write

$$n_{N}() = e^{i} [r_{N}()];$$
 (40)

where the r's are all real valued and is an overall phase which can be chosen arbitrarily for each . It is likely that the phase will be xed by high-order Um k lapp terms in the free energy, but the e ects of such phase locking m ay be beyond the range of experiments.

It is worth noting how these results should be (and in a few cases^{3,4,6} have been) used in the structure determ inations. One should choose the best to the di raction data using, in turn, each irrep (i. e. each set of eigenvalues of 2_x and m_z). Within each representation one parametrizes the spin structure by choosing the Fourier coe cients as in the relevant column of Table IV. Note that instead of having 4 or 5 com plex coe cients to describe the six sites within the unit cell (see Table III), one has only 4 or 5 (depending on the representation) real-valued coe cients to determ ine. The relative phases of the com plex coe cients have all been xed by invoking inversion symmetry. This is clearly a signi cant step in increasing the precision of the determ ination of the magnetic structure from experimental data.

B. Order Param eters

We now review how the above symmetry classi cation in uences the introduction of order parameters which allow the construction of Landau expansions. $^{\!\!\!\!\!^4,6}$ The form of the order parameter should be such that it has the potential to describe all ordering which are allowed by the quadratic free energy F2. Thus, for an isotropic Heisenberg model on a cubic lattice, the order parameter has three components (i. e. it involves a three dimensional irrep) because although the fourth order terms will restrict order to occur only along certain directions, as far as the quadratic term s are concerned, all directions are equivalent. The analogy here is that the overall phase of the spin function () is not xed by the quadratic free energy and accordingly the order parameter must be a complex variable which includes such a phase. One also recognizes that although the amplitude of the critical eigenvector is not xed by the quadratic term s in the free energy, the ratios of its components are xed by the speci c form of the inverse susceptibility matrix. A lthough we do not wish to discuss the explicit form of thism atrix, what should be clear is that the components of the spins which order must be proportional to the components of the critical eigenvector. The actual amplitude of the spin ordering is determined by the competition between the quadratic and fourth order terms in the free energy. If p is the irrep which is critical, then just below the ordering tem perature we write

$$n_{N}(q) = p(q)r_{N}(p);$$
 (41)

where the r's are real components of the critical eigenvector (coming from irrep $_{\rm p}$) of the matrix G of Eq. (32) and are now normalized by

X
$$[r_{N}]^{2} = 1$$
: (42)

Here the order parameter for irrep (q), $_{p}(q)$ is a com – plex variable, since it has to incorporate the arbitrary com plex phase $_{p}$ associated with irrep $_{p}$:

$$_{p}(\dot{p}) = _{p}e^{i_{p}}$$
: (43)

The orderparam eter transform sas indicated in the tables by its listed eigenvalues under the sym metry operations 2_x and m_z. Since the components of the critical eigenvector are dom inantly determ ined by the quadratic term s_r^{36} one can say that just below the ordering temperature the description in terms of an order parameter continues to hold but

$$p$$
 T_c T_j ; (44)

where mean-eld theory gives = 1=2 but corrections due to uctuation are expected.³⁷

To sum marize and illustrate the use of Table IV we write an explicit expression for the magnetizations of the # 1 spine sublattice and the # 1 cross-tie sublattice for irrep $_4$ [(2_x) = 1 and (m_z) = +1]. We use the de nition of the order parameter and sum overboth signs of the wavevector to get

$$\begin{split} S_{x}(r;s1) &= 2 \ _{4}r_{s}^{x}\cos(qx + \ _{4}) \\ S_{y}(r;s1) &= 2 \ _{4}r_{s}^{y}\sin(qx + \ _{4}) \\ S_{z}(r;s1) &= 2 \ _{4}r_{s}^{z}\cos(qx + \ _{4}) \\ S_{x}(r;s2) &= 2 \ _{4}r_{s}^{x}\cos(qx + \ _{4}) \\ S_{y}(r;s2) &= 2 \ _{4}r_{s}^{x}\cos(qx + \ _{4}) \\ S_{z}(r;s2) &= 2 \ _{4}r_{s}^{z}\cos(qx + \ _{4}) \\ S_{z}(r;s3) &= 2 \ _{4}r_{s}^{z}\cos(qx + \ _{4}) \\ S_{y}(r;s3) &= 2 \ _{4}r_{s}^{y}\sin(qx + \ _{4}) \\ S_{z}(r;s3) &= 2 \ _{4}r_{s}^{z}\cos(qx + \ _{4}) \\ S_{x}(r;s4) &= 2 \ _{4}r_{s}^{z}\cos(qx + \ _{4}) \\ S_{y}(r;s4) &= 2 \ _{4}r_{s}^{y}\sin(qx + \ _{4}) \\ S_{z}(r;s4) &= 2 \ _{4}r_{s}^{z}\cos(qx + \ _{4}) \\ S_{x}(r;c1) &= 0 \\ S_{y}(r;c1) &= 2 \ _{4}r_{c}^{y}\cos(qx + \ _{4}) \\ S_{z}(r;c1) &= 2 \ _{4}r_{c}^{z}\cos(qx + \ _{4}) \\ S_{x}(r;c1) &= 0 \\ S_{y}(r;c2) &= 2 \ _{4}r_{c}^{y}\cos(qx + \ _{4}) \\ S_{x}(r;c2) &= 2 \ _{4}r_{c}^{y}\cos(qx + \ _{4}) \\ \end{split}$$

and similarly for the other irreps. Here r (x;y;z) is the actual location of the spin. U sing explicit expressions like the above (or m ore directly from Table IV), one can verify that the order parameters have the transform ation properties:

$$2_{x 1}(q) = + _{1}(q); m_{z 1}(q) = + _{1}(q);$$

$$2_{x 2}(q) = + _{2}(q); m_{z 2}(q) = _{2}(q);$$

$$2_{x 3}(q) = _{3}(q); m_{z 3}(q) = _{3}(q);$$

$$2_{x 4}(q) = _{4}(q); m_{z 4}(q) = + _{4}(q) (46)$$

and

$$I_{n}(q) = [n(q)]$$
: (47)

Note that even when more than a single imper is present, the introduction of order parameters, as done here, provides a fram ework within which one can represent the spin distribution as a linear combination of distributions each having a characteristic symmetry, as expressed by Eq. (46). When the structure of the unit cell is ignored¹³ that information is not readily accessible. A loo note that the phase of each imper n is de ned so that when n = 0, the wave is inversion-symmetric about r = 0. For a single imper this specic cation is not important. However, when one has two impers, then inversion symmetry is only maintained if their phases are equal.

In many systems, the initial incommensurate order that rst occurs as the temperature is lowered becomes unstable as the temperature is further lowered.²¹ Typically, the initial order involves spins oriented along their easy axis with sinusoidally varying magnitude. However, the fourth order terms in the Landau expansion favor

xed length spins. As the temperature is lowered the xed length constraint becomes progressively more in portant and at a second, lower, critical temperature a transition occurs in which transverse components become nonzero. A lthough the situation is more complicated when there are several spins per unit cell, the result is similar: the xed length constraint is best realized when more than a single irrep has condensed. So, for NVO and TMO as the temperature is lowered one encounters a second phase transition in which a second irrep appears. W ithin a low-order Landau expansion this phenom enon is described by a free energy of the form⁶

$$F = \frac{1}{2} (T \quad T_{>})^{2}_{>} + \frac{1}{2} (T \quad T_{<})^{2}_{<} + u_{>}^{4}_{>}$$
$$+ u_{<}^{4}_{<} + w^{2}_{>}^{2}_{<}; \qquad (48)$$

where $T_{>} > T_{<}$. This system has been studied in detailby B nuce and A harony.³⁸ For our purposes, the most important result is that for suitable values of the parameters ordering in $_{>}$ occurs at $T_{>}$ and at some lower temperature order in $_{<}$ m ay occur. The application of this theory to the present situation is simple: we can (and usually do) have two magnetic phase transitions in which

rst one imp and then at a low er tem perature a second imp condense. A question arises as to whether the condensation of one imp can induce the condensation of a second imp. This is not possible because the two imps have di erent symmetry. But could the presence of two imps, > and < induce the appearance of a third imp $_3$ at the tem perature at which < rst appears? For that to happen would require that $\stackrel{n}{>}$ $\stackrel{m}{<}$ $_3$ contain the unit representation for some values of n and m. This or any higher combination of representations is not allowed for the simple four imps system like NVO. In m ore com plex system s one m ight have to allow for such a phenom enon.

III. A P P L IC A T IO N S

In this section we apply the above form alism to a num - ber of multiferroics of current interest.

A. MnWO₄

M nW O₄ (M W O) crystallizes in the space group P2/c (# 14 in Ref. 28) whose general positions are given in Table V. The two magnetic M n ions per unit cell are at positions

$$_{1} = (\frac{1}{2}; y; \frac{1}{4}); \quad _{2} = (\frac{1}{2}; 1 \quad y; \frac{3}{4}):$$
 (49)

The wavevector of incom m ensurate m agnetic ordering $is^{34,39} q = (q_x; 1=2;q_z)$ with $q_x = 0.21$ and $q_z = 0.266$)

Er=	(x;y;z)	$m_y r = (x; \overline{y}; z + \frac{1}{2})$
Ir=	(x;y;z)	$2_y r = (\overline{x}; y; \overline{z} + \frac{1}{2})$

TABLE V: General Positions for space group P2/c.

and is left invariant by the identity and m_y . W e start by constructing the eigenvectors of the quadratic free energy (i. e. the inverse susceptibility m atrix). Here we use unit cellFourier transforms to facilitate comparison with R ef. 39. Below X, Y, and Z denote integers (in units of lattice constants). W hen

$$R_{f} + f = (X;Y;Z) + 1$$

= $(X + \frac{1}{2};Y + Y;Z + \frac{1}{4});$ (50)

then

R

$$i + i = [m_{y}]^{-1} (R_{f} + f)$$

$$= (X + \frac{1}{2}; Y = y; Z_{\frac{1}{4}})$$

$$= (X; Y = 1; Z = 1) + c; (51)$$

Then Eq. (18) gives the eigenvalue condition to be

$$S^{0}(q; 1) = (m_{y})S(q; 2)e^{2 i q} [(2Y + 1) + k]$$

= (m_{y})S(q; 2)e^{i + 2 i q}
= S(q; 1); (52)

where $x(m_y) = y(m_y) = z(m_y) = 1.W$ hen

$$R_{f} + f = (X;Y;Z) + 2$$
$$= (X + \frac{1}{2};Y + 1 + y;Z + \frac{3}{4}); \quad (53)$$

then

$$R_{i} + _{i} = (X + \frac{1}{2}; Y 1 y; Z + \frac{1}{4})$$
$$= (X; Y 1; Z) + _{1};$$
(54)

and Eq. (18) gives the eigenvalue condition to be

$$S^{0}(q;_{2}) = (m_{y})S(q;_{1})e^{2 i\hat{q} (2Y + 1\hat{j})}$$

= (m_{y})S(q;_{1})[1]= S(q;_{2}):(55)

From Eqs. (52) and (55) we get = $e^{i \hat{q}_2}$ and

$$S(q;_2) = [(m_y) =]S(q;_1):$$
 (56)

So we get the results listed in Table VI.

So far the analysis is essentially the completely standard one. Now we use the fact that the free energy is invariant under spatial inversion, even though that operation does not conserve wavevector.^{3,4,6,7} W e now determine the e ect of inversion on the n's. As will become apparent use of unit cell Fourier transform s m akes this

Irrep (m _y) =	$e^{i \frac{1}{\hat{q}_z}}$	$e^{i \frac{2}{\hat{q}_z}}$
S(q;1)	a n _x a n _y a n _z	a n _x a n _y a n _z
S (q;2)	an _x an _y an _z	an _x an _y an _z

TABLE VI: A llowed spin eigenfunctions for MWO (apart from an overall phase factor) before inversion symmetry is taken into account, where $a = \exp(i \quad d_{g}=2)$. Here the n (q)'s are complex and we have taken the liberty to adjust the overall phase to give a symmetrical looking result. But these results are equivalent to Table II of R ef. 39.

analysis more complicated than if we had used actual position transform s. We use Eq. (21) to write

IS
$$(q; = 1) = S(q; = 2)e^{2 i \hat{q} \hat{u} + \hat{j} + \hat{k})}$$

bS $(q; 2);$ (57)

where $b = \exp[2i(\mathbf{\hat{q}}_x + \mathbf{\hat{q}}_z)]$. For $_2$ we get

$$I[n_x;n_y;n_z] = [n_x;n_y; n_z]b;$$
 (58)

which we can write as

$$In = b (m_v)n :$$
 (59)

Now the free energy is quadratic in the Fourier spin coefcients, which are linearly related to the n's. So the free energy can be written as

$$\mathbf{F}_2 = \mathbf{n}^{\mathbf{y}} \mathbf{G} \, \mathbf{n} \, ; \tag{60}$$

where $n = (n_x; n_y; n_z)$ is a column vector and G is a 3 3 m atrix which we write as

$$G = \begin{pmatrix} 2 & 3 \\ A & 7 \\ B & 5 \\ C \end{pmatrix}$$
(61)

where, for Herm iticity the Rom an letters are real and the G reek ones complex. Now we use the fact that also we must have invariance with respect to inversion, which after all is a crystal symmetry. Thus

$$F_2 = [In]^{y}G[In]$$
: (62)

This can be written as

$$F_{2} = \begin{matrix} X \\ b (m_{y})n G ba (m_{y})n \end{matrix}$$
$$= \begin{matrix} X \\ (m_{y})n G (m_{y})n : (63) \end{matrix}$$

Irrep	1	2
(m _y) =	$e^{i \ \hat{q}_z}$	$e^{i \hat{q}_z}$
	a r	ia r
S(q;1)	ia s	a s
	at	ia t
	ar	iar
S(q;2)	ias	as
	at	iat

TABLE V II: As Table V I, except that here inversion symmetry is taken into account. Here r, s, and t are real. All six components can be multiplied by an overall phase factor which we have not explicitly written.

Thuswemaywrite

$$F_{2} = n^{tr} \stackrel{6}{4} B \stackrel{7}{5} n$$

$$= n^{y} \stackrel{6}{4} B \stackrel{7}{5} n; \quad (64)$$

2

where "tr" indicates transpose (so n^{tr} is a row vector). Since the two expressions for F_2 , Eqs. (60) and (64), must be equal we see that = ia, = b, and = ic, where a, b, and c must be real. Thus G is of the form 2 3

$$G = \begin{array}{c} A & ia & b \\ 6 & ia & B & ic \\ b & ic \\ C \end{array}$$
(65)

where all the letters are real. Thism eans that the critical eigenvector describing the long range order has to be of the form

$$(n_x; n_y; n_z) = e^i (r; is; t);$$
 (66)

where r, s, and t are real. For $_2$ we set $e^i = i$. For $_1$ a similar calculation again yields Eq. (66), but here we set $e^i = 1$. (These choices are not essential. They just make the symmetry more obvious.) Thus we obtain the

nal results given in Table V II. Lautenschlager et a^{39} say (just above Table II) \D epending on the choice of the am plitudes and phases ..." W hat we see here is that inversion symmetry xes the phases without the possibility of a choice (just as it did for NVO). Note again that we have about half the variables to x in a structure determination when we take advantage of inversion invariance to x the phase of the com plex structure constants.

1. Order Param eter

Now we discuss the de nition of the order parameter for this system. For this purpose we replace r by r, s by s. etc., with the norm alization that

$$r^{2} + s^{2} + t^{2} = 1$$
: (67)

Here the order parameter is complex because we always have the freedom to multiply the wavefunction by a phase factor. (I his phase factor might be \locked" by higher order terms in the free energy, but we do not consider that phenom enon here.⁴³) We record the symmetry properties of the order parameter. With our choice of phases we have

$$I_{n}(q) = [n(q)];$$

$$m_{y n}(q) = (n)_{n}(q)$$

$$m_{y n}(q) = (n)_{n}(q);$$
 (68)

where $_{n}$ (q) is the complex-valued order parameter for ordering of irrep $_{n}$ and $(_{n})$ is the eigenvalue of m $_{y}$ given in Table V II. Now we write an explicit form ula for the spin distribution in terms of the order parameters of the two irreps:

$$S (R; = 1) = 2_{1} (r_{1}\hat{i} + t_{1}\hat{k}) \cos(q R + 1 q_{z}=2)$$

$$i$$

$$+ s_{1}\hat{j}\sin(q R + 1 q_{z}=2)$$

$$h$$

$$+ 2_{2} (r_{2}\hat{i} t_{2}\hat{k})\sin(q R + 2 q_{z}=2)$$

$$i$$

$$+ s_{2}\hat{j}\cos(q R + 2 q_{z}=2); \qquad (69)$$

$$S(R; = 2) = 2_{1} (r_{1}\hat{i} + t_{1}\hat{k}) \cos(q R + _{1} + q_{2}=2)$$

$$i$$

$$s_{1}\hat{j}\sin(q R + _{1} + q_{2}=2)$$

$$h$$

$$+ 2_{2} (r_{2}\hat{i} + t_{2}\hat{k})\sin(q R + _{2} + q_{2}=2)$$

$$i$$

$$+ s_{2}\hat{j}\cos(q R + _{2} + q_{2}=2) : (70)$$

O ne can explicitly verify that these expressions are consistent with Eq. (68). Note that when only one of the order parameters (say $_n$) is nonzero, we have inversion symmetry with respect to a rede ned origin where $_n = 0$. For each irrep we have to specify three real parameters, r_n , s_n , and t_n and one overall phase $_n$ rather than three com plex-valued parameters had we not invoked inversion symmetry.

B. TbM nO $_3$

Here we give the full details of the calculations for TbM nO₃ described in Ref. 3. The presentation here di ers cosm etically from that in Ref. 5. The space group of TbM nO₃ is Pbnm which is # 62 in Ref. 28 (although the positions are listed there for the Pnm a setting). The space group operations for a general W ycko orbit is given in Table V III. In Table IX we list the positions

E r = (x;y;z)	$2_{x} r = (x + \frac{1}{2}; \overline{y} + \frac{1}{2}; \overline{z})$
$2_z = (\overline{x}; \overline{y}; z + \frac{1}{2})$	$2_{y} = (\overline{x} + \frac{1}{2}; y + \frac{1}{2}; \overline{z} + \frac{1}{2})$
$Ir = (\overline{x}; \overline{y}; \overline{z})$	$m_{x}r = (x + \frac{1}{2};y + \frac{1}{2};z)$
$m_z r = (x; y; \overline{z} + \frac{1}{2})$	$m_{y}r = (x + \frac{1}{2}; \overline{y} + \frac{1}{2}; z + \frac{1}{2})$

 $\ensuremath{\mathsf{TABLE}}\xspace$ V III: General Positions for Pbnm . Notation as in Table I.

M n	$(1) = (0; \frac{1}{2}; 0)$ (3) = (0; \frac{1}{2}; \frac{1}{2})	$(2) = (\frac{1}{2};0;0)$ (4) = (\frac{1}{2};0;\frac{1}{2})
Τb	$(5) = (x; y; \frac{1}{4})$ $(7) = (\overline{x}; \overline{y}; \frac{3}{4})$	(6) = $(x + \frac{1}{2}; \overline{y} + \frac{1}{2}; \frac{3}{4})$ (8) = $(\overline{x} + \frac{1}{2}; y + \frac{1}{2}; \frac{1}{4})$

TABLE IX :Positions of the M agnetic Ions in the P bnm Structure of T bM nO $_3$, with x = 0:9836 and y = 0:0810. 41

of the M n and T b ions within the unit cell and these are also shown in Fig. 3.

To start we study the operations that leave invariant the wavevector of the incom mensurate phase which rst orders as the tem perature is low ered. Experimentally⁴² this wavevector is found to be (0;q;0), with³⁴ q 0.28(2 =b). These relevant operators (see Table V III) m_x and m_z. We follow the approach used for M W O, but use \actual location" Fourier transforms. We set R_f + $_{\rm f}$ r in order to use Eq. (16) and we need to evaluate

$$\exp 2 i(q=b) [r [n_k]^{1}r$$

= $\exp 2 (q=b)^{2} [y [n_x]^{1}y^{2}] = e^{iq} (71)$

and

⁰ exp 2 i(q=b) [r [n_x]¹r
= exp 2 i(q=b)² (
$$\hat{y}$$
 [n_x]¹y²] = 1 : (72)

W e list, in Table X the transform ation table of sublattice indices of TMO.

Therefore the eigenvalue conditions for transform ation by m $_{\rm x}$ are

$$S^{\circ}(q; f) = (m_x)S(q; i) = (m_x)S(q; f)(73)$$

and

$$S^{0}(q; f) = (m_{z})S(q; i) = (m_{z})S(q; f)$$
 (74)

where $_{x}(m_{x}) = _{y}(m_{x}) = _{z}(m_{x}) = 1$ and (m_{z}) was de ned in Eq. (15). From these equations we see that (m_{x}) assumes the values and (m_{z}) the values 1. Then solving the above equations leads to the results




FIG.3: (C olor online). M n sites (sm aller circles, on-line red) and Tb sites (larger circles, on-line blue) in the prim itive unit cell of TbM nO₃. The Tb sites are in the shaded planes at $z = n - \frac{1}{4}$ and the M n sites are in planes z = n or $z = n + \frac{1}{2}$, where n is an integer. The incommensurate wavevector is along the b axis. The mirror plane at z = 1=4 is indicated and the glide plane m_x is indicated by the mirror plane at x = 3=4 followed by a translation (indicated by the arrow) of b=2 along the y-axis.

i	_f (m _x)	_f (m _z)	_f (I)
1	2	3	1
2	1	4	2
3	4	1	3
4	3	2	4
5	8	5	7
6	7	6	8
7	6	7	5
8	5	8	6

TABLE X: Transform ation table for sublattice indices of TM O under various operations.

given in Table XI. (These results look di erent than those in Ref. 3 because here the Fourier transforms are de ned relative to the actual positions, whereas there they are de ned relative to the origin of the unit cell.)

Now, since the crystal is centrosymmetric, we take symmetry with respect to spatial inversion, I, into account. A sbefore, recall that I transports the spin to its spatially inverted position without changing the orientation of the spin (a pseudovector). The change of position is equivalent to changing the sign of the wavevector in the Fourier transform and this is accomplished by complex conjugation. Since the M n ions sit at centers of inversion symmetry, one has, for the M n sublattices,

$$IS(q;n) = S(q;n);$$
 (75)

Irrep	1	2	3	4
(m _x) =	+			+
(m _z) =	+ 1	1	+ 1	1
S(q;M 1)	n _M ^a	n _M a	n _M a	n _M
	n _M ^b	n _M	n _M	n _M
	n _M ^c	n _M c	n _M c	n _M ^c
S(q;M 2)	n _M	n _M	n _M	n _M
	n _M	n _M	n _M	n _M
	n _M ^c	n _M	n _M	n _M
S(q;M 3)	n _M ^a	n _M	n _M	n _M
	n _M ^b	n _M	n _M	n _M
	n _s ^c	n _M ^c	n _M	n _M
S(q;M 4)	n _M	n _M	n _M	n _M
	n _M	n _M	n _M	n _M
	n _M ^c	n _M ^c	n _M	n _M ^c
S(q;T1)	0	n _{T1}	0	n _{T1}
	0	n _{T1}	0	n _{T1}
	n ^c _{T1}	0	n ^c _{T1}	0
S(q;T2)	0	n _{T2}	0	n ^a _{T2}
	0	n _{T2}	0	n ^b _{T2}
	n ^c _{T 2}	0	n ^c _{T 2}	0
S (q;T3)	0	n _{T2}	0	n _{T2}
	0	n _{T2}	0	n _{T2}
	n ^c _{T2}	0	n ^c _{T 2}	0
S (q;T4)	0	n _{T1}	0	n ^a _{T1}
	0	n _{T1}	0	n ^b _{T1}
	n ^C _{T1}	0	n _{T 1}	0

TABLE XI: Spin functions (i. e. actual position Fourier coe cients) within the unit cell of TMO for wavevector (0;q;0)which are eigenvectors of m_x and m_z with the eigenvalues listed, with = exp(i q). All the parameters are complexvalued. The inreducible representation (inrep) is labeled as in Ref. 3. Inversion symmetry is not yet taken into account. N ote that the two Tb orbits have independent complex am plitudes.

where the second argument speci es the sublattice, as in Table IX. In order to discuss the symmetry of the coordinates we de ne $x_1 = n_M^a$, $x_2 = n_M^b$, $x_3 = n_M^c$ and for integs 1 and 3, $x_4 = n_{T1}^c$ and $x_5 = n_{T2}^c$, whereas for integs 2 and 4, $x_4 = n_{T1}^a$, $x_5 = n_{T2}^a$, $x_6 = n_{T1}^b$, and $x_7 = n_{T2}^b$. Thus Eq. (75) gives

$$Ix_n = x_n$$
; $n = 1; 2; 3:$ (76)

For the Tb ions I interchanges sublattices # 5 and # 7 and interchanges sublattices # 6 and # 8. So we have

$$IS(q;5) = S(q;7)$$

 $IS(q;6) = S(q;8) : (77)$

Therefore we have

$$Ix_4 = x_5$$
; $Ix_6 = x_7$: (78)

Now we use the invariance of the free energy under I to write

$$F_2 = \sum_{\substack{X \\ X; \ i^X;}}^X S (q; X) F_{nm} S (q; Y)$$

where the matrix G is Herm itian.

For irreps $_1$ and $_3$ the matrix G in Eq. (79) couples ve variables. Equation (76) in plies that the upper left 3 3 submatrix of G is real. Equations (76) and (78) in ply that $G_{n;4} = G_{5;n}$ and for n = 1;2;3. We nd that G assumes the form

$$G = \begin{cases} 2 & 3 \\ a & b & c \\ 6 & b & d & e \\ 6 & c & e & f \\ 4 & g & 5 \end{cases}$$
 (80)

where the Rom an letters are real valued and the G reek are complex valued. As shown in the appendix, the form of thism atrix ensures that the critical eigenvector can be taken to be of the form

$$= (n_{M}^{a}; n_{M}^{b}; n_{M}^{c}; n_{T1}^{c}; n_{T1}^{c}) \quad (r; s; t; ;); (81)$$

where the Rom an letters are real and the G reek ones com plex. O f course, because the vector can be com plex, we should include an overallphase factor (which am ounts to arbitrarily placing the origin of the incom m ensurate structure), so that m ore generally

$$= e^{1} (r;s;t;;) : (82)$$

For irreps $_2$ and $_4$ the matrix G in Eq. (79) couples the seven variables listed just below Eq. (75). Equations (76) and (78) imply that $G_{n;4} = G_{5;n}$ and $G_{n;6} = G_{7;n}$ for n = 1;2;3. Therefore G assumes the form

$$G = \begin{cases} 2 & 3 \\ a & b & c \\ b & d & e \\ c & e & f \\ g & 77 \\ c & g \\ g & 77 \\ c & g \\ f & f \\ f & f \\ f & f \\ h & f \\ h & f \\ h & f \\ f & h \\ f & f \\ h & f \\ f & f \\ h & f \\ f & f \\ h & f \\ f & f \\$$

where Rom an letters are real and G reek are complex. As shown in the appendix, this form ensures that the eigenvectors are of the form

$$= (n_{M}^{a}; n_{M}^{b}; n_{M}^{c}; n_{T_{1}}^{a}; n_{T_{2}}^{a}; m_{T_{1}}^{b}; n_{T_{2}}^{b})$$

= eⁱ (r;s;t; ; ; ;) : (84)

These results are summarized in Table X II. Note that the use of inversion symmetry xes most of the phases and relates the amplitudes of the two T b orbits, thereby eliminating almost half the tting parameters³.

Irrep	1	2	3	4
(m _x) =	+			+
(m _z) =	+ 1	1	+ 1	1
	r	r	r	r
S(q;M 1)	s	s	s	s
	t	t	t	t
	r	r	r	r
S(q;M 2)	s	s	s	s
	t	t	t	t
	r	r	r	r
S(q;M 3)	s	s	S	s
	t	t	t	t
	r	r	r	r
S(q;M 4)	s	s	s	s
	t	t	t	t
	0		0	
S(q;T1)	0		0	
		0		0
	0		0	
S(q;T2)	0		0	
		0		0
	0		0	
S(q;T3)	0		0	
		0		0
	0		0	
S(q;T4)	0		0	
		0		0

TABLE X II: As Table X I. A part from an overall phase for each irrep, inversion sym m etry restricts all the m anganese Fourier coe cients to be real and all the Tb coe cients to have the indicated phase relations.

1. Order Param eters

We now introduce order parameters $_n$ (q) $_n e^{i_n}$ for irrep $_n$ in terms of which we can write the spin distribution. For instance under $_3$ one has

$$S_{x} (r; M 1) = 2r_{3} \cos(qy + _{3})$$

$$S_{y} (r; M 1) = 2s_{3} \cos(qy + _{3})$$

$$S_{z} (r; M 1) = 2t_{3} \cos(qy + _{3})$$

$$S_{x} (r; M 2) = 2r_{3} \cos(qy + _{3})$$

$$S_{y} (r; M 2) = 2s_{3} \cos(qy + _{3})$$

$$S_{z} (r; M 2) = 2t_{3} \cos(qy + _{3})$$

$$S_{x} (r; T 1) = S_{y} (r; T 1) = 0$$

$$S_{z} (r; T 1) = 2 _{3} \cos(qy + _{3} +)$$

$$S_{x} (r; T 2) = S_{y} (r; T 2) = 0$$

$$S_{z} (r; T 2) = 2 _{3} \cos(qy + _{3} +); \quad (85)$$

where we set $= e^{i}$ and the parameters are norm alized by

$$r^{2} + s^{2} + t^{2} + j^{2} = 1$$
: (86)

In Eq. (85) r (x;y;z) is the actual position of the spin in question. From Table X I one can obtain the sym metry

Er= (x;y;z)	$2_{x}r = (x + \frac{1}{2};\overline{y} + \frac{1}{2};\overline{z})$
$2_z = (\overline{x}; \overline{y}; z)$	$2_{y} = (\overline{x} + \frac{1}{2}; y + \frac{1}{2}; \overline{z})$
$Ir = (\overline{x}; \overline{y}; \overline{z})$	$m_{x}r = (x + \frac{1}{2};y + \frac{1}{2};z)$
$m_z r = (x; y; \overline{z})$	$m_{y}r = (x + \frac{1}{2}; y + \frac{1}{2}; z)$

TABLE X III: As Table X III. General Positions for P bam .

properties of the order parameters for each irrep. For instance

and

$$I_{n}(q) = (q):$$
 (88)

Note that in contrast to the case of NVO, inversion symmetry does not x all the phases. However, it again drastically reduces the number of possible magnetic structure parameters which have to be determined. In particular, it is only by using inversion that one nds that the magnitudes of the Fourier coe cients of the two distinct T b sites have to be the same. Note that if we choose the origin so that = 0 (which amounts to renaming the origin so that that becomes true), then we recover inversion symmetry (taking account that inversion interchanges terbium sublattice # 3 and # 1). One can determ ine that the spin structure is inversion invariant when one condenses a single representation.

The result of Table 5 applies other m anganates provided their wavevector is also of the form $(0;q_y;0)$. This includes YM nO₃⁴⁴ and HoM nO₃.^{45,46} Both these systems order into an incommensurate structure at about T_c 42K. The Y compound has a second lower-temperature incommensurate phase, whereas the Ho compound has a lower-temperature commensurate phase.

C. TbM n_2O_5

The space group of T bM n_2O_5 (TM O 25) is P bam (# 55 in Ref. 28) and its general positions are listed in Table X III. The positions of the magnetic ions are given in Table X IV and are shown in Fig. 4.

W e will address the situation just below the ordering temperature of 43K 10 W e take the ordering wavevector to be¹⁰ to be $(\frac{1}{2};0;q)$ with³⁴ q 0:306. (This may be an approximate value.⁴⁹) Initially we assume that the possible spin congurations consistent with a continuous transition at such a wavevector are eigenvectors of the operators m_x and m_y which leave the wavevector invariant. W e proceed as for TMO.W e use the unit cell




FIG. 4: (Color online). Two representations of TbM n_2O_5 . Top: M n sites (on-line red) with smaller circles M n³⁺ and larger circles ⁴⁺ and Tb sites (squares, on-line blue) in the primitive unit cell of TbM n_2O_5 . The M n⁺⁴ sites are in the shaded planes at z = n with 0.25 and the M n^{† 3} sites are in planes z = n, where n is an integer. The Tb ions are in the planes $z = n + \frac{1}{2}$. The glide plane m x is indicated by the m irror plane at x = 3=4 followed by a translation (indicated by the arrow) of b=2 along the y-axis and similarly for the glide plane m y. B ottom : Perspective view. Here the M n³⁺ are inside oxygen pyram ids of sm all balls and the M n⁴⁺ are inside oxygen octahedra.

Fourier transforms and write the eigenvector conditions for transform ation by m $_{\rm x}$ as

$$S (q; f)^{0} = (m_{x})S (q; i)e^{iq(r_{f} R_{i})}$$
$$= {}_{x}S (q; f);$$
(89)

where $_{\rm i}$ and R $_{\rm i}$ are respectively the sublattice indices and unit cell locations before transform ation and $_{\rm f}$ and

15	

M n ³⁺	(1) = (x;y;0)	$(2) = (\overline{x}; \overline{y}; 0)$
	(3) $(\overline{x} + \frac{1}{2}; y + \frac{1}{2}; 0)$	$(4) = (x + \frac{1}{2}; \overline{y} + \frac{1}{2}; 0)$
M n ⁴⁺	$(5) = (\frac{1}{2};0;z)$	$(6) = (0; \frac{1}{2}; z)$
	$(7) = (\frac{1}{2}; 0; \overline{z})$	$(8) = (0; \frac{1}{2}; \overline{z})$
RE	$(9) = (X; Y; \frac{1}{2})$	$(10) = (\overline{X}; \overline{Y}; \frac{1}{2})$
	$(11) = (X + \frac{1}{2}; Y + \frac{1}{2}; \frac{1}{2})$	$(12) = (X + \frac{1}{2}; \overline{Y} + \frac{1}{2}; \frac{1}{2})$

TABLE X IV: Positions of the m agnetic ions of T bM n_2O_5 in the P bam structure. Here x = 0.09, y = 0.15, z = 0.25,⁴⁷ X = 0.14, and Y = 0.17.⁴⁸. All these values are taken from the isostructural compound H oM n_2O_5 .

R $_{\rm f}$ are those after transform ation. The eigenvalue equation for transform ation by m $_{\rm v}$ is

S
$$(q; f)^{0} = (m_{y})S(q; i)e^{iq(r_{f} R_{i})}$$

= $_{y}S(q; f):$ (90)

If one attempts to construct spin functions which are simultaneously eigenfunctions of m_x and m_y one nds that these equations yield no solution. W hile it is, of course, true that the operations m_x and m_y take an eigenfunction into an eigenfunction, it is only for irreps of dimension one that the initial and nal eigenfunctions are the same, as we have assumed. The present case, when the wavevector is at the edge of the Brillouin zone is analogous to the phenom enon of \sticking" where, for nonsymm orphic space group (i.e. those having a screw axis or a glide plane) the energy bands (or phonon spectra) have an almost mysterious degeneracy at the zone boundary⁵⁰ and the only active irrep has dimension two. This means that the symmetry operations induce transform ations within the subspace of pairs of eigenfunctions. We now determ ine such pairs of eigenfunctions by a straightforward approach which do not require any know ledge of group theory. Here we explicitly consider the symmetries of the matrix ¹ for the quadratic term s in the free energy which here is a 36 36 dim ensional matrix, which we write as

$${}^{2} \qquad M^{(xx)} M^{(xy)} M^{(xz)} {}^{3}$$

$${}^{1} = {}^{6}_{4} M^{(xy)^{y}} M^{(yy)} M^{(yz)} {}^{7}_{5} ; (91)$$

$${}^{M^{(zx)^{y}}} M^{(yz)^{y}} M^{(zz)}$$

where M $^{(ab)}$ is a 12 dimensional submatrix which describes coupling between a-component and b-component spins and is indexed by sublattice indices and 0 The symmetries we invoke are operations of the screw axes, m_x and m_y which conserve wavevector (to within a reciprocal lattice vector), and I, whose e ect is usually ignored. To guide the reader through the ensuing calculation we summarize the main steps. We nst analyze separately the sectors involving the x, y, and z spin components. We develop a unitary transform ation which takes M $^{()}$ into a matrix allof whose elements are real.

ni	m _x	m	a Y	m :	x m y a		I ^b	m _x m _y I
	nf	n _f	ei	nf	ei	nf	e ^{i °}	n _f
1	3	4	1	2	1	2	1	1
2	4	3	1	1	1	1	1	2
3	1	2	1	4	1	4	1	3
4	2	1	1	3	1	3	1	4
5	6	6	1	5	1	7	1	7
6	5	5	1	6	1	8	1	8
7	8	8	1	7	1	5	1	8
8	7	7	1	8	1	6	1	7
9	11	12	1	10	1	10	1	9
10	12	11	1	9	1	9	1	10
11	9	10	1	12	1	12	1	11
12	10	9	1	11	1	11	1	12

TABLE XV: Transform ation table for sublattice indices with associated factors for TM 025 under various operations. as de ned by Eq. (19). For m_x , one has exp [iq ($R_f R_i$)] = 1 for all cases and for $m_x m_y I$ the analogous factor is + 1 in all cases and this operator relates S (q;) and S (q;). NOTE: This table does not include the factor of (0) which m ay be associated with an operation.

a) = q ($R_f = R_i$), as required by Eq. (18). b) $^0 = q$ ($^{\pm}$) as required by Eq. (21)

b) $^{0} = q$ (i + f), as required by Eq. (21).

This xes the phases within the 12 dimensional space of the spin components within the unit cell (assuming these relations are not invalidated by the form of M⁽⁾, with 6). The relative phases between dimensions components is xed by showing that the unitary transformation introduced above leads to M^(xy) having all realvalued matrix elements and M^(xz) and M^(yz) having all purely in aginary matrix elements. The conclusion, then, is that the phases in the sectors of x and y components are out of phase with the x and y components.

1. x C om ponents

As a prelim inary, in Table XV we list the e ect of the symmetry operations on the sublattice index. W hen these symmetries are used, one nds the 12 12 submatrix of M $^{(xx)}$ which couples only the x-components of spins assumes the form

2				1	ı.			1	1				3	
	A	g	h	0					а	b	С	d		
6	g	A	0	h					b	а	d	Ċ	7	
6	h	0	A	g					С	d	а	b	ź	
00000	0	h	g	A					d	С	b	а	4	
Ğ					В	0		0					7	
ĕ					0	В	0						Ź	;(92)
000						0	В	0					ź	,(92)
					0		0	В					1	
40000	а	b	С	d					С	е	f	0	4	
6	b	а	d	С					е	С	0	f	7 5	
ч	С	d	а	b					f	0	С	е	5	
	d	С	b	а					0	f	е	С		

where Rom an letters are real quantities and G reek ones complex. (In this matrix the lines are used to separate di erent W ycko orbits.) The numbering of the row s and columns follows from Table X IV. I give a few examples of how symmetry is used to get this form. Consider the term T_1 , where

$$T_1 = {}_{1;5}^{1}S_x (q;1)S_x (q;5) :$$
 (93)

Using Table XV we transform this by m $_{\rm x}$ into

$$T_1^0 = {}_{1;5}^1 S_x (q;3) S_x (q;6);$$
 (94)

which says that the 1,5 m atrix element is equal to the 3,6 m atrix element. (Note that in writing down T_1^0 we did not need to worry about $\$, since this factor comes in squared as unity.) Likewise if we transform by m $_y$ we get

$$T_{1}^{0} = {}_{15}^{1} [S_{x} (q;4)][S_{x} (q;6)]; \qquad (95)$$

which says that the 1,5 m atrix element is equal to the negative of the 4,6 m atrix element. If we transform by m $_xm_y$ we get

$$T_{1}^{0} = \frac{1}{1;5} [S_{x} (q;2)] [S_{x} (q;5)]; \qquad (96)$$

which says that the 1,5 m atrix element is equal to the negative of the 2,5 m atrix element. To illustrate the elect of I on T_1 we write

$$T_{1}^{0} = \frac{1}{15} [S_{x} (q;2)] [S_{x} (q;7)]; \qquad (97)$$

so that the 1,5 element is the negative of the 7,2 element. From the form of the matrix in Eq. (92) (or equivalently referring to Table XX in Appendix B), we see that we bring this matrix into block diagonal form by introducing the wavefunctions for S_x (q;),

=	1	2	3	4	5	6	7	8	9	10	11	12		
$P_{\frac{1}{2}O_{1}}(x;1) =$	1	0	1	0	0	0	0	0	0	0	0	0		
$p = \frac{1}{20} \frac{(x;1)}{1;} = \frac{1}{20} \frac{(x;1)}{2;} = \frac{1}{20} \frac{(x;1)}{2;} = \frac{1}{20} \frac{1}{2} \frac{1}{2}$	0	1	0	1	0	0	0	0	0	0	0	0		
20 ^(x;1) _{3;} =	0	0	0	0	1	1	1	1	0	0	0	0	:	(98)
$20_{4}^{(x;1)} =$	0	0	0	0	i	i	i	i	0	0	0	0		
	0	0	0	0	0	0	0	0	1	0	1	0		
$p \frac{1}{20} \frac{(x;1)}{6;} =$	0	0	0	0	0	0	0	0	0	1	0	1		

The superscripts ;n on O label, respectively, the Cartesian component and the column of the irrep according to which the wavefunction transforms. The subscripts m; label, respectively, the index number of the wavefunction and the sublattice label. In this subspace $\operatorname{ho}_{n}^{(x;1)} \mathfrak{M}^{(xx)} p_{m}^{(x;1)} i \operatorname{hn} \mathfrak{M}^{(xx)} jn i$ is

2_						3	
2-	A + h	g	0 + 0	00 00	a + c	b+d	
6	g	A h	0 0	00 00	b d	a c Z	
6	0 + 0	0 0	B + ⁰		0 + 0	0 0 4	
Ğ	00 00	00 00	00	в 0	00 + 00	•••• 2	;(99)
4	a + c	b d	0 + 0	00 + 00	C + f	e	
_	b+ d	a c	0 0	00 00	е	C f	

where the coe pients are separated into real and in aginary parts as $12 = p_{0}^{0} + i^{00}$, $12 = 0 + i^{00}$ $12 = 0 + i^{00}$, and $2 = 0 + i^{00}$. There are no nonzero matrix elements between wavefunctions which transform according to di erent columns of the irrep.

The partners of these functions can be found from

$$O_n^{(x;2)} = m_y O_n^{(x;1)};$$
 (100)

so that, using Table XV and including the factor $% \mathcal{A}$, we get

Γ	=	1	2	3	4	5	6	7	8	9	10	11	12]
Γ	$p = \frac{1}{20} \frac{(x;2)}{1;} =$	0	1	0	1	0	0	0	0	0	0	0	0	
	$p_{20_{2;}}(x;2) =$	1	0	1	0	0	0	0	0	0	0	0	0	
	20 ^(x;2) _{3;} =	0	0	0	0	1	1	1	1	0	0	0	0	:(101)
	$20_{4}^{(x;2)} =$	0	0	0	0	i	i	i	i	0	0	0	0	
	$\frac{1}{2}O_{5;}^{(x;2)} =$	0	0	0	0	0	0	0	0	0	1	0	1	
	$p \frac{1}{20} \frac{(x;2)}{6;} =$	0	0	0	0	0	0	0	0	1	0	1	0	

W ithin this subspace the matrix $\ln M$ ^(xx) in i is the same as in Eq. (99) because

$$\operatorname{hn}_{y} \operatorname{jn}_{v}^{1} \operatorname{M}^{(xx)} \operatorname{m}_{v}_{y} \operatorname{jn}_{i} = \operatorname{hn}_{y} \operatorname{M}^{(xx)}_{v} \operatorname{jn}_{i} : \quad (102)$$

These functions transform as expected for a two dimensional irrep, namely,

W e will refer to the transform ed coordinates of Eqs. (98) and (101) as \sym m etry adapted coordinates." The fact that the model-speci c m atrix that couples them is real, m eans that the critical eigenvector is a linear com - bination of sym m etry adapted coordinates with real co-e cients.

2. y C om ponents

The 12 12 m atrix M $^{(\rm yy)}$ coupling y components of spin has exactly the same form as that given in Eq. (92), although the values of the constants are unrelated. This is because here one has $_{\rm y}^2$ = 1 in place of $_{\rm x}^2$ = 1. Therefore the associated wavefunctions can be expressed just as in Eqs. (98) and (101) except that all the superscripts are changed from x to y and now labels S_y (q;). How – ever, the transform ation of the y components rather than the x components, requires replacing x by y which induces sign changes, so that

$$m_{x} \begin{array}{c} & & \\ O_{n}^{(y;1)} & = & O_{n}^{(y;1)} \\ & & O_{n}^{(y;2)} & = & O_{n}^{(y;2)} \\ & & \\ & & \\ m_{y} \begin{array}{c} O_{n}^{(y;1)} & = & O_{n}^{(y;2)} \\ O_{n}^{(y;2)} & = & O_{n}^{(y;2)} \\ O_{n}^{(y;1)} & = & O_{n}^{(y;1)} \end{array}$$
(104)

W e want to construct wavefunctions in this sector which transform just like the x components, so that they can be appropriately combined with the wavefunctions for the x-components. In view of Eq. (103) we set

$$O_{n;}^{(y;1)} = O_{n;}^{(x;2)}; O_{n;}^{(y;2)} = O_{n;}^{(x;1)}:$$
 (105)

So the coe cients for $O_n^{(y;1)}$ are given by Eq. (101) and those for $O_n^{(y;2)}$ by Eq. (98). These wavefunctions are constructed to transform exactly as those for the x com – ponents.

3. z C om ponents

Similarly, we consider the e ect of the transform ations of the z components. In this case we take account of the factor $_{\rm z}$ to get

$$m_{x} \begin{pmatrix} O_{n}^{(z;1)} & & O_{n}^{(z;1)} \\ O_{n}^{(z;2)} & & O_{n}^{(z;2)} \\ & & O_{n}^{(z;2)} & & O_{n}^{(z;2)} \\ & & & & & \\ m_{y} \begin{pmatrix} O_{n}^{(z;1)} & & & O_{n}^{(z;2)} \\ O_{n}^{(z;2)} & & & O_{n}^{(z;1)} \\ & & & & & O_{n}^{(z;1)} \end{pmatrix} :$$
(106)

We now construct wavefunctions in this sector which transform just like the x components. In view of Eq. (103) we set

$$O_{n;}^{(z;1)} = O_{n;}^{(x;2)}; O_{n;}^{(z;2)} = O_{n;}^{(x;1)};$$
 (107)

So the coe cients for $O_n^{(z;1)}$ are given by Eq. (101) and those for $O_n^{(z;2)}$ are the negatives of those of Eq. (98). These wavefunctions are constructed to transform exactly as those for the x com ponents.

4. The TotalW avefunction and Order Parameters

Now we analyze the form of $M^{(ab)}$ of Eq. (91) for a \notin b, using inversion symmetry. To do this it is convenient to invoke invariance under the symmetry operation $m_x m_y I$ whose e ect is given in Table XV. We write

$$m_{x}m_{y}IS_{a}(q;) = _{a}(m_{x})_{a}(m_{y})$$

 $S_{a}(q;R);$ (108)

where $R = \text{for } \notin 5;6;7;8$, otherwise R = 2within the remaining sector of 's and a (and later b) denotes one of x, y, and z. Thus

$$T \qquad S_{a}(q;) M \stackrel{(ab)}{_{o}}S_{b}(q; {}^{0}) \\ = [m_{x}m_{y}IS_{a}(q;)]M \stackrel{(ab)}{_{o}}[m_{x}m_{y}IS_{b}(q; {}^{0})] \\ = C_{ab}S_{a}(q;R)M \stackrel{(ab)}{_{o}}S_{b}(q;R {}^{0});$$
(109)

where

$$C_{ab} = (m_x)_a (m_y)_b (m_x)_b (m_y)$$
: (110)

From this we deduce that

$$M_{R_{0};R}^{(ba)} = C_{ab}M_{0}^{(ab)};$$
 (111)

or, since M is Herm it ian that

$$M_{0}^{(ab)} = C_{ab} M_{R^{-1};R^{-1}0}^{(ab)} : (112)$$

Now we consider the matrices M $^{\rm (ab)}$, in the symmetry adapted representation where

$$M_{n,m}^{(ab)} = X_{n,m}^{(ab)} [M_{n,m}^{(ab)}] M_{n,m}^{(ab)} O_{m,n}^{bp}$$

$$= X_{n,m}^{(ab)} C_{ab} [D_{n,n}^{ap}] M_{n,m}^{(ab)} (D_{m,n}^{bp}) O_{m,n}^{bp}$$

$$= C_{ab} D_{n,n}^{ap} M_{n,n}^{(ab)} O_{m,n}^{bp} O_{m,n}^{bp} (113)$$

There are no matrix elements connecting p and $p^0 \notin p$ and the result is independent of p. One can verify from Eqs. (98) and (101) that

$$O_{n;R}^{ap} = O_{n;}^{ap}$$
; (114)

so that

$$M_{n,m}^{(ab)} = C_{ab} [O_n^{p}] M_{;0}^{(ab)} O_m^{bp}$$
$$= C_{ab} M_{nm} : \qquad (115)$$

We have that $C_{xy} = C_{xz} = C_{yz} = 1$, so that all the elements of M^(xy) are real and all the elements of M^(xz) and M^(yz) are imaginary. Thus apart from an over all phase for the eigenfunction of each column, the phases of all the Fourier coecients are xed. W hat this means is that the critical eigenvector can be written as

$$= \begin{array}{ccc} X^{2} & X^{6} \\ & p & r_{nx}O_{n}^{(x,p)} + r_{ny}O_{n}^{(y,p)} \\ & p = 1 & n = 1 \\ & & ! \\ & + ir_{nz}O_{n}^{(z,p)} ; \end{array}$$
(116)

where the r's are all real-valued and are norm alized by

$$X^{6} X$$

[r_{n}]² = 1; (117)
n=1

and p are arbitrary complex numbers. Thus we have the result of Table XVI.

The order param eters are

1

$$_{1}e^{i_{1}}; _{2} _{2}e^{i_{2}}:$$
 (118)

N either the relative m agnitudes of $_1$ and $_2$ nor their phases are xed by the quadratic term swithin the Landau expansion. Note that the structure parameters of Table XVI are determined by the microscopic interactions

Spin	1	2	Spin	1	2
S(q;1)	r _{1x} r _{1y} ir _{1z}	r _{2x} r _{2y} ir _{2z}	S (q ; 7)	z _x z _y iz _z	z _x z _y iz _z
S (q;2)	r _{2x} r _{2y} ir _{2z}	r _{1x} r _{1y} ir _{1z}	S (q;8)	z _x z _y iz _z	z _x z _y iz _z
S (q;3)	r _{lx} r _{ly} ir _{lz}	r _{2x} r _{2y} ir _{2z}	S (q;9)	r _{5x} r _{5y} ir _{5z}	r _{6x} r _{6y} ir _{6z}
S (q;4)	r _{2x} r _{2y} ir _{2z}	r _{1x} r _{1y} ir _{1z}	S(q;10)	r _{6x} r _{6y} ir _{6z}	r _{5x} r _{5y} ir _{5z}
S (q;5)	z _x z _y iz _z	z _x z _y iz _z	S(q;11)	r _{5x} r _{5y} ir _{5z}	r _{6x} r _{6y} ir _{6z}
S (q;6)	z _x z _y iz _z	z _x z _y iz _z	S (q;12)	r _{6x} r _{6y} ir _{6z}	r _{5x} r _{5y} ir _{5z}

TABLE XVI: Normalized spin functions (i. e. Fourier coe cients) within the unit cell of TbM n $_2O_5$ for wavevector $(\frac{1}{2};0;q)$. Here $z = (r_3 + ir_4) = 2$. All the r's are real variables. The wavefunction listed under $_1$ ($_2$) transforms s according to the rst (second) column of the irrep. The actual spin structure is a linear combination of the two columns with arbitrary com plex coe cients.

which determ ine the matrix elements in the quadratic free energy. (Since these are usually not well known, one has recourse to a symmetry analysis.) The direction in $_{1}$ - $_{2}$ space which the system assumes, is determined by fourth or higher-order terms in the Landau expansion. Since not much is known about these terms, this direction is reaconably treated as a parameter to be extracted from the experimental data. We use Table XVI to write the most general spin functions consistent with crystal symmetry as

$$S(R;1) = \begin{pmatrix} h \\ 1 & (r_{1x}\hat{1} + r_{1y}\hat{1})\cos(q R + 1) \\ + r_{1z}\hat{k}\sin(q R + 1) \\ h \\ + 2 & (r_{2x}\hat{1} + r_{2y}\hat{1})\cos(q R + 2) \\ i \\ + r_{2z}\hat{k}\sin(q R + 2) \\ h \\ S(R;2) = \begin{pmatrix} n \\ 1 & (r_{2x}\hat{1} + r_{2y}\hat{1})\cos(q R + 1) \\ i \\ r_{2z}\hat{k}\sin(q R + 1) \\ h \\ + 2 & (r_{1x}\hat{1} + r_{1y}\hat{1})\cos(q R + 2) \\ i \\ r_{1z}\hat{k}\sin(q R + 2) \end{pmatrix}$$

$$\begin{split} S(R;3) &= \prod_{1}^{n} (r_{1x}\hat{1} r_{1y}\hat{1}) \cos(q R + 1) \\ r_{1x}\hat{K} \sin(q R + 1) \\ h \\ + 2 (r_{2x}\hat{1} + r_{2y}\hat{1}) \cos(q R + 2) \\ i \\ + r_{2z}\hat{K} \sin(q R + 2) \\ h \\ S(R;4) &= \prod_{1}^{n} (r_{2x}\hat{1} r_{2y}\hat{1}) \cos(q R + 1) \\ + r_{2z}\hat{K} \sin(q R + 2) \\ h \\ S(R;5) &= \prod_{1}^{n} (r_{2x}\hat{1} r_{2y}\hat{1}) r_{2x}\hat{K} \cos(q R + 1) \\ + 2 (r_{1x}\hat{1} + r_{1y}\hat{1}) \cos(q R + 2) \\ h \\ S(R;5) &= \prod_{1}^{n} (r_{2x}\hat{1} r_{2y}\hat{1} - r_{2x}\hat{K}) \sin(q R + 1) \\ h \\ + 2 (r_{2x}\hat{1} r_{2y}\hat{1} + r_{2y}\hat{K}) \sin(q R + 1) \\ h \\ + 2 (r_{2x}\hat{1} r_{2y}\hat{1} + r_{2x}\hat{K}) \sin(q R + 2) \\ h \\ S(R;5) &= \prod_{1}^{n} (r_{2x}\hat{1} + r_{2y}\hat{1} + r_{2x}\hat{K}) \sin(q R + 2) \\ h \\ S(R;6) &= \prod_{1}^{n} (r_{2x}\hat{1} + r_{2y}\hat{1} + r_{2x}\hat{K}) \sin(q R + 2) \\ h \\ + (r_{2x}\hat{1} + r_{2y}\hat{1} + r_{2x}\hat{K}) \sin(q R + 2) \\ h \\ + (r_{2x}\hat{1} + r_{2y}\hat{1} + r_{2x}\hat{K}) \sin(q R + 1) \\ h \\ + 2 (r_{2x}\hat{1} + r_{2y}\hat{1} + r_{2x}\hat{K}) \sin(q R + 2) \\ h \\ S(R;7) &= \prod_{1}^{n} (r_{2x}\hat{1} + r_{2y}\hat{1} + r_{2x}\hat{K}) \sin(q R + 2) \\ h \\ S(R;7) &= \prod_{1}^{n} (r_{2x}\hat{1} + r_{2y}\hat{1} + r_{2x}\hat{K}) \sin(q R + 2) \\ h \\ h \\ + (r_{2x}\hat{1} + r_{2y}\hat{1} + r_{2x}\hat{K}) \sin(q R + 2) \\ h \\ h \\ + (r_{2x}\hat{1} + r_{2y}\hat{1} + r_{2x}\hat{K}) \sin(q R + 2) \\ h \\ S(R;8) &= \prod_{1}^{n} (r_{2x}\hat{1} + r_{2y}\hat{1} + r_{2x}\hat{K}) \sin(q R + 2) \\ h \\ S(R;9) &= \prod_{1}^{n} (r_{2x}\hat{1} + r_{2y}\hat{1} + r_{2x}\hat{K}) \sin(q R + 2) \\ h \\ S(R;9) &= \prod_{1}^{n} (r_{2x}\hat{1} + r_{2y}\hat{1} + r_{2x}\hat{K}) \sin(q R + 2) \\ h \\ S(R;9) &= \prod_{1}^{n} (r_{2x}\hat{1} + r_{2y}\hat{1}) \cos(q R + 1) \\ h \\ h \\ + 2 (r_{2x}\hat{1} + r_{2y}\hat{1}) \cos(q R + 1) \\ h \\ h \\ + 2 (r_{2x}\hat{1} + r_{2y}\hat{1}) \cos(q R + 1) \\ h \\ h \\ r_{2x}\hat{K}\hat{K}\hat{K}\hat{K}\hat{K} (R R + 1) \\ h \\ h \\ r_{2x}\hat{K}\hat{K}\hat{K}\hat{K}\hat{K} (R R + 2) \\ h \\ S(R;10) &= \prod_{1}^{n} (r_{2x}\hat{1} + r_{2y}\hat{1}) \cos(q R R + 1) \\ r_{2x}\hat{K}\hat{K}\hat{K}\hat{K}\hat{K}\hat{K}\hat{K} (R R + 1) \\ \end{pmatrix}$$

h

$$\begin{array}{rcl}
& & & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & &$$

In Table X V I the position of each spin is R + $_n$, where the are listed in Table X IV and R is a B ravais lattice vector. The sym m etry properties of the order parameters are

We now check a few representative cases of the above transform ation. If we apply m_x to S (q;1) we do not change the signs of the x component but do change the signs of the y and z components. As a result we get S (q;3) except that $_y$ has changed sign, in agreement with the rst line of Eq. (120). If we apply m_y to S (q;1) we do not change the sign of the y component but do change the signs of the x and z components. As a result we get S (q;4) except that now $_1$ is replaced by $_2$ and $_2$ is replaced by $_1$, in agreement with the second line of Eq. (120). When inversion is applied to S (q;1) we change the sign of R but not the orientation of the spins which are pseudovectors. We then obtain S (q;2) providing we replace $_1$ by $_2$ and $_2$ by $_1$, in agreement with the last line of Eq. (120).

5. Comparison to Group Theory

Here Ibrie y compare the above calculation to the one using the simplest formulation of representation theory. The rst step in the standard formulation is to nd the impos of the group of the wavevector. The easiest way to do this is to introduce a double group having eight elements (see Appendix B) since we need to take account of the operator m_y^2 E. (This is done in Appendix B.) From this one nds that each W ycko orbit and each spin component can be considered separately (since they do not transform into one another under the operations we consider). Then, in every case the only irrep that appears is the two dimensional one for which we set

$$m_{x} = \begin{array}{c} 1 & 0 \\ 0 & -1 \end{array} m_{y} = \begin{array}{c} 0 & 1 \\ -1 & 0 \end{array} m_{x}m_{y} = \begin{array}{c} 0 & 1 \\ 1 & 0 \end{array} (121)$$

Indeed, one can verify that the functions in the second (third) column of Table XVI comprise a basis vector for column one (two) of this two dimensional irrep. One might ask: \W hy have we undertaken the ugly detailed consideration of the matrix for F_2 ?" The point is that within standard representation theory all the variables in Table XVI would be independently assigned arbitrary phases. In addition, the amplitudes for the Tb orbits (sublattices # 5, # 6 and sublattices # 7, # 8) would have independent am plitudes. To get the results actually shown in Table XVI one would have to do the equivalent of analyzing the e ect of inversion invariance of the free energy. This task would be a very technical exercise in the arcane aspects of group theory which here we avoid by an exercise in algebra, which though messy, is basically high school math. I also warn the reader that canned program s to perform the standard representation analysis can not always be relied upon to be correct. It is worth noting that published papers dealing with TM 025 have not invoked inversion symmetry. For instance in Ref. 10 one sees the statem ent A s in the incom m ensurate case $[\beta]$, each of the magnetic atom s in the unit cell is allowed to have an independent SDW, i.e., its own am plitude and phase," and later on in Ref. 49 "all phases were subsequently xed ... to be rational fractions of ." Use of the present theory would elim inate most of the phases and would relate the two distinct M n⁴⁺ W ycko orbits (just as happened for TMO).

Finally, to see the e ect of inversion on a concrete level I analyze the situation within the M n³⁺ orbit and consider only the x components of spin. The inverse susceptibility would then be the upper left 4 4 submatrix shown in Eq. (92). Had we not used inversion symmetry this submatrix would be the same except that one would have had

$$M_{14} = M_{23} = M_{32} = M_{41} = ir;$$
 (122)

where r is real. One can verify that when r = 0 the eigenvectors can be taken to have only real components, whereas when $r \in 0$, the eigenvectors are complex with relative phases dependent on the value of r,

6. Comparison to YM $n_2 O_{\,5}$

YM n_2O_5 (YM 0.25) is isostructural to TM 025, so its m agnetic structure is relevant to the present discussion.

I will consider the highest tem perature m agnetically ordered phase, which appears between about 20K and 45K. In this compound Y is nonmagnetic and in the highertem perature ordered phase $q_z = 1=4$, so the system is commensurate. But since the value of q_z is not special, the symmetry of this state is essentially the same as that of TM 025. Throughout this subsection the structural information is taken from Fig. 2 of Ref. 11. (The upperm ost panel is m islabeled and is obviously the one we want for the highest tem perature ordered phase.)




FIG.5: (Coloronline). Top: The spin structure of the M n³⁺ ions in YM n₂O₅ (limited to one a-b pane), taken from Fig. 2 of Ref. 11. The sublattices are labeled in our convention. Bottom left: the spin structure of after transform ation by m $_{\rm X}$. Bottom right: spin structure of TbM n₂O₅ after transform ation by m $_{\rm Y}$.

From Fig. 5 we see that the spin wavefunction is an eigenvector of m_x with eigenvalue 1. So this structure must be that of the second column of the imep. In accordance with this identication one sees that the initial wavefunction is orthogonal to the wavefunction transformed by m_y (since this transform ation will produce a wavefunction associated with the rst column). Referring to Eq. (119), one sees that to describe the pattern of M n³⁺ spins one chooses

$$r_{1} = 0$$
; $r_{2x} = r_{1x}$ 0:95;
 $r_{1y} = r_{2y}$ 0:3: (123)

The point we make here is that $_1 = 0$. Although the values of these order parameters were not given in Ref. 11, it seems clear that in the lower temperature phase the order parameters must be comparable in m agnitude.

The space group of CuFeO₂ (CFO) is 53 R $\overline{3}m$ (# 166 in Ref. 28) and its general positions are given in Table XV II.

We are interested in structures that can appear for generalwavevectors of the type q (q;q;0) (in crystallographic notation), in other words for wavevectors parallel

E r = (x;y;z)	3r = (z;x;y)	$3^{2}r = (y;z;x)$
$m_{3}r = (y;x;z)$	m ₂ r= (z;y;x)	m 1r = (x;z;y)
$Ir = (\overline{x}; \overline{y}; \overline{z})$	$I \exists r = (\overline{z}; \overline{x}; \overline{y})$	$I3^{2}r = (\overline{y}; \overline{z}; \overline{x})$
$Im_{3}r = (\overline{y}; \overline{x}; \overline{z})$	$\operatorname{Im}_2 r = (\overline{z}; \overline{y}; \overline{x})$	$Im_1r = (\overline{x}; \overline{z}; \overline{y})$

TABLE XVII: General Positions for $R\,\overline{3}m$, with respect to rhom bohedral axes. Here "3" denotes a three-fold rotation and m _ labels the three m irror planes which contain the three-fold axis.




FIG. 6: The lattice of magnetic Fe ions in CFO. Here I show sections of three adjacent triangular lattice layers. The wavevector lies along the x-axis. The dashed line indicates that the central site lies directly above (below) the center of gravity, indicated by a dot, of a triangle of the layer below (above) \ddagger .

to a nearest neighbor vector of the triangular plane of Fe ions. The only operation (other than the identity) that conserves wavevector is 2_x a two-fold rotation about the axis of the wavevector. C learly, the Fourier component m_z(q) obeys

$$2_{\rm x} m_{\rm x} (q) = m_{\rm x} (q)$$
 (124)

and we call this irrep # 1. For irrep # 2 we have

$$2_x m_y (q) = m_y (q)$$

 $2_x m_z (q) = m_z (q) :$ (125)

A s before inversion xes the phase of these coe cients to be the same (within a given irrep), so one has

$$m_x = 1$$
 (126)

and

$$m_y = _2 r; m_z = _2 s;$$
 (127)

where $r^2 + s^2 = 1$ and $n(jq) = ne^{jn}$. Thus, if both irreps are present, we would have

$$m_{x}(r) = 2 _{1} \cos(qx + _{1})$$

$$m_{y}(r) = 2 _{2} r\cos(qx + _{2})$$

$$m_{z}(r) = 2 _{2} s\cos(qx + _{2}) : (128)$$

W e have the transform ation properties

$$2_{x 1} = 1; 2_{x 2} = 2$$

I 1 = [1]; I 2 = [2]: (129)

For future reference it is interesting to note that at zero applied electric and magnetic elds the free energy must be invariant under taking either $_1$ or $_2$ into its negative. To see this write the free energy as an expansion in powers of the order parameters:

$$F = \begin{matrix} X & & k & l & m & n \\ & & & k_{lm n} & 1 & 1 & 2 & 2 \end{matrix} (130)$$

To be time reversal invariant, the total number of powers (k + 1 + m + n) must be even. Also, to be invariant under 2_x the total number of powers of $_2$ (m + n) has to be even. So both k + 1 and m + n are even. But wavevector conservation implies that 1 + n = k + m (assuming we have a truly incommensurate phase). Thus 1 = k + 2 and n = m - 2. Then

$$F = \begin{cases} X & 2k+2 & 2m-2 \\ a_{k lm n} & 1 & 2 \end{cases} e^{2i (2 - 1)} : (131)$$

E. D iscussion

1. Summary of Results

In Table XV III we collect the results for various m ultiferroics.

2. E ect of Quartic Terms

A swe now discuss, the quartic term s in the Landau expansion can have signi cant qualitative e ects. In general, the quartic term s are the lowest order ones which favor the xed length spin constraint, a constraint which is known to be dom inant at low tem perature.⁵⁴ How this constraint com es into play depends on what state is selected by the quadratic term s. For instance, in the sim plest scenario when one has a ferrom agnet or an antiferrom agnet, the instability is such (see Fig. 1) that ordering with uniform spin length takes place. Thus, as the tem perature is low ered within the ordered phase, the ordering of wavevectors near q = 0 for the ferrom agnet (near for the antiferrom agnet) which would have beq = com e unstable if only the quadratic term s were relevant, is strongly disfavored by the quartic term s. In the system s considered here the situation is quite di erent. For instance, in NVO, 33 TMO, 3 and MWO 39 the quadratic term s select an incommensurate structure in which the spins are aligned along an easy axis and their magnitudes are sinusoidally modulated. As the temperature is lowered the quartic term s lead to an instability in which transverse spin component break the symmetry of the longitudinal incommensurate phase. This scenario explains why the highest-temperature incommensurate longitudinal phase becomes unstable to a lower-temperature incommensurate phase which has both longitudinal and transverse components which more nearly conserve spin length.

To see this result form ally for NVO, TMO, or MWO, let > (<) be the complex valued order parameter for the higher-tem perature longitudinal (low er-tem perature transverse) ordering. The fourth order terms then lead to the free energy as

$$F = a(T T_{>})j_{>}j' + b(T T_{<})j_{<}j' + A(j_{>}j' + j_{<}j')^{2} + Bj_{>}_{<}j' + C[(<_{>})^{2} + (<_{>})^{2}];$$
(132)

where A, B, and C are real. That C is real is a result of inversion symmetry, which, for these systems leads to $I_n = n$. The high-tem perature representation does allow transverse components and could, in principle, satisfy the xed length constraint. In the usual situation, how ever, the exchange couplings are nearly isotropic and this state is not energetically favored. If the higher tem perature structure is longitudinal, then B will surely be negative, whereas if the higher temperature structure conserves spin length B will probably be positive. By properly choosing the relative phases of the two order parameters the term in C always favors having two irreps. So the usual scenario in which the longitudinal phase becom es unstable relative to transverse ordering is explained (in this phenom enology) by having B be negative, so that the discussion after Eq. (48) applies.

To $% \mathcal{C}$ nish the argument it remains to consider the term in C , which can be written as

$$F_4 = 2C \stackrel{2}{<} \stackrel{2}{_{>}} \cos(2 < 2 >);$$
 (133)

where again we expressed the order parameters as in Eq. (43). Normally, if two irreps are favored, it is because together they better satisfy the xed length constraint. W hat that means is that when spins have substantial length in one irrep, the contribution to their spin length from the second irrep is small. In other words, the two irreps are out of phase and we therefore expect that to minimize F_4 we do not set $_{<}$ = $_{>}$, but rather

In other words, we expect C in Eq. (133) to be positive. The same reasoning indicates that the fourth order term s will favor $_{2}$ $_{1}$ = =2 in Eq. (128) for CFO.

For all of these systems which have two consecutive continuous transitions one has a family of broken sym - m etry states. At the highest tem perature transition one

Phase	$\mathbb{T}_{<}$ (K)	T _{>} (K)	q	Irreps	Refs.	FE?	Refs.
NVO (HTI)	6.3	9.1	(q,0,0)	4	6 , 33	Νo	4,6
NVO (LTI)	3.9	6.3	(q,0,0)	4 + 1	6 , 33	jjb	4,6
TMO (HTI)	28	41	(0;q;0)	3	3,42	Νo	2
TMO (LTI)		28	(0;q;0)	3 + 2	3	jjс	2
T bM n_2O_5 (H T I)	38	43	$(\frac{1}{2};0;q)^{(a)}$	(b)	10,49	Νo	58
T bM n_2O_5 (LT I)	33	38	(¹ / ₂ ;0;q)	(c)	10,49	jj b	58
YM n_2O_5 (C) ^(d)	23	45	$(\frac{1}{2};0;\frac{1}{4})$	(b)	11	jjb	58
$Y \ M \ n_2 O_5$ (IC)		23	$(\frac{1}{2};0;q)$		11	jjb	58
CFO ^(e) (HTI)	10	14	(q;q;0)	1	51	Νo	9
CFO (LTI)	0?	10	(q;q;0)	1 + 2	9 ^(f)	?с	9
ΜWΟ	12.7	13.2	$(q_x; \frac{1}{2}; q_z)$	2	39	Νo	40
ΜWΟ	7.6	12.7	$(q_x; \frac{1}{2}; q_z)$	2 + 1	39	jjb	40

TABLE XVIII: Incom m ensurate P hases of various multiferroics. Except for CFO each phase is stable for zero applied m agnetic eld for $T_{<} < T < T_{>}$. When $T_{<} = 0$ it means that the phase is stable down to the lowest temperature investigated. We give the incom mensurate wavevector and the associated irreducible representations in the notation of our tables. In the column labeled \FE?" if the system is ferroelectric we give the direction of the spontaneous polarization, otherwise the entry is "No."

a) At the highest temperature the value of q. m ight not be exactly 1/2.
b) The imp is the two dimensional one (see Appendix B). In the HTI phase only one basis vector is active.
c) The imp is the two dimensional one (see Appendix B). In the LTI phase both basis vectors are active.
d) This phase commensurate.

e) Data for $CuFeO_2$ is for H 8T.

f) The magnetic structure was inferred from the existence of ferroelectricity.

has spontaneously broken sym m etry which arbitrarily selects between > and >. (This is the sim plest scenario when the wavevector is not truly incom m ensurate.) Independently of which sign is selected for the order parameter >, one sim ilarly has a further spontaneous breaking of sym m etry to obtain arbitrarily either i < or i <. (Here, as m entioned, we assume a relative phase =2 for <. In this scenario, then, there are four equivalent low tem perature phases corresponding to the choice of signs

of the two order param eters. The cases of TM 0 25 and YM 0 25 are di erent from the above because they have two order param eters from the same two-dimensional irrep and which therefore are

simultaneously critical. At quadratic order one has SU₂ symmetry, but this is broken by quartic terms in the free energy. The symmetry of these is such that in the representation of Eq. (120) one has

$$F = a(T \quad T_{c}) j_{1} j^{2} + j_{2} j^{2} + A (j_{1} j^{2} + j_{2} j^{2})^{2} + B j_{1} {}_{2} j^{2} + C (j_{1} {}_{2})^{2} + (j_{1} {}_{2})^{2} : (135)$$

Term s odd in $_2$ are not allowed according to Eq. (120). A lso wavevector conservation indicates that two variables must be at wavevector q and two at wavwevector q. A lso A, B, and C are real. That C is real is a result of symmetry under m_y, as in Eq. (120). Here the fourth order anisotropy makes itself felt as soon as the ordered phase is entered. O ne can see that the phase di erence

between $_1$ and $_2$ depends on the term proportional to C. Since the xed spin length constraint favors this phase di erence to be =2, we intuit that C is positive, so that $_2$ = i $_1$. In any case, after m inim izing with respect to the relative phase of the two order parameters, one gets the sum of the B and C term s as

$$F_4 = (B j_2 j_{1 2} j_{1 2}$$

If B c_{1} is positive, then either $c_{1} = 0$ or $c_{2} = 0$. In the former case the state is odd under m_{x} and in the latter case even under m_{x} . If B c_{1} is negative, then the quartic terms favor

It is am using that the quartic term s in the Landau expansion dictate that these are the two allow able scenarios unless one adm its to having a multicritical point where B f j= 0.

Now we rst consider YM 025 in its higher tem perature commensurate (HTC) ordered phase. For it additional fourth order term s occur because 4q is a reciprocal lattice vector, but these are not im portant for the present discussion. Here the analysis of Ref. 11 indicates (see the discussion of our Fig. 5) that only a single order parameter condenses in the HTC phase. This indicates that energeticsm ust favor positive B fC jin this case. The question is whether B fC j is also positive for TM 025. A s we will see in the next section one has ferroelectricity unless the magnitudes of the two order parameters are the sam e. For YM 025 the HTC phase is ferroelectric and the conclusion that only one order param eter is active com – ports with this. How ever, for TM 025 the situation is not com pletely clear. Apparently there is a region such that one has m agnetic ordering without ferroelectricity.^{10,58} If this is so, then TM 025 di ers from YM 025 in that its high tem perature incom m ensurate phase has two equal m agnitude order param eters.

IV. MAGNETOELECTRIC COUPLING

Ferroelectricity is induced in these incommensurate m agnets by a coupling which is somewhat similar to that for the so-called \improper ferroelectrics."¹⁴ To see how such a coupling arises within a phenomenological picture, we imagine expanding the free energy in powers of the magnetic order parameters which we have studied in detail in the previous section and also the vector order parameter for ferroelectricity which is the spontaneous polarization P, which, of course, is a zero wavevector quantity. If we had noninteracting magnetic and electric system s, then we would write the noninteracting free energy, F_{non} as

$$F_{non} = \frac{1}{2} X_{E; P^{2}}^{1} P^{2} + \frac{1}{2} X_{a (T T)j (q)j + 0(4)}^{1} (138)$$

The rst term describes a system which is not close to being unstable relative to developing a spontaneous polarization (since in the system swe consider ferroelectricity is induced by m agnetic ordering). The m agnetic term s describe the possibility of having one orm ore phase transitions at which successively more magnetic order param eters becom e nonzero. As we have m entioned, the scenario of having two phase transitions in incom m ensurate magnets is a very common one_r^{21} and such a scenario is well docum ented for both NVO 6,33 and TMO 2,3 A sim ilar phenom enological description of second harm onic generation has invoked the necessity of having simultaneously two irreps.⁵⁵ Below we will indicate the existence of a term linear in P, schem atically of the form Μ²P, where is a coupling constant about which not much beyond its sym m etry is known. One sees that when the free energy, including this term, is minim ized with respect to P one obtains the equilibrium value of P as

$$hPi = E M^2 :$$
 (139)

A. Sym m etry of M agnetoelectric Interaction

W e now consider the free energy of the combined magnetic and electric degrees of freedom which we write as

$$F = F_{non} + F_{int}$$
: (140)

In view of time reversal invariance and wavevector conservation, the lowest combination of M (q)'s that can appear is proportional to M (q)M (q). So generically the term we focus on will be of the form

$$F_{int} = C M (q)M (q)P ; (141)$$

where , , and label Cartesian components. But, as we have seen in detail, the quantities M (q) are linearly related to the order parameter (q), associated with the irrep . Thus instead of Eq. (141) we write

$$F_{int} = A \circ (q) \circ (q) P : (142)$$

The advantage of this writing the interaction in this form is that it is expressed in terms of quantities whose sym – metry is manifest. In particular, the order parameters we have introduced have well specified symmetries. For instance it is easy to see that form ost of the system s studied here, magnetism can not induce ferroelectricity when there is only a single representation present.^{3,4} This follows from the fact that for NVO and TMO, for instance,

$$Ij_n f = j_n f; \qquad (143)$$

as is evident from Eq. (47). The interpretation of this is simple: when one has one representation, it is essentially the same as having a single incom mensurate wave. But such a single wave will have inversion symmetry (to as close a tolerance as we wish) with respect to some lattice point. This is enough to exclude ferroelectricity. So the canonical scenario^{3,4} is that ferroelectricity appears, not when the stincom mensurate magnetic order param eter condenses, but rather when a second such order param eter condenses. Unless the two waves have the same origin, their centers of inversion symmetry do not coincide and there is no inversion symmetry and hence ferroelectricity will occur. O nem ight ask whether or not the two waves (i. e. two irreps) will be in phase. The e ect, discussed above, of quartic term s is crucial here. The quartic term s typically favors the xed length spin constraint. To approxim ately satisfy this constraint, one needs to superpose two waves which are out of phase. Indeed the form al result, obtained below, shows that the spontaneous polarization is proportional to the sine of the phase di erence between the two irreps⁴. We now consider the various systems in turn.

B. NVO, TMO, and MWO

W e now analyze the canonical magneto-electric interaction in the cases of NVO, TMO, ad MWO. These cases are all similar to one another and in each case the order parameters have been de ned so as to obey Eq. (47). This relation indicates that if we may choose the origin of the incom mensurate system so that the phase of the order parameter at the origin of a unit cell is arbitrarily close to zero. When this phase is zero, the spin distribution of this irrep has inversion symmetry relative to this origin. In the case when only a single irrep is active, this symmetry then indicates that the magnetic structure can not induce a spontaneous polarization.⁴ A smentioned, in the high temperature incommensurate phases of NVO, TMO, and MWO only one irrep is present, and this argument indicates that the magneto-electric interaction vanishes in agreement with the experimental observation^{2,4,40} that this phase is not ferroelectric.

W e now turn to the general case when one or more irreps are present. W e write the magneto-electric interaction as

$$F_{int} = \frac{1}{2} \begin{array}{c} X \\ P \\ 0 \end{array} P \left[A \\ 0 \end{array} \right] \left[(q) \\ (q) \\ + A \\ 0 \end{array} \right] \left[(q) \\ (q) \\$$

For this to yield a realvalue of F we must have Herm iticity: A $\circ = A_{\circ}$. In addition, because this is an expansion relative to the state in which all order parameters are zero, this interaction has to be inversion under all operations which leave this \vacuum " state invariant.^{22,23} In other words this interaction has to be invariant under inversion (which takes P into P). This condition, together with Eq. (47) indicates that A $\circ = A \circ$. This condition taken in conjunction with Herm iticity indicates that A \circ is pure in aginary. Thus

$$F_{int} = \frac{i}{2} \begin{bmatrix} X \\ P & r & 0 \end{bmatrix} \begin{bmatrix} (q) & 0 & (q) \end{bmatrix}$$

$$(q) & 0 & (q) \end{bmatrix} :$$

$$(145)$$

Since usually we have only two di erenet irreps, we write this as

$$F_{int} = rP_{> <} sin(_> <)$$
: (146)

where r is real. The fact that the result vanishes when the two waves are in phase is clear because in that case one can nd a common origin for both irreps about which one has inversion symmetry. In that special case one has inversion symmetry and no spontaneous polarization can be induced by magnetism. The above argument applies to all three systems, NVO,⁴ TMO,³ and MWO. As we will see in a moment, it is still possible for inversion symmetry to be broken and yet induced ferroelectricity not be allowed.

We can also deduce the direction of the spontaneous polarization by using the transform ation properties of the order parameters. given in Eq. (46). We start by analyzing the experimentally relevant cases at low or zero applied magnetic eld. For NVO the magnetism in the low ertem perature incom mensurate phase is described^{6,33} by the two irreps $_4$ and $_1$. One sees from Eq. (46) that the product $_1$ $_4$ is even under m_z and odd under 2_x . For the interaction to be an invariant, P

has to transform this way also. This implies that only the b-component of the spontaneous polarization can be nonzero, as observed.⁴ For TMO the lower temperature incommensurate phase at low magnetic eld is described by irreps 3 and 2. From Table X II we see that 3 2 is even under m_x and odd under m_z, which indicates that P has to be even under m_x and odd under m_z. This can only happen if P lies along the c direction, as observed.²

Finally, for MWO, we see that 1_2 is odd under m_v . This indicates that P also has to be odd under m_v . In other words P can only be oriented along the b direction, again as observed.⁴⁰ In this connection one should note that this conclusion is a result of crystal symmetry, assuming that the magnetic structure results from two continuous transitions, so that representation theory is relevant. This conclusion is at variance with the argum ent given by Heyer et al.56 who \expect a polarization in the plane spanned by the easy axis and the b axis ...," which they justify on the basis of the spiralm odel.^{12,13} It should be noted that their observation that the spontaneous polarization has a nonzero com ponent along the a-axis at zero applied magnetic eld contradicts the symmetry analysis given here. The authorsm ention that som e of the unexpected behavior they observe m ight possibly be attributed to a sm all content of in purities.

It is important to realize that the above results are a consequence of crystal symmetry. In view of that, it is not sensible to claim that the fact that a theory gives the result that the polarization lies along b makes it more plausible than some competing theory. The point is that any model, if analyzed correctly, must give the correct orientation for P.

It is also worth noting that this phenom enology has some sem iquantitative predictions. To see this, we minimize $F_{non}\,+\,F_{int}$ with respect to P to get

$$P = E; r > c \sin(c > c)$$
: (147)

This result indicates that near the magneto-ferroelectric phase transition of NVO one has P / $_{4-1}$,⁵⁷ or since the high-tem perature order parameter $_{4}$ is more or less saturated when the ferroelectric phase is entered, one has P / $_{1}$, where $_{1}$ is the order parameter of the lower tem perature incommensurate phase.

A swe discussed, in the low temperature incommensurate phase one will have arbitrary signs of the two order parameters. However, the presence of a smll electric

eld will favor one particular sign of the polarization and hence, by Eq. (147) one particular sign for the product $_{> <}$. P resum ably this could be tested by a neutron di raction experiment.

C. TM 025

The case of TM 025 is som ewhat di erent. Here we have only a single irrep. One expects that as the tem perature is low ered, ordering into an incom mensurate state

D. CFO

A gain we start with the fam iliar magneto-electric interaction

$$F_{int} = \begin{array}{c} X \\ A_{nm} \\ nm \end{array} P ; \qquad (151)$$

where reality in plies that $A_{nm} = A_{mn}$. Since we have $I_n = {}_n$, we eliminate terms with n = m: we need two irreps for ferroelectricity. Indeed, the higher tem – perature phase with a single order parameter ${}_1$ is not ferroelectric.⁹ Thus the magnetoelectric interaction must be of the form

$$F_{int} = a_{12} + a_{12} P :$$
 (152)

Inversion symmetry indicates that a = a, so we write

$$F_{int} = i \qquad r [1 _{2} 1 _{2}]P$$

= 2 r 1 _{2} sin(_{2} 1)P ; (153)

where r is real. Now use Eq. (129) which gives that $_{1\ 2}$ changes sign under 2_x . So for the interaction to be invariant under 2_x (as it must be), P has to be odd under 2_x . This means that P has to be perpendicular to the x axis. Note that symmetry does not force P to lie along the three-fold axis because the orientation of the incom mensurate wavevector has broken the three-fold symmetry.

In the above analysis we did not mention the fact that the existence of the ferroelectric phase rquires a magnetic

eld of about 8-10T oriented along the three-fold axis. In principle one should expand the free energy in powers of H. Then presumably as a function of H one reaches a regime where st one incommensurate phase orders and then at a low ertem perature the second incom m ensurate order param eter appears. Then the phenom enology of the trilinear magnetoelectric interaction would come into play as analyzed above. There is one additional point which merits attention. Namely, q could assume a symmetry-related value obtained by one or two threefold rotations about the c axis. In the absence of any external perturbation to break the three-fold symmetry, the system would spontaneously break symmetry by arbitrarily selecting one of the wavevectors in the star. How ever, it is interesting to speculate whether the application of a weak in-plane magnetic (or electric) eld would be enough to enforce the selection of one of the wavevectors in the star. If this were so, then the transverse component of the polarization (which, how ever, m ight be sm all) would be rotated by the application of such a small extemal eld.

will take place, but the quadratic terms in the free energy do not select a direction in $_{1}$ - $_{2}$ space. At present the data has not been analyzed to say which direction is favored at temperature just below the highest ordering temperature. (For YM 025, as mentioned above, the direction $_{1}$ = 0 is favored.) As the temperature is reduced, it is not possible for another representation to appear because only one irrep is involved. How ever, ordering according to a second eigenvalue could occur. We

rst analyze the situation assuming that we have only a single doubly degenerate eigenvalue. In this case we can have a spin distribution [as given in Eq. (119)] involving the two order parameters $_1$ and $_2$ which measure the am plitude and phase of the ordering of the eigenvector of the second and third columns of Table XV I, respectively. In term s of these order parameters, the magneto-electric coupling can be written as

$$F_{int} = \begin{bmatrix} X \\ a_{nm} \\ nm \end{bmatrix} P ; \quad (148)$$

where = x;y;z and n;m = 1;2 label the columns of the irrep labeled $_1$ and $_2$, respectively, in Table XVI. Since reality requires that $a_{nm} = a_{mn}$, this interaction is of the form

Now use invariance under inversion, taking note of Eq. (120). One sees that under inversion $_{1}_{2}P$ changes sign, so the only term s which survive lead to the result

$$F_{int} = rP[j_1 f_j 2 f]:$$
 (150)

A swediscussed in connection with Eq. (137) we have two scenarios depending on whether B jCjin Eq. (136) is positive or negative. If it is positive, then only one order param eter is nonzero and we have a nonzero spontaneous polarization according to Eq. (150). In that case, using Eq. (120) we see that $[j_1 f_j^2 j_2 f_j^2]$ is even under m_x and odd under m $_{\rm y}$. For F $_{\rm int}$ to be invariant under inversion therefore requires that P be odd under m_y and even underm_x, so P has to be along b as is found.⁵⁸ In the other scenario, when B \mathcal{C} j is negative, then the right-hand side of Eq. (150) is zero and the state is not ferroelectric. For TM 025 we are probably in the ferroelectric scenario. Our analysis therefore suggests that the spin structure of TM 0 25 should be given by Eq. (119) with only one of the order param eters nonzero. It would be interesting to analyze the di raction data to test this assertion.

E. High Magnetic Field

We can also say a word or two about what happens when a magnetic eld is applied. In TMO, for instance, one nds that for applied magnetic elds above about 10T in either the a orb directions, the lower temperature incommensurate phase has a spontaneous polarization along the a axis. Keep in m ind that we want to identify this phase with two irreps and from the phase diagram we know that the higher temperature incommensurate phase is maintained into this high eld regime. So the higher temperature phase is still that of $_3$ at these high

elds. Referring to Table X II we see that to get m_n to be odd under m_x and even under m_z (in order to get a polarization along the a axis) we can only combine irrep $_1$ with the assumed preexisting $_3$. Therefore it is clear that the magnetic structure has to change at the same time that direction of spontaneous polarization changes as a function of applied magnetic eld^{7,13} It is also interesting, in this connection to speculate on what happens if the lower additional irrep had been $_4$ so that $_4$ and $_3$ would coexist. In that case $_4$ $_3$ is odd under both m_x and m_z . These conditions are not consistent with any direction of polarization, so in this hypothetical case, even though we have two irreps and break inversion symmetry, a polar vector (such as the spontaneous polarization) is not allowed.⁶³

For MWO a magnetic eld along the b axis of about 10T causes the spontaneous polarization to switch its direction from along the b-axis to along the a axis.⁴⁰ W e have no phenom enological explanation of this behavior at present. This behavior seem s to imply that the wavevector for H > 10T is no longer of the form $q = (q_x; \frac{1}{2}; q_z)$.

F. D iscussion

W hat is to be learned from the symmetry analysis of the magnetoelectric interactions? Perhaps the most in – portant point to keep in m ind is to recognize which results are purely a result of crystal symmetry and which are m odel dependent. For instance, as we have seen, the direction of the spontaneous polarization is usually a result of crystal symmetry. So the fact that a m icroscopic theory leads to the observed direction of the polarization does not lend credence to one model as opposed to another. In a sem iquantitative vein, one can say that sym – metry alone predicts that near the combined magnetoelectric phase transition P will be approximately proportional to the order parameter raised to the nth power, where the value of n is a result of symmetry. (n = 1 for NVO or TMO, whereas n = 2 for TMO 25).

It also goes without saying that our phenom enological results are supposed to apply generally, independently of what m icroscopic m echanism m ight be operative for the system in question. (A number of such m icroscopic calculations have appeared recently.^{12,59,60,61,62}) Therefore, we treat YM 0.25 and NVO with the same m ethod-

ology although these systems are said¹⁰ to have di erent m icroscopic m echanism s. A popular phenom enological description is that given by Mostovoy¹³ based on a continuum formulation. However, this development, although appealing in its simplicity, does not correctly capture the sym m etry of several system s because it com pletely ignores the e ect of the di erent possible sym m etries within the magnetic unit cell.63 Furtherm ore, it does not apply to multiferroic system s, such as TM 025 or YM 025, in which the plane of rotation of the spins is perpendicular to the wavevector.¹¹ (The spin-current model¹² also does not explain ferroelectricity in these system s.) In addition, a big advantage of the symmetry analysis presented here concerns sm all perturbations. W hile the structure of NVO and TMO is predom inantly a spiral in the ferroelectric phase, one can speculate on whether there are small spiral-like components in the nonferroelectric phase. In other words, could sm all transverse components lead to a small (maybe too small for current experim ents to see) spontaneous polarization? If we take into account the small magnetic moments induced on the oxygen ions, could these lead to a small spontaneous polarization in an otherw ise nonferroelectric phase? The answer to these questions is obvious within a symmetry analysis like that we have given: these induced e ects still are governed by the symmetry of the phase which can only be lowered by a spontaneous sym metry breaking (which we only expect if we cross a phase boundary). Therefore all such possible induced e ects are taken into account by our symmetry analysis.

Finally, we note that the form of the magneto-electric interaction $\,$ M 2P suggests a microscopic mechanism that has general validity, although it is not necessarily the dom inant mechanism . This observation stimulated an investigation of the spin phonon interaction one obtains by considering the exchange H am ilton

$$H = \int_{ij}^{A} J (i;j) S (i) S (j)$$
(154)

when J (i; j) is expanded to linear order in phonon displacements.⁵⁹ A fter some algebra it was shown that the results for the direction of the induced spontaneous polarization (when the spins are ordered appropriately) agrees with the results of the symmetry arguments used here. In addition a rst-principles calculation of the phonon modes led to plausible guesses as to which phonon modes play the key role in the magneto-electric coupling. But whatever the microscopic model, the phenom enology presented here should apply.

V. CONCLUSION

In this paper we have shown in detail how one can describe the sym m etry of m agnetic and m agneto-electric phenom ena and have illustrated the technique by discussing several examples recently considered in the literature.

The principal results of this work are

We discussed a method alternative to the traditional one (called representation analysis) for constructing allowed spin functions which describe incommensuratem agnetic ordering. In many cases this technique can be especially simple and does not require an understanding of group theory.

For systems with a center of inversion symmetry, whether the simple method mentioned above or the more traditional traditional representation form alism is used, it is essential to further include the restrictions imposed by inversion symmetry, as we pointed out previously.^{3,4,5,6,7}

We have illustrated this technique by applying it to system atize the magnetic structure analysis of several multiferroics many of which had not been analyzed using inversion symmetry.

By considering several examples of multiferroics we further illustrated the general applicability of the trilinearm agneto-electric coupling of the form M (q)M (q)P, where M (q) is the magnetization at wavevector q and P is the uniform spontaneous polarization. U sually, when expressed in terms of order parameters, this interaction requires two active irreducible representations.

For TbM n_2O_5 we analyzed the fourth order terms s in the Landau expansion and predict that the fact that the system m agnetically orders into a ferroelectric phase indicates that the spin state is described by a single order parameter according to Eq. (119). The analysis of the di raction data to test this assertion has not yet been done.

We brie y discussed the implications of symmetry in assessing the role of various models proposed for multi-ferroics.

ACKNOW LEDGEMENTS

I acknow ledge inspiration and advice from M .K enzelm ann who carried out several of the group theoretical calculations presented here. It should be obvious that this paper owes much to m y other collaborators, especially G . Lawes, T .Y ildirim, A .A harony, O .Entin-W ohlm an, C . B roholm, and A .R am irez. I thank S.H . Lee for providing m e with the gure of T bM n_2O_5 and for insisting that I clarify various arguments. I thank J.V illain for calling m y attention to some of the history of representation theory.

APPENDIX A:FORM OF EIGENVECTOR

In this appendix we show that the matrix G of the form of Eq. (83) [and this includes as a subcase the form of Eq. (80)] has eigenvectors of the form given in Eq.

We nd that

ц	¹ G U :	=					2
Z	а	b	с	p0	p ₂₀₀	p _ 0	$p_{\frac{1}{2}00}$ 3
6	b	d	e	p_0	p0	$p_{\frac{1}{2}}$	р <u>2</u> 00 Д
6	с	е	f	p ₂₀	p ₂₀₀	p _ 0	$\frac{p}{2}$ $\frac{7}{2}$
é	p_0	p_0	p ₂₀	g + 0	00	° + °	⁰⁰ (2,2);
Ğ	p ₂₀₀	p ₂₀₀	p ₂₀₀	00	g ⁰	00 00	• • Ź
4	p_0	p _ 0	p_0	0 + 0	00 00	h + 0	00 S
	p _ 00	p ₂₀₀	$\begin{array}{c} e \\ p \frac{f}{2} \\ 0 \end{array}$	00 00	0 0	00	h ⁰

where 0 and 00 are the real and in aginary parts, respectively of and similarly for the other complex variables. Note that we have transform ed the original matrix into a real sym metric matrix. A ny eigenvector (which we denote \Re i) of the transform ed matrix has real-valued components and thus satis es the equation

from which it follows that

ť

$$[G]U\mathcal{F}i = {}_{R}U\mathcal{F}i; \qquad (A4)$$

so that any eigenvector of G is of the form U Ri, where all components of Ri are real. If Ri has components r1;r2;:::r7, then

$$U \Re i = [r1; r2; r3; (r_4 + ir_5) = \frac{p}{2}; (r_4 - ir_5) = \frac{p}{2}; (r_6 + ir_7) = \frac{p}{2}; (r_6 - ir_7) = \frac{p}{2}]; \quad (A5)$$

which has the form asserted.

APPENDIX B: IRREPS FOR TM 025

In this appendix we give the representation analysis for T bM n_2O_5 for wavevectors of the form $(\frac{1}{2};0;q)$, where q has a nonspecial value. The operators we consider are E, m_x, m_y and m_xm_y, as de ned in Table X III. Note that m_y^2 (x;y;z) = (x + 1;y;z), so that m_y^2 = 1 for this wavevector. Thus, the above set of four operators do not actually form a group. A coordingly we consider the double group which follows by introducing E de ned by m_y^2 = E, (E)² = E, and (E)O (E) = O. Since addition has no meaning within a group we do not discuss additive properties such as (E) + (E) = 0. Then, if we de ne O (E)O, we have the character table given in Table X IX.

Im	ep	Е	m _x	m y	m _x m _y	Е
â	μ	1	1	1	1	1
1	b	1	-1	1	-1	1
	с	1	1	-1	-1	1
0	d	1	-1	-1	1	1
2	2	2	0	0	0	-2
G		n	0	0	0	n

TABLE X IX: Character table for the double group of the wavevector. In the 1st line we list the ve classes of operators for this group. In the last line we indicate the characters for the group G which is induced by the n-dimensional reducible representation in the space of the spin component of spins in a given W ycko orbit.

Spin	1	2	Spin	1	2
S(q;1)	r_{1x}	r _{2x}		r _{6x}	r_{6x}
	r _{1y}	r _{2y}	S(q;7)	r _{6y}	r _{6y}
	r _{lz}	r _{2z}		r _{6z}	r _{6z}
S (q ; 2)	r _{2x}	r _{1x}		r _{6x}	r _{6x}
	r _{2y}	r _{1y}	S(q;8)	r _{6y}	r _{6y}
	r _{2z}	r _{1z}		r _{6z}	r _{6z}
S (q;3)	r_{1x}	r _{2x}	S (q ; 9)	r_{3x}	r _{4x}
	r _{1y}	r _{2y}		r _{3y}	r _{4y}
	r _{lz}	r _{2z}		r_{3z}	r _{4z}
S (q;4)	r _{2x}	r_{1x}		r _{4x}	r _{3x}
	r _{2y}	r _{1y}	S(q;10)	r _{4y}	r _{3y}
	r _{2z}	r _{1z}		r _{4z}	r _{3z}
S (q;5)	r_{5x}	r_{5x}		r_{3x}	r _{4x}
	r _{5y}	r _{5y}	S(q;11)	r _{3y}	r _{4y}
	r _{5z}	r _{5z}		r_{3z}	r _{4z}
S (q ; 6)	r_{5x}	r _{5x}		r _{4x}	r_{3x}
	r_{5y}	r _{5y}	S(q;12)	r _{4y}	r _{3y}
	r _{5z}	r _{5z}		r _{4z}	r _{3z}

TABLE XX: Spin functions (i. e. unit cell Fourier coe cients) determ ined by standard representation analysis without invoking sym metry operations that relate q and q. The second and third columns give the functions which transform according to the rst and second column of the two dimensional irrep. These coe cients are all complex parameters.

The M n⁴⁺ W ycko orbits contain two atoms and all the other orbits contain four atoms. In either case we may consider separately an orbit and a single component, x, y, or z of spin. So the corresponding spin functions form a basis set of n vectors, where n = 2 for the single spin components of M n⁴⁺ and n = 4, otherwise. In each case, the operations involving m_x and/or m_y interchange sites and therefore have zero diagonal elements. Their character, which is their trace within this space of n vectors is therefore zero. On the other hand E and

E give diagonal elements of +1 and 1, respectively. So their character (or trace) is n and we have the last line of the table for this reducible representation G.

In this character table we also list (in the last line) the characters of these operations within the vector space of wavefunctions of a given spin component over a Wycko orbit of n sites. Comparing this last line of the table to the character of the irrepswe see that G contains only the irrep $_2$ and it contains this irrep n=2 times. This means that for the system of three spin components over 12 sites, we have 36 com plex com ponents and these function generate a reducible representation which contains 2 18 times. If there were no other symmetries to consider, this result would imply that to determ ine the structure one would have to x the 18 com plex-valued param eters. The two dimensional representation can be realized by Eq. (121). The basis vectors which transform as the rst and second columns, respectively of the two dimensional representation are given in Table XX. One can check the entries of this table by verifying that the e ect of m_x and m_v on the vectors of this table are in conform ity with Eq. (121).

However, after taking account of inversion sym m etry we have only 18 real-valued structural param eters of Table XVI to determ ine.

- ¹ M.Fiebig, J.Phys.D: Appl.Phys. 38, R123 (2005).
- ² T.Kimura, T.Goto, H.Shintani, K.Ishizka, T.Arima, and Y.Tokura, Nature 426, 55 (2003).
- ³ M.Kenzelm ann, A.B.Harris, S.Jonas, C.Broholm, J. Schafer, S.B.Kim, C.L.Zhang, S.W. Cheong, O.Vajk, and J.W.Lynn, Phys. Rev. Lett. 95, 087206 (2005).
- ⁴ G.Lawes, A.B.Harris, T.K in ura, N.Rogado, R.J.Cava, A.Aharony, O.Entin-Wohlman, T.Yildirim, M.Kenzelmann, C.Broholm, and A.P.Ram irez, Phys.Rev.Lett. 95,087205 (2005)
- ⁵ A.B.Harris, J.Appl.Phys. 99, 08E 303 (2006).
- ⁶ M. Kenzelm ann, A. B. Harris, A. Aharony, O. Entin-Wohlm an, T.Yildirim, Q. Huang, S. Park, G. Lawes, C. Broholm, N. Rogado, R. J. Cava, K. H. Kim, G. Jorge, and A.P. Ram irez, Phys. Rev. B 74, 014429 (2006).
- ⁷ A.B.Harris and G.Lawes, "Ferroelectricity in Incommensurate Magnets," in "The Handbook of Magnetism and Advanced Magnetic Materials," Ed.H.K ronmuller and S. Parkin, Wiley 2006.cond-mat/0508617.
- ⁸ T.Goto, T.Kimura, G.Lawes, A.P.Ramirez, and Y.

Tokura, Phys. Rev. Lett. 92, 257201 (2004).

- ⁹ T.K in ura, J.C.Lashley, and A.P.R am irez, Phys.Rev. B 73, 220401 (R) (2006).
- ¹⁰ L.C.Chapon, G.R.Blake, M.J.Guttmann, S.Park, N. Hur, P.G.Radaelli, and S.-W. Cheong, Phys. Rev. Lett. 93, 177402 (2004).
- ¹¹ L.C.Chapon, P.G.Radaelli, G.R.Blake, S.Park, and S.W.Cheong, Phys. Rev. Lett. 96, 097601 (2006).
- ¹² H.Katsura, N.Nagaosa, and A.V.Balatsky, Phys.Rev. Lett. 95 057205 (2005).
- ¹³ M .M ostovoy, Phys. Rev. Lett. 96, 067601 (2006).
- ¹⁴ G.A.Smolenskii and I.E.Chupis, Sov.Phys.Usp. 25, 475 (1982).
- ¹⁵ B.Domer, J.Axe, and G.Shirane, Phys. Rev. B 6, 1950 (1972).
- $^{16}\,$ R . A . C ow key, A dvances in Physics 29, 1 (1980).
- ¹⁷ J. Schweizer, C. R. Physique 6, 375 (2005). Erratum, to be published in C. R. Physique.
- ¹⁸ P.G.Radaelli and L.C.Chapon, cond-m at 0609087.
- ¹⁹ J.V illain, J.Schweizer, and A.B.H arris, to be published.
 ²⁰ For orthorhom bic crystals we will interchangeably refer to axes as either x, y, z, or a, b.c.
- ²¹ T. Nagam iya, in Solid State Physics, ed. F. Seitz and D. Tumbull (A cadem ic, New York, 1967), Vol. 20, p346.
- ²² I.E.Dzialoshinskii, Sov.Phys.JETP 5, 1259 (1957).
- ²³ L.D. Landau and E.M. Lifshitz, Statistical Physics (Pergam on, London, 1958).
- ²⁴ K.D.Bowers and J.Owen, Rep. Prg. Phys. 1, 304 (1955).
- ²⁵ E.F.Bertaut, Journal de Physique, Colloque C1, 32 462 (1971).
- $^{\rm 26}$ J.Schweizer, J.Phys.IV , 11 (2001) Pr9.
- ²⁷ J. Rossat-M ignod, in M ethods of Experim ental Physics, Chap. 20: M agnetic Structures, ed. K. Skold and D. L. Price, Vol. 23, p69 (A cadem ic Press, 1987).
- ²⁸ A.J.C.W ilson, International Tables for Crystallography (K luwer A cadem ic, D ordrecht, 1995) Vol.A.
- ²⁹ C oordinates of positions within the unit cell are given as fractions of the appropriate lattice constants.
- ³⁰ E.E. Sauerbrei, F.Faggiani, and C.Calvo, Acta Crystallogr. B 29 2304 (1973).
- 31 O flen these sym metry operations are labeled h_n , referring Refs. 28 or 32. Rather than use these symbols with no m nem onic value, we introduce the notation m for a mirror (or glide) plane which changes the sign of the coordinate and 2 for a two-fold rotation (or screw) axis parallel to the direction.
- ³² O.V.Kovalev, Representations of Crystallographic Space Groups: Irreducible Representations, Induced representations and Corepresentations (Gordon and Breahc, Amsterdam, 1993).
- ³³ G Lawes, M. Kenzelmann, N. Rogado, K. H. Kim, G. Jorge, R. J. Cava, A. Aharony, O. Entin-W ohlman, A. B. Harris, T. Yildirim, Q. Z. Huang, S. Park, C. Broholm, and A. P. Ram irez, Phys. Rev. Lett. 93, 247201 (2004).
- ³⁴ W e use the convention that \$\overline{q}\$ denotes a wavevector in reciprocal lattice units (rlu) so that \$\overline{k}\$ in real units is 2 \$\overline{k}\$ =a. W hen \$\overline{q}\$ is multiplied by a distance obviously one has to either take \$\overline{q}\$ in real units or take distances in inverse rlu's.
- ³⁵ A.B.Harris and J.Schweizer, Phys.Rev.B 74 ppp (2006).
- ³⁶ The fourth order term s can also renorm alize the quadratic term s, especially if one is far from the critical point. But

asymptotically close to the transition this e ect is negligible.

- ³⁷ H.Kawamura, Phys.Rev.B 38, 4916 (1988).
- ³⁸ A.D.Bruce and A.A harony, Phys. Rev. B 11, 478 (1975).
- ³⁹ G.Lautenschlager, H.W eitzel, T.Vogt, R.Hock, A.Bohm, M.Bonnet, and H.Fuess, Phys. Rev. B 48, 6087 (1993).
- ⁴⁰ K. Taniguchi, N. Abe, T. Takenobu, Y. Iwasa, and T. Arim a, Phys. Rev. Lett. 97, 097203 (2006).
- ⁴¹ J. B lasco, C. R itter, J. G arcia, J. M. de Teresa, J. Perez-Cacho, and M. R. Ibarra, Phys. Rev. B 62, 5609 (2000).
- ⁴² R.Kajim oto, H.Yoshizawa, H.Shintani, T.Kim ura, and Y.Tokura, Phys. Rev. B 70 012401 (2004); 70, 219904 (E) (2004).
- ⁴³ Sym m etry constraints on lock-in is discussed by Y.Park, K.Cho, and H.-G.Kim, J.Appl.Phys.83, 4628 (1998).
- ⁴⁴ A. M unoz, J. A. A lonso, M. T. Casais, M. J. M artinez-Lope, J. L. M artinez, and M. T. Fernandez-D iaz, J. Phys. Condens. M atter 14, 3285 (2002).
- ⁴⁵ A. Munoz, M. T. Casais, J. A. Alonso, M. J. Martinez-Lope, J. L. Martinez, and M. T. Fernandez-Diaz, Inorg. Chem. 40, 1020 (2001).
- ⁴⁶ H.W. Brinks, J.Rodriguez-Carvajal, H.Fjellvag, A.Kjekshus, and B.C.Hauback, Phys. Rev. B 63, 094411 (2001).
- ⁴⁷ G.Buisson, Phys. Stat. Sol. 16, 533 (1973).
- ⁴⁸ G.Buisson, Phys. Stat. Sol. 17, 191 (1973).
- ⁴⁹ G.R.Blake, L.C.Chapon, P.G.Radaelli, S.Park N.Hur, S.W. Cheong, and J.Rodriguez-Carvajal, Phys.Rev.B 71, 214402 (2005).
- ⁵⁰ V.Heine, Group Theory in Quantum Mechanics, (Pergamon, New York, 1960) p284. For an example, see A.J. Berlinsky and C.F.Coll, III, Phys. Rev. B 5, 1587 (1972).
- ⁵¹ S.M itsuda, H.Yoshizawa, N.Yam aguchi, and M.Mekata, J.Phys.Soc.Jpn.60, 1885 (1991).
- ⁵² W hen we \ x" the phase of a variable, it means that the variable is of the form reⁱ, where r is real, but not necessarily positive.
- ⁵³ C. T. P rew itt, R. D. Shannon, and D. B. Rogers, Inorg. Chem. 10, 791 (1971).
- ⁵⁴ T.Kaplan, Phil.Mag., in press.
- ⁵⁵ D. Frohlich, St Leute, V. V. Pavlov, and R. V. Pisarev, Phys. Rev. Lett. 81, 3239 (1998).
- ⁵⁶ O.Heyer, N.Hollm ann, I.K lassen, S. Jodlauk, L.Bohaty, P.Becker, J.A. Mydosh, T. Lorenz, and D. Khom skii, cond-m at/0608498.
- ⁵⁷ It is true that the coe cient r can depend on tem perature and it would be of the form r (T) r (T_c) + r₁ (T T_c). There is no reason to think that r (T_c) would be unusually sm all, and we therefore have the desired result as long as we are not far from the critical tem perature, T_c.
- ⁵⁸ I. Kagom iya, S. Matsum oto, K. Kohn, Y. Fukuda, T. Shoubu, H. Kim ura, Y. Noda, and N. Ikeda, Ferroelectrics 286, 167 (2003.
- ⁵⁹ A. B, Harris, T. Yildirim, A. Aharony, and O. Entin-W ohlm an, Phys. Rev. B 73 184433 (2006).
- ⁶⁰ I.A. Sergienko and E.D agotto, Phys. Rev. B 73, 094434 (2006).
- ⁶¹ I. A. Sergienko, C. Sen, and E. Dagotto, condmat/0608075.
- ⁶² D.I.Khom skii, J.M agn.M agn.M at. (2004).
- ⁶³ M.Kenzelm ann and A.B.Harris, to be published.