Luttinger Liquid Instability in the One D im ensional t-J M odel

C.Stephen Hellberg and E.J.Mele

Department of Physics, University of Pennsylvania, Philadelphia, PA 19104-6396 (February 25, 1993)

Abstract

We study the t-J m odel in one dimension by numerically projecting the true ground state from a Luttinger liquid trial wave function. We not the m odel exhibits Luttinger liquid behavior for m ost of the phase diagram in which interaction strength and density are varied. However at small densities and high interaction strengths a new phase with a gap to spin excitations and enhanced superconducting correlations is found. We show this phase is a Luther-Em ery liquid and study its correlation functions. 71.10 + x, 71.45 G m, 74.20 - z

Typeset using REVT_EX

The t-J m odel was proposed to describe the dynam ics of holes doped into a M ott insulating state [1{3]. Even in one dimension, determining the complete phase diagram for this apparently simple m odel has proven to be quite formidable, and the ground state structure turns out to be far richer than initially suspected. In this paper we combine a variational approach with an exact ground state projection method to study the properties of this m odel.

The Ham iltonian for the t-J m odel in one dimension can be written in the subspace of no doubly occupied sites as

$$H = t_{i}^{X} (C_{i+1}^{Y} C_{i+1} + C_{i+1}^{Y} C_{i}) + J_{i}^{X} (S_{i} S_{i+1} - \frac{1}{4}n_{i}n_{i+1}):$$
(1)

The model has been solved exactly only for J ! 0, where it is equivalent to the U ! 1Hubbard model, and J = 2t [4,5]. In both cases the ground state at arbitrary density belongs to a broad class of interacting Ferm i systems known as Luttinger liquids, which exhibit power law decay of correlation functions with exponents characterized by a single parameter [6{8]. A dditionally, for very large J=t the attractive H eisenberg interaction term in (1) dominates the kinetic energy and the model phase separates.

To obtain the rest of phase diagram of the t-J m odel, several num erical approaches have been used. For example, O gata, et. al. [9] have exactly diagonalized this H am iltonian on a 16 site ring and nd the m odel behaves as a Luttinger liquid for all values of J=t below a critical value at which phase separation occurs. They hypothesized that a third phase of bound singlet pairs m ay separate the other phases at very low density but were unable to resolve this phase with such sm all system sizes.

In this paper we employ a Luttinger liquid variational wave function to approximate the ground state of the one dimensional t-J model [10{13} and then use a numerical projection technique to extract the true ground state from this trial state. With these methods, we can accurately investigate much larger systems than attainable by previous techniques. We con m that the t-J model has a Luttinger liquid ground state form ost of its uniform density phase diagram, and in this region the ground state is well described by the trial state. At

small densities, however, we nd a third phase separating the Luttinger liquid and phase separated states. This phase behaves as a Luther-Emery liquid, exhibiting a gap to spin excitations and enhanced superconducting correlations.

In previous work [12] we studied the ground state with a Luttinger liquid trial state written in the subspace of no doubly occupied sites as a Jastrow Slater wave function

$$= \int_{i(2)$$

where S $(r_i) = D et[e^{ik_j r_i}]$ is a Slater determ inant of single particle plane wave states and $d_{ij} = sin((r_i r_j)=L)$ for a system of size L. The Jastrow factor $Q_{i<j}$ jd_{ij} j in (2) modulates the wave function by the distance between all pairs of particles raised to the power , taken as a single variational parameter. Positive values of induce a smooth correlation hole between all particles, while negative values provide an attractive correlation competing with the Pauli repulsion. For < 1=2 this attraction overcom es the statistical repulsion, and phase separation occurs. The long range nature of this Jastrow factor generates the Luttinger liquid behavior of the wave function [13,14]. This wave function has been considered in two dimensions where it also exhibits an algebraic singularity at the Ferm i surface [15,16].

Applying (2) to the t-J m odel one nds the optim um value of the variational parameter varies continuously with interaction strength and density over m ost of the phase diagram prior to the critical J=t for phase separation. However, at small densities we found a third region separating the Luttinger liquid and phase separated states where the optim ized parameter is pinned at the critical state = 1=2. At this point the m any body system in the trial subspace has in nite com pressibility, which physically cannot extend for a range of interaction strengths. One concludes that the true ground state here likely lies far from our variational subspace. W e would like a system atic way of both checking the accuracy of the trial state where we think it is doing well and determ ining the exact ground state in this third region.

In this work, we start with the optimized trial state (2) and project it onto the exact ground state numerically [17{20]. A series of increasingly accurate approximants to the

ground state is generated by $jn = (H \ W)^p j$ i were H is the Ham iltonian and W is a numerical constant. These states approach the true ground state for large p provided $f_0 \ W j > f_i \ W$ jfor all excited states E_i . For the t-J m odel with J > 0 we may choose W = 0. In principle thism ethod can be used to project any trial state not orthogonal to the ground state, but good initial states give faster convergence and smaller statistical errors.

To evaluate ground state expectation values of an arbitrary operator, we calculate

$$hO_{p}i = \frac{hpjD_{p}jn}{hpjn} = \frac{h_{p}jH_{p}POH_{p}j_{i}}{h_{p}jH_{p}^{2p}j_{i}}$$
(3)

and take the large p lim it. For su ciently large powers, the scaling of (3) is dominated by the contribution from the rst excited state overlapping the trial state. Thus we can write

$$hE_{p}i = E_{0} + exp(2p) +$$
 (4)

with exp() = \mathbf{E}_1 W $\mathbf{j} \mathbf{E}_0$ W j. An operator not commuting with the Ham iltonian has an additional cross term :

$$hO_{p}i = O_{0} + _{1} \exp(p) + _{2} \exp(2p) +$$
 (5)

We use the convergence of the energy (4) to x, and then use (5) to determ ine the ground state values of the rest of the observables.

Traditionally (3) has been calculated using a hybrid of two num erical techniques. First the trial wave function is sampled with Variational M onte C arlo to give an ensemble of con gurations j i [3,21,22]. Then for each j i the product H ^p is sampled stochastically using a method similar to the N eum ann U lam matrix method [23]. The products are sand-wiched to evaluate hH ^pO H ^pi or the norm alization hH ^{2p}i. This approach throws away much inform ation, speci cally the details of the interm ediate states in the evaluation of each H ^p.

We developed a much more e cient algorithm for evaluating (3) by combining the two operations. In usual Variational M onte Carlo a new con guration j i is chosen from a previous con guration j i with probability

$$P_{!}^{VMC} = m in 1; --- 2!$$
 (6)

A fler m any transitions, this leads to a distribution of con gurations proportional to $j = \hat{f}$. If new con gurations are instead chosen with the probability

$$P_{!} = \frac{1}{z} - H$$
(7)

with

$$z = \sum_{0}^{X} - H_{0}$$
 (8)

the distribution for a con guration j i approaches j 2 =z j. This method of generating new con gurations is the same used to evaluate the products H p , so the operations can be combined.

The algorithm in proves on the traditional approach in two ways. When evaluating a diagonal expectation value, such as $\ln(r)n(0)i \operatorname{or} hS_z(r)S_z(0)i$, our method evaluates a new $h \quad jH \ ^pOH \ ^pj$ i at every step of the random walk, so calculations of diment powers p require the same amount of time. Additionally, for any expectation value, an arbitrary number of diment values of p m ay be calculated in parallel. The only disadvantage of our approach is that ergodicity is violated as $J \ 0$, and the old method must be used in this limit. Both methods over an improvement to G means Function M onte C arb in that exact correlation functions can be calculated [24]. Since statistical errors grow with increasing p, we generally chose the maximum power to be 10 times the system size.

The phase diagram of the t-J m odel determ ined by our projection technique is shown in Fig. 1. We see that three distinct phase occur. For small J=t, the ground state is a Luttinger liquid with spin correlations dom inating the long range behavior. Increasing J suppresses these correlations, and the ground state passes through the Ferm i liquid point of the Luttinger liquid spectrum at the dashed line. Above this line the Luttinger liquid has dom inant singlet pairing correlations, and for very large J=t the ground state is phase separated [9,12,25,26]. A swill be reported in detail elsewhere, in the Luttinger liquid regim e the trial state (2) approxim ates the exact ground state very well.

In this work we see clear evidence of a new Luther-Em ery liquid phase (labeled \Spin G ap") separating the Luttinger liquid and phase separated states at sm all densities [27,8].

Unlike all Luttinger states, this new phase exhibits short range spin correlations, and thus a gap to spin excitations, while both charge and singlet pair correlations decay algebraically. Physically one can view the Luther-Em ery liquid as a translationally invariant coherent quantum uid of bound singlet pairs. The pairs are correlated and can be treated at a simple level as an interacting uid of hard core bosons.

Luther-Em ery states have been observed in diluted spin models that exhibit gaps in the saturated state, such as the t-J model with Ising anisotropy [28] or the next nearest neighbor t-J model [29]. Additionally this phase is present in the t-J-V model at quarter lling [30]. This work provides the clearest evidence to date of the spontaneous form ation of a Luther-Em ery state by doping a gapless parent state.

A sample spin correlation function in the Luther-Em ery phase is plotted in Fig. (2) with the correlation function obtained from the unprojected trial state shown for comparison. The variational function exhibits the linear behavior at small wave vectors characteristic of Luttinger liquids, while the exact function is quadratic at small k and analytic at all wave vectors, consistent with exponentially decaying spatial correlations. We calculate the boundary between the Luttinger and Luther-Em ery states by the crossover from linear to quadratic behavior at small wave vectors.

M ore de nitive evidence of Luther-Em ery behavior can be seen in the superconducting correlation function plotted in Fig. 3. The exponents of the correlations functions in both Luttinger and Luther-Em ery liquids that decay with power laws can be characterized by a single parameter K 0 [31,32]. The non-oscillatory part of singlet pair correlation function decays as

$$hb^{y}(\mathbf{r})b(0)i/r$$
 (9)

where $b(r) = \frac{1}{2} (c_{r"} c_{r+1\#} c_{r\#} c_{r+1"})$. For Luttinger liquids $L = 1 + K^{-1}$ while Luther-Em ery liquids have $L = K^{-1}$.

In Fig. 3, b(k) diverges logarithm ically with system size as $k \ 0$ in our trial wave function, which represents the strongest divergence possible in a Luttinger liquid state.

However, the true ground state in this region apparently exhibits a much stronger cusp [19].

Using a nite size scaling analysis of the divergence in b(k ! 0) in the projected state, we can determ ine the value of this exponent [25]. A plot of showing the transition from Luttinger to Luther-Em ery liquid behavior at density = 1=6 is shown in Fig. 4. In the Luttinger regime, is bounded from below by 1, but this bound is clearly violated as the Luther Em ery state is entered. A continuous variation of with J as found in this data would im ply a discontinuous jump in K .

It is interesting to note that non-interacting hard core bosons have = 1=2, so our singlet pairs have residual repulsive interactions for J < 2.65 in the Luther-Em ery state, while at higher J the hard core nature of the pairs competes with an elective attractive interaction [33]. The attraction from the H eisenberg term in (1) in this regime is strong enough to bind singlet pairs but still insulcient to cause m acroscopic phase separation.

Chen and Lee proposed a variational state for this region by G utzw iller projecting a sea of non-interacting bound singlet pairs [20]. Their wave function corresponds to a K = 1Luther-Em ery state, the critical point of the verge of phase separation which exhibits a m acroscopic super uid density. Their calculations of the boundaries of the spin gapped regim e agree rem arkably well with ours except at the boundary to phase separation, which they nd occurs at higher J=t. One m ay speculate that a potentially m ore accurate trial state could be generated by correlating the pairs with a Jastrow factor sim ilar to (2). This state would exhibit generalized Luther-Em ery behavior with arbitrary K .

In sum mary, we have investigated the ground state properties of the t-J m odel in one dimension using a numerical technique to project the exact ground state from a variational Luttinger Liquid trial state. We nd the model has a surprisingly rich phase diagram. At lower interaction strengths the variational wave function accurately describes the Luttinger liquid phase, and at very large J=t the model phase separates. However, one nds these phases are separated at low density by a Luther-Emery quantum dimer liquid phase with short range spin correlations and enhanced superconducting correlations.

We are grateful to T.K. Lee for valuable discussions. This work was supported by

7

National Science Foundation Grant No. DMR 90-08256.

REFERENCES

- [1] P.W. Anderson, Science 235, 1196 (1987).
- [2] F.C. Zhang and T.M. Rice, Phys. Rev. B 37, 3759 (1988).
- [3] C.Gros., R. Joynt, and T.M. Rice, Phys. Rev. B 36, 381 (1987).
- [4] M. Ogata and H. Shiba, Phys. Rev. B 41, 2326 (1990).
- [5] N.Kawakam iand S.K.Yang, Phys. Rev. Lett. 65, 2309 (1990).
- [6] J. Solyom, Adv. Phys. 28, 201 (1979).
- [7] F D M .Haldane, J.Phys. C.14, 2585 (1981); Phys. Rev. Lett. 45, 1358 (1980).
- [8] V.J. Emery, \Highly Conducting one-dimensional solids", edited by J.T. Devreese et. al., (Plenum, New York, 1979).
- [9] M. Ogata, M. J. Luchini, S. Sorella, and F. F. Assaad, Phys. Rev. Lett. 66, 2388 (1991).
- [10] C S. Hellberg and E J. Mele, Phys. Rev. B 44, 1360 (1991).
- [11] C S. Hellberg and E J. Mele, Int. J. M od. Phys. B 5, 1791 (1991).
- [12] C S. Hellberg and E J. Mele, Phys. Rev. Lett. 67, 2080 (1991).
- [13] C S. Hellberg and E J. M ele, Phys. Rev. Lett. 68, 3111 (1992).
- [14] N.Kawakamiand P.Horsch, Phys. Rev. Lett. 68, 3110 (1992).
- [15] R. Valent and C. Gros, Phys. Rev. Lett. 68, 2402 (1992); C. Gros and R. Valent, preprint.
- [16] P.W. Anderson, B.S. Shastry, and D. Hristopulos, Phys. Rev. B 40, 8939 (1989).
- [17] S. Liang, Phys. Rev. Lett. 64, 1597 (1990).
- [18] S. Liang, Phys. Rev. B 42, 6555 (1990).

- [19] Y.C. Chen and T.K. Lee, preprint.
- [20] Y.C. Chen and T.K. Lee, preprint.
- [21] C.Gros, Ann. Phys. (N.Y.) 189, 53 (1989).
- [22] D. Ceperley, G. V. Chester, and M. H. Kalos, Phys. Rev. B 16, 3081 (1977).
- [23] JW .Negele and H.Orland, \Quantum Many-Particle Systems" (Addison-Wesley, New York, 1987).
- [24] H.DeRaedt and W. von der Linden, in \The Monte Carlo Method in Condensed Matter Physics", edited by K.Binder (Springer-Verlag, Berlin, 1992).
- [25] F F.Assaad and D.W urtz, Phys.Rev.B 44, 2681 (1991).
- [26] W O.Putikka, M J.Luchini, and T M.Rice, Phys. Rev. Lett. 68, 538 (1992).
- [27] A.Luther and V.J.Emery, Phys. Rev. Lett., 33 589 (1974).
- [28] T. Pruschke and H. Shiba, Phys. Rev. B 44, 205 (1991).
- [29] M. Ogata, M. J. Luchini, and T. M. Rice, Phys. Rev. B 44, 12083 (1991).
- [30] M. Troyer, H. Tsunetsugu, T. M. Rice, J. Riera, and E. Dagotto, preprint.
- [31] H.J.Schulz, Phys. Rev. Lett. 64, 2831 (1990).
- [32] Y.Ren and P.W. Anderson, preprint 1990.
- [33] N.Kawakamiand S.-K.Yang, Phys. Rev. Lett. 67, 2493 (1991).

FIGURES

FIG.1. The phase diagram of the t-J m odel as determ ined in this paper. The Luther-Em ery state is the region labeled \Spin G ap". The dashed line indicates K = 1, the Ferm i liquid phase. Below this line the Luttinger liquid has dom inant antiferrom agnetic correlations, while above this line singlet pair correlations decay with the sm allest exponent. The phase separation boundary is determ ined by the divergence of n (k ! 0), the lower Luther-Em ery boundary by the behavior of S (k ! 0), and the Ferm i liquid line by S (k ! $2k_F$). All system s contained at least 100 sites and 10 electrons and holes, so phase boundaries cannot extent to the extrem e densities. The dotted lines are extrapolations.

FIG.2. The spin-spin correlation function for J=t=2:8 and density $n = \frac{1}{6}$. The optimized variational wave function has linear behavior at sm all wave vectors while the exact spin correlation turns on quadratically in k. The system contains 20 electrons on a 120 site lattice.

FIG.3. The singlet pair correlation function at J=t=2:8 and density $n = \frac{1}{6}$. The k = 0 cusp is greatly enhanced in the exact ground state. The system contains 10 electrons on 60 sites.

FIG.4. The scaling of the exponent of the k = 0 superconducting cusp with interaction strength at density $n = \frac{1}{6}$. The transition from Luttinger to Luther-Emery liquid states occurs at J=t 2:3 and the system phase separates at J=t 2:9. Luttinger liquids require 1, and non-interacting hard core bosons have $=\frac{1}{2}$.