# Addition Spectra of Quantum Dots in Strong Magnetic Fields

S.R. Eric Yang and A.H. MacDonald

Indiana University, Department of Physics, Bloomington IN 47405

#### M D . Johnson

Department of Physics, University of Central Florida, Orlando FL 32816-2385 (March 1, 2022)

## Abstract

We consider the magnetic eld dependence of the chemical potential for parabolically conned quantum dots in a strong magnetic eld. Approximate expressions based on the notion that the size of a dot is determined by a competition between connement and interaction energies are shown to be consistent with exact diagonalization studies for small quantum dots. Fine structure is present in the magnetic eld dependence which cannot be explained without a full many-body description and is associated with ground-state level crossings as a function of connement strength or Zeeman interaction strength. Some of this ne structure is associated with precursors of the bulk incompressible states responsible for the fractional quantum Halle ect.

Advances in nanofabrication technology have made it possible to realize articial systems in which electrons are conned to a small area within a two dimensional electron gas. Interest in these quantum dot' systems [1] has been enhanced as a result of recently developed techniques [2,3] which probe them spectroscopically. The quantity which is measured [4] in these experiments is the magnetic eld dependence of the addition spectrum,  $E_N^0$   $E_{N-1}^0$  where i.e., the energy to add one electron to a dot. This is given by  $_{
m N}$  $E_{\,\mathrm{N}}^{\,0}$  is the ground state energy of an N-electron dot. Addition spectrum measurements have generally been interpreted in terms of constant interaction'm odels in which electronelectron interactions within a quantum dot are accounted for by including a charging energy which is characterized by a xed self-capacitance; or, when this fails, by using Hartree or Hartree-Fock approximations. However, especially at strong magnetic elds, quantum dots can have strongly correlated [5,6] ground states, some of which are precursors of the bulk incom pressible states responsible for the fractional quantum Halle ect. In this regime a com plete interpretation of addition spectra measurements requires an exact treatment of the Coulombic electron-electron interactions.

In this Letter we report on numerical exact diagonalization calculations of the addition spectrum for quantum dots in a strong magnetic eld. We not that the addition spectrum has a surprisingly rich magnetic eld dependence, showing a large number of sharp features superimposed on a smooth background. The smooth background can be accounted for using a simple Hartree approximation. The sharp features are associated with energy-level crossings at xed N, offen between strongly correlated states. The role of the spin degree of freedom is non-trivial and is not in general consistent with expectations of exchange-enhanced spin-splitting based on the Hartree-Fock approximation. The constant interaction model fails qualitatively for strong magnetic elds.

We consider a system of electrons in two dimensions (2D) which are conned by a parabolic external potential [7], V (r) = m  $^2$ r $^2$ =2. We conne our attention here to the strong magnetic eld limit [8], =!  $_{\rm C}$  1. (!  $_{\rm C}$  eB  $_{\rm P}$ =m c is the cyclotron frequency and B  $_{\rm P}$  is the component of the magnetic eld perpendicular to the 2D electron gas.) In this limit

The H am iltonian in our system is invariant under spatial rotations about an axis perpendicular to the 2D plane and passing through the center of the quantum dot, and also under rotations in spin space about the magnetic eld direction (^). It follows that both the total angular momentum M  $_{\rm z}$  and S  $_{\rm z}$  ^ are good quantum numbers. It is straightforward to choose a representation for the many-body H am iltonian which is diagonal in these two operators and block diagonal for the H am iltonian. E igenenergies may be expressed as a sum of interaction and single-particle contributions,

$$E_{i}(N;M_{z};S) = U_{i}(N;M_{z};S) + (N+M_{z}) g_{B}BS$$
: (1)

Here i labels a state within a (M  $_z$ ;S ) subspace, and U $_i$ (N;M  $_z$ ;S ) /  $e^2$ = ' is determined by exactly diagonalizing the electron-electron interaction term in the Hamiltonian within this subspace [9]. In our study we have used a Lanczos algorithm to determine only the minimum interaction energy within each subspace, U $_0$ (N;M  $_z$ ;S ). For N = 2;3;4;5;6 we have considered all possible values of S , while for N = 7;8 we have considered only fully spin polarized states with S = N=2. In each case we have considered all values of M  $_z$  from the minimum value consistent with the Pauli exclusion principle (see below) to M  $_z$  =

3N (N 1)=2, which is large enough to accommodate anm = 3 Laughlin droplet [10,11]. For given values of ~ and g the subspace containing the ground state is determined by minimizing  $U_0$  (N; Mz; S) + ~ (N + Mz) gS over all values of Mz and S for which calculations have been performed. This procedure results in a surprisingly rich phase diagram for a quantum dot.

Results for N = 5 and N = 6 are shown in Fig. (1) and Fig. (2). Regions in the phase diagram are labeled by by (M  $_z$ ;2S), the quantum numbers of the state with lowest energy. A long the boundary lines in these phase diagrams ground state level crossings occur; the slope of a line is given by (S S  $_z^0$ )=(M  $_z$  M  $_z^0$ ) and the intercept by (U  $_z$  (N; M  $_z^0$ ; S  $_z^0$ ) U  $_z$  (N; M  $_z$ ; S ))=(M  $_z$  M  $_z^0$ ). It follows from the spin-rotational invariance of the electron-electron interaction term in the Ham iltonian that states may be labeled by a total spin quantum number S and by S = S; ;S. In each spin multiplet the only ground state candidate for any non-zero g is the state which is polarized along the eld, i.e. S = S. Thus the S values in these gures give the total spin quantum numbers of the corresponding states.

We discuss these rather complicated phase diagrams, beginning with gand ~ relatively large, on the upper right-hand side of the gures. For N = 5 only the (4,1), (6,3), and (10,5)regions in the phase diagram correspond to the single Slater determ inant ground states which would be obtained in the Hartree-Fock approximation. The occupation numbers for these states are given by ( ; ), respectively. ); ( ); and ( occupied (unoccupied) single-particle state is represented by a full (empty) circle. Circles left (right) of the sem icolon represent spin up (down) states. The angular momentum m of a single-particle state increases from left to right.] Sim ilarly, for N = 6 the (6,0), (7,2), (10,4), and (15,6) regions have single Slater determ inant ground states with occupation numbers ); and ( given by ( ); ( ); ( ; ) respec The (4,1) state for N = 5 and the (6,0) state for N = 6 m in im ize the con nem ent energy and are ground states at all values of ~ in the absence of electron-electron and Zeem an interactions. These states are the precursors of the Landau level lling factor = 2 states

for bulk system s.

As the connement strength ~ weakens, interactions favor less compact (larger total angular momentum) electron dots  $[U_0](N;M_z+1;S_z)$   $U_0](N;M_z+1;S_z)$ . For these dot sizes the expansion is rst accomplished, except at small g, by forming the most compact states consistent with increasing spin polarization until complete spin polarization is reached. For large g, states with large spin quantum numbers are favored; eventually, for very large g, only states with S=N=2 occur. The tendency toward complete spin polarization is what simplies the phase diagram at larger values of g. At small g, as the connement ~ weakens the dot expands by introducing holes [11,12] into the interior of the dot. As these holes begin to correlate the Hartree-Fock approximation begins to fail. One consequence is that interactions often favor states which are not completely spin-polarized. At weaker connement the ground states are linear combinations of many Slater determinants. Many of the states which occur can be identified as precursors of the bulk incompressible states responsible for the fractional quantum Halle ect. For example for N=5 the (30,5) region corresponds to the  $\frac{2}{5}$  spin-singlet state and  $\frac{1}{3}$  spin-polarized states.

States with larger values of M  $_{\rm Z}$  occur and the phase diagram becomes richer as  $^{\sim}$  decreases. The upper panels in Fig. (1) and Fig. (2) show the small g, small  $^{\sim}$  regions of the phase diagrams on an expanded scale. The dashed line shows the path taken through these phase diagrams for a GaAs sample with h = 2meV as a function of a perpendicular magnetic eld. (For GaAs  $^{\sim}$  0:131 (h [meV])  $^{2}$ =(B  $_{?}$  [Tesla])  $^{3}$ =2 and g 0:0059B [Tesla]=(B  $_{?}$  [Tesla]) Regions of the phase diagram to the right of this line could be explored experimentally by using tilted magnetic elds.

Some qualitative features of these results can be understood using a simple argument which considers the competition between the Hartree energy and the connement energy of a quantum dot. We assume that in the ground state electrons occupy the New mallest-morbitals with approximately equal probability, leading to a charge distribution which

is approximately that of a uniform disk of radius [13]  $R = \sqrt[q]{2N}$ . (For such a state  $M_z$  NN =2. The maximum value of N=N allowed by the Pauli exclusion principle is 1 for spin-polarized states and 2 for unpolarized states.) For all but the smallest dots the two largest contributions to the total energy will be the Hartree energy,

$$E_{H} = \frac{8e^{2}N^{2}}{3R} = \frac{e^{2}}{3} \frac{4^{p}}{3} \frac{1}{N^{1=2}};$$
 (2)

and the con nement energy,

$$E_{C} = (M_{z} + N) \qquad NN = 2:$$
 (3)

Corrections due to exchange and correlations (which reduce the interaction energy below  $E_{\rm H}$ ) give a contribution proportional to N  $^{1}$  for large N are relatively less important for large dots. The connem entenergy favors compact dots with small values of N while the interaction energy favors expanded dots. For a given value of  $\sim$  and N the optimum dot size can be determined by minimizing  $E_{\rm H} + E_{\rm C}$  with respect to N . This gives

$$\frac{N}{N} = \frac{4^{p} - \frac{1}{2}}{3 \sim N^{1=2}};$$
 (4)

$$E_H + E_C = \frac{3}{2} [(e^2 = )^2 (4^p - 2 = 3)^2]^{1-3} N^{5-3};$$
 (5)

and

$$_{\rm N}$$
  $\frac{5}{2} [(e^2 = ^{\circ})^2 (4^p = ^{\circ})^2]^{1-3} N^{2-3};$  (6)

Note that in this approximation the energy and  $_{\rm N}$  are independent of magnetic eld. This result diers qualitatively from the constant interaction model where  $_{\rm N}$  would be the sum of an interaction term proportional to N and a single-particle term. The dierence here is due to the fact that the size of the dot is not xed but is determined by a competition of interaction and single-particle terms. Comparing with Fig. (1) and Fig. (2) we see that the values of the ground state angular momenta are reasonably estimated [11] by Eq. (4) (using M  $_{\rm Z}$  N N = 2) even for N = 5 and N = 6. (O verestimates are expected since correlations

will reduce the interaction energy cost of making the dots smaller.) The above Hartree argument predicts N or M<sub>z</sub> in the ground state. In a Hartree-Fock generalization of this argument the exchange energy would stabilize the state with the largest spin polarization allowed for a given M<sub>z</sub> by the Pauli exclusion principle. Indeed the most compact fully spin-polarized state (M<sub>z</sub> = N (N 1)=2;S = N=2), which is the precursor of the bulk = 1 state, has a large range of stability in the phase diagrams of Fig. (1) and Fig. (2). However, as seen most clearly in the upper panels, many states with smaller values of S occur at larger M<sub>z</sub> where full spin polarization is allowed. This is in direct contradiction with Hartree-Fock theory and is a result of correlations.

Fig. (3) shows [14] the magnetic eld dependence of  $_6$  for a GaAs sample with h = 2m eV. (The inset shows results for N = 2;3;4;5;6 on a wider energy scale.) The approximately N  $^{2-3}$  dependence of N at xed eld and the weak magnetic eld dependence are explained by Eq. (6). Sim ilarly, in approxim at agreem ent with Eq. (4), the angular mom entum di erence between the N = 5 ground state and the N = 6 ground state increases from 5 to 15 in going from the left-to right-hand sides of the curve. However, the ner features apparent in the plot of  $_6$  can be understood only by accounting for the possibility of strong correlations in the quantum dot and cannot be explained with Hartree-Fock or sim ilar approximations. The apparently smooth curve for N = 6 in the inset can be seen to have a large number of cusps due to ground state level crossings for either N = 5 or N = 6 quantum dots. At a ground state level crossing dE<sub>0</sub>=dB must decrease. It follows that ground state level crossings in the N 1 and N particle systems lead respectively to positive and negative jump discontinuities in d  $_{\rm N}$  =dB as seen in Fig. (3). Note that unlike the prediction of an independent-particle approximation [2,3], upward and downward pointing cusps do not in general alternate. At the left-hand side (B 2:5Tesla) of this gure both the N = 5 and N = 6 dots are in the  $(M_z = N_x) = (N_z = N_z) = N_z = N_z$  m axim um -density spin-polarized single Slater determinant states, while at the right-hand side (B 6Tesla) both N = 5 and N = 6 dots are in  $(M_z = 3N (N = 1)=2; S = N = 2)$  states. These states are the precursors of the bulk = 1 and = 1=3 in compressible states and the incompressibility

is refected [9] in the relative large regions of stability in the phase diagrams. The resulting plateaus' in the addition spectrum should be among the most visible features experimentally. Precursors of a Landau level lling factor state will occur for N=N=; it follows from Eq. (4) that for GaAs we can expect associated features in the addition spectrum to occur for B [Tesla] 0:363 (h [meV])  $^{4=3}N^{1=3}=$ . Features identified with = 2 in the recent experiments of A shooriet al. [3] seem to follow this  $N^{1=3}$  law rather well. We believe that the unidentified experimental features which appear at approximately twice this eld are associated with precursors of the = 1 incompressible state which is stabilized primarily be electron-electron interactions. We predict that features associated with precursors of fractional incompressible states will appear at stronger elds and also, less visibly, at intermediate elds.

This work was supported by the National Science Foundation under grant DMR-9113911 and by the UCF Division of Sponsored Research. AHM acknowledges helpful conversations with Ray Ashoori, Mark Kastner, Horst Stormer and Karen Tevosyan.

### REFERENCES

- Perm anent address: IM S, NRC, Ottawa K1A OR6, Canada
- [1] For recent reviews see U.M. erkt, Advances in Solid State Physics, 30,77 (1990); Tapash Chakraborty, Comments on Condensed Matter Physics 16, 35 (1992); M.A. Kastner, Rev. M. od. Phys. 64,849 (1992).
- [2] P.L.McEuen, E.B. Foxman, U.M. eirav, M.A. Kastner, Y.M. eir, Ned S.W. ingreen, and S.J.W. ind, Phys. Rev. Lett. 66, 1926 (1991); P.L.M. cEuen, E.B. Foxman, Jari K. inaret, U.M. eirav, M.A. Kastner, Ned S.W. ingreen, and S.J.W. ind, Phys. Rev. B. 45, 11419 (1992); E.B. Foxman, P.L.M. cEuen, U.M. eirav, Ned S.W. ingreen, Y. igal M. eir, Paul A. Belk, N.R. Belk, and M.A. Kastner, and S.J.W. ind, Phys. Rev. B. 47, 10020 (1993).
- [B] R.C. Ashoori, H.L. Stormer, J.S. Weiner, L.N. Pfei er, S.J. Pearton, K.W. Baldwin, and K.W. West, Phys. Rev. Lett. 68, 3088 (1992); R.C. Ashoori, H.L. Stormer, J.S. Weiner, L.N. Pfei er, K.W. Baldwin, and K.W. West, submitted to Phys. Rev. Lett. (1993).
- [4] Y. Meir, N.S. Wingreen, and P.A. Lee, Phys. Rev. Lett. 66, 3048 (1991); C.W. J. Beenakker, Phys. Rev. B 44, 1646 (1991).
- [5] Correlation e ects in two-electron dots have been related to the addition spectrum by A shooriet al. Two-electron dots have been studied numerically by M. Wagner, U. Merkt, and A.V. Chaplik, Phys. Rev. B 45, 1951 (1992) and by Daniela Pfannkuche, Vidar Gudmundsson, and Peter A. Maksym, Phys. Rev. B 47, 2244 (1993).
- [6] P.A. Maksym and T. Chakraborty, Phys. Rev. Lett. 65, 108 (1990); J.M. Kinaret Yigal Meir, Ned S.Wingreen, Patrick Lee, and Xiao-Gang Wen, Phys. Rev. B 45, 9489 (1992); N.F. Johnson and M.C. Payne, Phys. Rev. Lett. 67, 1157 (1991).
- [7] For the small N quantum dots considered here the use of a parabolic con nement potential model is well justified. For quantum dots defined by gates the potential from external

- charges will change in a geom etry-dependent way as the quantum dot is charged. These changes can often be accounted for in terms of phenomenological capacitances.
- [8] As discussed further below the strong magnetic eld limit applies for increasingly large.

  No dots as the magnetic eld strength increases.
- [9] Technical details will be described in a planned longer publication.
- [10] Sam iM itra and A H . M adD onald, PhysRev. B, (to appear) 1993.
- [11] A H. M acD onald and M D. Johnson, Phys. Rev. Lett. 70, 3107 (1993).
- [12] A.H.MacDonald, S.R.Eric Yang, and M.D. Johnson, Australian Journal of Physics, to appear (1993).
- [13] The assumption of an approximately uniform charge density is a good one except for very large dots when the ground state of the dot is related to an incompressible state of the two-dimensional electron gas. For very large dots the classical semielliptical density prolewill be approached. For a discussion of the classical limit see, for example, S. Nazin, K. Tevosyan, and V. Shikin, Surf. Sci. 263, 351 (1992) and work cited therein.
- [14] A code which generates addition spectra from the many-electron eigenenergy data sets is available from the authors for use in interpreting experimental results.

#### FIGURES

- FIG.1. Phase diagram for a N = 5 parabolically con ned quantum dot. Regions in the phase diagram are labeled by the M  $_{\rm Z}$  and N  $_{\rm H}$  Values of the ground state. (S = (N  $_{\rm H}$  N  $_{\rm H}$ )=2.) The upper panel shows the rich behavior at weak con nem ent which is related to the physics of the fractional quantum Halle ect. The dashed line shows the path in the phase diagram followed by G aAs sample with h = 2m eV and a perpendicular magnetic eld between B = 2.5Tesla and B = 7Tesla.
- FIG.2. Phase diagram for a N=6 parabolically con ned quantum dot. Regions in the phase diagram are labeled as in Fig. (1).
- FIG. 3. Magnetic eld dependence of the N = 6 addition spectrum for a parabolically conned quantum dot with h = 2m eV. The curve has a cusp whenever there is a ground state level crossing for either the N = 5 or N = 6 dot. Curve segments between two upward tick marks are labeled with the ground state quantum numbers (M  $_z$ ;  $2S_z$ ) of the N = 6 dot. Segments between downward tick marks are labeled with the quantum numbers of the N = 5 dot. The paths followed through the phase diagrams for this model are indicated by the dashed lines in Fig. (1) and Fig. (2). The inset shows results for N = 2; 3; 4; 5; 6 on a wider energy scale. The dashed lines in the inset result from the Coulomb blockade model, with a phenomenological self-capacitance obtained by a to the exact numerical results.