

A Critique of "A Critique of Two Metals"

Philip W. Anderson and G. Baskaran

Joseph Henry Laboratories of Physics

Princeton University, Princeton, NJ 08544

The "Critique" [1] contains in its first few paragraphs an elegant, if somewhat incorrect, statement of the issues between us and the school which believes, almost religiously, in the quantum critical point as the solution to all our woes in the cuprates.

The fundamental argument is presented in the second paragraph: "Ten years of work by some of the best minds in theoretical physics have failed to produce any formal demonstration" ... of the Mott insulating state. The statement would be ludicrous if it were not so influential. The proviso "at zero temperature" is added, because of course most Mott insulators order magnetically at some finite, if often low, temperature; the Mott insulator is not a zero-temperature fixed point, in general. Neither, for that matter, is the Fermi liquid. But one does not need a formal demonstration (although I believe I provided that, if after Mott's original papers that was necessary, in my 1959 paper. The world, if one lifts one's eyes from the computer screen, is full of examples, and I believe that one concrete, material example is worth a million hours of computer time. Two which are very relevant to the case in point are $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$, or blue vitriol to our ancestors; and $\text{CuCl}_2 \cdot 2\text{H}_2\text{O}$. Both are examples of $\text{Cu}^{(++)}$ and are not only insulating but transparent with a beautiful blue color, at all reasonable temperatures | they deliquesce if you get them too hot. The chloride was an elegant demonstration case for antiferromagnetic spin waves below its He-temperature Neel point; the sulphate was an early subject of adiabatic demag studies by Laughlin's colleague T. Geballe, and as far as I know is paramagnetic down to very low temperatures. Some other less perfect cases are very important to us | hemoglobin, which in its liquid form is familiar to all of us; and the three or four oxides of iron | rust, which is mostly goethite; hematite, of which there are happily mountains; and magnetite, known to the ancients on both continents and just to show that the ground state doesn't always turn out antiferromagnetic.

As I think Laughlin must know, the Mott insulator is a form of quantum solid, and the melting transition in He3 is our best example of a Mott transition. Our objection to trying to fit cuprates into a quantum critical point scenario in the way that Zhang does becomes obvious when one tries to do the same with p-wave superconductivity and antiferromagnetic

^3He solid. There are similarities which can be exploited between the short-range correlations of the quantum solid and the quantum liquid, but no connection in terms of symmetry and asymptotics. It is well-known that no critical point, even in classical theory, connects solid and liquid. The Mott transition (as is seen in V_2O_3) is a first-order line ending in a critical point, classically, but this implies nothing about any relationship between the two phases at low temperatures.

I am sorry to belabor the point that there is a well-defined insulating state in which the degrees of freedom are spins only, with an energy gap to charged excitations; and trying to connect this high-temperature (relatively) state continuously to a metallic state by some smooth transformation does not make any physical sense. But this seems to be unfamiliar to the generation of physicists who did not grow up with paramagnetic resonance as a major concern. It is the tragedy of Mott that although he almost certainly won his Nobel prize for the Mott insulator, Slater, who couldn't think clearly about finite temperature, won the publicity battle.

In the first paragraph of the Critique the content and intent of Baskaran and my discussion is confused with our opinions on the source of superconductivity in the cuprates. Our objection to the kind of quantum critical point suggested by Zhang has nothing to do with whether it connects to a Fermi liquid or a non-Fermi liquid; our statement is that whatever the metallic state is, the low-energy excitations must be described in terms of a Fermi surface, that is a surface in momentum space which is the locus of all of the single-particle amplitude, and which encloses a finite volume. Unlike the relativistic field theories and critical point theories with which Zhang is familiar, the excitation spectrum does not derive from fluctuations of a field which is uniform in space. The order parameter which characterizes the generalized fermi liquid state is this surface, and its fluctuations are the bosonic excitations from which quasiparticles can be constructed as solitons. The theory when bosonized thus has the kind of structure described by Haldane and others, involving fluctuations of a surface in momentum space. This description is actually equally valid whether the resulting theory is FL or NFL. It has been the most serious difficulty of the school which has attempted to bring the cuprates under the aegis of one form or another of field theory | usually gauge theory | that the forms of the theories they used were not yet sufficiently advanced to deal with the Fermi surface, which is obvious in all the experimental manifestations of these materials.

These two underlying intermediate-energy states are incompatible in every way. The superconductor derives from a Fermi surface | experimentally. As Campuzano, Norman and co-workers show, the minimum gap is always at the Luttinger Fermi surface. The antiferromagnet derives from a Mott insulator. The two are immiscible and many complex

phenomena| such as Stripes| are found in the unstable two-phase region between them . (Mott in 1956 described this fundamental instability in terms of the impossibility of adding a small number of free carriers in the magnetic case.)

Finally, we object to the statement that Zhang articulates \an alternate view in a particularly simple and elegant way :::::that everyone can understand". We, for one, find that the presentation, while extremely smooth, is not in any way understandable, since it is expressed in terms which we cannot accept as having relevance to the problem, using buzzwords which relate to elegant| but not particularly fruitful| treatments of critical points without reference to the actual physical content. The \anyone" certainly does not refer to us nor to any experimentalist in the field with whom we are familiar; and I hope that there are theorists also who can see through a non-existent set of clothes.

The remainder of the \Critique" is not directed primarily at our discussion of Zhang's paper at all, but aside from some rather inmoderately phrased criticisms of our work based on the rather irrelevant point that the Mott state does not exist in some very restricted sense which Laughlin chooses to define, it seems to be presenting a new or revised version of Laughlin's own theory, so does not require our answer. Laughlin seems to be declaring closed a series of discussions of which I am sure few of the discussants would consider themselves ready to terminate in these terms.

One point is worth making in the context of a discussion of critical lines and crossovers. There is a crossover line associated with the High T_c phenomenon, which might be thought of as concealing an underlying zero-temperature critical point. This is the crossover between two- and three-dimensional metallicity. One can hardly doubt that the great majority of High T_c 's show only incoherent transport along the c-direction in the normal state. It is also clear that they are all three-dimensional superconductors with c-axis supercurrents, hence coherence in the c-direction. As with all metal-insulator transitions(see above) it is not possible to define the insulator unequivocally except at $T = 0$, hence there is the presumption of a quantum critical point. But superconductivity intervenes. The c-axis infrared data demonstrate these phenomena so beautifully that it is hard to see how so many theorists can ignore the role of the third dimension. Once one is overdone, the two-dimensionality is gone as is T_c .

REFERENCES

- [1] R B Laughlin, "A Critique of Two Metals", cond-mat/9709195