Yue Yu and W an-Peng Tan

Institute of Theoretical Physics, Academ ia Sinica, Beijing 100080, China

The most generalm odel with a magnetic in purity coupled to hybridizing and screening channels of a conduction band is considered. The partition function of the system is asymptotically equivalent to that of the multi-component kink plasm a with a weak external edd. The scaling properties of the models for nite U are sketched by using the Anderson-YuvalH amann-C ardy poor man's scaling theory. We point out that it is proper to include a two-body hybridization in order to obtain correct renormalization ows. The phase structures are studied graphically for the generalm odel and various reduced models. A Ferm inon-Ferm i liquid phase transition is found for all the models. We also show all possible phases with dierent nite temperature behaviors though they have the same Ferm i liquid xed point at low temperature. We also discuss the xed point behaviors in the mixed valence state regime.

I. IN TRODUCTION

The norm al-state properties of the Cu-O-based materials had been understood phenom enologically on the basis of the existence of the non-Ferm i-liquid (NFL)-like groundstates [1] [2]. In one dimension (1-d), it is wellknown that the Luttinger liquid states appear universally in a wide class of interacting system s [3]. The NFL behaviors are shown for arbitrarily weak interactions in 1-d. However, for the dimensions higher than one, the perturbative renorm alization group analysis does not support the NFL behaviors [4]. This promotes the non-perturbative approaches to be developed. In 1-d, bosonization is a powerful non-perturbative method [5]. For higher dim ensions, several ways are applied. People try to generalize the 1-d bosonization procedure to higher dim ensionalone. Haldane [6], Houghton and Marston [7] provided a kind of bosonization procedures in higher dimensions. More recently, many authors use this kind of procedure to discuss whether the NFL behaviors appear in higher dimensions [8]. The other subject that many investigations focus on is the con nement of the Luttinger liquid behavior among the weakly interacting 1-d Tom onaga-Luttinger chains [9]. There still are som e argum ents for this subject [10]. The way related to this paper is to study such models that the properties of the m odels can be obtained either exactly or with the wellde ned lim it of validity. For example, various single in purity models are good objects to be studied. Research for them can be thought of as a starting point to do the corresponding lattice m odels related to the physics of the high tem perature superconduction m aterials.

It has been known that at low energies which are much less than the K ondo tem perature, the groundstates of sim ple m agnetic in purity m odels [11] [12] are Ferm i liquid (FL) [13] [14]. It has recently been argued that the generalization of those m odels is closely related to the physics of the Cu-O -based m aterials [15] [16] [17] [18]. It is im portant that a phase transition between FL and NFL states has been found in investigations of single im purity m odels because the NFL behavior can explain m any anom alies of the norm all state of high tem perature super-

conductors [1] [2].

The K ondo m odel is one of typical in purity m odels. Through the bosonization or the partition function analog, the K ondo problem can be m apped to a one-channel resonant-levelm odel and has been shown that the ground state for the energy well below the K ondo tem perature is of the FL behavior [19]. The multi-channel generalized m odel considers all of conduction channels interact with the impurity orbital but only one channel hybridizes with the impurity orbital. Following the term inology used by the authors of [15] [16] we call later the 0-channel or the hybridizing channel and others the screening channels. For the nite range interactions a FL-NFL phase transition has been shown by multiplicative renormalization group [20] in [16] and by the poor man's scaling theory [21] in [17]. Physically, as pointed out by Zhang, Yu and Su [17], the phase transition is caused by a competition between two di erent kinds of metallic behaviors, the NFL behavior of the multi-channel X -ray edge problem [22] in the screening channels and the FL behavior of the one-channel K ondo problem in the hybridizing channel. A more general in purity model is the Anderson model [11] [12]. Perakis et al [15] studied the multi-channelAnderson model and also found that there are NFL phases by using W ilson's num erical renorm alization group m ethod [13]. A sim ilar case also occurs for a generalized Hubbard model in in nite dimensions [18].

In a previous Brief Report [23] by one of us, cooperating with Liand d'Amberum enil, one show ed that it is necessary to introduce a hybridization of two hybridizing electrons with opposite spin hopping onto impurity orbital in order to keep the renorm alization group's transitivity in the multi-channelm odels. Here, we would like to give our full investigation to this issue. We will generalize the approach used in the particle-hole (PH) sym metric model to more general magnetic in purity models in the spirit of the Anderson-YuvaH amann-Cardy (AYHC) poor man's scaling theory [21] [24], which has been generalized to a form with symmetry breaking [25]. We also nd that in the most generalm odel for nite U a fully renorm alizable model must include a hybridization of two hybridizing electrons with opposite spin hopping onto impurity orbital. Because we try to describe the low energy behaviors under a low electron density in the conduction band, we apply the bosonization procedure for impurity models [26]. The Hilbert space of the system can be divided into four sub-spaces characterized by the impurity states. The dipole' operators between sub-spaces are of their transitivity. This transitivity leads to an asymptotic equivalence, via bosonization, between the generalm odel and a multi-component kink plasm a model. This has been shown by Si and Kotliar in the in nite U case [18,25]. On the other hand, according to the transitivity, the 'charges' of the plasm a are shown to obey the Jacobi identities, which implies that the 'charges' form an adjoint representation of some Lie algebra. The Lie algebra is shown to be solvable. Under the PH sym m etry, the dim ensions of the Lie algebra are reduced, which is closely related to the changes of the phase structures. The phase structures of various models can be recognized from the corresponding renormalization group equations which are derived by using the AYHC poor man's scaling theory and its symmetry breaking generalization. The phase diagram s for the m odels m ay be drawn system atically by C ardy's graphicalmethod [24]. For each model, we nd that the phase in which all fugacities of the plasm a are irrelevant is the NFL phase. As long as one of the fugacities varies from an irrelevant to a relevant one, the FL-NFL phase transition occurs. For the irrelevant phase, the model at xed point is reduced to the X-ray edge problem, whose xed point behaviors are controlled by the NFL. A competition between those two di erent type metallic states causes the FL-NFL phase transition. Cardy's graphical m ethod also shows that it is possible that there are phase transitions at nite tem perature between other phases although they have the sam e low tem perature Ferm i liquid

xed point. However, the renorm alization group equationsm ay not be valid quantitatively in the strongly coupling regions. We also study xed point behaviors in the mixed valence regime. One sees that there are four kinds of the dierent xed points. One is in the strong coupling limit corresponding to the FL one and another is in the weak coupling limit which is the NFL one. We calculate various single-particle and two-particle correlation functions in the weak coupling limit. O ther two are the interm ediate coupling regimes in which there are local NFL behaviors although the infrared orthogonality catastrophe of the X-ray edge type does not appear. C om paring to the results of the in nite U m odel [25], we have one m ore interm ediate m ixed valence regime which is related to the two-body hybridization irrelevant.

This paper is organized as follows. In section II, we de ne the generalm odel under the consideration and explain various reduced models. In section III, the partition function of the theory is expressed by the histories of the impurity states and is mapped into that of a multi-component kink plasma. We also brie y review the bosonization procedure for the problem. In section IV, we study the phase structures of the theory. In section V, the xed point behaviors of the mixed valence states are discussed. The last section gives our conclusion. The appendices talk about the Lie algebra related to the 'charges' of the kinks and give som e com m ents on the derivation of the renorm alization group equations.

II. SINGLE IM PURITY MODELS WITH TWO-BODY HYBRID IZATION

We begin with the derivation of the generalm odel. Assume a single impurity atom is located at the origin and has a localized electron orbital $_d(r)$ with the local impurity level $_d$. O ther electrons are in the conduction band described by the wave function $_k(r)$ and energy $_k$. A general state function is the summation over all possible states,

$$(\mathbf{r}) = \begin{bmatrix} X & & X \\ & & \\ &$$

where X and X_d are the spin wave functions and labels spin up " and down #. M ore generally, we consider the spin wave function of in purity, X_d as an operator X_d = x (1 n_d) + x n_d , which leads to the di erent wave functions for the empty, single occupation and double occupation of the impurity orbital. Under this consideration, the Fano-Anderson m odel is generalized as

$$H_{GFA} = \sum_{k}^{X} C_{k}^{y} O_{k} + \sum_{d}^{X} d^{y} d \qquad (2.2)$$

$$+ \frac{1}{P_{L}} \sum_{k,j}^{X} [(t_{k} (1 - n_{d}) + t_{k} - n_{d})c_{k}^{y} d + hc:];$$

where $_d$ is the impurity level which is taken as the spin independence, $_d$, without losing the generality. A ssum e only the conduction electrons in the 0-channel hybridize with the impurity orbital and the hybridizations are k-independent in the model. The chemical potential is set to zero but the H am iltonian (2.2) is still particle-hole-asymmetry.

To discuss the interesting physical phenomenon, the electron-electron interaction must be introduced. We consider only the nite range interaction. Besides the Hubbard-type interaction in the Anderson model we also keep consideration to other two types of interactions, the spin-exchange interaction and a two-body hybridization which describes the two hybridizing electrons with opposite spins hopping onto the impurity orbital simultaneously. By using the wave function (2.1), the model Ham iltonian reads

$$H = \frac{X}{kC_{k}^{y}C_{k} + dn_{d} + Un_{d}n_{d}}$$
(2.3)
$$+ \frac{1}{\frac{P}{L}} X [(t_{1} (1 - n_{d}) + t_{1} - n_{d})C_{0}^{y}d + hc:]$$

$$+ \frac{t_2}{L} X (c_0^y c_0^y d d + h c)$$

$$+ \frac{1}{L} V_{x_1} (2 n_d) + \tilde{V}_{x_1} (n_d 1) c_1^y c_1 d^y d$$

$$+ \frac{1}{L} V_{y1} c_1^y c_1 d^y d$$

$$+ \frac{1}{L} V_{y1} c_1 (2 n_d) + \tilde{V}_1 (n_d 1) c_1^y c_1 d^y d$$

The rst four terms in (2.3) are the generalized Fano-Anderson model (22) added by the Hubbard interaction, which is back to the Anderson model if $t_1 = t_1$ ŧ. In the meanwhile, V_1 term takes into account the nite range interactions between the impurity orbital and conduction electrons $(l = 0; ...; N_f)$. W ithout losing the generality, we consider the screening channels as the spinless ferm ions and take $V_1 = \tilde{V}_1 = V_1$ for $l = 1; ::; N_f$ for convenience. The $V_{x \ 1}$ and V_{v1} terms describe the spin exchange interactions. We take those with $l = 1; ...; N_f$ vanishing for convenience. The t₂ term which is new ly introduced in the Ham iltonian represents that two hybridizing channel electrons with opposite spins hop onto the in purity orbital simultaneously. To renorm alize the model it is proper that this term as well as spin exchange term s are included in the H am iltonian.

In (2.3), if the coupling constants with the 'tilde' are equal to those without the 'tilde', the H am iltonian is reduced to the PH symmetric one under $_d = U=2$. As we have shown that for this reduced model the consistency of the renorm alization group equations forces the PH symmetry have to hold [23]. This H am iltonian also includes the K ondo model as a special case [23]. Spinless models can also be reached by a proper choice of the coupling constants.

W e shall show there is a FL-NFL phase transition for the system. To understand the physical mechanics of the appearance of the phase transition, we separate the H am iltonian (2.3) into two parts, as done by Zhang, Yu and Su [17] for the spinless in purity model, $H = H_h + H_s$, where

$$H_{h} = \frac{X}{k c_{k}^{v} c_{k} + dn_{d} + Un_{d} n_{d} + \frac{1}{2} (2.4)$$

$$+ \frac{1}{P L} X [(t_{1} (1 n_{d}) + t_{1} n_{d})c^{v}d + hx:]$$

$$+ \frac{1}{L} X [(c^{v}c^{v} d d + hx:)]$$

$$+ \frac{1}{L} X [V_{x} (2 n_{d}) + \nabla_{x} (n_{d} 1)]c^{v}c d^{v}d$$

$$+ \frac{1}{L} X V_{y}c^{v}c d^{v}d$$

$$+ \frac{1}{L} X V_{y}c^{v}c d^{v}d$$

$$H_{s} = \frac{X}{k_{k} p_{k} p_{k}} + \frac{1}{L} \frac{X}{p_{k} p_{k}} V_{1} c_{1}^{y} c_{1} n_{d} : \qquad (2.5)$$

Here we have suppressed most of the succes 0'. It is easy to see that the screening part, H_s , of H is the multi-channel X-ray edge model, whose properties are controlled by a NFL xed point; while the hybridizing part, H_h , of H is a one-channel impurity model, whose properties are given by some FL xed points with different symmetries. Since these two parts are coupled by the interactions between the conduction band and the im purity orbital, there appears an interesting competition phenomenon between FL and NFL metallic behaviors, which causes the phase transition.

III. PARTITION FUNCTION

In this section we show that the partition function of the model at low energies may be equivalent to that of the multi-component kink plasm a model with a weak external eld.

A. Bosonization and Sum over Impurity Histories

Since we deal with the low density system, the spectrum of the conduction band can be taken as the linear form $_{k} = (k \quad k_{\rm F}) = w$ ith $= (hv_{\rm F})^{-1}$ being the density of state at the Ferm i surface. For the linear spectrum the conduction band can be treated by the bosonization technique [5] [26]. We ext bosonize the screening part of the model, H $_{\rm s}$. We introduce the density operators:

$${}_{1}(k) = \frac{1}{p_{L}} \int_{q=0}^{W_{X} k} c_{q1}^{y} c_{q+k;1} ; 1(k) = \frac{1}{p_{L}} \int_{q=k}^{X_{V}} c_{q1}^{y} c_{q+k;1};$$

where W = $1 = _0$ is the conduction band width which is much greater than U and $_d$. The operators obey the Bose commutation relations

$$[1(k); 1^{\circ}(k^{\circ})] = k_{k;k^{\circ}} 1;1^{\circ};$$

accordance with which, we can de ne standard bosonic creation and annihilation operators

$$b_{k1} = i \frac{1}{k} (k)$$
; $b_{k1}^{V} = i \frac{1}{k} (k)$:

The screening electron operator is represented, via the bosonic operator, as

$$c_{1}^{y}(x) = \frac{1}{p} \exp[i_{1}(x)]; \qquad (3.1)$$
$$x^{T} \frac{1}{kL} (b_{k1}^{y} e^{ikx} + b_{k1} e^{ikx});$$

and the screening H am iltonian, H s, is transform ed to

$$H_{s} = \frac{X}{\underset{k; \geq 0}{\overset{k}{\xrightarrow{}}}} \frac{k}{\underset{k; \geq 0}{\overset{v}{\xrightarrow{}}}} \frac{X}{\underset{k; \geq 0}{\overset{i}{\xrightarrow{}}}} \frac{iV_{1}}{\overset{p}{\xrightarrow{}}} \frac{p}{\underset{k}{\xrightarrow{}}} \overline{k} (b_{k1}^{v} \ b_{1})n_{d}; \quad (3.2)$$

which can be diagonalized by the following canonical transformation

$$T = expfi \sum_{k; l>0}^{X} \frac{V_1}{kL} (b_{kl}^{y} + b_{kl}) n_d g;$$

Since this canonical transform ation does not commute with d, the hybridization terms are transformed to the coupling form s among the impurity, hybridizing and screening channels while other terms do not change in H_h . We have the e ective Ham iltonian, $H = H_0 + H_I$, with

$$H_{0} = \frac{X}{k} c_{k}^{y} c_{k} + dn_{d} + U n_{d} n_{d} + \frac{1}{k} \sum_{j=0}^{k>0;} V_{0} (2 n_{d}) + V_{0} (n_{d} 1) e^{j} c d^{y} d + \frac{1}{L} \sum_{j=0}^{X} V_{x} (2 n_{d}) + V_{x} (n_{d} 1) e^{j} c d^{y} d + \frac{1}{L} \sum_{k,j>0}^{k} V_{x} (2 n_{d}) + V_{x} (n_{d} 1) e^{j} c d^{y} d + \frac{X}{k} e^{j} b_{k,j} b_{k,j}; \qquad (3.3)$$

$$H_{I} = \frac{1}{P} \sum_{L}^{X} [(t_{1} (1 n_{d}) + t_{1} n_{d}) y e^{j} d + hx:] + \frac{t_{2}}{L} \sum_{j=0}^{X} (y^{2} e^{j} c^{y} d d + hx:) + \frac{V_{y}}{L} \sum_{j=0}^{X} e^{j} c d^{y} d i + \frac{1}{k} c^{y} c d^{y} d j + \frac{1}{k} c^{y} c^{y} c d^{y} d j + \frac{1}{k} c^{y} c^{y} c d^{y} d j + \frac{1}{k} c^{y} c^{y} c^{y} c^{y} d j + \frac{1}{k} c^{y} c^{y} c^{y} c^{y} c^{y} c^{y} c^{y} c^{y} d j + \frac{1}{k} c^{y} c$$

The operator ^y is given by ^y = expf^P $\lim_{k, b > 0} \frac{i V_1}{p \prod_{k, b < k}} (b_{k, b}^{y} + b_{k, b})$ g or in the coordinate representation ^y(x) = expfi^P $-\frac{1}{2} (x)$ g where $1 = V_1$.

Now, we turn to derive the partition function of the H am iltonian (3.3), where H $_0$ and H $_I$ are considered as the unperturbed H am iltonian and the interaction H am iltonian, respectively. Hence, we have a partition function Z

$$Z = Tr(e^{H}) = Tr(e^{H_{0}}T expf H_{I}()d g);$$

$$(3.4)$$

where is the inverse of the tem perature, T is the (in aginary) time ordering symbol and H $_{\rm I}$ () = $e^{\rm H_{\,0}}$ H $_{\rm I}e^{\rm H_{\,0}}$ is the interaction-picture operator of H $_{\rm I}$. Setting a sequence of times 0 < $_{\rm I}$ < ::: < $_{\rm n}$ < , the partition $\overset{\rm X}{\overset{\rm X}}$

function is expanded as Z = Z_n , where

$$Z Z_{n} = (1)^{n} d_{n} ::: 0^{n = 0} d_{1}Tr(e^{H_{0}}H_{1}(n)::H_{1}(1)):$$

The H ilbert space of H $_0$ can be projected to four subspaces characterized by four inpurity electron states, $j \ge j \ge j \ge j \ge and j \ge j$ "#>. Each term in the interaction H $_I$ plays a role of the dipole' operator causing a transition between those sub-spaces. Such a kind of problem s can be treated in H aldane's fam iliar way [30]: W rite the partition function in term sofa sum over histories of the inpurity. W e will follow the form alism given by Si and K otliar [18,25]. Setting P = j >< j is a projection operator to -state subspace, H $_0$, then, is projected as

$$H_0 = H_P ;$$
 (3.6)

where

$$H = d_{i} + U + V c^{y}c \qquad (3.7)$$

$$+ X c^{y}_{k} c^{y}_{k} c_{k} + X c^{y}_{k} b^{y}_{k1} b_{k1}:$$

$$k = 0; k = 0$$

The impurity levels, here, are projected as $_{d;0} = 0$, $_{d;} = _{d}$ and $_{d;3} = 2_{d}$; the Hubbard interactions are $U_0 = U = 0$ and $U_3 = U$. Making a shift of the ground state energy, we can rede ne_d; + U as " with " $_0 = _{P \ d}$ U=4, " = U=4 and " $_3 = _{d} + 3U$ =4, which obey " = 0. The potentials are given by

$$V_0 = 0; V_0 = \frac{V_0}{L} + \frac{V_x}{L} \quad \circ; V_3 = \frac{2\tilde{V}_0}{L} + \frac{\tilde{V}_x}{L}:$$

Now, we sum over the impurity states by inserting a complete set of the impurity states at every discrete time. Thus, (3.5) is rewritten as

$$Z_{n} = (1)^{n} \qquad X \qquad Z \qquad Z_{2}$$

$$Z_{n} = (1)^{n} \qquad d_{n} ::: \qquad d_{1} \qquad (3.8)$$

$$\int_{1; 2; ::: n}^{0} \int_{1}^{0} \int_{1$$

where tr_c indicates the trace carried out for the conduction band. 1;:::; n and 1;:::; n label a Feynman trajectory with n+1 = 1. g^0 are coupling constants, g^0_0 (g^0_3) g^0_1 (g^0_1) = $t_1 = \frac{p}{L}(t_1 = \frac{p}{L}), g^0_1$; $g^0_2 = V_y=L$ and g^0_{03} $g^0_2 = t_2=L$. The bipole' operators $O^0($;) are given by

$$O^{0}(0;) = O^{0Y}(; 0)$$
(3.9)
= $O^{0}(; 3) = O^{0Y}(3;) = {}^{Y}C^{Y};$
 $O^{0}(0; 3) = O^{0Y}(3; 0) = {}^{Y^{2}}C^{Y}_{n}C^{Y}_{\#};$
 $O^{0}(;) = {}^{Y}C :$

(3.5)

A similar bosonization procedure to the screening channels can be applied to the impurity channel. As a result, the projected H am iltonian transform s into

where $b_k\,$, the bosonic operator corresponding to $c_k\,$, is given through

$$c^{v}(x) = \exp[\prod_{r} \frac{i}{\pi} (x)]; \qquad (3.11)$$

$$(x) = \prod_{k}^{v} \frac{1}{kL} (b_{k}^{v} e^{ikx} + b_{k} e^{ikx}):$$

The phase shifts = V L are de ned by

$$_{0} = 0;$$
 $_{0} = _{0} + _{x}$ $_{0} ;$ $_{3} = 2^{\sim}_{0} + ^{\sim}_{x} ;$ (3.12)

where $_0 = V_0$, $\tilde{}_0 = V_0$, $_x = V_x$ and $\tilde{}_x = V_x$ are the Born approximation values of the general phase shifts 2 tan ¹ ($V_0 = 2$), and so on. The H am iltonian (3.10) can also be diagonalized to H_c + " by the following canonical transform ations

$$U = U = expfi g:$$
 (3.13)

M eanwhile, the bosonized dipole' operators can be transform ed to

$$O(;) = expfiq^{a}_{a}g;$$
 (3.14)

where $_{a} = (; _{1})$. The quantities q^{a} , which will be called bharges', are

$$q_0^a = (\frac{x^0}{2} 1)^{0} + \frac{0}{2}; \frac{1}{2};$$
 (3.15)

$$q^{a} = (\frac{x^{0}}{2} 1)(0^{0} 0^{0});0^{0};$$

$$q^{a}_{13} = (\frac{x^{0}}{2} 1)(0^{0}, + \frac{0}{2})$$

$$+ \frac{1}{2}(x^{0} x^{0} + 2x^{0}) 2_{0}; \frac{1}{2};$$

$$q^{a}_{03} = \frac{x^{0} + 2x^{0}}{2} 1; \frac{21}{2};$$

where $a = ({}^{0}; 1)$ and the 'charges' are anti-symmetric: $q^{a} = q^{a}$. Using the bosonic 'dipole' operators (3.14) and de ning the interaction-picture operators O(;)() $\overset{\text{H}}{=} \circ O(;) e^{\text{H} \circ}$, the partition function reads

$$Z_{n} = (1)^{n} \frac{X Z^{0}}{_{1}; ...; n^{0}} \frac{d_{n}}{_{0}} ... Z^{2} \frac{d_{1}}{_{0}} (3.16)$$

$$g_{n+1, n} ... g_{2, 1} \exp f X = _{i+1} \frac{i+1}{_{0}} g$$

$$t_{e} (e^{H_{c}} O (_{n+1}; n) (_{n}) ... O (_{2}; _{1}) (_{1}));$$

where $g = g^0_0$ are dimensionless coupling constants and $E = "_0$ are regarded as dimensionless external elds. The trace part of (3.16) is just the correlation function of n-vertex operators. In the zero temperature limit, it can be calculated by using the free boson eld theory. The result is given rise to:

$$Z = X X Z \frac{d_{n}}{d_{n}} = \frac{d_{n}}{d_{n}} =$$

which may be regarded to describe a one dimensional multi-component plasm a of kinks with charges' q^a and fugacities' g . E is an external eld'.

B. Related to C harge-Spin C hain and Transitivity of ${\tt D}$ ipole' operators

The partition function (3.17) describes a multicomponent kink plasma with logarithm ic interactions. There are six types of kinks which correspond to the di erent pairs of the impurity states, the charge pairs (0); (3) and (03) and the spin pair ("#). This leads to the logarithm ic interactions between the kink-pairs can be transformed to the interactions among the charge-and spin-pairs. To reach this point we note that the 'charges' of kinks are of their transitivity:

$$q^{a} + q^{a} = q^{a}$$
: (3.19)

This leads to the rew riting of the action S [;], i.e.

where

$$K^{*}(_{i};_{i+1};_{j};_{j+1}) = K(_{i};_{j})$$
(3.21)
+ K(_{i+1};_{i+1}) K(_{i};_{i+1}) K(_{i+1};_{j});

where K (;), called charge- and spin-sti ness constants, are de ned by [31]

K (;) =
$$\frac{1}{2} \sum_{a}^{X} (q^{a})^{2}$$
: (3.22)

The model described by (3.20) is equivalent to the onedimensional charge-spin chain model with $1=^2$ interaction [24] and incorporating the elective elds [25]:

$$S[;] = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X \\ 0 & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X & (i; j) = \begin{bmatrix} 2 & X & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X & i \end{bmatrix} = \begin{bmatrix} 2 & X & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X & i \end{bmatrix} = \begin{bmatrix} X & (i; j) = \begin{bmatrix} 2 & X & i \end{bmatrix} = \begin{bmatrix} X & i \end{bmatrix} = \begin{bmatrix} X & X & X & i \end{bmatrix} = \begin{bmatrix} X & X & X & i \end{bmatrix} = \begin{bmatrix} X & X & X & i \end{bmatrix} = \begin{bmatrix} X & X & X & i \end{bmatrix} = \begin{bmatrix} X & X & X &$$

The model is just a special case of the general onedimensional model with $1=r^2$ interaction considered by Cardy [24]. It is worth to point out that the transitivity (3.19) plays an important role to reach Cardy's model. In fact, the transitivity of the 'charges' stems from the transitivity of the 'dipole' operators:

$$O(;)O(;) = O(;):$$
 (3.24)

This transitivity implies that all dipole' operators together with the vanishing operator and the identity operator I form a sem igroup under the operation: Either 0(;) 0(;) =for 6 or the transitivity (3.24). Physically, the sem igroup relates to the transitivity of the charge-spin- ips: e.g., the pair (03) can be separated as two pairs (0) and (3), etc. If the transitivity of the charge-spin- ips is broken, the charge-spin chain is interrupted. Therefore, the model is not selfconsistent. O riginally, the transitivity com es from the two-body hybridization and the spin-exchange interaction in the Hamiltonian (2.3). Therefore, the inclusion of them in (2.3) is proper to the self-consistency of the model. In the next section, we shall see that the correct renorm alization ows mustn't exclude those of the fugacities $g_{"\#}$ and g_{03} .

To conclude this section, we would like to mention that the transitivity of the 'charges' and their anti-symmetry leads to Jacobi identities, which implies the existence of a Lie algebra. We arrange an appendix (appendix A) to discuss the properties of the Lie algebra.

IV. PHASE STRUCTURES

In this section, we study the phase structures of the models by using the AYHC poor man's scaling theory. The details of the derivation of the renorm alization group equations have been given in Appendix B.U sing those equations, we analyze the phase structures of the general model and various reduced models.

A. GeneralM odel

In the most general case, six non-zero fugacities g are independent of each other. Furthermore, six sti ness constants are the functions of six phase shifts $_0$, $_0$, $_x$ and $_x$ in the quadrate. The six sti ness constants are

also independent of each other. To see this point, we consider the small phase shifts. In this case (3.22) expresses a non-singular linear transform ation if the quadrate are neglected. Thus, the renorm alization group equations are exactly the 4-state example of the C ardy's general results [24] and their symmetry breaking generalization [25] (also see Appendix B):

$$\frac{dg_{1}}{d\ln_{0}} = (1 \quad K_{0} \)g_{1} + g_{1}; \quad g_{y}e^{E} + \frac{1}{2}(E_{0}+E^{-}) \quad (4.1)$$

$$+ g_{2}g_{1} e^{E_{3}+\frac{1}{2}(E_{0}+E^{-})};$$

$$\frac{dg_{y}}{d\ln_{0}} = (1 \quad K; \)g_{y} + g_{1} \ g_{1}; \quad e^{E_{0}+\frac{1}{2}(E_{0}+E^{-})}$$

$$+ g_{1} \ g_{1}; \quad e^{E_{3}+\frac{1}{2}(E_{0}+E^{-})};$$

$$\frac{dg_{1}}{d\ln_{0}} = (1 \quad K_{3} \)g_{1} + g_{1} \ g_{2}e^{E_{0}+\frac{1}{2}(E_{3}+E^{-})}$$

$$+ g_{y}g_{1}; \quad e^{E^{-}+\frac{1}{2}(E_{3}+E^{-})};$$

$$\frac{dg_{2}}{d\ln_{0}} = (1 \quad K_{03})g_{2} + g_{1} \ g_{1} \ e^{E^{-}+\frac{1}{2}(E_{0}+E_{3})};$$

for the fugacities. Here K = K (;). For the external elds, i.e. U and d, one has

$${}_{0}\frac{d}{dln_{0}} = {}_{0} {}_{d} + {}_{(g_{1}^{2}" + g_{1}^{2}")}e^{E_{0} E_{0}" E_{0}"} \qquad (4.2)$$

$${}_{\frac{1}{2}}(g_{1}^{2}" + g_{1}^{2}")e^{E_{0}" E_{0}"} = {}_{0}$$

$${}_{\frac{1}{2}}(g_{1}^{2}" + g_{1}^{2}")e^{E_{0}" E_{0}"} + g_{2}^{2}e^{E_{0}" E_{0}"} = {}_{0}U + (g_{1}^{2}" + g_{1}^{2}")(e^{E_{0}" E_{0}"} + g_{2}^{2}e^{E_{0}" E_{0}"} + 2g_{y}^{2}$$

$${}_{\frac{1}{2}}(g_{1}^{2}" + g_{1}^{2}")(e^{E_{0}" E_{0}"} + g_{0}^{2}" + g_{1}^{2}")(e^{E_{0}" E_{0}"} + g_{0}^{2}" + g_{1}^{2}")(e^{E_{0}" E_{0}"} + e^{E_{0}" E_{0}"} + e^{E_{0}" E_{0}"});$$

For the sti ness constants, one has

$$\frac{dK}{d\ln_{0}} = \begin{array}{c} X \\ g^{2} e^{E} & (K + K & K) \\ X \\ g^{2} e^{E} & (K + K & K): \end{array}$$

W e m ake a few comments on the renormalization group equations (4.1), (4.2) and (4.3).

(i) A swe have seen, if the model can be mapped to the special model of C ardy's, V_y and t_2 can not vanish. Furthermore, from (4.1), we see that even we start from the vanishing initial values of g_2 and g_y , they will increase as g_1 and g_1 . This means that the own of the vanishing values of them are not correct renormalization owns.

(ii) Since our renormalization group is perturbative in its treatment of g , the phase structure of the system can be described by g . The strong-coupling xed points in the quantum in purity problem are outside the range of validity of the AYHC poorm an's scaling theory, but it can give the correct ow directions. In the strongly coupling limit, the xed point behaviors need to be more carefully discussed.

(iii) Near the xed point, d;U ! 0 in the order of g^2 . Therefore, we can regard all $e^E = 1$ when we discuss the behaviors near the xed point. Then, we can rew rite the renorm alization group equations in the form of perturbative g as follows:

$$\frac{dg_1}{d\ln_0} = (1 \quad K_0 \)g_1 + g_1; \ g_y + g_2g_1 \ ; \qquad (4.4)$$

$$\frac{dg_y}{d\ln_0} = (1 \quad K \ ; \)g_y + g_1 \ g_1; \ + g_1 \ g_1; \ ;$$

$$\frac{dg_1}{d\ln_0} = (1 \quad K \ _3 \)g_1 + g_1 \ g_2 + g_yg_1; \ ;$$

$$\frac{dg_2}{d\ln_0} = (1 \quad K_{03})g_2 + X \ g_1 \ g_1 \ ;$$

$${}_{0}\frac{d}{d\ln_{0}} = {}_{0}{}_{d} + \frac{1}{2}(g_{1}^{2} + g_{1}^{2} - g_{1}^{2}) \qquad (4.5)$$

$${}_{g_{1}^{2}} + g_{2}^{2} - g_{y}^{2};$$

$${}_{0}\frac{dU}{d\ln_{0}} = {}_{0}U + 2(g_{y}^{2} - g_{y}^{2}):$$

$$\frac{dK}{d\ln_{0}} = \begin{cases} X \\ g^{2} (K + K) \end{cases}$$
(4.6)
K) $g^{2} (K + K K):$

U nder those considerations and according to (4.4), we can describe the phase structure of the system .

(i) For all K > 1, all fugacities are irrelevant and renorm alized to zero. There exists a weak coupling xed point g = 0. The xed point H am iltonian is sim ilar to that of the multi-channel X-ray edge problem [22]. The system exhibits a power law decay of the correlation function with a non-universal exponent. This is a NFL phase. By the de nitions of K_0 , the existence of the screening channels ensures the possibility of $K_0 > 1$ and then reaches the NFL phase. The one-channelm odel in a sm all exchange interaction can not have this phase [17].

(ii) Once one of the coupling constant becomes relevant, the low temperature xed point of the system, in general, is Ferm i-liquid-like. It is still possible that there is a plenty of phase structures at nite tem perature. Beare independent of each other, in general cause all K there will be a unique sm allest K with $() = (_{0} _{0}).$ W hen K $_{\circ}$ decreases to 1 and then sm aller than 1, a phase transition happens. There are such six phases that g_{0} is relevant and all the $g \in g_{0}$ are irrelevant in each phase. They may have di erent nite tem perature behaviors. For example, we consider q_v -relevant phase. We focus on the xed point Ham iltonian. Introducing the scaled parameters $V_y=L = J_2 = 2$, $V_0 = L =$ J_=4

and $V_x = L = J_z = 2$ with $J_z > 0$ (this ensures K $_{*\#} < 1$), we see the xed point H am iltonian H is just the one-channel K ondo H am iltonian:

$$H = \sum_{k>0;}^{N} c_{k}^{V} c_{k} + dn_{d} + Un_{d} n_{d\#}$$
(4.7)
+
$$\sum_{k>0;l=1}^{K} \frac{k}{b_{kl}^{V}} b_{kl} + \frac{J_{?}}{2} (S_{c}^{+} s_{d} + hx:) + J_{z} S_{c}^{z} s_{d}^{z}:$$

Here $S_{\rm c}$ and $s_{\rm d}$ are the spin operators of the hybridizing and local electrons respectively. The $g_y~(J_2$)-relevant phase is controlled by the strong - xed point of K ondo problem . Furtherm ore, the values of V_0- and V_x- are not in portant as long as they are within the parameter regime of the g_y -relevant phase. Hence, the - xed point corresponding to g_y -relevant phase is the FL, which is a collective mode of the system and transfers to a state with a localm on ent at $T > T_{\rm K}$, the K ondo tem perature. Equations (4.5) is reduced to

$${}_{0}\frac{d}{d\ln_{0}} = {}_{0} {}_{d} {}_{q} {}_{y}; {}_{0}\frac{dU}{d\ln_{0}} = {}_{0}U + 2g_{y}^{2};$$

which imply that U increase positively if its initial value is not negative. This repeats the results of Anderson model: W hen the impurity level width $\frac{2}{4}$ is much less than U, the model is equivalent to the K ondo model [12].

For the g_1 (g_1)-relevant phase, according to (4.5), U keeps to be alm ost invariant if its initial value is the same as at the xed point. Hence, U in this case and the groundstate of the system may be read o from the exactly solvable Fano-Anderson m odel. It is a FL but there is no a localm on ent in excitation states. So we call this phase the free-orbital phase [13].

For the g_2 -relevant phase, the empty and doubly-occupied states favor over singly-occupied states. The

xed point Ham iltonian H = H₀ + H_I where H₀ can be read o from (3.3) with replacing the all of param – eters by their xed point values and H_I has a leading term R ($g=_0$)^P ($c^y c^y d d + h c$). The matrix elements of R in the xed point can be evaluated by a similar considerations in the X-ray edge problem [33]. As done in [15], de ne $j_{ll} = 0 >$ to be the eigenstates of H₀ $j_{hd=0}$ and $j_{hd} = 2 >$ to be H $j_{hd=2}$'s. Then

$$< n_d = 0 \Re \dot{n}_d = 2 > :$$
 (4.8)

The anom alous exponent = $(1 \ K_{03})=2$. (If < 0 the operator R is irrelevant, and the xed point is the NFL as we have discussed.) In the present parameter regime, > 0 and the operator R are relevant. The xed point is regarded as the FL [15].

Thus, all phases with one relevant fugacity are FL but they may have di erent nite tem perature behaviors. A FL-NFL phase transition occurs as the model parameters vary.

(iii) W hen several of the K 1, the phase transition can be characterized by Cardy's graphical m ethod

[24]. Draw a graph whose vertices are labeled by the states 0; and 3 (see Figure 1(a)). A particular transition corresponds to drawing a set of the edges () which express that those K 1.W hen K and K 🛛 🛛 become smaller than one, g and $g \circ$ are relevant. If f ⁰, g is still irrelevant as long as K > 1. Before the next phase transition happens, we change the edge linking the vertices and to a new vertex and the edge of ⁰ and to another vertex. Then repeat the previous process when other K $\circ \circ$ 1. If = 0 , even K > 1 the second and third terms of (4.1) also drive g to be relevant. Re ecting this point graphically, the vertices are linked as an edge which is changed to ; and a new vertex before the next phase transition appears. Cardy had explained the physical reason to cause g becom es relevant [24]: Logarithm ic interactions between kinks are no longer existent in the linked piece of the graph. Repeat the process till all the vertices are linked so that no further transitions are possible. Cardy calls the nalphase high tem perature (HT) phase, in which all the fugacities are relevant. Notice that the renorm alization group equations are not valid quantitatively in the strongly coupling region. Therefore, the phase structure of the model in the relevant phase must be discussed more carefully. In some situations, the real phase diagram of the relevant phases is di erent from that given by the graphical method. To see this we now turn to various reduced models from the general model.

B. Spin Sym m etric M odel

The spin symmetric model is a model with $g_{\#} = g_{\#}$ and K $_{*}$ = K $_{\#}$. The phase structure of the system can be described graphically in Figure 1. Every diagram row of Figure 1 represents a sequence of transitions from the NFL phase to HT phase. The diagram consisting only of the vertices represents a phase while the diagram with lines is a critical point. For example, Figure 1(a) represents the sequence of transitions corresponding to $K_0 < K_{03}; K_3; K_{\#}$. In fact, Fig. 1(a) and 1(b), 1(c) and 1 (d) re ect sim ilar physical processes, respectively. The four-vertex phase in the gure is the NFL phase. The two-vertex phase of 1(a)(1(b)) is the $g_1(g_1;)$ and g_v relevant phase. We arrive at the strong-coupling xed point of the asymmetric Anderson model. This is the FL. The three-vertex phase of 1 (c) (1 (d)) is controlled by the strong-coupling xed point of the K ondo problem . And two-vertex phase is the same phase as 1 (a) (1 (b)). The three-vertex phase of 1 (e) is the g_2 -relevant phase, which is the FL. The phase structure of the spin sym metric model is di erent from that of the general model: The free orbital phase does not exist. Physically, since $q_{*} = q_{\#}$ the spin can not be frozen out. Furtherm ore, when the (0 ") kinks are bounded, the (0 #) kinks are also bounded because of the spin symmetry, which leads to the ("#) kinks are bounded too. Therefore, q_v becom es relevant together w ith g_1 or g_1 . The free orbital condition, U, can not be satis ed in the spin sym – m etric m odel. W e would like to m ention a point that the spin sym m etry does not change the dimensions of the Lie algebra described in Appendix A. Correspondingly, the largest num ber of the critical points in the sequences of the phase transition keeps to be invariant. As we have m entioned, in the strong coupling lim it, the graphical m ethod is not alw ays valid quantitatively. Here this point re ected in the phase diagram is that the phase transitions from three-vertex phases to two-vertex phases do not really happen because both of the asym m etric A nderson m odel and the K ondo m odel have the sam e strongly coupling xed point.

C.Particle-Hole Symmetric Models

Setting $g_1 = g_1$; and $K_0 = K_3$ in the general model, the consistency of the renormalization ow sofg and g_1 forces that $E_3 = E_0$ (as long as their initial values are equal). Thus, if the PH symmetry of the common hybridization term in the model is not broken, the consistency of the renormalization group equations requires that the system keeps the symmetry. The phase structure of the PH symmetric model is described in Figure 2. Since there is no spin symmetry, the free orbital phase exists (the two-vertex phase in Figs. 2 (a) and 2 (b)). The phase described by two-vertex diagrams in Figure 1 disappears because the model is PH symmetric. The K ondo phase and g_2 -relevant phase still exist.

If we consider spin and PH sym metric model, the phase structure is shown by Figures 3(a), (b) and (c). This model has been discussed in [23]. Figures 3(a), (b) and (c) can be reexpressed more explicitly by Figure 3(d). Notice that there is no three critical point sequence of the transition in the PH symmetric model because it is im possible that K $_{"\#}$ < K $_{03}$ < K $_0~$ and K $_{03}$ < K $_{"\#}$ < K $_0~$. Physically, those sequences of transition break the PH symmetry and then are forbidden. Relating to the Lie algebra of the plasm a 'charges', under the PH sym m etry, the dimensions of the Lie algebra reduce to 3. As we have done [23], the strongly coupling lim it needs to be treated m ore carefully. The real phase diagram is shown in Figure 3(e). The phase of all fugacity relevance is divided into three parts: I is still in the K ondo strongly coupling phase; II is the same as G₂-phase in which the empty and doubly occupied states are favored; and III is all in purity state m ixed phase.

V.M IXED VALENCE STATE REG M E AND FIXED POINTS

In the previous section, we term the FL and NFL states only in the sense that whether the infrared orthogonality catastrophe of the X-ray edge type appears.

In fact, the situation may be subtler if the we consider the local state properties in the problem [18,25]. To see this, we study the xed points in the mixed valence state regimes, in which the renormalized in purity level shift $_{\rm d}$ is of the sam e order as the renorm alized resonant width g_t²= , i. e., j_dj . Most interesting phys-= ical phenomena appear in the particle-hole symmetric model. At nite U, the particle-hole symmetry implies d = U=2 for their bare values. The renorm alization group equations show that this constraint is kept after the renormalization except in the case of in nite U.So, the crossover between various regimes is still determined by the ratio $j_d \neq \ldots$ We can still de nether mixed valence states if $j_d j$. On the other hand, the particle-hole symmetry reduces the number of the independent sti ness constants to two, $_0$ and $_x$. The xed points in the ₀ _x plane can be gured out according to the sti ness constants $t_1 = \frac{1}{2} 0$, $x = x t_2 = 2 0 x$. The weak coupling m ixed valence states is within the renorm alized parameter regime $_{t_1} > 1$, $_x > 1$ and $_{t_2} > 1$. The strong coupling mixed valence states are corresponding to $t_1 < 1$ and $t_2 < 1$. There are two intermediate coupling mixed valence state regimes in which the renorm alized sti ness constants are given by 1) $_{\rm t_1}$ < 1, $_{\rm x}$ < 1 and $_{t_2}$ > 1 and 2) $_{t_1}$ > 1, $_x$ < 1 and $_{t_2}$ < 1. The latter associates to the interm ediate coupling m ixed valence state we have already known in the in nite U case [30,25] while the form er to the G₂-irrelevant m ixed valence states we new ly nd in the nite U case here. We will not repeat the xed point behaviors in the strong coupling case and the known intermediate coupling case but refer to the interested readers to read the relevant literatures [30,25]. W hat we would like to do is to review the weak coupling states and focus on the G₂-irrelevant states.

W ithin the weak coupling mixed valence regime, all running fugacities could be obtained by solving the linear renorm alization group equations. As we have seen in the last section, there is a NFL xed point in the sense of the X-ray edge infrared orthogonality catastrophe. Furthermore, in the mixed valence regime, there are also the violation of the Ferm i liquid behavior in the calculation of the local single-particle and two-particle correlation functions. Some of them have been shown in refs. [18,25] such as G_{dc} ; G_{dd} and two-particle excitonic and d-electron correlation functions as well as dc correlation functions. D ivergences appear in the G_{dc} , G_{dd} and the dc correlation functions, which shows the local NFL behavior. At the nite U, one m ay have m ore divergent correlation functions. For instance, the single d-electron paring function

$$G_{d pair}() = < 0jd() d \circ (0)jB > d;$$

or
 $G_{d pair}(!) ! ^{1+d};$ (5.1)

with the exponent

$$d = 2 \frac{2}{0} \frac{2}{x} (1 ; 0)$$

The two-particle d-electron paring correlation function is given rise to

$$< d d_{\circ}() d_{\circ}^{\gamma} d^{\gamma}(0) > {}^{4};$$
 (5.2)

with the exponent

$$_{4} = \frac{0 + \frac{2}{x}^{2}}{2}^{2}$$
:

W e see that both d-electron pairing correlation functions are divergent in the low energy lim it.

The G₂-irrelevant interm ediate coupling m ixed valence state is new ly discovered at the nite U model. The renorm alization group equations yield an initially decreasing the paring charge fugacity g₂ and initially increasing the charge and spin fugacities g₁ and g_x. It can occur for which the spin and charge kinks are unbound while the paring charge kinks are bound. The two-body hybridization is irrelevant while the hybridization and exchange coupling are relevant. Therefore, the correlation functions such as < 0 β β > given by (4.8) and local pairing single- and two-d-electron correlation functions are still divergent. This gives a new set of local NFL xed points.

VI.CONCLUSIONS

We have constructed a general impurity model with two-body hybridization. Through comparing with the partition functions, via bosonization, we have found that this impurity problem is asymptotically equivalent to a six-component plasm a of kinks with external elds. Hence, the renorm alization group analysis can be system atically carried out in the fram ework of the AYHC poor m an's scaling theory. W e em phasize that it is im portant to introduce the two-body hybridization in the Ham iltonian. This ensures the transitivity of the dipole' operators and then the equivalence of the partition functions. Moreover, the renormalization group equations show that the ow sexcluding the two-body hybridization are not correct renorm alization ows. In some phase of the phase diagram, g_2 is relevant, i.e., hybridizing electrons hop pairly onto and o the impurity orbital. This behavior of the electrons resembles the Cooper pair' in BCS theory. The property of the g_2 -relevant phase is not clear yet. Perhaps, it relates to the superconduct phase in an impurity lattice model. In the phase diagram, there is a NFL phase which controlled by the xed point behavior of the multi-channel X -ray edge problem . A round this phase we have six other phases called the q2-relevant phase, the strong-coupling K ondo phase and four equivalent free orbitalm etallic phases. Hence, there is a FL-NFL phase transition in the system . There are six sequences of phase transitions from the NFL phase to

the HT phase in which all fugacities are relevant. Each sequence has three critical points and four phases, which is same as the dimensions of the Lie algebra corresponding to the plasm a 'charges'.

We have discussed various reduced models. For the spin symmetric model, the free orbital states do not exist because we can not freeze only one spin state in the impurity orbital and the free orbital condition can not be satisted. For the PH symmetric model, we addressed that the PH symmetry of the common one-body hybridization term in the Hamiltonian forces $_{\rm d} = U=2$ by the consistency of the renormalization group equations and also decrease a critical point in the sequence of transitions, correspondingly reducing a dimension of the 'bharges' Lie algebra.

We also discussed the xed point behaviors in the mixed valence state regime. Except the X-ray edge type infrared orthogonality catastrophe in the screening channel, we also found the local NFL signal in the weak coupling and interm ediate coupling mixed valence states.

A cknow ledgm ents

One of us (Y.Y.) is grateful to Y.M. Li and N. d'Am berum enil for their co-operation in the earlier stage of this work and useful discussions. The authors thank Z.B. Su for discussions. This work was supported in part by NSF of China and Grant LW TZ-1298 of Chinese A cadem y of Science.

APPENDIX A:LIE ALGEBRA AND ITS RELATION TO PHASE STRUCTURES

In this appendix, we discuss som e m athem atical properties of the charges' q^a . The screening components, q^l , are trivial and we focus on the spin-components, q. We de neq are given by the spin-components for = or vanish for = 0 and 3. In terms of the transitivity (3.19) and the anti-symmetry of the charges', we immediately have q obey the Jacobi identities:

X q q + q q + q q = 0; (A1)

which m eans that the 'charges' m ay be regarded as a set of structure constants of som e Lie algebra. D enoting the generators of the Lie algebra by T , then we have

$$[T_{0};T] = q_{0}^{\circ}T_{0}; \quad [T;T_{0}] = q_{0}^{\circ}T_{0}; \quad (A2)$$

$$[T;T_{3}] = q_{3}^{\circ}T_{0}; \quad [T_{0};T_{3}] = q_{03}T :$$

The Lie algebra has the following properties:

(i) It is solvable. We call the Lie algebra L. Equations (A2) imply that [L;L] L_1 , [L₁;L₁] L_2 and [L₂;L₂] = 0, where $L_1 = fT$ g and $L_2 = fq_{\#}T$ g. This means that L is solvable.

(ii) The Lie algebra is 4-dimensional, which is same as the dimensions of the impurity Hilbert space. The structure constants form the adjoint representation by (T) = q . For the general parameters $_0; _0; _x$ and $_x^{x}$, $aT_0 + bT_* + cT_{\#} + dT_3 = 0$ only if all coe cients a; b; c and d are zero.

(iii) In the in nite U limit, the doubly-occupied state is completely suppressed in the discussion of the low energy behavior of the system. The physics has been discussed in [15] [18,25]. The impurity Hilbert space is 3-dimensional, and correspondingly, the Lie algebra reduces to 3-dimensional one: $L = fT_0$; T g.

(iv) In the PH symmetric model, $q_0 = q_{;3}$, which leads to the dimensions of the Lie algebra is reduced to 3 too. This consequence can be checked in the adjoint representation by the following linear transformation

$$L_{0} = T_{0} + T_{3} + T_{*} + T_{\#}; \qquad (A 3)$$

$$L_{1} = T_{0} \quad T_{3} + T_{*} + T_{\#};$$

$$L_{2} = T_{0} \quad T_{3} + T_{*} \quad T_{\#};$$

$$L_{3} = T_{0} + T_{3} \quad T_{*} \quad T_{\#}:$$

The transform ation is a non-singular but one nds that $L_3 = 0$. This implies that the dimensions of the Lie algebra is 3.

At the m om ent, it is not clear that w hat are the physical in plication of the Lie algebra and the corresponding Lie group. We only know that there is a correspondence between the phase structures and the dimensions, D, of the Lie algebra: D 1 is equal to the largest numbers of the critical lines between the NFL phase and the HT phase.

APPENDIX B: RENORMALIZATION GROUP EQUATIONS

O ur partition function (3.17) has arrived at a special form of the C ardy's generalm odel with an external eld added. Therefore, the renorm alization group equations can be directly derived by using the AYHC poor m an's scaling theory. The details of the derivation have been presented in [21] [24] [18,25]. Here we just address som e-thing in their derivation.

The renorm alization group equations describe the ∞ s of the dimensionless couplings, the fugacities g , the sti ness constants K (;), and the external elds E , as the band width is reduced.

Firstly, when the cut-o $_0$! $_0$ + d $_0$, to compensate the changes of $_0$'s power terms and external eld terms in the partition function (3.17), the fugacities and the external elds change as follow s:

$$g_{i+1} = (dln_{0})g_{i+1} (l + K (i+1; i)); \quad (B1)$$

E_{i} = E_{i} dln_{0}:

The cut-o of integral lim its also causes the variation of the logarithm ic term s. A fler integrating out the $_{i+1}$,

we obtain the variation involving two such kinks i; i+ 1 and a third kink j which is given by

$$(dln_{0})g_{i i+1}g_{i+1}g_{i+1} = (B2)$$

$$expfK'(i; i+1; j; j+1)ln \frac{j i}{0}$$

$$+K'(i+1; i+2; j; j+1)ln \frac{j i}{0}g$$

$$expfE_{i+2} = E_{i+1}g$$

$$(dln_{0})g_{i i+1}g_{i+1} = (dln_{0})g_{i}g_{i+1}g_{i+1}g_{i+1} = (dln_{0})g_{i}g_{i}g_{i+1}g_{i+$$

The only approximation is j = i = 0, which means the kinks are rare enough.

As long as $i \in i+2$, this can be incorporated into a renorm alization of g_{i+1} , i.e.

$$g_{i i+1} = (dln_0) g_i g_{i+1} e^{E_{i+1}E}$$
; (B3)

which together with (B.1) and g = g leads to the renorm alization ow softhe fugacities in arbitrary external elds:

$$\frac{dg}{d\ln_{0}} = (1 + K (;))g + g g e^{E + \frac{1}{2}(E + E)};$$
(B4)

However, for the neutral pair with i = i+2, the leading term of the left hand side of (B 2) is independent of the relative position of the kinks. It becomes:

$$(d\ln_0)g^2_{i i+1} \frac{i+2 i1}{0}e^{E_i E_i +1}$$
:

which leads to the renorm alization of the external elds: v

$$E = dln_0 g^2 e^{E E} :$$

Taking into account P E = 0 and the renorm alization of the free energy F , the renorm alization ow s of E and F are

$$\frac{dE}{dln_{0}} = E \qquad X \qquad g^{2} e^{E} = + \frac{1}{4} X \qquad g^{2} e^{E} = ; (B5)$$

$$\frac{dF_{0}}{d\ln_{0}} = \frac{1}{4}^{X} g^{2} e^{E_{E}} :$$
 (B6)

Then, we must consider the next term in the expansion of (B 2) as $_0=(j_1, j_1)$, which is

after integrated over the 'closed pair' [21] range $_{i 1}$ $_{i - i+2}$. This can be interpreted as the renorm alization of the sti ness constants:

$$\frac{dK(;)}{d\ln_{0}} = \begin{cases} X \\ g^{2} e^{E} \end{cases}$$
(B8)
$$\begin{cases} (K(;) + K(;) \\ g^{2} e^{E} \end{cases} \\(K(;) + K(;) \\ K(;)): \end{cases}$$

Equations (B4)-(B6) and (B8) are our renorm alization group equations in the model. The relations $g_{;} = 0$ and K (;) = 0 and E = 0 are preserved in the renorm alization process.

- [1] P. W. Anderson, Science 235, 1196(1987); Physica C 185-189, 11(1991); P. W. Anderson and R. Schrie er, Phys. Today, June 1991, p.54.
- [2] C.M. Varma, S. Schmitt-Rink and E. Abraham, Solid Stat. Commun. 62, 681 (1987); C.M. Varma, P.B. Littlewood, S. Schmitt-Rink, E. Abraham and A.E. Ruckenstein, Phys. Rev. Lett. 63, 1996 (1989); A.E. Ruckenstein and C.M. Varma, Physica C 185-189, 134 (1991).
- [3] F.D.M.Haldane, J.Phys., C 14, 2585 (1981).
- [4] See, e.g., R. Shankar, preprint cond-m at/9307009 and references therein.
- [5] D.C.M attis and E.Lieb, J.M ath.Phys., 6,304 (1965);
 A.Luther and I.Peschel, Phys.Rev.B 12, 3908 (1975);
 S.Colem an, Phys.Rev.D 11, 2088 (1975); S.M andelstam, Phys.Rev.D 11, 3026 (1975).
- [6] F.D.M. Haldane, Varenna Lecture, 1992 and Helv. Phys. Acta. 65, 152 (1992).
- [7] A. Houghton and J. B. Marston, Phys. Rev. B 48, 7790 (1993).
- [8] D.V.Khevshchenko, R.H lubina and T.M.Rice, Phys. Rev. B 48, 10766 (1993); A.H.Castro Neto and E.Fradkin, Urbara preprint, 1993; R.Hlubina, ETH preprint, 1993; D.V.Khevshchenko, Princeton preprint, 1993.
- [9] P.W. Anderson, Phys. Rev. Lett. 267, 3844 (1991).
- [10] X.G.Wen, Phys.Rev.B 42, 6623 (1990); H.J.Schulz, Int. J. Mod. Phys. B 5, 57 (1991); M. Fabrizio, A. Parola and E. Tosatti, Phys.Rev. B 46, 3159 (1992); G.M. Zhang, S.P. Feng and L. Yu, to be published; A.Nersesyan, A. Luther and F.V.Kusmartev, Phys. Lett. A 176, 363 (1993); P.W. Anderson, JETP Lett. 58, 59 (1993); V.M. Yakovenko, ibid 56, 5101 (1992); D.V.Khevshchenko, preprint; Y.M.Li, Y.Yu, N. d'Amberum enil, L.Yu and Z.B.Su, Mod.Phys.Lett.B 8,749 (1994); and references therein.

- [11] J.Friedel, Can. J.Phys. 34, 1190 (1956); A.Blandin and J.Friedel, J.Phys. Radium 20, 160 (1959).
- [12] P.W . Anderson, Phys. Rev. 124, 41 (1961).
- [13] K.G.W ilson, Rev. M od. Phys. 47, 773 (1975).
- [14] P.Nozieres, J.Low Tem p.Phys. 17, 31(1974).
- [15] I.E.Perakis, C.M.Varm a and A.E.Ruckenstein, Phys. Rev.Lett. 70, 3467 (1993).
- [16] T. Giam archi, C. M. Varma, A. E. Ruckenstein and P. Nozieres, Phys. Rev. Lett. 70, 3967 (1993).
- [17] G.M. Zhang, L.Yu and Z.B.Su, Phys. Rev. B 49, 7759 (1994).
- [18] Q. M. Si and G. Kotliar, Phys. Rev. Lett. 70, 3143 (1993).
- [19] P. B. W iegm ann and A. M. Finkel'stein, Sov. Phys. JETP 48, 102 (1978); P. Schlottm ann, J. Phys. (Paris) 6, 1486(1978); Phys. Rev. B 45, 4815 (1982).
- [20] J.Solyom, Adv.Phys.28, 209 (1979); J.Phys.F 4, 2269 (1975); P.Nozieres, and A.Blandin, J.Phys. (Paris) 41, 193 (1980).
- [21] P.W. Anderson, G. Yuval and D. R. Hamann, Phys. Rev. B 1, 4464 (1970); P.W. Anderson, J. Phys. C 3, 2436 (1970).
- [22] G. Mahan, Phys. Rev. 153, 882 (1967); P.W. Anderson, Phys. Rev. Lett. 18, 1049 (1967); P.Nozieres and C.T. de Dom inicis, Phys. Rev. 173, 1097 (1969).
- [23] Yue Yu, Y M . Liand N . d'Am benum enil, Phys. Rev. B 51, 16417 (1995).
- [24] J. L. Cardy, J. Phys. A 14, 1407 (1981); See also S. Chakravarty and J. Hirsch, Phys. Rev. B 25, 3273 (1982).
- [25] Q.Siand G.Kotliar, Phys. Rev. B 48, 13881 (1993).
- [26] V. J. Emery, in Highly Conducting One-dimensional Solids, eds. J. T. Devreese et al. (plenum, New York,1979); J. Solyom in [21]. K. D. Schotte and U. Schotte, Phys. Rev. 182,479 (1969); K. D. Schotte, Z. Phys. 230, 99 (1970).
- [27] C. Sire, C. M. Varma, A. E. Ruckenstein and T. Giamarchi, Phys. Rev. Lett. 72, 2478 (1994).
- [28] G.M. Zhang and L.Yu, Phys. Rev. Lett. 72, 2474 (1994).
- [29] In [15], this term was discussed as the leading term of the xed point Ham iltonian in the second order.
- [30] F.M.D.Haldane, Phys. Rev. Lett. 40, 416 (1978); J. Phys.C 11, 5015 (1978).
- [31] In the language of conform al eld theory, O (;) is called vertex operator; q^a is still called charge; and K (;) is the conform alweight of the vertex operator O (;).
- [32] See P.B.W iegm ann and A.M.Finkel'stein in [19].
- [33] See, for exam ple, P.N ozieres and C.T. de Dom inicis in [22]; A lso see K.D.Schotte and U.Schotte in [26]. Recent application, see [15].

Figure Captions

- Fig. 1. The phase structure of the spin symmetric model. (a) K₀ < K₃;K₀₃;K_{"#}. (b) K₃ < K₀;K₀₃;K_{"#}. (c) K_{"#} < K₀ < K₃;K₀₃.(d) K_{"#} < K < K₀;K₀₃. (e) K₀₃ < K₀;K₃;K_{"#}.
- Fig. 2. The phase structure of the PH sym m etric m odel. (a) $K_{0"} < K_{0\#}; K_{"\#}; K_{03};$ (b) $K_{0\#} < K_{0"}; K_{"\#}; K_{03};$ (c) $K_{"\#} < K_{0} < K_{03};$ (d) $K_{03} < K_{0} < K_{"\#}$ or $K_{03} < K_{0} < K_{"\#} < K_{0};$.
- Fig. 3. The phase structure of the spin and PH symmetric model. (a) $K_0 = K_{"\#} = K_{03}$; (b) $K_{"\#} < K_0 < K_{03}$; (c) $K_{03} < K_0 < K_{"\#}$. (d) The phase diagram in $_{0}$ xp space, where $_{0} = (1 \quad x = _{0} =)^{2} + (_{0} =)^{2} + _{1}(_{1} =)^{2}$ and $_{x} = (1 \quad x =)^{2}$. (e) The real phase diagram in $_{0}$ x space. The thick lines are phase boundaries. The thin lines divide the Ferm i liquid phase into the di erent regions characterized by di erent behaviors at nite tem perature.




FIGURE 1






FIGURE 2










FIGURE 3(d)




FIGURE 3(e)