Ballistic Four-Term inal Josephson Junction: Bistable States and Magnetic Flux Transfer

A N.Omelyanchouk^a and Malek Zareyan^b

^a B.Verkin Institute for Low Temperature Physics and Engineering, NationalAcadem y of Sciences of Ukraine, 47 Lenin Ave., 310164 Kharkov, Ukraine ^b Institute for Advanced Studies in Basic Sciences,

45195–159, Gava Zang, Zanjan, Iran

Abstract

The macroscopic quantum interference e ects in ballistic Josephson microstructures are investigated. The studied system consists of four bulk superconductors (term inals) which are weakly coupled through the mesoscopic rectangular norm almetal (two dimensional electron gas). We show that nonlocal electrodynamics of ballistic system s leads to speci c current-phase relations for the mesoscopic multiterm inal Josephson junction. The nonlocal coupling of supercurrents produces the "dragging" e ect for phases of the superconducting order parameter in dierent terminals. The composite Josephson junction, based on this e ect, exhibits the two-level system behaviour controlled by the external magnetic ux. The e ect of magnetic ux transfer in a system of nonlocally coupled superconducting rings is studied.

Keywords: Multiterm inal Josephson junction; Nonlocal coupling; Drage ect; Magnetic ux transfer.

Corresponding author. Em ail: om elyanchouk@ ilt.kharkov.ua

1 Introduction

Recently there has been considerable interest in ballistic mesoscopic S-2D EG -S Josephson junctions (2DEG - two dimensional electron gas). Heida et al. [1] investigating this new class of fully phase coherent Josephson junctions of comparable width and length, have dem onstrated the nonlocal phase dependence of mesoscopic supercurrents. Nonlocality leads to the anom alous critical current dependence on the magnetic ux in such mesoscopic junctions [1-3]. It was noted in [4] that the four-term in algeneralization of S-2D EG -S structures (namely, considering of the case when two-dimensional norm al layer is connected with four term inals instead of two ones as in Refs.[1-3]) will allow the studying of the speci c multichannel macroscopic quantum interference e ects in mesoscopic multiterm inals. For review of experimentaland theoretical investigation of the conventionalmultiterm inal Josephson junctions see [5] and references there. The microscopic theory of coherent current states in mesoscopic ballistic 4-term inal Josephson junction was offered in [6]. In present paper we study the macroscopic manifestations of the nonlocal coupling of supercurrents inside the mesoscopic multiterm inal weak link. We show, that 4-term inal Josephson junction with two term inals incorporated in superconducting rings, presents them acroscopic bistable system in which the energy levels and the potential barrier height are regulated applied through the ring. Such composite S-N ()by the magnetic ux S Josephson junction between conventional superconductors behaves sim ilar to so called "-contact" (see the recent paper [7] on tunable qubit, based on "-contact" between d-wave superconductors). In addition, we introduce the e ect of magnetic ux transfer in system of two superconducting rings weakly coupled through the mesoscopic 4-term inal junction.

2 System description. Basic equations

The mesoscopic four-term inal Josephson junction we study is sketched in Fig. 1a. It consists of four bulk superconductors (S) which are weakly coupled through a ballistic rectangular norm al (N) layer (two dimensional electron gas) of length L and width W. Contact sizes L, W are suppose to be much larger than Ferm iwave length $_{\rm F}$. In the stationary state, the ballistic motion of the electrons through the norm al junction region (L=2 < x < L=2

, W = 2 < y < W = 2) is described by the quasi-classical E ilenberger equations [8]:

$$v_{\rm F} \frac{\theta}{\theta r} \hat{G} + [! \hat{J} + \hat{f}; \hat{G}] = 0;$$
$$\hat{G} = \frac{g}{f^{\rm Y}} \frac{f}{g}; \hat{f} = \frac{0}{0} : \qquad (1)$$

The electrons go through quasi-classical trajectories which are straight lines along the electron velocity on the Ferm i surface, v_F . The trajectory which is coming from the ith bank and going to the jth bank (i ! j trajectory) is shown in Fig. 1b. In the point ~ (x;y), the interference between the trajectories connecting di erent superconducting banks (e.g. i ! j and i^0 ! j^0 , in Fig. 1b) takes place. The state of ith S-term inal is de ned by the com plex pair potential = $_0e^{i'i}$ (i = 1; ...;4), i.e. by the phase 'i in the ith bulk superconductor.

The solution of Eilenberger equations (1) inside N-layer can be easily obtained by integrating over the electronic trajectories in the same way as for a ballistic point contact [9]. In Ref. [6], the anom alous f₁ (v_F ;~) and norm al g₁ (v_F ;~) G reen's functions were calculated for arbitrary temperatures 0 < T < T_c and arbitrary sizes L;W (in the scale $_0$ $hv_F = _0$). For the current density j(~) and self-consistent o -diagonal potential , we have the expressions:

$$j(\sim) = 4 \text{ ien } (0)T \sum_{l>0}^{X} hv_F g_l i;$$
 (2)

= 2 T
$$_{!>0}^{X}$$
 hf_!i: (3)

Here ! is M atsubara frequency, N (0) = m = (2); h:::i is the averaging over directions of 2D vector v_F , is the constant of electron-phonon coupling. Inside the norm allayer = 0 and hence = 0. How ever, the anom alous average, (^^) has the nite value and determ ines the induced order parameter, (~), as

$$(\sim) = 2 T \prod_{1>0}^{X} hf_1 i:$$
 (4)

3 Current-phase relations

We consider the case of small junction (L;W << $_0$) when the e ects of nonlocality are most pronounced. Qualitatively, it describes the situation of L;W $'_0$. For general consideration see [6]. The total current owing into the ith term inal, I_i, depends on the phases $'_j$ (j = 1; :::; 4) in all the banks:

$$I_{i} = \frac{0}{e} \sum_{j=1}^{X^{4}} i_{j} \sin\left(\frac{j}{2}\right) \tanh\left[\frac{0}{2} \cos\left(\frac{j}{2}\right)\right] (5)$$

In the case of two-term inal junction we have from (5) the Josephson current of a clean point contact[9]. The geom etrical factors, $_{ij}$, present the coupling coe cients between the ith and jth term inals and are functions of the length to width ratio k = L=W as

$${}_{13} = \frac{e^2 p_F d}{2} (1 \quad p \quad \frac{1}{1 + k^2}); \quad {}_{24} = \frac{e^2 p_F d}{2} (1 \quad p \quad \frac{k}{1 + k^2})$$

$${}_{12} = {}_{14} = {}_{23} = {}_{34} = \frac{e^2 p_F d}{2^2} (p \quad \frac{1 + k}{1 + k^2} \quad 1); \quad {}_{ij} = {}_{ji}:$$
(6)

where $d = {}^{p} \frac{1}{L^{2} + W^{2}}$ and the num eration of the banks is shown in Fig. 1b. In eq. (5), the positive sign of I_{i} corresponds to the direction of the current from the norm allayer to the ith bank. Note that ${}^{P} \frac{4}{i=1} I_{i} = 0$.

In the following we consider, for simplicity, the symmetric junction (square N-layer), k = 1, and the case oftem peratures T near the critical tem perature T_c . We emphasize, that the studied here macroscopic interference phenomena take place at low temperatures, e.g. at T = 0, as well as near T_c . The di erence is in the values of the critical currents and in the replacing of the sinusoidal current-phase dependence sin ' by sin ('=2) sign [cos ('=2)].

Near T_c , and for k = 1, eq. (5) takes the form

$$I_{i} = \frac{{}_{0}^{2} (T)}{4eT_{c}} \frac{e^{2}p_{F}L}{2} \frac{P}{\overline{2}} \frac{1}{\overline{2}} \frac{X^{4}}{p_{\overline{2}}} \sim_{ij} \sin (I_{i} I_{j});$$
(7)

with

$$\sim_{13} = \sim_{24} = \stackrel{P-}{2}; \quad \sim_{12} = \sim_{14} = \sim_{23} = \sim_{34} = 1:$$
 (8)

The corresponding Josephson coupling energy of the 4-term inal junction, E_J , (such that $I_i = (2e=h)@E_J=@'_i$) has the form

$$E_{J}('_{i}) = \frac{h}{2e} \frac{0}{4eT_{c}} \frac{(T)^{2}}{2} \frac{e^{2}p_{F}L}{2} \frac{p}{\overline{2}} \frac{1}{2} \frac{X}{p_{j < k}} \sim_{jk} [1 \quad \cos('_{j} \quad '_{k})]: \quad (9)$$

In the case of conventional 4-term inal Josephson junction [4], which presents the system of crossed dirty superconducting m icrobridges between bulk superconductors, the current-phase relations have the form sim ilar to (7). The essential di erence consists in the structure of the coupling coe cients $_{ij}$. In the m esoscopic ballistic junction these form factors are not factorized (nam ely, $_{12}$ $_{34}$ $\stackrel{\bullet}{\leftarrow}$ $_{13}$ $_{24}$), in spite of the conventional case, where $_{ij}$ $(1=R_i)(1=R_j); R_i$ are the norm al resistances of the m icrobridges.

The current-phase relations (7) determ ine the behaviour of the system in the presence of the transport currents and (or) the diam agnetic currents induced by the magnetic uxes through closed superconducting rings. W e will distinguish two types of the circuit in plication of the mesoscopic 4-term inal junction (Fig. 2). The rst one, "crossed" or "transverse" in plication is shown in Fig. 2a. It closely corresponds to the case of conventional 4term inal junction. Thus, the theory developed in [5] is applicable to this case too. In the "parallel" (Fig. 2b) case, the new speci c features in the behaviour of the 4-term inal Josephson junction appear. They are results of the nonlocal coupling of currents inside the N-layer, which produces the peculiar e ect of "dragging" of the phase di erence between one pair of term inals by the phase di erence between another pair of term inals. W e will concentrate here on the "dragging" case (Fig. 2b).

By introducing the phase di erences

$$= {}'_{2} {}'_{1}; {}' = {}'_{3} {}'_{4}; {} = \frac{{}'_{1} + {}'_{2}}{2} {} \frac{{}'_{3} + {}'_{4}}{2};$$

and taking into account the relations

$$I = I_2 = I_1; \quad J = I_3 = I_4;$$
 (10)

we obtain from (7)

$$I = \sin + [(2 + 1)\sin - 2\cos + (2 + 1)\cos - 2\sin + (2$$

$$J = \sin' + [(2 + 1)\sin' \frac{1}{2}\cos_2 + (2 + 1)\cos' \frac{1}{2}\sin_2 \cos \frac{1}{2}\sin \frac{1}{2}\cos \frac{1}{2}\cos \frac{1}{2}\sin \frac{1}{2}\cos \frac{1}{2}\cos \frac{1}{2}\sin \frac{1}{2}\cos \frac{1}{2}\cos$$

All the currents are norm alized by

$$I_{0} = \frac{0}{4eT_{c}} \frac{(T)^{2}}{2} \frac{e^{2}p_{F}L}{2} \frac{(\frac{p}{2}-1)}{\frac{p}{2}-\frac{1}{2}}:$$

From the current conservation, it follows that the phase in eqs. (11) and (12) can takes only two value of 0 or . The dimensionless Josephson coupling energy E_J (in units $h=(2e)I_0$) in terms of ', and takes the form

$$E_{J} = \cos \cos' [(2+1)\cos' \frac{p}{2}\cos_{-} (2+1)\sin' \frac{p}{2}\sin_{-} 2]\cos : (13)$$

The minimization of E_J with respect to actually gives that phase takes the value 0 or , depending on the equilibrium values of and ':

$$\cos = \operatorname{sign} \left[\left(\begin{array}{c} 2 + 1 \right) \cos \frac{\prime}{2} \cos \frac{1}{2} & \left(\begin{array}{c} 2 \\ 2 \end{array} \right) \sin \frac{\prime}{2} \sin \frac{1}{2} \right] \right]$$
(14)

The coupled system of equations (11), (12) with condition (14) for determ ines the current-phase relations I(;') and J(';). We note that in the "crossed" implication case (as well as in the conventional 4-term inal Josephson junction) the coupling term s in eqs. (11)-(14), which contain the coe cient ($\frac{1}{2}$ 1), are absent. The appearance of this additional coupling leads to new e ects.

4 B istable states in composite S-N ()-S junction

Let us consider the case when the term inals 3 and 4 are incorporated in a superconducting ring. W hen the external ux is applied, the phase ' is controlled by the magnetic ux , which is embraced by the ring: ' = 2 = $_0$ ($_0 = h=2e$). The con guration shown in Fig.3 presents the Josephson weak link (the region enclosed by the dashed rectangular) between two superconductors. This weak link has the current-phase relation I (), which depends

on the internal degrees of freedom (trapped ux) of such composite S-N ()-S junction. The nonlocal coupling in the N-layer leads to the nontrivial behaviour of the I() as function of . It follows from (11) and (12) that for $\frac{1}{2}$ o, due to the term proportional to (2) 1), zero value of the current I corresponds to nonvanishing value of the phase . In Fig. 4 the function I () is shown for two values of $ux_{i} = 0$ (dashed curve) and $_0=2$ (solid curve). The phase dependence I () is splitted near = 0 = ${}_{0}=2$ and I = 0 the phase di erence is not zero but ${}_{0}=$ arcsin $(\frac{p}{2}\frac{1}{2+1})$. Both values ${}_{0}$ correspond to the at € 0. If equals to = equalminim a of potential E_{I} (j = 0=2) as shown in Fig.5. With going $_0=2$ the potential pro le is changed as shown in F ig 5, and of apart from one of the m inim a disappears. Thus, the S-N ()-S junction presents the two level system with energy levels which can be requilated by the magnetic ux .At = $_0=2$ we have the bistable system with equal energy values of the levels. The picture resembles the so called " -contacts", i.e. the conventional Josephson junction with magnetic impurities in barrier or contact between d-wave superconductors.

5 Magnetic ux transfer

The appearance of nonzero phase di erence at zero value of current I in S-N ()-S system leads to the e ect of magnetic ux transfer, which is a macroscopic manifestation of the nonlocal coupling in the mesoscopic 4-term inal Josephson junction.

Consider the case when both pairs of term inals 1-2 and 3-4 are short circuited by superconducting rings (S-N ()-S junction incorporated in the ring). The currents I and J in eqs. (11), (12) are now related to the corresponding magnetic uxes through the rings by

$$I = \frac{e}{L_{I}}; \quad J = \frac{e}{L_{J}}; \quad (15)$$

where L_I , L_J are self-inductances of the rings, ^e and ^e are the external magnetic uxes applied to the rings and and are the resulting embraced uxes. The phases and ' are related to the magnetic uxes by $= 2 = _0$, $' = 2 = _0$.

From eqs. (11), (12) and (15) we obtain the coupled equations for and

$$= {}^{e} L_{I}fsin + [({}^{p}2+1)sin - 2sin - 2sin - 1)sin - 2sin - 2s$$

$$= {}^{e} L_{J}fsin + [({}^{p}\overline{2}+1)sin \frac{1}{2}cos \frac{1}{2}+({}^{p}\overline{2}-1)cos \frac{1}{2}sin \frac{1}{2}]cos g; (17)$$

where we have introduced dimensionless self-inductances $L_{I,J} = (2e=h)I_0L_{I,J}$ and magnetic uses are measured in units h=2e. It follows from these equations that, when the ux ^e is applied to the J-ring, even at ^e = 0 the magnetic us in I-ring is not zero. Suppose for simplicity that $L_J << 1$, so that ' ^e. For the transferred us (at ^e = 0) we obtain the equation:

$$= L_{I}fsin + [(\stackrel{p}{2} + 1)sin \frac{1}{2}cos\frac{e}{2} + \frac{1}{2}]sign[(\stackrel{p}{2} + 1)cos\frac{e}{2}cos\frac{1}{2} + \frac{1}{2}]sign[(\stackrel{p}{2} + 1)cos\frac{1}{2}cos\frac{1}{2}]sign[(\stackrel{p}{2} + 1)cos\frac{1}{2}cos\frac{1}{2}cos\frac{1}{2}]sign[(\stackrel{p}{2} + 1)cos\frac{1}{2}cos\frac{1}{2}cos\frac{1}{2}]sign[(\stackrel{p}{2} + 1)cos\frac{1}{2}cos\frac{1}{2}cos\frac{1}{2}]sign[(\stackrel{p}{2} + 1)cos\frac{1}{2}cos$$

In the lim it L_I ! 0, we obtain from (17) for transferred ux

=
$$L_{I} \begin{pmatrix} p_{-} \\ 2 \end{pmatrix} \sin \frac{e}{2} \operatorname{sign} (\cos \frac{e}{2})$$
: (19)

The num erical solutions of eq. (18) for di erent values of L_{I} are presented in Fig. 6. The transferred ux is a periodical function of applied ux ^e, (^e + 2n) = (^e) where n is an integer num ber. For nite values of L_{I} , the small hysteresis region exists in the dependence (^e) near ^e = $_{0}=2$ (see Fig.6).

6 Summary

The multiterm inal Josephson junction presents the system in which weak coupling takes place between several massive superconducting banks (term inals). The general phenom enological theory of Josephson multiterm inals [5] shows the variety of macroscopic quantum interference phenom ena in such systems. In present paper, we have introduced and studied a new kind of Josephson multiterm inals, the m esoscopic ballistic multiterm inal Josephson junction. In the studied system the nonlocal coupling is established through a m esoscopic two dimensional norm almetal layer. Within the microscopic theory, the current-phase relations for m esoscopic multiterm inal junction have been calculated. They take into account the nonlocal coupling of supercurrents inside the ballistic weak link. This current-phase relations describe speci c (as compared to the conventionalmultiterm inals [5]) behaviour of the system in the presence of the transport currents and (or) the diam agnetic currents induced by the magnetic uses through the closed superconducting rings. We showed that nonlocality produces the dragging of the phase di erence between one pair of term inals by the phase di erence between another pair of term inals.

We have studied the macroscopic manifestations of this dragging in two situations. The rst one is, what we call S-N ()-S Josephson junction (Fig. 3). It presents the S-N-S contact with a N-layer which properties are regulated by the external magnetic ux applied through the ring as shown in Fig. 3. The internal degree of freedom (magnetic ux embraced in the ring) makes this macroscopic system similar to the -contacts, i. e. to the contacts having non-zero ground state phase di erence at zero value of the current. We obtained that our "macroscopic -contact" presents the bistable system in which the energy levels and potential barrier are regulated by the magnetic ux . At equals to 1/2 of magnetic ux quantum 0, we have doubly degenerate ground state, just as in the case of -contact

between d-wave superconductors (see [7]).

Secondly, we consider a system of two superconducting rings weakly coupled through the mesoscopic 4-term inal junction. Such system was studied in [4] for the case of conventional 4-term inal Josephson junction. Now (in addition to the results of R ef. [4]), in nonlocal mesoscopic case the e ect of magnetic ux transfer is obtained. It consists of appearance of magnetic ux in one of the rings when the magnetic ux is applied through the another ring. The amplitude of e ect is calculated for di erent values of the ring's sel nductance.

In conclusion, it is interesting to realize the 4-term inal SQUID device [5,10] based on m esoscopic 4-term inal junction, which w ill expose the studied here e ects of nonlocality.

References

- [1] J.P.Heida, B.J.van Wees, T.M.K lapwijk and G.Borghs, Phys. Rev. B 57, R 5618 (1998).
- [2] V.Barzykin and A.M.Zagoskin, preprint cond-m at/9805104.
- [3] Urs Lederm ann, Alban L. Fauchere, and Gianni Blatter, preprint condm at/9902134.
- [4] R. de Bruyn O uboter, A N Om elyanchouk, E.D. Vol, Low Tem p. Phys. 24, 767 (1998); cond-m at/9805174.
- [5] R. de Bruyn Ouboter, A N Om elyanchouk, Superlatt. & M icrostruct., 23, N 3-4, (1999).
- [6] Malek Zareyan and AN Omelyanchouk, Low Temp. Phys. 25, N3 (1999); cond-m at/9811113.
- [7] A.M. Zagoskin, preprint cond-m at/9903170.
- [8] G.Eilenberger, Zs. Phys., 214, 195 (1968).
- [9] IO Kulik and AN Omelyanchouk, Sov J. Low Temp. Phys. 4, 142 (1978).
- [10] B.J.V leeming, Ph.D. thesis, Leiden University (1998).

Figure captions

Fig. 1. (a) The m esoscopic ballistic 4-term inal Josephson junction. Four bulk superconductors (S) are weakly coupled through a rectangular norm al (N) layer of length L and width W . b) The electron quasi-classical trajectories inside the norm al region (L=2 < x < L=2; W=2 < y < W=2) are straight lines along the electron velocity on the Ferm i surface v_F . The trajectory i! j connects the ith and jth sides.

Fig. 2. Two types of implication of m esoscopic 4-term inal Josephson junction in the external circuits. (a) Crossed (b) Parallel.

Fig. 3. The S-N ()-S Josephson junction. Two superconductors (S) are weakly coupled through the composite weak link (dashed rectangular) which consists of the N-layer and a coupled superconducting ring with the embraced magnetic ux .

Fig. 4. The current I() through the S-N()-S Josephson junction is shown for two values of : = 0 (dashed curve) and = $_0=2$ (solid curve). For = $_0=2$, I() is splitted near the = 0.

Fig. 5. The Josephson coupling energy for a S-N ()-S junction for $= _0=2$ (solid curve) has two equals minima. For $> _0=2$ or $< _0=2$ (dashed curves) the potential prole is changed and one of the minima disappears.

Fig. 6. The dependence of the transferred ux to the I-ring, , on the ux in the J-ring, , for di erent values of sel nductance L_I: " $| \{"-L_I = 1, " -L = 0.5, "222" - L_I = 0.1$. The dashed rectangular shows the smallysteress region near = .

This figure "fig1.jpg" is available in "jpg" format from:

http://arxiv.org/ps/cond-mat/9905139v1

This figure "fig2.jpg" is available in "jpg" format from:

http://arxiv.org/ps/cond-mat/9905139v1

This figure "fig3.jpg" is available in "jpg" format from:

http://arxiv.org/ps/cond-mat/9905139v1





