UNIBAB, Version 2.2: M onte Carlo Event Generation for Large Angle Bhabha Scattering at LEP and SLC Energies

Harald Anlauf^{a,b;y}
Hans-Dieter Dahmen^b
Panagiotis Manakos^a
Thorsten Ohl^{a;z}

^a Technische Hochschule Darm stadt 64289 Darm stadt, Germ any

> ^b U niversitat Siegen 57076 Siegen, G erm any

> > December 1995

A bstract

This manual describes version 22 of the Monte Carlo event generator UNIBAB for large angle Bhabha scattering at LEP and SLC.UNIBAB in plements higher order electromagnetic radiative corrections and the electromagnetic radiative corrections are included through the use of an electroweak library.

Supported by Bundesm inisterium für Bildung, Wissenschaft, Forschung und Technologie, Germany.

yem ail: <anlauf@crunch.ikp.physik.th-darmstadt.de>

ze-m ail: <ohl@crunch.ikp.physik.th-darmstadt.de>

Program Sum mary:

Title of program: UNIBAB, Version 22 (December 1995)

Program obtainable from:

ftp://crunch.ikp.physik.th-darmstadt.de/pub/anlauf/unibab

Program ming language used: FORTRAN-77

C om puter/O perating System: Any with a FORTRAN-77 environment

Number of program lines in distributed program, including test data, etc.: 9000 (Including comments)

K eyw ords: radiative corrections, large angle Bhabha scattering, multiphoton radiation

N ature of physical problem: Higher order leading logarithm ic QED radiative corrections to large angle Bhabha scattering (e^+e^- ! $e^+e^-+n^-$) including weak corrections at Z energies and beyond

M ethod of solution: M onte Carlo event generation

R estrictions on the complexity of the problem: The program assumes dominance of the s-channel Z exchange contribution and does not include the interference between initial and nal state radiation. Therefore, the program is primarily designed to be used in the vicinity of the Z peak and only for not too small and not too large scattering angles (10 < < 170). With somewhat limited accuracy, the program is also useful for LEP2 energies. For cross checks, the contributions of the t-channel diagrams may be switched o, so that the program electively simulates e^+e^- . However, the latter mode is not very election.

Typical running time: Strongly dependent on the energy and the chosen cuts. The test run took approximately 55 CPU seconds on a DEC A lpha 3000-600 running Digital Unix, 65 CPU seconds on an SGIC hallenge running IRIX, 80 CPU seconds on an HP 9000/735 running HP/UX, 355 CPU seconds on an IBM RS/6000-520 running AIX, and 485 CPU seconds on an Intel 486D X 50 running Linux.

1 Introduction

The study of electroweak physics in e⁺ e -collisions close to the Z resonance has proven to be extremely fruitful [1{3]. The precision measurements of the Z parameters are very powerful in constraining the as yet unknown electroweak parameters and allow to put stringent limits on potential physics beyond the standard model.

In the context of these precision m easurem ents, small angle B habha scattering plays a major role because all LEP/SLC experiments use it for their luminosity measurements. Consequently, from the beginning much e orthas gone into the construction of seminally tical programs [4] and M onte Carlo event generators [5] for B habha scattering in the small angle regime. With improved statistics, systematic errors begin to dominate, to which the theoretical uncertainties in the calculation of cross sections give an important, by now even sometimes dominating, contribution. At the level of a required precision of the order of 0.1%, the inclusion of higher order electromagnetic corrections is indispensable and is taken care of in state-of-the-art calculations and M onte Carlo programs, as reviewed in [2,6].

In contrast, the situation for large angle Bhabha scattering is less favorable. In the vicinity of the Z peak, s-channel Z exchange and t-channel photon exchange are of similar importance, thus the calculation of radiative corrections is more involved than in the case of ferm ion pair production or small angle Bhabha scattering. For typical experimental cuts, the radiative corrections to large angle Bhabha scattering are numerically much larger than to small angle Bhabha scattering, and higher order electrom agnetic corrections are of much higher importance. Nevertheless, large angle Bhabha scattering at LEP1 and SLC in principle provides a sensitivity to the parameters of the electroweak sector of the Standard Model comparable to the other charged lepton nal states, ', '. In the energy regime of LEP2, the contribution of Z exchange to the Bhabha cross section is much smaller than at LEP1/SLC, hence it can be considered essentially as a general QED test.

The state-of-the-art for large angle B habha scattering is reviewed in [6]. While semi-analytical calculations [7{12}] provide reliable predictions for a predened set of cuts, it is nevertheless experimentally desirable to provide a comparable precision in a full Monte Carlo event generator, which will then allow to impose arbitrary cuts, and to simulate the response of the detector to $e^+e^-e^-$ events.

The present paper describes the implementation and status of the Monte Carlo event generator UNIBAB 22 that provides a level of precision comparable to sem i-analytical programs. It is an update of the rst published version 2.0 [13], and has been compared with other available Monte Carlo event generators (BHAGENE3 [14] and BHWIDE [15]) as well as available sem i-analytical calculations [6] both for LEP1 and LEP2 energies.

The distinguishing feature of UNIBAB from xed order M onte Carlo event generators

is that it handles the leading logarithm ic contributions

$$\frac{1}{-\log \frac{s}{m_{e}^{2}}} = 6\% \quad \text{(at LEP/SLC energies)}$$
 (1)

to the electrom agnetic radiative corrections to all orders in a M onte C arlo parton shower algorithm, which includes the very important exponentiation of the soft photon contributions autom atically, as well as the contributions from multiple em ission of hard collinear photons. In addition, UNIBAB contains the full kinematics from multiphoton em ission, since the radiated photons are generated explicitly.

The rst version of the M onte Carlo generator, UNIBAB89 [16,17], was a \QED dresser" in the sense of [1], i.e. it contained only the QED corrections to an elective Born cross section. It also suiered from several serious limitations (see appendix B). In version 2.0 of UNIBAB, most of these limitations were overcome using the experiences with the M onte Carlo event generators KRONOS [18] and KROWIG [19] for deep inelastic scattering at HERA. Weak corrections are included through the use of an electroweak library.

This write-up is organized as follows: In section 2 we outline the physics underlying the algorithms implemented in UNIBAB. The actual implementation is described in section 3. The parameters controlling the execution of UNIBAB are discussed in detail in section 4, and the FORTRAN-77 interface is presented in section 5. Section 6 contains our conclusions. Distribution rules, the revision history, a listing of all external symbols and an example can be found in the appendices.

2 Bhabha Scattering at High Energies

In the structure function form alism $[7,20{22}]$ the factorized expression for the di erential cross section for the process

$$e^{+}(p_{+})e(p)! e^{+}(p_{+}^{0})e(p^{0})[(k_{1})]$$
 (2)

reads

$$\frac{d^{4}}{dt_{+} dt du_{+} du} = \int_{0}^{Z^{1}} dx_{+} dx dy_{+} dy (x_{+};Q^{2}) (x_{+};Q^{2}) D(y_{+};Q^{2}) D(y_{+};Q^{2}) D(y_{+};Q^{2})$$

$$\frac{\partial (\hat{t}_{+};\hat{t}_{+};\hat{u}_{+};\hat{u}_{+})}{\partial (\hat{t}_{+};\hat{t}_{+};\hat{u}_{+};\hat{u}_{+})} \frac{d^{4} \wedge (\hat{t}_{+};\hat{u}_{+};\hat{u}_{+};\hat{u}_{+})}{\partial (\hat{t}_{+};\hat{u}_{+};\hat{u}_{+};\hat{u}_{+})} (3)$$

where $^{\circ}$ is the Born level cross section of the hard process, $(x_i;Q^2)$ are the structure functions for initial state radiation, D $(y_i;Q^2)$ are the fragmentation functions used for nal state radiation, and Q^2 is the factorization scale. The invariants are defined as

follows

$$s = (p_+ + p_-)^2$$
 (4)

$$\hat{S} = (x_+ p_+ + x p)^2 = x_+ x S$$
 (5)

$$s = (p_{+} + p_{-})^{2}$$

$$\dot{s} = (x_{+} p_{+} + x_{-} p_{-})^{2} = x_{+} x_{-} s$$

$$t = p_{-} p_{-}^{0}$$
(4)
(5)

$$\hat{t} = x p \frac{p^0}{y} = \frac{x}{y} t$$
 (7)

$$u = p p^0$$
 (8)

$$\hat{u} = x p \frac{p^0}{y} = \frac{x}{y} u$$
 (9)

where the electron mass has been neglected. In the absence of photon radiation we have of course $t_+ = t$ and $u_+ = u$.

Here we restrict ourselves to the leading log approximation (LLA) where the structure functions $(x;Q^2)$ and D $(x;Q^2)$ are identical. The structure functions D satisfy the evolution equation [20,23,24]

$$Q^{2} \frac{\theta}{\theta Q^{2}} D (x; Q^{2}) = \frac{Z^{1}}{2} \frac{dz}{z} \mathbb{P}_{ee}(z) \mathbb{I}_{+} D \frac{x}{z}; Q^{2}$$

$$(10)$$

$$P_{ee}(z) = \frac{1+z^2}{1-z}$$
 (11)

with initial condition

$$D(x; m_e^2) = (1 x)$$
 (12)

An explicitly regularized version of (10) which is used in the M onte C arlo implementation is given by

$$Q^{2} \frac{\theta}{\theta Q^{2}} D (x; Q^{2}) = \frac{1}{2} \frac{dz}{z} P_{ee}(z) D \frac{x}{z}; Q^{2}$$

$$= \frac{1}{2} \frac{dz}{z} P_{ee}(z) D (x; Q^{2});$$

2.1 The Algorithms for Multiphoton Radiation

2.1.1 In itial State R adiation

From $(4\{9)$ it is obvious that the implementation of (3) in a M onte C arlo event generator am ounts to solving (13) by iteration and taking into account the energy loss in the hard cross section.

The initial state branching algorithm, which is implemented as a photon shower algorithm, has already been described in ref. [18]. It has been taken over essentially unchanged, the only modication is that we require conservation of four-momentum at every emission vertex and allow the electron momentum to take on o-shell values after initial state radiation. The o-shell momenta of the electron and positron after initial state branching are then used as the input momenta for the subgenerator of the hard Bhabha cross section. In the present version, the factorization scale used for initial state radiation is xed to $O^2 = s$.

2.1.2 Final State Radiation

In the vicinity of the Z peak and for not too small scattering angles, the cross section is dominated by s-channel Z exchange. Therefore we use the following approach. If we neglect interference between initial and nal-state radiation, the radiative corrections in the nal state will then be well approximated by the radiative corrections to Z decay.

The dierential decay rate for one-photon em ission $Z ! e^+e^-$ is related to the decay $Z ! e^+e^-$ at lowest order [25]:

$$\frac{d^{(3)}}{dx_1 dx_2 d_{1:2}} = C_1(x_1; x_2) \frac{d^{(2)}}{d_1} + C_2(x_1; x_2) \frac{d^{(2)}}{d_2}$$
(14)

w here

$$C_1(x_1; x_2) = \frac{x_1^2}{2} \frac{x_1^2}{(1 x_1)(1 x_2)}$$

 $C_2(x_1; x_2) = \frac{x_2^2}{2} \frac{x_2^2}{(1 x_1)(1 x_2)}$

Here d $^{(2;3)}$ denotes the dierential decay width of Z into e^+e^- (e^+e^-), d $_{1;2}$ refers to the direction of the outgoing e^+ (e) in the Z rest frame, and x_1 and x_2 are the energy fractions of e^+ and e^- for the radiative decay. For a more detailed description we refer the reader to [25].

It is easily veried that, in the lim it of em ission of soft photons or photons (almost) collinear with the outgoing ferm ions, eq. (14) reduces to

$$\frac{1}{(2)} \frac{d^{(3)}}{dx_1 dx_2} \qquad \$^2 \frac{x_1^2 + x_2^2}{(2p_+^0 + k)(2p_-^0 + k)}; \tag{15}$$

which exhibits the leading soft and collinear singularities that have to be resum med to all orders.

We choose the phase space boundary such that the leading logarithms are correctly reproduced,

$$1 \quad x_3 (1) \quad (x_{1,2} < 1) \quad x_3 \quad (x_3 < 1)$$

with

$$x_1 + x_2 + x_3 = 2$$
:

The parameter is therefore related to the factorization scale Q^2 associated with nal state radiation:

$$\ln \frac{1}{m} = \ln \frac{Q^2}{m_e^2}$$
 (17)

In the case of multiphoton nal state radiation approximations are necessary. Our main concern is the proper infrared and collinear limit of the ective radiation matrix element, plus a good approximation for the photon that carries the largest transverse momentum relative to the outgoing fermions, while we want to neglect the interference between successive emissions, and assume that the radiated photons are widely separated in phase space. One can easily see that iteration of the single photon emission algorithm satisfies these criteria and reproduces the leading logarithms, provided the following virtuality ordering conditions are met. Denote by $\mathbf{x}_1^{(i)}$, $\mathbf{x}_2^{(i)}$, $\mathbf{i}=1;:::;n$, the phase space variables for the case of emission of n photons. The phase space variables are then required to satisfy

which are the analogue of the ordering conditions (15) resp. (17) of ref. [18], except that they are reversed. This, together with the phase space (16), guarantees the proper normalization of the leading logarithm ic terms.

$$\begin{array}{lll}
& Z & Y^{n} & dx_{1}^{(i)} dx_{2}^{(i)} & C_{1}(x_{1}^{(i)}; x_{2}^{(i)}) + C_{2}(x_{1}^{(i)}; x_{2}^{(i)})^{i} \\
& PS & i=1
\end{array}$$

$$= \frac{1}{n!} \int_{0}^{Z} dx_{1} dx_{2} \left[C_{1}(x_{1}; x_{2}) + C_{2}(x_{1}; x_{2}) \right]^{n} \\
& = \frac{1}{n!} - \ln \frac{1}{2} \ln \frac{1}{2} \frac{3}{2} \frac{1}{2}$$

$$= \frac{1}{n!} (n_{f})^{n} \tag{19}$$

The algorithm for nal state multiphoton radiation is thus de ned as follows. i) Determine the number of photons n_f emitted from the nal state according to (19). ii) In the case of single-photon emission, use distribution (14), with phase space limits (16). iii) For emission of multiple photons, iterate the algorithm for single photon radiation, taking into account the phase space conditions (18).

2.2 The E ective Born Amplitude

The calculation of the e ective Born amplitude follows the BHM/WOH approach as described in [2,28]. The amplitude for e^+e^- including virtual corrections can be

cast into a form close to the lowest order amplitude:

$$A (e^{+} e^{-} ! e^{+} e^{-}) = A_{s}^{(-)} + A_{s}^{(Z)} + A_{t}^{(-)} + A_{t}^{(Z)} + (box);$$
 (20)

where $A^{()}$ denotes the dressed photon, $A^{(Z)}$ the dressed Z exchange am plitudes, and (box) the terms from box diagrams, which can be essentially neglected around the Z peak.

The dressed photon exchange amplitude is written as

$$A_{s}^{()} = \frac{e^{2}}{1 + \hat{S}} \frac{Q_{e}^{2}}{S} [(1 + F_{v}^{e}) \qquad F_{A}^{e} \qquad 5] \quad [(1 + F_{v}^{e}) \qquad F_{A}^{e} \qquad 5]; \qquad (21)$$

while the Z exchange amplitude is given by

$$A_{s}^{(Z)} = e^{2}D_{z}(s) \begin{pmatrix} h \\ (v_{e} + F_{v}^{ze} + Q_{e}^{2} & (s)) \end{pmatrix} \qquad (a_{e} + F_{A}^{ze}) \qquad 5$$

$$(v_{e} + F_{v}^{ze} + Q_{e}^{2} & (s)) \qquad (a_{e} + F_{A}^{ze}) \qquad 5$$
(22)

2.3 QED Virtual Corrections

Besides the weak virtual corrections that are easily included in the elective Born amplitude (20), we have to include the QED virtual corrections (vertex corrections, box corrections). In addition, we have to properly include the contributions from soft-photon emission beyond leading logs.

The method of inclusion of nonleading QED corrections in the structure function formalism is well known (see e.g. ref. [29]). However, to preserve a fully factorized form of the cross section similar to (3), which is mandated by our implementation of initial-and nal-state radiation, we refrain from introducing K-factors and proceed as follows.

The elective Born amplitude is multiplied by (helicity-dependent) form-factors, as given explicitly e.g. in the appendix of ref. [7]. The photon-mass singularities in the form-factors are explicitly canceled against the soft-photon contribution. The infrared-singular parts are factored out and absorbed into the structure functions and fragmentation functions, thus uniquely determining an infrared-nite nonleading correction.

The cross section determ ined by this matching procedure in principle fully reproduces the O () corrections in the soft lim it. However, since the actual photon shower algorithms do not yet include initial—nal interference, we have to drop the infrared—nite pieces of the QED boxes and corresponding terms from the soft-photon corrections for a consistent treatment.

2.4 Im plem entation of the Bhabha Cross Section

The di erential cross section for the hard subprocess is in plemented in a standard way, using importance sampling techniques. As a majorant function for the dierential cross section, we use (f=s=1 (1 $cos_{cm,s}$)=2)

$$\frac{d}{d}$$
 (s;) = A (s) + $\frac{B(s)}{2}$: (23)

The functions A (s) and B (s) are chosen such that the peaking behaviour of the full cross section for small angles as well as the resonant behaviour for large angles in the vicinity of the Z peak is e ciently reproduced:

A (s) =
$$\frac{4 + (s)^2}{s^2} = \frac{\frac{2}{z}(s)}{2} + \frac{2}{v_e^2} = a_e^2 + \frac{s + \frac{M_z^2}{z}!}{s} + \frac{\frac{M_z^2}{z}}{s^2} = \frac{3}{s^2}$$
 (24)

$$B (s) = \frac{4 (s)^{2}}{s^{2}} 1 + C_{z}^{2} (s) v_{e}^{2} + a_{e}^{2} \frac{js M_{z}^{2} j^{*}}{s}$$
 (25)

w here

$$\frac{2}{z}(s) = \frac{s^2}{(s - M_z^2)^2 + M_z^2 - \frac{2}{z}}$$
 (26)

Here (s) is the running QED coupling constant, and v_e and a_e denote the vector and axial vector couplings of the electron to the Z. The parameter C 0.1 has been empirically adjusted so that d=d is a majorant of the electron cross section.

The angular distribution is generated by a combined mapping and rejection algorithm with mapping function

$$\frac{A(s)}{B(s)} = \frac{1}{a} = (a) = (a_{max}) + (a_{min}) = (1 a);$$
 (27)

and corresponding event weight,

$$w = \frac{d (s;)}{d (s;)}; \tag{28}$$

where d is calculated using the e ective Born amplitude, as described in the previous sections.

3 Im plem entation of UNIBAB 2.2

Like alm ost all M onte C arlo event generators, UNIBAB is divided into three parts: initialization, generation, term ination. These are described in this section.

3.1 Initialization of UNIBAB

The initializations in UNIBAB are used for computing the value of variables that will be used frequently during event generation. The primary example is the calculation of electroweak couplings, widths, and masses from a set of input parameters. To this end, the generic initialization routine ubinit calls the subroutine ubigsw which contains a simple interface to the initialization routine of the electroweak library.

Furtherm ore, internal steering parameters are derived from the cuts specied by the user. Finally, a standard /hepevt/ initialization record is written [1], which can be read by the analysis program.

3.2 Event Generation

The routine ubgen produces an event on every call. The four momenta are written to a standard /hepevt/ [1] event record, where they can be read by user supplied analyzers (the default con guration uses hepawk [26]). See section 5 for details on UNIBAB's use of /hepevt/.

A fler generation of the initial state radiation by the branching routine ubbini, a raw Bhabha event corresponding to the approximate cross section (ubxtot) is generated at reduced lepton energies with the corresponding angular distribution (ubgt). This event will be given a weight according to the ratio of the full dierential cross section including weak corrections (ubxdif) to the approximate one (ubxtri).

Next, the routine ubgppr constructs the four-vectors of the leptons after the hard scattering in the e ective cm s. fram e. Finally, after generation of the nalstate radiation by the branching routine ubbfin, the event will be accepted in ubgacc if it passes the given experimental cuts, otherwise it will be rejected and the above algorithm repeated.

3.3 Term ination

The cross section for the generated events, and its error, are obtained from the standard formulae

$$tot (s) = \max_{s^0 > s_0} (s^0)g \frac{\text{# of successful trials}}{\text{total # of trials}}$$

$$tot (s) = \max_{s^0 > s_0} (s^0)g$$

$$total \text{# of successful trials}$$

$$(total \text{# of trials})^3$$

$$(29)$$

(where s_0 is the m inim al invariant m ass squared of the outgoing electron positron pair as determ ined from the given cuts) and placed into /hepevt/ for inspection by the analysis program, which m ight use it to normalize its histograms at this point.

4 Param eters

The param eters controlling UNIBAB version 22 are sum marized in table 1.

4.1 E lectrow eak P aram eters

Starting with UNIBAB version 2.0, the electroweak corrections are included through calls to an electroweak library.

The electroweak library of UNIBAB 2.2 is based on the library that is distributed with ALIBABA 2.0 [7] and assumes the minimal standard model. This library is based on ref. [27], which uses the on-shell renormalization scheme [28]. The input parameters are the masses of the Z (mass1z), the top-quark (mass1t) and the Higgs (mass1h). During initialization, the mass of the W (mass1w) as well as $_{\rm Z}$ (gamm1z) and $\sin^2_{\rm W}$ (sin2w) are calculated from these parameters. As of version 2.2, the electroweak library has been updated to include QCD-corrections to the $_{\rm Z}$ and the leading m $_{\rm t}^4$ -corrections to the -parameter (see e.g., [2]).

UNIBAB has several switches that control the \physics" entering the hard scattering cross section. The rst, tchann, may be used to switch o the contributions of the tchannel diagram s to the cross section, which is useful for the application of the so-called \t-channel subtraction" to experim ental data, and to compare with program s that describe the process e⁺ e ! including higher order QED corrections, like e.g. KORALZ [30]. With tchann set to .false., the program electively simulates the process e⁺ e ! ; however, this mode of operation is not very elicient.

The sw itches qedvtx and qedbox control the inclusion of the nite pieces of the QED vertex and box corrections. The QED vertex corrections are enabled by default, however, as explained in section 2.3, the box corrections are disabled. The box corrections may be sw itched on to estimate the size of the neglected initial nalinterference e ects, but should not be used for physics simulations, since initial nalinterference is not included for hard photon em ission.

The next switch, weak, may be used to switch o the pure weak corrections in the electroweak library. According to standard term inology, this includes the propagator corrections to the exchanged photon and Z. It should be noted, however, that $_{\rm Z}$ as well as \sin^2 $_{\rm W}$ are computed from the input parameters even if the weak corrections are switched o . A nalswitch, boxes, controls the inclusion of the pure weak box diagrams. The relative contribution of these diagrams is of the order of at most 0.1 {0.2% in the energy range of LEP, whereas their computation may be quite time consuming.

4.2 Control of OED corrections

The photon shower algorithms are controlled by the following switches:

isrtyp: Key for initial state radiation

Variable nam e	sem antics	D efault value			
ahpla	1= _{QED}	137.0359895			
mass1e	m _e	0:51099906 10 ³ GeV			
mass1z	M _Z	91.1887 G eV			
mass1t	m t	174.0 G eV			
mass1h	М _Н	300.0 G eV			
alphas	_S (M _Z)	0.124			
ebeam	e beam energy	46 G eV			
epol	e beam polarization	0			
ppol	e ⁺ beam polarization	0			
ctsmin	minimum cos	0:9			
ctsmax	maximum cos	+ 0:9			
acocut	maximum e^+e a ∞ llinearity angle	20			
ecut	m in im um outgoing e energy	20 G eV			
evisct	minimum invariant mass of nalstate	0			
nevent	N um ber of events	1000			
tchann	Switch for t-channel diagrams	.true.			
qedvtx	Switch for QED vertex corrections	.true.			
qedbox	Switch for QED box corrections	.false.			
weak	Switch for weak corrections	.true.			
boxes	Switch forweak box diagrams	.true.			
isrtyp	Key for initial state radiation	1			
fsrtyp	Key for nalstate radiation	3			
epsiln	Internal infrared cuto	10 5			
rseed	Random numberseed	54217137			
errmax	maximum error count	100			
verbos	verbosity	0			
runid	run identi cation				
stdin	standard input	5			
stdout	standard output	6			
stderr	standard error	6			

Table 1: Param eters controlling UNIBAB. These range from standard model param eters (M $_{\rm Z}$; M $_{\rm H}$;:::), over experim ental cuts to purely technical param eters like input/output units.

0 Initial state radiation disabled.

1 Initial state radiation enabled, factorization scale $Q^2 = s$.

fsrtyp: Key for nal state radiation

0 Final state radiation disabled.

1 Final state radiation enabled, factorization scale $Q^2 = \$$ (c.f. (17)).

2 Sam e, but with $Q^2 = \hat{t}$ e, so that $\ln (1=) = \ln (\hat{t} + m_e)$

3 Sam e, but with $Q^2 = \hat{S} = \hat{C}$

The di erent choices for the factorization scale for nalstate radiation, which are of course completely equivalent at the leading logarithm ic level, can be used to estimate the ect of the missing initial—nalinterference ects in UNIBAB.

The remaining QED corrections (vertex, boxes) are described in subsection 4.1.

The former switch betyle (UNIBAB versions 2.0 and 2.1) is no longer avaible, it has been superseeded by isrtyp and fortyp.

4.3 Cuts

The region of phase space where UNIBAB generates events is controlled by specifying kinematical cuts. For the sake of simplicity and e ciency, there are veparameters:

ctsmin: minimum cos (see below),

ctsmax: maxim um cos ,

acocut: maximum acollinearity angle of the outgoing leptons,

ecut: m in im um energy of either of the outgoing leptons,

evisct: minimum invariant mass of nalstate.

The m eaning of the angle is the following. Let + and be the angle between the outgoing positron and electron and the incom ing electron beam, respectively. The angle is then de ned by

If all em itted photons are em itted strictly collinearly with respect to the radiating lepton, equals to the scattering angle in the partonic subsystem.

Since UNIBAB is designed for the calculation of QED corrections in the LLA in the large angle regim e, the angular cuts are restricted by the requirem ent that the factorization scale

be the cm s. energy s, so that term s of the order = $\log(t=s)$ and = $\log(t=s)$ rem ain sm all compared to the leading logarithm ic term s = $\log(s=m_0^2)$. We require (cf. eqs. $(4\{9\})$)

=
$$\log(\hat{c}=\hat{s})$$
; $j = \log(\hat{c}=\hat{s})$ | 32)

Therefore, the angular cuts in UNIBAB are restricted to the range

$$0.985 \quad \cos_{\min} < \cos_{\max} \quad 0.985;$$
 (33)

which corresponds to

$$10 < 170$$
 (34)

While the parameter ecut has a physical meaning, the cut evisct has a technical interpretation and is to be understood in the following way. Due to the implementation, each radiated photon may be associated with either initial state or nal state. Thus one can de ne an \invariant mass of the nal state". It should be noted, however, that this quantity is unphysical and should be used only for optimization of the Monte Carlo speed for a given set of physical cuts. An example is the calorimetric measurement of the Bhabha cross section, where one does not discriminate between the outgoing lepton and an accompanying photon if the latter lies within a narrow cone of the former, but where one cuts on the sum of their energies.

A lthough most of the above-mentioned cuts have a simple physical meaning, their implementation in the Monte Carlo generator is not without problems. For strictly collinear photon emission, the relations (4{9) between laboratory variables and the variables for the hard scattering subprocess allow a straightforward derivation of the Monte Carlo's internal steering parameters from these cuts in a strict manner. If one allows for nite angles between the photon and the radiating lepton, these relations get modied, and one has to weaken the internal cuts; in fact, one cannot even derive these parameters any more in a strict manner, since the multi-particle phase space becomes too complicated. In the actual in plementation, we have used empirical relations to derive these internal steering parameters from those valid for collinear emission, so that the contribution to the systematic error on inclusive observables like cross sections is well below the overall precision, which is of the order of 1%. For less inclusive observables, we would recommend that the user convinces him self by a variation of the cuts that the generated distribution does not change in the region of interest.

It should be noted that setting the lepton energy cut ecut to very small values or setting the acollinearity cut acocut close to 180 makes the M onte Carlo generator very slow. The latter also implies that non-logarithm ic terms, which are not implemented in UNIBAB, become more important.

```
* unibabappl.f
...
call ubdcmd ('init') initialize the generator
...
call ubdcmd ('generate 10000') generate 10000 events
...
call ubdcmd ('close') cleanup
```

Figure 1: FORTRAN-77 interface

4.4 M onte Carlo Param eters

The remaining, more technical Monte Carlo parameters should be almost self explaining. Since our photon shower algorithm automatically includes soft photon exponentiation, the results will not depend on the value of the internal infrared cuto epsiln (which is measured in units of the beam energy), provided it is kept well below the experimental energy resolution. However, it is not advisable to set it many orders of magnitude lower than the default value, because this may result in too high photon multiplicities which will over ow internal tables.

5 FORTRAN-77 Interface

UNIBAB version 2.2 provides two application program interfaces on dierent levels. The higher (preferred) level consists of the comm and interpreter ubdamd which accepts comm ands in form of character*(*) strings. This driver communicates with the analyzer hepawk [26] by default. The lower level consists of two FORTRAN-77 subroutine calls: ubpsrv and unibab.

5.1 Higher Level Interface

The simple comm and sunderstood by ubdcmd are (here keywords are typeset in typew riter font and variables in italics; vertical bars denote alternatives)

```
initialize
```

Force initialization of UNIBAB and write an initialization record into the /hepevt/event record, which should trigger the necessary initializations in the analyzer.

```
generate [n]
```

Generate nevent events and callhepawk to analyze them. If the optional parameter n is supplied, nevent is set to its value.

close

W rite a term ination record to /hepevt/, which should trigger the necessary cleanups in the analyzer.

statistics

Print perform ance statistics (this is usually only useful for the UNIBAB developers, who are tuning internal parameters).

quit

Term inate UNIBAB without writing a term ination record.

exit bye

Write a term ination record and term inate UNIBAB.

set variable ivaljival

Set physical or internal parameters. See the table 1 for a comprehensive listing of all variables. For example, the command 'set ahpla 128.0' will set the QED ne structure constant to 1=128.

print variable all

Print the value of physical or internal variables. Specifying the special variable all causes a listing of all variables known to UNIBAB.

debugjnodebug ag

Toggle debugging ags.

testran

Test the portability of the random number generator. We use a generator of the Marsaglia-Zam an variety [31], which should give identical results on almost all machines.

banner

Print a string identifying this version of UNIBAB.

echo m essage

```
* ubdcmd.f
      subroutine ubdamd (amdlin)
      character*(*) cmdlin
      else if (cmdlin.eq.'init')
          call unibab (0)
                                                                  initialize UNIBAB
          call hepawk ('scan')
                                                          print initialization record
      else if (cmdlin.eq.'generate')
          do 10 n = 1, nevent
              call unibab (1)
                                                                 generate an event
              call hepawk ('scan')
                                                                 analyze the event
10
          continue
      else if (cmdlin.eq.'close')
          call unibab (2)
                                                         get total cross section, etc.
          call hepawk ('scan')
                                                                    nalize analysis
      else
      . . .
      end
```

Figure 2: Event generation loop

Print message on standard output.

Unique abbreviations of the keywords are accepted, i.e. 'g 1000' generates 1000 events. The tokens are separated by blanks. Blank lines and lines starting with a # are ignored and may be used for comments. For portability, only the rst 72 characters of each line are considered.

On UNIX systems UNIBAB reads default startup les .unibab in the user's home directory and the current directory, if they exist.

5.2 Lower Level Interface

The subroutine unibab (code) has a single integer parameter. The parameter code is interpreted as follows:

- 0: initialize the generator and write an initialization record to /hepevt/.
- 1: generate an event and store it in /hepevt/. If UNIBAB has not been in it is lized yet, the necessary in it is lizations are performed, but no initialization record is written.
- 2: perform nal calculations and write the results to /hepevt/.

Figure 2 displays excerpts from a simpli ed version of ubdamd which make the correspondences between the two levels of the FORTRAN-77 interface explicit.

UNIBAB's parameters can be accessed on the lower level by the subroutine ubpsrv (result, action, name, type, ival, rval, dval, lval). The parameter is specied by its (lowercase) name in the character*(*) string name. The string action is either 'read' or 'write' corresponding to whether the parameter is to be inspected or modied. The type of the parameter ('int', 'real', 'dble', or 'lgcl') is returned in type, if action is set to 'read'; if action='write', the type must be specied in type. Depending on this type the value is passed in ival, rval, dval, or lval, respectively. The following error codes will be returned in the string result: '': no error, 'enoarg': invalid action, 'enoent': no such parameter, 'enoperm': perm ission denied, and 'enotype': invalid type.

The protection scheme implemented with this parameter handling has been described in [18]. Its main purpose is to guarantee consistency of user de ned and computed parameters in the generation phase of the Monte Carlo.

5.3 Additional information in /hepevt/

Because UNIBAB uses since version 2.2 the standard /hepevt/ event record internally, not only stable particles with isthep(i) = 1 will be present. A dapting the conventions of the HERWIG M onte Carlo [32], we use the following status codes

```
101: e beam,

102: d beam,

103: de center of m ass system,

110: de hard scattering center of m ass system,

111: e before hard scattering,

112: d before hard scattering,

113: e after hard scattering,

114: d after hard scattering.
```

However, these entries have no physical signicance and should never be used in any analysis. An exception to this rule are the beam particles 101 and 102, which are convenient for dening the reference frame (positive z axis pointing in the direction of the incoming electron) and are used e.g. by hepawk [26] for this purpose. Only the particles with status code 1 belong to the nal state as predicted by UNIBAB.

6 Conclusions

We have presented the new version 22 of the Monte Carlo event generator UNIBAB for Bhabha scattering at LEP/SLC. The distinguishing feature of UNIBAB is the inclusion of higher order electrom agnetic corrections, including exponentiated soft photons, in a photon shower approach. In contrast to xed order calculations which have to be exponentiated by hand, UNIBAB handles the multiphoton exposers.

A cknow ledgem ents

One of the authors (H A .) would like to thank G uido M ontagna and O reste N icrosini for stim ulating discussions during the LEP2 workshop.

A A vailability

The latest release of UNIBAB is available from the authors upon request. In addition, UNIBAB is available by anonymous flip from the directory

ftp://crunch.ikp.physik.th-darmstadt.de/pub/anlauf/unibab

It is nevertheless recommended to notify the authors, in order to be informed of future bug xes and enhancements.

UNIBAB is distributed in PATCHY/CMZ card form at [34,35], but machine specic and plain FORTRAN-77 versions are made available on request. A more modern (autocon guring) and self-contained version of the Monte Carlo generator will be made available in a future release.

B Revision History

Version 2.2, December 1995

Update of the electroweak library.

Im proved nal state photon shower algorithm.

Dierent choices of factorization scale for nal state radiation.

QED virtual corrections.

Speed-up of electroweak corrections.

Fixed minor bug in initial-state photon shower.

Version 2.1, September 1994

Beam polarization.

Version 2.0, June 1993

weak corrections included.

problem s with energy non-conservation of old nal-state radiation algorithm xed.

m ore user-friendly: physical cuts replace \bare" M onte C arlo steering param eters.

Version 1.3, September 1992

im proved form of initial state radiation, as implemented in [18].

nal state radiation.

Version 1.2, July 1992

Complete internal rewrite

/hepevt/ support (also used internally now),

double precision arithmetic (which is the native oating point mode on most modern machines),

new driver program (using KRONOS [18] routines).

The physics algorithm shave not changed from version 1.1. The purpose of this release is to provide a usable baseline for further in provem ents.

Version 1.1, September 1989

Maintenance release.

Version 1.0, July 1989

First o cial release.

C Common Blocks and Subroutines

To avoid possible name clashes with other packages, all external symbols exported by UNIBAB proper begin with the two letters UB, except for the routine unibab itself and the /hepevt/common block. The names of the subroutines and common blocks of the provided electroweak library have been taken over unchanged.

Common Blocks:

```
{ /ubpcom/: Main parameter common block, holds all physical parameters. Ap-
    plication programs should access this comm on block through the ubpsrv rou-
    tine (cf. section 5.2).
  { /ubcbrn/: holds the maximum Born cross section in the available energy in-
    terval.
  { /ubcevt/: passes the particle m om enta between subroutines.
  { /ubcmsc/: internal param eters.
  { /ubcsta/: holds statistics on UNIBAB's perform ance.
  { /ubctri/: lookup table for driver keywords.
Prim ary entry point:
  { unibab: main entry point, described in section 52.
Branching:
  { ubbini: initial state branching for one lepton.
  { ubbfin: nal state radiation for one lepton.
C ross sections:
  { ubxdif: dierential cross section d =d cos (in pbam). This function contains
    a very sim ple interface to the electroweak library.
  { ubxtri: approxim ate di erential cross section used for mapping.
  { ubxtot: integral of the approxim at cross section used for mapping.
  { ubxcof: coe cients of the approxim ate cross section.
  { ubffac: OED vertex form factors and box corrections.
In it is lization:
  { ubinit: initialize UNIBAB.
```

```
{ ubigsw: setup standard model parameters. This subroutine also calls the ini-
    tialization routines of the electroweak library and transfers param eters between
    these two modules.
  { ubibmx: calculate the maximal Born cross section in the considered energy
    interval.
  { ubibn: negative Born cross section.
  { ubeeni: enters an initialization record into /hepevt/.
Event generation:
  { ubgen: main event generation routine.
  { ubgppr: construct four m om enta of hard subprocess in the e ective cm.sys-
    tem .
  { ubgt: generate m om entum transfer in the hard subprocess.
  { ubgacc: checks if current raw event satis esphysical cuts.
  { ubeent: enter a particle in /hepevt/.
  { ubenew: start a new /hepevt/record.
  { ubenul: zero a /hepevt/entry.
Term ination:
  { ubclos: write a nalrecord to /hepevt/.
  { ubeens: enters a term ination record into /hepevt/.
  { ubstat: print statistics on UNIBAB's perform ance.
Driver program:
  { ubdriv: main driver program, calling the command loop.
  { ubdloo: com m and loop, reading com m ands from the term inal or from les.
  { ubdamd: execute a single com m and (cf. section 5.1).
  { ubdlxs: get the next string from the comm and line.
  { ubdlxd: get the next oating point number from the command line.
  { ubdlxi: get the next integer from the comm and line.
Param eter m anagem ent:
  { ubpsrv: inspect or modify parameters (cf. section 52).
  { block data ubpini: initialize param eters with their default values.
```

```
{ ubpprn: print param eters.
General utility routines:
  { ubrgen: random number generator of the Marsaglia-Zam an type [31].
  { ubrtst: selftest routine for ubrgen.
  { ububoo: boost a four-vector.
  { ubulwr: convert string to lower case.
  { ubumin: m in im ize function.
  { ubumsg: print a m essage.
  { ubuort: construct three orthogonal three-vectors for a given z direction.
  { ubupro: project a pair of four-vectors onto mass shell.
  { ubutim: check remaining CPU time.
Keyword search (using the dynamic tries described in [36]):
  { ubtins: insert a new keyword.
  { ubtlup: look up a (possibly abbreviated) keyword.
  { ubtnew: insert a new node into the trie.
  { ubtlen: calculate length of keyword.
  { ubtc2a: convert keyword from character*(*) to integer(*).
Electroweak library entry points:
  { ewinit: initialize electroweak library.
  { eeeew: e ective cross section including virtual corrections.
```

R eferences

- [1] G.Altarelli, R.Kleiss, C.Verzegnassi, editors, Z.Physics at LEP 1, CERN 89-08, Geneva 1989.
- [2] D. Bardin, W. Hollik, G. Passarino, editors, Reports of the Working Group on Precision Calculations for the Z Resonance, CERN 95-03, Geneva 1995.
- [3] A.O Ishevski, EPS Conference on High Energy Physics, Brussels, July 1995.
- [4] W. Beenakker, F.A. Berends, S.C. van der Marck, Nucl. Phys. B 355 (1991) 281.
- [5] S. Jadach, E. Richter-Was, B.F.L. Ward, Z. Was, Comp. Phys. Comm. 70 (1992) 305.
- [6] S. Jadach, O. Nicrosini, convenors, Report of the Subgroup on \Event Generators for Bhabha Scattering", CERN Workshop on Physics at LEP2, CERN Yellow Report, to appear in 1996.
- [7] W. Beenakker, F. A. Berends, S.C. van der Marck, Nucl. Phys. B 349 (1991) 323.
- [8] M. Martinez, R. Miquel, Z. Phys. C 53 (1992) 115; P. Comas, R. Martinez, Z. Phys. C 58 (1993) 15.
- [9] D. Bardin et al., FORTRAN program ZFITTER, CERN-TH. 6443/92, hep-ph/9412201; Z. Phys. C 44 (1989) 493, Nucl. Phys. B 351 (1991) 1, Phys. Lett. B 255 (1991) 290.
- [10] G. Montagna, F. Piccinini, O. Nicrosini, G. Passarino, R. Pittau, Comp. Phys. Comm. 76 (1993) 328;
 - G.Montagna, O.Nicrosini, G.Passarino, F.Piccinini, R.Pittau, Nucl. Phys. B 401 (1993) 3;
 - G.Montagna, O.Nicrosini, G.Passarino, F.Piccinini, CERN-TH.7463/94, to appear in Comp.Phys.Comm.
- [11] M. Cacciari, G. Montagna, O. Nicrosini, F. Piccinini, Comp. Phys. Comm. 90 (1995) 301.
- [12] M.Cao, H.Czyz, E.Remiddi, Nuovo Cim. 105A (1992) 277, Int. J. Mod. Phys. 4 (1993) 591, Phys. Lett. B 327 (1994) 369, and program BHAGEN 95, in preparation.
- [13] H. Anlauf, H. D. Dahmen, P. M. anakos, T. M. annel, H. Meinhard, T. Ohl, Comp. Phys. Comm. 79 (1994) 466.

- [14] JH.Field, Phys. Lett. B 323 (1994) 432;

 JH.Field, T.Riem ann, \BHAGENE3 a M onte Carlo Event Generator for Lepton Pair Production and Wide Angle Bhabha Scattering in e⁺e Collisions near the Z Peak", UGVA-DPNC 1995/6-166, DESY 95-100, to be published in Comp. Phys. Comm.
- [15] S. Jadach, W. Placzek, B.F.L. W. ard, \BHW IDE 1.00: O() YFS exponentiated M onte Carlo for Bhabha scattering at wide angles for LEP/SLC and LEP2", University of Tennesse preprint UTHEP-95-1001 (unpublished).
- [16] H.D.Dahmen, P.M. anakos, T.M. annel, T.Ohl, Preprint IKDA 89/28, SI89-8, June 1989 (unpublished).
- [17] H.D.Dahmen, P.M. anakos, T.M. annel, T.Ohl, Z.Phys. C50 (1991) 75.
- [18] H.Anlauf, H.D.Dahmen, P.Manakos, T.Mannel, T.Ohl, Comp. Phys. Comm. 70 (1992) 97.
- [19] T.Ohl, DESY 92-097, July 1992 (unpublished).
- [20] E.A. Kuraev, V.S. Fadin, Yad. Fiz. 41 (1985) 733.
- [21] G.A. Itarelli, G.M. artinelli, in J.E. llis, R. Peccei (eds.), Physics at LEP, CERN 86-02, Geneva 1986.
- [22] W. Beenakker, F. A. Berends, W. L. van Neerven, Contribution to the Ringberg workshop, April 1989.
- [23] L.N. Lipatov, Yad. Fiz. 20 (1974) 181.
- [24] G.Altarelli, G. Parisi, Nucl. Phys. B 126, (1977) 298.
- [25] R.Kleiss, Phys. Lett. B 180 (1986) 400.
- [26] T.Ohl, Comp. Phys. Comm. 70 (1992) 120, and IKDA 95/15, hep-ex/9504007, April 1995 (unpublished).
- [27] W. Beenakker, Ph.D. thesis, University of Leiden, 1989.
- [28] W . Hollik, Fortsch. Phys. 38 (1990) 165.
- [29] M. Greco, O. Nicrosini, Phys. Lett. B 240 (1990) 219.
- [30] S. Jadach, B.F.L.W ard, Z.W as, Comp. Phys. Comm. 66 (1991) 276.
- [31] G.Marsaglia, A.Zaman, W.W.Tsang, Stat. Prob. Lett. 9 (1990) 35.

- [32] G.Marchesini, B.R.Webber, et.al., Comp. Phys. Comm. 67 (1992) 465.
- [33] R.Kleiss, Nucl. Phys. B 347 (1990) 67.
- [34] H.J.Klein, J.Zoll, PATCHY Version 4.13, Reference Guide, CERN, Geneva 1988.
- [35] CM Z Version 1.41 User's Guide & Reference Manual, CodeM E SARL, St Genis-Pouilly (France), 1993.
- [36] J.A.Dundas III, Software (Practice and Experience, 21 (1991) 1027.
- [37] R.Brun, D. Lienhard, HBOOK Version 4, User Guide, CERN, Geneva 1987.

Test Run

UNIBAB version 22 is distributed together with a sample comm and le and hepawk script, which are given below. To run this example, the user will need to link UNIBAB with the CERN library, because histogram ming is done by HBOOK [37].

The lesample.unibab is read from standard input (unit stdin, which is initialized to 5), and sample.hepawk is read from the leSCRIPT (i.e. under MVS from the lew hich has been allocated to the DDNAME SCRIPT and under UNIX from the lescript or from the value of the environment variable SCRIPT).

A fter UNIBAB has been successfully built and linked with hepawk on a supported UNIX system, running either make check or make test should validate the build.

sample.unibab

Here is a sim ple UNIBAB com m and le, setting up param eters and generating 10000 events.

```
# sample.unibab -- sample UNIBAB command file
# kinematical cuts (e+e-)
set ctsmin -0.8
set ctsmax 0.8
set ecut 20
set acocut 30
set ebeam 48
# run
init
gen 10000
close
quit
```

sample.hepawk

This is a small hepawk script that plots the acollinearity distribution for Bhabha events, for which the acollinearity is larger than 0.01 radians.

```
# sample.hepawk -- sample HEPAWK analyzer for UNIBAB.
BEGIN
 {
   printf ("\nWelcome to the UNIBAB test:\n");
   printf ("*******************\n\n");
    printf ("Monte Carlo Version: %s\n", REV);
   printf ("
                             Run: %d\n", RUN);
   printf ("
                            Date: %s\n\n", DATE);
    lower_angle_cut = 20/DEG;
    upper_angle_cut = PI - lower_angle_cut;
    minimum_acollinearity_cut = 0.01;
    h_acollinearity
      = book1 (0, "electron acollinearity", 50, 0, PI/6);
    incut = 0;
                             # initialize counter
  }
    # Collect the outgoing electron and positron
    $electron = $positron = $NULL;
    for (@l in LEPTONS)
      if (@1:id == _pdg_electron)
        $electron = @1:p;
      else if (@l:id == - _pdq_electron)
        $positron = @1:p;
  }
lower_angle_cut <= angle ($electron, @B1:p) <= upper_angle_cut</pre>
 && lower_angle_cut <= angle ($positron, @B1:p) <= upper_angle_cut
    # sample the acollinearity, but cut out Born-like events
    acollinearity = PI - angle ($electron, $positron);
    if (acollinearity > minimum_acollinearity_cut)
        incut++;
        fill (h_acollinearity, acollinearity);
```

```
}
 }
END
   # Dump some numbers
   printf ("\nRESULTS:\n");
   printf ("******\n\n");
   printf ("generated events: %d, generated cross section: %g nb\n",
           NEVENT, XSECT * 1e6);
   printf ("events within cuts: %d, cross section:
                                                           %g nb\n",
           incut, (incut/NEVENT) * XSECT * 1e6);
   printf ("\nHISTOGRAMS:\n");
   printf ("*******\n\n");
   scale (XSECT/NEVENT*1e6);
   plot ();  # plot the histograms
   printf ("\ndone.\n");
```

sample.output

The following output should result from the input les above, modulo small roundo errors.

ubdcmd: message: Starting UNIBAB, Version 2.01/08, (build 951206/1241)

hepawk: message: starting HEPAWK, Version 1.6

Monte Carlo Version: v02.01 (Dez 06 00:00:00 1995)

Run: 1035996352

Date: Dez 06 13:07:00 1995

RESULTS:

generated events: 10000, generated cross section: .2484 nb events within cuts: 5904, cross section: .1467 nb

HISTOGRAMS:

1electron acollinearity

K	ID =	1			DATE	06/1
	1.36	I				
	1.32	I I				
	1.28	0 IO				
	1.24	I II				
	1.2	OI				
	1.16	I				
	1.12	I				
	1.08	II O				
	1.04	00 I				
	1	II				
	.96	I				
	.92	ΙΙ				
	.88	IIO				
	.84	001				
	.8	II I				

```
.76
                        0
        .72
                        Т
        .68
        .64
                         Ι
        .6
                         0
        .56
                         Ι
        .52
                          Ι
        .48
                          0
        .44
                          Ι
        . 4
                           Ι
                           0
        .36
        .32
                            0
        .28
                            ΙO
        .24
                             Ι
        .2
                              IOIO
        .16
                              010100 0 I
        .12
               0
                                   I0I000 0I
        .08
               Ι
                                        I00 00000000000 I000II0
        .04
                                             ΙΙ
                                                   IIII00II 00I
CHANNELS 10
                       1
                                 2
                                           3
                                                    4
               12345678901234567890123456789012345678901234567890
                    11111
CONTENTS
           1.
*10** 2
              86304019453955855746329290866974455566444423445334
           0
               97779369787190039861961166622697994727229927292474
               40246609138263740965179798911952767111227743272837
                        1111111111222222223333333333344444444455
LOW-EDGE
           1.
*10** 1
               01234567890123456789013456789012345678901235678901
               00011223344556677888990011223344556667788990011223
           0
               04948383727161605059493838272616150594948382727161
              07429630852964185207418630742963085296418529741853
* ENTRIES =
                 11808
                           * ALL CHANNELS = .1467E+00
                                                           * UNDERFLOW =
.00
* BIN WID = .1047E-01
                           * MEAN VALUE = .1140E+00
                                                           * R . M . S =
.10
```

31

done.

ubdriv: message: bye.