M .K.D  $jongolov^{1}$ , S.P  $isov^{2}$ , V R  $izov^{2}$ 

1) D epartm ent of P hysics and A stronom y, U niversity of Tennessee,

e-m ail: m artin@ spock.phys.utk.edu

2) University of So a, Faculty of Physics,

e-m ail: pisov@ phys.uni-so a.bg; rizov@ phys.uni-so a.bg

M axwell equations. The non-A belian character of the gauge group G is relected in the presence of susceptibility tensors with no counterpart in electrodynamics and the necessity to de nem odiled "electric" and "magnetic" elds (apart from the "color" induction vectors). which enter the in-medium equations. The latter reduce to dim G copies of M axwell in-medium equations in the approximation up to second order in the gauge coupling constant. For a medium uniform by moving, a canonical quantization is performed for a family of Fermi-like gauges in the case of constant and diagonal (in the group indices) tensors of "electric" permittivity and "magnetic" permitebility. The physical subspace is de ned and the gauge eld propagator is evaluated for a particular choice of the gauge. It is applied rstly for evaluation of the cross-section of elastic quark scattering in the B om approximation. Possible applications to C herenkov-type gluon radiation are commented brie y.

#### 1. Introduction

In some developments of the Yang-Mills theories one arrives at situations when the encountered states can be electively described as media, possessing non-Abelian polarization properties. We list a few of these examples for sake of brevity.

Am ong the rst prototypes for a non-A belian polarizable medium one may take the QCD vacuum state in the aspect considered by Savvidy [1], Fukuda and Kazama [2], A dler [3], N ielsen and O lesen [4]. In [5] and [6] Baker and Zachariasen used the Yang-M ills vacuum as a polarizable medium in order to derive a con ning potential. They also solved the D yson equations for the gluon propagator (q) for  $q^2$ ! O evaluating the color susceptibility of the vacuum in the weak eld approximation. The polarization properties of the non-A belian SU (2) vacuum were exploited in [7, 8] for an approximate classical description of some non-perturbative elects such as solutions corresponding to non-vanishing gauge eld "condensates".

A nother and m ore recent set of exam ples com es from the theoretical study of som e not yet con m ed states of the hadron m atter - hadron m atter at very high densities and quark-gluon plasm a (Q G P) at very high tem peratures where one expects the quarks and gluons to be in a decon ned phase. In a system atic study perform ed in the fram ework of kinetic theory the color conductivity and other transport coe cients of non-A belian plasm a were derived by Heinz in [9, 10] in the linear response approxim ation. The response of Q G P beyond the linear approxim ation was considered in [11] yielding a color dielectric susceptibility m odi ed by the non-linear corrections. Typical non-A belian m edium e ects on the color dielectric constant were further investigated in [12] also on the base of kinetic theory.

The approach of Heinz has been generalized in [13, 14] to include the e ects of uctuations in deriving e ective transport equations for QCD. A clear review of the methods of sem i-classical transport theory for non-Abelian plasm a can be found in [15].

From the analysis of the phenom enon of color superconductivity of hadron m atter at high density [16, 17], it has been found that the medium surrounding the liberated quarks exhibits a polarization behavior characterized by an electric constant

1, the magnetic permeability remaining close to one. The estimate 1 has also been obtained in [18] evaluating the photon self-energy for a color superconductor. The case of two- avor color superconductor with prescribed dielectric susceptibility and magnetic permeability of the medium was considered by D.Litim and C.M anuel [19] applying the methods of transport theory and extending the results of R ischke, Son and Stephanov to nite temperature.

Finally, we mention models such as the chromodielectric model proposed by Friedberg and Lee [20, 21] and developed in [22, 23, 24, 25, 26, 27]. A im ed to describe an electric mechanism for the con nement phenomena, this model exploits a dielectric function depending on a classical eld in order to account for the interaction of the QCD matter. A los in [28, 29]D rem in introduced a refraction coel cient n phenomenologically for a hadron medium, exploiting the relation between n and the elastic forward scattering amplitude of light derived in classical electrodynamics. A mong other applications, for a quark-parton medium he used the appearance of a so postulated n to consider the emission of Cherenkov-type gluons (for n > 1) in order to explain the ring-like structures observed in hadron-hadron or central nucleus-nucleus collisions as generated by gluon jets produced in such processes (see e.g.[30]).

Having in mind these examples, our view-point is that, if in the interactions of a medium with Yang-M ills elds one encounters manifestations of its polarization-type response to the gauge elds, then it is worth developing an in-medium Yang-M ills theory and apply it to situations where such a response is found to be essential (like, e.g. the quark-gluon plasm a).

In this paper we derive the classical Y ang-M ills equations for a gauge group G in a medium in the case when the medium responses linearly to an external gauge eld (i.e. we derive the analogs of the macroscopic Maxwell equations for a gauge theory) and perform a canonical quantization of the arising theory. In the derivation of the classical in-medium gauge eld equations we follow the method of Akhiezer and Peletminsky [31] in their derivation of the macroscopic Maxwell equations. In Section 2 we introduce some of the notations and write down the equations for a system of interacting spinor and gauge elds in the presence of a weak external gauge eld. In Section 3 these equations are averaged by means of a non-equilibrium statistical operator in the linear approximation with respect to the external eld, and the averaged "color" electric and magnetic elds (E<sup>a</sup>; B<sup>a</sup>) are introduced. There appear three types of (generalized) conductivity tensors de ned in terms of the relevant retarded G reen's functions. The rst is a straightforward generalization to the Yang-M ills case of the "classical electrodynam ic" conductivity tensor, while the second and the third one appear due to the (eventually) non-com mutative character of the gauge group. In Section 4 the relevant polarization tensors, characterizing the medium, are de ned, two of them having direct analogs in the classical case, and other two originating from the non-commutativity

of the gauge group. A ssum ing a linear relation between the polarization tensors and the elds (E<sup>a</sup>; B<sup>a</sup>), we de ne the (non-Abelian) susceptibility tensors. In Section 5 we de ne the generalized electric and magnetic inductions, the (generalized) magnetic perm eability and electric perm ittivity tensors <sup>ab</sup>, <sup>ab</sup>, and write down the derived inm edium Yang-M ills equations. As in the standard case, four of these equations describe the "color" induction vectors. In order to write the remaining equations, we de ne modied "color" elds (E<sup>(a</sup>; B<sup>(a</sup>)) obtained from (E<sup>a</sup>; B<sup>a</sup>) by means of the "non-Abelian" susceptibility tensors. In Section 6 we perform an approximation up to second order in the gauge coupling constant which simplies the in-medium equations signicantly reducing them to a form resembling closely the Maxwell in medium equations. De ning the constitutive equations for the medium, we obtain relations between  $^{ab}$ ,  $^{ab}$ , and the conductivity tensors in the approximation considered. These relations appear as natural generalizations of their analogs in the classical macroscopic electrodynamics. We follow Brevik and Lautrup [32] and Nakanishi [33, 34] in their treatment of the electrom agnetic eld which avoids work with constrained system s. A lthough in [32] one deals with in-medium electrom agnetic eld, and [33, 34, 35] consider the electrom agnetic eld in vacuum, these papers use a comm on approach, namely a Lagrangian form ulation involving an auxiliary scalar eld whose action on the Fock space is designed to separate the physical subspace. For a medium moving uniform ly, Section 5 provides a Lagrangian formulation of the previously obtained equations introducing a set of dim (G) auxiliary elds B<sup>a</sup>. For sake of sim plicity we consider constant and diagonal tensors and . From the equal time commutation relations, in Section 6 we evaluate the commutators at arbitrary space-time points. In Section 7 the elds' Fourier transform s are introduced. In the resulting Fock space a physical subspace is de ned by means of the operators B<sup>a</sup>. Finally, for a particular choice of the gauge we evaluate the gauge eld propagator. As a stapplication the cross-section for elastic quark-quark scattering is given in the Born approximation. It is noticed that the in-medium Yang-Mills equations considered here provide a natural fram ework for the D rem in's approach to explain the speci c ringlike structures in hadron processes as resulting from a Cherenkov-type gluon radiation. O ther applications, like, e.g. color superconductivity, lie beyond the scope of this paper.

### 2. Field equations

Let G be a compact r-dimensional simple matrix Lie group. Let  $T^a$  (a = 1; :::; r) be a basis of herm it ian matrices in its Lie algebra G with commutation relations

$$[T^{a};T^{b}] = if^{abc}T^{c};$$

and norm alized by

$$tr(T^{a}T^{b}) = \frac{1}{2}^{ab}$$
:

Low er case Latin letters a; b; c; ::: are used for the group /algebra indices and here and below sum mation over repeated indices is understood.

Let  $^{(x)}$  be a quantized spinor eld with values in a vector space W, i.e.  $^{(x)} 2 \stackrel{<}{S} W$ , where  $\stackrel{<}{S}$  is the space of operator-valued spinors over M inkowski space M, x 2 M. We suppose that W carries a linear representation ! ! R (!) of G, ! 2 G, and that W is equipped with a scalar product such that R (!) is unitary.

G iven a quantized Y ang-M ills gauge potential  $\hat{A}(x) = \hat{A}^a(x)T^a$  (= 0; :::; 3), the gauge covariant derivative of the spinor eld  $\hat{A}(x)$  reads (in coordinates (x) =  $(x^0; x)$ )

$$D (\hat{A})^{(x)} = (\hat{A})^{(x)} + igR (\hat{A})^{(x)} = (\hat{A})^{(x)} + igA^{(a)}(x)R (T^{(a)})^{(x)};$$

where D (Å) denotes covariant di erentiation with respect to Å , and g is a gauge coupling constant (R (T<sup>a</sup>) stands for the generators of G in the representation R). We suppose, in addition, that the spinor eld ^ is put in an external (classical) gauge eld f with gauge potential  $a = a^c T^c$ , i.e.

and f is determined by an external current

so that

$$D (a)f = [f + ig[a; f] = gj:$$
(1)

Fixing the units such that h = c = 1, the Minkowski metric (g) = diag(1; 1; 1; 1), and denoting the operators  $(0 = (C) = \tilde{r}$ , we also introduce the components of the analogs of the electric and magnetic elds

$$\hat{\mathbf{E}}^{a;k} = \hat{\mathbf{F}}^{a;0k}; \qquad (2)$$

$$\hat{B}^{a,k} = \frac{1}{2} \lim_{k \to j} \hat{F}^{a,m,j};$$

where  $a = 1; :::; r; k = 1; 2; 3; {}^{123} = 1$  and

$$\hat{\mathbf{F}} = \hat{\mathbf{Q}} \hat{\mathbf{A}} \quad \hat{\mathbf{Q}} \hat{\mathbf{A}} + ig \hat{\mathbf{A}} ; \hat{\mathbf{A}} ] = \hat{\mathbf{F}}^{a}; \mathbf{T}^{a}:$$

The gauge potentials  $\hat{A}$  are taken in the temporal gauge,  $\hat{A}_0 = 0$ , satisfying  $\hat{\theta}_k \hat{A}_k = 0$ . We x also  $\hat{\theta}$  a = 0. The equations for  $\hat{A}(x)$  are

$$\mathcal{Q}_{0}\hat{\mathbf{B}}^{a,k}(\mathbf{x}) = {}^{km j} (D^{m} (\hat{\mathbf{A}}) \hat{\mathbf{E}}^{j}(\mathbf{x}))^{a}; \qquad (4)$$

$$(D^{k}(\hat{A})\hat{B}^{k}(x))^{a} = 0;$$
(5)

$$(\mathbb{D}^{k}(\hat{A})\hat{E}^{k}(\mathbf{x}))^{a} = g(\hat{I}^{a;0}(\mathbf{x}) + j^{a;0}(\mathbf{x}^{0};\mathbf{x})):$$
(6)

Here  $\hat{f}(x) = \hat{f}^a(x)T^a$  is the spinor current with components

$$\hat{I}^{a}(x) = {}^{y}(x) R(T^{a})(x)$$
: (7)

The equation for (x) reads

$$i^{0} (\theta_{0} (x) + i^{n} D_{n} (A) (x) + i^{0} D_{0} (a) (x) + i^{k} D_{k} (a) (x) m^{k} (x) = 0; \qquad (8)$$

where + = 2g 1. It follows from equation (8) that

$$D(\hat{A})\hat{I} = ig[a;\hat{I}]$$

In absence of the exterior gauge eld the energy functional has the form

$$\hat{H}_{0} = \frac{2}{3} dx^{3} f \frac{1}{2} \frac{x^{r}}{a=1} (E^{a} E^{a} + B^{a} B^{a}) + \frac{y^{0}}{y^{0}} (i^{k} D_{k} (A^{c})^{*} + m^{*}) g:$$

3. Response of the system to the exterior gauge eld

### 3.1. Density operator and averaged eld equations

We suppose that at in nite past ( $x^0 = 1$ ) in the absence of the exterior eld the system of interacting ferm ion and gauge elds is in equilibrium at temperature 1=, described by the density operator  $\hat{}_0 = \exp(-\hat{H})$ . At time  $x^0 = -1$  the exterior eld a is switched in adiabatically and the system is described by an non-equilibrium density operator  $\hat{}(x^0)$  satisfying

$$i\theta_{0}^{(\alpha)}(x^{0}) = [\hat{H}^{(\alpha)}(x^{0}); (x^{0})]; \qquad (9)$$

with the initial condition (1) = 0. The total H am iltonian is

$$\hat{H}(x^{0}) = \hat{H}_{0} + g\hat{V}(x^{0});$$
(10)

where  $\hat{V}$   $(x^0)$  describes the interaction of the ferm ions with the gauge potential  $a^c$  ,

$$\hat{\nabla}(\mathbf{x}^{0}) = d^{3}x\hat{\mathbf{1}}^{c}; (\mathbf{x})a^{c}(\mathbf{x}^{0};\mathbf{x}):$$
 (11)

It is convenient to go to the interaction (D irac) representation, de ned by the splitting of the H am iltonian

$$\hat{H} = \hat{H} (x^0) = \hat{H}_0 + g\hat{V} (x^0)$$
:

In this representation the density operator  $\hat{\ }_{D}$  (x  $^{0}$  ) satis es

$$i(0_{D}^{\circ}(x^{0}) = g[\hat{V}_{D}(x^{0}); \hat{V}_{D}(x^{0})]; \qquad (12)$$

and the initial condition  $\hat{D}_{D}(1) = \hat{O}_{O}$ , where

7

$$\hat{V}_{D}(x^{0}) = d^{3}x\hat{J}(x)a(x);$$
 (13)

and  $\hat{J}$  is the ferm ion current in the D irac representation

$$\hat{J}(x) \quad \hat{I}_{D}(x) = \exp(ix^{0}\hat{H}_{0})\hat{I}(x)\exp(-ix^{0}\hat{H}_{0});$$
(14)

Combining equation (12) and the initial condition in the integral equation

$$_{D}(x^{0}) = _{0} \quad ig \int_{1}^{2} dt [\hat{V}_{D}(t); _{D}(t)];$$

after the rst iteration one nds the well known representation

$$\hat{f}_{D}(x^{0}) = \hat{f}_{0}$$
 ig dt  $(x^{0} t) \nabla \hat{f}_{D}(t); \hat{f}_{0}$ ]:

In other terms, the linear approximation of  $\hat{D}_{\rm D}$  with respect to the exterior eld is

$$\hat{f}_{D}(x^{0}) = \hat{f}_{0} \quad \text{ig } d^{4}y (x^{0} y^{0}) (\hat{y} (y); \hat{f}_{0}) a (y):$$

A veraging equations (3-6) by m eans of  $^{}_{D}$  one nd that the m ean values

$$A (x) = \langle A (x) \rangle = A^{a} (x) T^{a}$$

and

$$F (x) = (0 A (x)) (0 A (x) + ig[A (x);A (x)]) F^{a} (x)T^{a}$$

obey the equations

$$D (A)F = gJ gS;$$
(15)

$$D(A) F = gR;$$
 (16)

where

$$J = \langle \hat{J} \rangle J^{a}T^{a}; \qquad (17)$$

$$S = if (\langle \hat{A} ; \hat{A} \rangle \rangle \langle A ; A \rangle) +$$

$$+ \langle \hat{A} \cdot \hat{F} \rangle \langle A ; A \rangle + G^{a} T^{a} \cdot$$
(18)

$$R = \frac{1}{2} \quad \text{if} (\langle \hat{P}, \hat{F} \rangle \rangle \langle \hat{P}, \hat{F} \rangle \rangle \langle \hat{P}, \hat{F} \rangle \rangle \langle \hat{P}, \hat{F} \rangle \langle \hat{P},$$

(the same notation for operator commutator and Lie algebra commutator should not be confusing). The dual of a tensor F is  $F = \frac{1}{2}$  F ( $_{0123} = 0^{123} = 1$ ) and D (A)F = 0 F + ig [A; F].

## 3.2. Retarded G reen's functions and tensors of conductivity

For the mean value of an operator A one obtains in the rst approximation

$$< \hat{A}(x^{0};x) > tr \hat{A}(x^{0};x) =$$

$$= < \hat{A}(x^{0};x) >_{0} ig dt < [\hat{A}(x^{0};x);\hat{V}_{D}(x^{0})] >_{0} (x^{0} t)$$

$$(20)$$

Using the form of  $\hat{V_{\text{D}}}$  from equation (13) and the notation

$$G_{A;J}(x;y) = i (x^{0} y^{0}) < [A(x);J(y)] > 0$$

for the retarded G reen's function, one rew rites equation (20) as

$$< \hat{A}(x) > = < \hat{A}(x) >_{0} + g \quad d^{4}yG_{A,J}(x;y)a(y):$$
 (21)

For two operators  $\hat{A}(x)$  and  $\hat{B}(x)$  which are covariant under space translations the corresponding G reen's function  $G_{AB}(x;y) = i(x y) < \hat{A}[(x);\hat{B}(y)] >_0$  depends only on x y and in this case we shall simply write  $G_{AB}(x;y) = G_{AB}(x y)$ . Let  $\hat{A}$  and  $\hat{B}$  transform under the time rejection antiunitary operator U according to

$$U\hat{A}(x)U^{-1} = {}_{A}\hat{A}(i_{t}x);U\hat{B}(x)U^{-1} = {}_{B}\hat{B}(i_{t}x)$$

where denotes herm it ian conjugation,  $i_t x = (x^0; x)$ , and  $j_A j = j_B j = 1$ . If, in addition,  $\hat{A}$  and  $\hat{B}$  are herm it ian, the invariance under time rejection and space translations implies the property

$$G_{AB}(k_0;\tilde{k}) = {}_{AB}G_{AB}(k_0;\tilde{k})$$
(22)

of the Fourier transform of  $G_{\rm AB}$ 

$$G_{AB} = e^{ik_o x_0 - ik x} G_{AB} (x_0; x) dx_o d^3 x$$

(denoted by the same symbol). Substituting in equation (22) the components  $\hat{J}^{a}(x)$  of the ferm ionic current from (14), (7) we obtain

$$J^{a}(\mathbf{x}) = \langle \hat{J}^{a}(\mathbf{x}) \rangle = g \quad d^{4}\mathbf{y}G^{ab}(\mathbf{x} \quad \mathbf{y})a^{b}; \ (\mathbf{y});$$
(23)

a = 1; :::; r, where

$$G^{ab}(x y) = i(x y^{0}) < [\hat{J}^{a}(x); \hat{J}^{b}(x)] > 0$$

and we have used the fact that for a neutral medium in equilibrium the mean values  $\langle J^{a}(x) \rangle_{0} = 0$ .

The mean values which enter S and R may be expressed by the corresponding G reen's functions, namely G

$$i \emptyset < [A^{\hat{}}; A^{\hat{}}]^{\hat{a}} > + i < A^{\hat{}}; F^{\hat{}}]^{\hat{a}} > = g^{\hat{a}} d^{4} y K^{ab} (x \quad y) \dot{a}^{\hat{b}}; (y); \qquad (24)$$

$$\frac{1}{2} \qquad if \emptyset < [A^{\hat{}}; A^{\hat{}}]^{\hat{a}} > + < A^{\hat{}}; F^{\hat{}}]^{\hat{a}} > g =$$

$$= g \quad d^{4} y L^{ab} (x \quad y) \dot{a}^{\hat{b}}; (y); \qquad (25)$$

with

$$K^{ab}(x \quad y) = i (x \quad y)i (e^{-x} \hat{A}(x); \hat{A}(x))^{a}; \hat{J}^{b}(y)^{i} >_{0} + + < i \hat{A}(x); \hat{F}(x))^{a}; \hat{J}^{b}(y)^{i} >_{0} ; L^{ab}(x \quad y) = i (x \quad y)\frac{i}{2} \qquad (e^{-x} \hat{A}(x); \hat{A}(x))^{a}; \hat{J}^{b}(y)^{i} >_{0} + + < \hat{A}(x); \hat{F}(x))^{a}; \hat{J}^{b}(y)^{i} >_{0} :$$

The mean values (24) and (25) evaluated by means of  $^{0}$  vanish because Lorentz covariance and invariance under space translations im ply that there is no non-zero 4-(pseudo) vector with values in the Lie algebra G. The components G<sup>ab</sup> in equation (23) will be said to form the exterior conductivity tensor, by analogy with classical electrodynamics. Since the current S and R are due to the non-Abelian character of the gauge group G, the components K<sup>ab</sup> and L<sup>ab</sup> will be said to form the non-Abelian conductivity tensor and pseudotensor, respectively.

4. Tensors of generalized susceptibilities

Proceeding in analogy with classical electrodynamics [31] we introduce the analog of polarization tensor

$$P(x) = P(x) = P^{a} T^{a};$$

through a gauge covariant relation between P  $\,$  and the averaged current J ,

$$J(x) = D P(x) = Q P(x) ig [A(x); P(x)];$$
 (26)

the covariant di erentiation being with respect to  $A = \langle A \rangle > .$  Equation (26) is the substitute of J = Q P in the case of electrodynamics. We de ne also the corresponding generalizations of the electric and magnetic polarizations, respectively, as G-valued 3-vectors P and M,

$$P^{a;n} = P^{a;0n};$$

$$M^{a;n} = \frac{1}{2}^{nlj}P^{a;lj}:$$

(a = 1; :::; r). W ritten in components, the de ning equation (26) reads

$$J^{a;n} = (0_0 P^{a;n} + {}^{nm j} ((0_m M^{a;j} + gf^{abc} A^{b;m} M^{c;j}))$$
  
$$(0_0 P^{a;n} + (D^{c} (A) M^{c})^{a;n};$$
(27)

$$J^{a;0} = \tilde{r} P^{a} g f^{abc} (A^{b,n} P^{c,n}) \qquad I (A) P^{a};$$
(28)

$$\begin{split} \vec{D} & (A) \quad \vec{P}^{a} = (\theta_{n} P^{a,n} + f^{abc} A^{b,n} P^{c,n}; \\ \vec{D} & (A) \quad M^{\sim})^{a,n} = {}^{nkl} [(\theta_{k} M^{a,l} + f^{abc} A^{b,k} M^{c,l}] \end{split}$$

 $(P^{a} = (P^{a,n}); M^{a} = (M^{a,n}))$ . Applying again the analogy with the case of electrodynamics, we x the arbitrariness in P assuming a linear relation between (the Fourier transform ations of)  $P^{a}$  and  $M^{a}$ , on the one hand, and the averaged "electric" and "m agnetic" elds,  $E^{a}$  and  $B^{a}$ , on the other:

$$\mathbf{P}^{a}(\mathbf{k}_{0};\mathbf{\tilde{k}}) = {}^{ab}(\mathbf{k}_{0};\mathbf{\tilde{k}})\mathbf{E}^{b}(\mathbf{k}_{0};\mathbf{\tilde{k}}); \qquad (29)$$

$$\mathbf{M}^{a}(\mathbf{k}_{0};\mathbf{\tilde{k}}) = {}^{ab}((\mathbf{k}_{0};\mathbf{\tilde{k}})\mathbf{B}^{b}(\mathbf{k}_{0};\mathbf{\tilde{k}})$$
(30)

(E<sup>a,n</sup> =  $F^{a,0n}$ , B<sup>a,j</sup> =  $\frac{1}{2}$  <sup>jkn</sup> $F^{a,kn}$ ). Equations (29) and (30) are the analogs of the constitutive relations of a medium, where the "color" tensor = (<sup>ab</sup>) appear as generalization of the electric susceptibility. The procedure of introducing the polarization tensor may be applied to the currents S and R which appear due to the non-Abelian character of the group G. We de ne the non-Abelian polarization tensor

through the gauge covariant relation with the current S  $% \left( {{{\mathbf{F}}_{\mathbf{r}}}^{T}} \right)$  :

$$S(x) = D(A)Q(x)$$
:

Related with Q  $\,$  are the G-valued 3-vectors  ${\tt V}$  and  ${\tt V}$  ,

$$U^{a;n} Q^{a;0n}; V^{a;n} \frac{1}{2} {}^{n jl} Q^{a;jl}$$

The vectors  $\mathcal{V}^a$  and  $\mathcal{V}^a$  have no analogs in electrodynam ics and will be called vectors of non-Abelian electric and magnetic polarization, respectively. We have (cf. (27), (28))

$$S_0^{a} = (\mathfrak{D}(A) \ \mathfrak{U})^{a};$$
  

$$S^{a} = (\mathfrak{Q} \mathfrak{U}^{a} \ \mathfrak{D}(A) \ \mathfrak{V})^{a};$$

Due to the lack of analogy with the electrodynam ical case we may assume either a linear relation between  $U^a$ ,  $M^a$ , and the elds  $E^a$ ,  $B^a$ , of the type

$$\tilde{U}^{a}(k) = t^{ab} E^{b}(k); \tilde{V}^{a}(k) = u^{ab}(k) B^{b}(k):$$
(32)

or a non-linear (e.g. quadratic) relation among them . Here we consider the assumption of linear relation and callt(k) tensor of non-Abelian electric susceptibility. The structure of the current R (x) yields the relation

$$R(x) = D(A) Q(x)$$
 (33)

with the dual of the tensor  ${\tt Q}$  , so

$$R_0^a = \mathcal{D}(A) \nabla^a; \mathcal{R}^a = \mathcal{Q}_0 \nabla^a + \mathcal{D}(A) \nabla^a;$$

# 5. In-m edium Yang-M ills equations

Inserting the expressions for the currents J, R and S in terms of the susceptibility tensors allows one to recast the averaged system of equations (15), (16) in the form

$$ik^{m} (a^{b} + g^{ab}(k) + gt^{ab}(k))E^{bm}(k) +$$

$$+ gf^{abc} A^{bm}(k q) (c^{cd} + g^{cd}(q) + gt^{ab}(q))E^{dm}(q)\frac{d^{4}q}{(2)^{4}} =$$

$$= gj^{a}_{0}(k); \qquad (34)$$

$$ik_{0}(a^{b} + g^{ab}(k) + gt^{ab}(k))E^{bm}(k) +$$

$$+ {}^{nm} ik^{m}(a^{b} g^{ab}(k) + gu^{ab}(k))B^{b;l}(k) +$$

$$+ {}^{nm} igf^{abc} A^{bm}(k q) (c^{cd} g^{ab}(q) + gu^{ab}(q))B^{d;l}(q)\frac{d^{4}q}{(2)^{4}} =$$

$$= gj^{am}(k); \qquad (35)$$

$$ik^{m}(a^{b} gu^{ab}(k))B^{bm}(k) +$$

$$gf^{abc} \overset{Z}{} A^{bm} (k q) (^{cd} gu^{cd} (q)) B^{m} (q) \frac{d^{4}q}{(2)^{4}} = 0;$$
(36)  
$$ik_{0} (^{ab} gu^{ab} (k)) B^{bm} (k) + {}^{nlm} ik^{1} (^{ab} gt^{ab} (k)) E^{bm} (k) + {}^{d^{4}q}$$

11

$$ik_0 (a^{ab} gu^{ab}(k))B^{bm}(k) + a^{m}ik^{1}(a^{ab} gt^{ab}(k))E^{bm}(k) + Z^{2}$$

$$+ gf^{abc} A^{b;1}(k q) (^{cd} gt^{cd}(q)) E^{m;d}(q) \frac{d^{4}q}{(2)^{4}} = 0:$$
(37)

Let us de ne the modi ed "color" electric eld  $\mathbf{E}^{\mathbf{a}}$ 

 $\mathbf{\tilde{E}}^{\mathrm{(a)}}(\mathbf{k}) = \mathbf{\tilde{E}}^{\mathrm{(a)}}(\mathbf{k}) = \mathbf{\tilde{U}}^{\mathrm{(a)}}(\mathbf{k})$ 

and the modi ed "color" magnetic eld  $\mathbb{B}^{a}$ 

 $\mathbb{B}^{(a)}(k) = \mathbb{B}^{(a)}(k) = \mathfrak{P}^{(a)}(k)$ 

W e de ne also the generalized electric induction

$$\tilde{\mathcal{T}}^{a}(\mathbf{k}) = \tilde{\mathbf{E}}^{a}(\mathbf{k}) + q\tilde{\mathbf{P}}^{a}(\mathbf{k}) + q\tilde{\mathbf{U}}^{a}(\mathbf{k})$$

Ď r ge

and the generalized magnetic induction

$$\mathfrak{H}^{a}(\mathbf{k}) \quad \mathfrak{B}^{a}(\mathbf{k}) \quad \mathfrak{M}^{a}(\mathbf{k}) + \mathfrak{g} \nabla^{a}(\mathbf{k}): \tag{38}$$

From (32) one obtains

$$E^{(a)}(k) = (^{ab} gt^{(b)}(k))E^{(b)}(k)$$

$$B^{(a)}(k) = (^{ab} gt^{(a)}(k))B^{(b)}(k)$$
(39)

and from (29), (30), (33) we get

$$\hat{D}^{a}(k) = (^{ab} + g^{ab}(k) + gt^{ab}(k))\hat{E}^{b}(k);$$
  
$$\hat{H}^{a}(k) = (^{ab} g^{ab}(k) + gu^{ab}(k))\hat{B}^{b}(k):$$

Wewrite these relations in the form

$$D^{a}(\mathbf{k}) = {}^{ab}(\mathbf{k})E^{b}(\mathbf{k})$$

$$B^{a}(\mathbf{k}) = {}^{ab}(\mathbf{k})H^{b}(\mathbf{k});$$
(40)

where

$$^{ab}$$
 (k)  $^{ab}$  + g  $^{ab}$  (k) + gt  $^{ab}$  (k)

will be called tensor of generalized electric permittivity, and

$$^{ab}(k)$$
 ((1 g + gu)<sup>1</sup>)<sup>ab</sup>

- tensor of generalized magnetic permeability. If we keep the analogy with the electrom agnetic properties of the vacuum, we have to prescribe the property of generalized permeability  $_0$  and permittivity  $_0$  to the empty space with  $_0 = const$ ,  $_0 = const$ . Then the de nitions of and will read

$$ab = 0$$
  $ab + g ab;$  and  $ab = 0$   $ab + g ab;$ 

Now the system (34)-(37) written as a system of di erential equations reads

$$(D^{\circ}(A) \quad D^{\circ})^{a} = g_{0}^{a};$$

$$(D^{\circ}(A) \quad H^{\circ})^{a} \quad Q D^{\circ a} = g_{0}^{a}$$

$$(41)$$

$$(D^{\circ}(A) \quad B^{\circ})^{a} = 0;$$

$$(D^{\circ}(A) \quad E^{\circ})^{a} \quad Q B^{\circ a} = 0:$$

The system (41) together with equations (39) and (40) where the tensors  $t^{ab}$ ,  $u^{ab}$ ,  $a^{ab}$  and  $a^{ab}$  are given functions of  $(x^0; x)$  will be called system of in-medium Yang-M ills equations.

Our next step is to outline how relations between the susceptibility tensors and the Green's functions can be derived in principle. The Fourier transform of the system (1) written in terms of the elds  $e^{c;n} = f^{c;0n}$  and  $b^{c;n} = \frac{1}{2} n^{jm} f^{c;jm}$ , (c = 1;:::;r;n = 1;2;3) and restricted to terms linear in the external eld gives for the external current

$$gj_{0}^{a}(k) = i\tilde{k} \quad {}^{a}e(k)$$

$$(42)$$

$$gj^{a}(k) = i\frac{k^{2}}{k_{0}}e^{a}(k) + i\frac{\tilde{k}^{a}e(k)}{k_{0}}\tilde{k}$$

 $(k = (k_0; k), k^2 = k_0^2 \quad k^2)$ . The substitution of (42) into the rhs of the system of equations (34)- (37) gives a non-linear system for the elds  $E^a(k)$  and  $B^a(k)$  (recall that  $E^a(k) = ik_0 A^a(k)$  in the gauge  $\hat{A_0} = 0$ ). In the linear approximation with respect to the external eld we have to keep only the linear terms in the expressions for  $E^a$  and  $B^a$ ,

$$\mathbf{E}^{a}(\mathbf{k}) = {}^{ab}\mathbf{e}^{b}(\mathbf{k}); \mathbf{B}^{a}(\mathbf{k}) = {}^{ab}\mathbf{e}^{b}(\mathbf{k}):$$
(43)

Here <sup>ab</sup> and <sup>ab</sup> depend on k as well as on the tensors , ,t and u. The form (43) in plies that [A ; A] and [A ; F] in equations (18), (19) are quadratic in the external eld and have to be dropped out thus sim plifying the currents S and R to

$$S^{a}(\mathbf{x}) = i \overset{n}{\underbrace{e}}_{Z} < [A^{ab}(\mathbf{x}); A^{c}(\mathbf{x})]^{a} > + < [A^{c}(\mathbf{x}); F^{c}(\mathbf{x})]^{a} > \overset{o}{=} g K^{ab}(\mathbf{x} y) \overset{o}{\underbrace{e}}_{Y} (y) d^{4}y$$
(44)

and

$$R^{a}(\mathbf{x}) = \frac{i}{2_{Z}} \begin{bmatrix} n \\ 0 \\ z \end{bmatrix} = \frac{1}{2_{Z}} \begin{bmatrix} n \\ 0 \\ z \end{bmatrix} \begin{bmatrix} n \\ 0 \\ 0 \end{bmatrix} \begin{bmatrix}$$

Adding the form ula for J(x),

$$J^{a}(x) = \langle \hat{I}^{a}(x) \rangle = g \quad G^{ab}(x \quad y) \hat{d}^{b}(y) d^{4}y$$
 (46)

one m ay express the three currents (44), (45), (46), further in terms of the external eld since in any xed gauge for  $a^{b}$ ; the equations

$$e^{c}(\mathbf{k}) = ik_{0}a^{c}(\mathbf{k}) \quad \mathbf{\tilde{k}}a^{0;c}(\mathbf{k})$$

$$\mathbf{\tilde{b}}^{c}(\mathbf{k}) = \frac{1}{k_{0}}\mathbf{\tilde{k}} \quad e^{c}(\mathbf{k}) = i\mathbf{\tilde{k}} \quad e^{c}(\mathbf{k});$$

$$(47)$$

determ in  $a^{c}$ ; in term  $s of e^{c}$ .

On the other hand, the currents J and S are used to introduce the generalized susceptibility tensors via (26) and (31). The assumption that these tensors are linearly connected with  $E^{a}$  and  $B^{a}$  (equations (29), (30) and (32)) allows one to express them linearly by  $e^{b}$  using (43). The obtained two expressions for each of the currents J and S allow one to derive algebraic relations among the tensors , , t and u, and the G reen's functions G<sup>ab</sup>, K<sup>ab</sup>.

Let us note that if the tensors  $t^{ab}$  and  $u^{ab}$  depend in a non-linear (e.g. quadratic) way on the elds  $E^{a}$  and  $B^{a}$ , then they have no contribution in the averaged system (34) - (37) in the approximation linear in the external eld. Then the modi ed elds  $E^{a}$  and  $B^{a}$  reduce to  $E^{a}$  and  $B^{a}$ , respectively, and the in-medium Yang-M ills equations become

$$(D'(A) D')^{a} = gj_{0}^{a};$$

$$(D'(A) H')^{a} QD'^{a} = gj^{a};$$

$$(D'(A) B')^{a} = 0;$$

$$(D'(A) E')^{a} QB'^{a} = 0;$$

$$(48)$$

6. A pproxim ation up to second order in g

Considered as perturbative series in g both G reen's functions K <sup>ab</sup> and L<sup>ab</sup> have their rst non-vanishing term of rst order in g. Indeed, let us take a perturbative expansion of  $\hat{A}$  (x) and  $\hat{F}$  (x) in powers of g beginning with the free eld operators  $\hat{A}_{(0)}$  and  $\hat{F}_{(0)}$ , respectively,

$$\hat{A} (x) = \hat{A}_{(0)} (x) + \sum_{n=1}^{X} g^{n} \hat{A}_{(n)} (x)$$
$$\hat{F} (x) = \hat{F}_{(0)} (x) + \sum_{n=1}^{n} g^{n} \hat{F}_{(n)} (x)$$

 $(\hat{A}_{(n)} (x))$  being the n th approximation). Then the observation that  $\hat{A}_{(0)} (x)$  and  $\hat{F}_{(0)} (x)$  commute with the current  $\hat{I}$  expressed in terms of free spinor operators yields the conclusion that both K <sup>ab</sup> and L<sup>ab</sup> are of order g. A coording to (44) and (45) the terms with gS and gR in the rhs of the system of equations (15), (16), are of third order in g while the term with gJ is of second order (like the case of electrodynamics).

In this Section we consider the system s (15), (16), up to second order in g (in the approximation linear w.r.t. the external eld). In this approximation the currents gS and gR drop out, the covariant derivatives in the lh.s of (15), (16) reduce to simple partial derivatives because [A ;F ] are quadratic in the external eld due to equation (43), and we obtain the simpli ed form

$$\begin{array}{l} \textcircled{0} \quad F^{a} = g J^{a} + g j^{a}; \\ \hline \\ \textcircled{0} \quad F^{a} = 0; \\ F^{a} = \textcircled{0} A^{a} \quad \textcircled{0} A^{a}: \end{array}$$

Local com m utativity of the currents J<sup>a</sup> (x) gives that

$$(0 G^{ab}(x)) = 0 = (0 G^{ab}(x))$$

because  $(J_x) = 0$  in our approximation. Using the Fourier transform of the last equality and the system (47) (in the gauge (a = 0) we recast equation (46).

$$J^{a}(k) = qG^{ab}(k)a^{b}(k)$$

in the form  $(k = (k_0; \tilde{k}))$ 

$$J_{0}^{a}(k_{0};\tilde{k}) = ig \frac{k^{m}}{k_{0}^{2}} G_{m 1}^{ab}(k_{0};\tilde{k}) e^{b;1}(k_{0};\tilde{k});$$
$$J_{n}^{a}(k_{0};\tilde{k}) = ig \frac{1}{k_{0}} G_{n1}^{ab}(k_{0};\tilde{k}) e^{b;1}(k_{0};\tilde{k}):$$

For a hom ogeneous and isotropic medium  $\,G_{\,m\,n}^{\,ab}\,(k_0\,;\kappa)$  may be written as a sum of tensors

$$G_{mn}^{ab}(k_{0}; \mathbf{\tilde{k}}) = i k_{0}^{h} \gamma_{1}^{ab}(\mathbf{k}) \frac{k_{m} k_{n}}{\mathbf{\tilde{k}}^{2}} + \gamma_{t}^{ab}(\mathbf{k}) (m_{nm} - \frac{k_{m} k_{n}}{\mathbf{\tilde{k}}^{2}})^{i};$$

where  $\sim_1^{ab}$  and  $\sim_t^{ab}$  are "color" tensors depending on k = fijand arise as analogs of the so called exterior longitudinal and transverse electric conductivity coe cients [31]. This form of  $G_{mn}^{ab}$  generates a representation of  $J_0^a$  and  $J_n^a$ ,

$$J_{0}^{a}(\mathbf{k}_{0};\mathbf{\tilde{k}}) = \frac{g}{k_{0}} \sim_{1}^{ab}(\mathbf{\tilde{k}} \quad \stackrel{b}{\Rightarrow}$$

$$J_{n}^{a}(\mathbf{k}_{0};\mathbf{\tilde{k}}) = g \sim_{1}^{ab}(\mathbf{k}) \frac{\mathbf{\tilde{k}} \quad \stackrel{b}{\Rightarrow} \mathbf{\tilde{k}}_{n}}{\mathbf{\tilde{k}}^{2}} \mathbf{\tilde{k}}_{n} + g \sim_{t}^{ab}(\mathbf{k}) \frac{((\mathbf{\tilde{k}} \quad \stackrel{b}{\Rightarrow}) \quad \mathbf{\tilde{k}})_{n}}{\mathbf{\tilde{k}}^{2}};$$

$$(49)$$

the second equation being a decomposition of  $J_n^a$  into longitudinal and transverse parts with respect to  $\tilde{\kappa}$ . It is convenient to write the vectors  $\tilde{P}^a$  and  $\tilde{M}^a$ , equations (29), (30), in the form

$$P^{a}(k_{0};\tilde{k}) = {}^{ab}(k_{0};\tilde{k})E^{b}(k_{0};\tilde{k});$$

$$M^{a}(k_{0};\tilde{k}) = ({}^{1})^{ab}(k_{0};\tilde{k}) {}^{bc}(k_{0};\tilde{k})B^{c}(k_{0};\tilde{k});$$
(50)

(i.e. we write = 1) where  $ab = ab + g^{ab}$ . The Fourier transform of the system (6) written in terms of  $E^{e_{fn}} = F^{a_{f}0n}$  and  $B^{a_{fn}} = \frac{1}{2} \operatorname{nm}^{1} F^{a_{fm}1}$  (i.e. the system of equations (34) - (37) in the approximation considered) reads

$$ik^{m} (^{ab} + ^{ab} (k_{0};\tilde{k}))E^{bm} (k_{0};\tilde{k}) = gj_{0}^{a} (k_{0};\tilde{k});$$

$$ik_{0} (^{ab} + ^{ab} (k_{0};\tilde{k})E^{bm} (k_{0};\tilde{k}) +$$

$$^{nm} ik^{m} (^{ab} g(^{-1})^{ab} (k_{0};\tilde{k}) b^{c} (k_{0};\tilde{k}))B^{b;1} (k_{0};\tilde{k}) = gj^{a,n} (k_{0};\tilde{k}); \qquad (51)$$

$$ik^{m} B^{a,m} (k_{0};\tilde{k}) = 0;$$

$$ik_{0} B^{a,n} (k_{0};\tilde{k}) + ^{nm} ik^{1}E^{a,m} (k_{0};\tilde{k}) = 0:$$

The vectors of generalized electric and magnetic induction are

$$D^{a} = E^{a} + gP^{a} = {}^{ab}E^{b};$$
$$H^{a} = B^{a} \quad dM^{a} = ({}^{1})^{ab}B^{b};$$

with  $^{ab} = ^{ab} + g^{ab}$ . In terms of these elds the form of the system (51) as a system of di erential equations reads

$$div \mathcal{D}^{a} = j_{0}^{a};$$

$$rot \mathcal{H}^{a} \quad (3D)^{a} = g j^{a};$$

$$div \mathcal{B}^{a} = 0;$$

$$rot \mathcal{E}^{a} \quad (3B)^{a} = 0:$$

It follows from the above equations that

$$D_{jj}^{c}(k_{0}; \tilde{k}) = \frac{1}{\tilde{k}^{2}} (\tilde{k} D^{c}(k_{0}; \tilde{k})) \tilde{k} = {}^{cd}(k_{0}; \tilde{k}) E_{jj}^{d}(k_{0}; \tilde{k}) = e_{jj}^{c}(k_{0}; \tilde{k});$$

$$[k_{0}^{2} ab \tilde{k}^{2}(1)^{ab} E_{j}^{b}(k_{0}; \tilde{k}) = (k_{0}^{2} \tilde{k}^{2}) e_{j}^{a}(k_{0}; \tilde{k})$$

and

$$[k_0^{2 \text{ ab}} \quad \tilde{k}^2 (1)^{ab}] \mathcal{B}_2^b (k_0; \tilde{k}) = (k_0^2 \quad \tilde{k}^2) \tilde{h}^a (k_0; \tilde{k});$$

with  $\mathcal{B}_{ii}^{a} = 0$ , where for a vector  $\mathbf{v}^{a}$  we de ne

$$\mathbf{v}_{?}^{a} = \frac{1}{\mathbf{\tilde{k}}^{2}} (\mathbf{\tilde{k}} \quad \mathbf{v}^{a}) \quad \mathbf{\tilde{k}}:$$

W ith the help of equations (49), (50), and the relations

$$J_0^{a}(k_0\tilde{\kappa}) = \tilde{\kappa} P^{a}(k_0;\tilde{\kappa});$$
  

$$J^{a}(k_0\tilde{\kappa}) = ik_0P^{a}(k_0\tilde{\kappa}) + i\tilde{\kappa} M^{a}(k_0\tilde{\kappa});$$

now we derive

$$k_0 \stackrel{ab}{=} (k_0 \tilde{k}) = ig \sim_t^{ab} (\tilde{k}) \stackrel{cb}{=} (k_0 \tilde{k});$$

or, in a compact matrix notation

$$1 1 = ig2 ~t; (53)$$

as well as the relation

$$1 \qquad {}^{1} = g \qquad$$

Equations (53) and (54) resemble their counterparts in electrodynamics and by analogy, we call

$$_{1} = (1 \quad \frac{g^{2}}{k_{0}} \sim_{1})^{-1} \sim_{1};$$

$$_{t} = \sim_{t} (1 \quad i g^{2} k_{0} \frac{\sim_{t}}{k_{0}^{2}} \tilde{k}^{2})^{-1};$$

tensors of intrinsic longitudinal and transverse conductivity, respectively.

## 7. Lagrangian and canonical quantization

In this section we consider the case when the tensors  $t^{ab}$  and  $u^{ab}$ , equation (32), may be neglected, so the in-medium Yang-M ills elds are described by the system (48).

For a medium in rest with respect to a xed Lorenz frame we dene the antisymmetric tensors H  $^{\rm a;}$  by

$$H^{a;0} = D^{a;};$$
  

$$H^{a;mn} = {}^{mnk}H^{a;k};n;m = 1;2;3:$$
(55)

The components of the tensors (55) read

$$H^{a;} = (1)^{ab}F^{b;} + (1)^{ab}V (g V g V)F^{b};$$
(56)

if the medium moves uniform by with velocity V (V  $^2$  = 1). For vanishing exterior current  $j^a$  the Lagrangian

$$L_{0} = \frac{1}{4} F^{a} H^{a};$$
(57)

reproduces the 1st two equations of the system (52) written in a covariant form

D (A)
$$H^{a;} = 0;$$

valid for any reference frame. Since in (56) and (57) the tensor F  $^{\rm a}$  reads

$$F^{a} = Q A^{a} Q A^{a} gf^{abc} A^{b} A^{c};$$

it satis as the covariant form of the last two equations of the system (52), i.e.

$$D (A)F^{a} + D (A)F^{a} + D (A)F^{a} = 0$$

In order to perform the canonical quantization, we add a gauge xing term  $L_{gf}$  to  $L_0$ ,

$$L_{gf} = \frac{1}{2} (B^{a}B^{a}) \quad B^{a} (@A^{a} + (n^{2} \ 1)^{ab}V \ @V \ A^{b});$$
 (58)

where is a real parameter and  $B^a$  (a = 1; ...; r) are real auxiliary scalar elds. The tensor  $(n^2)^{ab} = {}^{ac} {}^{cb}$  is the generalization of the classical refraction coe cient. The form (58) of  $L_{gf}$  is taken in analogy with the case of electrom agnetic eld in a medium [32]. In the sequel we will consider the case  ${}^{ab} = {}^{ab}$ ,  ${}^{ab} = {}^{ab}$ , where and are constants. Then  $(n^2)^{ab} = {}^{ab}$  and the notation  $= n^2$  1 will be used (here and below we shall write  $n^2$  for ). We split the total Lagrangian  $L = L_0 + L_{gf}$  into two parts,  $L = L_{free} + L_{int}$ , where  $L_{int}$  contains all terms containing the gauge coupling constant g. The part  $L_{free}$  equals

$$L_{free} = \frac{1}{4} F^{a} H^{a;} + L_{gf}; \qquad (59)$$

where

$$\mathbf{F}^{a} = \mathbf{0} \mathbf{A}^{a} \qquad \mathbf{0} \mathbf{A}^{a} \tag{60}$$

and

$$H^{a}$$
; =  $(^{1})^{ab}F^{b}$ ; +  $(^{1})^{ab}V$  (g V g V) $F^{b}$ : (61)

The equations of motion following from the free eld part  $L_{free}$  are

 $tA^{a} + (V \hat{e}A^{a} + ( ) QB^{a} QA^{a} + ( ) QB^{a} = 0;$  (62)

$$\mathbf{t}\mathbf{B}^{a} + (\mathbf{V} \quad \hat{\mathbf{e}}_{\mathbf{B}}^{a} \quad \mathbf{Q} \mathbf{B}^{a} = \mathbf{0}; \tag{63}$$

$$B^{a} = 0 \quad \hat{A} + (V \quad 0) (V \quad a) \not A \tag{64}$$

where  $Q = t + (V \quad (e)$ ). We choose  $A^a(x)$  as generalized coordinates, the conjugate momenta being

a; 
$$(x) = \frac{(dL_0)}{(d_0 A^a)} (x);$$

or

<sup>a;0</sup> = 
$$[1 + V_0^2]B^a$$
;  
<sup>a;k</sup> =  $V_0V_kB^a + -V_0V_nF_{kn}^a + [(1 + 2 V_0^2)_{kn} V_kV_n]F_{0n}$ ;

(k = 1;2;3). From the equal time canonical commutation relations

$$\begin{bmatrix} a & (x); A & (y) \end{bmatrix}_{x_0 = y_0} = 0;$$
  

$$\begin{bmatrix} a; & (x); & b; & (y) \end{bmatrix}_{x_0 = y_0} = 0;$$
  

$$\begin{bmatrix} a; & (x); A^b & (y) \end{bmatrix}_{x_0 = y_0} = i^{ab} \quad (x \quad y);$$

one derives

$$\mathbb{B}^{a}(\mathbf{x}); \mathbf{A}^{b}(\mathbf{y})]_{\mathbf{x}_{0}=\mathbf{y}_{0}} = \frac{\mathbf{i}^{ab}}{(\mathbf{1}+\mathbf{V}_{0}^{2})} (\mathbf{x} \quad \mathbf{y});$$

$$\mathbb{B}^{a}(\mathbf{x}); \mathcal{Q}_{0}\mathbf{A}_{n}^{b}(\mathbf{y})]_{\mathbf{x}_{0}=\mathbf{y}_{0}} = \frac{\mathbf{i}^{ab}}{(\mathbf{1}+\mathbf{V}_{0}^{2})} \frac{\mathcal{Q}}{\mathbf{Q}\mathbf{x}^{n}} (\mathbf{x} \quad \mathbf{y});$$

aswellas

$$\begin{bmatrix} 0_{0}A_{0}^{a}(\mathbf{x}); A_{0}^{b}(\mathbf{y}) \end{bmatrix}_{\mathbf{x}_{0}=\mathbf{y}_{0}} = \frac{\mathbf{i}^{ab}(\mathbf{x} \mathbf{y})}{(\mathbf{1} + V_{0}^{2})^{2}} \begin{bmatrix} 2\frac{V_{0}^{2}\nabla^{2}}{(\mathbf{1} + \mathbf{y})} \end{bmatrix};$$

$$\begin{bmatrix} 0_{0}A_{0}^{a}(\mathbf{x}); A_{n}^{b}(\mathbf{y}) \end{bmatrix}_{\mathbf{x}_{0}=\mathbf{y}_{0}} = \frac{\mathbf{i}^{V_{0}V_{n}}(\mathbf{y})}{(\mathbf{1} + \mathbf{y})(\mathbf{1} + V_{0}^{2})} (\mathbf{x} \mathbf{y});$$

$$\begin{bmatrix} 0_{0}B^{a}(\mathbf{x}); A_{0}^{b}(\mathbf{y}) \end{bmatrix}_{\mathbf{x}_{0}=\mathbf{y}_{0}} = 2\mathbf{i}\frac{V_{0}}{(\mathbf{1} + V_{0}^{2})^{2}} \stackrel{ab}{=} (V_{n}\frac{\mathbf{0}}{\mathbf{0}\mathbf{x}^{n}}) (\mathbf{x} \mathbf{y});$$

$$\begin{bmatrix} 0_{0}B^{a}(\mathbf{x}); A_{n}^{b}(\mathbf{y}) \end{bmatrix}_{\mathbf{x}_{0}=\mathbf{y}_{0}} = \frac{\mathbf{i}^{ab}}{(\mathbf{1} + V_{0}^{2})^{2}} \stackrel{ab}{=} (V_{n}\frac{\mathbf{0}}{\mathbf{0}\mathbf{x}^{n}}) (\mathbf{x} \mathbf{y});$$

Following [32] we introduce the tensor

$$b = + (n \quad 1)V V;$$

satisfying

$$(b^{1}) = + (n^{1} \quad 1)V V$$

for every integer number 1. In term s of b , the gauge  $\,$  xing term  $\,L_{\,\rm gf}\,$  reads

$$L_{gf} = \frac{-}{2}B^{a}B^{a} - B^{a}\theta + B^{a}\theta$$

and the operator Q takes the form

$$Q = Q (b^2) Q$$
:

8. C om m utation relations at non-equal tim es

W e de ne the functions

F(x) i 
$$\frac{d^4k}{(2)^3} \exp(ik x) (Q(k)) (V k)$$
 (65)

and

H(x) 
$$i \frac{d^4k}{(2)^3} \exp(ik x^0)(Q(k))$$
 (V k);

with the notations

Q (k) 
$$k^2 + (V \quad k) = (1 + V_0^2) (k_0 \quad k_1(k)) (k_0 \quad k_1(k))$$
 (66)

and

k (k) 
$$\frac{1}{(1+V_0^2)}$$
 V<sub>0</sub> (k  $\nabla$ )  $(1+V_0^2)k^2$  (k  $\nabla$ )<sup>2</sup> : (67)

Note that  $k_+$  (K) is negative for reference frames in which  $\nabla^2 > 1$ . However, it always holds that  $k_-(K) = k_-(^{\sim}k)$ .

The functions F and H have the properties QF = 0, QH = F, as well as

$$\begin{aligned} \theta_0 F(0; \mathbf{x}) &= \frac{1}{(1 + V_0^2)} \quad (\mathbf{x}); \\ F(0; \mathbf{x}) &= 0; \\ H(0; \mathbf{x}) &= \theta_0 H(0; \mathbf{x}) = \theta_0^2 H(0; \mathbf{x}) = 0; \end{aligned}$$
(68)

$$(0;\mathbf{x}) = \frac{1}{(1+V_0^2)^2} \quad (\mathbf{x}):$$
(69)

Equations (65) and (67) yield

$$F(x) = \frac{i}{(2)^{3}} \left( \frac{d^{3}k}{(1+V_{0}^{2})} \frac{1}{\mathbf{j}_{+}(\mathbf{k}) - \mathbf{k}(\mathbf{k})\mathbf{j}} \right) (e^{-ik^{0}x} - e^{-ik^{0}x});$$
(70)

where  $k^0 = (k_+ (\tilde{k}); \tilde{k}), k^{00} = (k (\tilde{k}); \tilde{k})$ . The current

$$J (y;x) = F (y x)D^{\$}_{x}, g(x) + H (y x)D^{\$}_{x}, Qg(x)$$
(71)

is conserved,  $\frac{e}{e_x} J$  (y;x) = 0, for every solution g(x) of

$$Q^{2}g(x) = 0$$
:

The operator D  $_{x}$ ; is de ned as

$$D_{x;} \quad \frac{@}{@x} + V \left( V \quad \frac{@}{@x} \right)$$
(72)

and

$$AD_{x;}^{s}B A(D_{x;}B) (D_{x;}A)B$$
:

Therefore the integral

(d (z) is the element on the surface ) depends only on y. For a space-like with d (z) =  $(1;0;0;0)d^3z$  we de ne

G (y) 
$$d^{3}zJ_{0}(y;z)$$
: (73)

It follows from equation (71) and the properties (68) - (69) that

7.

$$G(y) = g(y) = {}_{z^0 = y^0} d^3 z F(y = z) D^{\$}_{z;0} g(z) + H(y = z) D^{\$}_{z;0} Qg(z) : (74)$$

From (62) and (63) one derives

Ζ

$$Q^{2}A^{a}(x) = 0$$
: (75)

Therefore we obtain

$$A^{a}(x) = \int_{x^{0}=z^{0}} d^{3}z F(x - z) D^{s}_{z;0} A^{a}(z) + H(x - z) D^{s}_{z;0} Q A^{a}(z)]: (76)$$

This expression allows one to calculate the com m utators among the edds A <sup>a</sup> (x) for arbitrary times using the equal time com m utators appearing in the rhs of the identify

$$\begin{bmatrix} A^{a}(x); A^{b}(y) \end{bmatrix} = \begin{bmatrix} d^{3}z \ F(x \ z) D^{s}_{z;0} \ A^{a}(z); A^{b}(y) \end{bmatrix} \\ + H(x \ z) D^{s}_{z;0} ( \frac{e}{2z} \ B^{a}(z); A^{b}(y) \end{bmatrix} :$$

The result reads

$$[A^{a}(x); A^{b}(y)] = i^{ab}(g) \qquad \frac{1}{1+} V V )F(x y) \quad i( )^{ab} \frac{(e^{2}H(x y))}{(e^{2}X)}$$
(77)

Using equation (64), i.e.

 $B^{a}(x) = D_{x}; A^{a}; (x);$ 

with  $D_{x}$ ; given by (72), one obtains from equation (77)

$$[\mathbb{A}^{a}(\mathbf{x});\mathbb{B}^{b}(\mathbf{y})] = i^{ab} \frac{\theta}{\theta \mathbf{x}} \mathbf{F}(\mathbf{x} + \mathbf{y})$$
(78)

and

$$[B^{a}(x);B^{b}(y)] = 0:$$
(79)

The commutation relations (77-79) generalize those derived for the electrom agnetic led in a medium [32] in a natural way.

One may use the technique of [32] to derive the commutation relations (77) in a much simpler way. Indeed, the change of variables

x ! y = 
$$(b^{1})$$
 x ;  
 $A^{a}(x)$  !  $^{a}(y) = \frac{1}{p-A^{a}}(x)b$  ;  
 $B^{a}(x)$  !  $^{a}(y) = ^{p}-B^{a}(x)$ 

and

$$g! g^0 = {}^{p} - g; ! {}^{0} = = ;$$

brings the Lagrangian

$$L = \frac{1}{4}F^{a}; (x)H^{a} (x) \qquad B^{a}(x)[0 \quad \hat{A}(x) + (n^{2} \quad 1)(V \quad 0)V^{a}(x)] + \frac{1}{2}B^{a}(x)B^{a}(x)$$

to the form

$$L = \frac{1}{4}G^{a}; \quad (y)G^{a} \quad (y) \qquad {}^{0} \quad {}^{a}(y)\frac{\theta}{\theta y} \quad {}^{a}; \quad (y) + \frac{1}{2} \quad {}^{a}(y) \quad {}^{a}(y);$$

where

$$G^{a}(y) = \frac{\partial^{a}(y)}{\partial y} - \frac{\partial^{a}(y)}{\partial y} - \frac{\partial^{a}(y)}{\partial y} - \partial^{abc}(y) + \partial^{c}(y):$$

In the approximation where one takes  $g^0$  ! 0 this Lagrangian describes a system of  $r = \dim (G)$  non-interacting U (1)-gauge elds, i.e. a system of r free "electrom agnetic" elds with the corresponding gauge xing terms containing the elds <sup>a</sup>. A fter quantization of each type <sup>a</sup>(x); (a = 1;:::;r); of "electrom agnetic" elds one obtains the commutation relations [32]

$$\begin{bmatrix} a (y); b (y^{0}) \end{bmatrix} = ig \quad ab D_{0} (y \quad y^{0}) \quad i(1 \quad b) \frac{d^{2}}{dy dy} E (y \quad y^{0});$$

where

$$D_{0}(y) = i^{Z} \frac{d^{4}k}{(2)^{3}} e^{iky} (k_{0}) (k^{2});$$
  

$$E(y) = i^{Z} \frac{d^{4}k}{(2)^{3}} e^{iky} (k_{0})^{0} (k^{2}):$$

Going back to the elds  $A^a$  and the variables (x), one recovers equation (77) having in m ind that  $D_0$  (b<sup>1</sup> x) = F (x), and E (b<sup>1</sup> x) = H (x).

# 9. Physical subspace of the Fock space

We introduce the Fourier integral for the elds  $A^{d}(x)$  and  $B^{a}(x)$ ,

$$A^{d}(x) = \frac{1}{(2)^{3-2}} \int_{-\infty}^{2} d^{4}p (p_{0}) e^{ipx} a^{+d}(p) + e^{-ipx} a^{-d}(p) ;$$
  

$$B^{a}(x) = \frac{1}{(2)^{3-2}} \int_{-\infty}^{2} d^{4}p (p_{0}) e^{ipx} b^{+a}(p) + e^{-ipx} b^{-a}(p) :$$

As a consequence of the equations of motion one obtains

$$(k^{0}) [0 (k)a^{d} (k) i( )b^{d} (k)] = 0;$$

$$(k^{0})Q (k)b^{d} (k) = 0;$$

$$i (k^{0})[k a^{d} (k) + (V k)Va^{d} (k)] = (k^{0}) b^{d} (k):$$

$$(81)$$

Inserting (80) into (77) gives the commutation relations

$$[a^{+\alpha}(k);a^{+c}(q)] = 0; [a^{\alpha}(k);a^{c}(q)] = 0$$

and

$$[a^{d}(p);a^{+^{c}}(q)] = (g \frac{1}{1+} \nabla \nabla)^{dc} (Q(p)) (p q)$$

$$( )^{dc}pp^{0}(Q(p)) (p q):$$

For the operators b <sup>d</sup> (p) one nds

$$[b^{+d}(p);b^{+c}(q)] = 0; [b^{-d}(p);b^{-c}(q)] = 0$$

and

$$[a^{a}(p);b^{+c}(q)] = ^{dc}p (Q(p)) (p q):$$

It is convenient for each four vector p to introduce a local fram e consisting of the orthonorm alvectors V, (V<sup>2</sup> = 1), N (p) and  $e^{(r)}$  (p), (r = 1;2), satisfying

$$N (p)^2 = (e^{(r)} (p))^2 = 1;$$

where

and p = p + V (V = p). We decompose the operators  $a^d(p)$  with respect to the base vectors V, N(p),  $e^{(r)}(p)$ ,

$$a^{d}(p) = \sum_{r=1}^{X^{2}} p^{d}(p)e^{(r)}(p) + \frac{1}{3}^{d}N + \frac{1}{3}^{d}V$$
:

The commutation relations for the new operators d (p) read

$$\begin{bmatrix} 0 & d & (p); & 0 & (q) \end{bmatrix} = \frac{dc}{1+} & (Q & (p)) & (p & q) & ( & d^{q} & (V & p^{2}) & (Q & (p)) & (p & q); & (82) \\ \begin{bmatrix} 0 & d & (p); & 0 & (q) \end{bmatrix} = \frac{dc}{4c} & (Q & (p)) & (p & q) & ( & d^{q} & (V & p^{2}) & p^{2} \end{bmatrix} & (Q & (p)) & (p & q); & (83) \\ \begin{bmatrix} 0 & d & (p); & 0 & (q) \end{bmatrix} = \frac{dc}{4c} & (Q & (p)) & (p & q); & (q) \end{bmatrix}$$

$$\begin{bmatrix} 0 & d & (p); & 0 & (q) \end{bmatrix} = \begin{bmatrix} 0 & (0 & (p)) & (p & q); & (q) \\ 0 & (q); & 0 & (q) \end{bmatrix} = \begin{bmatrix} 0 & ( & 0 & (q)) & (p & q); & (q) \\ 0 & (q); & 0 & (q) \end{bmatrix} = \begin{bmatrix} 0 & ( & 0 & (q)) & (p & q); & (q) \\ 0 & (q); & 0 & (q) \end{bmatrix} = \begin{bmatrix} 0 & ( & 0 & (q)) & (p & q); & (q) \\ 0 & (q); & 0 & (q) \end{bmatrix} = \begin{bmatrix} 0 & ( & 0 & (q)) & (p & (q)) & (p & (q)) & (p & (q)) \\ 0 & (q); & 0 & (q) \end{bmatrix} = \begin{bmatrix} 0 & ( & 0 & (q)) & (p & (q)) & (p & (q)) & (p & (q)) & (p & (q)) \\ 0 & (q); & 0 & (q) \end{bmatrix} = \begin{bmatrix} 0 & ( & 0 & (q)) & (p & (q)) & (p & (q)) & (p & (q)) & (q) & (q) \\ 0 & (q); & 0 & (q) \end{bmatrix} = \begin{bmatrix} 0 & ( & 0 & (q)) & (p & (q)) & (q) & (q) \\ 0 & (q); & 0 & (q) & ($$

$$[_{3}^{d}(p); _{k}^{+c}(q)] = 0;$$
(87)

$$[ _{k} ^{d} (p); b^{+ c} (q) ] = 0;$$
(88)

$$[ _{3}^{d} (p); b^{+ c} (q) ] = i^{dc} (V p) p^{2} (Q (p)) (p q);$$
(89)

$$[ \ _{0} \ ^{\alpha}(p); b^{+ c}(q) ] = i^{\alpha c}(V \quad p) (Q(p)) (p \quad q):$$
(90)

The vacuum vector  $\hat{D}i$  of the Fock space H  $_{\rm F}$  is de ned by

It follows from the commutation relations (82)–(90) that the operators  $_{0}^{+d}(p)$  and  $_{3}^{+d}(p)$  do not generate states with positive de nite norm squared due to the terms with  $_{0}^{0}(Q(p))$ . The physical subspace of H<sub>F</sub> is de ned by

$$H_{phys} = ji2 H_F; b^d(p)ji = 0$$
:

According to equation (81) the condition  $b^{d}(p) j i = 0$  is equivalent to

 $pa^{d}(p)ji=0;$ 

im plying

$$L^{d}(p)ji = 0;$$

where

$$L^{d}(p) = (V p)^{d}(p) = (V p)^{d}(p)$$

for any j i 2 H <sub>phys</sub>. The states with non-negative norm squared are generated by  $^{+}_{1,2}{}^{d}(p)$  and  $L^{+}{}^{d}(p)$  which are the operators commuting with b  $^{c}(q)$ . However, the subspace H  $_{0}$  of H <sub>phys</sub> generated by  $L^{+}{}^{d}(p)$  consists of zero norm vectors. Therefore, the space of vectors with positive norm squared is de ned by the quotient

$$H^{0} = H_{phys} = H_{0}$$
:

The energy-momentum tensor T derived from the Lagrangian  $L = L_0 + L_{af}$  is

$$T = H^{a} (A^{a}; + (b^{2} \hat{A}) (B^{a} g L;$$

(b<sup>2</sup>) = ( + VV), and may be written as

$$T = H^{a} F^{a}; + \frac{1}{4}g (F^{a} H^{a};)$$

up to a total divergence  $(H^a A^a)$ . For the matrix elements of the corresponding four-momentum operator one nds

h 
$$\mathcal{P}$$
  $j^{0}i = d^{3}kk h j_{r=1}^{X^{2}} (k) r^{a}(k) j^{0}i;$ 

јі, ј <sup>0</sup>і2 Н<sup>0</sup>.

In the gauge = the free propagator h0 fr 
$$(A^b (x) A^d (y))$$
 for reads

 $(1=i)D^{bd}(x y) \quad h0f(A^{b}(x)A^{d}(y))f(i=i(g - \frac{1}{1+}VV)^{bd}F_{c}(x y); \quad (91)$ 

where

$$F_{c}(x - y) = \frac{d^{4}k}{(2 - )^{4}} \frac{e^{-ik(x - y)}}{Q(k) + i}$$
:

As a short example of applications of the theory we shall consider two phenom enas that are possible to exist in reactions at high energies.

For the speci c case G = SU(3) and quarks as ferm ions, the =(1 + ) term in the gluon propagator (91) modiles, e.g. the cross-sections for quark-quark scattering. For instance, the expression for elastic scattering of two unpolarized quarks of mass m and initial (nal) momenta p;k; (p<sup>0</sup>;k<sup>0</sup>) in the Born approximation is

$$\frac{d}{d} = \frac{2 \frac{2}{s}}{s} \frac{F_{0}}{Q^{2} (p p)} + \frac{H_{0}}{Q^{2} (p k)} \frac{2G_{0}}{3Q (p p)Q (p k)} + \frac{H_{0}}{Q^{2} (p k)} \frac{2G_{0}}{3Q (p p)Q (p k)} + \frac{H_{1}}{Q^{2} (p k)} \frac{2G_{1}}{3Q (p p)Q (p k)} + \frac{H_{1}}{Q^{2} (p k)} \frac{2G_{1}}{3Q (p p)Q (p k)} + \frac{H_{1}}{Q^{2} (p k)} + \frac{2G_{1}}{3Q (p p)Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{3Q (p p)Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{3Q (p p)Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{3Q (p p)Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{3Q (p p)Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{Q (p p)Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{Q (p p)Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{Q (p p)Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{Q (p p)Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{Q (p p)Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{Q (p p)Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{Q (p p)Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{Q (p p)Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{Q (p p)Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{Q (p p)Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{Q (p p)Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{Q (p p)Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{Q (p p)Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{Q (p p)Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} + \frac{H_{2}}{Q^{2} (p k)} + \frac{H_{2}}{Q^{2} (p k)} \frac{2G_{2}}{Q (p k)} + \frac{H_{2}}{Q^{2} (p k)} + \frac{H_{2}}{Q^{$$

where we set the permeability = 1 and

$$\begin{split} F_{0} &= 16s^{2} + 16st + 8t^{2} \quad 64m^{2}s + 64m^{4}; \\ H_{0} &= 8s^{2} + 8t^{2} \quad 64m^{2}s \quad 64m^{2}t + 192m^{4}; \\ G_{0} &= 8s^{2} + 8t^{2} \quad 64m^{2}s \quad 64m^{2}t + 192m^{4}; \\ f_{1} &= 32 \quad (pV) \quad (kV) \quad (p^{0}k^{0}) + (k^{0}V) \quad (p^{0}k) + (p^{0}V) \quad (k^{0}V) \quad (pk) + (kV) \quad (pk^{0}) \\ &= 2 \quad (pV) \quad (p^{0}V) \quad (kk^{0}) \quad 2 \quad (kV) \quad (pp^{0}) \quad (kk^{0}) + 32 \quad (pp^{0}) \quad (kk^{0}) + \\ &+ 32m^{2} \quad 2 \quad (pV) \quad (p^{0}V) + 2 \quad (kV) \quad (pq^{0}) \quad (pk^{0}) \quad (pq^{0}) \quad (pk^{0}) + (kV) \quad (pp^{0}) \\ &= 2 \quad (pV) \quad (kV) \quad (p^{0}k^{0}) + (p^{0}V) \quad (kk^{0}) + (k^{0}V) \quad (pq^{0}) \quad (pk^{0}) + (kV) \quad (pp^{0}) \\ &= 2 \quad (pV) \quad (kV) \quad (p^{0}k^{0}) + (p^{0}V) \quad (kk^{0}) + (k^{0}V) \quad (pq^{0}) + (kV) \quad (pp^{0}) \\ &= 2 \quad (pV) \quad (kV) \quad (pq^{0}V) + (p^{0}V) \quad (pk^{0}) + (kV) \quad (pq^{0}) + (kV) \quad (pp^{0}) + \\ &+ 32m^{2} \quad 2 \quad (pV) \quad (kV) + (p^{0}V) \quad (pk^{0}V) \quad (pk^{0}) \quad (pk^{0}) \quad (pk^{0}) + \\ &+ 32m^{2} \quad (pV) \quad (kV) + (p^{0}V) \quad (kV) \quad (pk^{0}V) \quad (pk^{0}) \quad 32 \quad (kV) \quad (kV) \quad (pp^{0}) + \\ &+ 32m^{2} \quad (pV) \quad (p^{0}V) \quad (kV) \quad (kV) \quad (kV) \quad (pq^{0}V) \quad (kk^{0}) \quad 32 \quad (kV) \quad (kV) \quad (pp^{0}) + \\ &+ 32m^{2} \quad (pV) \quad (p^{0}V) \quad (kV) \quad (kV) \quad (kV) \quad (kV) \quad (kP^{0}) \quad 32 \quad (kV) \quad (kV) \quad (pq^{0}) + \\ &+ 32m^{2} \quad (pV) \quad (kV) \quad (kV) \quad (kV) \quad (kV) \quad (kP^{0}) \quad 32 \quad (kV) \quad (kV) \quad (pk^{0}) + \\ &+ 32m^{2} \quad (pV) \quad (kV) \quad (kV) \quad (kV) \quad (kV) \quad (kP^{0}) \quad 32 \quad (kV) \quad (kV) \quad (pk^{0}) + \\ &+ 32m^{2} \quad (pV) \quad (kV) \quad (kV) \quad (kV) \quad (kV) \quad (kV) \quad (kP^{0}) \quad 32 \quad (kV) \quad (kV) \quad (kP^{0}) + \\ &+ 32m^{2} \quad (pV) \quad (kV) \quad$$

The rst line in the expression for the cross-section is (for n = 1) the known result from QCD in the Born approximation (see e.g. [36]).

Another change comes from the term  $(k \quad V^2)$  in each denominator Q  $(k) = k^2 + (k \quad V^2)$ . For very large  $= n^2 = 1$ , this term may lead to an electric decreasing of the coupling strength.

As a second example we consider the in-medium Yang-M ills equations to describe the gluon eld em itted by a quark moving in a medium. If  $j^a(x)$  is a non-zero quark current in the r.h.s. in (62), the corresponding gauge potential A (x) satisfies the equation (in the gauge = )

$$t + (V \hat{e}) A^{a} (x) = j^{a} (x)$$

for a medium with "refraction" coe cient  $n = \frac{p_{-2}}{2+1}$ . In the V-rest frame the equation becomes

$$n^{2} \frac{\theta^{2}}{\theta x_{0}^{2}} \qquad 4 \quad A^{a} (x) = j^{a} (x)$$

and for a "rapid" quark, a Cherenkov-type gluon radiation will appear. Thus the description presented here provides a natural fram ework for the D rem in's approach aim ed at explaining events (such as ring-like structures) which occur in hadron m atter at high energies.

## 10. Sum m ary

In this paper the in-medium Yang-Mills equations are derived for a gauge group G in the case of a linear response to an external gauge eld. As in classical electrom agnetism, there appears naturally a conductivity tensor accom panied, how ever, by additional non-Abelian conductivity tensor and pseudotensor originating from the non-commutative character of the gauge group G. Correspondingly, the medium is characterized by "electric" and "magnetic" polarizations as well as by a new type of non-Abelian "electric" and "m agnetic" polarizations. W hen the latter are assumed to be linearly related with the elds E<sup>a</sup> and B<sup>a</sup>, the in-medium equations refer to the generalized "electric" and "magnetic" inductions and for elds E <sup>Ga</sup> and B <sup>Ga</sup> modied by the appearing susceptibility tensors. If, however, these non-Abelian polarizations depend non-linearly on E<sup>a</sup> and  $B^{a}$ , the restriction to a linear response reduces the modi ed elds to  $E^{a}$  and  $B^{a}$ , and the in-medium Yang-Mills equations become similar to the macroscopic Maxwell equations. In an approximation up to second order in the gauge coupling constant g, the in medium equations resemble the macroscopic Maxwell equations for dim (G) copies of the electrom agnetic eld. In this case the medium characteristics – the conductivity tensor, the electric permittivity tensor and the magnetic permeability tensor are expressed in terms of retarded G reen's functions in a way analogous to the case of the in-medium electrodynamics. The canonical quantization is performed for constant and in order to simplify the Euler-Lagrange equations. A set of dim (G) diagonal and scalar auxiliary elds B<sup>a</sup> is introduced to avoid working with constrained system s. The commutation relations among the gauge potentials A<sup>a</sup> and the eld B<sup>a</sup> are derived in two ways for a family of Ferm i-like gauges. The rst one is straightforward but lengthy and employs an integral representation of the solutions of equation (75), while the second one is direct and based on a simple transform ation of the both coordinates and

elds. For the gauge choice = we write down the "gluon" propagator  $D^{bd}$  and evaluate the cross-section for elastic scattering of two identical unpolarized quarks in the Born approximation. A feature of the propagator is the appearance of the term

 $(k:V)^2$  which m ay lead to an elective decrease of the coupling strength for su ciently large "refraction" coel cient. It is pointed out that the in-medium Yang-M ills equations allow to match D rem in's description of the above mentioned ring-like structures.

References

- [1] G.K.Savvidy, Phys.Lett.B 71 (1977) 133.
- [2] R.Fukuda and Y.Kazama, Phys.Rev.Lett. 45 (1980) 1142.
- [3] S.L.Adler, Phys. Rev. D 23 (1981) 2905.
- [4] H.Nielsen and P.Olsen, Nucl. Phys. B 144 (1978) 376.
- [5] M. Baker and F. Zachariasen, Phys. Lett. B 108 (1982) 206.
- [6] M. Baker and F. Zachariasen, Nucl. Phys. B 226 (1983) 455.
- [7] D.Sivers, Phys. Rev. D 27 (1983) 947.
- [8] J.Ralston and D.Sivers, Phys. Rev. D 28 (1983) 953.
- [9] U.Heinz, Am. Phys. 161 (1985) 48.
- [10] U.Heinz, Am. Phys. 168 (1986) 148.
- [11] Chen Jisheng, Zheng X iaoping and Li Jiarong, The nonlinear permittivity including non-Abelian self-interaction of plasm ons in QGP, Chin. Phys. Lett. 17 (2000) 714.
- [12] Ji-sheng Chen, Jia-rong Liand Peng-feiZhuang, Non-Abelian medium e ects in QGP, Int. J.M od. Phys.A 17 (2002) 1435.
- [13] D.F.Litim and C.M anuel, Phys. Rev. Lett. 82 (1999) 4981.
- [14] D.F.Litim and C.Manuel, Nucl. Phys. B 562 (1999) 237.
- [15] D.F.Litim and C.Manuel, Phys.Rep. 364 (2002) 451.
- [16] D.H.Rischke, D.T.Son and M.A.Stephanov, Phys. Rev. Lett. 87 (2001) 062001.
- [17] D.Litim and C.Manuel, Phys. Rev. D 64 (2001) 094013.
- [18] J.Ruppert, G.Nayak, D.Dietrich, H.Stocker and W.Greiner, Phys.Lett. B 520 (2001) 233.
- [19] D.F.Litim and C.Manuel, Phys. Rev. Lett. 87 (2001) 052002.
- [20] R.Friedberg and T.D.Lee, Phys.Rev.D 15 (1977) 1694.
- [21] R.Friedberg and T.D.Lee, Phys.Rev.D 16 (1977) 1696.
- [22] U.Kalmbach, T.Vetter, T.S.Biro and U.Mosel, Nucl. Phys. A 563 (1993) 584.
- [23] T.Vetter, T.S.Biro and U.M osel, Phys.Lett.A 581 (1995) 598.
- [24] S.Loh, T.S.Biro, U.M oseland M.H.Thom a, Phys.Lett. B 387 (1996) 685.
- [25] C.T.Traxler, U.M osel and T.S.Biro, Phys. Rev. C 59 (1999) 1620.
- [26] G. Martens, C. Traxler, U. Mosel and T. S. Biro, Hadronization in the chromodielectric model, hep-ph/0002037.
- [27] D. Bazeia, F. A. Brito, W. Freire, R. F. Ribeiro, Con ning potential in a cobr dielectric model with paralel dom ain walls, hep-th/0210289.
- [28] IM .D rem in, JETP Lett. 30 (1979) 140.
- [29] IM .D rem in, Yad. Fiz.33 (1981) 1357.
- [30] IM .D rem in, Sym m etries and W avelets, hep-ph/0108229.
- [31] A. I. Akhiezer and S.V. Peletm insky, M ethods of Statistical Physics, Pergamon, London, 1981.
- [32] I. Brevik and B. Lautrup, Quantum Electrodynamics in Material Media. Mat. Fys. Medd. Dan. Vid. Selsk. 38, (1970) NORD ITA.
- [33] N. Nakanishi, Progr. Theor. Physics, 35 (1966) 1111.
- [34] N. Nakanishi, Suppl. Progr. Theor. Physics, 51 (1972) 1.
- [35] D. Zwanziger, Phys. Rev. D 17 (1978) 457.

[36] H.Bohr, J.Phys.G 9 (1983) 373.