System atic 1/N corrections for bosonic and ferm ionic vector models without auxiliary elds.

Robert de Mello Koch and Joao P. Rodrigues, Department of Physics and Centre for Non Linear Studies, University of the Witwatersrand, Wits 2050, South Africa

In this paper, colorless bilocal elds are employed to study the large N lim it of both ferm ionic and bosonic vector models. The Jacobian associated with the change of variables from the original elds to the bilocals is computed exactly, thereby providing an exact elective action. This elective action is shown to reproduce the familiar perturbative expansion for the two and four point functions. In particular, in the case of ferm ionic vector models, the elective action correctly accounts for the Fermi statistics. The theory is also studied non-perturbatively. The stationary points of the elective action are shown to provide the usual large N gap equations. The homogeneous equation associated with the quadratic (in the bilocals) action is simply the two particle Bethe Salpeter equation. Finally, the leading correction in  $\frac{1}{N}$  is shown to be in agreement with the exact S matrix of the model.

PACS num bers:11.10 Lm, 11.10 St, 11.15 Pg, 03.70 + k.

### I. IN TRODUCTION

One of the most important problems facing high energy physics today is the construction of suitable approximation techniques that will allow an analytic understanding of the long distance properties of non Abelian gauge theories. The large N expansion remains one of the most promising techniques proposed to date. The leading order of this approximation, the master eld, is given by the sum overplanar diagrams in matrix models [1]. It has up to now been impossible to compute this sum in closed form, except for simple systems [2]. For this reason, not even the leading term in the expansion, in four dimensions, has been computed. In principle, if the leading term could be obtained, one would set up a perturbation theory around asymptotic states consisting of "mesons" and "hadrons" - colorless bound states of the quanta of the matter elds appearing in the Lagrangian. In other words, uctuations about this master eld yield the mass spectrum of the theory [3].

Vector models by contrast, have soluble large N lim its. Indeed, the large N lim it of a number of vector models has been studied using an auxiliary eld [5], [4], which is not (classically) dynam ical. Formally elim inating the auxiliary eld, the original model under consideration is regained. The advantage of the auxiliary eld is that it is chosen so that it contains no implicit N dependance. Thus, integration over the original eld variables yields an elective theory in which all N dependence is fully explicit. There are however, at least two serious objections to this approach. Firstly, it is only viable for Lagrangians consisting of quadratic plus quartic terms. Secondly, the local auxiliary eld is a poor substitute for the composite (bilocal) meson eld.

Jevicki and Levine [6] have constructed the master elds for a large number of bosonic vector models, working directly with equal time bilocal meson elds, thereby overcoming the diculties mentioned above. They rewrite the Hamiltonian in terms of these bilocal elds, obtaining an elective theory of mesons in which all N dependance is fully explicit. This change of variables induces a non trivial Jacobian [7], which is obtained by imposing hemiticity on a suitably scaled Hamiltonian. This approach is not easily implemented for fermionic vector models: it is a well known fact that the Dirac hamiltonian describes constrained dynamics. These constraints obscure the Hamiltonian approach. For this reason, the large N limit of fermionic vector models was originally studied using a pseudospin formalism [8]. Although this equal time approach does provide a possible starting point for a systematic expansion in 1/N, the presence of the pseudospin constraints obscures the relationship between the pseudospin variables and quantities of interest. The possibility of reexpressing a fermionic vector theory in terms of unequal time bilocals has been recently considered by Cavichiet al. [9] who obtained the leading large N form of the elective action directly in terms of these bilocals, and were therefore able to reproduce t'Hooff's QCD2 equation [10] for the meson spectrum.

In m atrix m odels, higher order corrections in  $\frac{1}{N}$  have been system atically computed in the case of the c= 1 m atrix m odel string theory [11] directly in terms of invariant variables. These corrections have been shown to be in complete agreement with the exact solution of the model. In this case the elective propagator is simply that of a massless scalar and it also turns out that the elective H am iltonian is cubic. The invariant variables of the matrix model correspond

to the bilocals in vector models, so the question that we address in this article is whether system atic higher order corrections in  $\frac{1}{N}$  can be computed directly in terms of the bilocal variables for vector models.

H igher order calculations have been performed for a Gross Neveu model with scalar-scalar interactions, using the auxiliary eld approach [12], or directly in terms of the original fermionic elds [13] as a check of the  $\frac{1}{N}$  expansion, given that the exact S m atrix of the model is known [14].

In this paper, we develop the necessary form alism needed to system atically compute higher order corrections in  $\frac{1}{N}$ , by obtaining an exact elective action in terms of unequal time bilocal elds. These bilocal elds are time ordered and we use them to study both bosonic and ferm ionic vector models.

We obtain the exact elective action by explicitly calculating the full Jacobian associated with the change of variables from the original elds to the time ordered bilocals. This is achieved by requiring that the Schwinger Dyson equations derived directly in terms of the bilocal variables agree with the equations derived in terms of the original elds [15]. This provides a united approach for both bosonic and fermionic models. The bosonic Jacobian agrees with the result obtained from collective eld theory [7]. The result for the fermionic Jacobian is new. It is remarkable that within the context of a path integral quantization such a Jacobian exists and is exactly computable.

This elective action is nonlocal in time but in the context of the functional integral quantization it generates all the "colorless" correlators of the quantum theory. For ferm ionic theories, since the elective action is exact and also valid for N=1, it provides an exact rewriting of the original theory (although for N=1 of course there is no small expansion parameter). We therefore expect this approach to have interesting applications in condensed matter type ferm ionic systems. The formalism is also likely to be particularly relevant for problems in which the spectrum is expected to consist only of singlets under the global invariance of the theory, since it then directly describes the dynamics of the physical degrees of freedom. Finally we wish to emphasize that this formalism provides a (nonlocal) bosonization valid for arbitrary dimensions. Although many of these aspects are now under study the main purpose of this article is to obtain the elective action and commits validity perturbatively.

So, perturbatively in both  $\frac{1}{N}$  and the coupling constant, we consider the linear sigm a model and the G ross N even model (with scalar-scalar interactions) and verify that typical correlators are in agreement with their Feynman expansions, and in particular verify that the statistics is properly taken into account. This provides a strict test of the validity of our elective action. We go on to describe how to develop a systematic expansion of the elective action and explicitly establish  $\frac{1}{N}$  as the perturbative parameter of the expansion.

The paper is organized as follows: in section II the elective action, connection to the collective eld theory and check of the perturbative expansion in both  $\frac{1}{N}$  and the coupling constant is carried out. In section III we do similarly for ferm ionic vector models. In section IV we make contact with the (nonperturbative) analysis of the spectrum for Gross N eveu and N ambu-Jona-Lasinio type model by obtaining the propagator of our elective eld theory. We show further that the homogeneous equation for the quadratic uctuations of our elective eld theory is a Bethe-Salpeter equation for these models. In section V we obtain all diagrams contributing to the  $\frac{1}{N}$  correction to two particle scattering from the elective eld theory and show that they are in precise agreement with the diagrams considered in previous comparisons of the  $\frac{1}{N}$  expansion with the exact S matrix [13].

## II. BOSON IC VECTOR MODELS AND THE RELATION SHIP TO THE COLLECTIVE FIELD THEORY.

A . Schw inger D yson equations and Jacobian.

In this section we will consider U (N) invariant bosonic vector models. By this we mean any theory of N complex scalar elds  $^a$  (x), a = 1;2;:::N (x is a d dimensional parameter) with an action S that is invariant under the global symmetry  $^a$ !  $^{0}$   $^a$   $^{0}$ 

$$S = d^{d}x (\theta - \theta - m^{2} - a - a)^{2};$$
 (1)

although our discussion applies to arbitrary invariant actions S as described above. These include (non local) e ective actions resulting from the explicit integration of intermediate degrees of freedom such as  $QCD_2$ . This will be the object of further study in another communication [16].

We will assume further that one is only interested in time ordered product expectation values of invariant operators (generically referred to as invariant correlators)

$$< F[]> < (x_i; y_i) > = \frac{R}{D - D_R} e^{iS} Q_{i=1} (x_i; y_i)$$

$$D D e^{iS}$$
(2)

with

$$(x;y) = {}^{a}(x) {}^{a}(y)$$
(3)

It is straightforward to obtain a set of Schwinger-Dyson equations for the invariant correlators. These follow from the identity

$$0 = D D \frac{h}{a(x)} a(y)F [ ]e^{iS}$$
(4)

yielding

$$< N^{-d} (x - y)F []> + < ^{-a} (y) - ^{F} / ^{-a} (x) > + i < ^{-a} (y) - ^{S} / ^{-a} (x) F []> = 0$$
 (5)

The above set of equations involve only invariant correlators as it will be shown in the following.

The philosophy that we wish to adopt here is that there is a Jacobian J associated with the change of variables from the original variables <sup>a</sup> to the invariant variables (3) inside the functional integral that correctly yields all time ordered product expectation values of invariant operators [7]. In other words,

$$Z Z D D F [ ]e^{iS} = D JF [ ]e^{iS} (6)$$

We now follow the procedure described in reference [15] to obtain a dierential equation for the Jacobian from the loop equations (5). This results from the identity:

$$0 = D d^{d}z - (z;x) ( (z;y)JF [ ]e^{iS} ) (7)$$

which implies1

$$< d(x y) d(0)L^{d}F[] + d^{d}z (z;y) - \frac{\ln J}{(z;x)}F[] + d^{d}z (z;y) - \frac{F[]}{(z;x)}F[] + i d^{d}z (z;y) - \frac{S}{(z;x)}F[] > = 0:$$
(8)

We can now use the chain rule

in equation (5) which is then equivalently written as

$$< N^{-d} (x y)F [] > + < d^{d}z (z;y) - \frac{F}{(z;x)} > + i < d^{d}z (z;y) - \frac{S}{(z;x)}F [] > = 0;$$
 (10)

Requiring agreement of this last equation with (8) for arbitrary F  $[\ ]$  we obtain

Z 
$$d^{d}z (z;y) - \frac{\ln J}{(z;x)} = N L^{d d}(0))^{d}(x y);$$
 (11)

 $<sup>^{1}</sup>$ W e use  $L^{d}$  to denote the volum e of the system we are studying, i.e.  $L^{d} = {R \atop d} d^{d}x$ .

J is independent of the action, as it should be. The solution to this equation is:

$$\ln J = (N \quad L^{d \quad d}(0)) T r \ln$$
 (12)

where the trace is in functional space. For models with "avor" degrees of freedom a, = 1;2::m the invariants are

$$(x;y) = {}^{a}(x) {}^{a}(y) \tag{13}$$

It is straight forward to generalize the above analysis and to show that the Jacobian is given by

$$lnJ = (N m Ld d (0))trT rln$$
 (14)

where the trace is now taken in both functional and avor space. This result generalizes for an arbitrary number of  $\dim$  ensions the result obtained in [17] for d=0 bosonic vector models.

## B.Connection with the collective eld theory

The point of view that the large N lim it can be understood in terms of a change of variables to invariant variables or subspaces was successfully exploited by Jevicki and Sakita [7] for a large class of models. In the list of [7] these authors are able to obtain the form of the elective H am iltonian acting on the reduced invariant subspace in terms of the Jacobian associated with the new inner product measure. Remarkably [7] the equation satisfied by the Jacobian can be obtained by the simple requirement that the elective H am iltonian must be explicitly Hermitian and is given by

In this equation C and C  $^{\rm 0}$  index the invariant variables. In our case

$$(x;y;x^{0};y^{0}) = d^{d-1}z - (x;y) - (x;y) - (x^{0};y^{0}) = d^{-1}(y-y^{0}) - (x^{0};x)$$
(16)

and

! 
$$(x;y) = \int_{a(z)}^{z} d^{d-1}z \frac{2}{a(z)^{a(z)}} (x;y) = N^{-d-1}(x-y)$$
: (17)

The above equations only involve equal time correlators as it is appropriate for a Ham iltonian approach.

Jevicki and Sakita, in the second of [7] have shown that exactly the same equation must be satis ed in a functional integral description provided the invariants are appropriately labeled i.e. in our case if x and y are d dimensional spacetime points. With this proviso, it is straightforward to show that once equations (16) and (17) are used in equation (15) we reproduce the dimensional equation (11) for the Jacobian derived in the previous subsection.

# C.Perturbative Check

The full Jacobian (12) is not new; it has certainly been written down in [8]. However in all applications that we are aware of only the leading large N term in the Jacobian has been used to obtain the leading contribution to the free energy, leading time ordered correlators and spectrum [3]. It is actually not clear in what sense the second term in the Jacobian is "subleading" due to in nities appearing in it and it is not at all obvious how that it can help generate system atic 1=N corrections. It is the purpose of this subsection to show that this is indeed the case, perturbatively in the coupling constant.

<sup>&</sup>lt;sup>2</sup>W ith respect to the trivial m easure.

Any invariant correlator can be calculated from

$$< F[]> = \frac{R}{R} \frac{D e^{iS} F[]}{D De^{iS}} = \frac{R}{R} \frac{D e^{iS_{eff}} F[]}{D e^{iS_{eff}}}$$
 (18)

w here

$$S_{eff} = ilnJ + S = iN T rln + S + iL^{d d} (0)T rln$$
 (19)

In order to exhibit explicitly the N dependence we rescale! N under which, as explained in subsection A, S! NS. Throughout the rest of this section this rescaling is always in plicit. Therefore we have:

$$S_{eff} = iN T r ln + N S + iL^{d d} (0) T r ln = N S_0 + S_1$$
: (20)

We see that as N! 1 the leading ("classical") con guration is determined by

$$\frac{S_0}{j_0} = 0 \tag{21}$$

We can now perturb about 0 by letting

$$(x;y) = {}^{0}(x;y) + \frac{1}{p} (x;y)$$
 (22)

and expanding Seff as

$$S_{\text{eff}} = N S_{0}(^{0}) + S_{1}(^{0}) + \frac{i}{2}B_{2} + \frac{1}{2}A_{2} + \frac{X^{1}}{2}B_{n+1} + \frac{1}{N^{n}} \qquad i \frac{(1)^{n+1}}{(n+2)}B_{n+2} + iL^{d}(0) \frac{(1)^{n+1}}{n}B_{n} + \frac{1}{(n+2)!}A_{n+2}$$

$$(23)$$

w here

and  $^{\rm 3}$ 

$$B_n = Tr(^{0})^n$$
: (25)

We obtained an elective action with an in nite number of vertices as it is to be expected from any loop expansion. It should however be remembered that in order to calculate any diagram to a given order of  $\frac{1}{N}$  only a nite number of vertices need to be included. Notice that the subleading term of the Jacobian (12) induces tadpole type interactions. In the case of c=1 strings where the elective Hamiltonian consists of a cubic and a tadpole interaction this tadpole interaction has been shown to be essential for an agreement with exact results [11]. For d=0 vector models similar arguments have been presented in reference [17]. We will see in the following that the tadpole interaction will be essential to obtain agreement with a perturbative Feynman analysis of the  $(a^{-1})^2$  theory.

 $<sup>^{3}</sup>$ The expansion of Trln in this fashion is justified by the fact that translational invariance requires  $^{0}$  to be diagonal in momentum space.

2. Perturbative Results for the ( a a) theory.

We will now be considering in detail the theory de ned by the action (1)

$$S = d^{d}x (\theta - \theta - m^{2} - a - a)^{2} (-a^{a})^{2})$$
 (26)

 ${\tt W}$  e will need the following perturbative result for the two point function:

$$<$$
  $^{a}(x)$   $^{a}(y) > = \frac{Z}{(2)^{d}}G_{2}(p)$  (27)

w here

$$G_{2}(p) = N \left( \frac{2^{\frac{ig^{2}}{8}}}{h} + 4\left( \frac{ig^{2}}{8} \right)^{2} \frac{h}{h} + 4\left( \frac{ig^{2}}{8} \right)^{2} \frac{h}{h} + O(g^{6}) \right)$$

$$+ \left( 2^{\frac{ig^{2}}{8}} \frac{h}{h} + 8\left( \frac{ig^{2}}{8} \right)^{2} \frac{h}{h} + 8\left( \frac{ig^{2}}{8} \right)^{2} \frac{h}{h} + 4\left( \frac{ig^{2}}{8} \right)^{2} \frac{h}{h} + O(g^{6}) + O(g^{6}) + O(g^{6}) \right)$$
(28)

For the connected piece of the four point function

$$< a_{(x_1)}^{a}(y_1)^{b}(x_2)^{b}(y_2) > = \frac{Z}{(2)^d} \frac{Z}{(2)^d} \frac{Z}{(2)^d} \frac{Z}{(2)^d} \frac{Z}{(2)^d} \frac{Z}{(2)^d} \frac{Qp_4}{(2)^d} \frac{Z}{(2)^d} \frac{Qp_4}{(2)^d} (2)^d (p_1 + p_3 + p_2 + p_4)$$

$$= e^{i(p_2y_1 + p_4y_2 + p_3x_2 + p_1x_1)} G_4^{conn}(p_1; p_2; p_3; p_4); \qquad (29)$$

w here

In the above expressions the diagram s have the standard Feynm an interpretation (without symmetry factors and coupling constants). For instance

$$\underline{\underline{e}} = \frac{i}{p^2 m^2} \frac{R}{(2)^d} \frac{d^d k}{(2)^d} \frac{i}{k^2 m^2} \frac{i}{p^2 m^2}$$
(31)

We assume that all diagrams have been suitably regularized. Our aim in this section is not to discuss issues related to renormalization, but to conmutation that our elective theory systematically reproduces the 1=N expansion, perturbatively in  $g^2$ .

3. The Leading Order.

W ith a translationally invariant ansatz

$$(x;y) = \frac{dp}{(2)^d} e^{ip(x-y)}$$
 (p) (32)

It is straightforward to verify that the solution to equation (21)  $^{0}$  (p) satis es

$${}^{0}(p) = \frac{i}{p^{2} m^{2} \frac{g^{2}}{4} R \frac{d^{d}k}{(2)^{d}} (k)}$$
(33)

This is the familiar gap equation. Iterating this equation to  $O(g^4)$  one obtains

$${}^{0}(p) = 2\frac{ig^{2}}{8} - e + 4(\frac{ig^{2}}{8})^{2} - e + 4(\frac{ig^{2}}{8})^{2} - e + 4(\frac{ig^{2}}{8})^{2} - e + o(g^{6})$$
(34)

in agreement with the O (N) term in equation (28). We recall that in our elective theory the elds are rescaled by factors of N.

## 4. E ective Field Theory Spectrum

The leading order <sup>0</sup> can be used, at the level of quadratic uctuations, to obtain the mass spectrum of the theory [3]. Perturbing about the leading order, as has been described, we obtain the (leading) quadratic action

$$S_{2} = \frac{i}{2}B_{2} + \frac{1}{2}A_{2}$$

$$= \frac{1}{2} dx_{1}dx_{2}dx_{3}dx_{4} - \frac{g^{2}}{4} (x_{1} x_{2}) (x_{1} x_{3}) (x_{1} x_{4}) + i^{0}(x_{1}; x_{2})^{0}(x_{3}; x_{4}) (x_{4}; x_{1}) (x_{2}; x_{3}): (35)$$

A fter introducing a sym m etric Fourier transform

$$(\mathbf{x}_1; \mathbf{x}_2) = \frac{\mathbf{Z}}{(2)^{d-2}} \frac{\mathbf{d}^d \mathbf{p}_1}{(2)^{d-2}} \frac{\mathbf{Z}}{(2)^{d-2}} e^{\mathbf{i}(\mathbf{p}_1 \mathbf{x}_1 \ \mathbf{p}_2 \mathbf{x}_2)} \quad (\mathbf{p}_1; \mathbf{p}_2)$$
(36)

we can write the quadratic action in momentum space

$$S_{2} = \frac{1}{2} \left( \frac{g^{2}}{2} + \frac{g^{2}}{4(2)^{d}} \right) \left( \frac{g^{2}}{4(2)^{d}} + \frac{g^{2}}{4(2)^{d}} + \frac{g^{2}}{4(2)^{d}} + \frac{g^{2}}{4(2)^{d}} \right) \left( \frac{g^{2}}{4(2)^{d}} + \frac{g^{2}}{4(2)^{d}$$

This action determines the propagator A  $(p_1; p_2; p_3; p_4)$  of the eld. Conventional arguments show that A  $(p_1; p_2; p_3; p_4)$  satisfies the equation:

Z h 
$$dp_1dp_2$$
  $\frac{g^2}{4} \frac{(k_1 + p_1 \quad k_2 \quad p_2)}{(2)^d} + i (k_1 \quad p_2)^{-0} (p_1) (p_1 \quad k_2)^{-0} (p_2)$ 

$$A (p_1; p_2; p_3; p_4) = i (k_2 \quad p_4) (k_1 \quad p_3)$$
(38)

Now, the physical interpretation of A  $(p_1; p_2; p_3; p_4)$  is as follows: this propagator will (at most) propagate a single two particle bound state and a composite two particle state. The most general ansatz with momentum conservation consistent with this physical picture is given by:

$$A (p_1; p_2; p_3; p_4) = (p_1 p_4) (p_2 p_3)F (p_1; p_2) + (p_1 + p_3 p_2 p_4)G (p_1; p_2; p_3; p_4)$$

$$= \frac{\underline{s}}{\underline{s}}_{\underline{\theta}_{\underline{\theta}}} + \underline{\theta}_{\underline{\theta}}^{\mathbf{X}}$$
(39)

Inserting this into (38), we im m ediatly nd:

$$F (p_{1}; p_{2}) = {}^{0} (p_{1}) {}^{0} (p_{2})$$

$$G (p_{1}; p_{2}; p_{3}; p_{4}) = i \frac{g^{2}}{4} \frac{1}{(2)^{d}} {}^{0} (p_{1}) {}^{0} (p_{2}) {}^{0} (p_{3}) {}^{0} (p_{4}) i \frac{g^{2}}{4} {}^{0} (p_{1}) {}^{0} (p_{2}) i \frac{d^{d}k}{(2)^{d}} G (k; p_{2} p_{1} + k; p_{3}; p_{4})$$

$$(40)$$

Iterating this second equation for  $G(p_1; p_2; p_3; p_4)$ , it is not hard to see that we are reproducing the series expansion for:

$$G(p_1; p_2; p_3; p_4) = i\frac{g^2}{4} (p_1) (p_2) (p_2) (p_3) (p_4) \frac{h}{1 + i\frac{g^2}{4} R \frac{d^d k}{(2)^d} (k) (k + p_2 - p_1)} i$$
(41)

R It is easy to understand this last equation in terms of more familiar approaches to the large N limit: The object is a bosonic bubble. Thus G (p1;p2;p3;p4) is simply a sum over chains of bubble diagrams. The factor in square braces is in fact the propagator of the auxiliary eld usually introduced to study this model [5]. Notice however, that our propagator A (p1;p2;p3;p4) consists of two terms. The rst term, which has no analog in the auxiliary eld approach, is crucial to obtain a systematic expansion.

The mass spectrum of the theory is determined by searching for the poles of the propagator A  $(p_1; p_2; p_3; p_4)$ . Rather than performing a full non-perturbative analysis of the spectrum, we content ourselves with constructing A  $(p_1; p_2; p_3; p_4)$  to O  $(g^4)$ , by iteration. A straightforward calculation shows that the connected piece of A  $(p_1; p_2; p_3; p_4)$ , to O  $(g^4)$  is given by

$$A^{\text{conn}}(p_{1};p_{2};p_{3};p_{4}) = i\frac{g^{2}}{4} \frac{(p_{1} \quad p_{2} + p_{3} \quad p_{4})}{(2)^{d}} {}^{0}(p_{1}) {}^{0}(p_{2}) {}^{0}(p_{3}) {}^{0}(p_{4}) + (i)^{2} \frac{g^{4}}{16} \frac{(p_{1} \quad p_{2} + p_{3} \quad p_{4})}{(2)^{d}} {}^{0}(p_{1}) {}^{0}(p_{2}) {}^{0}(p_{3}) {}^{0}(p_{4}) = i\frac{g^{2}}{16} \frac{(p_{1} \quad p_{2} + p_{3} \quad p_{4})}{(2)^{d}} {}^{0}(p_{1}) {}^{0}(p_{2}) {}^{0}(p_{3}) {}^{0}(p_{4}) = i\frac{g^{2}}{16} \frac{(p_{1} \quad p_{2} + p_{3} \quad p_{4})}{(2)^{d}} {}^{0}(p_{2}) {}^{0}(p_{3}) {}^{0}(p_{4}) = i\frac{g^{2}}{16} \frac{(p_{1} \quad p_{2} + p_{3} \quad p_{4})}{(2)^{d}} {}^{0}(p_{2}) {}^{0}(p_{3}) {}^{0}(p_{3}) {}^{0}(p_{4}) = i\frac{g^{2}}{16} \frac{(p_{1} \quad p_{2} + p_{3} \quad p_{4})}{(2)^{d}} {}^{0}(p_{3}) {}^{0}(p_{3}) {}^{0}(p_{4}) = i\frac{g^{2}}{16} \frac{(p_{1} \quad p_{2} + p_{3} \quad p_{4})}{(2)^{d}} {}^{0}(p_{3}) {}^{0}(p_{3}) {}^{0}(p_{4}) = i\frac{g^{2}}{16} \frac{(p_{1} \quad p_{2} + p_{3} \quad p_{4})}{(2)^{d}} {}^{0}(p_{3}) {}^{0}(p_{3}) {}^{0}(p_{4}) = i\frac{g^{2}}{16} \frac{(p_{1} \quad p_{2} + p_{3} \quad p_{4})}{(2)^{d}} {}^{0}(p_{3}) {}^{0}(p_{3}) {}^{0}(p_{4}) = i\frac{g^{2}}{16} \frac{(p_{1} \quad p_{2} + p_{3} \quad p_{4})}{(2)^{d}} {}^{0}(p_{3}) {}^{0}(p_{3}) {}^{0}(p_{4}) = i\frac{g^{2}}{16} \frac{(p_{1} \quad p_{2} + p_{3} \quad p_{4})}{(2)^{d}} {}^{0}(p_{3}) {}^{0}(p_{3}) {}^{0}(p_{4}) = i\frac{g^{2}}{16} \frac{(p_{1} \quad p_{2} + p_{3} \quad p_{4})}{(2)^{d}} {}^{0}(p_{3}) {}^{0}($$

Inserting the expression for the leading order (34), yields complete agreement with the O (N) term in equation (30), as it should.

5. Corrections to the one and two point functions of the e ective theory.

In order to compute the 0 ( $\frac{1}{N}$ ) correction to the elective theory one point function, we need to compute the tadpole, and cubic interaction vertices of the elective eld theory. These interactions arise from the actions

$$S_{tp} = iL^{d} (0) \frac{1}{P} B_{1}$$

$$S_{c} = i \frac{1}{3} B_{3}$$
(43)

respectivley. For completeness, we also present the  $\frac{1}{N}$  quartic and subleading quadratic vertices

$$S_{sq} = iL^{d d}(0) \frac{1}{2N} B_2$$

$$S_q = i\frac{1}{4N} B_4$$
(44)

Standard techniques yield the following Feynman rules:

In the above, we have employed an obvious matrix notation. Recall that  $^{0}$  (k;p) is diagonal in momentum space, so that

Now, we turn to the computation of the O  $(\frac{1}{N})$  correction to the one point function < > . Two processes contribute: the cubic tadpole and the linear tadpole. Using the expression (42) for the propagator, and the above rules for the vertices, we obtain the following expressions for the cubic tadpole

up to 0 (g4) and for the linear tadpole

Notice that separately both the linear tadpole and cubic tadpole contain momentum dependent in nities. The sum however is a well denned quantity, with all divergences proportional to  $L^{d-d}$  (0) cancelling and

Inserting the expression (34) for  $^{0}$ , and recalling that our elds are rescaled by a factor of N , one obtains complete agreement with the perturbative result (28). This analysis shows that the linear tadpole is essential to obtain agreement with the Feynman perturbative analysis and to remove momentum dependent in nities.

# III. FERM IONIC VECTOR MODELS.

In this section we show that the approach followed in section 2 for bosonic vector models also applies to ferm ionic vector models. This is an important observation and this is not only because ferm ionic systems have more important physical applications as we now explain.

By and large there have been two approaches to the large N lim it of vector models: in the rst one, auxiliary elds are used. We have already mentioned in the introduction some of the shortcomings of this approach. The other approach is based on the collective eld theory [7] idea of changing variables to invariant quantities. However as it has been discussed in section 2b the equation satisfied by the appropriate Jacobian ultimately stems from a Hermiticity requirement of the Hamiltonian. It is not obvious how to generalize this Hamiltonian approach to fermionic systems, although some partial success has been achieved in terms of pseudospin variables [8]. We will not pursue this method in this article but will show that, provided that one is prepared to consider time ordered product expectation values, the fact that the Schwinger-Dyson (loop) equations of the theory imply a differential equation for the Jacobian, as it was demonstrated in section 2a, is straightforwardly generalizable to fermionic systems. Moreover our approach will be fully covariant.

## A . Schw inger D yson equations and Jacobian

We assume again that we are dealing with U (N) invariant actions i.e. actions invariant under  $^a$ !  $^0$   $^a$  = U  $^a$   $^b$ ,  $^a$ !  $^0$   $^a$  = U  $^a$   $^b$  with U  $^a$  an arbitrary U (N) element. is a D irac index. The invariants are now

$$(x;y) = {}^{a}(x) {}^{a}(y)$$

$$(50)$$

and as before we are interested in time ordered product expectation values of invariant opertators

$$< F[]> < \prod_{i=1}^{Y^{n}} (x_{i}; y_{i}) > = \frac{R \sum_{D \in D} R e^{iS} Q_{m}}{D D e^{iS}}$$
 (51)

A set of Schwinger-Dyson equations for the invariants follow from the identity

$$0 = D D \frac{h}{a(x)} (y)F [ ]e^{iS}$$
(52)

It is important to remember that the elds have to be treated as Grassman variables in all manipulations to follow. We obtain

$$< N$$
  $^{d}(x y)F[]>$   $^{a}(y)\frac{F}{a(x)}> i< {}^{a}(y)\frac{S}{a(x)}F[]>= 0$  (53)

Postulating the existence of a Jacobian J de ned by

$$Z Z D D F [ leiS = D J F [ leiS (54)$$

we consider the identity

$$0 = D d^{d}z \frac{e}{e(z;x)} ( (z;y)JF [ ]e^{iS} ) (55)$$

which implies

In the above equation m is the dimension of the representation of the Cli ord algebra. Using the chain rule

in equation (53) it becomes

$$< N$$
  $^{d}(x y)F[]> < dz (z;y)  $\frac{F}{(z;x)}> i < dz (z;y)  $\frac{S}{(z;x)}F[]>= 0$ : (58)$$ 

Comparing this last equation with equation (56) for arbitrary F [] we obtain

$$d^{d}z (z;y) - \frac{\ln J}{(z;x)} = (N + m L^{d d}(0)) ^{d}(x y); (59)$$

The solution to this equation is

$$lnJ = (N + m Ld d (0))trT rln$$
 (60)

The trace in the above equation runs over both D irac and functional spaces. This is the main result of this article. As mentioned earlier the leading term of this Jacobian has been obtained in [9]. This Jacobian should be compared to the bosonic one (14).

It is known that in models such as the Gross Neveu model an enlarged O (2N) symmetry is present that is better exhibited in terms of Majorana components [18]. One could have considered a set of invariants

$$^{0} (x;y) = ^{a} (x) ^{a} (y)$$
 (61)

for which the Jacobian is easily seen to be

$$\ln J = \frac{1}{2} (N + m L^{d d} (0)) tr T r ln$$
 (62)

Finally if avor degrees of freedom are added as in Nambu Jona-Lasinio type models then one needs only include a further trace in avor space in the Jacobian (60).

B.E ective action and large N con guration.

Our e ective action is given by

$$S_{eff} = ilnJ + NS = iN trTrln + NS + im L^{d d} (0)Trln = NS_0 + S_1;$$
 (63)

We have assumed that we have again rescaled the elds so that an overall factor of N multiplies the action. The leading N ! 1 con quration is determined by

$$\frac{S_0}{j_0} = 0 \tag{64}$$

Shifting about 0 as:

$$(x;y) = {}^{0} (x;y) + \frac{1}{N} (x;y)$$
 (65)

we expand

$$S_{\text{eff}} = N S_0 (^{0}) + S_1 (^{0}) \frac{i}{2} C_2 + \frac{1}{2} D_2 + \sum_{n=1}^{N} \frac{1}{P \sqrt{n}} i (^{1})^{n+1} \left[ \frac{C_{n+2}}{(n+2)} + m L^{d d} (^{0}) \frac{C_n}{n} \right] + \frac{1}{(n+2)!} D_{n+2}$$
(66)

w here

and

$$C_n = trTr((^0)^{-1})^n$$
 (68)

At this point, a few comments are in order. The original elds and are ferm ionic elds, and consequently they become Grassman variables under path integral quantization. Using the Grassman nature of the original variables, it follows that is an antiherm itian bosonic bilocal; all knowledge of the original ferm ionic statistics is now coded in this property and the specie form of the interactions in (66). This provides a non trivial check of the eld theory that can be carried out with perturbation theory.

# 1. Perturbative Results

We specialize now to the following Lagrangian density (written before rescaling):

$$L = (i \mathbf{Q} \quad m) + \frac{2}{2N} ()^{2} + \frac{2}{5} ()^{2}$$
 (69)

For now and  $_5$ , assumed to be of the same order, are left arbitrary, although later the cases  $_5$  = 0 (the G ross N even model) and the case  $_2$  =  $_5^2$  (a N am bu-Jona-Lasinio type model) will be considered in detail.

By standard diagram matic techniques, one can obtain for the two point function

$$<$$
 (x) (y)  $> = \frac{Z}{(2)^d} G^{(2)}$  (k)  $e^{-ik(x-y)}$  (70)

with

We have introduced a dot into our notation, so as to indicate the contraction of D irac and color indices. Since the sum mation over color indices is taken into account in the overall factor of N, each dot should be thought of as a sum over the D irac matrices 1 and  $^{5}$ , multiplied by the interaction strengths and  $_{5}$  respectivly. For instance

$$\frac{1}{p} = i^{P}_{M = 1; 5} = \frac{i}{p m} R_{\frac{d^{d}k}{(2)^{d}}} Tr M_{\frac{i}{k m}} M_{\frac{i}{p m}}$$
(72)

For completeness, every single diagram appearing in (71) is explicitly written down in appendix A. The connected piece of the four point function is given by:

$$<\stackrel{a_{0}}{=}(x_{1})\stackrel{a_{0}}{=}(y_{1})\stackrel{b}{=}(x_{2})\stackrel{b}{=}(y_{2})> = \stackrel{Z}{=}\frac{dp_{1}}{(2)^{d}}\stackrel{Z}{=}\frac{dp_{2}}{(2)^{d}}\stackrel{Z}{=}\frac{dp_{3}}{(2)^{d}}\stackrel{Z}{=}\frac{dp_{4}}{(2)^{d}}(2)^{d} \stackrel{(p_{1}+p_{3})}{=}p_{2} p_{4})$$

$$= e^{i(p_{3}x_{1}-p_{4}y_{1}+p_{1}x_{2}-p_{2}y_{2})}G^{(4)}\stackrel{conn}{=}(p_{3};p_{4};p_{1};p_{2})$$

$$(73)$$

w here

$$G^{(4)^{\text{conn}}}(p_1; p_2; p_3; p_4) = N(^{(6)}_{\text{le}} + \frac{1}{2} + ^{(6)}_{\text{le}} + \text{perm utations} + O(^{(6)}) + O(1):$$
(74)

Explicitly:

$$\stackrel{\text{@}}{\text{@}} \qquad = \stackrel{\text{P}}{\text{i}}_{M=1; 5^{-5}} \left[ \frac{\text{i}}{\wp_4 \text{ m}} M \frac{\text{i}}{\wp_3 \text{ m}} \right] \circ \circ \left[ \frac{\text{i}}{\wp_2 \text{ m}} M \frac{\text{i}}{\wp_1 \text{ m}} \right] \tag{75}$$

$$= (i)^{2} \stackrel{P}{\underset{M \neq N = 1; 5}{\longrightarrow}} = (i)^{2} \stackrel{P}{\underset{M \neq N = 1; 5}{\longrightarrow}} = (i)^{2} \stackrel{i}{\underset{\Phi_{4} \text{ m}}{\longrightarrow}} = (i)^{2} \stackrel{i}{\underset{\Phi_{3} \text{ m}}{\longrightarrow}} = (i)^{2} \stackrel{P}{\underset{\Phi_{3} \text{ m}}{\longrightarrow}} = (i)^{2} \stackrel{i}{\underset{\Phi_{3} \text{ m}}{\longrightarrow}} = (i)^{2} \stackrel{P}{\underset{\Phi_{3} \text{ m}}{\longrightarrow}} = (i)^{2} \stackrel{i}{\underset{\Phi_{3} \text{ m}}{\longrightarrow}} = (i)^{2} \stackrel{P}{\underset{\Phi_{3} \text{ m}}{\longrightarrow}} = (i)^{2} \stackrel{i}{\underset{\Phi_{3} \text{ m}}{\longrightarrow}} = (i)^{2} \stackrel{P}{\underset{\Phi_{3} \text{ m}}{\longrightarrow}} =$$

2. The Leading Con guration

W ith a translationally invariant ansatz:

$$(x;y) = \frac{Z}{(2)^d} e^{ik(x-y)}$$
 (k) (78)

we obtain from (64)

$$\dot{1}^{0}$$
 (k) = (& m +  $^{2}$ ~ +  $^{2}$ 5 5 5) (79)

w here

$$\sim = \frac{Z}{(2)^{d}} \qquad (k) = G = \frac{Z}{(2)^{d}} Tr[G^{(2)}(k)]$$
 (80)

and

$$\gamma_{5} = \frac{Z}{(2)^{d}} \int_{0}^{d} f(k) = G_{5} = \frac{Z}{(2)^{d}} Tr[f^{5}G^{(2)}(k)]$$
(81)

This is the standard gap equation. We again assume that all integrals are regularized. Using (79), we can write, to O(4)

$$G^{(2)}(p) = {}^{0}(p) = i(p m {}^{2}G^{2} {}^{5}G^{5})^{-1}$$

$$= \frac{i}{p m} i \frac{i}{p m} ({}^{2}G^{2} + {}^{2}{}^{5}G^{5}) \frac{i}{p m} + (i)^{2} \frac{i}{p m} ({}^{2}G^{2} + {}^{2}{}^{5}G^{5}) \frac{i}{p m} ({}^{2}G^{2} + {}^{2}G^{2} + {}^{2}G^{2}) \frac{i}{p m} ({}^{2}G^{2} + {}^{2}G^{2} + {}^{2}G^{2}) \frac{i}{p m} ({}^{2}G^{2} + {}^{2}G^{2} + {}^{2}G^{2}) \frac{i}{p m} ({}^{2}G^{2} + {}^{2}G^{2} + {}^{2}G^{2} + {}^{2}G^{2}) \frac{i}{p m} ({}^{2}G^{2} + {}^{2}G^{2} + {}^{2}G^{2} + {}^{2}G^{2}) \frac{i}{p m} ({}^{2}G^{2} + {}^{2}G^{2} + {}^{2}G^{2}$$

Since

$${}^{2}G' + {}^{2}{}_{5} {}^{5}G'_{5} = {}^{X} {}^{Z} {}^{2} {}^{d}k {}^{T}rM {}^{\underline{i}} {}^{\underline{k} m} M {}^{\underline{i}} {}^{\underline{k} m} M {}^{\underline{i}} {}^{\underline{k} m} M {}^{\underline{i}} {}^{\underline{k} m} M {}^{\underline{i}} {}^{\underline{d} k} {$$

it is straightforward to substitute this expression into (82) to obtain

(84)

in agreement with the leading order term in the diagram matic expansion for the two point function. Notice that in this case, not all diagram s contribute with the same sign, due to the appearance of closed ferm ion loops in the leading order. It is remarkable that the original fermion statistics is completely accounted for by the change in sign of the leading order term in the Jacobian by comparison to the bosonic case. Recall that is an antihermitian bilocal bosonic eld. We will see that this change of sign correctly reproduces the Fermi statistics to all orders of the 1=N expansion.

## 3. E ective Field Theory Spectrum.

In this section, we use the leading order  $^{0}$  , at the level of quadratic uctuations, to obtain the mass spectrum of the e ective eld theory [3]. From (66), the leading quadratic action is

$$S_{2} = \frac{1}{2}C_{2} + \frac{1}{2}D_{2}$$

$$= \frac{1}{2} dx_{1}dx_{2}dx_{3}dx_{4} (^{2} \circ \circ + ^{2}_{5} \circ ^{5}_{\circ} \circ) (x_{1} x_{2}) (x_{1} x_{3}) (x_{1} x_{4})$$

$$i[^{0} (x_{1}; x_{2})] \circ [^{0} (x_{3}; x_{4})] \circ (x_{4}; x_{1}) \circ (x_{2}; x_{3})$$
(85)

Now, using a symmetric Fourier transform

$$(\mathbf{x}_1; \mathbf{x}_2) = \frac{\mathbf{Z}}{(2)^{d=2}} \frac{\mathbf{d}^d \mathbf{p}_1}{(2)^{d=2}} \frac{\mathbf{d}^d \mathbf{p}_2}{(2)^{d=2}} e^{\mathbf{i}(\mathbf{p}_1 \mathbf{x}_1 - \mathbf{p}_2 \mathbf{x}_2)} \qquad (\mathbf{p}_1; \mathbf{p}_2)$$
(86)

the quadratic action is

in momentum space. Using this action we not that the propagator A of the eld satisfies:

U sing the argum ent preceding (39), we make the ansatz

A 
$$(p_1; p_2; p_3; p_4) = (p_1 p_4) (p_2 p_3)F$$
  $(p_1; p_2) + (p_1 + p_3 p_2 p_4)G$   $(p_1; p_2; p_3; p_4)$ 

$$= \frac{-s}{-s} e_{\hat{\theta}} + e_{\hat{\theta}} x$$
(89)

Inserting this ansatz into (88), we not the solution

$$A \circ \circ (p_{3}; p_{4}; p_{1}; p_{2}) = (p_{3} p_{2}) (p_{1} p_{4})^{0} \circ (p_{2})^{0} \circ (p_{1}) + \frac{i}{(2)^{d}} (p_{1} p_{2} + p_{3} p_{4})$$

$$X \qquad [^{0^{T}} (p_{4})M^{0^{T}} (p_{3})] \circ \circ M_{N} (p_{2} p_{1})[^{0^{T}} (p_{2})N^{0^{T}} (p_{1})]$$

$$M_{N} = 1; 5^{5}$$
(90)

w here

$$_{M \ N} (p_2 \ p_1) = [1 + iG (p_2 \ p_1)]_{M \ N}^{1}$$
 (91)

and

$$G_{M N} (p_2 p_1) = \frac{Z}{(2)^d} Tr[M]^{0T} (k + p_2 p_1) N^{0T} (k)] = G_{N M} (p_1 p_2)$$
(92)

This last term corresponds to sum ming up the bubble diagram s, which we know dominate the large N limit. The diagonal elements of  $_{\rm M\ N}$  are identical to the propagators of the auxiliary elds which are usually employed to study this model [4]. The rst term, consists of disconnected diagrams in terms of the original fermion elds and has no natural counterpart in the auxiliary eld approach. This term is however, crucial to obtain a systematic expansion. This will already be evident at the perturbative level, in the discussion of the next section. It is easy to see how the Fermi statistics is rejected in the above propagator: The rst term corresponds to an exchange of the two ingoing fermions, with respect to the leading con guration. It thus appears with the opposite sign to the corresponding term in the bosonic propagator (39). Also, the fermionic bubble in the denominator of the second term appears with a minus sign, rejecting the fact that closed fermion loops come with a factor of 1.

A full nonperturbative treatment of the spectrum will be discussed in a later section. At this point we simply construct the connected piece of A  $_{0.0}$  to O ( $^4$ ). First, expand the second (connected) term of (90) as

$$A_{000}^{\text{conn}} \quad ( p_3; p_4; p_1; p_2) = \frac{i}{(2)^d} \quad (p_1 p_2 + p_3 p_4) \\ \frac{(i)^2}{(2)^d} \quad (p_2 p_2 + p_3 p_4) \\ \frac{(i)^2}{(2)^d} \quad (p_1 p_2 + p_3 p_4) \\ \frac{(i)^3}{(2)^d} \quad (p_2 p_2 + p_3 p_4) \\ \frac{(i)^3}{(2)^d} \quad (p_3)^2 \quad (p_4)^2 \quad (p_3)^2 \quad (p_3)^2 \quad (p_3)^2 \quad (p_2 p_1)^2 \quad (p_2)^2 \quad (p_1)^2 \quad (p_1)^2 \quad (p_1)^2 \quad (p_2)^2 \quad (p_1)^2 \quad (p_2)^2 \quad (p$$

U sing the expansion for  $(^0)^T = ^0 = G^{(2)}$  to  $0 (^2)$  obtained in a previous section, one readily veri es that the above expression is in exact agreem ent with the expansion (74-77).

## 4. Corrections to the one and two point functions.

In this section we compute the tadpole, (subleading) quadratic, cubic and quartic interaction vertices of the e ective eld theories. We use these vertices in this section to obtain agreement with the perturbative results quoted in subsection 2 for the (ferm ion) two point function. These vertices will be used in a calculation in a later section.

From the following terms in the action

$$S_{tp} = \text{im } L^{d \ d} (0) \frac{1}{N} C_{1}$$

$$S_{c} = i \frac{1}{3} \frac{1}{N} C_{3}$$

$$S_{sq} = \text{im } L^{d \ d} (0) \frac{1}{2N} C_{2}$$

$$S_{q} = i \frac{1}{4N} C_{4}$$
(94)

we easily derive the rules

We have again gone over to an obvious matrix notation. Since 0 is diagonal in momentum space, we have

$$[ { }^{0} { }^{1} ]_{0 k} = (p k) [ { }^{0} { }^{1} (p) ]$$
 (96)

As in the bosonic case, two processes contribute to the O  $(\frac{1}{N})$  correction to the one point function: the cubic tadpole and the linear tadpole. Using the expression (90) for the propagator, and using the expansion (93) (for the second connected term of the propagator), together with the above rules, we write down expressions for the cubic tadpole

to 0 (6) and for the linear tadpole

$$\int_{0}^{1} = \frac{m L_{p}^{d} (0)}{p N} R d^{d} p^{0} (p) A \qquad (p; p; k_{1}; k_{2})$$
(98)

A gain we not that the linear tadpole is essential to cancel momentum dependent in nities arising from the integration in the cubic loop. The sum of the two tadpoles is given by

$$< (k_{1}; k_{2}) > = \frac{1}{p^{\frac{1}{N}}} (k_{1} \quad k_{2}) i^{\frac{1}{N}} \frac{dp}{(2)^{d}} X \begin{bmatrix} 0^{T} (k_{2})M & 0^{T} (p)M & 0^{T} (k_{1}) \end{bmatrix} + X X \frac{Z}{(2)^{d}} \frac{dp}{(2)^{d}}$$

$$= \begin{bmatrix} 0^{T} (k_{2})N & 0^{T} (p)M & 0^{T} (k_{1}) \end{bmatrix} G_{MN} (k_{2} \quad p) + Z \frac{dp_{1}}{(2)^{d}} Z \frac{dp_{2}}{(2)^{d}} Tr[N \quad 0^{T} (p_{1})M \quad 0^{T} (p_{1})N \quad 0^{T} (p_{2})]$$

$$= \begin{bmatrix} 0^{T} (k_{2})M & 0^{T} (k_{1}) \end{bmatrix} + O(6)$$

$$(99)$$

Substituting the expressions for  $^0$  and  $G_{MN}$  given in (84) and (92), we induce the agreement with the O (1) term of (71). Notice that once again all diagram senter with the correct signs—thus corrections computed using our Jacobian (60) have Ferm i statistics correctly accounted for! (It should be recalled that <  $(k_1; k_2) > = G^{(2)}(k_1; k_2)$ ).

### IV .A NON PERTURBATIVE ANALYSIS OF THE EFFECTIVE FIELD THEORY SPECTRUM

In this section, we obtain the non perturbative e ective eld theory spectrum and propagator for the G ross-Neveu model and a Nambu-Jona-Lasinio type model (a model with a continuos chiral symmetry) and relate them to previously obtained results.

#### A . The G ross-N eveu M odel

For the G ross-N eveu model, we set  $_5 = m = 0$  and work in d = 1 + 1 dim ensions

$$L = {}^{a}i \Theta {}^{a} + \frac{{}^{2}}{2N} ({}^{a} {}^{a})^{2}$$
 (100)

Notice that this model has a discrete chiral symmetry

U sing the form alism developed in section III, we not that the leading con guration 0 satisfies

$$i[^{0}]^{1}$$
 (k) = ( $(k + ^{2})$ ) (102)

w here

$$= \frac{Z}{(2)^2} Tr[(k)]$$
 (103)

Inserting (102) into (103) we not the standard result

$$= \frac{Z}{(2)^2} Tr[K + 2]^1 = \frac{2}{2} log \frac{2}{(2)^2}$$
 (104)

where is an ultraviolet cut o . Therefore

$$^{2} = e^{-\frac{1}{2}}$$
 (105)

Thus the ferm ions have aquired a dynam ically generated m ass  $^2$  and the discrete chiral sym m etry (101) has been spontaneously broken, as is well known [4]. This m ass can be made nite as ! 1 by adding the counter term

$$S_{ct} = \frac{c}{2} \frac{Z}{2} \frac{d^2 p_1}{2} \frac{d^2 p_2}{2} d^2 p_3 d^2 p_4 \quad (p_1 + p_3 \quad p_2 \quad p_4) \quad (p_1; p_2) \quad (p_3; p_4)$$
(106)

to our e ective action, corresponding to a coupling constant renormalization of the original theory. Fixing the renormalized mass to some value m $_{\rm r}$ 

$$m_r = e^{-\frac{1}{2}c} = e^{-\frac{1}{2}}$$
 (107)

we can x c

$$c = {}^{2} + \left[\frac{1}{2} \log \frac{m_{r}^{2}}{2}\right]^{-1}$$
 (108)

U sing the arguments constructed in section B3 we know that the elective eld theory propagator

$$A \circ (p_1; p_2; p_3; p_4) = \langle (p_1; p_2) \circ (p_3; p_4) \rangle$$
(109)

can be expressed in terms of the leading conguration  $\,^{\,0}$  as

$$A \quad \circ \circ (p_{1}; p_{2}; p_{3}p_{4}) = \quad (p_{3} \quad p_{2}) \quad (p_{1} \quad p_{4}) \quad \circ \circ (p_{1}) \quad \circ \circ (p_{3})$$

$$+ \frac{i \cdot \frac{2}{0}}{(2 \cdot )^{2}} \quad (p_{1} + p_{3} \quad p_{2} \quad p_{4}) \frac{\circ (p_{1}) \quad \circ (p_{2}) \quad \circ \circ (p_{3}) \quad \circ \circ (p_{3}) \quad \circ \circ (p_{4})}{1 + i \cdot \frac{2}{0} \cdot \frac{R}{(2 \cdot )^{2}} \quad \circ (k) \quad \circ \quad (k \quad p_{1} + p_{2})}$$

$$(110)$$

To construct the propagator explicitly, we perform the integral [4]:

$$I = i \frac{2}{0} \frac{d^{2}l}{(2)^{2}} \stackrel{0}{=} (l) \stackrel{0}{=} (l + p_{2})$$

$$= \frac{2}{0} \frac{r}{2} \frac{d^{2}l}{dm_{r}^{2} k^{2}} \log \frac{p}{p} \frac{dm_{r}^{2} k^{2}}{dm_{r}^{2} k^{2} + p} \frac{p}{k^{2}} \frac{dm_{r}^{2}}{k^{2}} \stackrel{2}{=} \log_{m_{r}} :$$
(111)

where  $k = p_1 p_2 \cdot N ow$ , from (107) we see that

$$\frac{2}{0}\log_{m_r} = 1 \tag{112}$$

so that

$$I = \frac{\frac{2}{0}}{2} r \frac{4m_{r}^{2} k^{2}}{k^{2}} log \frac{p}{4m_{r}^{2} k^{2}} r \frac{p}{k^{2}} 1:$$
 (113)

Inserting this into the propagator (110), we obtain

$$A \quad \circ \circ (p_{1}; p_{2}; p_{3}p_{4}) = \quad (p_{2} \quad p_{3}) \quad (p_{4} \quad p_{1}) \left[\frac{i}{p_{1} \quad m_{r}}\right] \circ \left[\frac{i}{p_{3} \quad m_{r}}\right] \circ \left[\frac{i}{p_{3} \quad m_{r}}\right] \circ \left[\frac{i}{p_{3} \quad m_{r}}\right] \circ \left[\frac{i}{p_{4} \quad m_{r}} \frac{i}{p_{3} \quad m_{r}}\right] \circ \left[\frac{i}{p_{3} \quad m_{r}}\right] \circ \left[\frac{i}{p_{4} \quad m_{r}} \frac{i}{p_{3} \quad m_{r}}\right] \circ \left[\frac{i}{p_{4} \quad m_{r}} \frac{i}{p_{3} \quad m_{r}}\right] \circ \left[\frac{i}{p_{4} \quad m_{r}} \frac{i}{p_{4} \quad m_{r}} \frac$$

Notice that all dependence on has disappeared as it must.

The interpretation of the above propagator is clearer in terms of rapidity variables  $p^0 = m \cosh()$ ;  $p^1 = m \sinh()$ . If  $p^1 = m \sinh()$  is given by

D ( ) = 2 
$$i \frac{\tanh(\frac{1}{2})}{2}$$
: (115)

For on-shell particle antiparticle scattering (corresponding to time owing from right to left in (89)) we let  $p_1 p_2 p_3 p_4 p_5$  and obtain the amplitude

D ( ) = 2 
$$i \frac{\coth(\frac{1}{2})}{i}$$
: (116)

Since  $s = (p_1 + p_2)^2 = 4m^2 \cosh^2(\frac{\pi}{2})$  we see that as ! 0 the above amplitude displays a cut at  $s = 4m^2$ .

The model we consider in this section has  $\frac{2}{5} = \frac{2}{5}$  and m = 0

$$L = {}^{a}i \Theta {}^{a} + \frac{2}{2N} ({}^{a}{}^{a})^{2} \frac{{}^{2}}{2N} ({}^{a}{}^{5}{}^{a})^{2}$$
(117)

We again work in d = 1 + 1 dimensions. This model is invariant under the global continuous chiral transform ation

The leading con guration 0 satis es

$$i[^{0}]^{1}(k) = (k + ^{2} + ^{2} 5 \sim)$$
 (119)

w here

$$= \frac{Z}{(2)^2} Tr[(k)]$$
 (120)

and

$$\sim = i \frac{d^2k}{(2)^2} Tr[5 \sim (k)]$$
 (121)

Inserting (119) into (120) yields the standard gap equation [19]

$$= \frac{Z}{(2)^{2}} \left[ \left[ \left[ \left( \frac{d^{2}k}{(2)^{2}} \right) \left[ \left[ \left( \frac{d^{2}k}{(2)^{2}} \right) \left( \frac{d^{2}k}{(2)^{2}} \right) \right] \right] \right] \right] \right] \right] \right] \right]$$

Sim ilarily, the gap equation for ~ [19] is obtained by inserting (119) into (121)

$$\sim = \frac{Z}{\frac{d^2k}{(2)^2}} \left[ \frac{i^5}{(k+2^5-k+2)^2} \right] = \frac{Z}{\frac{d^2k}{(2)^2}} \left[ \frac{4i^2}{k^2 - 4^4(2+k^2)} \right]$$
 (123)

Fixing the mass to some value m  $_{\rm r}$ , and parametrizing [19]

$$2^{2} = m_{r} cos \quad 2^{2} \sim = m_{r} sin ;$$
 (124)

we nd

$$\frac{1}{2^2} = \frac{1}{2} \log \frac{2}{m_r^2} \tag{125}$$

The expression for the e ective eld theory propagator in terms of the leading con guration is

$$A = \begin{pmatrix} 0 & 0 & (p_1; p_2; p_3 p_4) = (p_3 - p_2) & (p_1 - p_4) & 0 & 0 & (p_1) & 0 & (p_3) \end{pmatrix}$$

$$+ \frac{i \cdot \frac{2}{0}}{(2 - )^2} & (p_1 + p_3 - p_2) & p_4 \end{pmatrix} \times X = \frac{\begin{bmatrix} 0^T & (p_1)M - 0^T & (p_2) \end{bmatrix} \begin{bmatrix} 0^T & (p_3)N - 0^T & (p_4) \end{bmatrix} \cdot 0}{1 + i \cdot \frac{2}{0} \cdot \frac{d^2k}{(2 - )^2} Tr[0^T & (k)M - 0^T & (k - p_1 + p_2)N ]}$$

$$(126)$$

To make the following arguments  $\sin ple$  and transparent, we pick = 0 in  $^0$ . To obtain an explicit expression for the propagator, we need to compute three dierent integrals. The rst integral was considered in the previous section, so we  $\sin ply$  quote the result [4]

$$I_{1} = i {}_{0}^{2} \frac{d^{2}k}{(2)^{2}} {}_{0}^{0} (k) {}_{0}^{0} (k - p_{1} + p_{2})$$

$$= \frac{{}_{0}^{2}}{2} \frac{d^{2}k}{(2)^{2}} \log \frac{p}{4m {}_{x}^{2} - k^{2}} \log \frac{p}{4m {}_{x}^{2} - k^{2}} + \frac{p}{k^{2}}$$
(127)

The second integral

$$I_{2} = \frac{Z}{(2)^{2}} Tr[^{0^{T}} (k p_{1} + p_{2})1^{0^{T}} (k)^{5}]$$
(128)

vanishes, due to the trace over D irac indices. The third integral is easily computed

$$I_{3} = i \frac{z^{2}}{0} \frac{d^{2}k}{(2)^{2}} Tr[0^{T} (k p_{1} + p_{2})i^{5} 0^{T} (k)i^{5}]$$

$$= \frac{z^{2}}{2} \frac{4m \frac{z}{r} k^{2}}{k^{2}} log \frac{p}{4m \frac{z}{r} k^{2}} \frac{p}{4m \frac{z}{r} k^{2}} \frac{p}{k^{2}} \frac{z^{2}}{k^{2}} log \frac{z}{p} \frac{z}{4m \frac{z}{r} k^{2}} + \frac{z^{2}}{k^{2}}$$
(129)

where is an ultraviolet cut o . Using the renormalization condition, in the form (125), we may rewrite this as

$$I_{3} = \frac{2}{2} r \frac{r}{4m_{r}^{2} k^{2}} log \frac{p}{p} \frac{p}{4m_{r}^{2} k^{2}} \frac{p}{k^{2}} \frac{p}{k^{2}} 1 + \frac{2}{0}$$
(130)

Thus, the e ective eld theory propagator reads explicitly

The rst term again represents the crossed propagation of two free ferm ions. The second term has been discussed earlier. The third term above, is however new. It has the property that

$$\frac{r}{\frac{4m\frac{2}{r} + k^{2}}{k^{2}} \log \frac{p}{4m\frac{2}{r} + k^{2}} + \frac{p}{k^{2}}} \frac{p}{k^{2}} \dot{\mathbf{j}}_{k^{2}=0} = 2:$$
(132)

This has been interpreted as the signature of a massless scalar in the spectrum of the model [20]. This massless particle is associated with the fact that the continuos chiral symmetry of the model, is "nearly broken" [21].

Finally, we remark that the Lagrangian (117) with added avor degrees of freedom

$$L = i \quad \mathbf{0} + \frac{1}{2} \, {}_{0}^{2} \left[ ( )^{2} \, ( )^{5} \, _{i} ) ( )^{5} \, _{i} ) \right] \tag{133}$$

is a popular candidate to study the low energy phenomenology of the light mesons. In the above, the  $_{\rm i}$  are taken as the generators of SU (2) for the two avormodel, and as the generators of SU (3) for the three avormodel. The invariant correlators now carry four labels

$$^{ij} (x;y) = ^{ai}(x) ^{aj}(y)$$
 (134)

where i; j are avor indices. It is not hard to construct the leading con guration

$$ij (x;y) = ij^{2} \frac{d^{2}k}{(2)^{2}} e^{-ik(x-y)} \frac{i}{(6-m)}$$
 (135)

where the mass m $_{\rm r}^2$  =  $_{\rm r}^4$  ( $_{\rm r}^2$  +  $_{\rm r}^2$ ) satisfies the gap equation

$$\frac{1}{4i \cdot \frac{2}{0}} = \frac{Z}{(2 \cdot )^2} \frac{d^2k}{k^2 \cdot 2 \cdot \frac{2}{0}m_r^2}$$
 (136)

The e ective eld theory propagator is easily written in terms of this leading con guration

$$A^{iji^{0}j^{0}} \circ (p_{1}; p_{2}; p_{3}p_{4}) = (p_{3} p_{2}) (p_{1} p_{4})^{0} \circ (p_{1})^{0} \circ (p_{1})^{0} \circ (p_{3})$$

$$+ \frac{i \frac{1}{0}}{(2)^{2}} (p_{1} + p_{3} p_{2} p_{4})$$

$$= \frac{X}{1 + i \frac{1}{0}} \left[ \frac{0^{T} (p_{1})M}{1 + i \frac{1}{0}} \frac{0^{T} (p_{2})J^{Ji} [0^{T} (p_{3})N}{1 + i \frac{1}{0}} \frac{0^{T} ($$

where Tr denotes a trace in D irac space, tr denotes a trace in avor space and M ;N are now direct products of m atrices belonging to D irac space with m atrices belonging to avor space.  $^4$  Notice that in this case a triplet of m assless pseudoscalar bosons appears in the spectrum. These are usually interpreted as the  $^+$ , the and the  $^0$  particles.

In the context of this phenom enological model, our elective eld theory is nothing but the theory of the mesons built from quark anti-quark pairs. The couplings of the various meson-meson interactions are proportional to N (the number of quarks) raised to some negative (integer or half integer) power.

## C.Homogeneous Bethe Salpeter Equation.

We have shown how to compute the Feynman rules and propagator for our elective eld theory and have veried their correctness perturbatively, and non perturbatively to rst nontrivial order in  $\frac{1}{N}$ . However before any scattering amplitudes can be computed, we have to supply a set of asymptotic states. Smatrix elements are then taken using these asymptotic states, as usual.

In any eld theory, only the quadratic term in the action provides a harmonic oscillator and thus a spectrum consistent with a set of free particles. Thus, it is the quadratic term that codes the asymptotic states of the theory, as solutions of the corresponding hom ogeneous equation. This should always correspond to the large N approximation to the hom ogenous Bethe Salpeter equation.

For exam ple, the e ective eld theory wave functions for the G ross N eveu m odel satisfy

It is possible to obtain a particular solution to this equation. Making the ansatz

$$(p_3; p_2) = (p_3; p_3 p_2);$$
 (139)

we nd that satis es the equation

$$(\mathbf{p}_{2} \quad \mathbf{m}) \quad \circ \quad (\mathbf{p}_{2}; \mathbf{p}_{3} \quad \mathbf{p}_{2}) (\mathbf{p}_{3} \quad \mathbf{m}) \quad \circ = i \frac{\frac{2}{0}}{4^{2}} \quad d\mathbf{p}_{1} \quad (\mathbf{p}_{1}; \mathbf{p}_{3} \quad \mathbf{p}_{2}) \quad \circ \circ :$$
(140)

Rewriting this last equation as

$$(p_2; p_3 p_2) = \frac{i}{(p_2 m)} \frac{i}{(p_3 m)} \frac{i}{(p_3 m)} \frac{i^2}{4^2} dp_1 (p_1; p_3 p_2) (141)$$

taking the trace of both sides and integrating over  $p_2$  keeping  $p_3$   $p_2 = k$  xed, we are lead to the consistency condition


$$1 = i \frac{\frac{2}{0}}{4^{2}} dp_{2} \frac{i}{p_{2} m} \frac{i}{p_{2} + k m}$$
(142)

This condition requires  $k^2 = 4m^2$  which, since k is the physical momentum transfer for the particle antiparticle channel, corresponds to the leading order mass shell condition for the ferm ion-antiferm ion bound state.

<sup>&</sup>lt;sup>4</sup>There is a slight abuse of notation in (137) - please refer to (90-92) for clari cation.

The form alism which was developed in sections II and III can be used to obtain subleading corrections to any correlator of interest. For instance the  $\frac{1}{N}$  correction to the propagator results from the following diagrams in the exctive eld theory

with the Feynm an rules given by (95) in terms of the leading con guration  $_0$  and where the propagators in the diagrams refer to (114). It is essential that both the disconnected and connected pieces of this propagator are included. One observes that the contributions from the subleading term of the Jacobian (proportional to  $L^{d-d}$  (0)) precisely cancelsim ilar in nite contributions generated in the other diagrams. A little remaining expressions then have an interpretation in terms of original Feynm and iagrams. In this precise sense the subleading term in the Jacobian provides a normal ordering. Diagram matically, we not:



In the above, we have only included basic skeletons; perm utations of these basic skeletons need to be included. For example, the rst diagram appearing would be repeated with another diagram in which the second ferm ion is dressed. It is well known that the Gross Neveu model is exactly integrable with no particle production (although it has a rich spectrum [18]) and the exact S matrices are known [14]. For two particle scattering the S matrix element is given by

$$\text{out} < P_b (p_1) P_d (p_2) P_a (p_1) P_c (p_2) > \text{in} = {}_{ac} S_{bd} () (p_1^1) (p_2^1 p_1^1) (p_2^1 p_2^1) {}_{ac} S_{db} () (p_1^1 p_2^1) (p_2^1 p_1^1)$$
 (145)

w here

$$_{ac}S_{bd}() = _{2}(;2N)_{ab}_{cd} + _{3}(;2N)_{ad}_{bc};$$
 (146)

In the above equations = 1 2 where 1 and 2 are the rapidity variables of the incoming particles. The above U (N) sym metric two particle S matrix is consistent with the underlying O (2N) sym metry of the G ross Neveu model [22]. 2 and 3 are the standard symbols used to describe the exact S matrix with O (N) sym metry.

It turns out that the simplest way to verify the  $\frac{1}{N}$  correction to the propagator is to consider the contributions of the diagram s in (144) to forward two particle scattering corresponding to time owing from top to bottom. The corresponding S m atrix is then

$$_{ab}S_{ab}$$
 (forward) = N<sup>2</sup> (  $_2 + \frac{1}{N}$  3): (147)

By booking at the diagram s in (144) we see that the rst two diagram s can not contribute to forward scattering. The third diagram is clearly the leading (O  $(\frac{1}{N})$ ) contribution to  $_3$ . The remaining diagrams should sum up to the  $\frac{1}{N^2}$  contribution to  $_2$ . They are precisely the diagram s considered by Berg et. al. [13] who have indeed con rm ed that this is the case.

#### VI.CONCLUSIONS

In this paper, we have used colorless bilocal elds to study the large N  $\lim$  it of both ferm ionic and bosonic vector models. By requiring that the Schwinger D yson equations in terms of the original variables agree with the equations derived directly in terms of the invariant variables led to a functional differential equation for the Jacobian. The equation was solved exactly, leading to an exact elective action. This elective action was then shown to reproduce the familiar perturbative expansion for the two and four point functions. In particular, in the case of ferm ionic vector models, there exists action correctly accounts for the Fermi statistics. The theory was then studied non-perturbatively. The stationary points of the elective action provide the usual large N gap equations. The homogeneous equation associated with the quadratic (in the bilocals) action is  $\lim$  by a two particle Bethe Salpeter equation. Finally, the leading correction in  $\frac{1}{N}$  was shown to be in agreement with the exact S matrix of the model.

There are a number of interesting questions which can now be asked. Firstly, it is clear that the above invariant variables are classically commuting functions. This change of variables therefore provides a bosonization valid in an arbitrary number of dimensions. It is interesting to ask if a link can be drawn to more conventional bosonization schemes. A lso, this bosonization may prove to be a powerful tool for analyzing many body condensed matter systems. Secondly, it is well known that the large N limit of the Gross-Neveu model possesses a number of interesting congurations, corresponding to many particle bound states. The present formalism is particularly well suited to studying two particle bound states. It would thus be interesting to determine the Feynman rules of the elective theory in a two particle bound state background. One would expect that these rules may be simpler than the rules obtained in this paper. Finally, the possibility of obtaining an equal time approach for fermionic vector models remains of great interest.

Appendix A:D iagram s to integrals.

In this appendix, explicit expressions are supplied for the ferm ionic diagrams appearing in the text (see equation (71)):

$$\underline{\qquad} = \frac{i}{\wp \ m} \tag{148}$$

$$\underline{\dot{B}} = \dot{i}^{P}_{M=1;i^{5}} = \frac{\dot{i}}{\wp m}^{R} \frac{\dot{d}^{d}k}{(2)^{d}} Tr M \frac{\dot{i}}{\wp m} M \frac{\dot{i}}{\wp m}$$
(149)

$$\frac{1}{2} \frac{1}{8} = i^{2} \frac{P}{M : N = 1; i = 5} \frac{i}{6 m} \frac{R}{(2)^{d}} Tr M \frac{i}{6 m} M \frac{i}{6 m} \frac{R}{(2)^{d}} Tr N \frac{i}{6 m} N \frac{i}{6 m} N \frac{i}{6 m}$$
(150)

$$= i^{2} P_{M,N=1;i^{5}} = \frac{i}{6 m} R_{\frac{d^{d}k}{(2)^{d}}} Tr M_{\frac{i}{k}m} N_{\frac{i}{k}m}]^{R} \frac{d^{d}k^{0}}{(2)^{d}} Tr N_{\frac{i}{k^{0}m}} M_{\frac{i}{6m}}$$

$$(151)$$

$$\underline{p^{j}p} = i^{P}_{M=1,i^{5}} \frac{i}{6^{5}m} R^{Q^{d}k} \frac{i}{(2)^{d}} M^{\frac{i}{6k}m} M^{\frac{i}{6p}m}$$
(152)

$$\frac{1}{18} p^{\frac{1}{2}} p = i^{2} P_{M,N=1;i^{\frac{5}{2}}} \frac{i}{6m} R_{\frac{d^{d}k}{(2)^{d}}} Tr M_{\frac{i}{8m}} M_{\frac{i}{6m}} R_{\frac{d^{d}k^{0}}{(2)^{d}}} N_{\frac{i}{80m}} N_{\frac{i}{6m}} N_{\frac{i}{6m}}$$
(153)

$$\underline{p}^{j}\underline{p}_{k}^{j} = i^{2}^{P}_{M,N=1;i^{5}} \frac{i}{6m}^{R} \frac{d^{d}k}{(2)^{d}} M_{k} \frac{i}{km} M_{k} \frac{i}{6m}^{R} \frac{d^{d}k^{0}}{(2)^{d}} Tr N_{k} \frac{i}{k^{0}m} N_{k} \frac{i}{6m} N_{k} \frac{i}{6m}$$
(154)

$$\frac{1}{p} = i^{2} P_{M;N=1;i} = \frac{i}{6 m} R_{\frac{d^{d}k}{(2)^{d}}M} \frac{i}{k m} N_{\frac{i}{k}m} R_{\frac{d^{d}k^{0}}{(2)^{d}}} Tr N_{\frac{i}{k^{0}m}} M_{\frac{i}{6 m}}$$
(155)

$$\frac{P_{1}P_{1}}{P_{1}P_{2}} = i^{2} P_{M,N=1;i^{5}} \frac{i}{6m} M^{R} \frac{d^{d}k}{(2)^{d}} \frac{d^{d}k^{0}}{(2)^{d}} \frac{i}{km} N Tr[\frac{i}{k+k^{0}} \frac{i}{6m} N \frac{i}{k^{0}m} M]_{\frac{i}{6m}} M]_{\frac{i}{6m}}$$

$$(157)$$

- [1] G.t'Hooft, Nucl. Phys. B 72, (1974) 461.
- [2] E.Brezin, C. Itzykson, G. Parisi and J.B. Zuber, Commun.Math.Phys. 59 (1978) 35; M. L.Mehta, Commun.Math.Phys. 79 (1981) 327.
- [3] A. Jevicki and J.P. Rodrigues, Nucl. Phys. B 230 [FS10] (1984) 317.
- [4] D.Gross and A.Neveu, Phys.Rev.D 10 (1974) 3235;
- [5] L.Dolan and R.Jackiw, Phys. Rev. D 9 (1974) 3235; H.J. Schnitzer, Phys. Rev. D 10 (1974) 1800; R.Jackiw, S.Colem an and H.D. Politzer, Phys. Rev. D 10 (1974) 2491; E.Brezin and J.Zinn-Justin, Phys. Rev. B 14 (1976) 3110.
- [6] A. Jevicki and H. Levine, Ann. Phys. 136 (1981) 113.
- [7] A. Jevicki and B. Sakita, Nucl. Phys. B 165 (1980) 511; B 185 (1981) 89.
- [8] A. Jevicki and N. Papanicoloau, Nucl. Phys. B 171 (1980) 362.
- [9] M. Caviochi, P. Di Vecchia and I. Pesando, Mod. Phys. Lett. A 8 (1993) 2427 9306091.
- [10] G.t'Hooft, Nucl. Phys. B 75 (1974) 461.
- [11] K.Demeter, A.Jevicki and J.P.Rodrigues, Nucl. Phys. B 362 (1991) 173; B 365 (1991) 499; Mod. Phys. Lett. A 6 (1991) 3199.
- [12] JF. Schonfeld, Nucl. Phys. B 95 (1975) 148. R.G. Root, Phys. Rev. D 11 (1975) 831. R.W. Haymaker and F. Cooper, Phys. Rev. D 19 (1979) 562.
- [13] B Berg, M . K arow ski, V . K urak and P. W eisz, Phys. Lett. 76B (1978) 502.
- [14] A B. Zam olodchikov and AlB. Zam olodchikov, Phys. Lett. B 72 (1978) 481; Ann. Phys 120 (1979) 253; R. Shankar and E.W itten, Nucl. Phys. B 141 (1978) 349, M. Karowski and H.J. Thun, Nucl. Phys. B 190 [FS3] (1981) 61.
- [15] A. Jevicki and J.P. Rodrigues, Nucl. Phys. B 421 (1994) 278, 9312118.
- [16] R de M ello K och and J.P. Rodrigues, work in progress.
- [17] J.P.Rodrigues and A.Welte, Mod. Phys. Lett. A 8 (1993) 4175.
- [18] R.Dashen, B.Hasslacher and A.Neveu, Phys. Rev. D 12 (1975) 2443.
- [19] Y. Nambu and G. Jona-Lasinio, Phys. Rev. 122 (1961) 345; 124 (1961) 246.
- [20] N. Andrei and J.H. Lowenstein, Phys. Rev. Lett. 43 (1979) 1698.
- [21] R.Koberle, V.Kurak and JA.Sweica, Phys.Rev.D 20 (1979) 897, A.J.da Silva, M.Gomes and R.Koberle, Phys.Rev. D 20 (1979) 895.
- [22] B Berg, M K arowski, P W eisz and V K urak, Nucl. Phys. B 134 (1978) 125.