NONSINGULAR POSITON AND COMPLEXITON SOLUTIONS FOR THE COUPLED KDV SYSTEM

H.C.HU^{1;2}, BIN TONG¹ AND S.Y.LOU^{1;3}

¹Department of Physics, Shanghai Jiao Tong University, Shanghai, 200030, P.R.China
² College of Science, University of Shanghai for Science and Technology, Shanghai, 200093, P.R.China
³ Department of Physics, Ningbo University, Ningbo, 315211, P.R.China

A bstract. Taking the coupled K dV system as a simple example, analytical and non-singular complexiton solutions are rstly discovered in this letter for integrable systems. A dditionally, the analytical and nonsingular positon-negaton interaction solutions are also rstly found for S-integrable model. The new analytical positon, negaton and complexiton solutions of the coupled K dV system are given out both analytically and graphically by means of the iterative D arboux transform ations.

PACS.02.30.Ik, 02.30.Jr, 05.45.Y v.

1. Introduction

On the exact solutions of integrable models, there is a new classication way recently based on the property of the spectral parameter [1]: If the spectral parameter is positive, the related solution of the nonlinear system is called position which is usually expressed by means of the triangle functions. If the spectral parameter is negtive, the related solution of the nonlinear system is called negation which is usually expressed with help of the hyperbolic functions. The term 'position" and 'negation" may be pursued back to M atveev et al [2, 3] though the singular solutions had been studied earlier [4]. The so-called complexition, which is expressed by combinations of the triangle functions and the hyperbolic functions, is related to the complex spectral parameters. It is meaningful that the complexition exists for real integrable systems. The most of known position solutions are singular. For various in portant integrable systems such as the KdV equation there is no nonsingular position found. The negation can be both singular and nonsingular. Especially nonsingular negations are just the usual solitions. The interaction solutions among positions and negations have also been

studied recently [5, 6]. Unfortunately, except for a special C-integrable model, the STO (Sharm a-Tass-O lver) model [5], in our know ledge, there is no known nonsingular positon-negaton interaction solution. Though the complexiton is proposed for several years, but up to now, one has not yet found a nonsingular complexiton solution for any (1+1)-dimensional integrable systems. In high dimensions, (2+1)- and (3+1)-dimensions, some special types of analytic nonsingular positon, position-negaton interaction solutions and the complexiton solutions can be easily obtained because of the existence of the arbitrary functions in their expressions of exact solutions [7, 8].

Then an important and interesting question is naturally arised:

A re there any nonsingular complexiton and position-negation solutions for S-integrable models? As we all know, the K orteweg-de V ries (K dV) equation is a typical and classical model to describe the weakly shallow long waves in the soliton theory. M any important properties of K dV equation, such as in nitely many symmetries, in nitely many conservation laws [9], inverse scattering transform, B acklund transformation, D arboux transformation, etc. have been studied extensively for a long time and it can be viewed as a completely integrable H am iltonian system [10,11]. Nevertheless, it is known that both the position and complexition solutions of the K dV equation are singuler[2,1].

On the other hand, coupled integrable systems, which come up in many physical elds, have also been studied extensively and a lot of interesting results are given out from both the classication view and application eld [12]. The rst coupled K dV system was put forward by H irota and Satsuma (HS) in 1981 [13]. The multi-soliton solutions, conservation laws and D arboux transformation, etc for the HS model are studied in detail [14]. Many other coupled K dV systems such as the Ito's system [15], the D rinfeld and Sokolov [16] model, the Fuchssteiner equation [17], the Nutk-O guz model [18], the Zharkov system [19] and the Foursov model [20] are also constructed. V ladim ir gives a classication of the integrable coupled K dV systems by using a symmetry approach [12].

In the real application aspect of the coupled K dV systems, a quite general coupled K dV equation,

$$u_t$$
 6 $uu_x + u_{xxx} + {}_1vv_x + {}_2(uv)_x + {}_3v_{xxx} = 0;$
 v_t 6 $vv_x + v_{xxx}$ $v_0v_x + [{}_1(vu)_x + {}_2uu_x + {}_3u_{xxx}] = 0$ (1)

where $_1$; $_2$; $_3$; and V_0 are arbitrary constants, is derived from a two-wave modes in a shallow strati ed liquid [21].

Another type of general coupled KdV system

$$u_t + {}_1vu_x + ({}_2v^2 + {}_3uv + {}_4u_{xx} + {}_5u^2)_x = 0;$$

 $v_t + {}_1vu_x + ({}_2u^2 + {}_3uv + {}_4v_{xx} + {}_5v^2)_x = 0;$ (2)

with arbitrary constants $_{i}$; $_{i}$; $_{i}$; $_{i}$; $_{i}$ = 1; 2; ...; 5 is obtained from a two layer model of the atm ospheric dynamical system [22].

A more general coupled KdV system

is derived to describe two-component Bose-Einstein condensates [23].

In this Letter, we study the exact solutions, especially the positions, negations and complexitions of a special coupled K dV system

$$u_t + 6vv_x + 6uu_x + u_{xxx} = 0; v_t + 6uv_x + 6vu_x + v_{xxx} = 0;$$
 (4)

It is clear that the coupled K dV system (4) is a special case for all the physical system s (1), (2) and (3). It is also interesting that, the system (4) can be read o simply from the real and imaginary parts of the single complex K dV equation

$$U_t = 6UU_x + U_{xxx} = 0;$$
 (5)

w here

$$U = u + Iv; I$$
 $p - 1:$

From the fact that (4) can be derived from the complex K dV equation, one can reasonable believe that all the integrable properties of the real K dV equation can be preserved. A ctually,

we have really proved its Pain leve property though we haven't write down the proofprocedure here because the method is standard and even can be performed simply by pressing the \enter" key with help of some existent Maple or Mathematica programmes related to the Pain leve test, say, \P test" by Xu and Li [24].

In the remained part of this paper, we use the D arboux transform ation which is one of the most powerful tools in constructing exact solutions for many integrable nonlinear equations to the coupled K dV system (4) to study its position, negation, complexition solutions and the interaction property among these types of excitations.

2. Lax pair and Darboux transformations of the coupled K dV system (4).

In this section, we apply the D arboux transform ation to the coupled K dV system (4) in order to construct exact solutions. B ecause the coupled K dV system is obtained by imposing complex variables on the K dV equation (5), we can easily obtain the D arboux transform ation for the coupled K dV system (4) from those of the K dV equation.

It is known that the Lax pair for the K dV equation (5) reads

$$_{xx} + U = ;$$
 (6)

$$t = 4_{xxx} + 6U_x + 3U_x$$
: (7)

Substituting = 1 i 2 into Eqs. (6) and (7), the Lax pair for Eq. (4) is as follows:

$$1xx = v_2 + u_1$$
 (8)

$$2xx = u_2 v_1 2;$$
 (9)

and

$$_{1t} = 4 _{1xxx} + 6v _{2x} + 6u _{1x} + 3v_{x} _{2} + 3u_{x} _{1};$$
 (10)

$$2t = 4_{2xxx} + 6u_{2x} + 6v_{1x} + 3u_{x2} + 3v_{x1};$$
 (11)

then it is easy to prove that the compatibility conditions of four equations (8) { (11) are exactly the equation system (4).

With the help of the Darboux transformation for the KdV equation (5), we can easily obtain the rst step D arboux transform ation for the coupled K dV system

$$u[1] = u \ln (f^2 + g^2)_{xx};$$
 (12)

$$v[1] = v \quad 2\arctan \quad \frac{g}{f} \quad ; \tag{13}$$

and the new wave functions are transformed to

$$\tilde{z}_2 = \frac{\ln (f^2 + g^2)_x}{2} + \arctan \frac{f}{g}$$
 (15)

where ff;gg is a wave function solution of the Lax pair (8) { (11) with = 0; f = 1; g = 1In order to construct the second step D arboux transform ation, we need two wave function seed solutions f_{11} ; $_{12}g$ and f_{21} ; $_{22}g$ with two dierent spectral parameters $_1$ and $_2$ respectively, then the second step D arboux transform ation is

$$u[2] = u \ln (F^2 + G^2)_{xx};$$
 (16)

$$v[2] = v \quad 2 \quad \operatorname{arctan} \quad \frac{G}{F} \quad ;$$
 (17)

where two functions F and G are given by

$$F = W (_{11};_{21}) W (_{12};_{22});$$
 (18)

and

$$G = W (_{11}; _{22}) W (_{12}; _{21});$$
 (19)

respectively with W (a;b) = ab_x ba_x is the usual W ronskian determ in ant.

Sim ilarly, the third and fourth step D arboux transform ations are written down as follows sim ply,

$$u[\beta] = u [\ln (H^2 + L^2)]_{xx};$$
 (20)

$$v[3] = v \quad 2 \quad arctan \quad \frac{L}{H} \quad ;$$
 (21)

w here

$$H = W \ (\ _{11}; \ _{21}; \ _{31}) \quad W \ (\ _{11}; \ _{22}; \ _{32}) \quad W \ (\ _{12}; \ _{22}; \ _{31}) \quad W \ (\ _{12}; \ _{21}; \ _{32});$$
 and

$$L = W (_{12}; _{22}; _{32}) W (_{12}; _{21}; _{31}) W (_{11}; _{22}; _{31}) W (_{11}; _{21}; _{32})$$

with f $_{i1}$; $_{i2}$ g (i = 1;2;3) are solutions of the Lax pairs (8) { (11) with three di erent param eters $_1$; $_2$ and $_3$. The fourth step D arboux transform ation is more complicated because m ore wave functions are included in. The nal results reads

$$u[4] = u [ln(P^2 + Q^2)]_{xx};$$
 (22)

$$v[4] = v \quad 2 \quad \operatorname{arctan} \quad \frac{Q}{P} \quad ;$$
 (23)

where P P (x;t) and Q Q(x;t) are

and

$$Q (x;t) = W (_{12}; _{22}; _{32}; _{41}) + W (_{12}; _{21}; _{32}; _{42}) + W (_{11}; _{22}; _{32}; _{42})$$

$$+ W (_{12}; _{22}; _{31}; _{42}) W (_{11}; _{21}; _{32}; _{41}) W (_{11}; _{21}; _{31}; _{42})$$

$$W (_{12}; _{21}; _{31}; _{41}) W (_{11}; _{22}; _{31}; _{41});$$

respectively, while f_{i1} ; i_2g ; (i = 1;2;3;4) are four wave function vector of the Lax pair (8) { (11) corresponding to four param eters i; (i = 1; 2; 3; 4):

In general, the N -step D arboux transform ation for the coupled K dV system (4) is given by

$$u [N] = u [\ln (W_r^2 + W_I^2)]_{xx};$$
 (24)

$$v [N] = v - 2 \arctan \frac{W_r}{W_I}$$
 (25)

with W $_{\rm r}$ and W $_{\rm I}$ being the real and imaginary part of the W ronskian of the N $\,$ complex wave functions

$$_{i}$$
 $_{i1} + I$ $_{i2}$; $i = 1; 2; ...; N;$

ie.,

$$W = W (_1; _2; :::; _N) W_r + IW_I:$$
 (26)

3. Positon, Negaton and complexiton solutions

In this section, we system atically study the position, negation and complexition solutions for the coupled K dV system by means of the D arboux transform ations given in the last section.

3.1. Position solution, > 0. Based on the rst step Darboux transformation, analytical position solutions for the coupled K dV system can be constructed directly.

Taking the seed solution as fu = 0; v = 0g, then solving the Lax pair (8)-(11) directly, one can ind

$$f = {}_{1} = C_{2} \sin \left(x + 4 \right)^{3} + C_{1} \cos \left(x + 4 \right)^{3} + C_{1} \cos \left(x + 4 \right)^{3}$$

$$= C_{1} \cos \left(x + 4 \right)^{3} + C_{1} \cos c_{1};$$
(27)

$$g = \sum_{2} C_{4} \sin(x + 4^{-3}t) + C_{3} \cos(x + 4^{-3}t)$$

$$= C_{3} \cos(x + 4^{-3}t) + C_{3} \cos(x + 4^{-3}t)$$

$$= C_{3} \cos(x + 4^{-3}t) + C_{3} \cos(x + 4^{-3}t)$$
(28)

Substituting the result equations (27) and (28) into the rst step D arboux transform ation yields the single general position solution for the coupled K dV system (4):

$$u = \frac{2 \left[(C_1^2 - C_3^2) (C_1^2 \cos^2 _1 - C_3^2 \cos^2 _2) + 4C_1^2 C_3^2 \cos (_1 _2) \cos _1 \cos _2 \right]}{(C_1^2 \cos^2 _1 + C_3^2 \cos^2 _2)^2}; \quad (29)$$

$$v = \frac{4C_1C_3 \left[(C_1^2 \cos^2 _1 C_3^2 \cos^2 _2) \cos ((1 _2) (C_1^2 C_3^2) \cos _1 \cos _2) \right]}{(C_1^2 \cos^2 _1 + C_3^2 \cos^2 _2)^2}; \quad (30)$$




Figure 1. Structur of the Position solution (a) for the eld u expressed by (29) and (b) for the quantity v given by (30) with the parameter selections (31) at timet=0.

It is easy to nd that the position solution (29) { (30) is always nonsingular for $v \in 0$. A ctually, from (29) { (30) we know that the position is singular only for

$$_{2} = _{1} + n ; n = 0; 1; 2; :::;$$

while this constant condition leads to v=0. This result coincides with the fact that the position of the real K dV is singular.

Fig. 1 shows the nonsingular position structure (29) { (30) with the constant parameter selections

$$C_1 = 2; C_3 = 4; _1 = 0; _2 = 1; = 4$$
 (31)

at timet = 0.

From Fig. 1, and the expressions (29) and (30), we know that a nonsingular position is just a special nonsingular periodic wave solution.

32. N egaton solution (= $k^2 < 0$). In order to obtain the negaton solutions for coupled K dV system (4), we only need to substitute = k^2 into Eqs. (27) and (28), then the wave functions are

$$f = C_{2}e^{kx} {}^{4k^{3}t} + C_{1}e^{kx+4k^{3}t}$$

$$= c_{1} \sinh(kx 4k^{3}t + {}_{1}) c_{1} \sinh_{1}; \qquad (32)$$

$$g = C_{4}e^{kx} {}^{4k^{3}t} + C_{3}e^{kx+4k^{3}t}$$

$$= c_{2} \sinh(kx 4k^{3}t + {}_{2}) c_{2} \sinh_{2}; \qquad (33)$$

Substituting the above wave functions into the expressions of the rst step D arboux transform ation, we have the single negaton solution for the coupled K dV system (4)

$$u = \frac{2k^{2} (c_{1}^{2} c_{2}^{2}) (c_{1}^{2} \sinh^{2} _{1} c_{2}^{2} \sinh^{2} _{2}) + 4c_{1}^{2}c_{2}^{2} \cosh (_{1} _{2}) \sinh _{1} \sinh _{2}}{(c_{1}^{2} \sinh^{2} _{1} + c_{2}^{2} \sinh^{2} _{2})^{2}}; (34)$$

$$v = \frac{2c_{1}c_{2}k^{2} [(c_{1}^{2} \sinh (2_{1}) + c_{2}^{2} \sinh (2_{2})] \sinh (_{1} _{2})}{(c_{1}^{2} \sinh^{2} _{1} + c_{2}^{2} \sinh^{2} _{2})^{2}}; (35)$$

Fig. 2 shows a special negation structure under the parameter selections

$$c_1 = 1; c_2 = 5; \quad c_3 = 0; \quad c_4 = 2$$
 (36)

at timet = 0.

From the negaton expression (34) { (35), one can see that the negaton solution of the model is nonsingular except that 2 = 1 + n 1 (n = 0; 1; 2; :::) which is corresponding to the real K dV case, v = 0.

33. Negaton interaction solutions. With the N-step Darboux transformations, one may obtain much richer solution structures including the interactions among dierent types of localized excitations. A type of soliton solution including two negatons can be constructed easily from the two-step D arboux transform ation. Let two wave function vectors, f $_{11}$; $_{12}$ g and f $_{21}$; $_{22}$ g, are solutions of the Lax pair (8) { (11) with the seed fu = 0; v = 0g and two spectral parameters $f_1 = k_1^2$; $k_2 = k_2^2$ g respectively, then we have the two negaton




Figure 2. A typical negaton structure of the coupled K dV system (4) (a) for u expressed by (34) and (b) for v given by (35) under the parameter selections (36) at time t=0.

solution expressed by (16) { (19) with

$$_{11} = c_1 \cosh (k_1 x + 4k_1^3 t + 1);$$
 (37)

$$_{12} = c_2 \cosh (k_1 x + 4k_1^3 t + 2);$$
 (38)

$$c_{21} = c_3 \cosh(k_2 x + 4k_2^3 t + k_3);$$
 (39)

$$_{22} = c_4 \cosh (k_2 x + 4k_2^3 t + 4)$$
: (40)

Fig. 3 and Fig.4 display the special two-negaton interaction procedure for the elds u and v described by (16) { (19) with zero seed, wave function selections (37) { (40) and the parameter selections

$$_{1} = 0$$
; $c_{1} = k_{1} = _{2} = 1$; $k_{2} = 2$; $c_{2} = _{3} = 3$; $_{4} = 4$; $c_{3} = c_{4} = 5$ (41)

at times t= 0.25; 0.05; 0.1; and 0.35 respectively.




Figure 3. Negaton interaction solution expressed by (16){ (19) with zero seed, wave function selections (37){ (40) and the parameter selections (41) for the eld u at times (a)t = 0.25; (b) 0.05; (c) 0.1 and (d) 0.35 respectively.




Figure 4. Negaton interaction solution for the quantity v with the same wave function and parameter selections as Fig. 3




Figure 5. Positon-negaton interaction solution expressed by (16) and (18)-(19), (42)-(45) for the coupled K dV system (4).

3.4. Position-negation interaction solution. In the same way, by selecting the spectral parameters appropriately in the N-step Darboux transformations one can obtain the interaction solutions among positions and negations. For instance, based on the second step Darboux transformation by choosing two dierent spectral parameters with opposite sign, 1 = 2; $2 = k^2$, then we can obtain the position-negation interaction solutions for the coupled KdV system (4).

To show a concrete example, we further x the spectral parameters as $_1 = 1$, $_2 = 4$ and select the corresponding spectral functions in the form s

$$_{11} = 4 \sin(x + 4t) + 3 \cos(x + 4t);$$
 (42)

$$_{12} = 2 \sin (x + 4t) + 6 \cos (x + 4t)$$
: (43)

$$_{21} = 4e^{2x+32t} + e^{2x-32t}$$
; (44)

$$_{22} = 4e^{2x+32t} + 0.01e^{2x-32t}$$
: (45)

Substituting (42)-(45) and (18)-(19) into (16)-(17) with the initial seed solution fu = 0; v = 0g, a special position-negation solution follows immediately. Fig. 6 and Fig. 7 show the interaction procedure expressed by (16)-(19), (42)-(45) and the initial solution fu = 0; v = 0g for the elds u and v respectively.




Figure 6. Positon-negaton solution expressed by (17)-(19), (42)-(45) for the coupled K dV system (4).

3.5. A nalytical complexiton solution. For many integrable system, complexiton solutions have been found [1]. But it should be pointed out that the known complexiton solutions have singularities. It is lucky that the analytical complexiton solutions are found in this Letter for the 11 rst time. Let two spectral parameters and 0 be conjugated complex number, that is $= _{1} + I _{2}$ and $^{0} = _{1} I _{2}$, then we arrive at two coupled wave solutions with the initial solution fu = 0; v = 0g,

$$_{11} = IC_{1}e^{(4I_{1}^{3} 12_{1}^{2} 2 12I_{1}^{2} 44_{2}^{3})t+(_{1}I_{2}^{2})x} + IC_{2}e^{(12_{1}^{2} 2 4I_{1}^{3} + 12I_{1}^{2} 44_{2}^{3})t+(_{2}I_{1})x}; (46)$$

$$_{12} = IC_{3}e^{(4I_{1}^{3} 12_{1}^{2} 2 12I_{1}^{2} 44_{2}^{3})t+(_{1}I_{2})x} + IC_{4}e^{(12_{1}^{2} 2 4I_{1}^{3} + 12I_{1}^{2} 44_{2}^{3})t+(_{2}I_{1})x}; (47)$$

$${}_{21}=c_{1}e^{(4\mathrm{I}_{1}^{3}+12^{2})_{2}^{2}} {}^{12\mathrm{I}_{1}^{2}} {}^{2} {}^{12\mathrm{I}_{1}^{2}} {}^{2} {}^{4} {}^{3})^{t+} ({}_{1}\mathrm{I}^{+})^{x} + c_{2}e^{(\mathrm{I}_{1})_{2}^{2}+4^{2}} {}^{2})^{x+} {}^{(12\mathrm{I}_{1})_{2}^{2}+4^{3}} {}^{4}\mathrm{I}_{1}^{3} {}^{12} {}^{1}{}^{2})^{t}; \quad (48)$$

$$_{22} = c_{3}e^{(4I_{1}^{3}+12_{1}^{2}2_{1}^{2}2_{1}^{2}12I_{1}_{2}^{2}4_{2}^{3})t+(_{1}I+_{2})x} + c_{4}e^{(_{1}I_{1}_{2})x+(_{1}2I_{1}_{2}^{2}+4_{2}^{3}4I_{1}^{3}12_{1}^{2}2)t};$$
(49)

Substituting (46)–(49) into (18)–(19), we can obtain

$$F = 4_{2} (c_{1}C_{1} - c_{3}C_{3}) \sin [2_{1} (4t_{1}^{2} + x - 12t_{2}^{2})]$$

$$+ 4_{1} (c_{4}C_{3} - c_{2}C_{1}) \cosh [2_{2} (x + 12t_{1}^{2} - 4t_{2}^{2})];$$
(50)

$$G = 4_{2} (c_{3}C_{1} + c_{1}C_{3}) \sin \left[2_{1} (4t_{1}^{2} + x - 12t_{2}^{2})\right]$$

$$+ 4_{1} (c_{2}C_{3} + c_{4}C_{1}) \cosh \left[2_{2} (x + 12t_{1}^{2} - 4t_{2}^{2})\right];$$
(51)

where $fc_1;c_2;c_3;c_4;C_1;C_2;C_3;C_4;$ 1; 2g are all constants. To show a detailed structure of the complexiton, we x the constant parameters further. The substitution of (50) and (51) into (16)-(17) with the xing constants $fc_1 = 5;c_2 = 0;c_3 = 0;c_4 = 5;C_1 = 1;C_2 = 2;C_3 = 2;C_4 = 1;$ $c_1 = 2;$ $c_2 = \frac{1}{2}$ g, yields the following analytical nonsingular complexiton solution

$$U = \ln (F^2 + G^2)_{xx} = \frac{A(x;t)}{B(x;t)}$$
 (52)

and

$$V = 2 \arctan \frac{G}{F} = \frac{C(x;t)}{B(x;t)};$$
 (53)

w here

$$A(x;t) = [272\cos(104t + 8x) + 240 + 240\cos(104t + 8x)\cosh(2x + 94t) + 272\cosh(2x + 94t) + 128\sin(104t + 8x)\sinh(2x + 94t)];$$

$$B(x;t) = \frac{835}{8} \frac{17}{2} \cos(104t + 8x) + \frac{1}{8} \cos(208t + 16x) + 136 \cosh(2x + 94t)$$
$$8 \cos(104t + 8x) \cosh(2x + 94t) + 32 \cosh(4x + 188t);$$

and

$$C (x;t) = [1862 \sin (52t + 4x) \cosh (x + 47t) + 30 \cosh (x + 47t) \sin (156t + 12x)$$


$$+ 240 \cos (52t + 4x) \sinh (x + 47t) + 16 \sinh (x + 47t) \cos (156t + 12x)$$

$$+ 480 \sin (52t + 4x) \cosh (3x + 141t) + 256 \cos (52t + 4x) \sinh (3x + 141t)];$$

The complexiton solution displayed above is analytical without any singularity and it is the rst time to not this type of analytical complexiton solutions for the integrable systems to our knowledge. Fig. 7 and Fig. 8 show the detailed structures of the elds u and v expressed by (52) and (53) respectively.

4. Summary and discussion

In this Letter, exact solutions of a coupled KdV system which is obtained as a special case of the general coupled KdV systems derived from the two layer uid dynamical systems and two-component Bose-Einstein condensates are studied in detail. The model can also be







Figure 7. Analytical complexiton solution expressed by (52) for the coupled KdV system (4). (a) The structure plot at the xed time t=0.2; (b) The evolution plot.

simply read o from the well known single K dV equation by assuming its eld is complex. Thanks to the model can be obtained from the complex K dV equation, the Lax pair of the coupled K dV system follows immediately and so does the D arboux transformation.

To study the detailed structures of the localized and periodic excitations of the model, the rst four step D arboux transform ations are explicitly given in terms of the real W ronskian determ inant forms while the general N-step D arboux transform ation is written down with help of the complex W ronskian determ inant form.

Starting from the trivial seed solution, the rst step of the D arboux transform ation leads to two types of exact solutions, the negaton and the position which are related to negative and positive spectral parameters respectively. Though the single negaton solution for other integrable models, say, the single real K dV system, can be both singular and nonsingular,






Figure 8. Nonsingular complexiton solution given by (53) for the coupled KdV system (4). (a) The structure plot at the xed time t=0.2; (b) The evolution plot.

it can be only analytic for the coupled K dV system (4). Sim ilarly, the position solution can also be only analytic while for the single real K dV equation there is no analytic position.

The solutions obtained from the second step D arboux transform ation and the trivial zero seed can be two negaton interaction solution, two position solution, negaton-position solution and a single complexition dependent on the selections of the spectral parameters. The interaction among negatons is completely elastic. The position-negaton solution can be considered as a single soliton solution with a periodic wave background. The single real complexition solution yields if two spectral parameters are complex conjugates. The known complexition solutions for other integrable systems are singular[1]. It is interesting that the complexition solution obtained here for the coupled K dV system is nonsingular! This type of nonsingular complexition solution may exist for other types of coupled integrable systems.

Though the coupled KdV system studied here can be read of from the complex KdV equation, the solution properties are quite dierent. For the real single component KdV equation, there is no nonsingular positions and complexitons. However, for the coupled KdV system, negatons, positions and complexitions can be nonsingular.

For the single K dV system, various other types of exact solutions, such as the rational solutions, cnoidalwave solutions, algebraic geometry solutions and function solutions have been obtained by many authors under dierent approaches. The similar solutions for the coupled K dV system (4) can be easily obtained in some similar ways. However, the detailed properties of the solutions, especially there analytic behavior, must be quite dierent. The more about the model and its possible applications in uids, atmospherical dynamics and the Bose-E instein condensates are worthy of studying further.

The authors are indebt to thanks Dr. X.Y. Tang and Prof. Y. Chen for their helpful discussions. The work was supported by the National Natural Science Foundation of China (No. 90203001 and No. 10475055).

References

- [1] W .X.Ma, Phys. Lett. A 301 (2002) 35; W .X.Ma and K.Maruno, Physica A 343 (2004) 219.
- [2] V.B.M atveev and M.A. Salle Darboux transform ations and Solitons, Springer-Verlag 1991; V.B. Matveev, Phys. Lett. A 166 (1992) 205; 209; 168 (1992) 463; J.M ath. Phys. 35 (1994) 2955.
- [3] C.Rasinariu, U.Sukhatme and A.Khare, J.Phys. A:Math.Gen, 29 (1996) 1803.
- [4] M.D.Kruskal, Lect.Appl.Math.15 (1974) 61; H.Airault, H.P.Mckean and J.Moser, Commun.Pure Appl.Math.30 (1977) 95; M.J.Ablowitz and H.Comille, Phys. lett. A 72 (1979) 277.
- [5] Z.J. Lian and S.Y. Lou, Nonlinear Analysis, (2005) in press.
- [6] Y. Chen and Q. Wang, Phys. Lett. A. (2005) in press.
- [7] S.Y.Lou, H.C.Hu and X.Y.Tang, Phys.Rev.E., 71 (2005) 036604; H.C.Hu and S.Y.Lou, Phys. Lett. A 341 (2005) 422.
- [8] S.Y.Lou, Phys.Lett. A 277 (2000) 94; X.Y.Tang, S.Y.Lou and Y.Zhang, Phys.Rev.E., 66 (2002) 046601; H.C.Hu, X.Y.Tang, S.Y.Lou and Q.P.Liu, Chaos, Solitons and Fractals, 22 (2004) 327.
- [9] R.M.Miura, C.S.Gardner and M.D.Kruskal J.Math. Phys. 9 (1968) 1204; S.Y.Lou, J.Math. Phys. 35 (1994) 2390.
- [10] F.M agriJ.M ath.Phys.19 (1978) 1156.
- [11] V.E.Zakharov and L.D.Faddeev, Functional Anal. Appl. 5 (1971) 280.
- [12] V.V. Sokolov and T.Wolf, J.Phys.A:Math.Gen.34 (2001) 11139.
 - V.V. Sokolov and S.I. Svinolupov, Theor. M ath. Phys. 100 (1994) 959.
- [13] R.Hirota and J.Satsum a, Phys.Lett. A 85 (1981) 407.
- [14] R. Hirota and J. Satsum a, J. Phys. Soc. Japan 51 (1982) 3390.
 - ${\tt R.D}\,{\tt odd}$ and ${\tt A.P.Fordy}\,{\tt Phys.Lett.A}\,$ 89 (1982) 168.
 - H.C.Hu and Q.P.Liu, Chaos, Solitons & Fractals 17 (2003) 921.
- [15] M. Ito, Phys. Lett. A 91 (1982) 335.

- [16] V.G.D rinfeld and V.V. Sokolov, Sov. J.M ath. 30 (1985) 1975.
- [17] B. Fuchssteiner, Prog. Theor. Phys. 68 (1982) 1082.
- [18] Y. Nutku and O. Oguz, Nuovo Cimento Soc. Ital. Fis. B 105 (1990) 1381.
- [19] A.Y.Zharkov, J.Symb.Comput.15 (1993) 85.
- [20] M.V. Foursov, Inverse Problem s 16 (2000) 259.
- [21] J.A.G ear and R.G rim shaw, Stud.Appl.M ath.70 (1984) 235; J.A.G ear, Stud.Appl.M ath.72 (1985) 95.
- [22] S.Y.Lou, B.Tong, H.C.Hu and X.Y.Tang, Coupled KdV equations derived from atmospherical dynamics, preprint ArX iv: nlin SI/0508029.
- [23] V.A.Brazhnyiand V.V.Konotop, Phys. Rev. E 72 (2005) 026616.
- [24] G.Q.Xu and Z.B.Li, Comp.Phys.Commun.161 (2004) 65.