

Including β - and γ - Vibrations in Evaluating the Ground State Rotational Band of Deformed Even-Even Nuclei

Mohamed E. Kelabi*

A. Y. Ahmed*

Vikram Singh†

Abstract

From the semi-empirical formalisms of Bohr-Mottelson, a new model, based on the effect of β - and γ - head energies and the variable moment of inertia, was developed to calculate the ground state rotational band of almost all deformed $e\text{-}e$ nuclei. The model can be tuned for nuclei with experimentally available β - and γ -vibrational energies as well as for those with unmeasured β - and γ -vibrations.

Introduction

The Rotational-Vibrational model RVM of Bohr-Mottelson^[1]

$$E(J) = AJ(J+1) - BJ^2(J+1)^2 \quad (1)$$

has been modified to take the effect of nuclear rotations via the variable moment of inertia^[2], and introducing a correction term due to β - and γ - vibrations^[3]

$$\begin{aligned} \hbar\omega_{\beta} &= \left[\frac{\frac{3}{2}A^3}{B - \frac{1}{2}A^3 / (\hbar\omega_{\gamma})^2} \right]^{1/2} \\ \hbar\omega_{\gamma} &= \left[\frac{\frac{1}{2}A^3}{B - \frac{3}{2}A^3 / (\hbar\omega_{\beta})^2} \right]^{1/2} \end{aligned} \quad (2)$$

where, $\hbar\omega_{\beta}$ and $\hbar\omega_{\gamma}$ are the head energies of β - and γ - vibrations, respectively; and A and B are defined by Eq. (1). Sood^[2] used molecular spectra theory^[4] to express the nuclear moment of inertia dependence on the angular momentum as

$$E(J) = A(J)J(J+1) \quad (3)$$

where

$$A(J) = A \left[\frac{1 + (a + bJ - 1)(B/A)J(J+1)}{1 + (a + bJ)(B/A)J(J+1)} \right].$$

The parameter (B / A) was calculated from the observed energy ratio $E(4) / E(2)$, and the experimental energy of the 2^+ state was then used to determine A , while a and b were adjusted from nucleus to another to give the best fit^[2].

* Physics Department, Al-Fateh University, Tripoli, LIBYA

† B-1/1051, Vasant Kunj, New Delhi 110070.

Eq. (3) seems to work well in describing the energies of the ground state bands in rare earth region and the actinides ^{232}Th and $^{232-238}\text{U}$. On the other hand, it does not assume the effect of β - and γ - vibrational bands, which are experimentally observed^[3] in some nuclei. This fact was encouraging to deduce a new more systematic model by incorporating the Softness parameter^[5]

$$\sigma_n = \frac{1}{n!} \frac{1}{\mathcal{J}_0} \left. \frac{\partial^n \mathcal{I}(J)}{\partial J^n} \right|_{J=0} \quad (4)$$

where \mathcal{J}_0 is the unperturbed nuclear moment of inertia^[6]. Leaving aside few “very rigid nuclei”, the inclusion of the β - and γ - vibrations along with the variable moment of inertia, has led to the form^[7]

$$E(J) = A(J)J(J+1) - B(J)J^2(J+1)^2 \quad (5)$$

here the rotational parameter $A(J) = \frac{\hbar^2}{2\mathcal{J}(J)}$ is connected with to the nuclear variable moment of inertia \mathcal{J} , and $B(J) = \frac{4A(J)^3}{(\hbar\omega_\gamma)^2} + \frac{12A(J)^3}{(\hbar\omega_\beta)^2}$ expresses the correction due to β - and γ - vibrations dependence on the nuclear moment of inertia.

Formalism

For readability purpose we rewrite Eq. (5) of the form

$$E(J) = A_0 \frac{1}{1+\sigma_1 J} J(J+1) - B_0 \frac{(1-2\sigma_1 J)}{1+\sigma_1 J} J^2(J+1)^2 \quad (6)$$

where $A_0 = \frac{\hbar^2}{2\mathcal{J}_0}$, σ_1 is defined by Eq. (4), and B_0 is related to A_0 by Eq. (2).

This non-linear Eq. (6) contains three free parameters A_0 , σ_1 , and B_0 which need to be solved by fit to the experimental data. The equation can be applied to calculate the energy levels of the ground state band of deformed e - e nuclei in two major cases:

a) Three parameters expression

When the energies of β - and γ - vibrations are not experimentally available, then they can be treated as unknown, contained in c , and Eq. (6) takes the form

$$E(J) = \frac{A_0}{1+\sigma_1 J} J(J+1) - c A_0^3 \frac{(1-2\sigma_1 J)}{1+\sigma_1 J} J^2(J+1)^2. \quad (7)$$

The three free parameters A_0 and σ_1 , and c can be determined by fitting the first three energy levels 2^+ , 4^+ , and 6^+ with experimental data.

b) Two parameters expression

In some nuclei where the head energies of β - and γ - vibrations are experimentally available, then in this case, Eq. (6) can be rewritten as

$$E(J) = \frac{A_0}{1+\sigma_1 J} J(J+1) - \left[\frac{4}{(\hbar\omega_\gamma)^2} + \frac{12}{(\hbar\omega_\beta)^2} \right] A_0^3 \frac{(1-2\sigma_1 J)}{1+\sigma_1 J} J^2 (J+1)^2. \quad (8)$$

This equation contains two free parameters A_0 and σ_1 which can be obtained by fitting only the first two energy levels 2^+ and 4^+ with experimental data.

Results

The results of our three parametric calculations Eq. (7), compared with experimental data and other existing models are presented in Table 1. The corresponding model parameters A_0 , σ_1 , and c determined by fitting are given in Table 2.

Keywords: EXP = Experimental data^[8]
 VMI = Variable Moment of Inertia model^[9]
 VAVM = Variable Anharmonic Vibrator Model^{[10], [11]}
 GVMI = Generalized VMI^{[10], [11]}
 PM = Present Model (our current work).

Table 1. Comparison of our results with Experiment and other models in [MeV].

	<i>E</i> (2)	<i>E</i> (4)	<i>E</i> (6)	<i>E</i> (8)	<i>E</i> (10)	<i>E</i> (12)	<i>E</i> (14)	<i>E</i> (16)	<i>E</i> (18)
Ce-150									
EXP	0.0978	0.308	0.6087	0.9851					
VMI	-----	-----	0.607	0.977	1.406	1.886	2.411	2.976	3.577
VAVM	-----	-----	-----	0.979	1.406	1.88	2.394	2.944	3.527
GVMI	-----	-----	-----	0.983	1.419	1.907	2.422	3.02	3.634
PM	-----	-----	-----	0.9809	1.411	1.894	2.434	3.047	3.761
Nd-154									
EXP	0.0729	0.2352	0.4789	0.807					
VMI	-----	-----	0.475	0.78	1.141	1.551	2.005	2.498	3.026
VAVM	-----	-----	-----	0.792	1.166	1.591	2.062	2.574	3.122
GVM	-----	-----	-----	0.795	1.175	1.611	2.099	2.634	3.21
PM	-----	-----	-----	0.796	1.1809	1.626	2.128	2.683	3.286
Sm-154									
EXP	0.08198	0.2667	0.5443	0.9031	1.3333	1.8262			
VMI	-----	-----	0.542	0.897	1.321	1.805	2.343	2.929	3.561
VAVM	-----	-----	-----	0.901	1.327	1.81	2.346	2.927	3.549
GVMI	-----	-----	-----	0.904	1.336	1.833	2.387	2.994	3.649
PM	-----	-----	-----	0.9032	1.3312	1.8152	2.342	2.901	3.481
Sm-156									
EXP	0.076	(0.2501)	(0.5179)	(0.878)					
VMI	-----	-----	0.516	0.865	1.29	1.783	2.239	2.952	3.617
VAVM	-----	-----	-----	0.872	1.304	1.808	2.375	3	3.668
GVMI	-----	-----	-----	0.873	1.311	1.823	2.406	3.053	3.76
PM	-----	-----	-----	0.874	1.314	1.832	2.423	3.08	3.798
Sm-158									
EXP	0.0728	0.2403	0.4985	(0.8445)					
VMI	-----	-----	0.497	0.838	1.255	1.742	2.294	2.905	3.572
VAVM	-----	-----	-----	0.841	1.259	1.747	2.298	2.905	3.566
GVMI	-----	-----	-----	0.842	1.265	1.762	2.328	2.957	3.645
PM	-----	-----	-----	0.842	1.265	1.759	2.317	2.93	3.588

	<i>E</i> (2)	<i>E</i> (4)	<i>E</i> (6)	<i>E</i> (8)	<i>E</i> (10)	<i>E</i> (12)	<i>E</i> (14)	<i>E</i> (16)	<i>E</i> (18)
Gd-160									
EXP	0.07526	0.2482	0.514	0.868					
VMI	-----	-----	0.513	0.863	1.291	1.791	2.355	2.979	3.659
VAVM	-----	-----	-----	0.86	1.29	1.79	2.35	2.96	3.62
GVMI	-----	-----	-----	0.87	1.3	1.8	2.38	3.01	3.71
PM	-----	-----	-----	0.866	1.296	1.795	2.3519	2.954	3.589
Dy-158									
EXP	0.09894	0.31726	0.63787	1.0441	1.5199	2.0492	2.6126	3.1907	3.7817
VMI	-----	-----	0.6355	1.0369	1.5088	2.0417	2.6286	3.2638	3.943
VAVM	-----	-----	-----	1.0414	1.5135	2.0435	2.6237	3.2485	3.9133
GVMI	-----	-----	-----	1.045	1.5262	2.0719	2.6749	3.3293	4.0304
PM	-----	-----	-----	1.043	1.5162	2.0431	2.6132	3.221	3.8663
Dy-160									
EXP	0.08679	0.28382	0.5812	0.9672	1.4286	1.9514	2.5152	3.0919	3.6724
VMI	-----	-----	0.5807	0.9661	1.4298	1.963	2.5587	3.211	3.915
VAVM	-----	-----	-----	0.965	1.424	1.947	2.527	3.157	3.833
GVMI	-----	-----	-----	0.968	1.434	1.97	2.571	3.228	3.939
PM	-----	-----	-----	0.9657	1.4213	1.9295	2.4701	3.0211	3.5596
Dy-164									
EXP	0.07339	0.2423	0.50132	0.84367	1.25876				
VMI	-----	-----	0.5017	0.8453	1.2665	1.7588	2.3164	2.9343	3.608
VAVM	-----	-----	-----	0.8418	1.255	1.733	2.2688	2.8569	3.4925
GVMI	-----	-----	-----	0.8435	1.262	1.7502	2.3022	2.9128	3.5775
PM	-----	-----	-----	0.842	1.2532	1.7207	2.2227	2.753	3.2751
Er-162									
EXP	0.10208	0.32963	0.66676	1.0968	1.6028	2.1651	2.7457	3.2923	3.8465
VMI	-----	-----	0.665	1.092	1.5969	2.1702	2.8042		
VAVM	-----	-----	-----	1.0944	1.5975	2.1648	2.788		
GVMI	-----	-----	-----	1.0979	1.6104	2.1941	2.8411		
PM	-----	-----	-----	1.0953	1.5965	2.1518	2.7442	3.3592	3.9857*
Yb-166									
EXP	0.10238	0.3305	0.668	1.09829	1.6059	2.1757	2.7795	3.274	3.7831
VMI	-----	-----	0.6666	1.094	1.5998	2.1738	2.8083		
VAVM	-----	-----	-----	1.0955	1.5978	2.1638	2.785		
GVMI	-----	-----	-----	1.0991	1.6109	2.1933	2.8384		
PM	-----	-----	-----	1.096	1.5946	2.1442	2.7265	3.3257	3.9293*
Yb-168									
EXP	0.08773	0.28655	0.5853	0.97006	1.424	(1.936)	(2.489)	(3.073)	(3.687)
VMI	-----	-----	0.5854	0.9726	1.4375	1.9713	2.5668	3.2183	3.9209
VAVM	-----	-----	-----	0.9692	1.4255	1.9442	2.5175	3.1394	3.8053
GVMI	-----	-----	-----	0.972	1.4361	1.9688	2.5628	3.2124	3.9182
PM	-----	-----	-----	0.9686	1.4175	1.9097	2.4205	2.9226	3.3874
Yb-170									
EXP	0.08426	0.27745	0.5736	0.9636	1.4379	1.9837	2.5808	3.1962	3.8081
VMI	-----	-----	0.5723	0.9603	1.4329	1.9822	2.6013	3.2843	
VAVM	-----	-----	-----	0.961	1.431	1.974	2.582	3.248	
GVMI	-----	-----	-----	0.963	1.439	1.994	2.621	3.314	
PM	-----	-----	-----	0.964	1.441	1.992	2.604	3.264	3.957*

	<i>E</i> (2)	<i>E</i> (4)	<i>E</i> (6)	<i>E</i> (8)	<i>E</i> (10)	<i>E</i> (12)	<i>E</i> (14)	<i>E</i> (16)	<i>E</i> (18)
Yb-176									
EXP	0.08213	0.27169	0.5648	0.9541	1.4312	1.9849	2.602	3.27	3.979
VMI	-----	-----	0.5641	0.9534	1.4331	1.9965	2.6376	3.3508	4.131
VAVM	-----	-----	-----	0.955	1.434	1.9941	2.629	3.332	4.097
GVMI	-----	-----	-----	0.956	1.44	2.01	2.661	3.386	4.182
PM	-----	-----	-----	0.956	1.438	2.004	2.643	3.345	4.099
Hf-174									
EXP	0.09101	0.29745	0.60837	1.00943	1.487	2.022	2.599		
VMI	-----	-----	0.6082	1.0111	1.4954	2.052	2.6733	3.3534	4.0871
VAVM	-----	-----	-----	1.009	1.4863	2.0298	2.6315	3.285	3.9852
GVMI	-----	-----	-----	1.0118	1.4969	2.0546	2.6775	3.3595	4.0955
PM	-----	-----	-----	1.0089	1.4808	2.0031	2.5522	3.1029	3.6282
W-174									
EXP	0.1119	0.355	0.704	1.137	1.635	2.186	2.78	3.392	3.973
VMI	-----	-----	0.7	1.14	1.65	2.22	2.84	3.51	
VAVM	-----	-----	-----	1.14	1.63	2.19	2.79	3.43	
GVMI	-----	-----	-----	1.14	1.65	2.22	2.84	3.51	
PM	-----	-----	-----	1.13	1.61	2.14	2.69	3.27	3.9*
W-178									
EXP	0.1061	0.3431	0.6947	1.1423	1.6661	2.2452	2.8593	3.4891	4.1016
VMI	-----	-----	0.693	1.14	1.669	2.27	2.936	3.659	
VAVM	-----	-----	-----	1.141	1.667	2.26	2.912	3.616	
GVMI	-----	-----	-----	1.145	1.68	2.29	2.967	3.704	
PM	-----	-----	-----	1.141	1.663	2.24	2.851	3.479	4.108*
W-180									
EXP	0.10357	0.33755	0.68845	1.13847	1.66418	2.2351	2.825	3.416	4.021
VMI	-----	-----	0.6879	1.1401	1.6812	2.301	2.9911		
VAVM	-----	-----	-----	1.1388	1.6734	2.2806	2.9513		
GVMI	-----	-----	-----	1.142	1.6855	2.3088	3.0033		
PM	-----	-----	-----	1.1386	1.6672	2.2508	2.8639	3.48	4.072*
W-182									
EXP	0.10011	0.32942	0.6805	1.1445	1.712	2.237	(3.113)		
VMI	-----	-----	0.6792	1.139	1.6985	2.3481	3.0797	3.8863	4.7619
VAVM	-----	-----	-----	1.1416	1.7008	2.3472	3.0716	3.8662	4.7248
GVMI	-----	-----	-----	1.144	1.7104	2.3708	3.117	3.9422	4.8404
PM	-----	-----	-----	1.1435	1.7066	2.356	3.0764	3.851	4.6621
W-184									
EXP	0.11121	0.36406	0.74831	1.252	1.851				
VMI	-----	-----	0.7458	1.2424	1.8408	2.5299	3.3006	4.1455	5.0581
VAVM	-----	-----	-----	1.2492	1.8522	2.5448	3.317	4.1604	5.0684
GVMI	-----	-----	-----	1.2519	1.8629	2.571	3.3669	4.2432	5.1932
PM	-----	-----	-----	1.2516	1.86	2.2585	3.3313	4.1625	5.0362
W-186									
EXP	0.1223	0.39647	0.80847	1.348	2.002				
VMI	-----	-----	0.8032	1.3237	1.9424	2.6471	3.4283	4.2784	5.1913
VAVM	-----	-----	-----	1.3391	1.9715	2.6919	3.4895	4.356	5.2846
GVMI	-----	-----	-----	1.3427	1.9854	2.7245	3.5504	4.4548	5.4312
PM	-----	-----	-----	1.3442	1.9902	2.7342	3.5656	4.4758	5.4586

	<i>E</i> (2)	<i>E</i> (4)	<i>E</i> (6)	<i>E</i> (8)	<i>E</i> (10)	<i>E</i> (12)	<i>E</i> (14)	<i>E</i> (16)	<i>E</i> (18)
Pu-238									
EXP	0.04408	0.14598	0.3034	0.514					
VMI	-----	-----	0.3033	0.5134	0.7727	1.0781	1.4263	1.8143	2.2396
VAVM	-----	-----	-----	0.5132	0.771	1.0726	1.4142	1.7925	2.2046
GVMI	-----	-----	-----	0.5141	0.7744	1.0812	1.4315	1.8223	2.2511
PM	-----	-----	-----	0.5127	0.7689	1.0659	1.3959	1.7501	2.1182
Pu-240									
EXP	0.04283	0.14169	0.29431	0.4976	0.7514				
VMI	-----	-----	0.2941	0.497	0.747	1.0406	1.3746	1.7461	2.1526
VAVM	-----	-----	-----	0.4967	0.7446	1.0338	1.3604	1.7212	2.1132
GVMI	-----	-----	-----	0.4977	0.7484	1.0432	1.3789	1.7525	2.1616
PM	-----	-----	-----	0.4973	0.7463	1.0358	1.3593	1.7095	2.0779
Pu-242									
EXP	0.04454	0.1472	0.3059	0.5176	0.7787	1.0867			
VMI	-----	-----	0.305	0.515	0.772	1.074	1.417	1.797	2.212
VAVM	-----	-----	-----	0.517	0.776	1.079	1.422	1.802	2.216
GVMI	-----	-----	-----	0.518	0.779	1.088	1.44	1.833	2.263
PM	-----	-----	-----	0.517	0.78	1.088	1.439	1.828	2.250

* Not reached by other models.

Table 2. Fitting parameters of Eq. (7).

Nucleus	$\sigma_i \times 10^{-3}$	A_0 KeV	$c \times 10^{-6}$ KeV $^{-2}$
Ce-150	21.6541	17.14078	4.89
Nd-154	15.7048	12.52187	0.67
Sm-154	7.9415	13.93509	3.48
Sm-156	5.2863	12.81437	1.12
Sm-158	2.7119	12.22257	2.16
Gd-160	2.4274	12.63628	2.67
Dy-158	13.8062	17.04180	3.44
Dy-160	4.0815	14.65349	3.79
Dy-164	0.2904	12.28586	4.24
Er-162	9.9757	17.45010	3.18
Yb-166	9.7046	17.49824	3.36
Yb-168	3.5835	14.81119	4.41
Yb-170	3.0429	14.16695	2.26
Yb-176	1.5835	13.75813	1.70
Hf-174	3.8362	15.36536	3.76
W-174	15.4814	19.40646	4.35
W-178	8.9999	18.10533	3.02
W-180	5.0998	17.53311	3.01
W-182	3.2526	16.84082	1.67
W-184	5.8207	18.80577	1.41
W-186	12.0535	20.91881	0.84
Pu-238	-0.0313	7.366827	8.59
Pu-240	0.8512	7.168516	8.19
Pu-242	2.5625	7.472661	4.55

In Table 3, we also present a sample of our calculations in comparison with experimental data and Sood's results^[2]. The corresponding parameters A_0 , σ_1 , and c obtained by fitting are given in Table 4.

Table 3. Comparison of our calculations with the experimental data^[2] and Sood's results^[2] in [MeV].

	$E(2)$	$E(4)$	$E(6)$	$E(8)$	$E(10)$	$E(12)$	$E(14)$	$E(16)$	$E(18)$
Gd-158									
EXP	0.07956	0.2619	0.539	0.898					
PM	0.07956	0.2619	0.539	0.898					
Sood	0.07956	0.2617	0.539	0.901					
Er-166									
EXP	0.0806	0.2649	0.545	0.910	1.334				
PM	0.0806	0.2649	0.545	0.909	1.342				
Sood	0.0806	0.2647	0.544	0.908	1.344				
Yb-172									
EXP	0.0787	0.2603	0.540	0.910	1.352				
PM	0.0787	0.2603	0.540	0.910	1.361				
Sood	0.0787	0.2602	0.540	0.910	1.364				
Os-184									
EXP	0.1198	0.3836	0.774	1.274	1.871				
PM	0.1198	0.3836	0.774	1.275	1.875				
Sood	0.1180	0.3834	0.777	1.278	1.867				

Table 4. Fitting parameters of Eq. (7).

Nucleus	$\sigma_1 \times 10^{-3}$	A_0 KeV	$c \times 10^{-6}$ KeV $^{-2}$
Gd-158	-0.14	13.33	5.08
Er-166	1.55	13.54	4.32
Yb-172	0.12	13.16	3.09
Os-184	19.63	20.78	0.64

Further application of our model is that, by employing Eq. (8) to calculate the energy levels of ground state band of some deformed e - e actinides where the energies of β - and γ -vibrations are experimentally available^[12]. The results of our calculations are listed in Table 5, and the corresponding values of A_0 and σ_1 determined by fitting are given in Table 6.

Table 5. Comparison of our results with the available experimental data^[12] in [MeV].

	<i>E</i> (2)	<i>E</i> (4)	<i>E</i> (6)	<i>E</i> (8)	<i>E</i> (10)	<i>E</i> (12)	<i>E</i> (14)	<i>E</i> (16)	<i>E</i> (18)
Pu-238									
(EXP $E_\beta = 0.942$, $E_\gamma = 1.029$)									
EXP	0.044	0.146	0.303	0.513	0.773	1.079	1.427	1.816	2.241
PM	-----	-----	0.302	0.505	0.744	1.006	1.272	1.518	1.716
Pu-240									
(EXP $E_\beta = 0.860$, $E_\gamma = 0.900$)									
EXP	0.043	0.142	0.294	0.498	(0.748)				
PM	-----	-----	0.292	0.487	0.713	0.954	1.189	1.389	1.521
U-238									
(EXP $E_\beta = 0.809$, $E_\gamma = 0.927$)									
EXP	0.043	0.143	0.296	0.497	0.741	1.024	1.341	1.688	2.063
PM	-----	-----	0.294	0.487	0.708	0.937	1.153	1.325	1.417

Table 6. Fitting parameters of Eq. (8)

Nucleus	$\sigma_1 \times 10^{-3}$	A_0 KeV
Pu-238	-3.472	7.337
Pu-240	-4.170	7.125
U-238	-3.157	7.257

Conclusion

The present model Eq. (7) is practically fit to almost all deformed *e-e* nuclei. The results of 24 nuclei where the β - and γ -vibrational energies were treated as unknowns are reported in Table 1 and Table 3. A detailed comparison of our calculations with other proposed models, reveals the closest agreement to the experimental energies. At high spin states, as in the case of eg., ^{162}Er , ^{178}W , and ^{180}W nuclei, a surprisingly excellent predictions which had not been satisfactorily described by any other model. Table 1 and Table 3 are direct support to the fact that the β - and γ -vibrational energies and the variation of the moment of inertia with spin J can not be ignored in evaluating the energies of the ground state rotational bands.

Our model was also applied to some nuclei where the energies of β - and γ -vibrations are experimentally available. With the known values of $\hbar\omega_\beta$ and $\hbar\omega_\gamma$, Eq. (7) reduces to two parametric expression Eq. (8). Keeping in view the inherent limitations of Eq. (2), we observe a small deviation at high spin states. Because no much data is available for β - and γ -vibrations, it is hoped that experiments may be planned to populate β - and γ -vibrational bands to test the validity of our two parametric model and also to verify Eq. (2).

References

- [1] A. Bohr and B. R. Mottelson, Nuclear Structure Vol-11, Nuclear Deformation, Benjamin, New York (1984).
- [2] P. C. Sood, Phys. Rev. 161 (1967) 1063.
- [3] Raymond K. Sheline, Rev. Mod. Phys., 32-1 (1960) 1.
- [4] J. L. Dunham, Phys. Rev. 41 (1932) 721.
- [5] H. Morinaga, Nucl. Phys. 75 (1966) 385.
- [6] J. S. Batra and R. K. Gupta, Phys. Rev. C43 (1991) 43.
- [7] Mohamed E. Kelabi *et al*, Submitted to National Academy of Scientific Research, Journal. of Basic and applied Science, Tripoli, LIBYA, Jan (2005).
- [8] Dennis Bonatsos and Abraham Klein, Atomic Data and Nuclear Data Tables 30 (1984) 27.
- [9] N. A. J. Mariscotti, Gertrude Scharf-Goldhaber, and Brain Buck, Phys. Rev. 178 (1969) 1864.
- [10] A. Klein, Nucl. Phys. A347 (1980) 3; *ibid* Phys. Lett. B93 (1960) 1.
- [11] Dennis Bonatsos and A. Klein, Phys. Rev. C29 (1984) 1879.
- [12] C. L. Dunford and T. W. Burrows, Report NNDC/ONL-95/10 (1995), Brookhaven National Laboratory.