

Electromagnetic production of positron and electron in collisions of heavy nuclei

I.B. Khriplovich¹


St.Petersburg State University, 198504 St.Petersburg, Russia

Abstract

We consider the electromagnetic production of positron and electron in collisions of slow heavy nuclei. This process is dominated by emission of positron, with the electron captured by nucleus.

Positron production in collisions of heavy nuclei, as well as the production e^+e^- pairs, were addressed in numerous papers (see, for instance, [1,2]). Here we consider this problem with simple qualitative arguments.

We start with production of the pair e^+e^- , as presented in Fig. 1 Double lines therein



describe the propagation of heavy nuclei, single and wavy lines refer to e^\pm and virtual photons, respectively. The electromagnetic vertices on these double lines reduce to $(p' + p)/2M \approx v$. We neglect the difference between p' and p . For the velocity of nuclei we assume $v \simeq 0.1$. Thus, taking into account both nuclear lines in Fig. 1, we conclude that our amplitude is proportional to v^2 . As to the discussed cross-section, it is obviously proportional to


$$v^4/v = v^3; \quad (1)$$

v in this denominator originates from the particle flux; here and below we put $c = 1$.

We address now the channel where the produced electron is captured by one of the nuclei, and the produced positron goes to infinity, as presented in Fig. 2. The captured electron here has no direct relation at all to the velocity discussed. Indeed, the attraction of this electron to nucleus is strong, and there is no reason to expect any extra

¹khios231@mail.ru

Figure 2: Capture of electron.



v -dependence in the corresponding vertex. Therefore, the amplitude here is proportional to v , with the corresponding cross-section proportional to

$$v^2/v = v. \quad (2)$$

Thus, the positron production cross-section dominates the effect, since

$$v/v^3 \simeq 10^2. \quad (3)$$

In other words, the cross-section of the positron production, with the capture of the produced electron, is the dominating one, it is about hundred times more than that of e^+e^- production. The attraction of the produced electron to nucleus is strong, and there is no reason to expect any extra v -dependence in the corresponding vertex.

The electromagnetic cross-section of e^+e^- production was estimated in [3] as

$$\sigma_{\pm} \sim 10^{-26} - 10^{-25} \text{ cm}^2. \quad (4)$$

Then, the reasonable estimate for the cross-section of positron production is

$$\sigma_+ \sim 10^{-24} - 10^{-23} \text{ cm}^2. \quad (5)$$

Acknowledgements

I am grateful to V.M. Shabaev for useful discussions.

References

- [1] U. Mueller, T.D. Reus, J. Reinhardt, B. Mueller, W. Greiner, G. Soff, Phys. Rev. A 37 1449 (1988).
- [2] I.A. Maltsev, V.M. Shabaev, I.I. Tupitsin, A.I. Bondarev, Y.S. Kozhedub, G. Plunien, Th. Stolker, Phys. Rev. A 91 032708 (2015).
- [3] I.B. Khriplovich, JETP Letters 100 552 (2014).