

# Couplings in Renormalizable Supersymmetric SO(10) Models

Zhi-Yong Chen<sup>1</sup>, Da-Xin Zhang<sup>2</sup> and Xian-Zheng Bai<sup>3</sup>

*School of Physics and State Key Laboratory of Nuclear Physics and Technology,  
Peking University, Beijing 100871, China*

## Abstract

We study the most general renormalizable couplings containing Higgs  $H(10)$ ,  $D(120)$ ,  $\overline{\Delta}(\overline{126}) + \Delta(126)$ ,  $A(45)$ ,  $E(54)$  and  $\Phi(210)$  in the supersymmetric SO(10) models. The Clebsch-Gordan Coefficients are calculated using the maximal subgroup  $SU(5) \times U(1)_X$ .

Keywords: GUT, symmetry breaking, Clebsch-Gordan Coefficients

---

<sup>1</sup> E-mail: chenzhiyongczy@pku.edu.cn

<sup>2</sup> E-mail: dxzhang@pku.edu.cn

<sup>3</sup>E-mail: 15012100098@pku.edu.cn

# 1 Introduction

Supersymmetric (SUSY) Grand Unification Theories (GUTs) of  $SO(10)$ [1, 2] are very important candidates for the new physics beyond the Standard Model (SM). Since the SM gauge group  $G_{321} = SU(3)_C \times SU(2)_L \times U(1)_Y$  is not a maximal subgroup of  $SO(10)$ , there are many different routines to break  $SO(10)$  into  $G_{321}$  through approximately intermediate symmetries. Two maximal subgroups  $G_{422} = SU(4)_C \times SU(2)_L \times SU(2)_R$  and  $G_{51} = SU(5) \times U(1)_X$  are usually taken as the intermediate symmetries. In practice, even without any intermediate symmetry breaking scale, the maximal subgroups are used to distinguish different states which are in the same  $SO(10)$  representations but also have the same SM representations.

Among the many systematic studies on the SUSY  $SO(10)$  models[3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22], many of them focus on the so-called Minimal SUSY  $SO(10)$  (MSSO10) [9, 10, 11] which contains the Higgs superfields  $H(10)$ ,  $\overline{\Delta}(\overline{126}) + \Delta(126)$  and  $\Phi(210)$ . The simplest extension of MSSO10 which contains one more  $D(120)$  is studied in [19, 20, 21]. There are also models which use  $A(45)$  and  $E(54)$  instead of  $\Phi(210)$  to break  $SO(10)$ [6, 23]. Most of the previous studies use the  $G_{422}$  subgroup, except in [22] where the MSSO10 is studied using the  $G_{51}$ .

Using  $G_{422}$ , the most general renormalizable couplings containing fields  $H(10)$ ,  $D(120)$ ,  $\overline{\Delta}(\overline{126}) + \Delta(126)$ ,  $A(45)$ ,  $E(54)$  and  $\Phi(210)$  have been studied in [12]. This general model offers powerful tools for building realistic models which may need all these fields [24]. However, the general model has not been checked entirely and an independent treatment using  $G_{51}$  subgroup is absent. The realization of gauge coupling unification[25, 26, 27, 28] can be most easily discussed within the  $SU(5)$  subgroup of  $SO(10)$ , even this  $SU(5)$  is only approximate. Also, in the missing partner model of  $SO(10)$ [29], the solution to the outstanding problem of doublet-triplet splitting depends on the group structure of  $SU(5)$ . The recent study of the  $B-L = -2$  operators is also based on the  $SU(5)$  language[22]. Thus a study of the most general renormalizable couplings containing fields  $H(10)$ ,  $D(120)$ ,  $\overline{\Delta}(\overline{126}) + \Delta(126)$ ,  $A(45)$ ,  $E(54)$  and  $\Phi(210)$  based on the  $G_{51}$  subgroup is highly desirable, both as an independent check on [12] and as a tool for future model building, compliment to the  $G_{422}$  approach.

In the present work, we will study the SUSY  $SO(10)$  models using its maximal subgroup  $G_{51}$ . Using the most general renormalizable superpotential as in [12], we will calculate the Clebsch-Gordan Coefficients (CGCs) using  $G_{51}$ . After introducing notations and explaining the states in Section 2, we will give illustrative examples on the CGC calculations in Section 3, study the superpotential and the symmetry breaking conditions in Section 4, and present all the masses and mass matrices in Section 5. Then we will compare our results with those in the literature in Section 6 and summarize in Section 7.

## 2 Notations and states

A  $SO(2N)$  group can be studied using the  $SU(N)$  basis [30]. Our  $SO(10)$  notations mainly follow [12] in the  $SU(5)$  or the  $Y$  diagonal basis[5] defined by  $1 \equiv 1' + 2'i$ ,  $2 \equiv 1' - 2'i$ ,  $\dots$ ,  $9 \equiv 9' + 0'i$ ,  $0 \equiv 9' - 0'i$ , besides a normalization factor  $\frac{1}{\sqrt{2}}$ . Here  $1', 2', \dots, 9', 0'$  are the conventional  $SO(10)$  basis. Then  $(1, 3, 5, 7, 9)$  and  $(2, 4, 6, 8, 0)$  transform as  $(\mathbf{5}, 2)$  and  $(\overline{\mathbf{5}}, -2)$ , respectively, under

$SU(5) \times U(1)_X$ . Also, in larger  $SU(5)$  representations, they correspond to the superscripts and the subscripts, respectively, of tensors of higher ranks. We will take 1, 2, 3, 4 as the weak indices, and 6, 7, 8, 9, 0 as the color indices.

For  $H(10)$  of  $SO(10)$ , it contains

$$\begin{aligned}\widehat{H}_{(5,2)}^{(1,2,\frac{1}{2})} &= [1, 3], & \widehat{H}_{(5,2)}^{(3,1,-\frac{1}{3})} &= [5, 7, 9], \\ \widehat{H}_{(\bar{5},-2)}^{(1,2,-\frac{1}{2})} &= [2, 4], & \widehat{H}_{(\bar{5},-2)}^{(3,1,\frac{1}{3})} &= [6, 8, 0].\end{aligned}\quad (1)$$

Hereon we will denote a state as  $R_{(I,x)}^i$ , where  $R$  and  $I$  are the  $SO(10)$  and  $SU(5)$  representations, respectively,  $x$  is the  $U(1)_X$  quantum number, and  $i$  is the SM representation.

The states in the anti-symmetric  $A(45)$  of  $SO(10)$  can be constructed from the product of two (different)  $H(10)$ s.  $(5 \otimes \bar{5})_A = 1 \oplus 24$  gives

$$\begin{pmatrix} 1 \\ 3 \\ 5 \\ 7 \\ 9 \end{pmatrix} \otimes (2 \ 4 \ 6 \ 8 \ 0) - \left[ \begin{pmatrix} 2 \\ 4 \\ 6 \\ 8 \\ 0 \end{pmatrix} \otimes (1 \ 3 \ 5 \ 7 \ 9) \right]^T = \left( \begin{array}{cc|cc} (12) & (14) & (16) & (18) & (10) \\ (32) & (34) & (36) & (38) & (30) \\ \hline (52) & (54) & (56) & (58) & (50) \\ (72) & (74) & (76) & (78) & (70) \\ (92) & (94) & (96) & (98) & (90) \end{array} \right), \quad (2)$$

so that

$$\begin{aligned}\widehat{A}_{(1,0)}^{(1,1,0)} &= \frac{i}{\sqrt{10}}(12 + 34 + 56 + 78 + 90), \\ \widehat{A}_{(24,0)}^{(1,1,0)} &= \frac{i}{\sqrt{60}}\left(3 \times [12 + 34] - 2 \times [56 + 78 + 90]\right), \\ \widehat{A}_{(24,0)}^{(1,3,0)} &= \frac{i}{\sqrt{2}}\left(14, 32, \frac{12 - 34}{\sqrt{2}}\right), \\ \widehat{A}_{(24,0)}^{(8,1,0)} &= \frac{i}{\sqrt{2}}\left(58, 50, 70, 76, 96, 98, \frac{1}{\sqrt{2}}[56 - 78], \frac{1}{\sqrt{6}}[56 + 78 - 2[90]]\right), \\ \widehat{A}_{(24,0)}^{(3,2,-\frac{5}{6})} &= \frac{i}{\sqrt{2}}(25, 27, 29, 45, 47, 49) = \frac{i}{\sqrt{2}}\left([2, 4][5, 7, 9]\right), \\ \widehat{A}_{(24,0)}^{(\bar{3},2,\frac{5}{6})} &= -\frac{i}{\sqrt{2}}\left([1, 3][6, 8, 0]\right),\end{aligned}\quad (3)$$

where the parenthesis means anti-symmetrization  $(ab) = ab - ba$ , and the square bracket are used for grouping of indices into complete  $SU(2)_L$  and  $SU(3)_C$  representations. In the brackets, the italicized integer numbers stand for numerical factors to be distinguished from the  $SO(10)$  indices. The anti-symmetric part of the  $SU(5)$  product  $(5 \otimes 5)_A = 10$  gives

$$\begin{pmatrix} 1 \\ 3 \\ 5 \\ 7 \\ 9 \end{pmatrix} \otimes (1 \ 3 \ 5 \ 7 \ 9) - \left[ \begin{pmatrix} 1 \\ 3 \\ 5 \\ 7 \\ 9 \end{pmatrix} \otimes (1 \ 3 \ 5 \ 7 \ 9) \right]^T = \left( \begin{array}{cc|cc} 0 & (13) & (15) & (17) & (19) \\ (31) & 0 & (35) & (37) & (39) \\ \hline (51) & (53) & 0 & (57) & (59) \\ (71) & (73) & (75) & 0 & (79) \\ (91) & (93) & (95) & (97) & 0 \end{array} \right), \quad (4)$$

so that

$$\begin{aligned}
\widehat{A}_{(10,4)}^{(1,1,1)} &= \frac{i}{\sqrt{2}}(13), \\
\widehat{A}_{(10,4)}^{(3,2,\frac{1}{6})} &= \frac{i}{\sqrt{2}}(15, 17, 19, 35, 37, 39) = \frac{i}{\sqrt{2}}([1, 3][5, 7, 9]), \\
\widehat{A}_{(10,4)}^{(\bar{3},1,-\frac{2}{3})} &= \frac{i}{\sqrt{2}}(79, 95, 57),
\end{aligned} \tag{5}$$

and  $(\bar{5} \otimes \bar{5})_A = \bar{10}$  gives

$$\begin{pmatrix} 2 \\ 4 \\ 6 \\ 8 \\ 0 \end{pmatrix} \otimes (2 \ 4 \ 6 \ 8 \ 0) - \left[ \begin{pmatrix} 2 \\ 4 \\ 6 \\ 8 \\ 0 \end{pmatrix} \otimes (2 \ 4 \ 6 \ 8 \ 0) \right]^T = \begin{pmatrix} 0 & (24) & (26) & (28) & (20) \\ (42) & 0 & (46) & (48) & (40) \\ (62) & (64) & 0 & (68) & (60) \\ (82) & (84) & (86) & 0 & (80) \\ (02) & (04) & (06) & (08) & 0 \end{pmatrix}, \tag{6}$$

so that

$$\begin{aligned}
\widehat{A}_{(\bar{10},-4)}^{(1,1,1)} &= -\frac{i}{\sqrt{2}}(24), \\
\widehat{A}_{(\bar{10},-4)}^{(\bar{3},2,-\frac{1}{6})} &= -\frac{i}{\sqrt{2}}(26, 28, 20, 46, 48, 40) = -\frac{i}{\sqrt{2}}([2, 4][6, 8, 0]), \\
\widehat{A}_{(\bar{10},-4)}^{(3,1,\frac{2}{3})} &= -\frac{i}{\sqrt{2}}(80, 06, 68).
\end{aligned} \tag{7}$$

In (3,5,7) the factor  $i$  or  $-i$  are included in accord with the notations in [12]. The states in  $E(54)$  of  $SO(10)$  can be constructed in a similar way, *e.g.*,

$$\widehat{E}_{(24,0)}^{(1,1,0)} = \frac{1}{\sqrt{60}}\{\mathcal{3} \times [12 + 34] - 2 \times [56 + 78 + 90]\}. \tag{8}$$

Here the curly brackets stand for symmetrization  $\{ab\} = ab + ba$ .

Higher ranked representations of  $SO(10)$  can be constructed similarly.  $D(120)$  can be constructed from anti-symmetrizing  $10 \otimes 45$ , and  $\Delta(126) - \bar{\Delta}(\bar{126})$  from  $45 \otimes 120$ . For example,

$$\begin{aligned}
\widehat{D}_{(\bar{10},6)}^{(1,1,-1)} &= \frac{1}{N} \left( \widehat{H}_{(5,2)}^{(3,1,-\frac{1}{3})} \otimes \widehat{A}_{(10,4)}^{(\bar{3},1,-\frac{2}{3})} \right)_A = \frac{1}{N} \left( [5, 7, 9] \otimes (79, 95, 57) \right)_A = \frac{1}{\sqrt{6}}(579), \\
\widehat{\Delta}_{(1,10)}^{(1,1,0)} &= \frac{1}{N'} \left( \widehat{D}_{(\bar{10},6)}^{(1,1,-1)} \otimes \widehat{A}_{(10,4)}^{(1,1,1)} \right)_A = \frac{1}{N'} \left( (579) \otimes (13) \right)_A = \frac{1}{\sqrt{120}}(13579),
\end{aligned} \tag{9}$$

where  $N, N'$  are normalization factors which are only determined at the ends of the identities. Under the complex conjugation (c.c), we have  $\bar{1} = 2, \bar{3} = 4, \bar{5} = 6, \bar{7} = 8, \bar{9} = 0$ , and vice versa. So, we have

$$\widehat{\Delta}_{(1,-10)}^{(1,1,0)} = \frac{1}{\sqrt{120}}(\bar{13579}) = \frac{1}{\sqrt{120}}(24680). \tag{10}$$

As can be easily verified,  $\widehat{\Delta}_{(1,10)}^{(1,1,0)}$  and  $\widehat{\Delta}_{(1,-10)}^{(1,1,0)}$  satisfy

$$\begin{aligned} i\varepsilon_{\bar{a}_1\bar{a}_2\bar{a}_3\bar{a}_4\bar{a}_5\bar{a}_6\bar{a}_7\bar{a}_8\bar{a}_9\bar{a}_0}\overline{\Delta}_{a_6a_7a_8a_9a_0} &= \overline{\Delta}_{\bar{a}_1\bar{a}_2\bar{a}_3\bar{a}_4\bar{a}_5}, \\ i\varepsilon_{\bar{a}_1\bar{a}_2\bar{a}_3\bar{a}_4\bar{a}_5\bar{a}_6\bar{a}_7\bar{a}_8\bar{a}_9\bar{a}_0}\Delta_{a_6a_7a_8a_9a_0} &= -\Delta_{\bar{a}_1\bar{a}_2\bar{a}_3\bar{a}_4\bar{a}_5}, \end{aligned} \quad (11)$$

where  $i\varepsilon_{1234567890} = 1$ .

$\Phi(210)$  can be constructed from  $45 \otimes 45$ , *e.g.*,

$$\begin{aligned} \hat{\Phi}_{(1,0)}^{(1,1,0)} &= \frac{1}{N_1}\widehat{A}_{(1,0)}^{(1,1,0)} \otimes \widehat{A}_{(1,0)}^{(1,1,0)} \\ &= -\frac{1}{\sqrt{240}}(1234 + 1256 + 1278 + 1296 + 3456 + 3478 + 3496 + 5678 + 5690 + 7890) \\ &= -\frac{1}{\sqrt{240}}(1234 + [5678 + 5690 + 7890] + [12 + 34][56 + 78 + 90]), \quad (12) \\ \hat{\Phi}_{(24,0)}^{(1,1,0)} &= \frac{1}{N_2}\widehat{A}_{(1,0)}^{(1,1,0)} \otimes \widehat{A}_{(24,0)}^{(1,1,0)} \\ &= -\frac{1}{N_2}([12 + 34] + [56 + 78 + 90]) \otimes (\mathcal{B} \times [12 + 34] - \mathcal{C} \times [56 + 78 + 90]) \\ &= -\frac{1}{\sqrt{90 \times 24}}(6 \times [1234] + [12 + 34][56 + 78 + 90] - 4 \times [5678 + 5690 + 7890]), \quad (13) \end{aligned}$$

where  $N_{1,2}$  are normalization factors, and

$$\widehat{A}_{(24,0)}^{(1,1,0)} \otimes \widehat{A}_{(24,0)}^{(1,1,0)} = (9 \times [1234] - 6[12 + 34][56 + 78 + 90] + 4 \times [5678 + 5690 + 7890])$$

contains not only  $\hat{\Phi}_{(1,0)}^{(1,1,0)}$  and  $\hat{\Phi}_{(24,0)}^{(1,1,0)}$ , but also a state orthogonal to them which is

$$\hat{\Phi}_{(75,0)}^{(1,1,0)} = -\frac{1}{\sqrt{18 \times 24}}(\mathcal{B} \times [1234] - [12 + 34][56 + 78 + 90] + [5678 + 5690 + 7890]). \quad (14)$$

The SM singlets which break SO(10) into its SM subgroup when they get VEVs are:

$$\hat{a}_1 \equiv \hat{A}_{(1,0)}^{(1,1,0)} = \frac{i}{\sqrt{10}}(12 + 34 + 56 + 78 + 90), \quad (15)$$

$$\hat{a}_2 \equiv \hat{A}_{(24,0)}^{(1,1,0)} = \frac{i}{\sqrt{60}}(\mathcal{3} \times [12 + 34] - \mathcal{2} \times [56 + 78 + 90]), \quad (16)$$

$$\hat{E} \equiv \hat{E}_{(24,0)}^{(1,1,0)} = \frac{1}{\sqrt{60}}\{\mathcal{3} \times [12 + 34] - \mathcal{2} \times [56 + 78 + 90]\}, \quad (17)$$

$$\widehat{V}_R \equiv \widehat{\Delta}_{(1,-10)}^{(1,1,0)} = \frac{1}{\sqrt{120}}(24680), \quad (18)$$

$$\widehat{V}_R \equiv \widehat{\Delta}_{(1,10)}^{(1,1,0)} = \frac{1}{\sqrt{120}}(13579), \quad (19)$$

$$\hat{\phi}_1 \equiv \hat{\Phi}_{(1,0)}^{(1,1,0)} = -\frac{1}{\sqrt{240}}(1234 + [5678 + 5690 + 7890] + [12 + 34][56 + 78 + 90]), \quad (20)$$

$$\hat{\phi}_2 \equiv \hat{\Phi}_{(24,0)}^{(1,1,0)} = -\frac{1}{\sqrt{90 \times 24}}(6 \times [1234] - 4 \times [5678 + 5690 + 7890] + [12 + 34][56 + 78 + 90]), \quad (21)$$

$$\hat{\phi}_3 \equiv \hat{\Phi}_{(75,0)}^{(1,1,0)} = -\frac{1}{\sqrt{18 \times 24}}(\mathcal{3} \times [1234] + [5678 + 5690 + 7890] - [12 + 34][56 + 78 + 90]). \quad (22)$$

A minus sign is included in (12-14) following [12]. The normalizaion factors before are chosen according to the requirement of  $\widehat{R}_{(I,x)}^i \widehat{R}_{(I,-x)}^{\bar{i}} = 1$ . Note that the extra factors  $\pm i$  in  $A$  and  $-1$  in  $\phi_{1,2,3}$  follow [12], so that there may exist extra minus sign in some CGCs involving them which actually do not violate the symmetries in the CGCs.

The other states are summarized in Table 1-5, where different states of the same SM representations in a same SO(10) field are distinguished by their different representations under  $G_{51}$ . In Table 1, all would-be Goldstone states are given.

Table 1: States in the would-be Goldstone modes.

$(\mathbf{1}, \mathbf{1}, 1) + c.c.$	$\widehat{A}_{(10,4)}^{(1,1,1)}$ $\widehat{D}_{(10,-6)}^{(1,1,1)}$ $\widehat{\Delta}_{(10,-6)}^{(1,1,1)}$ $\widehat{\Phi}_{(10,4)}^{(1,1,1)}$	$\frac{i}{\sqrt{2}} (13) + c.c.$ $\frac{1}{\sqrt{6}} (680) + c.c.$ $\frac{1}{\sqrt{240}} ([12 + 34] 680) + c.c.$ $\frac{1}{\sqrt{72}} (13 [56 + 78 + 90]) + c.c.$
$(\mathbf{3}, \mathbf{1}, \frac{2}{3}) + c.c.$	$\widehat{A}_{(10,-4)}^{(3,1,\frac{2}{3})}$ $\widehat{D}_{(10,6)}^{(3,1,\frac{2}{3})}$ $\widehat{\Delta}_{(10,6)}^{(3,1,\frac{2}{3})}$ $\widehat{\Phi}_{(10,-4)}^{(3,1,\frac{2}{3})}$ $\widehat{\Phi}_{(40,-4)}^{(3,1,\frac{2}{3})}$	$\frac{i}{\sqrt{2}} (80, 06, 68) + c.c.$ $\frac{1}{\sqrt{6}} (13 [5, 7, 9]) + c.c.$ $\frac{1}{\sqrt{240}} (13 [5 [78 + 90], 7 [56 + 90], 9 [56 + 78]]) + c.c.$ $\frac{1}{\sqrt{72}} ([12 + 34] [80, 06, 68] + [5680, 7806, 9068]) + c.c.$ $\frac{1}{\sqrt{144}} (2 \times [5680, 7806, 9068] - [12 + 34] [80, 06, 68]) + c.c.$
$(\mathbf{3}, \mathbf{2}, -\frac{5}{6}) + c.c.$	$\widehat{A}_{(24,0)}^{(3,2,-\frac{5}{6})}$ $\widehat{E}_{(24,0)}^{(3,2,-\frac{5}{6})}$ $\widehat{\Phi}_{(24,0)}^{(3,2,-\frac{5}{6})}$ $\widehat{\Phi}_{(75,0)}^{(3,2,-\frac{5}{6})}$	$\frac{i}{\sqrt{2}} ([2, 4] [5, 7, 9]) + c.c.$ $\frac{1}{\sqrt{2}} \{[2, 4] [5, 7, 9]\} + c.c.$ $\frac{1}{\sqrt{72}} \left( [234, 124] [5, 7, 9] \right.$ $\left. + [2, 4] [5 [78 + 90], 7 [56 + 90], 9 [56 + 78]] \right) + c.c.$ $\frac{1}{\sqrt{144}} \left( 2 \times [234, 124] [5, 7, 9] \right.$ $\left. - [2, 4] [5 [78 + 90], 7 [56 + 90], 9 [56 + 78]] \right) + c.c.$
$(\mathbf{3}, \mathbf{2}, \frac{1}{6}) + c.c.$	$\widehat{A}_{(10,4)}^{(3,2,\frac{1}{6})}$ $\widehat{E}_{(15,4)}^{(3,2,\frac{1}{6})}$ $\widehat{D}_{(10,-6)}^{(3,2,\frac{1}{6})}$ $\widehat{\Delta}_{(10,-6)}^{(3,2,\frac{1}{6})}$ $\widehat{\Delta}_{(15,-6)}^{(3,2,\frac{1}{6})}$ $\widehat{\Phi}_{(10,4)}^{(3,2,\frac{1}{6})}$ $\widehat{\Phi}_{(40,4)}^{(3,2,\frac{1}{6})}$	$\frac{i}{\sqrt{2}} ([1, 3] [5, 7, 9]) + c.c.$ $\frac{1}{\sqrt{2}} \{[1, 3] [5, 7, 9]\} + c.c.$ $\frac{1}{\sqrt{6}} ([-4, 2] [80, 06, 68]) + c.c.$ $\frac{1}{\sqrt{240}} \left[ ([-124, 234] [80, 06, 68]) + ([-4, 2] [5680, 7806, 9068]) \right] + c.c.$ $\frac{1}{\sqrt{240}} \left[ ([-124, 234] [80, 06, 68]) - ([-4, 2] [5680, 7806, 9068]) \right] + c.c.$ $\frac{1}{\sqrt{72}} \left( [134, 123] [5, 7, 9] \right.$ $\left. + [1, 3] [5 [78 + 90], 7 [56 + 90], 9 [56 + 78]] \right) + c.c.$ $\frac{1}{\sqrt{144}} \left( 2 \times [134, 123] [5, 7, 9] \right.$ $\left. - [1, 3] [5 [78 + 90], 7 [56 + 90], 9 [56 + 78]] \right) + c.c.$

Table 2: States in  $[(\mathbf{1}, \mathbf{2}, \frac{1}{2}) + c.c.]$ .

$(\mathbf{1}, \mathbf{2}, \frac{1}{2}) + c.c.$	$\widehat{H}_{(5,2)}^{(1,2,\frac{1}{2})}$	$[1, 3] + c.c.$
	$\widehat{D}_{(5,2)}^{(1,2,\frac{1}{2})}$	$\frac{1}{\sqrt{24}} ([134, 123] + [1, 3] [56 + 78 + 90]) + c.c.$
	$\widehat{D}_{(45,2)}^{(1,2,\frac{1}{2})}$	$\frac{1}{\sqrt{72}} (3 \times [134, 123] - [1, 3] [56 + 78 + 90]) + c.c.$
	$\widehat{\Delta}_{(45,2)}^{(1,2,\frac{1}{2})}$	$\frac{1}{\sqrt{720}} \left[ ([134, 123] [56 + 78 + 90]) - ([1, 3] [5678 + 5690 + 7890]) \right] + c.c.$
	$\widehat{\Delta}_{(5,2)}^{(1,2,\frac{1}{2})}$	$\frac{1}{\sqrt{720}} \left[ ([134, 123] [56 + 78 + 90]) + ([1, 3] [5678 + 5690 + 7890]) \right] + c.c.$
	$\widehat{\Phi}_{(5,-8)}^{(1,2,\frac{1}{2})}$	$\frac{1}{\sqrt{24}} ([-4, 2] 680) + c.c.$

Table 3: States in  $[(\mathbf{3}, \mathbf{1}, -\frac{1}{3}) + c.c.]$ .

$(\mathbf{3}, \mathbf{1}, -\frac{1}{3}) + c.c.$	$\widehat{H}_{(5,2)}^{(3,1,-\frac{1}{3})}$	$[5, 7, 9] + c.c.$
	$\widehat{D}_{(5,2)}^{(3,1,-\frac{1}{3})}$	$\frac{1}{\sqrt{24}} ([12 + 34] [5, 7, 9] + [5 [78 + 90], 7 [56 + 90], 9 [56 + 78]]) + c.c.$
	$\widehat{D}_{(45,-2)}^{(3,1,-\frac{1}{3})}$	$\frac{1}{\sqrt{24}} ([12 + 34] [5, 7, 9] - [5 [78 + 90], 7 [56 + 90], 9 [56 + 78]]) + c.c.$
	$\widehat{\Delta}_{(45,2)}^{(3,1,-\frac{1}{3})}$	$\frac{1}{\sqrt{240}} \left[ (1234 [5, 7, 9]) - (57890, 56790, 56789) \right] + c.c.$
	$\widehat{\Delta}_{(5,2)}^{(3,1,-\frac{1}{3})}$	$\frac{1}{\sqrt{720}} \left[ (1234 [5, 7, 9]) + (57890, 56790, 56789) \right. \\ \left. + ([12 + 34] [5 [78 + 90], 7 [56 + 90], 9 [56 + 78]]) \right] + c.c.$
	$\widehat{\Delta}_{(50,2)}^{(3,1,-\frac{1}{3})}$	$\frac{1}{\sqrt{1440}} \left[ 2 \times ((1234 [5, 7, 9]) + (57890, 56790, 56789)) \right. \\ \left. - ([12 + 34] [5 [78 + 90], 7 [56 + 90], 9 [56 + 78]]) \right] + c.c.$
	$\widehat{\Phi}_{(5,-8)}^{(3,1,-\frac{1}{3})}$	$\frac{1}{\sqrt{24}} (24 [80, 06, 68]) + c.c.$



Table 4: States in the other  $G_{321}$  multiplets including  $\Delta$  or  $\bar{\Delta}$ .

$(\mathbf{1}, \mathbf{1}, 2) + c.c.$	$\widehat{\Delta}_{(50,-2)}^{(1,1,2)}$	$\frac{1}{\sqrt{120}} (13680) + c.c.$
$(\mathbf{1}, \mathbf{3}, 1) + c.c.$	$\widehat{E}_{(15,4)}^{(1,3,1)}$ $\widehat{\Delta}_{(15,-6)}^{(1,3,1)}$	$\left[ 11, -33, -\frac{\{13\}}{\sqrt{2}} \right] + c.c.$ $\frac{1}{\sqrt{120}} \left( \left[ 14, 32, \frac{12-34}{\sqrt{2}} \right] 680 \right) + c.c.$
$(\mathbf{3}, \mathbf{1}, -\frac{4}{3}) + c.c.$	$\widehat{D}_{(45,-2)}^{(3,1,-\frac{4}{3})}$ $\widehat{\Delta}_{(45,-2)}^{(3,1,-\frac{4}{3})}$	$\frac{1}{\sqrt{6}} (24 [5, 7, 9]) + c.c.$ $\frac{1}{\sqrt{240}} (24 [5 [78 + 90], 7 [56 + 90], 9 [56 + 78]]) + c.c.$
$(\mathbf{3}, \mathbf{2}, \frac{7}{6}) + c.c.$	$\widehat{D}_{(45,-2)}^{(3,2,\frac{7}{6})}$ $\widehat{\Delta}_{(50,-2)}^{(3,2,\frac{7}{6})}$ $\widehat{\Delta}_{(45,-2)}^{(3,2,\frac{7}{6})}$	$\frac{1}{\sqrt{6}} ([1, 3] [80, 06, 68]) + c.c.$ $\frac{1}{\sqrt{240}} ([134, 123] [80, 06, 68] - [1, 3] [5680, 7806, 9068]) + c.c.$ $\frac{1}{\sqrt{240}} ([134, 123] [80, 06, 68] + [1, 3] [5680, 7806, 9068]) + c.c.$
$(\mathbf{3}, \mathbf{3}, -\frac{1}{3}) + c.c.$	$\widehat{D}_{(45,2)}^{(3,3,-\frac{1}{3})}$ $\widehat{\Delta}_{(45,2)}^{(3,3,-\frac{1}{3})}$	$\frac{1}{\sqrt{6}} \left( \left[ 14, 32, \frac{12-34}{\sqrt{2}} \right] [5, 7, 9] \right) + c.c.$ $\frac{1}{\sqrt{240}} \left( \left[ 14, 32, \frac{12-34}{\sqrt{2}} \right] [5 [78 + 90], 7 [56 + 90], 9 [56 + 78]] \right) + c.c.$
$(\mathbf{6}, \mathbf{1}, -\frac{2}{3}) + c.c.$	$\widehat{E}_{(15,4)}^{(6,1,-\frac{2}{3})}$ $\widehat{\Delta}_{(15,-6)}^{(6,1,-\frac{2}{3})}$	$\left[ 55, 77, 99, \frac{\{79\}}{\sqrt{2}}, \frac{\{95\}}{\sqrt{2}}, \frac{\{57\}}{\sqrt{2}} \right] + c.c.$ $\frac{1}{\sqrt{120}} \left( 24 \left[ 580, 670, 689, \frac{6[90-78]}{\sqrt{2}}, \frac{8[56-90]}{\sqrt{2}}, \frac{0[78-56]}{\sqrt{2}} \right] \right) + c.c.$
$(\mathbf{6}, \mathbf{1}, \frac{1}{3}) + c.c.$	$\widehat{D}_{(45,-2)}^{(6,1,\frac{1}{3})}$ $\widehat{\Delta}_{(45,-2)}^{(6,1,\frac{1}{3})}$	$\frac{1}{\sqrt{6}} \left( 580, 670, 689, \frac{6[90-78]}{\sqrt{2}}, \frac{8[56-90]}{\sqrt{2}}, \frac{0[78-56]}{\sqrt{2}} \right) + c.c.$ $\frac{1}{\sqrt{240}} \left( [12 + 34] \left[ 580, 670, 689, \frac{6[90-78]}{\sqrt{2}}, \frac{8[56-90]}{\sqrt{2}}, \frac{0[78-56]}{\sqrt{2}} \right] \right) + c.c.$
$(\mathbf{6}, \mathbf{1}, \frac{4}{3}) + c.c.$	$\widehat{\Delta}_{(50,2)}^{(6,1,\frac{4}{3})}$	$\frac{1}{\sqrt{120}} \left( 13 \left[ 580, 670, 689, \frac{6[90-78]}{\sqrt{2}}, \frac{8[56-90]}{\sqrt{2}}, \frac{0[78-56]}{\sqrt{2}} \right] \right) + c.c.$
$(\mathbf{6}, \mathbf{3}, \frac{1}{3}) + c.c.$	$\widehat{\Delta}_{(50,-2)}^{(6,3,\frac{1}{3})}$	$\frac{1}{\sqrt{120}} \left( \left[ 14, 32, \frac{12-34}{\sqrt{2}} \right] \left[ 580, 670, 689, \frac{6[90-78]}{\sqrt{2}}, \frac{8[56-90]}{\sqrt{2}}, \frac{0[78-56]}{\sqrt{2}} \right] \right) + c.c.$
$(\mathbf{8}, \mathbf{2}, \frac{1}{2}) + c.c.$	$\widehat{D}_{(45,2)}^{(8,2,\frac{1}{2})}$ $\widehat{\Delta}_{(45,2)}^{(8,2,\frac{1}{2})}$ $\widehat{\Delta}_{(50,2)}^{(8,2,\frac{1}{2})}$	$\frac{1}{\sqrt{6}} \left( [1, 3] \left[ 58, 50, 70, 76, 96, 98, \frac{56-78}{\sqrt{2}}, \frac{56+78-2[90]}{\sqrt{6}} \right] \right) + c.c.$ $\frac{1}{\sqrt{240}} \left( [134, 123] \left[ 58, 50, 70, 76, 96, 98, \frac{56-78}{\sqrt{2}}, \frac{56+78-2[90]}{\sqrt{6}} \right] \right.$ $\quad \left. + [1, 3] [5890, 5078, 7056, 7690, 9678, 9856, \frac{5690-7890}{\sqrt{2}}, \frac{2[5678]-5690-7890}{\sqrt{6}}] \right) + c.c.$ $\frac{1}{\sqrt{240}} \left( [134, 123] \left[ 58, 50, 70, 76, 96, 98, \frac{56-78}{\sqrt{2}}, \frac{56+78-2[90]}{\sqrt{6}} \right] \right.$ $\quad \left. - [1, 3] [5890, 5078, 7056, 7690, 9678, 9856, \frac{5690-7890}{\sqrt{2}}, \frac{2[5678]-5690-7890}{\sqrt{6}}] \right) + c.c.$

Table 5: States in the other  $G_{321}$  multiplets including  $\Phi$ .

$(\mathbf{1}, \mathbf{2}, \frac{3}{2}) + c.c.$	$\widehat{\Phi}_{(40,-4)}^{(1,2,\frac{3}{2})}$	$\frac{1}{\sqrt{24}} ([1, 3] 680) + c.c.$
$(\mathbf{1}, \mathbf{3}, 0)$	$\widehat{A}_{(24,0)}^{(1,3,0)}$ $\widehat{E}_{(24,0)}^{(1,3,0)}$ $\widehat{\Phi}_{(24,0)}^{(1,3,0)}$	$\frac{i}{\sqrt{2}} \left( 14, 32, \frac{12-34}{\sqrt{2}} \right)$ $\frac{1}{\sqrt{2}} \left\{ 14, 32, \frac{12-34}{\sqrt{2}} \right\}$ $\frac{1}{\sqrt{72}} \left( \left[ 14, 32, \frac{12-34}{\sqrt{2}} \right] [56 + 78 + 90] \right)$
$(\mathbf{3}, \mathbf{1}, \frac{5}{3}) + c.c.$	$\widehat{\Phi}_{(75,0)}^{(3,1,\frac{5}{3})}$	$\frac{1}{\sqrt{24}} (13 [80, 06, 68]) + c.c.$
$(\mathbf{3}, \mathbf{3}, \frac{2}{3}) + c.c.$	$\widehat{\Phi}_{(40,-4)}^{(3,3,\frac{2}{3})}$	$\frac{1}{\sqrt{24}} \left( \left[ 14, 32, \frac{12-34}{\sqrt{2}} \right] [80, 06, 68] + c.c. \right)$
$(\mathbf{6}, \mathbf{2}, -\frac{1}{6}) + c.c.$	$\widehat{\Phi}_{(40,-4)}^{(6,2,-\frac{1}{6})}$	$\frac{1}{\sqrt{24}} \left( [2, 4] \left[ 580, 670, 689, \frac{6(90-78)}{\sqrt{2}}, \frac{8(56-90)}{\sqrt{2}}, \frac{0(78-56)}{\sqrt{2}} \right] \right) + c.c.$
$(\mathbf{6}, \mathbf{2}, \frac{5}{6}) + c.c.$	$\widehat{\Phi}_{(75,0)}^{(6,2,\frac{5}{6})}$	$\frac{1}{\sqrt{24}} \left( [1, 3] \left[ 580, 670, 689, \frac{6(90-78)}{\sqrt{2}}, \frac{8(56-90)}{\sqrt{2}}, \frac{0(78-56)}{\sqrt{2}} \right] \right) + c.c.$
$(\mathbf{8}, \mathbf{1}, 0)$	$\widehat{A}_{(24,0)}^{(8,1,0)}$ $\widehat{E}_{(24,0)}^{(8,1,0)}$ $\widehat{\Phi}_{(24,0)}^{(8,1,0)}$  $\widehat{\Phi}_{(75,0)}^{(8,1,0)}$	$\frac{i}{\sqrt{2}} \left( 58, 50, 70, 76, 96, 98, \frac{1}{\sqrt{2}} [56 - 78], \frac{1}{\sqrt{6}} [56 + 78 - 2[90]] \right)$ $\frac{1}{\sqrt{2}} \left\{ 58, 50, 70, 76, 96, 98, \frac{1}{\sqrt{2}} [56 - 78], \frac{1}{\sqrt{6}} [56 + 78 - 2[90]] \right\}$ $\frac{1}{\sqrt{72}} \left( \left[ 5890, 5078, 7056, 7690, 9678, 9856, \frac{1}{\sqrt{2}} [5690 - 7890], \right. \right.$ $\quad \left. \frac{1}{\sqrt{6}} [2[5678] - 5690 - 7890] \right]$ $\quad + [12 + 34] \left[ 58, 50, 70, 76, 96, 98, \frac{1}{\sqrt{2}} [56 - 78], \right.$ $\quad \left. \frac{1}{\sqrt{6}} [56 + 78 - 2[90]] \right] \left. \right)$ $\frac{1}{\sqrt{144}} \left( 2 \times \left[ 5890, 5078, 7056, 7690, 9678, 9856, \frac{1}{\sqrt{2}} [5690 - 7890], \right. \right.$ $\quad \left. \frac{1}{\sqrt{6}} [2[5678] - 5690 - 7890] \right]$ $\quad - [12 + 34] \left[ 58, 50, 70, 76, 96, 98, \frac{1}{\sqrt{2}} [56 - 78], \right.$ $\quad \left. \frac{1}{\sqrt{6}} [56 + 78 - 2[90]] \right] \left. \right)$
$(\mathbf{8}, \mathbf{1}, 1) + c.c.$	$\widehat{\Phi}_{(40,4)}^{(8,1,1)}$	$\frac{1}{\sqrt{24}} \left( 13 \left[ 58, 50, 70, 76, 96, 98, \frac{1}{\sqrt{2}} [56 - 78], \right. \right.$ $\quad \left. \frac{1}{\sqrt{6}} [56 + 78 - 2[90]] \right] \left. \right) + c.c.$
$(\mathbf{8}, \mathbf{3}, 0)$	$\widehat{\Phi}_{(75,0)}^{(8,3,0)}$	$\frac{1}{\sqrt{24}} \left( \left[ 14, 32, \frac{12-34}{\sqrt{2}} \right] \left[ 58, 50, 70, 76, 96, 98, \frac{1}{\sqrt{2}} [56 - 78], \right. \right.$ $\quad \left. \frac{1}{\sqrt{6}} [56 + 78 - 2[90]] \right] \left. \right)$

### 3 Examples of the CGC calculations

Using the states in (15) and in Table 1-5 all the CGCs can be calculated directly. For example, in the coupling[5, 12]

$$-iA\overline{\Delta}\Delta \equiv -iA_{a'b'}\overline{\Delta}_{a'c'd'e'f'}\Delta_{b'c'd'e'f'} = -iA_{\overline{a}\overline{b}}\overline{\Delta}_{acdef}\Delta_{\overline{b}\overline{c}\overline{d}\overline{e}\overline{f}}, \quad (23)$$

we have

$$\begin{aligned} (-i)(a_1\widehat{a}_1) \cdot (\overline{V}_R\widehat{\overline{V}}_R) \cdot (V_R\widehat{V}_R) &\equiv a_1V_R\overline{V}_R(-i)(\widehat{a}_1 \cdot \widehat{\overline{V}}_R \cdot \widehat{V}_R) \\ &= a_1V_R\overline{V}_R\frac{1}{\sqrt{10}}\frac{1}{\sqrt{120}}\frac{1}{\sqrt{120}}(12 + 34 + 56 + 78 + 90) \cdot (13579) \cdot (24680) \\ &= a_1V_R\overline{V}_R\frac{1}{120\sqrt{10}} \times 5 \times (-21) \cdot (13579) \cdot (24680) \\ &= a_1V_R\overline{V}_R\frac{1}{120\sqrt{10}} \times 5 \times (-1) \times 4! \\ &= a_1V_R\overline{V}_R\left(-\frac{1}{\sqrt{10}}\right). \end{aligned} \quad (24)$$

For another example, in the coupling

$$\frac{1}{120}\varepsilon A\Phi^2 = \frac{1}{120}(-i)\varepsilon_{\overline{a}_1\overline{a}_2\overline{a}_3\overline{a}_4\overline{a}_5\overline{a}_6\overline{a}_7\overline{a}_8\overline{a}_9\overline{a}_0}A_{a_1a_2}\Phi_{a_3a_4a_5a_6}\Phi_{a_7a_8a_9a_0}, \quad (25)$$

we have

$$\begin{aligned} &\frac{1}{120}\varepsilon(a_2\widehat{a}_2) \cdot (\Phi_{(\overline{5},8)}^{(1,2,-\frac{1}{2})}\widehat{\Phi}_{(\overline{5},8)}^{(1,2,-\frac{1}{2})}) \cdot (\Phi_{(5,-8)}^{(1,2,\frac{1}{2})}\widehat{\Phi}_{(5,-8)}^{(1,2,\frac{1}{2})}) \\ &= a_2\Phi_{(\overline{5},8)}^{(1,2,-\frac{1}{2})}\Phi_{(5,-8)}^{(1,2,\frac{1}{2})}\left(\frac{1}{120}\varepsilon \cdot \widehat{a}_2 \cdot \widehat{\Phi}_{(\overline{5},8)}^{(1,2,-\frac{1}{2})} \cdot \widehat{\Phi}_{(5,-8)}^{(1,2,\frac{1}{2})}\right) \\ &= a_2\Phi_{(\overline{5},8)}^{(1,2,-\frac{1}{2})}\Phi_{(5,-8)}^{(1,2,\frac{1}{2})}\frac{1}{120} \times \frac{i}{\sqrt{60}} \times \left(\frac{1}{\sqrt{24}}\right)^2 \times (-i)(\overline{1234567890}) \\ &\quad \cdot (\mathcal{I} \times [12 + 34] - 2 \times [56 + 78 + 90]) \cdot (-3579, 1579) \cdot (-4680, 2680) \\ &= a_2\Phi_{(\overline{5},8)}^{(1,2,-\frac{1}{2})}\Phi_{(5,-8)}^{(1,2,\frac{1}{2})}\frac{1}{24 \times 120\sqrt{60}} \times 3 \times (\overline{1234567890}) \cdot (12) \cdot (-3579) \cdot (-4680) \\ &= a_2\Phi_{(\overline{5},8)}^{(1,2,-\frac{1}{2})}\Phi_{(5,-8)}^{(1,2,\frac{1}{2})}\frac{1}{24 \times 120\sqrt{60}} \times 3 \times 2! \times 4! \times 4! \\ &= a_2\Phi_{(\overline{5},8)}^{(1,2,-\frac{1}{2})}\Phi_{(5,-8)}^{(1,2,\frac{1}{2})}\frac{1}{5}\sqrt{\frac{3}{5}} \end{aligned} \quad (26)$$

There are two directions in  $\widehat{\Phi}_{(\overline{5},8)}^{(1,2,-\frac{1}{2})}$  but only one of which needs to be counted in the calculations.

All the CGCs can be calculated following the examples given above. In the following, we will focus on the couplings with at least one field with large VEV, since they are relevant to the symmetry breaking and the masses. Only the CGCs with at least one SM singlet will be given, although the other CGCs can be calculated without problems.

## 4 The superpotential and the symmetry breaking

The most general renormalizable Higgs superpotential is [12]

$$\begin{aligned}
W &= \frac{1}{2}m_1\Phi^2 + m_2\bar{\Delta}\Delta + \frac{1}{2}m_3H^2 + \frac{1}{2}m_4A^2 + \frac{1}{2}m_5E^2 + \frac{1}{2}m_6D^2 \\
&+ \lambda_1\Phi^3 + \lambda_2\Phi\bar{\Delta}\Delta + (\lambda_3\Delta + \lambda_4\bar{\Delta})H\Phi + \lambda_5A^2\Phi - i\lambda_6A\bar{\Delta}\Delta + \frac{\lambda_7}{120}\varepsilon A\Phi^2 \\
&+ E\left(\lambda_8E^2 + \lambda_9A^2 + \lambda_{10}\Phi^2 + \lambda_{11}\Delta^2 + \lambda_{12}\bar{\Delta}^2 + \lambda_{13}H^2\right) + D^2(\lambda_{14}E + \lambda_{15}\Phi) \\
&+ D\left\{\lambda_{16}HA + \lambda_{17}H\Phi + (\lambda_{18}\Delta + \lambda_{19}\bar{\Delta})A + (\lambda_{20}\Delta + \lambda_{21}\bar{\Delta})\Phi\right\}, \tag{27}
\end{aligned}$$

only the SM singlets are relevant to the symmetry breaking into the SM gauge group. Inserting the VEVs into (27), one obtains

$$\begin{aligned}
\langle W \rangle &= \frac{1}{2}m_1[\phi_1^2 + \phi_2^2 + \phi_3^2] + m_2V_R\bar{V}_R + \frac{1}{2}m_4(a_1^2 + a_2^2) + \frac{1}{2}m_5E^2 \\
&+ \lambda_1\left[\phi_1^3\frac{1}{2\sqrt{15}} - \phi_2^3\frac{7}{54\sqrt{15}} + \phi_3^3\frac{4}{27\sqrt{3}}\right. \\
&\quad \left.+ 3\phi_1(\phi_2^2 - 2\phi_3^2)\frac{1}{12\sqrt{15}} - 3\phi_2\phi_3^2\frac{4}{27\sqrt{15}} + 3\phi_3\phi_2^2\frac{5}{108\sqrt{3}}\right] \\
&+ \lambda_2\phi_1V_R\bar{V}_R\frac{1}{2\sqrt{15}} \\
&+ \lambda_5\left[a_1^2\phi_1\frac{2}{\sqrt{15}} + a_2^2\phi_1\left(-\frac{1}{2\sqrt{15}}\right) - a_2^2\phi_2\frac{1}{3\sqrt{15}} + a_2^2\phi_3\frac{5}{6\sqrt{3}} + 2a_1a_2\phi_2\frac{1}{\sqrt{10}}\right] \\
&+ \lambda_6a_1V_R\bar{V}_R\left(-\frac{1}{\sqrt{10}}\right) \\
&+ \lambda_7\left[a_1\phi_1^2\frac{6}{5\sqrt{10}} - a_1\phi_2^2\frac{4}{5\sqrt{10}} + a_1\phi_3^2\frac{2}{5\sqrt{10}}\right. \\
&\quad \left.- 2a_2\phi_1\phi_2\frac{3}{5\sqrt{15}} + 2a_2\phi_2\phi_3\frac{1}{3\sqrt{3}} + a_2\phi_2^2\frac{4}{15\sqrt{15}} - a_2\phi_3^2\frac{16}{15\sqrt{15}}\right] \\
&+ \lambda_8E^3\frac{1}{2\sqrt{15}} + \lambda_9E\left[a_1a_2\frac{2}{\sqrt{10}} + a_2^2\frac{1}{2\sqrt{15}}\right] \\
&+ \lambda_{10}E\left[\phi_2^2\frac{1}{12\sqrt{15}} + \phi_3^2\frac{2}{3\sqrt{15}} + 2\phi_1\phi_2\frac{3}{4\sqrt{15}} + 2\phi_2\phi_3\frac{5}{12\sqrt{3}}\right]. \tag{28}
\end{aligned}$$

Keeping SUSY at the high energy scale requires the D-flatness condition which is

$$|V_R| = |\bar{V}_R|. \tag{29}$$

These VEVs are determined by the F-flatness conditions required by SUSY,

$$\left\{\frac{\partial}{\partial\phi_1}, \frac{\partial}{\partial\phi_2}, \frac{\partial}{\partial\phi_3}, \frac{\partial}{\partial V_R}, \frac{\partial}{\partial\bar{V}_R}, \frac{\partial}{\partial a_1}, \frac{\partial}{\partial a_2}, \frac{\partial}{\partial E}\right\}\langle W \rangle = 0, \tag{30}$$

from which we have

$$\begin{aligned}
0 &= m_1\phi_1 + \lambda_1\phi_1^2\frac{3}{2\sqrt{15}} + \lambda_1(\phi_2^2 - 2\phi_3^2)\frac{1}{4\sqrt{15}} + \lambda_2V_R\bar{V}_R\frac{1}{2\sqrt{15}} + \lambda_5a_1^2\frac{2}{\sqrt{15}} - \lambda_5a_2^2\frac{1}{2\sqrt{15}} \\
&\quad + \lambda_7a_1\phi_1\frac{12}{5\sqrt{10}} - \lambda_7a_2\phi_2\frac{6}{5\sqrt{15}} + \lambda_{10}E\phi_2\frac{3}{2\sqrt{15}}, \\
0 &= m_1\phi_2 - \lambda_1\phi_2^2\frac{7}{18\sqrt{15}} + \lambda_1\phi_1\phi_2\frac{1}{2\sqrt{15}} - \lambda_1\phi_3^2\frac{4}{9\sqrt{15}} + \lambda_1\phi_2\phi_3\frac{5}{18\sqrt{3}} - \lambda_5a_2^2\frac{1}{3\sqrt{15}} + \lambda_5a_1a_2\frac{2}{\sqrt{10}} \\
&\quad - \lambda_7a_1\phi_2\frac{8}{5\sqrt{10}} - \lambda_7a_2\phi_1\frac{6}{5\sqrt{15}} + \lambda_7a_2\phi_3\frac{2}{3\sqrt{3}} + \lambda_7a_2\phi_2\frac{8}{15\sqrt{15}} \\
&\quad + \lambda_{10}E\phi_2\frac{1}{6\sqrt{15}} + \lambda_{10}E\phi_1\frac{3}{2\sqrt{15}} + \lambda_{10}\phi_3\frac{5}{6\sqrt{3}} \\
0 &= m_1\phi_3 + \lambda_1\phi_3^2\frac{4}{9\sqrt{3}} - \lambda_1\phi_1\phi_3\frac{1}{\sqrt{15}} - \lambda_1\phi_2\phi_3\frac{8}{9\sqrt{15}} + \lambda_1\phi_2^2\frac{5}{36\sqrt{3}} + \lambda_5a_2^2\frac{5}{6\sqrt{3}} \\
&\quad + \lambda_7a_1\phi_3\frac{4}{5\sqrt{10}} + \lambda_7a_2\phi_2\frac{2}{3\sqrt{3}} - \lambda_7a_2\phi_3\frac{32}{15\sqrt{15}} + \lambda_{10}E\phi_3\frac{4}{3\sqrt{15}} + \lambda_{10}E\phi_2\frac{5}{6\sqrt{3}}, \\
0 &= V_R \text{ or } \bar{V}_R \left[ m_2 + \lambda_2\phi_1\frac{1}{2\sqrt{15}} - \lambda_6a_1\frac{1}{\sqrt{10}} \right], \\
0 &= m_4a_1 + \lambda_5a_1\phi_1\frac{4}{\sqrt{15}} + \lambda_5a_2\phi_2\frac{2}{\sqrt{10}} - \lambda_6V_R\bar{V}_R\frac{1}{\sqrt{10}} + \lambda_7\phi_1^2\frac{6}{5\sqrt{10}} \\
&\quad - \lambda_7\phi_2^2\frac{4}{5\sqrt{10}} + \lambda_7\phi_3^2\frac{2}{5\sqrt{10}} + \lambda_9Ea_2\frac{2}{\sqrt{10}}, \\
0 &= m_4a_2 + \lambda_5a_1\phi_2\frac{2}{\sqrt{10}} - \lambda_5a_2\phi_1\frac{1}{\sqrt{15}} - \lambda_5a_2\phi_2\frac{2}{3\sqrt{15}} + \lambda_5a_2\phi_3\frac{5}{3\sqrt{3}} - \lambda_7\phi_1\phi_2\frac{6}{5\sqrt{15}} \\
&\quad + \lambda_7\phi_2\phi_3\frac{2}{3\sqrt{3}} + \lambda_7\phi_2^2\frac{4}{15\sqrt{15}} - \lambda_7\phi_3^2\frac{16}{15\sqrt{15}} + \lambda_9Ea_1\frac{2}{\sqrt{10}} + \lambda_9Ea_2\frac{1}{\sqrt{15}}, \\
0 &= m_5E + \lambda_8E^2\frac{3}{2\sqrt{15}} + \lambda_9a_1a_2\frac{2}{\sqrt{10}} + \lambda_9a_2^2\frac{1}{2\sqrt{15}} \\
&\quad + \lambda_{10}\phi_2^2\frac{1}{12\sqrt{15}} + \lambda_{10}\phi_3^2\frac{2}{3\sqrt{15}} + \lambda_{10}\phi_1\phi_2\frac{3}{2\sqrt{15}} + \lambda_{10}\phi_2\phi_3\frac{5}{6\sqrt{3}}. \tag{31}
\end{aligned}$$

## 5 Masses and mass matrices

The masses and mass matrices for the many states in the general model can be given once the VEVs are determined by the superpotential parameters of the model. They are presented in the form

$$M_{R_{(I,x)}^i S_{(J,y)}^j} = M_R \delta_{R\bar{S}} \delta_{I\bar{J}} \delta_{x,-y} + \sum_{T_K} \lambda_{RST} C_{R_{(I,x)}^i S_{(J,y)}^j T_{(K,-x-y)}^{(1,1,0)}} < T_K >$$

, where  $\{\lambda_{RST}\} = \{6\lambda_1, 6\lambda_8, 2\lambda_5, 2\lambda_7, 2\lambda_9, 2\lambda_{10}, 2\lambda_{11}, 2\lambda_{12}, 2\lambda_{13}, 2\lambda_{14}, 2\lambda_{15}, \lambda_2, \lambda_3, \lambda_4, \lambda_6, \lambda_{16}, \lambda_{17}, \lambda_{18}, \lambda_{19}, \lambda_{20}, \lambda_{21}\}$ , and  $C_{R_{(I,x)}^i S_{(J,y)}^j T_{(K,-x-y)}^{(1,1,0)}}$  is a CGC calculated in the  $G_{51}$  basis which is preformed in the present study. We give the masses and mass matrices in the following, from which the CGCs calculated in the present work in the  $G_{51}$  basis can be read off.

(1, 1, 0)

**c:**  $\widehat{A}_{(1,0)}^{(1,1,0)}$ ,  $\widehat{A}_{(24,0)}^{(1,1,0)}$ ,  $\widehat{E}_{(24,0)}^{(1,1,0)}$ ,  $\widehat{\Delta}_{(1,-10)}^{(1,1,0)}$ ,  $\widehat{\Delta}_{(1,10)}^{(1,1,0)}$ ,  $\widehat{\Phi}_{(1,0)}^{(1,1,0)}$ ,  $\widehat{\Phi}_{(24,0)}^{(1,1,0)}$ ,  $\widehat{\Phi}_{(75,0)}^{(1,1,0)}$

**r:**  $\widehat{A}_{(1,0)}^{(1,1,0)}$ ,  $\widehat{A}_{(24,0)}^{(1,1,0)}$ ,  $\widehat{E}_{(75,0)}^{(1,1,0)}$ ,  $\widehat{\Delta}_{(1,10)}^{(1,1,0)}$ ,  $\widehat{\Delta}_{(1,-10)}^{(1,1,0)}$ ,  $\widehat{\Phi}_{(1,0)}^{(1,1,0)}$ ,  $\widehat{\Phi}_{(24,0)}^{(1,1,0)}$ ,  $\widehat{\Phi}_{(75,0)}^{(1,1,0)}$

$$\left( \begin{array}{cccccccc} m_{11}^{(1,1,0)} & m_{12}^{(1,1,0)} & \sqrt{\frac{2}{5}}a_2\lambda_9 & -\frac{\overline{V_R\lambda_6}}{\sqrt{10}} & -\frac{V_R\lambda_6}{\sqrt{10}} & m_{16}^{(1,1,0)} & m_{17}^{(1,1,0)} & \frac{2}{5}\sqrt{\frac{2}{5}}\lambda_7\phi_3 \\ m_{12}^{(1,1,0)} & m_{22}^{(1,1,0)} & m_{23}^{(1,1,0)} & 0 & 0 & m_{26}^{(1,1,0)} & m_{27}^{(1,1,0)} & m_{28}^{(1,1,0)} \\ \sqrt{\frac{2}{5}}a_2\lambda_9 & m_{23}^{(1,1,0)} & m_{33}^{(1,1,0)} & 0 & 0 & \frac{1}{2}\sqrt{\frac{3}{5}}\lambda_{10}\phi_2 & m_{37}^{(1,1,0)} & m_{38}^{(1,1,0)} \\ -\frac{V_R\lambda_6}{\sqrt{10}} & 0 & 0 & m_{44}^{(1,1,0)} & 0 & \frac{V_R\lambda_2}{2\sqrt{15}} & 0 & 0 \\ -\frac{\overline{V_R\lambda_6}}{\sqrt{10}} & 0 & 0 & 0 & m_{44}^{(1,1,0)} & \frac{\overline{V_R\lambda_2}}{2\sqrt{15}} & 0 & 0 \\ m_{16}^{(1,1,0)} & m_{26}^{(1,1,0)} & \frac{1}{2}\sqrt{\frac{3}{5}}\lambda_{10}\phi_2 & \frac{\overline{V_R\lambda_2}}{2\sqrt{15}} & \frac{V_R\lambda_2}{2\sqrt{15}} & m_{66}^{(1,1,0)} & m_{67}^{(1,1,0)} & -\frac{\lambda_1\phi_3}{\sqrt{15}} \\ m_{17}^{(1,1,0)} & m_{27}^{(1,1,0)} & m_{37}^{(1,1,0)} & 0 & 0 & m_{67}^{(1,1,0)} & m_{77}^{(1,1,0)} & m_{78}^{(1,1,0)} \\ \frac{2}{5}\sqrt{\frac{2}{5}}\lambda_7\phi_3 & m_{28}^{(1,1,0)} & m_{38}^{(1,1,0)} & 0 & 0 & -\frac{\lambda_1\phi_3}{\sqrt{15}} & m_{78}^{(1,1,0)} & m_{88}^{(1,1,0)} \end{array} \right), \quad (32)$$

where

$$\begin{aligned}
m_{11}^{(1,1,0)} &\equiv m_4 + \frac{4\lambda_5\phi_1}{\sqrt{15}}, \\
m_{12}^{(1,1,0)} &\equiv \sqrt{\frac{2}{5}}E\lambda_9 + \sqrt{\frac{2}{5}}\lambda_5\phi_2, \\
m_{16}^{(1,1,0)} &\equiv \frac{4a_1\lambda_5}{\sqrt{15}} + \frac{6}{5}\sqrt{\frac{2}{5}}\lambda_7\phi_1, \\
m_{17}^{(1,1,0)} &\equiv \sqrt{\frac{2}{5}}a_2\lambda_5 - \frac{4}{5}\sqrt{\frac{2}{5}}\lambda_7\phi_2, \\
m_{22}^{(1,1,0)} &\equiv m_4 + \frac{E\lambda_9}{\sqrt{15}} - \frac{\lambda_5\phi_1}{\sqrt{15}} - \frac{2\lambda_5\phi_2}{3\sqrt{15}} + \frac{5\lambda_5\phi_3}{3\sqrt{3}}, \\
m_{23}^{(1,1,0)} &\equiv \sqrt{\frac{2}{5}}a_1\lambda_9 + \frac{a_2\lambda_9}{\sqrt{15}}, \\
m_{26}^{(1,1,0)} &\equiv -\frac{a_2\lambda_5}{\sqrt{15}} - \frac{2}{5}\sqrt{\frac{3}{5}}\lambda_7\phi_2, \\
m_{27}^{(1,1,0)} &\equiv \sqrt{\frac{2}{5}}a_1\lambda_5 - \frac{2a_2\lambda_5}{3\sqrt{15}} - \frac{2}{5}\sqrt{\frac{3}{5}}\lambda_7\phi_1 + \frac{8\lambda_7\phi_2}{15\sqrt{15}} + \frac{2\lambda_7\phi_3}{3\sqrt{3}}, \\
m_{28}^{(1,1,0)} &\equiv \frac{5a_2\lambda_5}{3\sqrt{3}} + \frac{2\lambda_7\phi_2}{3\sqrt{3}} - \frac{32\lambda_7\phi_3}{15\sqrt{15}}, \\
m_{33}^{(1,1,0)} &\equiv m_5 + \sqrt{\frac{3}{5}}E\lambda_8, \\
m_{37}^{(1,1,0)} &\equiv \frac{1}{2}\sqrt{\frac{3}{5}}\lambda_{10}\phi_1 + \frac{\lambda_{10}\phi_2}{6\sqrt{15}} + \frac{5\lambda_{10}\phi_3}{6\sqrt{3}}, \\
m_{38}^{(1,1,0)} &\equiv \frac{5\lambda_{10}\phi_2}{6\sqrt{3}} + \frac{4\lambda_{10}\phi_3}{3\sqrt{15}}, \\
m_{44}^{(1,1,0)} &\equiv m_2 - \frac{a_1\lambda_6}{\sqrt{10}} + \frac{\lambda_2\phi_1}{2\sqrt{15}}, \\
m_{66}^{(1,1,0)} &\equiv m_1 + \frac{6}{5}\sqrt{\frac{2}{5}}a_1\lambda_7 + \sqrt{\frac{3}{5}}\lambda_1\phi_1, \\
m_{67}^{(1,1,0)} &\equiv -\frac{2}{5}\sqrt{\frac{3}{5}}a_2\lambda_7 + \frac{1}{2}\sqrt{\frac{3}{5}}E\lambda_{10} + \frac{\lambda_1\phi_2}{2\sqrt{15}}, \\
m_{77}^{(1,1,0)} &\equiv m_1 - \frac{4}{5}\sqrt{\frac{2}{5}}a_1\lambda_7 + \frac{8a_2\lambda_7}{15\sqrt{15}} + \frac{E\lambda_{10}}{6\sqrt{15}} + \frac{\lambda_1\phi_1}{2\sqrt{15}} - \frac{7\lambda_1\phi_2}{9\sqrt{15}} + \frac{5\lambda_1\phi_3}{18\sqrt{3}}, \\
m_{78}^{(1,1,0)} &\equiv \frac{2a_2\lambda_7}{3\sqrt{3}} + \frac{5E\lambda_{10}}{6\sqrt{3}} + \frac{5\lambda_1\phi_2}{18\sqrt{3}} - \frac{8\lambda_1\phi_3}{9\sqrt{15}}, \\
m_{88}^{(1,1,0)} &\equiv m_1 + \frac{2}{5}\sqrt{\frac{2}{5}}a_1\lambda_7 - \frac{32a_2\lambda_7}{15\sqrt{15}} + \frac{4E\lambda_{10}}{3\sqrt{15}} - \frac{\lambda_1\phi_1}{\sqrt{15}} - \frac{8\lambda_1\phi_2}{9\sqrt{15}} + \frac{8\lambda_1\phi_3}{9\sqrt{3}}.
\end{aligned} \tag{33}$$

$[(\mathbf{1}, \mathbf{1}, 1) + c.c.]$

$$\mathbf{c}: \widehat{A}_{(10,4)}^{(1,1,1)}, \widehat{D}_{(10,-6)}^{(1,1,1)}, \widehat{\Delta}_{(10,-6)}^{(1,1,1)}, \widehat{\Phi}_{(10,4)}^{(1,1,1)}$$

$$\mathbf{r}: \widehat{A}_{(10,-4)}^{(1,1,-1)}, \widehat{D}_{(10,6)}^{(1,1,-1)}, \widehat{\Delta}_{(10,6)}^{(1,1,-1)}, \widehat{\Phi}_{(10,-4)}^{(1,1,-1)}$$

$$\begin{pmatrix} m_{11}^{(1,1,1)} & -\frac{i\overline{V}_R\lambda_{19}}{\sqrt{10}} & -\frac{1}{5}\overline{V}_R\lambda_6 & m_{14}^{(1,1,1)} \\ \frac{iV_R\lambda_{18}}{\sqrt{10}} & m_{22}^{(1,1,1)} & m_{23}^{(1,1,1)} & -\frac{V_R\lambda_{20}}{2\sqrt{10}} \\ -\frac{1}{5}V_R\lambda_6 & m_{32}^{(1,1,1)} & m_{33}^{(1,1,1)} & -\frac{1}{10}V_R\lambda_2 \\ m_{14}^{(1,1,1)} & -\frac{V_R\lambda_{21}}{2\sqrt{10}} & -\frac{1}{10}V_R\lambda_2 & m_{44}^{(1,1,1)} \end{pmatrix}, \quad (34)$$

where

$$\begin{aligned} m_{11}^{(1,1,1)} &\equiv m_4 + \sqrt{\frac{3}{5}}E\lambda_9 + \frac{\lambda_5\phi_1}{\sqrt{15}} + \frac{2\lambda_5\phi_2}{\sqrt{15}} + \frac{\lambda_5\phi_3}{\sqrt{3}}, \\ m_{14}^{(1,1,1)} &\equiv -\sqrt{\frac{2}{5}}a_1\lambda_5 + \frac{2a_2\lambda_5}{\sqrt{15}} - \frac{2}{5}\sqrt{\frac{3}{5}}\lambda_7\phi_1 + \frac{8\lambda_7\phi_2}{5\sqrt{15}} - \frac{2\lambda_7\phi_3}{5\sqrt{3}}, \\ m_{22}^{(1,1,1)} &\equiv m_6 - \frac{2E\lambda_{14}}{\sqrt{15}} + \frac{\lambda_{15}\phi_1}{\sqrt{15}} - \frac{4\lambda_{15}\phi_2}{3\sqrt{15}} + \frac{\lambda_{15}\phi_3}{3\sqrt{3}}, \\ m_{23}^{(1,1,1)} &\equiv -\frac{1}{5}ia_1\lambda_{18} - \frac{1}{5}i\sqrt{\frac{3}{2}}a_2\lambda_{18} - \frac{1}{10}\sqrt{\frac{3}{2}}\lambda_{20}\phi_1 - \frac{\lambda_{20}\phi_2}{10\sqrt{6}} + \frac{\lambda_{20}\phi_3}{2\sqrt{30}}, \\ m_{32}^{(1,1,1)} &\equiv \frac{1}{5}ia_1\lambda_{19} + \frac{1}{5}i\sqrt{\frac{3}{2}}a_2\lambda_{19} - \frac{1}{10}\sqrt{\frac{3}{2}}\lambda_{21}\phi_1 - \frac{\lambda_{21}\phi_2}{10\sqrt{6}} + \frac{\lambda_{21}\phi_3}{2\sqrt{30}}, \\ m_{33}^{(1,1,1)} &\equiv m_2 - \frac{3a_1\lambda_6}{5\sqrt{10}} + \frac{1}{5}\sqrt{\frac{3}{5}}a_2\lambda_6 + \frac{\lambda_2\phi_1}{5\sqrt{15}} - \frac{\lambda_2\phi_2}{10\sqrt{15}} + \frac{\lambda_2\phi_3}{10\sqrt{3}}, \\ m_{44}^{(1,1,1)} &\equiv m_1 + \frac{4}{5}\sqrt{\frac{2}{5}}a_1\lambda_7 - \frac{8a_2\lambda_7}{5\sqrt{15}} + \frac{E\lambda_{10}}{2\sqrt{15}} + \frac{1}{2}\sqrt{\frac{3}{5}}\lambda_1\phi_1 - \frac{\lambda_1\phi_2}{3\sqrt{15}} + \frac{5\lambda_1\phi_3}{6\sqrt{3}}. \end{aligned} \quad (35)$$

$[(\mathbf{3}, \mathbf{1}, \frac{2}{3}) + c.c.]$

$$\mathbf{c}: \widehat{A}_{(10,-4)}^{(3,1,\frac{2}{3})}, \widehat{D}_{(10,6)}^{(3,1,\frac{2}{3})}, \widehat{\Delta}_{(10,6)}^{(3,1,\frac{2}{3})}, \widehat{\Phi}_{(10,-4)}^{(3,1,\frac{2}{3})}, \widehat{\Phi}_{(40,-4)}^{(3,1,\frac{2}{3})}$$

$$\mathbf{r}: \widehat{A}_{(10,4)}^{(\overline{3},1,-\frac{2}{3})}, \widehat{D}_{(10,-6)}^{(\overline{3},1,-\frac{2}{3})}, \widehat{\Delta}_{(10,-6)}^{(\overline{3},1,-\frac{2}{3})}, \widehat{\Phi}_{(10,4)}^{(\overline{3},1,-\frac{2}{3})}, \widehat{\Phi}_{(40,4)}^{(\overline{3},1,-\frac{2}{3})}$$

$$\begin{pmatrix} m_{11}^{(3,1,\frac{2}{3})} & -\frac{iV_R\lambda_{18}}{\sqrt{10}} & -\frac{1}{5}V_R\lambda_6 & m_{14}^{(3,1,\frac{2}{3})} & m_{15}^{(3,1,\frac{2}{3})} \\ \frac{i\overline{V}_R\lambda_{19}}{\sqrt{10}} & m_{22}^{(3,1,\frac{2}{3})} & m_{23}^{(3,1,\frac{2}{3})} & \frac{\overline{V}_R\lambda_{21}}{2\sqrt{10}} & 0 \\ -\frac{1}{5}\overline{V}_R\lambda_6 & m_{32}^{(3,1,\frac{2}{3})} & m_{33}^{(3,1,\frac{2}{3})} & -\frac{1}{10}\overline{V}_R\lambda_2 & 0 \\ m_{14}^{(3,1,\frac{2}{3})} & \frac{V_R\lambda_{20}}{2\sqrt{10}} & -\frac{1}{10}V_R\lambda_2 & m_{44}^{(3,1,\frac{2}{3})} & m_{45}^{(3,1,\frac{2}{3})} \\ m_{15}^{(3,1,\frac{2}{3})} & 0 & 0 & m_{45}^{(3,1,\frac{2}{3})} & m_{55}^{(3,1,\frac{2}{3})} \end{pmatrix}, \quad (36)$$



where

$$\begin{aligned}
m_{11}^{(3,1,\frac{2}{3})} &\equiv m_4 - \frac{2E\lambda_9}{\sqrt{15}} + \frac{\lambda_5\phi_1}{\sqrt{15}} - \frac{4\lambda_5\phi_2}{3\sqrt{15}} + \frac{\lambda_5\phi_3}{3\sqrt{3}}, \\
m_{14}^{(3,1,\frac{2}{3})} &\equiv -\sqrt{\frac{2}{5}}a_1\lambda_5 - \frac{4a_2\lambda_5}{3\sqrt{15}} - \frac{2}{5}\sqrt{\frac{3}{5}}\lambda_7\phi_1 - \frac{16\lambda_7\phi_2}{15\sqrt{15}} - \frac{2\lambda_7\phi_3}{15\sqrt{3}}, \\
m_{15}^{(3,1,\frac{2}{3})} &\equiv \frac{1}{3}\sqrt{\frac{10}{3}}a_2\lambda_5 - \frac{2}{3}\sqrt{\frac{2}{15}}\lambda_7\phi_2 - \frac{8}{15}\sqrt{\frac{2}{3}}\lambda_7\phi_3, \\
m_{22}^{(3,1,\frac{2}{3})} &\equiv m_6 + \frac{4E\lambda_{14}}{3\sqrt{15}} + \frac{\lambda_{15}\phi_1}{\sqrt{15}} + \frac{8\lambda_{15}\phi_2}{9\sqrt{15}} + \frac{\lambda_{15}\phi_3}{9\sqrt{3}}, \\
m_{23}^{(3,1,\frac{2}{3})} &\equiv -\frac{1}{5}ia_1\lambda_{19} + \frac{1}{5}i\sqrt{\frac{2}{3}}a_2\lambda_{19} + \frac{1}{10}\sqrt{\frac{3}{2}}\lambda_{21}\phi_1 - \frac{\lambda_{21}\phi_2}{15\sqrt{6}} - \frac{\lambda_{21}\phi_3}{6\sqrt{30}}, \\
m_{32}^{(3,1,\frac{2}{3})} &\equiv \frac{1}{5}ia_1\lambda_{18} - \frac{1}{5}i\sqrt{\frac{2}{3}}a_2\lambda_{18} + \frac{1}{10}\sqrt{\frac{3}{2}}\lambda_{20}\phi_1 - \frac{\lambda_{20}\phi_2}{15\sqrt{6}} - \frac{\lambda_{20}\phi_3}{6\sqrt{30}}, \\
m_{33}^{(3,1,\frac{2}{3})} &\equiv m_2 - \frac{3a_1\lambda_6}{5\sqrt{10}} - \frac{2a_2\lambda_6}{5\sqrt{15}} + \frac{\lambda_2\phi_1}{5\sqrt{15}} + \frac{\lambda_2\phi_2}{15\sqrt{15}} + \frac{\lambda_2\phi_3}{30\sqrt{3}}, \\
m_{44}^{(3,1,\frac{2}{3})} &\equiv m_1 + \frac{4}{5}\sqrt{\frac{2}{5}}a_1\lambda_7 + \frac{16a_2\lambda_7}{15\sqrt{15}} - \frac{E\lambda_{10}}{3\sqrt{15}} + \frac{1}{2}\sqrt{\frac{3}{5}}\lambda_1\phi_1 + \frac{2\lambda_1\phi_2}{9\sqrt{15}} + \frac{5\lambda_1\phi_3}{18\sqrt{3}}, \\
m_{45}^{(3,1,\frac{2}{3})} &\equiv \frac{2}{3}\sqrt{\frac{2}{15}}a_2\lambda_7 - \frac{1}{3}\sqrt{\frac{5}{6}}E\lambda_{10} - \frac{1}{9}\sqrt{\frac{5}{6}}\lambda_1\phi_2 - \frac{2}{9}\sqrt{\frac{2}{3}}\lambda_1\phi_3, \\
m_{55}^{(3,1,\frac{2}{3})} &\equiv m_1 - \frac{2}{5}\sqrt{\frac{2}{5}}a_1\lambda_7 - \frac{28a_2\lambda_7}{15\sqrt{15}} - \frac{7E\lambda_{10}}{6\sqrt{15}} - \frac{1}{9}\sqrt{\frac{5}{3}}\lambda_1\phi_2 + \frac{5\lambda_1\phi_3}{9\sqrt{3}}.
\end{aligned} \tag{37}$$

$[(\mathbf{3}, \mathbf{2}, -\frac{5}{6}) + c.c.]$

$$\mathbf{c}: \widehat{A}_{(24,0)}^{(3,2,-\frac{5}{6})}, \widehat{E}_{(24,0)}^{(3,2,-\frac{5}{6})}, \widehat{\Phi}_{(24,0)}^{(3,2,-\frac{5}{6})}, \widehat{\Phi}_{(75,0)}^{(3,2,-\frac{5}{6})}$$

$$\mathbf{r}: \widehat{A}_{(24,0)}^{(\bar{3},2,\frac{5}{6})}, \widehat{E}_{(24,0)}^{(\bar{3},2,\frac{5}{6})}, \widehat{\Phi}_{(24,0)}^{(\bar{3},2,\frac{5}{6})}, \widehat{\Phi}_{(75,0)}^{(\bar{3},2,\frac{5}{6})}$$

$$\left( \begin{array}{cccc}
m_{11}^{(3,2,-\frac{5}{6})} & -\sqrt{\frac{2}{5}}a_1\lambda_9 - \frac{a_2\lambda_9}{2\sqrt{15}} & m_{13}^{(3,2,-\frac{5}{6})} & m_{14}^{(3,2,-\frac{5}{6})} \\
-\sqrt{\frac{2}{5}}a_1\lambda_9 - \frac{a_2\lambda_9}{2\sqrt{15}} & \frac{1}{2}\sqrt{\frac{3}{5}}E + m_5 & m_{23}^{(3,2,-\frac{5}{6})} & \frac{1}{3}\sqrt{\frac{5}{6}}\lambda_{10}\phi_2 + \frac{\lambda_{10}\phi_3}{3\sqrt{6}} \\
m_{13}^{(3,2,-\frac{5}{6})} & m_{23}^{(3,2,-\frac{5}{6})} & m_{33}^{(3,2,-\frac{5}{6})} & m_{34}^{(3,2,-\frac{5}{6})} \\
m_{14}^{(3,2,-\frac{5}{6})} & \frac{1}{3}\sqrt{\frac{5}{6}}\lambda_{10}\phi_2 + \frac{\lambda_{10}\phi_3}{3\sqrt{6}} & m_{34}^{(3,2,-\frac{5}{6})} & m_{44}^{(3,2,-\frac{5}{6})}
\end{array} \right), \tag{38}$$

where

$$\begin{aligned}
m_{11}^{(3,2,-\frac{5}{6})} &\equiv m_4 + \frac{E\lambda_9}{2\sqrt{15}} - \frac{\lambda_5\phi_1}{\sqrt{15}} - \frac{\lambda_5\phi_2}{3\sqrt{15}} + \frac{\lambda_5\phi_3}{3\sqrt{3}}, \\
m_{13}^{(3,2,-\frac{5}{6})} &\equiv -\sqrt{\frac{2}{5}}a_1\lambda_5 + \frac{a_2\lambda_5}{3\sqrt{15}} + \frac{2}{5}\sqrt{\frac{3}{5}}\lambda_7\phi_1 - \frac{4\lambda_7\phi_2}{15\sqrt{15}} - \frac{2\lambda_7\phi_3}{15\sqrt{3}}, \\
m_{14}^{(3,2,-\frac{5}{6})} &\equiv -\frac{1}{3}\sqrt{\frac{10}{3}}a_2\lambda_5 - \frac{2}{3}\sqrt{\frac{2}{15}}\lambda_7\phi_2 + \frac{4}{15}\sqrt{\frac{2}{3}}\lambda_7\phi_3, \\
m_{23}^{(3,2,-\frac{5}{6})} &\equiv \frac{1}{2}\sqrt{\frac{3}{5}}\lambda_{10}\phi_1 + \frac{\lambda_{10}\phi_2}{12\sqrt{15}} + \frac{\lambda_{10}\phi_3}{6\sqrt{3}}, \\
m_{33}^{(3,2,-\frac{5}{6})} &\equiv m_1 - \frac{4}{5}\sqrt{\frac{2}{5}}a_1\lambda_7 + \frac{4a_2\lambda_7}{15\sqrt{15}} + \frac{E\lambda_{10}}{12\sqrt{15}} + \frac{\lambda_1\phi_1}{2\sqrt{15}} - \frac{7\lambda_1\phi_2}{18\sqrt{15}} + \frac{\lambda_1\phi_3}{18\sqrt{3}}, \\
m_{34}^{(3,2,-\frac{5}{6})} &\equiv \frac{2}{3}\sqrt{\frac{2}{15}}a_2\lambda_7 + \frac{1}{3}\sqrt{\frac{5}{6}}E\lambda_{10} + \frac{1}{9}\sqrt{\frac{5}{6}}\lambda_1\phi_2 - \frac{1}{9}\sqrt{\frac{2}{3}}\lambda_1\phi_3, \\
m_{44}^{(3,2,-\frac{5}{6})} &\equiv m_1 + \frac{2}{5}\sqrt{\frac{2}{5}}a_1\lambda_7 - \frac{22a_2\lambda_7}{15\sqrt{15}} + \frac{11E\lambda_{10}}{12\sqrt{15}} - \frac{\lambda_1\phi_1}{\sqrt{15}} - \frac{11\lambda_1\phi_2}{18\sqrt{15}} + \frac{4\lambda_1\phi_3}{9\sqrt{3}}. \tag{39}
\end{aligned}$$

$[(\mathbf{3}, \mathbf{2}, \frac{1}{6}) + c.c.]$

$$\mathbf{c}: \widehat{A}_{(10,4)}^{(3,2,\frac{1}{6})}, \widehat{E}_{(15,4)}^{(3,2,\frac{1}{6})}, \widehat{D}_{(10,-6)}^{(3,2,\frac{1}{6})}, \widehat{\Delta}_{(10,-6)}^{(3,2,\frac{1}{6})}, \widehat{\Delta}_{(15,-6)}^{(3,2,\frac{1}{6})}, \widehat{\Phi}_{(10,4)}^{(3,2,\frac{1}{6})}, \widehat{\Phi}_{(40,4)}^{(3,2,\frac{1}{6})}$$

$$\mathbf{r}: \widehat{A}_{(10,-4)}^{(\bar{3},2,-\frac{1}{6})}, \widehat{E}_{(15,-4)}^{(\bar{3},2,-\frac{1}{6})}, \widehat{D}_{(10,6)}^{(\bar{3},2,-\frac{1}{6})}, \widehat{\Delta}_{(10,6)}^{(\bar{3},2,-\frac{1}{6})}, \widehat{\Delta}_{(15,6)}^{(\bar{3},2,-\frac{1}{6})}, \widehat{\Phi}_{(10,-4)}^{(\bar{3},2,-\frac{1}{6})}, \widehat{\Phi}_{(40,-4)}^{(\bar{3},2,-\frac{1}{6})}$$

$$\left( \begin{array}{ccccccc}
m_{11}^{(3,2,\frac{1}{6})} & \frac{1}{2}\sqrt{\frac{5}{3}}a_2\lambda_9 & -\frac{i\overline{V}_R\lambda_{19}}{\sqrt{10}} & -\frac{1}{5}\overline{V}_R\lambda_6 & 0 & m_{16}^{(3,2,\frac{1}{6})} & m_{17}^{(3,2,\frac{1}{6})} \\
\frac{1}{2}\sqrt{\frac{5}{3}}a_2\lambda_9 & m_5 + \frac{1}{2}\sqrt{\frac{3}{5}}E\lambda_8 & 0 & 0 & -\frac{2}{5}\overline{V}_R\lambda_{12} & -\frac{1}{4}\sqrt{\frac{5}{3}}\lambda_{10}\phi_2 & -\frac{\lambda_{10}\phi_3}{\sqrt{6}} \\
\frac{i\overline{V}_R\lambda_{18}}{\sqrt{10}} & 0 & m_{33}^{(3,2,\frac{1}{6})} & m_{34}^{(3,2,\frac{1}{6})} & -\frac{ia_2\lambda_{19}}{2\sqrt{6}} - \frac{\lambda_{21}\phi_2}{4\sqrt{6}} & -\frac{V_R\lambda_{20}}{2\sqrt{10}} & 0 \\
-\frac{1}{5}\overline{V}_R\lambda_6 & 0 & m_{43}^{(3,2,\frac{1}{6})} & m_{44}^{(3,2,\frac{1}{6})} & \frac{E\lambda_{12}}{\sqrt{15}} & -\frac{1}{10}\overline{V}_R\lambda_2 & 0 \\
0 & -\frac{2}{5}\overline{V}_R\lambda_{11} & \frac{ia_2\lambda_{18}}{2\sqrt{6}} - \frac{\lambda_{20}\phi_2}{4\sqrt{6}} & \frac{E\lambda_{11}}{\sqrt{15}} & m_{55}^{(3,2,\frac{1}{6})} & 0 & 0 \\
m_{16}^{(3,2,\frac{1}{6})} & -\frac{1}{4}\sqrt{\frac{5}{3}}\lambda_{10}\phi_2 & -\frac{\overline{V}_R\lambda_{21}}{2\sqrt{10}} & -\frac{1}{10}\overline{V}_R\lambda_2 & 0 & m_{66}^{(3,2,\frac{1}{6})} & m_{67}^{(3,2,\frac{1}{6})} \\
m_{17}^{(3,2,\frac{1}{6})} & -\frac{\lambda_{10}\phi_3}{\sqrt{6}} & 0 & 0 & 0 & m_{67}^{(3,2,\frac{1}{6})} & m_{77}^{(3,2,\frac{1}{6})}
\end{array} \right), \tag{40}$$

where

$$\begin{aligned}
m_{11}^{(3,2,\frac{1}{6})} &\equiv m_4 + \frac{E\lambda_9}{2\sqrt{15}} + \frac{\lambda_5\phi_1}{\sqrt{15}} + \frac{\lambda_5\phi_2}{3\sqrt{15}} - \frac{\lambda_5\phi_3}{3\sqrt{3}}, \\
m_{16}^{(3,2,\frac{1}{6})} &\equiv -\sqrt{\frac{2}{5}}a_1\lambda_5 + \frac{a_2\lambda_5}{3\sqrt{15}} - \frac{2}{5}\sqrt{\frac{3}{5}}\lambda_7\phi_1 + \frac{4\lambda_7\phi_2}{15\sqrt{15}} + \frac{2\lambda_7\phi_3}{15\sqrt{3}}, \\
m_{17}^{(3,2,\frac{1}{6})} &\equiv -\frac{1}{3}\sqrt{\frac{10}{3}}a_2\lambda_5 + \frac{2}{3}\sqrt{\frac{2}{15}}\lambda_7\phi_2 - \frac{4}{15}\sqrt{\frac{2}{3}}\lambda_7\phi_3, \\
m_{33}^{(3,2,\frac{1}{6})} &\equiv m_6 - \frac{E\lambda_{14}}{3\sqrt{15}} + \frac{\lambda_{15}\phi_1}{\sqrt{15}} - \frac{2\lambda_{15}\phi_2}{9\sqrt{15}} - \frac{\lambda_{15}\phi_3}{9\sqrt{3}}, \\
m_{34}^{(3,2,\frac{1}{6})} &\equiv -\frac{1}{5}ia_1\lambda_{18} - \frac{ia_2\lambda_{18}}{10\sqrt{6}} - \frac{1}{10}\sqrt{\frac{3}{2}}\lambda_{20}\phi_1 - \frac{\lambda_{20}\phi_2}{60\sqrt{6}} - \frac{\lambda_{20}\phi_3}{6\sqrt{30}}, \\
m_{43}^{(3,2,\frac{1}{6})} &\equiv \frac{1}{5}ia_1\lambda_{19} + \frac{ia_2\lambda_{19}}{10\sqrt{6}} - \frac{1}{10}\sqrt{\frac{3}{2}}\lambda_{21}\phi_1 - \frac{\lambda_{21}\phi_2}{60\sqrt{6}} - \frac{\lambda_{21}\phi_3}{6\sqrt{30}}, \\
m_{44}^{(3,2,\frac{1}{6})} &\equiv m_2 - \frac{3a_1\lambda_6}{5\sqrt{10}} + \frac{a_2\lambda_6}{10\sqrt{15}} + \frac{\lambda_2\phi_1}{5\sqrt{15}} - \frac{\lambda_2\phi_2}{60\sqrt{15}} - \frac{\lambda_2\phi_3}{30\sqrt{3}}, \\
m_{55}^{(3,2,\frac{1}{6})} &\equiv m_2 + \frac{3a_1\lambda_6}{5\sqrt{10}} - \frac{a_2\lambda_6}{10\sqrt{15}} + \frac{\lambda_2\phi_1}{10\sqrt{15}} - \frac{\lambda_2\phi_2}{20\sqrt{15}}, \\
m_{66}^{(3,2,\frac{1}{6})} &\equiv m_1 + \frac{4}{5}\sqrt{\frac{2}{5}}a_1\lambda_7 - \frac{4a_2\lambda_7}{15\sqrt{15}} + \frac{E\lambda_{10}}{12\sqrt{15}} + \frac{1}{2}\sqrt{\frac{3}{5}}\lambda_1\phi_1 - \frac{\lambda_1\phi_2}{18\sqrt{15}} - \frac{5\lambda_1\phi_3}{18\sqrt{3}}, \\
m_{67}^{(3,2,\frac{1}{6})} &\equiv -\frac{2}{3}\sqrt{\frac{2}{15}}a_2\lambda_7 + \frac{1}{3}\sqrt{\frac{5}{6}}E\lambda_{10} + \frac{1}{9}\sqrt{\frac{5}{6}}\lambda_1\phi_2 - \frac{1}{9}\sqrt{\frac{2}{3}}\lambda_1\phi_3, \\
m_{77}^{(3,2,\frac{1}{6})} &\equiv m_1 - \frac{2}{5}\sqrt{\frac{2}{5}}a_1\lambda_7 + \frac{22a_2\lambda_7}{15\sqrt{15}} + \frac{11E\lambda_{10}}{12\sqrt{15}} - \frac{1}{18}\sqrt{\frac{5}{3}}\lambda_1\phi_2 + \frac{\lambda_1\phi_3}{9\sqrt{3}}. \tag{41}
\end{aligned}$$

$[(\mathbf{1}, \mathbf{2}, \frac{1}{2}) + c.c.]$

$$\begin{aligned}
\mathbf{c}: & \widehat{H}_{(5,2)}^{(1,2,\frac{1}{2})}, \widehat{D}_{(5,2)}^{(1,2,\frac{1}{2})}, \widehat{D}_{(45,2)}^{(1,2,\frac{1}{2})}, \widehat{\Delta}_{(45,2)}^{(1,2,\frac{1}{2})}, \widehat{\Delta}_{(5,2)}^{(1,2,\frac{1}{2})}, \widehat{\Phi}_{(5,-8)}^{(1,2,\frac{1}{2})} \\
\mathbf{r}: & \widehat{H}_{(\bar{5},-2)}^{(1,2,-\frac{1}{2})}, \widehat{D}_{(\bar{5},-2)}^{(1,2,-\frac{1}{2})}, \widehat{D}_{(4\bar{5},-2)}^{(1,2,-\frac{1}{2})}, \widehat{\Delta}_{(4\bar{5},-2)}^{(1,2,-\frac{1}{2})}, \widehat{\Delta}_{(\bar{5},-2)}^{(1,2,-\frac{1}{2})}, \widehat{\Phi}_{(\bar{5},8)}^{(1,2,-\frac{1}{2})}
\end{aligned}$$

$$\left( \begin{array}{cccccc}
m_3 + \sqrt{\frac{3}{5}}\lambda_{13}E & m_{12}^{(1,2,\frac{1}{2})} & m_{13}^{(1,2,\frac{1}{2})} & -\frac{\lambda_3\phi_2}{2\sqrt{3}} + \frac{\lambda_3\phi_3}{\sqrt{15}} & m_{15}^{(1,2,\frac{1}{2})} & -\frac{\lambda_4\sqrt{V_R}}{\sqrt{5}} \\
m_{21}^{(1,2,\frac{1}{2})} & m_{22}^{(1,2,\frac{1}{2})} & m_{23}^{(1,2,\frac{1}{2})} & m_{24}^{(1,2,\frac{1}{2})} & m_{25}^{(1,2,\frac{1}{2})} & -\frac{\lambda_{21}\sqrt{V_R}}{\sqrt{30}} \\
m_{31}^{(1,2,\frac{1}{2})} & m_{23}^{(1,2,\frac{1}{2})} & m_{33}^{(1,2,\frac{1}{2})} & m_{34}^{(1,2,\frac{1}{2})} & m_{35}^{(1,2,\frac{1}{2})} & 0 \\
-\frac{\lambda_4\phi_2}{2\sqrt{3}} + \frac{\lambda_4\phi_3}{\sqrt{15}} & m_{42}^{(1,2,\frac{1}{2})} & m_{43}^{(1,2,\frac{1}{2})} & m_{44}^{(1,2,\frac{1}{2})} & \frac{\lambda_{12}E}{\sqrt{15}} & 0 \\
m_{15}^{(1,2,\frac{1}{2})} & m_{52}^{(1,2,\frac{1}{2})} & m_{53}^{(1,2,\frac{1}{2})} & \frac{\lambda_{11}E}{\sqrt{15}} & m_{55}^{(1,2,\frac{1}{2})} & \frac{\lambda_2\sqrt{V_R}}{10} \\
-\frac{\lambda_3\sqrt{V_R}}{\sqrt{5}} & -\frac{\lambda_{20}\sqrt{V_R}}{\sqrt{30}} & 0 & 0 & \frac{\lambda_2\sqrt{V_R}}{10} & m_{66}^{(1,2,\frac{1}{2})}
\end{array} \right), \tag{42}$$

where

$$\begin{aligned}
m_{12}^{(1,2,\frac{1}{2})} &\equiv -\frac{2ia_1\lambda_{16}}{\sqrt{15}} + \frac{ia_2\lambda_{16}}{2\sqrt{10}} - \frac{\lambda_{17}\phi_1}{\sqrt{10}} - \frac{3\lambda_{17}\phi_2}{4\sqrt{10}}, \\
m_{13}^{(1,2,\frac{1}{2})} &\equiv -\frac{1}{2}i\sqrt{\frac{5}{6}}a_2\lambda_{16} - \frac{1}{4}\sqrt{\frac{5}{6}}\lambda_{17}\phi_2 - \frac{\lambda_{17}\phi_3}{\sqrt{6}}, \\
m_{15}^{(1,2,\frac{1}{2})} &\equiv -\frac{1}{5}\sqrt{3}\lambda_4\phi_1 + \frac{1}{10}\sqrt{3}\lambda_4\phi_2, \\
m_{21}^{(1,2,\frac{1}{2})} &\equiv \frac{2ia_1\lambda_{16}}{\sqrt{15}} - \frac{ia_2\lambda_{16}}{2\sqrt{10}} - \frac{\lambda_{17}\phi_1}{\sqrt{10}} - \frac{3\lambda_{17}\phi_2}{4\sqrt{10}}, \\
m_{22}^{(1,2,\frac{1}{2})} &\equiv m_6 + \frac{\lambda_{14}E}{2\sqrt{15}} + \frac{\lambda_{15}\phi_1}{\sqrt{15}} - \frac{\lambda_{15}\phi_2}{2\sqrt{15}}, \\
m_{23}^{(1,2,\frac{1}{2})} &\equiv \frac{1}{6}\sqrt{5}\lambda_{14}E + \frac{1}{18}\sqrt{5}\lambda_{15}\phi_2 - \frac{\lambda_{15}\phi_3}{9}, \\
m_{24}^{(1,2,\frac{1}{2})} &\equiv -\frac{ia_2\lambda_{18}}{4\sqrt{2}} + \frac{\lambda_{20}\phi_2}{24\sqrt{2}} + \frac{\lambda_{20}\phi_3}{6\sqrt{10}}, \\
m_{25}^{(1,2,\frac{1}{2})} &\equiv -\frac{1}{5}i\sqrt{3}a_1\lambda_{19} + \frac{3ia_2\lambda_{19}}{20\sqrt{2}} + \frac{\lambda_{21}\phi_1}{10\sqrt{2}} + \frac{3\lambda_{21}\phi_2}{40\sqrt{2}}, \\
m_{31}^{(1,2,\frac{1}{2})} &\equiv \frac{1}{2}i\sqrt{\frac{5}{6}}a_2\lambda_{16} - \frac{1}{4}\sqrt{\frac{5}{6}}\lambda_{17}\phi_2 - \frac{\lambda_{17}\phi_3}{\sqrt{6}}, \\
m_{33}^{(1,2,\frac{1}{2})} &\equiv m_6 + \frac{13\lambda_{14}E}{6\sqrt{15}} - \frac{\lambda_{15}\phi_1}{3\sqrt{15}} - \frac{7\lambda_{15}\phi_2}{18\sqrt{15}} + \frac{2\lambda_{15}\phi_3}{9\sqrt{3}}, \\
m_{34}^{(1,2,\frac{1}{2})} &\equiv -\frac{1}{5}ia_1\lambda_{18} + \frac{13ia_2\lambda_{18}}{20\sqrt{6}} + \frac{\lambda_{20}\phi_1}{10\sqrt{6}} - \frac{\lambda_{20}\phi_2}{120\sqrt{6}} - \frac{\lambda_{20}\phi_3}{3\sqrt{30}}, \\
m_{35}^{(1,2,\frac{1}{2})} &\equiv \frac{ia_2\lambda_{19}}{4\sqrt{6}} - \frac{\lambda_{21}\phi_2}{24\sqrt{6}} - \frac{\lambda_{21}\phi_3}{6\sqrt{30}}, \\
m_{42}^{(1,2,\frac{1}{2})} &\equiv \frac{ia_2\lambda_{19}}{4\sqrt{2}} + \frac{\lambda_{21}\phi_2}{24\sqrt{2}} + \frac{\lambda_{21}\phi_3}{6\sqrt{10}}, \\
m_{43}^{(1,2,\frac{1}{2})} &\equiv \frac{1}{5}ia_1\lambda_{19} - \frac{13ia_2\lambda_{19}}{20\sqrt{6}} + \frac{\lambda_{21}\phi_1}{10\sqrt{6}} - \frac{\lambda_{21}\phi_2}{120\sqrt{6}} - \frac{\lambda_{21}\phi_3}{3\sqrt{30}}, \\
m_{44}^{(1,2,\frac{1}{2})} &\equiv m_2 + \frac{a_1\lambda_6}{5\sqrt{10}} + \frac{1}{10}\sqrt{\frac{3}{5}}a_2\lambda_6 - \frac{\lambda_2\phi_2}{6\sqrt{15}} + \frac{\lambda_2\phi_3}{15\sqrt{3}}, \\
m_{52}^{(1,2,\frac{1}{2})} &\equiv \frac{1}{5}i\sqrt{3}a_1\lambda_{18} - \frac{3ia_2\lambda_{18}}{20\sqrt{2}} + \frac{\lambda_{20}\phi_1}{10\sqrt{2}} + \frac{3\lambda_{20}\phi_2}{40\sqrt{2}}, \\
m_{53}^{(1,2,\frac{1}{2})} &\equiv -\frac{ia_2\lambda_{18}}{4\sqrt{6}} - \frac{\lambda_{20}\phi_2}{24\sqrt{6}} - \frac{\lambda_{20}\phi_3}{6\sqrt{30}}, \\
m_{55}^{(1,2,\frac{1}{2})} &\equiv m_2 - \frac{a_1\lambda_6}{5\sqrt{10}} - \frac{1}{10}\sqrt{\frac{3}{5}}a_2\lambda_6 + \frac{\lambda_2\phi_1}{5\sqrt{15}} - \frac{\lambda_2\phi_2}{10\sqrt{15}}, \\
m_{66}^{(1,2,\frac{1}{2})} &\equiv m_1 + \frac{2}{5}\sqrt{\frac{2}{5}}a_1\lambda_7 + \frac{2}{5}\sqrt{\frac{3}{5}}a_2\lambda_7 - \frac{1}{4}\sqrt{\frac{3}{5}}\lambda_{10}E + \sqrt{\frac{3}{5}}\lambda_1\phi_1 - \frac{1}{2}\sqrt{\frac{3}{5}}\lambda_1\phi_2. \tag{43}
\end{aligned}$$

$[(\mathbf{3}, \mathbf{1}, -\frac{1}{3}) + c.c.]$

**c:**  $\widehat{H}_{(5,2)}^{(3,1,-\frac{1}{3})}$ ,  $\widehat{D}_{(5,2)}^{(3,1,-\frac{1}{3})}$ ,  $\widehat{D}_{(45,2)}^{(3,1,-\frac{1}{3})}$ ,  $\widehat{\Delta}_{(45,2)}^{(3,1,-\frac{1}{3})}$ ,  $\widehat{\Delta}_{(5,2)}^{(3,1,-\frac{1}{3})}$ ,  $\widehat{\Delta}_{(50,2)}^{(3,1,-\frac{1}{3})}$ ,  $\widehat{\Phi}_{(5,-8)}^{(3,1,-\frac{1}{3})}$

**r:**  $\widehat{H}_{(\overline{5},-2)}^{(\overline{3},1,\frac{1}{3})}$ ,  $\widehat{D}_{(\overline{5},-2)}^{(\overline{3},1,\frac{1}{3})}$ ,  $\widehat{D}_{(\overline{45},-2)}^{(\overline{3},1,\frac{1}{3})}$ ,  $\widehat{\Delta}_{(\overline{45},-2)}^{(\overline{3},1,\frac{1}{3})}$ ,  $\widehat{\Delta}_{(\overline{5},-2)}^{(\overline{3},1,\frac{1}{3})}$ ,  $\widehat{\Delta}_{(\overline{50},-2)}^{(\overline{3},1,\frac{1}{3})}$ ,  $\widehat{\Phi}_{(\overline{5},8)}^{(\overline{3},1,\frac{1}{3})}$

$$\left( \begin{array}{ccccccc} m_3 - \frac{2\lambda_{13}E}{\sqrt{15}} & m_{12}^{(3,1,-\frac{1}{3})} & m_{13}^{(3,1,-\frac{1}{3})} & m_{14}^{(3,1,-\frac{1}{3})} & m_{15}^{(3,1,-\frac{1}{3})} & -\sqrt{\frac{2}{15}}\lambda_4\phi_3 & \frac{\lambda_4\overline{V}_R}{\sqrt{5}} \\ m_{21}^{(3,1,-\frac{1}{3})} & m_{22}^{(3,1,-\frac{1}{3})} & m_{23}^{(3,1,-\frac{1}{3})} & m_{24}^{(3,1,-\frac{1}{3})} & m_{25}^{(3,1,-\frac{1}{3})} & 0 & \frac{\lambda_{21}\overline{V}_R}{\sqrt{30}} \\ m_{31}^{(3,1,-\frac{1}{3})} & m_{23}^{(3,1,-\frac{1}{3})} & m_{33}^{(3,1,-\frac{1}{3})} & m_{34}^{(3,1,-\frac{1}{3})} & m_{35}^{(3,1,-\frac{1}{3})} & m_{36}^{(3,1,-\frac{1}{3})} & 0 \\ m_{14}^{(3,1,-\frac{1}{3})} & m_{42}^{(3,1,-\frac{1}{3})} & m_{43}^{(3,1,-\frac{1}{3})} & m_{44}^{(3,1,-\frac{1}{3})} & \frac{2\lambda_{12}E}{3\sqrt{5}} & \frac{2}{3}\sqrt{\frac{2}{5}}\lambda_{12}E & 0 \\ m_{15}^{(3,1,-\frac{1}{3})} & m_{52}^{(3,1,-\frac{1}{3})} & m_{53}^{(3,1,-\frac{1}{3})} & \frac{2\lambda_{11}E}{3\sqrt{5}} & m_{55}^{(3,1,-\frac{1}{3})} & -\frac{\lambda_2\phi_3}{15\sqrt{6}} & -\frac{\lambda_2\overline{V}_R}{10} \\ -\sqrt{\frac{2}{15}}\lambda_3\phi_3 & 0 & m_{63}^{(3,1,-\frac{1}{3})} & \frac{2}{3}\sqrt{\frac{2}{5}}\lambda_{11}E & -\frac{\lambda_2\phi_3}{15\sqrt{6}} & m_{66}^{(3,1,-\frac{1}{3})} & 0 \\ \frac{\lambda_3\overline{V}_R}{\sqrt{5}} & \frac{\lambda_{20}\overline{V}_R}{\sqrt{30}} & 0 & 0 & -\frac{\lambda_2\overline{V}_R}{10} & 0 & m_{77}^{(3,1,-\frac{1}{3})} \end{array} \right), \quad (44)$$

where

$$\begin{aligned}
m_{12}^{(3,1,-\frac{1}{3})} &\equiv -\frac{2ia_1\lambda_{16}}{\sqrt{15}} - \frac{ia_2\lambda_{16}}{3\sqrt{10}} - \frac{\lambda_{17}\phi_1}{\sqrt{10}} + \frac{\lambda_{17}\phi_2}{2\sqrt{10}}, \\
m_{13}^{(3,1,-\frac{1}{3})} &\equiv -\frac{1}{3}i\sqrt{\frac{5}{2}}a_2\lambda_{16} - \frac{1}{6}\sqrt{\frac{5}{2}}\lambda_{17}\phi_2 + \frac{\lambda_{17}\phi_3}{3\sqrt{2}}, \\
m_{14}^{(3,1,-\frac{1}{3})} &\equiv -\frac{1}{3}\lambda_3\phi_2 - \frac{\lambda_3\phi_3}{3\sqrt{5}}, \\
m_{15}^{(3,1,-\frac{1}{3})} &\equiv -\frac{1}{5}\sqrt{3}\lambda_4\phi_1 - \frac{\lambda_4\phi_2}{5\sqrt{3}}, \\
m_{21}^{(3,1,-\frac{1}{3})} &\equiv \frac{2ia_1\lambda_{16}}{\sqrt{15}} + \frac{ia_2\lambda_{16}}{3\sqrt{10}} - \frac{\lambda_{17}\phi_1}{\sqrt{10}} + \frac{\lambda_{17}\phi_2}{2\sqrt{10}}, \\
m_{22}^{(3,1,-\frac{1}{3})} &\equiv m_6 - \frac{\lambda_{14}E}{3\sqrt{15}} + \frac{\lambda_{15}\phi_1}{\sqrt{15}} + \frac{\lambda_{15}\phi_2}{3\sqrt{15}}, \\
m_{23}^{(3,1,-\frac{1}{3})} &\equiv \frac{1}{3}\sqrt{\frac{5}{3}}\lambda_{14}E + \frac{1}{9}\sqrt{\frac{5}{3}}\lambda_{15}\phi_2 + \frac{\lambda_{15}\phi_3}{9\sqrt{3}}, \\
m_{24}^{(3,1,-\frac{1}{3})} &\equiv -\frac{ia_2\lambda_{18}}{2\sqrt{6}} + \frac{\lambda_{20}\phi_2}{12\sqrt{6}} - \frac{\lambda_{20}\phi_3}{6\sqrt{30}}, \\
m_{25}^{(3,1,-\frac{1}{3})} &\equiv -\frac{1}{5}i\sqrt{3}a_1\lambda_{19} - \frac{ia_2\lambda_{19}}{10\sqrt{2}} + \frac{\lambda_{21}\phi_1}{10\sqrt{2}} - \frac{\lambda_{21}\phi_2}{20\sqrt{2}}, \\
m_{31}^{(3,1,-\frac{1}{3})} &\equiv \frac{1}{3}i\sqrt{\frac{5}{2}}a_2\lambda_{16} - \frac{1}{6}\sqrt{\frac{5}{2}}\lambda_{17}\phi_2 + \frac{\lambda_{17}\phi_3}{3\sqrt{2}}, \\
m_{33}^{(3,1,-\frac{1}{3})} &\equiv m_6 - \frac{\lambda_{14}E}{3\sqrt{15}} - \frac{\lambda_{15}\phi_1}{3\sqrt{15}} - \frac{\lambda_{15}\phi_2}{9\sqrt{15}} + \frac{4\lambda_{15}\phi_3}{9\sqrt{3}}, \\
m_{34}^{(3,1,-\frac{1}{3})} &\equiv -\frac{1}{5}ia_1\lambda_{18} - \frac{ia_2\lambda_{18}}{10\sqrt{6}} + \frac{\lambda_{20}\phi_1}{10\sqrt{6}} - \frac{\lambda_{20}\phi_2}{20\sqrt{6}}, \\
m_{35}^{(3,1,-\frac{1}{3})} &\equiv \frac{ia_2\lambda_{19}}{6\sqrt{2}} - \frac{\lambda_{21}\phi_2}{36\sqrt{2}} + \frac{\lambda_{21}\phi_3}{18\sqrt{10}}, \\
m_{36}^{(3,1,-\frac{1}{3})} &\equiv -\frac{1}{3}ia_2\lambda_{19} + \frac{\lambda_{21}\phi_2}{18} - \frac{\lambda_{21}\phi_3}{9\sqrt{5}}, \\
m_{42}^{(3,1,-\frac{1}{3})} &\equiv \frac{ia_2\lambda_{19}}{2\sqrt{6}} + \frac{\lambda_{21}\phi_2}{12\sqrt{6}} - \frac{\lambda_{21}\phi_3}{6\sqrt{30}}, \\
m_{43}^{(3,1,-\frac{1}{3})} &\equiv \frac{1}{5}ia_1\lambda_{19} + \frac{ia_2\lambda_{19}}{10\sqrt{6}} + \frac{\lambda_{21}\phi_1}{10\sqrt{6}} - \frac{\lambda_{21}\phi_2}{20\sqrt{6}}, \\
m_{44}^{(3,1,-\frac{1}{3})} &\equiv m_2 + \frac{a_1\lambda_6}{5\sqrt{10}} - \frac{a_2\lambda_6}{5\sqrt{15}}, \\
m_{52}^{(3,1,-\frac{1}{3})} &\equiv \frac{1}{5}i\sqrt{3}a_1\lambda_{18} + \frac{ia_2\lambda_{18}}{10\sqrt{2}} + \frac{\lambda_{20}\phi_1}{10\sqrt{2}} - \frac{\lambda_{20}\phi_2}{20\sqrt{2}}, \\
m_{53}^{(3,1,-\frac{1}{3})} &\equiv -\frac{ia_2\lambda_{18}}{6\sqrt{2}} - \frac{\lambda_{20}\phi_2}{36\sqrt{2}} + \frac{\lambda_{20}\phi_3}{18\sqrt{10}}, \\
m_{55}^{(3,1,-\frac{1}{3})} &\equiv m_2 - \frac{a_1\lambda_6}{5\sqrt{10}} + \frac{a_2\lambda_6}{5\sqrt{15}} + \frac{\lambda_2\phi_1}{5\sqrt{15}} + \frac{\lambda_2\phi_2}{15\sqrt{15}}, \\
m_{63}^{(3,1,-\frac{1}{3})} &\equiv \frac{1}{3}ia_2\lambda_{18} + \frac{\lambda_{20}\phi_2}{18} - \frac{\lambda_{20}\phi_3}{9\sqrt{5}}, \\
m_{66}^{(3,1,-\frac{1}{3})} &\equiv m_2 - \frac{a_1\lambda_6}{5\sqrt{10}} + \frac{a_2\lambda_6}{5\sqrt{15}} - \frac{\lambda_2\phi_1}{10\sqrt{15}} - \frac{\lambda_2\phi_2}{30\sqrt{15}} + \frac{\lambda_2\phi_3}{15\sqrt{3}},
\end{aligned}$$

$[(\mathbf{1}, \mathbf{1}, 2) + c.c.]$

**c:**  $\widehat{\Delta}_{(50,-2)}^{(1,1,2)}$

**r:**  $\widehat{\Delta}_{(50,2)}^{(1,1,-2)}$

$$m_2 - \frac{\lambda_6 a_1}{5\sqrt{10}} + \frac{2}{5}\sqrt{\frac{3}{5}}\lambda_6 a_2 - \frac{\lambda_2 \phi_1}{10\sqrt{15}} - \frac{\lambda_2 \phi_2}{5\sqrt{15}} + \frac{\lambda_2 \phi_3}{5\sqrt{3}}. \quad (46)$$

$[(\mathbf{1}, \mathbf{2}, \frac{3}{2}) + c.c.]$

**c:**  $\widehat{\Phi}_{(40,-4)}^{(1,2,\frac{3}{2})}$

**r:**  $\widehat{\Phi}_{(40,4)}^{(1,2,-\frac{3}{2})}$

$$m_1 - \frac{1}{4}\sqrt{\frac{3}{5}}\lambda_{10}E - \frac{2}{5}\sqrt{\frac{2}{5}}\lambda_7 a_1 - \frac{2}{5}\sqrt{\frac{3}{5}}\lambda_7 a_2 - \frac{1}{2}\sqrt{\frac{5}{3}}\lambda_1 \phi_2 + \frac{\lambda_1 \phi_3}{\sqrt{3}}. \quad (47)$$

$(\mathbf{1}, \mathbf{3}, 0)$

**c:**  $\widehat{A}_{(24,0)}^{(1,3,0)}, \widehat{E}_{(24,0)}^{(1,3,0)}, \widehat{\Phi}_{(24,0)}^{(1,3,0)}$

**r:**  $\widehat{A}_{(24,0)}^{(1,3,0)}, \widehat{E}_{(24,0)}^{(1,3,0)}, \widehat{\Phi}_{(24,0)}^{(1,3,0)}$

$$\left( \begin{array}{ccc} m_{11}^{(1,3,0)} & \sqrt{\frac{2}{5}}\lambda_9 a_1 + \sqrt{\frac{3}{5}}\lambda_9 a_2 & m_{13}^{(1,3,0)} \\ \sqrt{\frac{2}{5}}\lambda_9 a_1 + \sqrt{\frac{3}{5}}\lambda_9 a_2 & m_5 + 3\sqrt{\frac{3}{5}}\lambda_8 E & m_{23}^{(1,3,0)} \\ m_{13}^{(1,3,0)} & m_{23}^{(1,3,0)} & m_{33}^{(1,3,0)} \end{array} \right), \quad (48)$$

where

$$\begin{aligned} m_{11}^{(1,3,0)} &\equiv m_4 + \sqrt{\frac{3}{5}}\lambda_9 E - \frac{\lambda_5 \phi_1}{\sqrt{15}} - \frac{2\lambda_5 \phi_2}{\sqrt{15}} - \frac{\lambda_5 \phi_3}{\sqrt{3}}, \\ m_{13}^{(1,3,0)} &\equiv -\sqrt{\frac{2}{5}}\lambda_5 a_1 + \frac{2\lambda_5 a_2}{\sqrt{15}} + \frac{2}{5}\sqrt{\frac{3}{5}}\lambda_7 \phi_1 - \frac{8\lambda_7 \phi_2}{5\sqrt{15}} + \frac{2\lambda_7 \phi_3}{5\sqrt{3}}, \\ m_{23}^{(1,3,0)} &\equiv -\frac{1}{2}\sqrt{\frac{3}{5}}\lambda_{10} \phi_1 - \frac{\lambda_{10} \phi_2}{2\sqrt{15}} + \frac{\lambda_{10} \phi_3}{2\sqrt{3}}, \\ m_{33}^{(1,3,0)} &\equiv m_1 + \frac{\lambda_{10} E}{2\sqrt{15}} - \frac{4}{5}\sqrt{\frac{2}{5}}\lambda_7 a_1 + \frac{8\lambda_7 a_2}{5\sqrt{15}} + \frac{\lambda_1 \phi_1}{2\sqrt{15}} - \frac{7\lambda_1 \phi_2}{3\sqrt{15}} - \frac{\lambda_1 \phi_3}{6\sqrt{3}}. \end{aligned} \quad (49)$$

[(**1**, **3**, 1) + c.c.]

$$\mathbf{c}: \widehat{E}_{(15,4)}^{(1,3,1)}, \widehat{\Delta}_{(15,-6)}^{(1,3,1)}$$

$$\mathbf{r}: \widehat{E}_{(1\bar{5},-4)}^{(1,3,-1)}, \widehat{\Delta}_{(1\bar{5},6)}^{(1,3,-1)}$$

$$\left( \begin{array}{c} m_5 + 3\sqrt{\frac{3}{5}}\lambda_8 E \\ \frac{2\lambda_{11}V_R}{5} \quad m_2 + \frac{3\lambda_6 a_1}{5\sqrt{10}} - \frac{1}{5}\sqrt{\frac{3}{5}}\lambda_6 a_2 + \frac{2\lambda_{12}\overline{V_R}}{5} + \frac{\lambda_2 \phi_1}{10\sqrt{15}} - \frac{1}{10}\sqrt{\frac{3}{5}}\lambda_2 \phi_2 \end{array} \right). \quad (50)$$

[(**3**, **1**,  $-\frac{4}{3}$ ) + c.c.]

$$\mathbf{c}: \widehat{D}_{(4\bar{5},-2)}^{(3,1,-\frac{4}{3})}, \widehat{\Delta}_{(4\bar{5},-2)}^{(3,1,-\frac{4}{3})}$$

$$\mathbf{r}: \widehat{D}_{(45,2)}^{(\bar{3},1,\frac{4}{3})}, \widehat{\Delta}_{(45,2)}^{(\bar{3},1,\frac{4}{3})}$$

$$\left( \begin{array}{cc} m_{11}^{(3,1,-\frac{4}{3})} & m_{12}^{(3,1,-\frac{4}{3})} \\ m_{21}^{(3,1,-\frac{4}{3})} & m_{22}^{(3,1,-\frac{4}{3})} \end{array} \right), \quad (51)$$

where

$$\begin{aligned} m_{11}^{(3,1,-\frac{4}{3})} &\equiv m_6 + \frac{4\lambda_{14}E}{3\sqrt{15}} - \frac{\lambda_{15}\phi_1}{3\sqrt{15}} + \frac{4\lambda_{15}\phi_2}{9\sqrt{15}} + \frac{5\lambda_{15}\phi_3}{9\sqrt{3}}, \\ m_{21}^{(3,1,-\frac{4}{3})} &\equiv \frac{i\lambda_{18}a_1}{5} - \frac{i}{5}\sqrt{\frac{2}{3}}\lambda_{18}a_2 - \frac{\lambda_{20}\phi_1}{10\sqrt{6}} - \frac{\lambda_{20}\phi_2}{5\sqrt{6}} + \frac{\lambda_{20}\phi_3}{2\sqrt{30}}, \\ m_{12}^{(3,1,-\frac{4}{3})} &\equiv -\frac{i}{5}\lambda_{19}a_1 + \frac{i}{5}\sqrt{\frac{2}{3}}\lambda_{19}a_2 - \frac{\lambda_{21}\phi_1}{10\sqrt{6}} - \frac{\lambda_{21}\phi_2}{5\sqrt{6}} + \frac{\lambda_{21}\phi_3}{2\sqrt{30}}, \\ m_{22}^{(3,1,-\frac{4}{3})} &\equiv m_2 + \frac{\lambda_6 a_1}{5\sqrt{10}} + \frac{4\lambda_6 a_2}{5\sqrt{15}} + \frac{\lambda_2 \phi_3}{10\sqrt{3}}. \end{aligned} \quad (52)$$

[(**3**, **1**,  $\frac{5}{3}$ ) + c.c.]

$$\mathbf{c}: \widehat{\Phi}_{(75,0)}^{(3,1,\frac{5}{3})}$$

$$\mathbf{r}: \widehat{\Phi}_{(75,0)}^{(\bar{3},1,-\frac{5}{3})}$$

$$m_1 + \frac{\lambda_{10}E}{2\sqrt{15}} + \frac{2}{5}\sqrt{\frac{2}{5}}\lambda_7 a_1 - \frac{4\lambda_7 a_2}{5\sqrt{15}} - \frac{\lambda_1 \phi_1}{\sqrt{15}} - \frac{\lambda_1 \phi_2}{3\sqrt{15}} + \frac{4\lambda_1 \phi_3}{3\sqrt{3}}. \quad (53)$$



$[(\mathbf{3}, \mathbf{2}, \frac{7}{6}) + c.c.]$

$$\mathbf{c}: \widehat{D}_{(45, -2)}^{(3, 2, \frac{7}{6})}, \widehat{\Delta}_{(50, -2)}^{(3, 2, \frac{7}{6})}, \widehat{\Delta}_{(45, -2)}^{(3, 2, \frac{7}{6})}$$

$$\mathbf{r}: \widehat{D}_{(45, 2)}^{(\bar{3}, 2, -\frac{7}{6})}, \widehat{\Delta}_{(50, 2)}^{(\bar{3}, 2, -\frac{7}{6})}, \widehat{\Delta}_{(45, 2)}^{(\bar{3}, 2, -\frac{7}{6})}$$

$$\begin{pmatrix} m_{11}^{(3, 2, \frac{7}{6})} & m_{12}^{(3, 2, \frac{7}{6})} & m_{13}^{(3, 2, \frac{7}{6})} \\ m_{21}^{(3, 2, \frac{7}{6})} & m_{22}^{(3, 2, \frac{7}{6})} & \frac{\lambda_{12} E}{\sqrt{15}} \\ m_{31}^{(3, 2, \frac{7}{6})} & \frac{\lambda_{11} E}{\sqrt{15}} & m_{33}^{(3, 2, \frac{7}{6})} \end{pmatrix}, \quad (54)$$

where

$$\begin{aligned} m_{11}^{(3, 2, \frac{7}{6})} &\equiv m_6 - \frac{\lambda_{14} E}{3\sqrt{15}} - \frac{\lambda_{15}}{3\sqrt{15}} - \frac{2\lambda_{15}\phi_2}{3\sqrt{15}} + \frac{\lambda_{15}\phi_3}{3\sqrt{3}}, \\ m_{21}^{(3, 2, \frac{7}{6})} &\equiv \frac{i\lambda_{19}a_2}{2\sqrt{6}} - \frac{\lambda_{21}\phi_2}{12\sqrt{6}} + \frac{1}{3}\sqrt{\frac{2}{15}}\lambda_{21}\phi_3, \\ m_{31}^{(3, 2, \frac{7}{6})} &\equiv \frac{i\lambda_{18}a_1}{5} + \frac{i\lambda_{18}a_2}{10\sqrt{6}} - \frac{\lambda_{20}\phi_1}{10\sqrt{6}} + \frac{13\lambda_{20}\phi_2}{60\sqrt{6}} + \frac{\lambda_{20}\phi_3}{6\sqrt{30}}, \\ m_{12}^{(3, 2, \frac{7}{6})} &\equiv -\frac{i\lambda_{18}a_2}{2\sqrt{6}} - \frac{\lambda_{20}\phi_2}{12\sqrt{6}} + \frac{1}{3}\sqrt{\frac{2}{15}}\lambda_{20}\phi_3, \\ m_{22}^{(3, 2, \frac{7}{6})} &\equiv m_2 - \frac{\lambda_6 a_1}{5\sqrt{10}} + \frac{7\lambda_6 a_2}{10\sqrt{15}} - \frac{\lambda_2 \phi_1}{10\sqrt{15}} - \frac{7\lambda_2 \phi_2}{60\sqrt{15}} + \frac{\lambda_2 \phi_3}{15\sqrt{3}}, \\ m_{13}^{(3, 2, \frac{7}{6})} &\equiv -\frac{i\lambda_{19}a_1}{5} - \frac{i\lambda_{19}a_2}{10\sqrt{6}} - \frac{\lambda_{21}\phi_1}{10\sqrt{6}} + \frac{13\lambda_{21}\phi_2}{60\sqrt{6}} + \frac{\lambda_{21}\phi_3}{6\sqrt{30}}, \\ m_{33}^{(3, 2, \frac{7}{6})} &\equiv m_2 + \frac{\lambda_6 a_1}{5\sqrt{10}} - \frac{7\lambda_6 a_2}{10\sqrt{15}} - \frac{\lambda_2 \phi_2}{12\sqrt{15}} + \frac{\lambda_2 \phi_3}{30\sqrt{3}}. \end{aligned} \quad (55)$$

$[(\mathbf{3}, \mathbf{3}, -\frac{1}{3}) + c.c.]$

$$\mathbf{c}: \widehat{D}_{(45, 2)}^{(3, 3, -\frac{1}{3})}, \widehat{\Delta}_{(45, 2)}^{(3, 3, -\frac{1}{3})}$$

$$\mathbf{r}: \widehat{D}_{(45, -2)}^{(\bar{3}, 3, \frac{1}{3})}, \widehat{\Delta}_{(45, -2)}^{(\bar{3}, 3, \frac{1}{3})}$$

$$\begin{pmatrix} m_{11}^{(3, 3, -\frac{1}{3})} & m_{12}^{(3, 3, -\frac{1}{3})} \\ m_{21}^{(3, 3, -\frac{1}{3})} & m_{22}^{(3, 3, -\frac{1}{3})} \end{pmatrix}, \quad (56)$$

where

$$\begin{aligned}
m_{11}^{(3,3,-\frac{1}{3})} &\equiv m_6 + \frac{4\lambda_{14}E}{3\sqrt{15}} - \frac{\lambda_{15}\phi_1}{3\sqrt{15}} - \frac{2\lambda_{15}\phi_2}{3\sqrt{15}} - \frac{\lambda_{15}\phi_3}{3\sqrt{3}}, \\
m_{21}^{(3,3,-\frac{1}{3})} &\equiv \frac{i\lambda_{19}a_1}{5} - \frac{i}{5}\sqrt{\frac{2}{3}}\lambda_{19}a_2 + \frac{\lambda_{21}\phi_1}{10\sqrt{6}} - \frac{1}{15}\sqrt{\frac{2}{3}}\lambda_{21}\phi_2 + \frac{\lambda_{21}\phi_3}{6\sqrt{30}}, \\
m_{12}^{(3,3,-\frac{1}{3})} &\equiv -\frac{i\lambda_{18}a_1}{5} + \frac{i}{5}\sqrt{\frac{2}{3}}\lambda_{18}a_2 + \frac{\lambda_{20}\phi_1}{10\sqrt{6}} - \frac{1}{15}\sqrt{\frac{2}{3}}\lambda_{20}\phi_2 + \frac{\lambda_{20}\phi_3}{6\sqrt{30}}, \\
m_{22}^{(3,3,-\frac{1}{3})} &\equiv m_2 + \frac{\lambda_6a_1}{5\sqrt{10}} - \frac{\lambda_6a_2}{5\sqrt{15}} - \frac{\lambda_2\phi_2}{6\sqrt{15}} - \frac{\lambda_2\phi_3}{30\sqrt{3}}.
\end{aligned} \tag{57}$$

$[(\mathbf{3}, \mathbf{3}, \frac{2}{3}) + c.c.]$

**c:**  $\widehat{\Phi}_{(40,-4)}^{(3,3,\frac{2}{3})}$

**r:**  $\widehat{\Phi}_{(40,4)}^{(\bar{3},3,-\frac{2}{3})}$

$$m_1 + \frac{\lambda_{10}E}{2\sqrt{15}} - \frac{2}{5}\sqrt{\frac{2}{5}}\lambda_7a_1 + \frac{4\lambda_7a_2}{5\sqrt{15}} - \frac{1}{3}\sqrt{\frac{5}{3}}\lambda_1\phi_2 - \frac{\lambda_1\phi_3}{3\sqrt{3}}. \tag{58}$$

$[(\mathbf{6}, \mathbf{1}, -\frac{2}{3}) + c.c.]$

**c:**  $\widehat{E}_{(15,4)}^{(6,1,-\frac{2}{3})}, \widehat{\Delta}_{(15,-6)}^{(6,1,-\frac{2}{3})}$

**r:**  $\widehat{E}_{(15,-4)}^{(\bar{6},1,\frac{2}{3})}, \widehat{\Delta}_{(15,6)}^{(\bar{6},1,\frac{2}{3})}$

$$\left( \begin{array}{c} m_5 - 2\sqrt{\frac{3}{5}}\lambda_8E \\ \frac{2\lambda_{11}V_R}{5} \end{array} \quad m_2 + \frac{3\lambda_6a_1}{5\sqrt{10}} + \frac{2\lambda_6a_2}{5\sqrt{15}} + \frac{\lambda_2\phi_1}{10\sqrt{15}} + \frac{\lambda_2\phi_2}{5\sqrt{15}} \right). \tag{59}$$

$[(\mathbf{6}, \mathbf{1}, \frac{1}{3}) + c.c.]$

**c:**  $\widehat{D}_{(45,-2)}^{(6,1,\frac{1}{3})}, \widehat{\Delta}_{(45,-2)}^{(6,1,\frac{1}{3})}$

**r:**  $\widehat{D}_{(45,2)}^{(\bar{6},1,-\frac{1}{3})}, \widehat{\Delta}_{(45,2)}^{(\bar{6},1,-\frac{1}{3})}$

$$\left( \begin{array}{cc} m_{11}^{(6,1,\frac{1}{3})} & m_{12}^{(6,1,\frac{1}{3})} \\ m_{21}^{(6,1,\frac{1}{3})} & m_{22}^{(6,1,\frac{1}{3})} \end{array} \right), \tag{60}$$

where

$$\begin{aligned}
m_{11}^{(6,1,\frac{1}{3})} &\equiv m_6 - \frac{2\lambda_{14}E}{\sqrt{15}} - \frac{\lambda_{15}\phi_1}{3\sqrt{15}} + \frac{4\lambda_{15}\phi_2}{9\sqrt{15}} - \frac{\lambda_{15}\phi_3}{9\sqrt{3}}, \\
m_{21}^{(6,1,\frac{1}{3})} &\equiv \frac{i\lambda_{18}a_1}{5} + \frac{i}{5}\sqrt{\frac{3}{2}}\lambda_{18}a_2 - \frac{\lambda_{20}\phi_1}{10\sqrt{6}} - \frac{\lambda_{20}\phi_2}{30\sqrt{6}} + \frac{\lambda_{20}\phi_3}{6\sqrt{30}}, \\
m_{12}^{(6,1,\frac{1}{3})} &\equiv -\frac{i\lambda_{19}a_1}{5} - \frac{i}{5}\sqrt{\frac{3}{2}}\lambda_{19}a_2 - \frac{\lambda_{21}\phi_1}{10\sqrt{6}} - \frac{\lambda_{21}\phi_2}{30\sqrt{6}} + \frac{\lambda_{21}\phi_3}{6\sqrt{30}}, \\
m_{22}^{(6,1,\frac{1}{3})} &\equiv m_2 + \frac{\lambda_6a_1}{5\sqrt{10}} - \frac{\lambda_6a_2}{5\sqrt{15}} + \frac{\lambda_2\phi_2}{6\sqrt{15}} + \frac{\lambda_2\phi_3}{30\sqrt{3}}.
\end{aligned} \tag{61}$$

$[(\mathbf{6}, \mathbf{1}, \frac{4}{3}) + c.c.]$

$$\mathbf{c}: \widehat{\Delta}_{(50,2)}^{(6,1,\frac{4}{3})}$$

$$\mathbf{r}: \widehat{\Delta}_{(50,-2)}^{(\bar{6},1,-\frac{4}{3})}$$

$$m_2 - \frac{\lambda_6a_1}{5\sqrt{10}} - \frac{4\lambda_6a_2}{5\sqrt{15}} - \frac{\lambda_2\phi_1}{10\sqrt{15}} + \frac{2\lambda_2\phi_2}{15\sqrt{15}} + \frac{\lambda_2\phi_3}{15\sqrt{3}}. \tag{62}$$

$[(\mathbf{6}, \mathbf{2}, -\frac{1}{6}) + c.c.]$

$$\mathbf{c}: \widehat{\Phi}_{(40,-4)}^{(6,2,-\frac{1}{6})}$$

$$\mathbf{r}: \widehat{\Phi}_{(40,4)}^{(\bar{6},2,\frac{1}{6})}$$

$$m_1 - \frac{1}{4}\sqrt{\frac{3}{5}}\lambda_{10}E - \frac{2}{5}\sqrt{\frac{2}{5}}\lambda_7a_1 - \frac{2}{5}\sqrt{\frac{3}{5}}\lambda_7a_2 + \frac{1}{6}\sqrt{\frac{5}{3}}\lambda_1\phi_2 - \frac{\lambda_1\phi_3}{3\sqrt{3}}. \tag{63}$$

$[(\mathbf{6}, \mathbf{2}, \frac{5}{6}) + c.c.]$

$$\mathbf{c}: \widehat{\Phi}_{(75,0)}^{(6,2,\frac{5}{6})}$$

$$\mathbf{r}: \widehat{\Phi}_{(75,0)}^{(\bar{6},2,-\frac{5}{6})}$$

$$m_1 - \frac{1}{4}\sqrt{\frac{3}{5}}\lambda_{10}E + \frac{2}{5}\sqrt{\frac{2}{5}}\lambda_7a_1 + \frac{2}{5}\sqrt{\frac{3}{5}}\lambda_7a_2 - \frac{\lambda_1\phi_1}{\sqrt{15}} + \frac{\lambda_1\phi_2}{2\sqrt{15}}. \tag{64}$$

$[(\mathbf{6}, \mathbf{3}, \frac{1}{3}) + c.c.]$

$$\mathbf{c}: \widehat{\Delta}_{(50,-2)}^{(6,3,\frac{1}{3})}$$

$$\mathbf{r}: \widehat{\Delta}_{(50,2)}^{(\bar{6},3,-\frac{1}{3})}$$

$$m_2 - \frac{\lambda_6a_1}{5\sqrt{10}} + \frac{\lambda_6a_2}{5\sqrt{15}} - \frac{\lambda_2\phi_1}{10\sqrt{15}} - \frac{\lambda_2\phi_2}{30\sqrt{15}} - \frac{\lambda_2\phi_3}{15\sqrt{3}}. \tag{65}$$

$(\mathbf{8}, \mathbf{1}, 0)$

$\mathbf{c}$ :  $\widehat{A}_{(24,0)}^{(8,1,0)}$ ,  $\widehat{E}_{(24,0)}^{(8,1,0)}$ ,  $\widehat{\Phi}_{(24,0)}^{(8,1,0)}$ ,  $\widehat{\Phi}_{(75,0)}^{(8,1,0)}$

$\mathbf{r}$ :  $\widehat{A}_{(24,0)}^{(8,1,0)}$ ,  $\widehat{E}_{(24,0)}^{(8,1,0)}$ ,  $\widehat{\Phi}_{(24,0)}^{(8,1,0)}$ ,  $\widehat{\Phi}_{(75,0)}^{(8,1,0)}$

$$\left( \begin{array}{cccc} m_{11}^{(8,1,0)} & \sqrt{\frac{2}{5}}a_1\lambda_9 - \frac{2a_2\lambda_9}{\sqrt{15}} & m_{13}^{(8,1,0)} & m_{14}^{(8,1,0)} \\ \sqrt{\frac{2}{5}}a_1\lambda_9 - \frac{2a_2\lambda_9}{\sqrt{15}} & m_5 - 2\sqrt{\frac{3}{5}}\lambda_8 E & m_{23}^{(8,1,0)} & \frac{1}{3}\sqrt{\frac{5}{6}}\lambda_{10}\phi_2 - \frac{1}{3}\sqrt{\frac{2}{3}}\lambda_{10}\phi_3 \\ m_{13}^{(8,1,0)} & m_{23}^{(8,1,0)} & m_{33}^{(8,1,0)} & m_{34}^{(8,1,0)} \\ m_{14}^{(8,1,0)} & \frac{1}{3}\sqrt{\frac{5}{6}}\lambda_{10}\phi_2 - \frac{1}{3}\sqrt{\frac{2}{3}}\lambda_{10}\phi_3 & m_{34}^{(8,1,0)} & m_{44}^{(8,1,0)} \end{array} \right), \quad (66)$$

where

$$\begin{aligned} m_{11}^{(8,1,0)} &\equiv m_4 - \frac{2\lambda_9 E}{\sqrt{15}} - \frac{\lambda_5\phi_1}{\sqrt{15}} + \frac{4\lambda_5\phi_2}{3\sqrt{15}} - \frac{\lambda_5\phi_3}{3\sqrt{3}}, \\ m_{13}^{(8,1,0)} &\equiv -\sqrt{\frac{2}{5}}a_1\lambda_5 - \frac{4a_2\lambda_5}{3\sqrt{15}} + \frac{2}{5}\sqrt{\frac{3}{5}}\lambda_7\phi_1 + \frac{16\lambda_7\phi_2}{15\sqrt{15}} + \frac{2\lambda_7\phi_3}{15\sqrt{3}}, \\ m_{14}^{(8,1,0)} &\equiv \frac{1}{3}\sqrt{\frac{10}{3}}a_2\lambda_5 + \frac{2}{3}\sqrt{\frac{2}{15}}\lambda_7\phi_2 + \frac{8}{15}\sqrt{\frac{2}{3}}\lambda_7\phi_3, \\ m_{23}^{(8,1,0)} &\equiv -\frac{1}{2}\sqrt{\frac{3}{5}}\lambda_{10}\phi_1 + \frac{\lambda_{10}\phi_2}{3\sqrt{15}} + \frac{\lambda_{10}\phi_3}{6\sqrt{3}}, \\ m_{33}^{(8,1,0)} &\equiv m_1 - \frac{4}{5}\sqrt{\frac{2}{5}}a_1\lambda_7 - \frac{16a_2\lambda_7}{15\sqrt{15}} - \frac{\lambda_{10}E}{3\sqrt{15}} + \frac{\lambda_1\phi_1}{2\sqrt{15}} + \frac{14\lambda_1\phi_2}{9\sqrt{15}} - \frac{\lambda_1\phi_3}{18\sqrt{3}}, \\ m_{34}^{(8,1,0)} &\equiv -\frac{2}{3}\sqrt{\frac{2}{15}}a_2\lambda_7 - \frac{1}{3}\sqrt{\frac{5}{6}}\lambda_{10}E - \frac{1}{9}\sqrt{\frac{5}{6}}\lambda_1\phi_2 - \frac{2}{9}\sqrt{\frac{2}{3}}\lambda_1\phi_3, \\ m_{44}^{(8,1,0)} &\equiv m_1 + \frac{2}{5}\sqrt{\frac{2}{5}}\lambda_7a_1 + \frac{28\lambda_7a_2}{15\sqrt{15}} - \frac{7\lambda_{10}E}{6\sqrt{15}} - \frac{\lambda_1\phi_1}{\sqrt{15}} + \frac{7\lambda_1\phi_2}{9\sqrt{15}} + \frac{2\lambda_1\phi_3}{9\sqrt{3}}. \end{aligned} \quad (67)$$

$[(\mathbf{8}, \mathbf{1}, 1) + c.c.]$

$\mathbf{c}$ :  $\widehat{\phi}_{(40,4)}^{(8,1,1)}$

$\mathbf{r}$ :  $\widehat{\phi}_{(40,-4)}^{(8,1,-1)}$

$$m_1 + \frac{\lambda_{10}E}{2\sqrt{15}} - \frac{2}{5}\sqrt{\frac{2}{5}}\lambda_7a_1 + \frac{4\lambda_7a_2}{5\sqrt{15}} + \frac{1}{3}\sqrt{\frac{5}{3}}\lambda_1\phi_2 + \frac{\lambda_1\phi_3}{3\sqrt{3}}. \quad (68)$$

$[(\mathbf{8}, \mathbf{2}, \frac{1}{2}) + c.c.]$

$$\mathbf{c}: \widehat{D}_{(45,2)}^{(8,2,\frac{1}{2})}, \widehat{\Delta}_{(45,2)}^{(8,2,\frac{1}{2})}, \widehat{\Delta}_{(50,2)}^{(8,2,\frac{1}{2})}$$

$$\mathbf{r}: \widehat{D}_{(\overline{45},-2)}^{(8,2,-\frac{1}{2})}, \widehat{\Delta}_{(\overline{45},-2)}^{(8,2,-\frac{1}{2})}, \widehat{\Delta}_{(\overline{50},-2)}^{(8,2,-\frac{1}{2})}$$

$$\begin{pmatrix} m_{11}^{(8,2,\frac{1}{2})} & m_{12}^{(8,2,\frac{1}{2})} & m_{13}^{(8,2,\frac{1}{2})} \\ m_{21}^{(8,2,\frac{1}{2})} & m_{22}^{(8,2,\frac{1}{2})} & \frac{\lambda_{12}E}{\sqrt{15}} \\ m_{31}^{(8,2,\frac{1}{2})} & \frac{\lambda_{11}E}{\sqrt{15}} & m_{33}^{(8,2,\frac{1}{2})} \end{pmatrix}, \quad (69)$$

where

$$\begin{aligned} m_{11}^{(8,2,\frac{1}{2})} &\equiv m_6 - \frac{\lambda_{14}E}{3\sqrt{15}} - \frac{\lambda_{15}\phi_1}{3\sqrt{15}} + \frac{4\lambda_{15}\phi_2}{9\sqrt{15}} - \frac{\lambda_{15}\phi_3}{9\sqrt{3}}, \\ m_{12}^{(8,2,\frac{1}{2})} &\equiv -\frac{1}{5}ia_1\lambda_{18} - \frac{ia_2\lambda_{18}}{10\sqrt{6}} + \frac{\lambda_{20}\phi_1}{10\sqrt{6}} + \frac{7\lambda_{20}\phi_2}{60\sqrt{6}} + \frac{\lambda_{20}\phi_3}{6\sqrt{30}}, \\ m_{13}^{(8,2,\frac{1}{2})} &\equiv -\frac{ia_2\lambda_{19}}{2\sqrt{6}} + \frac{\lambda_{21}\phi_2}{12\sqrt{6}} + \frac{\lambda_{21}\phi_3}{3\sqrt{30}}, \\ m_{21}^{(8,2,\frac{1}{2})} &\equiv \frac{1}{5}ia_1\lambda_{19} + \frac{ia_2\lambda_{19}}{10\sqrt{6}} + \frac{\lambda_{21}\phi_1}{10\sqrt{6}} + \frac{7\lambda_{21}\phi_2}{60\sqrt{6}} + \frac{\lambda_{21}\phi_3}{6\sqrt{30}}, \\ m_{22}^{(8,2,\frac{1}{2})} &\equiv m_2 + \frac{a_1\lambda_6}{5\sqrt{10}} + \frac{1}{10}\sqrt{\frac{3}{5}}a_2\lambda_6 + \frac{\lambda_2\phi_2}{12\sqrt{15}} - \frac{\lambda_2\phi_3}{30\sqrt{3}}, \\ m_{31}^{(8,2,\frac{1}{2})} &\equiv \frac{ia_2\lambda_{18}}{2\sqrt{6}} + \frac{\lambda_{20}\phi_2}{12\sqrt{6}} + \frac{\lambda_{20}\phi_3}{3\sqrt{30}} \\ m_{33}^{(8,2,\frac{1}{2})} &\equiv m_2 - \frac{a_1\lambda_6}{5\sqrt{10}} - \frac{1}{10}\sqrt{\frac{3}{5}}a_2\lambda_6 - \frac{\lambda_2\phi_1}{10\sqrt{15}} + \frac{\lambda_2\phi_2}{20\sqrt{15}}. \end{aligned} \quad (70)$$

$(\mathbf{8}, \mathbf{3}, 0)$

$$\mathbf{c}: \widehat{\Phi}_{(75,0)}^{(8,3,0)}$$

$$\mathbf{r}: \widehat{\Phi}_{(75,0)}^{(8,3,0)}$$

$$m_1 + \frac{\lambda_{10}E}{2\sqrt{15}} + \frac{2}{5}\sqrt{\frac{2}{5}}\lambda_7a_1 - \frac{4\lambda_7a_2}{5\sqrt{15}} - \frac{\lambda_1\phi_1}{\sqrt{15}} - \frac{\lambda_1\phi_2}{3\sqrt{15}} - \frac{2\lambda_1\phi_3}{3\sqrt{3}}. \quad (71)$$

## 6 Discussions

The results presented in the above Sections can be compared with previous studies, provided suitable transformations in notations are made. Firstly, in a recent study[22],  $G_{51}$  is used in

the MSSO10 with  $126 + \overline{126} + 210$  breaking the SO(10). Relations of the VEVs are

$$\begin{aligned}\phi_1 &= -\frac{1}{4}\sqrt{\frac{3}{5}}\mathbf{S}_{1210}, & \phi_2 &= \frac{1}{2}\sqrt{\frac{5}{3}}\mathbf{S}_{24210}, & \phi_3 &= \frac{\sqrt{3}}{2}\mathbf{S}_{75210}, \\ V_R &= \sqrt{\frac{15}{2}}\mathbf{S}_{1126}, & \overline{V}_R &= \sqrt{\frac{15}{2}}\mathbf{S}_{1\overline{126}}.\end{aligned}\quad (72)$$

However, we find that the coefficient before  $\mathbf{S}_{75210}^2\mathbf{S}_{1210}$  coupling should be  $\frac{3}{160}$  instead of  $\frac{1}{40}$  in their (3).

We can also compare our results with [12] which uses  $G_{422}$  as the maximal subgroup. When the following transformations are made,

$$\begin{pmatrix} \hat{A}_{(1,0)}^{(1,1,0)} \\ \hat{A}_{(24,0)}^{(1,1,0)} \end{pmatrix} = \begin{pmatrix} \sqrt{\frac{2}{5}} & \sqrt{\frac{3}{5}} \\ \sqrt{\frac{3}{5}} & -\sqrt{\frac{2}{5}} \end{pmatrix} \begin{pmatrix} \hat{A}_{(1,1,3)}^{(1,1,0)} \\ \hat{A}_{(15,1,1)}^{(1,1,0)} \end{pmatrix}, \quad (73)$$

$$\begin{pmatrix} \hat{\Phi}_{(1,0)}^{(1,1,0)} \\ \hat{\Phi}_{(24,0)}^{(1,1,0)} \\ \hat{\Phi}_{(75,0)}^{(1,1,0)} \end{pmatrix} = \begin{pmatrix} \sqrt{\frac{1}{10}} & \sqrt{\frac{3}{10}} & \sqrt{\frac{6}{10}} \\ \sqrt{\frac{6}{15}} & -\sqrt{\frac{8}{15}} & \sqrt{\frac{1}{15}} \\ \sqrt{\frac{3}{6}} & \sqrt{\frac{1}{6}} & -\sqrt{\frac{2}{6}} \end{pmatrix} \begin{pmatrix} \hat{\Phi}_{(1,1,1)}^{(1,1,0)} \\ \hat{\Phi}_{(15,1,1)}^{(1,1,0)} \\ \hat{\Phi}_{(15,1,3)}^{(1,1,0)} \end{pmatrix}, \quad (74)$$

$$\begin{pmatrix} \hat{\Phi}_{(10,-4)}^{(3,1,\frac{2}{3})} \\ \hat{\Phi}_{(40,-4)}^{(3,1,\frac{2}{3})} \end{pmatrix} = \begin{pmatrix} \sqrt{\frac{1}{3}} & \sqrt{\frac{2}{3}} \\ \sqrt{\frac{2}{3}} & -\sqrt{\frac{1}{3}} \end{pmatrix} \begin{pmatrix} \hat{\Phi}_{(15,1,1)}^{(3,1,\frac{2}{3})} \\ \hat{\Phi}_{(15,1,3)}^{(3,1,\frac{2}{3})} \end{pmatrix}, \quad (75)$$

$$\begin{pmatrix} \hat{\Phi}_{(24,0)}^{(3,2,-\frac{5}{6})} \\ \hat{\Phi}_{(75,0)}^{(3,2,-\frac{5}{6})} \end{pmatrix} = \begin{pmatrix} \sqrt{\frac{1}{3}} & \sqrt{\frac{2}{3}} \\ \sqrt{\frac{2}{3}} & -\sqrt{\frac{1}{3}} \end{pmatrix} \begin{pmatrix} \hat{\Phi}_{(6,2,2)}^{(3,2,-\frac{5}{6})} \\ \hat{\Phi}_{(10,2,2)}^{(3,2,-\frac{5}{6})} \end{pmatrix}, \quad (76)$$

$$\begin{pmatrix} \hat{\Phi}_{(10,4)}^{(3,2,\frac{1}{6})} \\ \hat{\Phi}_{(40,4)}^{(3,2,\frac{1}{6})} \end{pmatrix} = \begin{pmatrix} \sqrt{\frac{1}{3}} & \sqrt{\frac{2}{3}} \\ \sqrt{\frac{2}{3}} & -\sqrt{\frac{1}{3}} \end{pmatrix} \begin{pmatrix} \hat{\Phi}_{(6,2,2)}^{(3,2,\frac{1}{6})} \\ \hat{\Phi}_{(10,2,2)}^{(3,2,\frac{1}{6})} \end{pmatrix}, \quad (77)$$

$$\begin{pmatrix} \hat{D}_{(5,2)}^{(1,2,\frac{1}{2})} \\ \hat{D}_{(45,2)}^{(1,2,\frac{1}{2})} \end{pmatrix} = \begin{pmatrix} \sqrt{\frac{1}{4}} & \sqrt{\frac{3}{4}} \\ \sqrt{\frac{3}{4}} & -\sqrt{\frac{1}{4}} \end{pmatrix} \begin{pmatrix} \hat{D}_{(1,2,2)}^{(1,2,\frac{1}{2})} \\ \hat{D}_{(15,2,2)}^{(1,2,\frac{1}{2})} \end{pmatrix}, \quad (78)$$

$$\begin{pmatrix} \hat{D}_{(5,2)}^{(3,1,-\frac{1}{3})} \\ \hat{D}_{(45,2)}^{(3,1,-\frac{1}{3})} \end{pmatrix} = \begin{pmatrix} \sqrt{\frac{1}{2}} & \sqrt{\frac{1}{2}} \\ \sqrt{\frac{1}{2}} & -\sqrt{\frac{1}{2}} \end{pmatrix} \begin{pmatrix} \hat{D}_{(6,1,3)}^{(3,1,-\frac{1}{3})} \\ \hat{D}_{(10,1,1)}^{(3,1,-\frac{1}{3})} \end{pmatrix}, \quad (79)$$

$$\begin{pmatrix} \hat{\Delta}_{(5,2)}^{(3,1,-\frac{1}{3})} \\ \hat{\Delta}_{(50,2)}^{(3,1,-\frac{1}{3})} \end{pmatrix} = \begin{pmatrix} \sqrt{\frac{1}{3}} & \sqrt{\frac{2}{3}} \\ \sqrt{\frac{2}{3}} & -\sqrt{\frac{1}{3}} \end{pmatrix} \begin{pmatrix} \hat{\Delta}_{(6,1,1)}^{(3,1,-\frac{1}{3})} \\ \hat{\Delta}_{(10,1,3)}^{(3,1,-\frac{1}{3})} \end{pmatrix}, \quad (80)$$

$$\begin{pmatrix} \hat{\Phi}_{(24,0)}^{(8,1,0)} \\ \hat{\Phi}_{(75,0)}^{(8,1,0)} \end{pmatrix} = \begin{pmatrix} \sqrt{\frac{1}{3}} & \sqrt{\frac{2}{3}} \\ \sqrt{\frac{2}{3}} & -\sqrt{\frac{1}{3}} \end{pmatrix} \begin{pmatrix} \hat{\Phi}_{(15,1,1)}^{(8,1,0)} \\ \hat{\Phi}_{(15,1,3)}^{(8,1,0)} \end{pmatrix}, \quad (81)$$

our masses and mass matrices agree with those given in [12], excepts in [12] the coefficients of 24 and 42 elements in the  $[(1, 1, 1) + \text{c.c.}]$  mass matrix should be  $-\frac{1}{2\sqrt{10}}$  instead of  $-\frac{1}{\sqrt{10}}$ .

Furthermore, as is pointed out in [31], the not all of dimensionless couplings in the superpotential (27) can be taken as order 1 in numerical calculations. This can be seen in the the conventional SO(10) basis of  $1', 2', \dots, 9', 0'$  where the fields are defined as

$$\begin{aligned} \hat{H} &\equiv a' & \hat{A} &\equiv \frac{1}{\sqrt{2}}(a'b') & \hat{E} &\equiv \frac{1}{\sqrt{2}}\{a'b'\} & \hat{D} &\equiv \frac{1}{\sqrt{3}}(a'b'c') \\ \hat{\Phi} &\equiv \frac{1}{\sqrt{24}}(a'b'c'd') & \hat{\Delta} &\equiv \frac{1}{\sqrt{120}}(a'b'c'd'e'), \end{aligned} \quad (82)$$

and in [12] the SO(10) invariants are defined as, *e.g.*,

$$\begin{aligned} \lambda_1 \Phi^3 &\equiv \lambda_1 (\Phi_{a'b'c'd'} \hat{\Phi}_{a'b'c'd'}) \cdot (\Phi_{a'b'e'f'} \hat{\Phi}_{a'b'e'f'}) \cdot (\Phi_{c'd'e'f'} \hat{\Phi}_{c'd'e'f'}) \\ &\equiv \lambda_1 \Phi_{a'b'c'd'} \Phi_{a'b'e'f'} \Phi_{c'd'e'f'} (\hat{\Phi}_{a'b'c'd'} \cdot \hat{\Phi}_{a'b'e'f'} \cdot \hat{\Phi}_{c'd'e'f'}) \\ &= \lambda_1 \Phi_{a'b'c'd'} \Phi_{a'b'e'f'} \Phi_{c'd'e'f'} \times 3! \times \left(\frac{1}{\sqrt{24}}\right)^3 \times (a'b'c'd') \cdot (a'b'e'f') \cdot (c'd'e'f') \\ &= \lambda_1 \Phi_{a'b'c'd'} \Phi_{a'b'e'f'} \Phi_{c'd'e'f'} \times 3! \times \left(\frac{1}{\sqrt{24}}\right)^3 \times (2!)^3 \\ &= \frac{1}{\sqrt{6}} \lambda_1 \Phi_{a'b'c'd'} \Phi_{a'b'e'f'} \Phi_{c'd'e'f'} \equiv \lambda'_1 \Phi_{a'b'c'd'} \Phi_{a'b'e'f'} \Phi_{c'd'e'f'}, \end{aligned} \quad (83)$$

where the  $3!$  comes from the exchange symmetry of the three  $\Phi$ s, and  $2!^3$  comes from index constrictions. So we need to redefine the couplings to absorb the extra factor  $\frac{1}{\sqrt{6}}$ . We give the redefined couplings in Table 6. When these new couplings are taken as order 1, and all the masses and the VEVs in the superpotential (27) are taken at the same scale, all terms in (28) are of the same order.

## 7 Summary

In summary, we have studied the renormalizable SUSY SO(10) model which contains many important Higgs fields used previously. We use  $G_{51}$  as the maximal subgroup and our results are highly consistent with those given in  $G_{422}$  basis. The results of this work can be used for reference in model building.

We thank Z.-X. Ren for many discussions. ZYC also thanks Feng-Shu Jin for many helps.

Table 6: Normalized couplings  $\lambda$ 's which are order one.

Old	$\lambda_1$	$\lambda_2$	$\lambda_3$	$\lambda_4$	$\lambda_5$	$\lambda_6$	$\lambda_7$	$\lambda_8$	$\lambda_9$	$\lambda_{10}$	$\lambda_{11}$
New	$\sqrt{6}\lambda'_1$	$10\sqrt{6}\lambda'_2$	$\sqrt{5}\lambda'_3$	$\sqrt{5}\lambda'_4$	$\frac{\sqrt{6}}{2}\lambda'_5$	$5\sqrt{2}\lambda'_6$	$\frac{5\sqrt{2}}{4}\lambda'_7$	$\frac{\sqrt{2}}{3}\lambda'_8$	$\sqrt{2}\lambda'_9$	$2\sqrt{2}\lambda'_{10}$	$\frac{5\sqrt{2}}{2}\lambda'_{11}$

Old	$\lambda_{12}$	$\lambda_{13}$	$\lambda_{14}$	$\lambda_{15}$	$\lambda_{16}$	$\lambda_{17}$	$\lambda_{18}$	$\lambda_{19}$	$\lambda_{20}$	$\lambda_{21}$
New	$\frac{5\sqrt{2}}{2}\lambda'_{12}$	$\sqrt{2}\lambda'_{13}$	$\frac{3\sqrt{2}}{2}\lambda'_{14}$	$\frac{3\sqrt{6}}{2}\lambda'_{15}$	$\sqrt{3}\lambda'_{16}$	$2\lambda'_{17}$	$\sqrt{10}\lambda'_{18}$	$\sqrt{10}\lambda'_{19}$	$2\sqrt{30}\lambda'_{20}$	$2\sqrt{30}\lambda'_{21}$

## References

- [1] T. E. Clark, T. K. Kuo and N. Nakagawa, *An SO(10) supersymmetric grand unified theory*, *Phys. Lett.* **B 115** (1982) 26.
- [2] C. S. Aulakh and R. N. Mohapatra, *Implications of supersymmetric SO(10) grand unification*, *Phys. Rev.* **D 28** (1983) 217.
- [3] X.-G. He and S. Meljanac, *Symmetry breaking and mass spectra in supersymmetric SO(10) models* *Phys. Rev.* **D 41** (1990) 1620.
- [4] Dae-Gyu Lee, *Symmetry breaking and mass spectra in the minimal supersymmetric SO(10) grand unified theory*, *Phys. Rev.* **D 49** (1994) 1417.
- [5] J. Sato, *A SUSY SO(10) GUT with an intermediate scale*, *Phys. Rev.* **D 53** (1996) 3884.
- [6] C. S. Aulakh, B. Bajc, A. Melfo, A. Rasin and G. Senjanovic, *SO(10) theory of R-parity and neutrino mass*, *Nucl. Phys.* **B 597** (2001) 89.
- [7] P. Nath and R. M. Syed, *Analysis of couplings with large tensor representations in SO(2N) and proton decay*, *Phys. Lett.* **B 506** (2001) 68, **B 508** (2001) 216.
- [8] P. Nath and R. M. Syed, *Complete cubic and quartic couplings of 16 and bar-16 in SO(10) unification*, *Nucl. Phys.* **B 618** (2001) 138.
- [9] C. S. Aulakh, B. Bajc, A. Melfo, G. Senjanović, and F. Vissani, *The minimal supersymmetric grand unified theory*, *Phys. Lett.* **B 588** (2004) 196.
- [10] T. Fukuyama, A. Ilakovac, T. Kikuchi, S. Meljanac and N. Okada, *General formulation for proton decay rate in minimal supersymmetric SO(10) GUT*, *Eur. Phys. J.* **C42** (2005) 191.
- [11] B. Bajc, A. Melfo, G. Senjanović, and F. Vissani, *Minimal supersymmetric grand unified theory: Symmetry breaking and the particle spectrum*, *Phys. Rev.* **D 70** (2004) 035007.



- [12] T. Fukuyama, A. Ilakovac, T. Kikuchi, S. Meljanac, and N. Okada, *SO(10) Group theory for the unified model building*, *J. Math. Phys.* **46** (2005) 033505; arXiv:hep-ph/0405300v3.
- [13] T. Fukuyama, T. Kikuchi, A. Ilakovac, S. Meljanac, and N. Okada, *Detailed analysis of proton decay rate in the minimal supersymmetric SO(10) model*, *JHEP* **0409** (2004) 052.
- [14] T. Fukuyama, A. Ilakovac, T. Kikuchi, S. Meljanac and N. Okada, *Higgs masses in the minimal SUSY SO(10) GUT*, *Phys. Rev.* **D 72** (2005) 051701.
- [15] C. S. Aulakh, *On the consistency of MSGUT spectra*, *Phys. Rev.* **D 72** (2005) 051702.
- [16] C. S. Aulakh and A. Girdhar, *SO(10) MSGUT: Spectra, couplings and threshold effects*, *Nucl. Phys.* **B 711** (2005) 275.
- [17] C. S. Aulakh and S. K. Garg, *MSGUT : From bloom to doom*, *Nucl. Phys.* **B 757** (2006) 47.
- [18] P. Nath and R. M. Syed, *Couplings of vector-spinor representation for SO(10) model building*, *JHEP* **0602** (2006) 022.
- [19] M. Malinský, *Higgs sector of the next-to-minimal renormalizable SUSY SO(10)*, arXiv:0807.0591.
- [20] C. S. Aulakh and S. K. Garg, *The New Minimal Supersymmetric GUT : Spectra, RG analysis and Fermion Fits*, *Nucl.Phys.* **B 857** (2012) 101.
- [21] C. S. Aulakh, I. Garg and C. K. Khosa, *Baryon stability on the Higgs dissolution edge: threshold corrections and suppression of baryon violation in the NMSGUT*, *Nucl.Phys.* **B 882** (2014) 397.
- [22] P. Nath and R. M. Syed, *An Analysis of B-L=-2 Operators from Matter-Higgs Interactions in a Class of Supersymmetric SO(10) Models*, *Phys. Rev.* **D 93** (2016) 055005.
- [23] X. Li and D.-X. Zhang, *Proton decay suppression in a supersymmetric SO(10) model*, *JHEP* **1502** (2015) 130.
- [24] Y.-K. Chen and D.-X. Zhang, *A renormalizable supersymmetric SO(10) model*, *JHEP* **1507** (2015) 005.
- [25] U. Amaldi, W. de Boer and H. Furstenau, *Comparison of grand unified theories with electroweak and strong coupling constants measured at LEP*, *Phys. Lett.* **B 260** (1991) 447.
- [26] John Ellis, S. Kelley and D. V. Nanopoulos, *Probing the desert using gauge coupling unification*, *Phys. Lett.* **B 260** (1991) 131.
- [27] P. Langacker and M. Luo, *Implications of precision electroweak experiments for  $m_t$ ,  $\rho_0$ ,  $\sin^2\theta_\Omega$ , and grand unification*, *Phys. Rev.* **D 44** (1991) 817.
- [28] C. Giunti, C. W. Kim, and U. W. Lee, *Running coupling constants and grand unification models*, *Mod. Phys. Lett.* **A 06** (1991) 17.

- [29] K. S. Babu, I. Gogoladze and Z. Tavartkiladze, *Missing Partner Mechanism in  $SO(10)$  Grand Unification*, *Phys. Lett. B* **650** (2007) 49.
- [30] R. N. Mohapatra and B. Sakita,  *$SO(2n)$  Grand Unification in an  $SU(N)$  Basis*, *Phys. Rev. D* **21** (1980) 1062.
- [31] Zhi-Yong Chen and Da-Xin Zhang, *Examining A Renormalizable Supersymmetric  $SO(10)$  Model*, arXiv:1611.07760