

Moments and Cumulants of The Two-Stage Mann-Whitney Statistic

Dewei Zhong and John Kolassa

October 4, 2018

Abstract

This paper illustrates how to calculate the moments and cumulants of the two-stage Mann-Whitney statistic. These results may be used to calculate the asymptotic critical values of the two-stage Mann-Whitney test. In this paper, a large amount of deductions will be showed.

1 Introduction to The Mann-Whitney Statistic and Two-Stage Test

The Mann-Whitney U test, is often used to test a difference in the responses of two groups. X_1, \dots, X_M are from control group, Y_1, \dots, Y_N are from treatment group. The Mann-Whitney statistic is defined as

$$U = \sum_{j=1}^N \sum_{i=1}^M I_{ij}, \quad \text{for } I_{ij} = I(X_i < Y_j) = \begin{cases} 1, & X_i < Y_j \\ 0, & X_i \geq Y_j \end{cases}. \quad (1)$$

We select c as the critical value, If U is larger than c , conclude that the two populations are different. This is one-stage test proposed by Mann and Whitney [1].

Due to ethical concerns and resource management, common designs allow for early stoppage in the presence of early and convincing proof. Spurrier and Hewett [2] provide a two-stage test based on the Mann-Whitney statistic. The two-stage test has two critical values. Denote these as c_1 and c_2 . First, gather m observations from control group and n observations from treatment group. Define

$$U_1 = \sum_{j=1}^n \sum_{i=1}^m I_{ij}. \quad (2)$$

Calculate U_1 , and if it is larger than or equal to c_1 , we can stop trials early to declare the treatment group is superior to control group. If U_1 is less than the first critical value c_1 , gather $M - m$ observations from control group and $N - n$ observations from treatment group, where $m \leq M, n \leq N$. Define

$$U_2 = \sum_{j=1}^N \sum_{i=1}^M I_{ij}. \quad (3)$$

Then calculate U_2 . If it is larger than or equal the second c_2 , we claim the treated is superior to the controls.

The hard part of this test is to find two critical values. The critical values of Mann-Whitney statistic in one dimension as well as critical values of one stage test can be easily calculated. We focus the critical values for two stage test. Due to the complexity of the mass function for two dimensional Mann-Whitney statistics, the complexity to get exact critical values is computatively intensive. Therefore, the asymptotic critical values within tolerable error are decent substitutions. The Cornish Fisher expansion provides the method to obtain critical values [3]. In order to use the Cornish Fisher expansion, the cumulants are necessary. So next, we will find the moments for two stage test statistics U_1 and U_2 in section 2 and get the cumulants in section 3.

2 Moments of The Two Dimensional Mann-Whitney Statistic

First, we assume $X_1 \cdots X_M$ and $Y_1 \cdots Y_M$ are jointly independent and identically distributed. Under the null hypothesis, all of the observations belong to the same population. In the first subsection, we give some hyphenated transition. In the second, third, fourth and fifth subsection, we find the first, second, third and fourth moments repectively under both the general case and the null hypothesis.

2.1 Probability Definition

Some transition values will be used in the following deductions. We give them first. The I_{ij} is the same as that in (1).

Under the null hypothesis:

$$\begin{aligned}
E(I_{ij}) &= \frac{1}{2} & E(I_{ij}I_{kj}) &= \frac{1}{3} & E(I_{ij}I_{il}) &= \frac{1}{3} & E(I_{ij}I_{kl}) &= \frac{1}{4} \\
E(I_{ij}I_{il}I_{it}) &= \frac{1}{4} & E(I_{ij}I_{kj}I_{sj}) &= \frac{1}{4} & E(I_{ij}I_{kj}I_{kl}) &= \frac{5}{24} \\
E(I_{ij}I_{kj}I_{sj}I_{st}) &= \frac{3}{20} & E(I_{ij}I_{kj}I_{it}I_{st}) &= \frac{2}{15} & E(I_{ij}I_{kj}I_{sj}I_{pj}) &= \frac{1}{5} \\
E(I_{ij}I_{kj}I_{iq}I_{it}) &= \frac{3}{20} & E(I_{ij}I_{kj}I_{il}I_{kt}) &= \frac{1}{6} & E(I_{ij}I_{kj}I_{iq}I_{kl}) &= \frac{2}{15} \\
E(I_{ij}I_{il}I_{kj}) &= \frac{5}{24} & E(I_{ij}I_{il}I_{iq}I_{st}) &= \frac{1}{8} & E(I_{ij}I_{kj}I_{pj}I_{st}) &= \frac{1}{8} \\
E(I_{ij}I_{il}I_{pq}I_{pt}) &= \frac{1}{9} & E(I_{ij}I_{kj}I_{pq}I_{sq}) &= \frac{1}{9} & E(I_{ij}I_{il}I_{pq}I_{sq}) &= \frac{1}{9} \\
E(I_{ij}I_{kj}I_{il}I_{st}) &= \frac{1}{9} & E(I_{ij}I_{kj}I_{pq}I_{st}) &= \frac{1}{12} & E(I_{ij}I_{kl}I_{st}I_{sq}) &= \frac{1}{12} \\
E(I_{ij}I_{kl}I_{st}I_{pq}) &= \frac{1}{16} & E(I_{ij}I_{il}I_{it}I_{iq}) &= \frac{1}{5} & E(I_{ij}I_{kj}I_{iq}I_{st}) &= \frac{5}{48}.
\end{aligned} \tag{4}$$

In the general case, define the probabilities π_i below:

$$\begin{aligned}
E(I_{ij}) &= \pi_0 & E(I_{ij}I_{kj}) &= \pi_1 & E(I_{ij}I_{kj}I_{sj}) &= \pi_2 & E(I_{ij}I_{kj}I_{sj}I_{st}) &= \pi_3 \\
E(I_{ij}I_{kj}I_{kl}) &= \pi_4 & E(I_{ij}I_{kj}I_{it}I_{st}) &= \pi_5 & E(I_{ij}I_{kj}I_{sj}I_{pj}) &= \pi_6 \\
E(I_{ij}I_{kj}I_{iq}I_{it}) &= \pi_7 & E(I_{ij}I_{kj}I_{il}I_{kl}) &= \pi_8 & E(I_{ij}I_{il}) &= \pi_9 \\
E(I_{ij}I_{kj}I_{il}I_{kt}) &= \pi_{10} & E(I_{ij}I_{il}I_{it}) &= \pi_{12} & E(I_{ij}I_{il}I_{it}I_{iq}) &= \pi_{13}.
\end{aligned} \tag{5}$$

Here, $I_{ij}I_{il}I_{kj} = 1$ implied that all of $X_i < Y_j$, $X_i < Y_l$, $X_k < Y_j$ hold. The equaiton $I_{ij}I_{il}I_{kj} = 0$ implies at least one of them does not hold. Here we intend i, k, s, p in the same expression are pairwise unequal, as are j, l, q, t . For example, in $I_{ij}I_{kl}I_{pq}I_{st}$, $i \neq k, i \neq p, i \neq s, k \neq p, k \neq s, p \neq s$ and $j \neq l, j \neq t, j \neq q, l \neq q, l \neq t, q \neq t$.

2.2 First Moments

In genral, by (5)

$$E(U_1) = \sum_{j=1}^n \sum_{i=1}^m E(I_{ij}) = mn\pi_0, \tag{6}$$

$$E(U_2) = MN\pi_0. \tag{7}$$

Under the null hypothesis, by (4)

$$E(U_1) = \sum_{j=1}^n \sum_{i=1}^m E(I_{ij}) = \frac{mn}{2}, \tag{8}$$

$$E(U_2) = \frac{MN}{2}. \tag{9}$$

2.3 Second Moments

$$\begin{aligned}
U_1^2 &= \left(\sum_{i=1}^m \sum_{j=1}^n I_{ij} \right)^2 \\
&= \sum_{i=1}^m \sum_{j=1}^n I_{ij}^2 + \sum_{i=1}^m \sum_{j=1}^n \sum_{k=1, k \neq i}^m I_{ij}I_{kj} + \sum_{j=1}^n \sum_{i=1}^m \sum_{l=1, l \neq j}^n I_{ij}I_{il} + \\
&\quad + \sum_{j=1}^n \sum_{i=1}^m \sum_{l=1, l \neq j}^n \sum_{k=1, k \neq i}^m I_{ij}I_{kl}.
\end{aligned} \tag{10}$$

Substituting the probability values in (10) by (5)

$$E(U_1^2) = mn\pi_0 + m(m-1)n\pi_1 + mn(n-1)\pi_9 + m(m-1)n(n-1)\pi_0^2. \tag{11}$$

By the same reasoning,

$$E(U_2^2) = MN\pi_0 + M(M-1)N\pi_1 + MN(N-1)\pi_9 + M(M-1)N(N-1)\pi_0^2. \tag{12}$$

While calculating mixed moments, conditional expectations are usually utilized.

$$\begin{aligned}
E(U_1U_2) &= E(E(U_1U_2|U_2)) \\
&= E(U_2E(U_1|U_2)) \\
&= E(U_2\frac{mn}{MN}U_2) \\
&= \frac{mn}{MN}E(U_2^2).
\end{aligned} \tag{13}$$

Thus, by (12) and (13)

$$E(U_1U_2) = mn\pi_0 + mn(M-1)\pi_1 + mn(N-1)\pi_9 + mn(M-1)(N-1)\pi_0^2. \tag{14}$$

Under the null hypothesis, by (4) and (14):

$$\begin{aligned}
E(U_1^2) &= \frac{1}{2}mn + \frac{1}{3}m(m-1)n + \frac{1}{3}mn(n-1) + \frac{1}{4}m(m-1)n(n-1) \\
&= \frac{m^2n^2}{4} + \frac{m^2n}{12} + \frac{mn^2}{12} + \frac{mn}{12},
\end{aligned} \tag{15}$$

By the same reasoning,

$$E(U_2^2) = \frac{M^2N^2}{4} + \frac{M^2N}{12} + \frac{MN^2}{12} + \frac{MN}{12}, \tag{16}$$

$$\begin{aligned}
E(U_1U_2) &= E(E(U_1U_2|U_2)) \\
&= E(U_2E(U_1|U_2)) \\
&= E(U_2\frac{mn}{MN}U_2) \\
&= \frac{mn}{MN}E(U_2^2),
\end{aligned} \tag{17}$$

$$E(U_1U_2) = \frac{mnMN}{4} + \frac{mnM}{12} + \frac{mnN}{12} + \frac{mn}{12}. \tag{18}$$

2.4 Third Moments

We extend calculations for lower orders to find it.

$$\begin{aligned}
E(U_1^3) &= \sum_{j=1}^n \sum_{i=1}^m I_{ij} + 3 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m I_{ij} I_{ij} I_{kj} + 3 \sum_{i=1}^m \sum_{j=1}^n \sum_{l=1, l \neq j}^n I_{ij} I_{ij} I_{il} \\
&+ 3 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n I_{ij} I_{ij} I_{kl} + 6 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n I_{ij} I_{il} I_{kj} \\
&+ \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{s=1, s \neq i, s \neq k}^m I_{ij} I_{kj} I_{sj} + \sum_{j=1}^n \sum_{i=1}^m \sum_{l=1, l \neq j}^n \sum_{t=1, t \neq j, t \neq l}^n I_{ij} I_{il} I_{it} \\
&+ 3 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^m \sum_{s=1, s \neq i, s \neq k}^m I_{ij} I_{kl} I_{sj} \\
&+ 3 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n \sum_{t=1, t \neq j, t \neq l}^n I_{ij} I_{kl} I_{it} \\
&+ \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n \sum_{s=1, s \neq i, s \neq k}^m \sum_{t=1, t \neq j, t \neq l}^n I_{ij} I_{kl} I_{st}.
\end{aligned} \tag{19}$$

Substituting (5) in (19),

$$\begin{aligned}
E(U_1^3) &= mn\pi_0 + 3m(m-1)n\pi_1 + 3mn(n-1)\pi_9 + 3m(m-1)n(n-1)\pi_0^2 \\
&+ 6m(m-1)n(n-1)\pi_4 + m(m-1)(m-2)n\pi_2 + mn(n-1)(n-2)\pi_{12} \\
&+ 3m(m-1)(m-2)n(n-1)\pi_0\pi_1 + 3m(m-1)n(n-1)(n-2)\pi_0\pi_9 \\
&+ m(m-1)(m-2)n(n-1)(n-2)\pi_0^3.
\end{aligned} \tag{20}$$

Simplifying,

$$\begin{aligned}
E(U_1^3) &= mn\pi_0 + 3m(m-1)n\pi_1 + 3mn(n-1)\pi_9 + 3m(m-1)n(n-1)\pi_0^2 \\
&+ 6m(m-1)n(n-1)\pi_4 + m(m-1)(m-2)n\pi_2 + mn(n-1)(n-2)\pi_{12} \\
&+ 3m(m-1)(m-2)n(n-1)\pi_0\pi_1 + 3m(m-1)n(n-1)(n-2)\pi_0\pi_9 \\
&+ m(m-1)(m-2)n(n-1)(n-2)\pi_0^3.
\end{aligned} \tag{21}$$

By the same reasoning,

$$\begin{aligned}
E(U_2^3) &= MN\pi_0 + 3M(M-1)N\pi_1 + 3MN(N-1)\pi_9 + 3M(M-1)N(N-1)\pi_0^2 \\
&+ 6M(M-1)N(N-1)\pi_4 + M(M-1)(M-2)N\pi_2 + MN(N-1)(N-2)\pi_{12} \\
&+ 3M(M-1)(M-2)N(N-1)\pi_0\pi_1 + 3M(M-1)N(N-1)(N-2)\pi_0\pi_9 \\
&+ M(M-1)(M-2)N(N-1)(N-2)\pi_0^3.
\end{aligned} \tag{22}$$

Next, the conditional expectations are used to get $E(U_1U_2^2)$ and $E(U_1^2U_2)$.

$$E(U_1U_2^2) = E[U_2^2 E(U_1|U_2)] = E(U_2^2 \frac{mn}{MN} U_2) = \frac{mn}{MN} E(U_2^3). \tag{23}$$

Substituting (22) in (23),

$$\begin{aligned}
E(U_1 U_2^2) &= mn\pi_0 + 3mn(M-1)\pi_1 + 3mn(N-1)\pi_9 + 3mn(M-1)(N-1)\pi_0^2 \\
&\quad + 6mn(M-1)(N-1)\pi_4 + mn(M-1)(M-2)\pi_2 + mn(N-1)(N-2)\pi_{12} \\
&\quad + 3mn(M-1)(M-2)(N-1)\pi_0\pi_1 + 3mn(M-1)(N-1)(N-2)\pi_0\pi_9 \\
&\quad + mn(M-1)(M-2)(N-1)(N-2)\pi_0^3.
\end{aligned} \tag{24}$$

$$\begin{aligned}
E(U_1^2 U_2) &= E\left(\sum_{i=1}^m \sum_{j=1}^n \sum_{k=1}^m \sum_{l=1}^n I_{ij} I_{kl} U_2\right) \\
&= E\left(\sum_{i=1}^m \sum_{j=1}^n \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n I_{ij} I_{kl} U_2 + \sum_{i=1}^m \sum_{j=1}^n \sum_{k=1, k \neq i}^m I_{ij} I_{kj} U_2 + \sum_{i=1}^m \sum_{j=1}^n \sum_{l=1, l \neq j}^n I_{ij} I_{il} U_2\right) \\
&\quad + \sum_{i=1}^m \sum_{j=1}^n I_{ij} U_2 \\
&= E\left(\frac{m(m-1)n(n-1)}{M(M-1)N(N-1)} \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{l=1, l \neq j}^N I_{ij} I_{kl} U_2\right) \\
&\quad + E\left(\frac{m(m-1)n}{M(M-1)N} \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_2\right) \\
&\quad + E\left(\frac{mn(n-1)}{MN(N-1)} \sum_{i=1}^M \sum_{j=1}^N \sum_{l=1, l \neq j}^N I_{ij} I_{il} U_2\right) + E\left(\frac{mn}{MN} \sum_{i=1}^M \sum_{j=1}^N I_{ij} U_2\right) \\
&= E\left(\frac{m(m-1)n(n-1)}{M(M-1)N(N-1)} \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1}^M \sum_{l=1}^N I_{ij} I_{kl} U_2\right) \\
&\quad + E\left(\left(\frac{m(m-1)n}{M(M-1)N} - \frac{m(m-1)n(n-1)}{M(M-1)N(N-1)}\right) \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_2\right) \\
&\quad + E\left(\left(\frac{mn(n-1)}{MN(N-1)} - \frac{m(m-1)n(n-1)}{M(M-1)N(N-1)}\right) \sum_{i=1}^M \sum_{j=1}^N \sum_{l=1, l \neq j}^N I_{ij} I_{il} U_2\right) \\
&\quad + E\left(\left(\frac{mn}{MN} - \frac{m(m-1)n(n-1)}{M(M-1)N(N-1)}\right) \sum_{i=1}^M \sum_{j=1}^N I_{ij} U_2\right) \\
&= \frac{m(m-1)n(n-1)}{M(M-1)N(N-1)} E(U_2^3) + \left(\frac{mn}{MN} - \frac{m(m-1)n(n-1)}{M(M-1)N(N-1)}\right) E(U_2^2) \\
&\quad + \left(\frac{m(m-1)n}{M(M-1)N} - \frac{m(m-1)n(n-1)}{M(M-1)N(N-1)}\right) E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_2\right) \\
&\quad + \left(\frac{mn(n-1)}{MN(N-1)} - \frac{m(m-1)n(n-1)}{M(M-1)N(N-1)}\right) E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{l=1, l \neq j}^N I_{ij} I_{il} U_2\right).
\end{aligned} \tag{25}$$

We can find

$$\begin{aligned}
E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_2\right) &= E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{l=1, l \neq j}^N I_{ij} I_{kj} I_{il} + \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} I_{kl}\right. \\
&\quad + \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{s=1, s \neq i, s \neq k}^M \sum_{l=1, l \neq j}^N I_{ij} I_{kj} I_{sl} \\
&\quad \left. + \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{s=1, s \neq i, s \neq k}^M I_{ij} I_{kj} I_{sj} + \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M (I_{ij} I_{kj} I_{ij} + I_{ij} I_{kj} I_{kj})\right) \\
&= \pi_0 \pi_1 M(M-1)(M-2)N(N-1) + 2\pi_4 M(M-1)N(N-1) \\
&\quad + \pi_2 M(M-1)(M-2)N + 2\pi_1 M(M-1)N.
\end{aligned}$$

By the same reasoning,

$$\begin{aligned}
E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{l=1, l \neq j}^N I_{ij} I_{il} U_2\right) &= \pi_0 \pi_9 M(M-1)N(N-1)(N-2) + 2\pi_4 M(M-1)N(N-1) \\
&\quad + \pi_{12} MN(N-1)(N-2) + 2\pi_9 MN(N-1).
\end{aligned}$$

$E(U_1^3)$ and $E(U_1^2)$ have been found in (21) and (11). Due to the complication of simplifying, we stop here. Under the null hypothesis, we can just use the values in (4) to substitute the $\pi_0 \cdots \pi_{13}$ in (21), (22), (24) and (25). And we will show another method to get it.

The distribution of U_1 is symmetric about 0 under the null hypothesis. Hence

$$E[U_1 - E(U_1)]^3 = 0, \quad \text{and so}$$

$$E(U_1^3) = [E(U_1)]^3 - 3E(U_1)[E(U_1)]^2 + 3E(U_1^2)E(U_1). \quad (26)$$

Substituting (8) and (15), then do simplifying, (27) is got. The same way for U_2 to find (28) and the same conditional expectations to (29).

$$E(U_1^3) = \frac{m^3 n^3}{8} + \frac{m^3 n^2}{8} + \frac{m^2 n^3}{8} + \frac{m^2 n^2}{8}, \quad (27)$$

$$E(U_2^3) = \frac{M^3 N^3}{8} + \frac{M^3 N^2}{8} + \frac{M^2 N^3}{8} + \frac{M^2 N^2}{8}, \quad (28)$$

$$E(U_1 U_2^2) = \frac{mnM^2 N^2}{8} + \frac{mnM^2 N}{8} + \frac{mnMN^2}{8} + \frac{mnMN}{8}. \quad (29)$$

There is a property under the null hypothesis,

$$E(U_2|U_1) = \frac{M+N+1}{m+n+1}U_1 + \frac{1}{2}\left[\frac{(M-m)n(n+1) + (N-n)m(m+1)}{m+n+1} + (M-m)(N-n)\right].$$

And thus,

$$\begin{aligned}
E(U_1^2 U_2) &= E[U_1^2 E(U_2 | U_1)] \\
&= E[U_1^2 (\frac{M+N+1}{m+n+1} U_1 + \frac{1}{2} [\frac{(M-m)n(n+1) + (N-n)m(m+1)}{m+n+1} + (M-m)(N-n)])] \\
&= \frac{M+N+1}{m+n+1} E(U_1^3) + \frac{1}{2} [\frac{(M-m)n(n+1) + (N-n)m(m+1)}{m+n+1} + (M-m)(N-n)] E(U_1^2) \\
&= \frac{M+N+1}{m+n+1} \frac{m^2 n^2}{8} (mn + m + n + 1) \\
&\quad + \frac{mn}{24} \frac{(M-m)n(n+1) + (N-n)m(m+1)}{m+n+1} (3mn + m + n + 1) \\
&\quad + \frac{1}{12} (M-m)(N-n) (3m^2 n^2 + m^n + mn^2 + mn).
\end{aligned} \tag{30}$$

The result is the same as (25) under the null hypothesis.

2.5 Fourth Moments

We extend calculations for lower order moments to find it,

$$\begin{aligned}
U_1^4 &= \left(\sum_{j=1}^n \sum_{i=1}^m I_{ij} I_{ij} I_{ij} I_{ij} \right)^4 \\
&= \sum_{j=1}^n \sum_{i=1}^m I_{ij} I_{ij} I_{ij} I_{ij} + 3 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m I_{ij} I_{ij} I_{kj} I_{kj} + 3 \sum_{j=1}^n \sum_{i=1}^m \sum_{l=1, l \neq j}^n I_{ij} I_{ij} I_{il} I_{il} \\
&\quad + 4 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m I_{ij} I_{ij} I_{kj} I_{kj} + 4 \sum_{j=1}^n \sum_{i=1}^m \sum_{l=1, l \neq j}^n I_{ij} I_{ij} I_{ij} I_{il} + 6 \sum_{j=1}^n \sum_{i=1}^m \sum_{l=1, l \neq j}^n \sum_{t=1, t \neq j, t \neq l}^n I_{ij} I_{ij} I_{il} I_{it} \\
&\quad + 6 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{s=1, s \neq i, s \neq k}^m I_{ij} I_{ij} I_{kj} I_{sj} + 12 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n I_{ij} I_{ij} I_{kj} I_{kl} \\
&\quad + 12 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n I_{ij} I_{ij} I_{kj} I_{il} + 12 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n I_{ij} I_{ij} I_{kl} I_{il} \\
&\quad + 6 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n I_{ij} I_{il} I_{kj} I_{kl} + 4 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n I_{ij} I_{ij} I_{ij} I_{kl} \\
&\quad + 3 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n I_{ij} I_{ij} I_{kl} I_{kl} + 6 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n \sum_{t=1, t \neq j, t \neq l}^n I_{ij} I_{ij} I_{kl} I_{kt} \\
&\quad + 6 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n \sum_{s=1, s \neq i, s \neq k}^m I_{ij} I_{ij} I_{kl} I_{sl} + 12 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n \sum_{t=1, t \neq j, t \neq l}^n I_{ij} I_{il} I_{it} I_{kj} \\
&\quad + 12 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n \sum_{s=1, s \neq i, s \neq k}^m I_{ij} I_{sj} I_{il} I_{kj} + 12 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n \sum_{t=1, t \neq j, t \neq l}^n I_{ij} I_{ij} I_{il} I_{kt} \\
&\quad + 12 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n \sum_{s=1, s \neq i, s \neq k}^m I_{ij} I_{kj} I_{il} I_{sl} + 12 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n \sum_{t=1, t \neq j, t \neq l}^n I_{ij} I_{kj} I_{il} I_{kt} \\
&\quad + 12 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n \sum_{s=1, s \neq i, s \neq k}^m I_{ij} I_{ij} I_{kj} I_{sl} + \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{s=1, s \neq i, s \neq k}^m \sum_{p=1, p \neq i, p \neq k, p \neq s}^m I_{ij} I_{kj} I_{sj} I_{pj} \\
&\quad + \sum_{i=1}^m \sum_{j=1}^n \sum_{l=1, l \neq j}^n \sum_{t=1, t \neq j, t \neq l}^n \sum_{q=1, q \neq j, q \neq l, q \neq t}^n I_{ij} I_{iq} I_{it} I_{il} \\
&\quad + 4 \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{j=1}^n \sum_{l=1, l \neq j}^n \sum_{t=1, t \neq j, t \neq l}^n \sum_{q=1, q \neq j, q \neq l, q \neq t}^n I_{ij} I_{iq} I_{it} I_{kl} \\
&\quad + 4 \sum_{j=1}^n \sum_{l=1, l \neq j}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{s=1, s \neq i, s \neq k}^m \sum_{p=1, p \neq i, p \neq k, p \neq s}^m I_{ij} I_{kj} I_{sj} I_{pl} \\
&\quad + 3 \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{j=1}^n \sum_{l=1, l \neq j}^n \sum_{t=1, t \neq j, t \neq l}^n \sum_{q=1, q \neq j, q \neq l, q \neq t}^n I_{ij} I_{il} I_{kt} I_{kq}
\end{aligned}$$

$$\begin{aligned}
& + 3 \sum_{j=1}^n \sum_{l=1, l \neq j}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{s=1, s \neq i, s \neq k}^m \sum_{p=1, p \neq i, p \neq k, p \neq s}^m I_{ij} I_{kj} I_{sl} I_{pl} \\
& + 6 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n \sum_{s=1, s \neq i, s \neq k}^m \sum_{t=1, t \neq j, t \neq l}^n I_{ij} I_{il} I_{kt} I_{st} \\
& + 6 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n \sum_{t=1, t \neq j, t \neq l}^n \sum_{s=1, s \neq i, s \neq k}^m I_{ij} I_{ij} I_{kl} I_{st} \\
& + 24 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n \sum_{t=1, t \neq j, t \neq l}^n \sum_{s=1, s \neq i, s \neq k}^m I_{ij} I_{kj} I_{il} I_{st} \\
& + 6 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n \sum_{t=1, t \neq j, t \neq l}^n \sum_{s=1, s \neq i, s \neq k}^m \sum_{p=1, p \neq i, p \neq k, p \neq s}^m I_{ij} I_{kj} I_{pl} I_{st} \\
& + 6 \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n \sum_{t=1, t \neq j, t \neq l}^n \sum_{s=1, s \neq i, s \neq k}^m \sum_{p=1, p \neq i, p \neq k, p \neq s}^m I_{ij} I_{il} I_{kq} I_{st} \\
& + \sum_{j=1}^n \sum_{i=1}^m \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n \sum_{t=1, t \neq j, t \neq l}^n \sum_{s=1, s \neq i, s \neq k}^m \sum_{p=1, p \neq i, p \neq k, p \neq s}^m \sum_{q=1, q \neq j, q \neq l, q \neq t}^n I_{ij} I_{kl} I_{pq} I_{st},
\end{aligned} \tag{31}$$

Substituting the values in (5),

$$\begin{aligned}
E(U_1^4) &= \pi_0 mn + 3 \times \pi_1 m(m-1)n + 3 \times \pi_9 mn(n-1) + 4 \times \pi_1 m(m-1)n + 4 \times \pi_9 mn(n-1) \\
& + 6 \times \pi_{12} mn(n-1)(n-2) + 6 \times \pi_2 m(m-1)(m-2)n + 12 \times \pi_4 m(m-1)n(n-1) \\
& + 12 \times \pi_4 m(m-1)n(n-1) + 12 \times \pi_4 m(m-1)n(n-1) + 6 \times \pi_8 m(m-1)n(n-1) \\
& + 4 \times \pi_0^2 m(m-1)n(n-1) + 3 \times \pi_0^2 m(m-1)n(n-1) \\
& + 6 \times \pi_0 \pi_9 m(m-1)n(n-1)(n-2) + 6 \times \pi_0 \pi_1 m(m-1)(m-2)n(n-1) \\
& + 12 \times \pi_7 m(m-1)n(n-1)(n-2) + 12 \times \pi_3 m(m-1)(m-2)n(n-1) \\
& + 12 \times \pi_0 \pi_9 m(m-1)n(n-1)(n-2) + 12 \times \pi_0 \pi_1 m(m-1)(m-2)n(n-1) \\
& + 12 \times \pi_5 m(m-1)(m-2)n(n-1) + 12 \times \pi_{10} m(m-1)n(n-1)(n-2) \\
& + \pi_6 mn(m-1)(m-2)(m-3) + \pi_{13} mn(n-1)(n-2)(n-3) \\
& + 4 \times \pi_0 \pi_{12} m(m-1)n(n-1)(n-2)(n-3) + 4 \times \pi_0 \pi_2 m(m-1)(m-2)(m-3)n(n-1) \\
& + 3 \times \pi_9^2 m(m-1)(m-2)(m-3)n(n-1) + 3 \times \pi_1^2 m(m-1)n(n-1)(n-2)(n-3) \\
& + 6 \times \pi_1 \pi_9 m(m-1)(m-2)n(n-1)(n-2) + 6 \times \pi_0^3 m(m-1)(m-2)n(n-1)(n-2) \\
& + 24 \times \pi_0 \pi_4 m(m-1)(m-2)n(n-1)(n-2) \\
& + 6 \times \pi_0^2 \pi_1 m(m-1)(m-2)n(n-1)(n-2)(n-3) \\
& + 6 \times \pi_9 \pi_0^2 m(m-1)(m-2)(m-3)n(n-1)(n-2) \\
& + \pi_0^4 m(m-1)(m-2)(m-3)n(n-1)(n-2)(n-3).
\end{aligned} \tag{32}$$

Simplifying,

$$\begin{aligned}
E(U_1^4) = & \pi_0 mn + 7 \times \pi_1 m(m-1)n + 7 \times \pi_9 mn(n-1) \\
& + 6 \times \pi_{12} mn(n-1)(n-2) + 6 \times \pi_2 m(m-1)(m-2)n + 36 \times \pi_4 m(m-1)n(n-1) \\
& + 6 \times \pi_8 m(m-1)n(n-1) + 7 \times \pi_0^2 m(m-1)n(n-1) \\
& + 6 \times \pi_0 \pi_9 m(m-1)n(n-1)(n-2) + 6 \times \pi_0 \pi_1 m(m-1)(m-2)n(n-1) \\
& + 12 \times \pi_7 m(m-1)n(n-1)(n-2) + 12 \times \pi_3 m(m-1)(m-2)n(n-1) \\
& + 12 \times \pi_0 \pi_9 m(m-1)n(n-1)(n-2) + 12 \times \pi_0 \pi_1 m(m-1)(m-2)n(n-1) \\
& + 12 \times \pi_5 m(m-1)(m-2)n(n-1) + 12 \times \pi_{10} m(m-1)n(n-1)(n-2) \\
& + \pi_6 mn(m-1)(m-2)(m-3) + \pi_{13} mn(n-1)(n-2)(n-3) \tag{33} \\
& + 4 \times \pi_0 \pi_{12} m(m-1)n(n-1)(n-2)(n-3) + 4 \times \pi_0 \pi_2 m(m-1)(m-2)(m-3)n(n-1) \\
& + 3 \times \pi_9^2 m(m-1)(m-2)(m-3)n(n-1) + 3 \times \pi_1^2 m(m-1)n(n-1)(n-2)(n-3) \\
& + 6 \times \pi_1 \pi_9 m(m-1)(m-2)n(n-1)(n-2) + 6 \times \pi_0^3 m(m-1)(m-2)n(n-1)(n-2) \\
& + 24 \times \pi_0 \pi_4 m(m-1)(m-2)n(n-1)(n-2) \\
& + 6 \times \pi_0^2 \pi_1 m(m-1)(m-2)n(n-1)(n-2)(n-3) \\
& + 6 \times \pi_9 \pi_0^2 m(m-1)(m-2)(m-3)n(n-1)(n-2) \\
& + \pi_0^4 m(m-1)(m-2)(m-3)n(n-1)(n-2)(n-3).
\end{aligned}$$

As with U_1

$$\begin{aligned}
E(U_2^4) = & \pi_0 MN + 7 \times \pi_1 M(M-1)N + 7 \times \pi_9 MN(N-1) \\
& + 6 \times \pi_{12} MN(N-1)(N-2) + 6 \times \pi_2 M(M-1)(M-2)N + 36 \times \pi_4 M(M-1)N(N-1) \\
& + 6 \times \pi_8 M(M-1)N(N-1) + 7 \times \pi_0^2 M(M-1)N(N-1) \\
& + 6 \times \pi_0 \pi_9 M(M-1)N(N-1)(N-2) + 6 \times \pi_0 \pi_1 M(M-1)(M-2)N(N-1) \\
& + 12 \times \pi_7 M(M-1)N(N-1)(N-2) + 12 \times \pi_3 M(M-1)(M-2)N(N-1) \\
& + 12 \times \pi_0 \pi_9 M(M-1)N(N-1)(N-2) + 12 \times \pi_0 \pi_1 M(M-1)(M-2)N(N-1) \\
& + 12 \times \pi_5 M(M-1)(M-2)N(N-1) + 12 \times \pi_{10} M(M-1)N(N-1)(N-2) \\
& + \pi_6 MN(M-1)(M-2)(M-3) + \pi_{13} MN(N-1)(N-2)(N-3) \\
& + 4 \times \pi_0 \pi_{12} M(M-1)N(N-1)(N-2)(N-3) \\
& + 4 \times \pi_0 \pi_2 M(M-1)(M-2)(M-3)N(N-1) \\
& + 3 \times \pi_0^2 M(M-1)(M-2)(M-3)N(N-1) \\
& + 3 \times \pi_1^2 M(M-1)N(N-1)(N-2)(N-3) \\
& + 6 \times \pi_1 \pi_9 M(M-1)(M-2)N(N-1)(N-2) \\
& + 6 \times \pi_0^3 M(M-1)(M-2)N(N-1)(N-2) \\
& + 24 \times \pi_0 \pi_4 M(M-1)(M-2)N(N-1)(N-2) \\
& + 6 \times \pi_0^2 \pi_1 M(M-1)(M-2)N(N-1)(N-2)(N-3) \\
& + 6 \times \pi_9 \pi_0^2 M(M-1)(M-2)(M-3)N(N-1)(N-2) \\
& + \pi_0^4 M(M-1)(M-2)(M-3)N(N-1)(N-2)(N-3).
\end{aligned} \tag{34}$$

The conditional expectations are used to find mixed moments.

$$\begin{aligned}
E(U_1 U_2^3) &= E(U_2^3 E(U_1 | U_2)) = E\left(\frac{mn}{MN} U_2^4\right) = \frac{mn}{MN} E(U_2^4), \\
E(U_1 U_2^3) &= \pi_0 mn + 7 \times \pi_1 mn(M-1) + 7 \times \pi_9 mn(N-1) \\
&+ 6 \times \pi_{12} mn(N-1)(N-2) + 6 \times \pi_2 mn(M-1)(M-2) + 36 \times \pi_4 mn(M-1)(N-1) \\
&+ 6 \times \pi_8 mn(M-1)(N-1) + 7 \times \pi_0^2 mn(M-1)(N-1) \\
&+ 6 \times \pi_0 \pi_9 mn(M-1)(N-1)(N-2) + 6 \times \pi_0 \pi_1 mn(M-1)(M-2)(N-1) \\
&+ 12 \times \pi_7 mn(M-1)(N-1)(N-2) + 12 \times \pi_3 mn(M-1)(M-2)(N-1) \\
&+ 12 \times \pi_0 \pi_9 mn(M-1)(N-1)(N-2) + 12 \times \pi_0 \pi_1 mn(M-1)(M-2)(N-1) \\
&+ 12 \times \pi_5 mn(M-1)(M-2)(N-1) + 12 \times \pi_{10} mn(M-1)(N-1)(N-2) \\
&+ \pi_6 mn(M-1)(M-2)(M-3) + \pi_{13} mn(N-1)(N-2)(N-3) \\
&+ 4 \times \pi_0 \pi_{12} mn(M-1)(N-1)(N-2)(N-3) + 4 \times \pi_0 \pi_2 mn(M-1)(M-2)(M-3)(N-1) \\
&+ 3 \times \pi_9^2 mn(M-1)(M-2)(M-3)(N-1) + 3 \times \pi_1^2 mn(M-1)(N-1)(N-2)(N-3) \\
&+ 6 \times \pi_1 \pi_9 mn(M-1)(M-2)(N-1)(N-2) + 6 \times \pi_0^3 mn(M-1)(M-2)(N-1)(N-2) \\
&+ 24 \times \pi_0 \pi_4 mn(M-1)(M-2)(N-1)(N-2) \\
&+ 6 \times \pi_0^2 \pi_1 mn(M-1)(M-2)(N-1)(N-2)(N-3) \\
&+ 6 \times \pi_9 \pi_0^2 mn(M-1)(M-2)(M-3)(N-1)(N-2) \\
&+ \pi_0^4 mn(M-1)(M-2)(M-3)(N-1)(N-2)(N-3).
\end{aligned} \tag{35}$$

$E(U_1^3 U_2)$ and $E(U_1^2 U_2^2)$ are tough to find. We will spend some pages on it.

$$\begin{aligned}
E(U_1^2 U_2^2) &= E\left(\sum_{i=1}^m \sum_{j=1}^n \sum_{k=1}^m \sum_{l=1}^n I_{ij} I_{kl} U_2^2\right), \\
E(U_1^2 U_2^2) &= E\left(\sum_{i=1}^m \sum_{j=1}^n I_{ij} U_2^2 + \sum_{i=1}^m \sum_{j=1}^n \sum_{k=1, k \neq i}^m I_{ij} I_{kj} U_2^2 + \sum_{i=1}^m \sum_{j=1}^n \sum_{l=1, l \neq j}^n I_{ij} I_{il} U_2^2\right. \\
&\quad \left. + \sum_{i=1}^m \sum_{j=1}^n \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n I_{ij} I_{kl} U_2^2\right).
\end{aligned} \tag{36}$$

First, look at the fourth term

$$\begin{aligned}
E\left(\sum_{i=1}^m \sum_{j=1}^n \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n I_{ij} I_{kl} U_2^2\right) &= m(m-1)n(n-1)E(I_{ij} I_{kl} U_2^2), \text{ for } i \neq k \text{ and } j \neq l, i, k \in \{1, 2, \dots, M\}, j, l \in \\
&\{1, 2, \dots, N\}, \text{ because all of } I_{ij} I_{kl} U_2^2 \text{ are identical. And thus} \\
E\left(\sum_{i=1}^m \sum_{j=1}^n \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n I_{ij} I_{kl} U_2^2\right) &= m(m-1)n(n-1) \frac{1}{M(M-1)N(N-1)} E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{l=1, l \neq j}^N I_{ij} I_{kl} U_2^2\right),
\end{aligned}$$

$$\begin{aligned}
E\left(\sum_{i=1}^m \sum_{j=1}^n \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n I_{ij} I_{kl} U_2^2\right) &= \frac{m(m-1)n(n-1)}{M(M-1)N(N-1)} E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{k=1}^M \sum_{l=1}^N I_{ij} I_{kl} U_2^2 - \sum_{i=1}^M \sum_{j=1}^N I_{ij} U_2^2\right. \\
&\quad \left. - \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_2^2 - \sum_{i=1}^M \sum_{j=1}^N \sum_{l=1, l \neq j}^N I_{ij} I_{il} U_2^2\right). \tag{37}
\end{aligned}$$

Every $I_{ij}U_2^2$ is identical, where $i \in \{1, 2 \dots M\}, j \in \{1, 2 \dots N\}$. Every $I_{ij}I_{il}U_2^2$ is identical, where $i \in \{1, 2 \dots M\}, j \in \{1, 2 \dots N\}, k \in \{1, 2 \dots M\}, k \neq i$. So is every $I_{ij}I_{kj}U_2^2$.

$$\begin{aligned}
E\left(\sum_{i=1}^m \sum_{j=1}^n I_{ij} U_2^2\right) &= mn E(I_{ij} U_2^2) = \frac{mn}{MN} E\left(\sum_{i=1}^M \sum_{j=1}^N I_{ij} U_2^2\right), \\
E\left(\sum_{i=1}^m \sum_{j=1}^n \sum_{k=1, k \neq i}^m I_{ij} I_{kj} U_2^2\right) &= m(m-1)n E(I_{ij} I_{kj} U_2^2) = \frac{m(m-1)n}{M(M-1)N} E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_2^2\right), \\
E\left(\sum_{i=1}^m \sum_{j=1}^n \sum_{l=1, l \neq j}^n I_{ij} I_{il} U_2^2\right) &= mn(n-1) E(I_{ij} I_{il} U_2^2) = \frac{mn(n-1)}{MN(N-1)} E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{l=1, l \neq j}^N I_{ij} I_{il} U_2^2\right).
\end{aligned}$$

Put them together, we get

$$\begin{aligned}
E(U_1^2 U_2^2) &= \left(\frac{mn}{MN} - \frac{m(m-1)n(n-1)}{M(M-1)N(N-1)}\right) E\left(\sum_{i=1}^M \sum_{j=1}^N I_{ij} U_2^2\right) \\
&\quad + \left(\frac{m(m-1)n}{M(M-1)N} - \frac{m(m-1)n(n-1)}{M(M-1)N(N-1)}\right) E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_2^2\right) \\
&\quad + \left(\frac{mn(n-1)}{MN(N-1)} - \frac{m(m-1)n(n-1)}{M(M-1)N(N-1)}\right) E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{l=1, l \neq j}^N I_{ij} I_{il} U_2^2\right) \\
&\quad + \frac{m(m-1)n(n-1)}{M(M-1)N(N-1)} E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{k=1}^M \sum_{l=1}^N I_{ij} I_{kl} U_2^2\right). \tag{38}
\end{aligned}$$

We know the following results,

$$E\left(\sum_{i=1}^M \sum_{j=1}^N I_{ij} U_2^2\right) = E(U_2^3), \tag{39}$$

$$E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{k=1}^M \sum_{l=1}^N I_{ij} I_{kl} U_2^2\right) = E(U_2^4), \tag{40}$$

then the problem is to calculate $E(\sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_2^2)$ and $E(\sum_{i=1}^M \sum_{j=1}^N \sum_{l=1, l \neq j}^N I_{ij} I_{il} U_2^2)$. Let

$$\begin{aligned}
H &= \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_2^2 \\
&= \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_{2, -i-k, -j}^2 \\
&\quad + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_{2, -i-k, -j} \left(\sum_{a=1, a \neq i, a \neq k}^M I_{aj} + \sum_{b=1, b \neq j}^N (I_{ib} + I_{kb}) + I_{ij} + I_{kj} \right) \\
&\quad + \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} \left(\sum_{a=1, a \neq i, a \neq k}^M I_{aj} + \sum_{b=1, b \neq j}^N (I_{ib} + I_{kb}) + I_{ij} + I_{kj} \right)^2 \\
&= \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_{2, -i-k, -j}^2 \\
&\quad + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_{2, -i-k, -j} \left(\sum_{a=1, a \neq i, a \neq k}^M I_{aj} + \sum_{b=1, b \neq j}^N (I_{ib} + I_{kb}) + I_{ij} + I_{kj} \right) \\
&\quad + \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} \left(\sum_{a=1, a \neq i, a \neq k}^M I_{aj} + \sum_{b=1, b \neq j}^N (I_{ib} + I_{kb}) + I_{ij} + I_{kj} \right)^2 \\
&= \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_{2, -i-k, -j}^2 \\
&\quad + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_{2, -i-k, -j} \sum_{a=1, a \neq i, a \neq k}^M I_{aj} \\
&\quad + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_{2, -i-k, -j} \left(\sum_{b=1, b \neq j}^N (I_{ib} + I_{kb}) + 2 \right) \\
&\quad + \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} \left(\sum_{a=1, a \neq i, a \neq k}^M I_{aj} + \sum_{b=1, b \neq j}^N (I_{ib} + I_{kb}) + 2 \right)^2 \\
&= \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_{2, -i-k, -j}^2 \\
&\quad + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{a=1, a \neq i, a \neq k}^M I_{aj} I_{ij} I_{kj} (U_{2, -i-k-a, -j} + \sum_{b=1, b \neq j}^N I_{ab}) \\
&\quad + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{b=1, b \neq j}^N I_{ij} I_{kj} U_{2, -i-k, -j} (I_{ib} + I_{kb}) \\
&\quad + 4 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_{2, -i-k, -j} \\
&\quad + \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} \left(\sum_{a=1, a \neq i, a \neq k}^M I_{aj} + \sum_{b=1, b \neq j}^N (I_{ib} + I_{kb}) + 2 \right)^2,
\end{aligned}$$

$$\begin{aligned}
H = & \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_{2, -i-k, -j}^2 \\
& + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{a=1, a \neq i, a \neq k}^M I_{aj} I_{ij} I_{kj} U_{2, -i-k-a, -j} \\
& + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{a=1, a \neq i, a \neq k}^M \sum_{b=1, b \neq j}^N I_{aj} I_{ij} I_{kj} I_{ab} \\
& + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{b=1, b \neq j}^N I_{ij} I_{kj} U_{2, -i-k, -j} (I_{ib} + I_{kb}) \\
& + 4 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_{2, -i-k, -j} \\
& + \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{a=1, a \neq i, a \neq k}^M \sum_{c=1, c \neq i, c \neq k}^M I_{ij} I_{kj} I_{aj} I_{cj} \\
& + \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{b=1, b \neq j}^N \sum_{d=1, d \neq j}^N I_{ij} I_{kj} (I_{ib} + I_{kb}) (I_{id} + I_{kd}) \\
& + 4 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} \\
& + 4 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{a=1, a \neq i, a \neq k}^M I_{ij} I_{kj} I_{aj} \\
& + 4 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{b=1, b \neq j}^N I_{ij} I_{kj} (I_{ib} + I_{kb}) \\
& + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{a=1, a \neq i, a \neq k}^M \sum_{b=1, b \neq j}^N I_{aj} I_{ij} I_{kj} (I_{ib} + I_{kb}),
\end{aligned}$$

$$\begin{aligned}
H = & \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_{2, -i-k, -j}^2 \\
& + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{a=1, a \neq i, a \neq k}^M I_{aj} I_{ij} I_{kj} U_{2, -i-k-a, -j} \\
& + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{a=1, a \neq i, a \neq k}^M \sum_{b=1, b \neq j}^N I_{aj} I_{ij} I_{kj} I_{ab} \\
& + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{b=1, b \neq j}^N I_{ij} I_{kj} U_{2, -i-k, -j-b} (I_{ib} + I_{kb}) \\
& + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{b=1, b \neq j}^N \sum_{a=1, a \neq i, a \neq k}^M I_{ij} I_{kj} I_{ab} (I_{ib} + I_{kb}) \\
& + 4 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_{2, -i-k, -j} \\
& + \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{a=1, a \neq i, a \neq k}^M \sum_{c=1, c \neq a, c \neq i, c \neq k}^M I_{ij} I_{kj} I_{aj} I_{cj} \\
& + \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{a=1, a \neq i, a \neq k}^M I_{ij} I_{kj} I_{aj} \\
& + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{b=1, b \neq j}^N \sum_{d=1, d \neq j, d \neq b}^N I_{ij} I_{kj} (I_{ib} I_{id} + I_{id} I_{kb}) \\
& + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{b=1, b \neq j}^N I_{ij} I_{kj} (I_{ib} + I_{ib} I_{kb}) \\
& + 4 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} \\
& + 4 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{a=1, a \neq i, a \neq k}^M I_{ij} I_{kj} I_{aj} \\
& + 4 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{b=1, b \neq j}^N I_{ij} I_{kj} (I_{ib} + I_{kb}) \\
& + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{a=1, a \neq i, a \neq k}^M \sum_{b=1, b \neq j}^N I_{aj} I_{ij} I_{kj} (I_{ib} + I_{kb}),
\end{aligned}$$

$$\begin{aligned}
E(H) = & \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \pi_1 E(U_{2, -i-k, -j}^2) \\
& + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{a=1, a \neq i, a \neq k}^M \pi_2 E(U_{2, -i-k-a, -j}) \\
& + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{a=1, a \neq i, a \neq k}^M \sum_{b=1, b \neq j}^N \pi_3 \\
& + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{b=1, b \neq j}^N 2\pi_4 E(U_{2, -i-k, -j-b}) \\
& + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{b=1, b \neq j}^N \sum_{a=1, a \neq i, a \neq k}^M 2\pi_5 \\
& + 4 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \pi_1 E(U_{2, -i-k, -j}) \\
& + \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{a=1, a \neq i, a \neq k}^M \pi_2 \\
& + \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{a=1, a \neq i, a \neq k}^M \sum_{c=1, c \neq a, c \neq i, c \neq k}^M \pi_6 \\
& + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{b=1, b \neq j}^M (\pi_4 + \pi_8) \\
& + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{b=1, b \neq j}^M \sum_{d=1, d \neq j, d \neq b}^M (\pi_7 + \pi_{10}) \\
& + 4 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \pi_1 \\
& + 4 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{a=1, a \neq i, a \neq k}^M \pi_2 \\
& + 4 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{b=1, b \neq j}^N 2\pi_4 \\
& + 2 \sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{a=1, a \neq i, a \neq k}^M \sum_{b=1, b \neq j}^N 2\pi_3.
\end{aligned}$$

$$\begin{aligned}
E(H) = & M(M-1)N\{\pi_1(M-2)(N-1)[\pi_0 + (M-3)\pi_1 + (N-2)\pi_9 + (M-3)(N-2)\pi_0^2] \\
& + 2(M-2)(M-3)(N-1)\pi_2\pi_0 + 2(M-2)(N-1)\pi_3 \\
& + 4(N-1)(M-2)(N-2)\pi_4\pi_0 + 4(N-1)(M-2)\pi_5 \\
& + 4(M-2)(N-1)\pi_1\pi_0 + (M-2)\pi_2 \\
& + (M-2)(M-3)\pi_6 + 2(N-1)(\pi_4 + \pi_8) \\
& + 2(N-1)(N-2)(\pi_7 + \pi_{10}) \\
& + 4\pi_1 + 4(M-2)\pi_2 \\
& + 8(N-1)\pi_4 + 4(M-2)(N-1)\pi_3\}.
\end{aligned} \tag{41}$$

By the same reasoning,

$$\begin{aligned}
E(K) = & N(N-1)M\{\pi_1(N-2)(M-1)[\pi_0 + (N-3)\pi_1 + (M-2)\pi_9 + (N-3)(M-2)\pi_0^2] \\
& + 2(N-2)(N-3)(M-1)\pi_2\pi_0 + 2(N-2)(M-1)\pi_3 \\
& + 4(M-1)(N-2)(M-2)\pi_4\pi_0 + 4(M-1)(N-2)\pi_5 \\
& + 4(N-2)(M-1)\pi_1\pi_0 + (N-2)\pi_2 \\
& + (N-2)(N-3)\pi_6 + 2(M-1)(\pi_4 + \pi_8) \\
& + 2(M-1)(M-2)(\pi_7 + \pi_{10}) \\
& + 4\pi_1 + 4(N-2)\pi_2 \\
& + 8(M-1)\pi_4 + 4(N-2)(M-1)\pi_3\}.
\end{aligned} \tag{42}$$

By (38), (39), (40), (41) and (42), the result is done. The same method is used to find $E(U_1^3 U_2)$. Expand it and then calculate each part.

$$\begin{aligned}
E(U_1^3 U_2) = & E\left(\sum_{i=1}^m \sum_{j=1}^n \sum_{k=1}^m \sum_{l=1}^n \sum_{s=1}^m \sum_{t=1}^n I_{ij} I_{kl} I_{st} U_2\right) \\
= & E\left(\sum_{i=1}^m \sum_{j=1}^n \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n \sum_{s=1, s \neq i, s \neq k}^m \sum_{t=1, t \neq j, t \neq l}^n I_{ij} I_{kl} I_{st} U_2\right) \\
& + 3E\left(\sum_{i=1}^m \sum_{j=1}^n \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n \sum_{t=1, t \neq j, t \neq l}^n I_{ij} I_{kl} I_{it} U_2\right) \\
& + 3E\left(\sum_{i=1}^m \sum_{j=1}^n \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n \sum_{s=1, s \neq i, s \neq k}^m I_{ij} I_{kl} I_{sl} U_2\right) \\
& + E\left(\sum_{i=1}^m \sum_{j=1}^n \sum_{l=1, l \neq j}^n \sum_{t=1, t \neq j, t \neq l}^n I_{ij} I_{il} I_{it} U_2\right) + E\left(\sum_{i=1}^m \sum_{j=1}^n \sum_{k=1, k \neq i}^m \sum_{s=1, s \neq i, s \neq k}^m I_{ij} I_{kj} I_{sj} U_2\right) \\
& + 6E\left(\sum_{i=1}^m \sum_{j=1}^n \sum_{k=1, k \neq i}^m \sum_{j=1, j \neq l}^n I_{ij} I_{il} I_{kj} U_2\right) + 3E\left(\sum_{i=1}^m \sum_{j=1}^n \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n I_{ij} I_{kl} U_2\right) \\
& + 3E\left(\sum_{i=1}^m \sum_{j=1}^n \sum_{k=1, k \neq i}^m I_{ij} I_{kj} U_2\right) + 3E\left(\sum_{i=1}^m \sum_{j=1}^n \sum_{l=1, l \neq j}^n I_{ij} I_{il} U_2\right) + E\left(\sum_{i=1}^m \sum_{j=1}^n I_{ij} U_2\right).
\end{aligned} \tag{43}$$

$$\begin{aligned}
& E(U_1^3 U_2) \\
&= \frac{m(m-1)(m-2)n(n-1)(n-2)}{M(M-1)(M-2)N(N-1)(N-2)} E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{l=1, l \neq j}^N \sum_{s=1, s \neq i, s \neq k}^M \sum_{t=1, t \neq j, t \neq l}^N I_{ij} I_{kl} I_{st} U_2\right) \\
&+ 3 \frac{m(m-1)n(n-1)(n-2)}{M(M-1)N(N-1)(N-2)} E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{l=1, l \neq j}^N \sum_{t=1, t \neq j, t \neq l}^N I_{ij} I_{kl} I_{it} U_2\right) \\
&+ 3 \frac{m(m-1)(m-2)n(n-1)}{M(M-1)(M-2)N(N-1)} E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{l=1, l \neq j}^N \sum_{s=1, s \neq i, s \neq k}^M I_{ij} I_{kl} I_{sl} U_2\right) \\
&+ \frac{mn(n-1)(n-2)}{MN(N-1)(N-2)} E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{l=1, l \neq j}^N \sum_{t=1, t \neq j, t \neq l}^N I_{ij} I_{il} I_{it} U_2\right) \\
&+ \frac{m(m-1)(m-2)n}{M(M-1)(M-2)N} E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{s=1, s \neq i, s \neq k}^M I_{ij} I_{kj} I_{sj} U_2\right) \\
&+ 6 \frac{m(m-1)n(n-1)}{M(M-1)N(N-1)} E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M \sum_{l=1, l \neq j}^N I_{ij} I_{il} I_{kj} U_2\right) \\
&+ 3 \frac{m(m-1)n(n-1)}{M(M-1)N(N-1)} E\left(\sum_{i=1}^m \sum_{j=1}^n \sum_{k=1, k \neq i}^m \sum_{l=1, l \neq j}^n I_{ij} I_{kl} U_2\right) \\
&+ 3 \frac{m(m-1)n}{M(M-1)N} E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_2\right) + 3 \frac{mn(n-1)}{MN(N-1)} E\left(\sum_{i=1}^M \sum_{j=1}^N \sum_{l=1, l \neq j}^N I_{ij} I_{il} U_2\right) \\
&+ \frac{mn}{MN} E\left(\sum_{i=1}^M \sum_{j=1}^N I_{ij} U_2\right) \\
&= \frac{m(m-1)(m-2)n(n-1)(n-2)}{M(M-1)(M-2)N(N-1)(N-2)} M(M-1)(M-2)N(N-1)(N-2) [\pi_0^4 (M-3)(N-3) \\
&+ 3(N-3)\pi_0^2 \pi_9 + 3(M-3)\pi_1 \pi_0^2 + 3\pi_0^3 + 6\pi_0 \pi_4] \\
&+ 3 \frac{m(m-1)n(n-1)(n-2)}{M(M-1)N(N-1)(N-2)} M(M-1)N(N-1)(N-2) [\pi_0^2 \pi_9 (M-2)(N-3) + \pi_0 \pi_{12} (N-3) \\
&+ \pi_9^2 (N-3) + \pi_9 \pi_1 (M-2) + 2\pi_4 \pi_0 (M-2) + \pi_9 \pi_0 + \pi_7 + \pi_9 \pi_0 + \pi_{10} + \pi_0 \pi_9 + \pi_{10}] \\
&+ 3 \frac{m(m-1)n(n-1)(n-2)}{M(M-1)N(N-1)(N-2)} (M(M-1)N(N-1)(N-2)) [\pi_0^2 \pi_1 (M-2)(N-3) \\
&+ \pi_0 \pi_2 (N-3) + \pi_1^2 (N-3) + \pi_9 \pi_1 (M-2) + 2\pi_4 \pi_0 \pi_1 \pi_0 + \pi_3 + \pi_1 \pi_0 + \pi_5 + \pi_0 \pi_1 + \pi_5] \\
&+ \frac{mn(n-1)(n-2)}{MN(N-1)(N-2)} MN(N-1)(N-2) [(M-1)(N-3)\pi_0 \pi_{12} + (N-3)\pi_{13} + 3(M-1)\pi_7 + 3\pi_{12}] \\
&+ \frac{m(m-1)(m-2)n}{M(M-1)(M-2)N} MN(M-1)(M-2) [(N-1)(M-3)\pi_0 \pi_2 + (M-3)\pi_6 + (N-1)\pi_3 3 + 3\pi_2] \\
&+ 6 \frac{m(m-1)n(n-1)}{M(M-1)N(N-1)} M(M-1)N(N-1) [(M-2)(N-2)\pi_0 \pi_4 + (N-2)\pi_7 + (N-2)\pi_{10} \\
&+ (M-2)\pi_3 + (M-2)\pi_5 + 3\pi_4 + \pi_8]
\end{aligned}$$

$$\begin{aligned}
& + \frac{3m(m-1)n(n-1)}{M(M-1)N(N-1)}M(M-1)N(N-1)[(M-2)(N-2)\pi_0^3 + 2(N-2)\pi_0\pi_9 + (M-2)\pi_0\pi_{12} + \\
& \quad 2\pi_0^2 + 2\pi_4] \\
& + \frac{3m(m-1)n}{M(M-1)N}M(M-1)N[(M-2)(N-1)\pi_0\pi_1 + (N-1)\pi_42 + (M-2)\pi_2 + 2\pi_1] \\
& + \frac{3mn(n-1)}{MN(N-1)}M(N-1)N[(N-2)(M-1)\pi_0\pi_9 + (M-1)\pi_42 + (N-2)\pi_12 + 2\pi_9] \\
& + \frac{mn}{MN}E(U_2^2).
\end{aligned}$$

Simplifying,

$$\begin{aligned}
E(U_1^3 U_2) = & m(m-1)(m-2)n(n-1)(n-2)[\pi_0^4(M-3)(N-3) + 3(N-3)\pi_0^2\pi_9 + 3(M-3)\pi_1\pi_0^2 + \\
& \quad 3\pi_0^3 + 6\pi_0\pi_4] \\
& + 3m(m-1)n(n-1)(n-2)[\pi_0^2\pi_9(M-2)(N-3) + \pi_0\pi_{12}(N-3) + \pi_9^2(N-3) + \\
& \quad \pi_9\pi_1(M-2) + 2\pi_4\pi_0(M-2) + \pi_9\pi_0 + \pi_7 + \pi_9\pi_0 + \pi_{10} + \pi_0\pi_9 + \pi_{10}] \\
& + 3m(m-1)n(n-1)(n-2)[\pi_0^2\pi_1(M-2)(N-3) + \pi_0\pi_2(N-3) + \pi_1^2(N-3) + \\
& \quad \pi_9\pi_1(M-2) + 2\pi_4\pi_0\pi_1\pi_0 + \pi_3 + \pi_1\pi_0 + \pi_5 + \pi_0\pi_1 + \pi_5] \\
& + mn(n-1)(n-2)[(M-1)(N-3)\pi_0\pi_{12} + (N-3)\pi_{13} + 3(M-1)\pi_7 + 3\pi_{12}] \\
& + m(m-1)(m-2)n[(N-1)(M-3)\pi_0\pi_2 + (M-3)\pi_6 + (N-1)\pi_33 + 3\pi_2] \tag{44} \\
& + 6m(m-1)n(n-1)[(M-2)(N-2)\pi_0\pi_4 + (N-2)\pi_7 + (N-2)\pi_10 + \\
& \quad (M-2)\pi_3 + (M-2)\pi_5 + 3\pi_4 + \pi_8] \\
& + 3m(m-1)n(n-1)[(M-2)(N-2)\pi_0^3 + 2(N-2)\pi_0\pi_9 + (M-2)\pi_0\pi_{12} + \\
& \quad 2\pi_0^2 + 2\pi_4] \\
& + 3m(m-1)n[(M-2)(N-1)\pi_0\pi_1 + (N-1)\pi_42 + (M-2)\pi_2 + 2\pi_1] \\
& + 3mn(n-1)[(N-2)(M-1)\pi_0\pi_9 + (M-1)\pi_42 + (N-2)\pi_12 + 2\pi_9] \\
& + \frac{mn}{MN}E(U_2^2).
\end{aligned}$$

Under the null hypothesis,

$$\begin{aligned}
E(U_1^4) &= \frac{1}{2}mn + 3 \times \frac{1}{3}m(m-1)n + 3 \times \frac{1}{3}mn(n-1) + 4 \times \frac{1}{3}m(m-1)n + 4 \times \frac{1}{3}mn(n-1) \\
&+ 6 \times \frac{1}{4}mn(n-1)(n-2) + 6 \times \frac{1}{4}m(m-1)(m-2)n + 12 \times \frac{5}{24}m(m-1)n(n-1) \\
&+ 12 \times \frac{2}{9}m(m-1)n(n-1) + 12 \times \frac{5}{24} + 6 \times \frac{1}{6}m(m-1)n(n-1) + 4 \times \frac{1}{4}m(m-1)n(n-1) \\
&+ 3 \times \frac{1}{4}m(m-1)n(n-1) + 6 \times \frac{1}{6}m(m-1)n(n-1)(n-2) + 6 \times \frac{1}{6}m(m-1)(m-2)n(n-1) \\
&+ 12 \times \frac{3}{20}m(m-1)n(n-1)(n-2) + 12 \times \frac{3}{20}m(m-1)(m-2)n(n-1) \\
&+ 12 \times \frac{1}{6}m(m-1)n(n-1)(n-2) + 12 \times \frac{1}{6}m(m-1)(m-2)n(n-1) \\
&+ 12 \times \frac{2}{15}m(m-1)(m-2)n(n-1) + 12 \times \frac{2}{15}m(m-1)n(n-1)(n-2) \\
&+ 4 \times \frac{1}{8}m(m-1)n(n-1)(n-2)(n-3) + 4 \times \frac{1}{8}m(m-1)(m-2)(m-3)n(n-1) \\
&+ 3 \times \frac{1}{9}m(m-1)(m-2)(m-3)n(n-1) + 3 \times \frac{1}{9}m(m-1)n(n-1)(n-2)(n-3) \\
&+ 6 \times \frac{1}{9}m(m-1)(m-2)n(n-1)(n-2) + 6 \times \frac{1}{8}m(m-1)(m-2)n(n-1)(n-2) \\
&+ 24 \times \frac{5}{48}m(m-1)(m-2)n(n-1)(n-2) + 6 \times \frac{1}{12}m(m-1)(m-2)n(n-1)(n-2)(n-3) \\
&+ 6 \times \frac{1}{12}m(m-1)(m-2)(m-3)n(n-1)(n-2) \\
&+ \frac{1}{16}m(m-1)(m-2)(m-3)n(n-1)(n-2)(n-3).
\end{aligned}$$

$$\begin{aligned}
E(U_1^4) &= m^4n^4/16 + m^4n^3/8 + m^4n^2/48 - m^4n/120 + m^3n^4/8 + m^3n^3/6 + m^3n^2/40 \\
&- m^3n/60 + m^2n^4/48 + m^2n^3/40 - m^2n^2/240 - m^2n/120 - mn^4/120 - mn^3/60 \\
&- mn^2/120.
\end{aligned}$$

$$\begin{aligned}
E(U_2^4) &= M^4N^4/16 + M^4N^3/8 + M^4N^2/48 - M^4N/120 + M^3N^4/8 + M^3N^3/6 + M^3N^2/40 \\
&- M^3N/60 + M^2N^4/48 + M^2N^3/40 - M^2N^2/240 - M^2N/120 - MN^4/120 - MN^3/60 \\
&- MN^2/120.
\end{aligned}$$

$$E(U_1U_2^3) = E(U_2^3E(U_1|U_2)) = E\left(\frac{mn}{MN}U_2^4\right),$$

$$\begin{aligned}
E(U_1U_2^3) &= mnM^3N^3/16 + mnM^3N^2/8 + mnM^3N/48 - mnM^3/120 + mnM^2N^3/8 \\
&+ mnM^2N^2/6 + mnM^2N/40 - mnM^2/60 + mnMN^3/48 + mnMN^2/40 - mnMN/240 \\
&- mnM/120 - mnN^3/120 - mnN^2/60 - mnN/120.
\end{aligned}$$

$$\begin{aligned}
E(U_1^3 U_2) &= E(U_1^3 E(U_2 | U_1)), \\
E(U_1^3 U_2) &= E[U_1^3 (\frac{M+N+1}{m+n+1} U_1 + \frac{1}{2} [\frac{(M-m)n(n+1) + (N-n)m(m+1)}{m+n+1} \\
&\quad + (M-m)(N-n)])] \\
&= \frac{M+N+1}{m+n+1} E(U_1^4) + \frac{1}{2} \frac{(M-m)n(n+1) + (N-n)m(m+1)}{m+n+1} E(U_1^3) \\
&\quad + \frac{1}{2} (M-m)(N-n) E(U_1^3).
\end{aligned}$$

$$\begin{aligned}
E(H) &= E(\sum_{i=1}^M \sum_{j=1}^N \sum_{k=1, k \neq i}^M I_{ij} I_{kj} U_2^2) = MN(M-1) \{5M/4 + 29N/12 + 3 \times (2M-4)(N-1)/20 \\
&\quad + 2 \times (4N-4)(M-2)/15 + 19 \times (4M-8)(N-1)/60 + \\
&\quad 17 \times (2N-2)(N-2)/60 + (M-2)(M-3)/5 + \\
&\quad (M/3 - 2/3)(N-1)(M/3 + N/3 + (M-3)(N-2)/4 - 7/6) \\
&\quad + (2M-4)(M-3)(N-1)/8 + \\
&\quad 5 \times (4N-4)(M-2)(N-2)/48 - 43/12\}.
\end{aligned}$$

$$\begin{aligned}
E(G) &= E(\sum_{j=1}^N \sum_{i=1}^M \sum_{l=1, l \neq j}^N I_{ij} I_{il} U_2^2) = MN(N-1) \{5N/4 + 29M/12 + 3 \times (2N-4)(M-1)/20 \\
&\quad + 2 \times (4M-4)(N-2)/15 + 19 \times (4N-8)(M-1)/60 + \\
&\quad 17 \times (2M-2)(M-2)/60 + (N-2)(N-3)/5 \\
&\quad + (N/3 - 2/3)(M-1)(N/3 + M/3 + (N-3)(M-2)/4 - 7/6) \\
&\quad + (2N-4)(N-3)(M-1)/8 + \\
&\quad 5 \times (4M-4)(N-2)(M-2)/48 - 43/12\}.
\end{aligned}$$

$$\begin{aligned}
E(U_1^2 U_2^2) &= (\frac{mn}{MN} - \frac{m(m-1)n(n-1)}{M(M-1)N(N-1)}) E(U_2^3) \\
&\quad + (\frac{m(m-1)n}{M(M-1)N} - \frac{m(m-1)n(n-1)}{M(M-1)N(N-1)}) E(H) \\
&\quad + (\frac{mn(n-1)}{MN(N-1)} - \frac{m(m-1)n(n-1)}{M(M-1)N(N-1)}) E(G) \\
&\quad + \frac{m(m-1)n(n-1)}{M(M-1)N(N-1)} E(U_2^4).
\end{aligned}$$

3 Cumulants

In this section, we will find the relation between the cumulants and moments. So we can use the moments to calculate the cumulants which we use to substitute in Cornish Fisher expansion to get the critical values.

As the first step, we express derivatives of the cumulant generating function in terms of derivatives of the moment generating function.

The following are moment generating function and cumulant generating function of (U_1, U_2)

$$M(t_1, t_2) = E(e^{U_1 t_1 + U_2 t_2}) \quad K(t_1, t_2) = \log E(e^{t_1 U_1 + t_2 U_2})$$

$$\text{For short notations, we denote } M = E(e^{U_1 t_1 + U_2 t_2}), \quad S = e^{t_1 U_1 + t_2 U_2}.$$

3.1 1st derivatives

$$\frac{\partial K(t_1, t_2)}{\partial t_1} = \frac{\partial \log M}{\partial t_1} = M^{-1} \frac{\partial M}{\partial t_1} = M^{-1} E(U_1 S),$$

$$\frac{\partial K(t_1, t_2)}{\partial t_2} = \frac{\partial \log M}{\partial t_2} = M^{-1} \frac{\partial M}{\partial t_2} = M^{-1} E(U_2 S).$$

3.2 2nd derivatives

$$\frac{\partial^2 K(t_1, t_2)}{\partial t_1^2} = M^{-1} \frac{\partial E(U_1 S)}{\partial t_1} + E(U_1 S) \frac{\partial M^{-1}}{\partial t_1} = M^{-1} E(U_1^2 S) - M^{-2} E(U_1 S) E(U_1 S),$$

$$\frac{\partial^2 K(t_1, t_2)}{\partial t_2^2} = M^{-1} \frac{\partial E(U_2 S)}{\partial t_2} + E(U_2 S) \frac{\partial M^{-1}}{\partial t_2} = M^{-1} E(U_2^2 S) - M^{-2} E(U_2 S) E(U_2 S),$$

$$\frac{\partial^2 K(t_1, t_2)}{\partial t_1 \partial t_2} = M^{-1} \frac{\partial E(U_1 S)}{\partial t_2} + E(U_1 S) \frac{\partial M^{-1}}{\partial t_2} = M^{-1} E(U_1 U_2 S) - M^{-2} E(U_1 S) E(U_2 S).$$

3.3 3rd derivatives

$$\begin{aligned} \frac{\partial^3 K(t_1, t_2)}{\partial t_1^3} &= M^{-1} \frac{\partial E(U_1^2 S)}{\partial t_1} + E(U_1^2 S) \frac{\partial M^{-1}}{\partial t_1} - M^{-2} \frac{\partial E(U_1 S) E(U_1 S)}{\partial t_1} - E(U_1 S) E(U_1 S) \frac{\partial M^{-2}}{\partial t_1} \\ &= M^{-1} E(U_1^3 S) - M^{-2} E(U_1^2 S) E(U_1 S) - 2M^{-2} E(U_1 S) E(U_1^2 S) + 2M^{-3} (E(U_1 S))^3, \end{aligned}$$

$$\begin{aligned} \frac{\partial^3 K(t_1, t_2)}{\partial t_2^3} &= M^{-1} \frac{\partial E(U_2^2 S)}{\partial t_2} + E(U_2^2 S) \frac{\partial M^{-1}}{\partial t_2} - M^{-2} \frac{\partial E(U_2 S) E(U_2 S)}{\partial t_2} - E(U_2 S) E(U_2 S) \frac{\partial M^{-2}}{\partial t_2} \\ &= M^{-1} E(U_2^3 S) - M^{-2} E(U_2^2 S) E(U_2 S) - 2M^{-2} E(U_2 S) E(U_2^2 S) + 2M^{-3} (E(U_2 S))^3, \end{aligned}$$

$$\begin{aligned} \frac{\partial^3 K(t_1, t_2)}{\partial t_1^2 \partial t_2} &= M^{-1} \frac{\partial E(U_1^2 S)}{\partial t_2} + E(U_1^2 S) \frac{\partial M^{-1}}{\partial t_2} - M^{-2} \frac{\partial E(U_1 S) E(U_1 S)}{\partial t_2} - E(U_1 S) E(U_1 S) \frac{\partial M^{-2}}{\partial t_2} \\ &= M^{-1} E(U_1^2 U_2 S) - M^{-2} E(U_1^2 S) E(U_2 S) - 2M^{-2} E(U_1 U_2 S) E(U_1 S) + 2M^{-3} (E(U_1 S))^2 E(U_2 S), \end{aligned}$$

$$\begin{aligned} \frac{\partial^3 K(t_1, t_2)}{\partial t_2^2 \partial t_1} &= M^{-1} \frac{\partial E(U_2^2 S)}{\partial t_1} + E(U_2^2 S) \frac{\partial M^{-1}}{\partial t_1} - M^{-2} \frac{\partial E(U_2 S) E(U_2 S)}{\partial t_1} - E(U_2 S) E(U_2 S) \frac{\partial M^{-2}}{\partial t_1} \\ &= M^{-1} E(U_2^2 U_1 S) - M^{-2} E(U_2^2 S) E(U_1 S) - 2M^{-2} E(U_1 U_2 S) E(U_2 S) + 2M^{-3} (E(U_2 S))^2 E(U_1 S). \end{aligned}$$

3.4 4th derivatives

$$\begin{aligned}
\frac{\partial^4 K(t_1, t_2)}{\partial t_1^4} &= M^{-1} \frac{\partial E(U_1^3 S)}{\partial t_1} + E(U_1^3 S) \frac{\partial M^{-1}}{\partial t_1} - M^{-2} \frac{\partial E(U_1^2 S) E(U_1 S)}{\partial t_1} - E(U_1^2 S) E(U_1 S) \frac{\partial M^{-2}}{\partial t_1} \\
&\quad - 2M^{-2} \frac{\partial E(U_1 S) E(U_1^2 S)}{\partial t_1} - 2E(U_1 S) E(U_1^2 S) \frac{\partial M^{-2}}{\partial t_1} + 2M^{-3} \frac{\partial (E(U_1 S))^3}{\partial t_1} \\
&\quad + 2(E(U_1 S))^3 \frac{\partial M^{-3}}{\partial t_1} \\
&= M^{-1} E(U_1^4 S) - M^{-2} E(U_1 S) E(U_1^3 S) - M^{-2} [E(U_1^3 S) E(U_1 S) + (E(U_1^2 S))^2] \\
&\quad + 2M^{-3} (E(U_1 S))^2 E(U_1^2 S) - 2M^{-2} [(E(U_1^2 S))^2 + E(U_1 S) E(U_1^3 S)] \\
&\quad + 4M^{-3} (E(U_1 S))^2 E(U_1^2 S) + 2M^{-3} [3(E(U_1 S))^2 E(U_1^2 S)] - 6M^{-4} (E(U_1 S))^4,
\end{aligned}$$

$$\begin{aligned}
\frac{\partial^4 K(t_1, t_2)}{\partial t_1^3 \partial t_2} &= M^{-1} \frac{\partial E(U_1^3 S)}{\partial t_2} + E(U_1^3 S) \frac{\partial M^{-1}}{\partial t_2} - M^{-2} \frac{\partial E(U_1^2 S) E(U_1 S)}{\partial t_2} - E(U_1^2 S) E(U_1 S) \frac{\partial M^{-2}}{\partial t_2} \\
&\quad - 2M^{-2} \frac{\partial E(U_1 S) E(U_1^2 S)}{\partial t_2} - 2E(U_1 S) E(U_1^2 S) \frac{\partial M^{-2}}{\partial t_2} + 2M^{-3} \frac{\partial (E(U_1 S))^3}{\partial t_2} \\
&\quad + 2(E(U_1 S))^3 \frac{\partial M^{-3}}{\partial t_2} \\
&= M^{-1} E(U_1^3 U_2 S) - M^{-2} E(U_2 S) E(U_1^3 S) - M^{-2} [E(U_1^2 U_2 S) E(U_1 S) + E(U_1 U_2 S) E(U_1^2 S)] \\
&\quad + 2M^{-3} E(U_2 S) E(U_1 S) E(U_1^2 S) - 2M^{-2} [E(U_1 U_2 S) E(U_1^2 S) + E(U_1^2 U_2 S) E(U_1 S)] \\
&\quad + 4M^{-3} E(U_1 S) E(U_2 S) E(U_1^2 S) + 6M^{-3} (E(U_1 S))^2 E(U_1 U_2 S) - 6M^{-4} (E(U_1 S))^3 E(U_2 S),
\end{aligned}$$

$$\begin{aligned}
\frac{\partial^4 K(t_1, t_2)}{\partial t_1^2 \partial t_2^2} &= M^{-1} \frac{\partial E(U_1 U_2^2 S)}{\partial t_1} + E(U_1 U_2^2 S) \frac{\partial M^{-1}}{\partial t_1} - M^{-2} \frac{\partial E(U_2^2 S) E(U_1 S)}{\partial t_1} - E(U_2^2 S) E(U_1 S) \frac{\partial M^{-2}}{\partial t_1} \\
&\quad - 2M^{-2} \frac{\partial E(U_1 U_2 S) E(U_2 S)}{\partial t_1} - 2E(U_1 U_2 S) E(U_2 S) \frac{\partial M^{-2}}{\partial t_1} + 2M^{-3} \frac{\partial E(U_1 S) (E(U_2 S))^2}{\partial t_1} \\
&\quad + 2E(U_1 S) (E(U_2 S))^2 \frac{\partial M^{-3}}{\partial t_1} \\
&= M^{-1} E(U_1^2 U_2^2 S) - M^{-2} E(U_1 U_2^2 S) E(U_1 S) - M^{-2} [E(U_1 U_2^2 S) E(U_1 S) + E(U_1^2 S) E(U_2^2 S)] \\
&\quad + 2M^{-3} E(U_1 S) E(U_1 S) E(U_2^2 S) - 2M^{-2} [E(U_1^2 U_2 S) E(U_2 S) + E(U_1 U_2 S) E(U_1 U_2 S)] \\
&\quad + 4M^{-3} E(U_1 S) E(U_2 S) E(U_1 U_2 S) + 2M^{-3} [E(U_1^2 S) (E(U_2 S))^2 + 2E(U_2 S) E(U_1 U_2 S) E(U_1 S)] \\
&\quad - 6M^{-4} (E(U_1 S))^2 (E(U_2 S))^2,
\end{aligned}$$

$$\begin{aligned}
\frac{\partial^4 K(t_1, t_2)}{\partial t_2^3 \partial t_1} &= M^{-1} \frac{\partial E(U_2^3 S)}{\partial t_1} + E(U_2^3 S) \frac{\partial M^{-1}}{\partial t_1} - M^{-2} \frac{\partial E(U_2^2 S) E(U_2 S)}{\partial t_1} - E(U_2^2 S) E(U_2 S) \frac{\partial M^{-2}}{\partial t_1} \\
&\quad - 2M^{-2} \frac{\partial E(U_2 S) E(U_2^2 S)}{\partial t_1} - 2E(U_2 S) E(U_2^2 S) \frac{\partial M^{-2}}{\partial t_1} + 2M^{-3} \frac{\partial (E(U_2 S))^3}{\partial t_1} \\
&\quad + 2(E(U_2 S))^3 \frac{\partial M^{-3}}{\partial t_1} = M^{-1} E(U_2^3 U_1 S) - M^{-2} E(U_1 S) E(U_2^3 S) - M^{-2} [E(U_2^2 U_1 S) E(U_2 S) \\
&\quad + E(U_2 U_1 S) E(U_2^2 S)] + 2M^{-3} E(U_1 S) E(U_2 S) E(U_2^2 S) - 2M^{-2} [E(U_1 U_2 S) E(U_2^2 S) \\
&\quad + E(U_2^2 U_1 S) E(U_2 S)] + 4M^{-3} E(U_2 S) E(U_1 S) E(U_2^2 S) + 6M^{-3} (E(U_2 S))^2 E(U_2 U_1 S) \\
&\quad - 6M^{-4} (E(U_2 S))^3 E(U_1 S),
\end{aligned}$$

$$\begin{aligned}
\frac{\partial^4 K(t_1, t_2)}{\partial t_2^4} &= M^{-1} \frac{\partial E(U_2^3 S)}{\partial t_2} + E(U_2^3 S) \frac{\partial M^{-1}}{\partial t_2} - M^{-2} \frac{\partial E(U_2^2 S) E(U_2 S)}{\partial t_2} - E(U_2^2 S) E(U_2 S) \frac{\partial M^{-2}}{\partial t_2} \\
&\quad - 2M^{-2} \frac{\partial E(U_2 S) E(U_2^2 S)}{\partial t_2} - 2E(U_2 S) E(U_2^2 S) \frac{\partial M^{-2}}{\partial t_2} \\
&\quad + 2M^{-3} \frac{\partial (E(U_2 S))^3}{\partial t_2} + 2(E(U_2 S))^3 \frac{\partial M^{-3}}{\partial t_2} \\
&= M^{-1} E(U_2^4 S) - M^{-2} E(U_2 S) E(U_2^3 S) - M^{-2} [E(U_2^3 S) E(U_2 S) + (E(U_2^2 S))^2] \\
&\quad + 2M^{-3} (E(U_2 S))^2 E(U_2^2 S) - 2M^{-2} [(E(U_2^2 S))^2 + E(U_2 S) E(U_2^3 S)] \\
&\quad + 4M^{-3} (E(U_2 S))^2 E(U_2^2 S) + 2M^{-3} [3(E(U_2 S))^2 E(U_2^2 S)] - 6M^{-4} (E(U_2 S))^4.
\end{aligned}$$

3.5 Cumulants

k_1, k_2, k_3 and k_4 represent the first, second, third, fourth cumulant respectively.

$$\frac{\partial K(t_1, t_2)}{\partial t_1} \Big|_{t_1=0, t_2=0} = E(U_1),$$

$$\frac{\partial K(t_1, t_2)}{\partial t_2} \Big|_{t_1=0, t_2=0} = E(U_2),$$

$$k_1 = E(U_1) + E(U_2).$$

The first cumulant is done.

$$\frac{\partial^2 K(t_1, t_2)}{\partial t_1^2} \Big|_{t_1=0, t_2=0} = E(U_1^2) - (E(U_1))^2,$$

$$\frac{\partial^2 K(t_1, t_2)}{\partial t_1 \partial t_2} \Big|_{t_1=0, t_2=0} = E(U_1 U_2) - E(U_1) E(U_2),$$

$$\frac{\partial^2 K(t_1, t_2)}{\partial t_2^2} \Big|_{t_1=0, t_2=0} = E(U_2^2) - (E(U_2))^2,$$

$$k_2 = E(U_1^2) - (E(U_1))^2 + E(U_1U_2) - E(U_1)E(U_2) + E(U_2^2) - (E(U_2))^2.$$

The second cumulant is done.

$$\frac{\partial^3 K(t_1, t_2)}{\partial t_1^3} \Big|_{t_1=0, t_2=0} = E(U_1^3) - 3E(U_1^2)E(U_1) + 2(E(U_1))^3,$$

$$\frac{\partial^3 K(t_1, t_2)}{\partial t_2^3} \Big|_{t_1=0, t_2=0} = E(U_2^3) - 3E(U_2^2)E(U_2) + 2(E(U_2))^3,$$

$$\frac{\partial^3 K(t_1, t_2)}{\partial t_1^2 \partial t_2} \Big|_{t_1=0, t_2=0} = E(U_1U_2^2) - E(U_2^2)E(U_1) - 2E(U_1U_2)E(U_2) + 2(E(U_2))^2E(U_1),$$

$$\frac{\partial^3 K(t_1, t_2)}{\partial t_1 \partial t_2^2} \Big|_{t_1=0, t_2=0} = E(U_1^2U_2) - E(U_1^2)E(U_2) - 2E(U_1U_2)E(U_1) + 2(E(U_1))^2E(U_2).$$

$$k_3 = E(U_1^3) + E(U_2^3) + E(U_1U_2^2) + E(U_1^2U_2) - 3E(U_1^2)E(U_1) - 3E(U_2^2)E(U_2) - E(U_1)E(U_2^2) - E(U_1^2)E(U_2) \\ - 2E(U_1)E(U_1U_2) - 2E(U_2)E(U_1U_2) + 2E(U_1)(E(U_2))^2 + 2(E(U_1))^2E(U_2) + 2(E(U_1))^3 + 2(E(U_2))^3.$$

The third cumulant is done.

$$\frac{\partial^4 K(t_1, t_2)}{\partial t_1^4} \Big|_{t_1=0, t_2=0} = E(U_1^4) - E(U_1)E(U_1^3) - E(U_1^3)E(U_1) - (E(U_1^2))^2 + 2(E(U_1))^2E(U_1^2) \\ - 2[(E(U_1^2))^2 + E(U_1)E(U_1^3)] + 4(E(U_1))^2E(U_1^2) + 6(E(U_1))^2E(U_1^2) - 6(E(U_1))^4,$$

$$\frac{\partial^4 K(t_1, t_2)}{\partial t_2^4} \Big|_{t_1=0, t_2=0} = E(U_2^4) - E(U_2)E(U_2^3) - E(U_2^3)E(U_2) - (E(U_2^2))^2 + 2(E(U_2))^2E(U_2^2) \\ - 2[(E(U_2^2))^2 + E(U_2)E(U_2^3)] + 4(E(U_2))^2E(U_2^2) + 6(E(U_2))^2E(U_2^2) - 6(E(U_2))^4,$$

$$\frac{\partial^4 K(t_1, t_2)}{\partial t_1^3 \partial t_2} \Big|_{t_1=0, t_2=0} = E(U_1^3U_2) - E(U_1^3)E(U_2) - E(U_1)E(U_1^2U_2) - E(U_1^2)E(U_1U_2) + 2E(U_1)E(U_2)E(U_1^2) \\ - 2E(U_1^2)E(U_1U_2) - 2E(U_1)E(U_1^2U_2) + 4E(U_1)E(U_2)E(U_1^2) + 6(E(U_1))^2E(U_1U_2) - 6(E(U_1))^3E(U_2),$$

$$\frac{\partial^4 K(t_1, t_2)}{\partial t_1 \partial t_2^3} \Big|_{t_1=0, t_2=0} = E(U_1U_2^3) - E(U_1)E(U_2^3) - E(U_2)E(U_2^2U_1) - E(U_2^2)E(U_1U_2) + 2E(U_1)E(U_2)E(U_2^2) \\ - 2E(U_2^2)E(U_1U_2) - 2E(U_2)E(U_1U_2^2) + 4E(U_1)E(U_2)E(U_2^2) + 6(E(U_2))^2E(U_1U_2) - 6(E(U_2))^3E(U_1),$$

$$\frac{\partial^4 K(t_1, t_2)}{\partial t_1^2 \partial t_2^2} \Big|_{t_1=0, t_2=0} = E(U_1^2U_2^2) - 2E(U_1)E(U_1U_2^2) - E(U_1^2)E(U_2^2) + 2(E(U_1))^2E(U_2^2) - 2E(U_2)E(U_1^2U_2) \\ - 2E((U_1U_2))^2 + 4E(U_1)E(U_2)E(U_1U_2) + 2E(U_1^2)(E(U_2))^2 + 4E(U_1)E(U_2)E(U_1U_2) - 6(E(U_1))^2(E(U_2))^2,$$

$$\begin{aligned}
k_4 = & E(U_1^4) - E(U_1)E(U_1^3) - E(U_1^3)E(U_1) - (E(U_1^2))^2 + 2(E(U_1))^2E(U_1^2) - 2[(E(U_1^2))^2 + E(U_1)E(U_1^3)] \\
& + 4(E(U_1))^2E(U_1^2) + 6(E(U_1))^2E(U_1^2) - 6(E(U_1))^4 + E(U_2^4) - E(U_2)E(U_2^3) - E(U_2^3)E(U_2) - (E(U_2^2))^2 \\
& + 2(E(U_2))^2E(U_2^2) - 2[(E(U_2^2))^2 + E(U_2)E(U_2^3)] + 4(E(U_2))^2E(U_2^2) + 6(E(U_2))^2E(U_2^2) - 6(E(U_2))^4 \\
& + E(U_1^3U_2) - E(U_1^3)E(U_2) - E(U_1)E(U_1^2U_2) - E(U_1^2)E(U_1U_2) + 2E(U_1)E(U_2)E(U_1^2) - \\
& 2E(U_1^2)E(U_1U_2) - 2E(U_1)E(U_1^2U_2) + 4E(U_1)E(U_2)E(U_1^2) + 6(E(U_1))^2E(U_1U_2) - 6(E(U_1))^3E(U_2) \\
& + E(U_1U_2^3) - E(U_1)E(U_2^3) - E(U_2)E(U_2^2U_1) - E(U_2^2)E(U_1U_2) + 2E(U_1)E(U_2)E(U_2^2) - \\
& 2E(U_2^2)E(U_1U_2) - 2E(U_2)E(U_1U_2^2) + 4E(U_1)E(U_2)E(U_2^2) + 6(E(U_2))^2E(U_1U_2) - 6(E(U_2))^3E(U_1) \\
& E(U_1^2U_2^2) - 2E(U_1)E(U_1U_2^2) - E(U_1^2)E(U_2^2) + 2(E(U_1))^2E(U_2^2) - 2E(U_2)E(U_1^2U_2) - 2E((U_1U_2))^2 \\
& + 4E(U_1)E(U_2)E(U_1U_2) + 2E(U_1^2)(E(U_2))^2 + 4E(U_1)E(U_2)E(U_1U_2) - 6(E(U_1))^2(E(U_2))^2 \\
= & E(U_1^4) - 4E(U_1)E(U_1^3) - 3(E(U_1^2))^2 + 12(E(U_1))^2E(U_1^2) - 6(E(U_1))^4 \\
& + E(U_2^4) - 4E(U_2)E(U_2^3) - 3(E(U_2^2))^2 + 12(E(U_2))^2E(U_2^2) - 6(E(U_2))^4 \\
& + E(U_1^3U_2) - E(U_1^3)E(U_2) - 3E(U_1)E(U_1^2U_2) - 3E(U_1^2)E(U_1U_2) - 6E(U_1)E(U_2)E(U_1^2) \\
& + 6E(U_1^2)E(U_1U_2) - 6(E(U_1))^3E(U_2) \\
& + E(U_1U_2^3) - E(U_1)E(U_2^3) - 3E(U_2)E(U_2^2U_1) - 3E(U_2^2)E(U_1U_2) + 6E(U_1)E(U_2)E(U_2^2) \\
& + 6E(U_2^2)E(U_1U_2) - 6(E(U_2))^3E(U_1) \\
& E(U_1^2U_2^2) - 2E(U_1)E(U_1U_2^2) - E(U_1^2)E(U_2^2) + 2(E(U_1))^2E(U_2^2) - 2E(U_2)E(U_1^2U_2) - 2E((U_1U_2))^2 \\
& + 8E(U_1)E(U_2)E(U_1U_2) + 2E(U_1^2)(E(U_2))^2 - 6(E(U_1))^2(E(U_2))^2.
\end{aligned}$$

The fourth cumulant is done.

References

- [1] H. B. Mann and D. R. Whitney. On a test whether one of two random variables is stochastically larger than the other. *The Annals of Mathematical Statistics* 1850-60, 1947
- [2] John D. Spurrier and John E. Hewett. Two-Stage Wilcoxon Tests of Hypotheses. *Journal of the American Statistical Association* Vol. 71, No. 356 (Dec., 1976), pp. 982-987
- [3] J. E. Kolassa. A comparison of size and power calculations for the Wilcoxon Statistic for ordered categorical data. *Statistics in Medicine*. VOL. 14, 1577-1581, 1995.