

# Navigating with the Kamal

M. Nielbock

Haus der Astronomie, Campus MPIA, Königstuhl 17, D-69117 Heidelberg, Germany  
e-mail: nielbock@hda-hd.de

Received July 14, 2016; accepted

## ABSTRACT


The students build and use an old navigational tool from the Arab world of the 9th century, the kamal. After an introduction to historic seafaring and navigation, they build this simple tool and understand how it can be used to measure angles. After learning that the elevation of Polaris is (almost) identical to the latitude of the observer, they apply this knowledge while using the kamal. During a field trip, they actually measure the elevation of Polaris. The result is compared with modern methods.

**Key words.** Earth, navigation, countries, astronomy, history, geography, stars, Polaris, North Star, equator, latitude, longitude, meridian, pole height, celestial navigation, Arabia, kamal

## 1. Background information

### 1.1. Latitude and longitude

Any location on an area is defined by two coordinates. The surface of a sphere is a curved area, but using coordinates like up and down does not make much sense, because the surface of a sphere has neither a beginning nor an ending. Instead, we can use spherical polar coordinates originating from the centre of the sphere with the radius being fixed (Fig. 1). Two angular coordinates remain. Applied to the Earth, they are called the latitude and the longitude. Its rotation provides the symmetry axis. The North Pole is defined as the point, where the theoretical axis of rotation meets the surface of the sphere and the rotation is counter-clockwise when looking at the North Pole from above. The opposite point is the South Pole. The equator is defined as the great circle half way between the two poles.



**Fig. 1.** Illustration of how the latitudes and longitudes of the Earth are defined (Peter Mercator, djexplo, CC0).

The latitudes are circles parallel to the equator. They are counted from  $0^\circ$  at the equator to  $\pm 90^\circ$  at the poles. The longitudes are great circles connecting the two poles of the Earth. For a given position on Earth, the longitude going through the zenith, the point directly above, is called the meridian. This is the line the Sun apparently crosses at local noon. The origin of this coordinate is defined as the Prime Meridian, and passes Greenwich, where the Royal Observatory of England is located. From there, longitudes are counted from  $0^\circ$  to  $+180^\circ$  (eastward) and  $-180^\circ$  (westward).

Example: Heidelberg in Germany is located at  $49^\circ 4'$  North and  $8^\circ 7'$  East.

### 1.2. Elevation of the pole (pole height)


If we project the terrestrial coordinate system of latitudes and longitudes at the sky, we get the celestial equatorial coordinate system. The Earth's equator becomes the celestial equator and the geographic poles are extrapolated to build the celestial poles. If we were to make a photograph with a long exposure of the northern sky, we would see from the trails of the stars that they all revolve about a common point, the northern celestial pole (Fig. 2).



**Fig. 2.** Trails of stars at the sky after an exposure time of approximately 2 hours (Ralph Arvesen, Live Oak star trails, <https://www.flickr.com/photos/rarvesen/9494908143>, <https://creativecommons.org/licenses/by/2.0/legalcode>).


In the northern hemisphere, there is a moderately bright star near the celestial pole, the North Star or Polaris. It is the brightest star in the constellation of the Little Bear, Ursa Minor (Fig. 3). In our era, Polaris is less than a degree off. However, 1000 years

ago, it was  $8^\circ$  away from the pole. Therefore, today we can use it as a proxy for the position of the celestial north pole.



**Fig. 3.** Configuration of the two constellations Ursa Major (Great Bear) and Ursa Minor (Little Bear) at the northern sky. Polaris, the North Star, which is close to the true celestial north pole, is the brightest star in Ursa Minor (Bonč, [https://commons.wikimedia.org/wiki/File:Ursa\\_Major\\_-\\_Ursa\\_Minor\\_-\\_Polaris.jpg](https://commons.wikimedia.org/wiki/File:Ursa_Major_-_Ursa_Minor_-_Polaris.jpg), “Ursa Major – Ursa Minor – Polaris”, colours inverted by Markus Nielbock, <https://creativecommons.org/licenses/by-sa/3.0/legalcode>).


At the southern celestial pole, there is no such star that can be observed with the naked eye. Other procedures have to be applied to find it. At the southern celestial pole, there is no such star that can be observed with the naked eye. Other procedures have to be applied to find it. If we stood exactly at the geographic North Pole, Polaris would always be directly overhead. We can say that its elevation would be (almost)  $90^\circ$ . This information already introduces the horizontal coordinate system (Fig. 4).



**Fig. 4.** Illustration of the horizontal coordinate system. The observer is the origin of the coordinates assigned as azimuth and altitude or elevation (TWCarlson, [https://commons.wikimedia.org/wiki/File:Azimuth-Altitude\\_schematic.svg](https://commons.wikimedia.org/wiki/File:Azimuth-Altitude_schematic.svg), “Azimuth-Altitude schematic”, <https://creativecommons.org/licenses/by-sa/3.0/legalcode>).

It is the natural reference we use every day. We, the observers, are the origin of that coordinate system located on a flat plane whose edge is the horizon. The sky is imagined as a hemisphere above. The angle between an object in the sky and the horizon is the altitude or elevation. The direction within the plane is given

as an angle between  $0^\circ$  and  $360^\circ$ , the azimuth, which is usually counted clockwise from north. In navigation, this is also called the bearing. The meridian is the line that connects North and South at the horizon and passes the zenith.



**Fig. 5.** When combining the three coordinate systems (terrestrial spherical, celestial equatorial, local horizontal), it becomes clear that the latitude of the observer is exactly the elevation of the celestial pole, also known as the pole height (own work).

For any other position on Earth, the celestial pole or Polaris would appear at an elevation smaller than  $90^\circ$ . At the equator, it would just graze the horizon, i.e. be at an elevation of  $0^\circ$ . The correlation between the latitude (North Pole =  $90^\circ$ , Equator =  $0^\circ$ ) and the elevation of Polaris is no coincidence. Figure 5 combines all three mentioned coordinate systems. For a given observer at any latitude on Earth, the local horizontal coordinate system touches the terrestrial spherical polar coordinate system at a single tangent point. The sketch demonstrates that the elevation of the celestial North Pole, also called the pole height, is exactly the northern latitude of the observer on Earth. From this we can conclude that if we measure the elevation of Polaris, we can determine our latitude on Earth with reasonable precision.

### 1.3. Triangles and trigonometry

The concept of the kamal relies on the relations within triangles. Those are very simple geometric constructs that already the ancient Greeks have been working with. One basic rule is that the sum of all angles inside a triangle is  $180^\circ$  or  $\pi$ . This depends on whether the angles are measured in degrees or radians. One radian is defined as the angle that is subtended by an arc whose length is the same as the radius of the underlying circle. A full circle measures  $360^\circ$  or  $2\pi$ .


The sides of a triangle and its angles are connected via trigonometric functions, e.g. sine, cosine and tangent. The easiest relations can be seen in right-angled triangles, where one of the angles is  $90^\circ$  or  $\pi/2$ .

The hypotenuse is the side of a triangle opposite of the right angle. In Fig. 6, it is  $c$ . The other sides are called legs or catheti. The leg opposite to a given angle is called the opposite leg, while the other is the adjacent leg. In a right-angled triangle, the relations between the legs and the hypotenuse are expressed as trigonometric functions of the angles.

$$\sin \alpha = \frac{a}{c} = \frac{\text{opposing leg}}{\text{hypotenuse}} \quad (1)$$

$$\cos \alpha = \frac{b}{c} = \frac{\text{adjacent leg}}{\text{hypotenuse}} \quad (2)$$

$$\tan \alpha = \frac{a}{b} = \frac{\text{opposing leg}}{\text{adjacent leg}} \quad (3)$$



**Fig. 6.** A right-angled triangle with  $\gamma$  being the right angle (Dmitry Fomin, [https://commons.wikimedia.org/wiki/File:Right\\_triangle\\_with\\_notations\\_\(black\).svg](https://commons.wikimedia.org/wiki/File:Right_triangle_with_notations_(black).svg),CC0).

The Pythagorean Theorem tells us something about the relations between the three legs of a right-angled triangle. It is named after the ancient Greek mathematician Pythagoras and says that the sum of the squares of the catheti is equal to the square of the hypotenuse.

$$c^2 = a^2 + b^2 \quad (4)$$

For general triangles, this expands to the law of cosines.

$$c^2 = a^2 + b^2 - 2ab \cdot \cos \gamma \quad (5)$$

For  $\gamma = 90^\circ$  it reduces to the Pythagorean Theorem.

#### 1.4. Early navigational skill

Early seafaring peoples often navigated along coastlines before sophisticated navigational skills were developed and tools were invented. Sailing directions helped to identify coastal landmarks (Hertel 1990). To some extent, their knowledge about winds and currents helped them to cross short distances, like e.g. in the Mediterranean.

Soon, the navigators realised that celestial objects, especially stars, can be used to keep the course of a ship. Such skills have been mentioned in early literature like Homer's *Odyssey* which is believed to date back to the 8th century BCE. There are accounts of the ancient people of the Phoenicians who were able to even leave the Mediterranean and ventured on voyages to the British coast and even several hundred miles south along the African coast (Johnson & Nurminen 2009). A very notable and well documented long distance voyage has been passed on by ancient authors and scholars like Strabo, Pliny and Diodorus of Sicily. It is the voyage of Pytheas, a Greek astronomer, geographer and explorer from Marseille who around 300 BCE apparently left the Mediterranean by passing Gibraltar and made it up north until the British Isles and beyond the Arctic Circle, where he possibly reached Iceland or the Faroe Islands that he called Thule (Baker & Baker 1997). Pytheas already used a gnomon or a sundial, which allowed him to determine his latitude and measure the time during his voyage (Nansen 1911).

#### 1.5. Sailing along a latitude

At these times, the technique of sailing along a parallel (of the equator) or latitude was used by observing circumpolar stars. The concept of latitudes in the sense of angular distances from the

equator was probably not known. However, it was soon realised that when looking at the night sky, some stars within a certain radius around the celestial poles never set; they are circumpolar. When sailing north or south, sailors observe that the celestial pole changes, too, and with it the circumpolar radius. Therefore, whenever navigators see the same star culminating – transiting the meridian – at the same elevation, they stay on the “latitude”. For them, it was sufficient to realise the connection between the elevation of stars and their course. Navigators had navigational documents that listed seaports together with the elevation of known stars. In order to reach the port, they simply sailed north or south until they reached the corresponding latitude and then continued west or east.

Nowadays, the easiest way to determine one's own latitude on Earth is to measure the elevation of the North Star, Polaris, as a proxy for the true celestial North Pole. In our era, Polaris is less than a degree off. However, 1000 years ago, it was  $8^\circ$  away from the pole.

#### 1.6. The Kamal


The kamal (Fig. 7) is a navigational tool invented by Arabian sailors in the 9th century CE (McGrail 2001). Its purpose is to measure stellar elevations without the notion of angles. If you stretch out your arm, one finger subtends an angle. This method appears to have been the earliest technique to determine the elevation of stars. In the Arabian world, this “height” is called *isba* (إصبع) which simply means *finger*. The corresponding angle is  $1^\circ 36'$  (Malhão Pereira 2003).



**Fig. 7.** A simple wooden kamal. It consists of a surveying board and a cord with a line of knots (Bordwall, [https://commons.wikimedia.org/wiki/File:Simple\\_Wooden\\_Kamal\\_\(Navigation\).jpg](https://commons.wikimedia.org/wiki/File:Simple_Wooden_Kamal_(Navigation).jpg), “Simple Wooden Kamal (Navigation)”, <https://creativecommons.org/licenses/by-sa/3.0/legalcode>).

This method was standardised by using a wooden plate, originally sized roughly 5 cm x 2.5 cm, with a cord attached to its centre. When held at various distances, the kamal subtends different angles between the horizon and the stars (Fig. 8). Knots located at different positions along the cord denote the elevations of stars and, consequently, the latitude of various ports.


When Vasco da Gama set out to find the sea passage from Europe to India in 1497, he stopped at the Eastern African port of Melinde (now: Malindi), where the local Muslim Sheikh provided him with a skilled navigator of the Indian Ocean to guide him to



**Fig. 8.** Illustration of how the kamal was used to measure the elevation of a star, in this case Polaris. The lower edge was aligned with the horizon. Then, the distance between the eyes and the kamal was modified until the upper edge touched the star. The distance was set by knots tied into the cord that was held between the mouth and the kamal. The knots indicated elevations of stars (M. Nielbock, [https://commons.wikimedia.org/wiki/File:Kamal\\_Polaris.png](https://commons.wikimedia.org/wiki/File:Kamal_Polaris.png), [https://commons.wikimedia.org/wiki/File:Kamal\\_Polaris\\_Side.png](https://commons.wikimedia.org/wiki/File:Kamal_Polaris_Side.png), <https://creativecommons.org/licenses/by/4.0/legalcode>).

the shores of India. This navigator used a kamal for finding the sailing directions (Laurer 2009).

Since the latitudes the Arabian sailors crossed during their passages through the Arabian and Indian Seas are rather small, the mentioned size of the kamal is sufficient. For higher latitudes, the board must be bigger to avoid very small lengths of the cord to realise such angles.




**Fig. 9.** Excerpt of a world map from 1502 showing the Indian Ocean. All sea routes from the Arabian Peninsula and India lie between the Tropic of Cancer and the Equator. The port of Melinde is indicated at the third flag from the top at the eastern African coast (Cantino Planisphere, 1502, Biblioteca Estense Universitaria, Modena, Italy, [https://commons.wikimedia.org/wiki/File:Cantino\\_planisphere\\_\(1502\).jpg](https://commons.wikimedia.org/wiki/File:Cantino_planisphere_(1502).jpg), publicdomain).

### 1.7. The geometry of the kamal

To measure an angle  $\varphi$  with a kamal of height  $h$  (Fig. 10), the distance between the eyes and the board held perpendicularly to the line of sight needed is  $\ell$ . This is realised by a knot in the cord on the side opposite to the kamal board. In this simple configuration we get:

$$\ell = \frac{h'}{\tan \varphi} = \frac{h}{2 \cdot \tan\left(\frac{\varphi}{2}\right)} \quad (6)$$

However, the measurement is done with the cord between the teeth or just in front of the lips. Eyes and mouth are separated




**Fig. 10.** Simplified geometry of the kamal which subtends an angle  $\varphi$  between the horizon and Polaris. The kamal has a height labelled  $h$ . The length of the cord between the eyes and the kamal is labelled  $\ell$  (M. Nielbock, own work).

by the length  $d$  (Fig. 11). The true length of the cord is then  $\ell$ , while  $\ell'$  is the distance between the eyes and the kamal board that defines the angle  $\varphi$ . This more realistic approach leads to:

$$\ell = \sqrt{\frac{h}{2 \cdot \tan\left(\frac{\varphi}{2}\right)} + d^2 + hd \cdot \cos\left(\frac{\varphi}{2}\right)} \quad (7)$$

We see that for  $d = 0$  we again get the simplified version above. The difference between  $\ell$  and  $\ell'$  can be a few centimetres. A realistic value is  $d = 7$  cm.



**Fig. 11.** More realistic geometry of the kamal considering the difference in distance between the kamal on one side and the mouth and the eyes on the other. The distance between the mouth and the eyes is labelled  $d$  (M. Nielbock, own work).

This geometry is accurate enough for uncertainties inherent to the measuring method. Note that it is always assumed that the kamal board is held in an angle perpendicular to the line of sight, not the cord. In addition, the horizon is assumed to be the mathematical one (Fig. 5). This means that the dip of the visible horizon is neglected.

## 2. List of material

The list contains items needed by one student. Some of them can be shared by two to four individuals.

- Worksheets
- Kamal or materials and instructions to build one
- Pencil
- Torch (for outside activity)

### Constructing the kamal:

- one piece of ply wood (preferred) or very stiff card board (21 cm x 12 cm x 4 mm)
- 50 cm of cord
- Pencil
- Ruler
- Saw (for the wood) or scissors (for the cardboard), if the board has to be cut to fit the size needed
- Drill (for the wood) or thick needle (for the cardboard)

### 3. Goals

With this activity, the students will learn that

- celestial navigation and corresponding tools have been developed already many centuries ago.
- the kamal is a simple tool to measure the elevations of stars.
- with the kamal we can nowadays easily determine our latitude on Earth.

### 4. Learning objectives

- Students will build their own historical navigational instrument to understand how medieval mariners have used the stars to navigate.
- They will use it to determine their latitude on earth, and so understand, how rather simple and accurate such skills are.
- In the course of the activity, the students will learn to find Polaris, the North Star, to be able to determine the cardinal directions during night, which provides them with basic knowledge for navigating the seas.

### 5. Target group details

Suggested age range: 14 – 16 years

Suggested school level: Middle School, Secondary School

Duration: 90 minutes

### 6. Evaluation

- There are detailed building instructions for the kamal included. It is very simple anyway. The result of the latitude measurement can be easily checked with online resources. This is also part of the activity.
- The teacher is responsible for providing a basic background on latitudes and longitudes. However, the success of learning can be judged with the questions and answers provided.
- Finding Polaris is a prerequisite for the success of this activity. If this activity is held as a group experience, the students can support each other. In addition, the teacher can guide the students by
  - presenting a planetarium software for practising.
  - visiting a planetarium.
  - using a laser pointer during the field experiment.

### 7. Full description of the activity

#### 7.1. Introduction

It would be beneficial, if the activity be included into a larger context of seafaring, e.g. in geography, history, literature, etc.

Tip: This activity could be combined with other forms of acquiring knowledge like giving oral presentations in history, literature or geography highlighting navigation. This would prepare the field in a much more interactive way than what a teacher can achieve by summarising the facts.

Tip: There are certainly good documentaries available on sea exploration and navigation that could be shown as an introduction.

Episode 2: Celestial Navigation (Duration: 4:39)

<https://youtu.be/DoOuSo9qElI>

How did early Sailors navigate the Oceans? | The Curious Engineer (Duration: 6:20)

<https://youtu.be/4D1NhbKPiYY>

Isn't that India? - Navigation at Sea I PIRATES (Duration: 5:56)

<https://youtu.be/OCPrmf5PJ4>

Navigation in the Age of Exploration (Duration: 7:05)

<https://youtu.be/X3Egmp94aZw>

World Explorers in 10 Minutes (Duration: 9:59)

<https://youtu.be/iUkOfzhvMMs>

Once upon a time ... man: The Explorers - The first navigators (Duration: 23:13)

<https://youtu.be/KuryXLnHsEY>

The Ancient Seamasters (Duration: 1:29:07)

<https://youtu.be/47kAtmYTcMY>

Ask the students, if they had an idea for how long mankind already uses ships to cross oceans. One may point out the spread of the Homo sapiens to islands and isolated continents like Australia.

Possible answers:

We know for sure that ships have been used to cross large distances already since 3,000 BCE or earlier. However, the early settlers of Australia must have found a way to cross the Oceans around 50,000 BCE.

Ask them, what could have been the benefit to try to explore the seas. Perhaps, someone knows historic cultures or peoples that were famous sailors. The teacher can support this with a few examples of ancient seafaring peoples, e.g. from the Mediterranean.

Possible answers:

Finding new resources and food, trade, spirit of exploration, curiosity.

Ask the students, how they find the way to school every day. What supports their orientation to not get lost? As soon as reference points (buildings, traffic lights, bus stops, etc.) have been mentioned ask the students, how navigators were able to find their way on the seas. In early times, they used sailing directions in connection to landmarks that can be recognised. But for this, the ships would have to stay close to the coast. Lighthouses improved the situation. Magnetic compasses have been a rather late invention around the 11th century CE, and they were not used in Europe before the 13th century. But what could be used as reference points at open sea? Probably the students will soon mention celestial objects like the Sun, the Moon and stars.

Tell the story of the kamal and Vasco da Gama, the discoverer of the direct passage from Europe to India. See corresponding section in the background material and:

- <https://archive.org/stream/vascodagamahisvo00towl#page/136/mode/2up>
- <http://www.heritage-history.com/?c=read&author=towle&book=dagama&story=king>

**Table 1.** Dimensions and relations between angles and lengths of a kamal according to Eq. 7. The distance between the eyes and the mouth is assumed to be 7 cm. The recommended combinations are given in bold face.

Angle subtended (°)	Board height (cm)	Cord length (cm)	Board width (cm)	Cord length (cm)
30	21	41.6	<b>12</b>	<b>25.1</b>
35	21	36.0	<b>12</b>	<b>22.2</b>
40	21	31.9	<b>12</b>	<b>20.0</b>
45	<b>21</b>	<b>28.8</b>	12	18.3
50	<b>21</b>	<b>26.3</b>	12	17.0
55	<b>21</b>	<b>24.2</b>	12	16.0
60	<b>21</b>	<b>22.5</b>	12	15.2
65	<b>21</b>	<b>21.1</b>	12	14.4
70	<b>21</b>	<b>19.9</b>	12	13.8

### 7.1.1. Activity 1: Building the kamal

This can be done by the teacher prior to the activities or introduced as an additional exercise for the students. An instruction manual is available separately.

Material needed:

- one piece of ply wood (preferred) or very stiff card board (21 cm x 12 cm x 4 mm)
- 50 cm of cord
- Pencil
- Ruler
- Saw (for the wood) or scissors (for the cardboard), if the board has to be cut to fit the size needed
- drill (for the wood) or thick needle (for the cardboard)


The kamal was originally conceived as a navigational tool for low latitudes. Therefore, its size was relatively small, i.e. a few centimetres. This was enough to measure angles of  $10^\circ$  to  $20^\circ$  above the horizon. For example, for a kamal of 5 cm in height, a cord length of 20 cm yields an elevation measure of  $15^\circ$ . However, this relation is not linear. Therefore, for higher latitudes a larger kamal board is needed. A good compromise is a height of 21 cm, while the width can be 12 cm. With these dimensions, the following relations hold. For very low latitudes, the kamal can be rotated by  $90^\circ$ , so that the smaller width permits smaller cord lengths to reach the same angles.

For each kamal, prepare a thin piece of ply wood (approx. 4 mm) with 21 cm x 12 cm in size. If that is not available, a piece of very stiff cardboard of equal size is also possible. Determine the centre of the board by drawing or scratching two diagonal lines that connect opposite corners. Drill a hole through the centre that is big enough to permit the cord to fit through. It must also be small enough to not let it slide out again after tying a knot.

Tie a knot at one end of the cord and run it in the central hole of the board. The knot should block the cord from sliding through the hole.

Now add knots at distances from the board as indicated in Tab. 1. Be careful to keep the cord straightened. You can restrict the number of knots according to the angular range needed for the activities. Remember that the elevation of Polaris corresponds to the latitude.

Fill out the table on the worksheet that lists the number of knots and the corresponding angles.



**Fig. 12.** The kamal after running the cord in the central hole (M. Nielbock, own work).

## 7.2. Activity 2: Angles in the sky

### 7.2.1. Introduction

The worksheets contain Fig. 2 (star trails). There are a few questions to be asked that can help understand the concept of the apparent trajectories of stars.

Q: What does this picture show, in particular, where the bright curved lines come from?

A: As the Earth rotates, the stars seem to revolve around a common point. This is the celestial pole. Long exposures visualise the path of the stars as trails.

Q: How does the picture show us that some stars do not set or rise during a full day?

A: Many trails can be followed to form a full circle. One rotation is 24 hours.

Q: Do you know a star that is next to the celestial North Pole? In this picture, it should be close to the centre of rotation.

A: This is Polaris or the North Star. It is the star that produces the smallest trail close to the centre of the trails.

Q: Imagine you are at the terrestrial North Pole. Where would Polaris be in the sky? Where would it be, if you stood at the equator?

A: North Pole: Zenith, i.e. directly above; Equator: at the northern horizon

### 7.2.2. Preparations

Find a spot outside with a good view to the northern sky and the horizon. This activity can be done as soon as the North Star is visible. Therefore, the summer time may not be the best season to carry out this activity.

### 7.2.3. Finding Polaris

Finding Polaris in the sky is rather simple. As soon as the stars are visible, let the students look at them for a while and ask them, if they knew the group of stars that is often called the Big Dipper. Its name is different in different cultures (Ladle, Great Chariot, Plough, Drinking Gourd). It is easy to find in the northern hemisphere as it is always above the horizon. A video explains it in detail.

Find North with the Stars – Polaris & Ursa Major - Celestial Navigation (Duration: 11:04)

[https://youtu.be/n\\_gT9nBfhfo](https://youtu.be/n_gT9nBfhfo)

Figure 3 also shows how Polaris can be found using the Big Dipper (also available as individual image). It is contained in the worksheet. Find the box of the stellar group and the two stars to

the front ( $\alpha, \beta$ ). Extend the line between them five times and find a moderately bright star. This is Polaris, the North Star.

#### 7.2.4. Measuring the elevation of Polaris

Now the students use the kamal. The cord must be kept straightened during measurements. The board must be held according to the suggestions given in Tab. 1 and perpendicular to the line of sight. Any tilt would compromise the measurement.

Similar as shown in Fig. 8 (provided in the worksheet), the lower edge of the kamal must be aligned with the horizon. Then, the length of the cord is modified until the upper edge touches the star. The alignment with the horizon and the star should be checked again.

The students count the number of knots needed to keep the kamal aligned. Counting starts with the knot closest to the board. Perhaps, they will have to interpolate the position between two knots. They write down the number and read off the corresponding angle from the list in their worksheet. This is the latitude they will have determined.

The values of the various individuals and groups may differ.

Q: Why are the results not always identical?

A: Manufacturing not perfect (esp. knot positions), different sizes change perspective a bit, kamal was not always held correctly

Q: How would this affect real navigation on open seas?

A: Small errors of a few degrees can lead to course deviations. One degree in latitude corresponds to 60 nautical miles. Repeated measurements and additional information can mitigate this effect.

#### 7.2.5. Analysis

This can be done as homework and compared during the next lesson in school. Let the students check their result with a local map that provides coordinates or on-line services like Google Maps or Google Earth.

In Google Maps, you can right-click on your location and then click on “What’s here?”. A small window appears at the bottom of the screen that lists two numbers. The first is the latitude in degrees with decimals. This number is added to the worksheet.

The students may realise that the result differs from their own measurement. Let them write down reasons, why that is the case. During the next lesson, let them discuss their results.

### 8. Connection to school curriculum

This activity is part of the Space Awareness category “Navigation Through The Ages” and related to the curricula topics:

- Coordinate systems
- Basic concepts, latitude, longitude
- Celestial navigation
- Instruments

### 9. Conclusion

The kamal is a navigational tool that was invented by Arab navigators and has been used for many centuries since. This activity uses the example of the kamal to demonstrate how navigation at sea can be successful with some knowledge about astronomy and the stars combined with simple tools. The students learn some major aspects of the history of navigation by applying basics of math and astronomy. They build their own kamal and learn how

to use it to determine their latitude on Earth by using Polaris as the resting reference point in the sky. With his activity, they get a feeling for what it took to find one’s way on the oceans.

*Acknowledgements.* This resource was developed in the framework of Space Awareness. Space Awareness is funded by the European Commission’s Horizon 2020 Programme under grant agreement no. 6386653.

### References

- Baker, R. F. & Baker, C. F. 1997, *Ancient Greeks: Creating the Classical Tradition* (New York, USA: Oxford University Press)
- Hertel, P. 1990, *Das Geheimnis der alten Seefahrer*, Geographische Bausteine No. 38 (Gotha, Germany: Hermann Haack Verlagsgesellschaft mbH)
- Johnson, D. S. & Nurminen, J. 2009, *The History of Seafaring*, 2nd edn. (National Geographic), authorised German Edition
- Launer, D. 2009, *Navigation Through The Ages*, ed. J. Mc Geary & J. Simon (Dobbs Ferry, NY 10522: Sheridan House Inc.)
- Malhão Pereira, J. M. 2003, *Proceedings of the International Seminar on Marine Archeology*
- McGrail, S. 2001, *Boats of the World: From the Stone Age to Medieval Times* (Oxford, UK: Oxford University Press)
- Nansen, F. 1911, *In Northern Mists: Arctic Exploration in Early Times*, Vol. 1 (New York: Frederick A. Stokes company)

### Glossary

*Apparent movement* Movement of celestial objects in the sky which in fact is caused by the rotation of the Earth.

*Circumpolar* Property of celestial objects that never set below the horizon.

*Culmination* Passing the meridian of celestial objects. These objects attain their highest or lowest elevation there.

*Elevation* Angular distance between a celestial object and the horizon.

*Great circle* A circle on a sphere, whose radius is identical to the radius of the sphere.

*Meridian* A line that connects North and South at the horizon via the zenith.

*Pole height* Elevation of a celestial pole. Its value is identical to the latitude of the observer on Earth.

*Spherical polar coordinates* The natural coordinate system of a flat plane is Cartesian and measures distances in two perpendicular directions (ahead, back, left, right). For a sphere, this is not very useful, because it has neither beginning nor ending. Instead, the fixed point is the centre of the sphere. When projected outside from the central position, any point on the surface of the sphere can be determined by two angles with one of them being related to the symmetry axis. Such axis defines two poles. In addition, there is the radius that represents the third dimension of space, which permits determining each point within a sphere. This defines the spherical polar coordinates. When defining points on the surface of a sphere, the radius stays constant.

*Zenith* Point in the sky directly above.

### Appendix A: Connection to other educational materials

This unit is part of a larger educational package called “Navigation Through the Ages” that introduces several historical and modern techniques used for navigation. An overview is provided via:

[Navigation\\_through\\_the\\_Ages.pdf](#)

## **Appendix B: Supplemental material**

The supplemental material is available on-line via the Space Awareness project website at <http://www.space-awareness.org>. The direct download links are provided as follows:

- Worksheets: [astroedu1647-The-Kamal-WS.pdf](#)