

Monopoly pricing with buyer search

Nick Gravin

Shanghai University of Finance and Economics
nikolai@mail.shufe.edu.cn

Zhihao Gavin Tang

University of Hong Kong
zhtang@cs.hku.hk

Abstract

In many shopping scenarios, e.g., in online shopping, customers have a large menu of options to choose from. However, most of the buyers do not browse all the options and make decision after considering only a small part of the menu. To study such buyer's behavior we consider the standard Bayesian monopoly problem for a unit-demand buyer, where the monopolist displays the menu dynamically page after a page to the buyer. The seller aims to maximize the expected revenue over the distribution of buyer's values which we assume are i.i.d. The buyer incurs a fixed cost for browsing through one menu page and would stop if that cost exceeds the increase in her utility. We observe that the optimal posted price mechanism in our dynamic setting may have quite different structure than in the classic static scenario. We find a (relatively) simple and approximately optimal mechanism, that uses part of the items as a "bait" to keep the buyer interested for multiple rounds with low prices, while at the same time showing many other expensive items.

1 Introduction

The monopolist problem of selling multiple goods to a single buyer is a fundamental problem in mechanism design. In this situation any incentive compatible interaction between the monopolist seller and a single buyer can be described as a menu of possible allocations and payments that the seller offers to the buyer to choose from. Despite extensive studies, this multidimensional mechanism design problem is not very well understood in contrast to the Myerson's optimal auction for the single item case [28]. In special cases when the optimal mechanisms are known, these mechanisms often exhibit irregular and complex behavior. For example, the revenue of the optimal auction may be non-monotone [23]¹, or the optimal auction must offer a menu of randomized outcomes [22, 14], i.e., lotteries. Another problem observed in that line of work was that the optimal auction may have a menu of arbitrary large (or even infinite) size even in a simple setting with a unit-demand buyer with independent values.

These critiques have motivated [22] to propose the *menu size* as a measure of auction complexity and study its impact on the revenue in the classic monopoly problem. Since [22] there has been more recent work giving various upper and lower bounds on the menu complexity of optimal or approximately optimal auctions in different scenarios [15, 35, 6, 19]. However, this work gives bounds on the menu sizes as a restriction on the seller, which actually does not make much sense from the seller's point of view. Indeed, most of the imaginable sellers would not hesitate to use a complex mechanism provided that it will generate more revenue than a simple one. Moreover, many sellers are capable and willing to do sufficient research and do find many ways to maximize their revenue. Hence, a more accurate explanation of the prevalence of simple mechanisms would be that simplicity is a property desired by the buyer, but not the seller. This line of thought unavoidably implies that one has to make certain behavioral assumptions on the buyer's interaction with the seller. In this work we propose a new simple theoretical model that combines and rationalizes the buyer's desire for simplicity and the seller's desire to maximize his revenue.

Let us first illustrate with a few examples the importance of simple mechanisms, i.e., short menus, from the buyer's point of view. We begin with a personal story that happened to one of the authors of this paper. This author had once a visitor who is a foodie, partial to Szechuan food. They went for dinner to a high end Chinese restaurant, which is famous for its variety of dishes and provides very detailed menu. In that

¹Optimal auction may have higher expected revenue for the values with stochastically dominated prior distribution.

case the menu contained a list of more than 100 items each supplemented with a note describing ingredients and a cooking method. Everything on the menu was in Chinese, since many ingredients don't have proper translation into English. The visitor could not understand any Chinese and asked a waiter to help him out to choose a dish. The waiter began reading through the menu, item by item, starting with some exotic dishes, which did not seem appealing to the visitor. He had to ask the waiter to stop and after some argument forced the waiter to simply suggest three best dishes of the waiter's choice. Both of us followed the waiter's advice and ordered one out of three recommended dishes. Eventually, everyone greatly enjoyed the dinner, but during most of the meal the discussion was turning around the issues of complex menus and the necessity for the restaurants to give a short recommendation list on the front page of their menu.

Our next example is related to the online shopping scenario that should be familiar to most of our readers. Imagine, for example, that a buyer wants to buy a computer mouse on one of the online shopping platforms (e.g., on Amazon). The buyer starts her search by seeing a single web page, say, with 18 different entries out of more than 1000 available items on the platform. She may browse a few more pages, but she is likely to choose a mouse from among the first three pages, even though there might be over 50 pages that she did not check with potentially better or cheaper products than the best one she has found.

These examples lead us to study the interaction between the buyer and the seller as a dynamic procedure in which items on the menu are shown sequentially page-after-a-page, rather than as a static single-list menu. It is natural to assume that the buyer's decision to continue browsing depends on the buyer's impression of the previous pages. For example, the buyer may see a good item at the very first page and decide to stop and buy this item after seeing another menu page with less attractive offers than the first one. The impatient behavior of the buyer actually has a rational explanation. Indeed, people incur non-negligible costs for their search efforts. Thus it is not surprising that our buyer would not want to spend an hour fruitlessly browsing 990 out of 1000 items before she makes a purchase.

In this paper we study how dynamic impatient behavior of the buyer can affect the design of pricing mechanisms. To this end we consider a simple monopoly problem, where the monopolist gradually displays a menu to a single unit-demand buyer. Naturally, we restrict our attention only to item-pricing mechanisms².

Model for Impatient Buyer. We consider, a typical Bayesian mechanism design setting, where the seller has an inventory of m items and tries to sell them to a unit-demand buyer. The seller has a prior knowledge of the buyer's value distribution for the goods which are assumed to be i.i.d. The seller's objective is to maximize the revenue. The interaction between the seller and the buyer goes in consecutive stages. At each stage $t \in \mathbb{N}$, the buyer looks at a menu page $M(t)$ of a certain size k , then she decides whether to continue, i.e., to see the next menu page, or to stop browsing the menu and take the best offer from the seller she has seen so far. In general, the decision of the buyer whether to stop $\text{STOP}_t = 1$, or to continue $\text{STOP}_t = 0$ at stage t depends on the parts of the menu shown to the buyer and the buyer's valuations \vec{v} for the relevant items on the menu and it may be a random variable. Similar to the model of [4] we assume that consumer incurs a certain fixed cost Δ when performing her search. This cost is paid per menu page rather than per item unlike in [4]³. We further assume that the decision of the buyer $\text{STOP}_t \in \{0, 1\}$ depends on the buyer's utility increment compared to the previous stages. Namely, we assume that the buyer stops when the increase of her utility after seeing page $M(t)$ is not larger than her cost Δ .

These modeling choices⁴ allow us to capture large uncertainty and exploration nature of the buyer's behavior in the relevant settings. In this sense the size k of a menu page can be viewed as a tolerance parameter for the buyer's willingness to explore. On the other hand, our model choice is motivated by the behavioral economics model of rational inattention [33]. In this theory, agent is assumed to be rational, but having limited and rather scarce amount of attention that she can spend to access information to her benefit.

²Indeed, a lottery is incomparably harder to evaluate for the buyer than an item price: (i) every item in the support of the lottery's distribution requires separate consideration; (ii) humans are usually risk-averse and not very good at reasoning about probabilistic outcomes; (iii) there is a big issue of trust in the randomness of the lottery.

³It is easy to adapt our model for the case where search costs are paid per item rather than per page by splitting the menu page cost between k menu items.

⁴We would like to mention that without identical assumption on the prior distribution the revenue maximization problem becomes quite non trivial already in the static setting, i.e., where the seller has to select up to k out of m different items to put on a single menu page. We chose not to study the case of non identical distributions more traditionally considered in the literature, because it would have been distracting for the interesting structural insights and simplicity of the model that could be seen more clearly in the i.i.d. case.

Then the rationale of the buyer is that she would want to see more of the menu only if the improvement to her utility is worth her time, effort, or attention. Conversely, she does not want to continue if her previous experience of browsing the menu $M(t)$ did not improve her utility by a certain threshold amount Δ . We believe that this very simple and reasonable rule, on the one hand, captures some real features of the consumer’s behavior, and, on the other hand, offers an easy-to-state and interesting mechanism design problem.

1.1 Example

To illustrate the problem let us consider the following simple scenario, in which the buyer’s values are distributed i.i.d. according to $F : \Pr_{v \sim F}[v = 10] = 0.9, \Pr_{v \sim F}[v = 100] = 0.1$; the menu size $k = 2$; search cost $\Delta = 1$; and item supply is unlimited, i.e., $m = \infty$. Let us first consider a mechanism that posts uniform prices on the items on each menu page $M(t)$, where $t \in \mathbb{N}$. Indeed, it seems reasonable to use uniform prices because of the symmetry between all items in the supply. It is not very difficult to calculate the optimal menu (see table 1a), which has only 2 pages.

M(1)	M(2)
9\$	98.9\$
9\$	98.9\$

(a) Optimal menu sequence with uniform prices per page. Expected revenue 22.8\$.

M(1)	M(2)	M(3)	...	M(10)
9\$	8\$	7\$		0\$
97.9\$	96.9\$	95.9\$		88.9\$

(b) Mechanism with non-uniform prices per menu page. The expected revenue is 38.3133\$.

Table 1: Examples of mechanisms with menu pages dynamically revealed to the buyer. All prices on the tables are given for different items.

The revenue of the mechanism 1a is a guaranteed 9\$ plus the extra surplus the seller gets, if the buyer likes one of the expensive items on the 2nd page. In total, the revenue of mechanism 1a is $9 + \Pr[\forall i \in M(1) : v_i = 10] \cdot \Pr[\exists i \in M(2) : v_i = 100] \cdot (98.9 - 9) = 9 + 0.81 \cdot 0.19 \cdot 89.9 = 22.8$. Now consider another mechanism with a sequence of non-uniform price menus with 20 different items described in the Table 1b. It turns out that computing the expected revenue of mechanism 1b is not an easy numerical exercise that involves calculations of state distributions after up to 10 steps in a certain Markov chain. Instead of doing that, we provide much simpler approximate estimate of mechanism 1b revenue. Consider the event that out of 20 items shown on all 10 pages there is at least one item of high value 100. Then, the buyer continues browsing menu pages until she gets to see her first high-value item. With slightly less than 0.5 probability, this item has a high price and the remaining item on the current page and both of the items on the next menu page have low values, in which case the buyer stops and buys this expensive item. This estimate gives us an approximate value of the mechanism 1b revenue of $(1 - 0.9^{20}) \cdot 0.5 \cdot 100 = 44$.

We note that the revenue of the mechanism 1b (we know that mechanism 1b is not optimal) is significantly larger than the revenue of the best uniform price mechanism 1a, and that it is not hard to modify our example to make the gap between the non-uniform and uniform price mechanisms to be arbitrarily large. On the other note, the above example already highlights the importance of approximate (versus exact) analysis in our setting. Indeed, it is unlikely that we can find a mechanism with the optimal revenue, when it is already difficult to compute the revenue of a given mechanism in such a small example.

1.2 Related Work

Inherent complexity of optimal auctions led to the study of approximately optimal simple auctions under the name of “simple versus optimal mechanisms” [24]. The most related to our setting is a series of papers with nearly optimal sequential posted pricing mechanism for unit-demand buyer [10, 11, 12]. The approximation factor is 8 against optimal randomized mechanism and 2 against optimal item pricing. For the same unit-demand pricing problem [9] designs a PTAS and quasi-PTAS for some special classes of distribution families, although these solutions are not as simple as Sequential Pricing Mechanism (SPM) in [10, 11, 12]. Papers [11, 12] also extend single buyer results to BIC mechanisms for many buyers. However, even the multi-buyer case of SPM is closely related to an important primitive mechanism Greedy in our work, as we show in

Appendix A. Similar to our setting [9, 10, 11, 12] consider Bayesian setting with independent values⁵. The difference with our work is that in our model the menu complexity affects utility of the buyer. On the other note, there is a large body of literature on Bayesian mechanism design, which is too big to describe here. For an extensive survey on the topic see [13].

The main technique in [10, 11, 12] is based on the prophet inequality, which first appeared in [32] for a simple gambler’s problem and was first adopted to mechanism design literature in [10, 21]. For more recent results on prophet inequality see [1, 5]. Other application of prophet inequalities include, e.g., optimization on matroids [27], and Bayesian combinatorial auctions [17]. Closer to our problem, [16] explicitly study the revenue gap between discriminatory and anonymous sequential posted pricing. It was shown in [10, 11, 16] that the revenue gap between optimal Sequential Pricing Mechanism (SPM) and optimal uniform-SPM is 2. Some of these techniques and general philosophy of approximation with simple pricing schemes is adopted in our work.

We assume certain simple and reasonable impatient behavior of the buyer that fits into the behavioral economics model of rational inattention [33]. Another line of work on behavioral economics models [25, 34, 2, 20, 26] in algorithmic game theory literature concerns time-inconsistent planing.

Our model for the buyer search behavior in some ways is similar to [4]. This paper belongs to a rather rich literature in economics studying how consumer search, i.e., situations where consumers incur certain costs to acquire information about products. We refer interested readers to [30] for a survey. Those models usually study market outcomes and therefore have to assume simpler consumer behavior than in our case. In contrast, we assume that the buyer has perfect knowledge about her private valuation and focus on the dynamic interaction with the mechanism designer.

Finally, our model is closely related to dynamic mechanism design, as the buyer in our setting decides dynamically when to leave. Computer science literature on dynamic mechanism design, e.g., [29, 3, 7], usually consider multi-round interaction scenario with certain ex-post IC, or IR constraints. In economics the literature on dynamic mechanism design is rather large, see [8] for a detailed survey. The closest to our paper are the papers [18], [31]. In [18] heterogeneous durable goods are dynamically allocated to randomly arriving impatient buyers, whereas [31] examines the allocation of a sequence of indivisible and perishable goods to a dynamic population of patient unit-demand buyers with i.i.d. private valuations. Our setting is simpler than [18] and [31] with only one buyer and fixed arrival time. On the other hand, we consider more complex dynamic model for the buyer that interpolates between patient and myopic behaviors and captures the explore-or-exploit tradeoff faced by her.

1.3 Our Results and Techniques

As we already observed in Section 1.1 some approximation analysis may be necessary in our setting. As it turns out the problem of finding approximately optimal mechanism is tractable and we can find a relatively simple mechanism that achieves a constant approximation to the optimal revenue (see Theorem 1). The high-level principles behind our solution are similar to those used in mechanism 1b from Section 1.1. The mechanism 1b and more generally a family of simple-to-analyze mechanisms with approximately optimal revenue can be described as follows.

Definition (Bait Mechanisms \mathcal{B}). *All items on the menu can be divided into the two categories.*

Bait items. *Normally, these are the cheap items with a high probability to be liked by the buyer. Bait items encourage the buyer to continue browsing the menu for multiple rounds. For each menu page $M(t)$, at most 2 different prices are used for the bait items.*

Expensive items. *These items generate revenue. Normally, the buyer would not like any of the expensive items over the bait items at any given menu page. However, in a long run the buyer still might find an expensive item more preferable over all previous items. For each menu page $M(t)$, expensive items have the same or similar price⁶.*

⁵This work considers not necessarily identical distributions.

⁶If the distribution F satisfies certain reasonable condition (formally specified later) we can use uniform price for the expensive items. For arbitrary distributions the seller may need to use variable prices. Still, all the prices on the expensive items will be within a constant factor from each other and can be computed efficiently.

Intuitively, bait items play a role of attracting the buyer to browse through many items until she sees an expensive item that she likes. After that, with certain probability, she stops at the next page and takes that expensive item. We are only interested in the revenue extracted when this event occurs, i.e., an expensive item is sold. We also note that a single menu of size k also belongs to the family \mathcal{B} , as it uses only expensive items to extract revenue in a single round.

Techniques. At a high level, our proof proceeds by iteratively simplifying a given mechanism to the desired format so that the seller suffers only a constant factor loss to the revenue. We start with the optimal pricing scheme and separate prices on every menu page into bait and expensive parts. The analysis and simplification of the expensive items is relatively easy, as we can use standard techniques to approximate the revenue with uniform pricing. The analysis of the bait part, however, is much trickier, since we need to care about concentration of the buyer's utility at every time step and find a balance between the bracket of the utility increment and our confidence estimate of the utility (as a random variable) to fit into this bracket. One of the key ingredients in our proof is Lemma 1 that allows us to separate the analysis of the bait items to individual menu pages. In mathematical terms, Lemma 1 states that one can find an almost disjoint partition of confidence intervals for independent random variables provided that the sequence of these variables is monotonically increasing. Another important step in our proof is Lemma 2 that shows that two different prices suffice to do approximate bi-criteria optimization for (i) the buyer's utility increment, and (ii) the confidence bound for the utility bracket. With the help of these two lemmas, we show that a bait mechanism can achieve similar level of control over the buyer's utility as the optimal mechanism. Quite surprisingly, it is not that simple to add the expensive items back to the simplified bait menu pages. The reason is that the expensive items may interfere with the effect of bait items in such a way that the buyer would stop because of an expensive item, but eventually she still prefers to buy a cheap bait item. Because of this reason we have to tune the prices of the expensive items (although, only within a constant factor) to avoid the latter problem.

2 Preliminaries

The monopolist sells m items to the impatient unit-demand buyer, i.e., the buyer is only interested in buying at most one item. The buyer's values for the items are drawn i.i.d. from a given distribution F , which is known to the seller. For computational reasons we assume that F has a finite support⁷ on $[0, \infty)$. We write buyer's aggregate valuation profile as $\vec{v} \in \mathbb{R}_{\geq 0}^m$.

A mechanism \mathcal{M} is defined as the sequence of menus $\{\mathbf{M}(t)\}_{t=1}^{\infty}$, where each $\mathbf{M}(t)$ is a list of at most k item prices. For each item price (i, p_i) on the menu, the buyer derives utility of $u_i = v_i - p_i$, if she takes this offer. At each stage t of the mechanism \mathcal{M} , the buyer is shown the menu page $\mathbf{M}(t)$, and her utility $u(t) \stackrel{\text{def}}{=} \max_{(i, p_i) \in \mathbf{M}(t)} u_i$. To simplify notations, we define $u(0) \stackrel{\text{def}}{=} 0$ at stage 0. In this work we study posted price mechanisms, i.e., we assume that the price of any item, once it is posted cannot be changed at a later stage. Equivalently, the seller is allowed to show every item to the buyer only once. Therefore, as all items are symmetric, we shall omit the items' identities when describing a menu page, i.e., each menu page $\mathbf{M}(t)$ will be given as a set of prices. The buyer's decision at time t of whether to stop, or to continue to the next page depends on her utility increment compared to the previous stage. She continues when her utility $u(t)$ at stage t increases at least by a given parameter Δ compared to the previous stage, i.e., $u(t) \geq u(t-1) + \Delta$. Otherwise, the buyer stops and takes the best offer from the menu $\bigcup_{s=1}^t \mathbf{M}(s)$. In other words, if s^* is the stopping time, then the buyer takes the offer $(i^*, p^*) \in \bigcup_{t=1}^{s^*} \mathbf{M}(t) : u_{i^*} = \max_{t \leq s^*} u(t)$ and pays p^* ⁸. We denote by $\text{Rev}(\mathcal{M}) \stackrel{\text{def}}{=} \mathbf{E}_{\vec{v} \sim F^m} [\text{Rev}(\mathcal{M}(\vec{v}))]$ the total expected revenue of a given mechanism \mathcal{M} and by $\text{Opt} \stackrel{\text{def}}{=} \max_{\mathcal{M}} \text{Rev}(\mathcal{M})$ the revenue of the optimal mechanism.

Greedy Buyer. To facilitate the analysis, we consider a very simple greedy price taking behavior of the buyer, which will allow us to give a simple upper bound on the revenue of any mechanism. To obtain this bound, we order the prices in a finite menu $M = \{p_t\}_{t=1}^n$ in a decreasing order and show them one by

⁷All our non computational results extend to the case when F is arbitrary distribution with a bounded support on $[0, \infty)$.

⁸In case of a tie we assume that the buyer takes the highest price offer.

one to the buyer. The buyer takes the first item that gives her non-negative utility. Then the revenue of $\text{Greedy}(\vec{v}) = \max \{p \mid p_i \in M : v_i \geq p_i\}$.

Definition 1 (Greedy). $\text{Greedy}(M) \stackrel{\text{def}}{=} \mathbf{E}_{\vec{v}}[\text{Greedy}(\vec{v})]$ for a given menu M .

We slightly abuse the previous notation and denote by $\text{Greedy}(n)$ the maximum revenue of a menu of size n that can be extracted from a greedy buyer, i.e., $\text{Greedy}(n) \stackrel{\text{def}}{=} \max_{|M| \leq n} \text{Greedy}(M)$.

Uniform Pricing. We define $\text{Uprice}(\ell, p)$ to be the expected revenue of offering a uniform item price p in the menu of size ℓ . Specifically, $\text{Uprice}(\ell, p) = (1 - F(p)^\ell) \cdot p$. We again slightly abuse this notation and use $\text{Uprice}(\ell)$ to denote the optimal revenue achieved by posting the optimal uniform price in the menu of size ℓ .

Definition 2 (U-Pricing). $\text{Uprice}(\ell) \stackrel{\text{def}}{=} \max_p \text{Uprice}(\ell, p)$.

We establish the following simple property of the uniform pricing mechanism.

Claim 1. $\text{Uprice}(c \cdot \ell) \leq c \cdot \text{Uprice}(\ell)$ for all $c, \ell \in \mathbb{N}$.

Proof. Let p be the optimal price of $\text{Uprice}(c \cdot \ell)$. Consider posting any given price p over ℓ items, $\text{Uprice}(\ell) \geq \text{Uprice}(\ell, p) = (1 - F(p)^\ell) \cdot p \geq \frac{1}{c}(1 - F(p)^{c\ell}) \cdot p = \frac{1}{c} \cdot \text{Uprice}(c \cdot \ell)$. \square

3 Bait Mechanisms

The main result in this section is to show that some bait mechanism from the family \mathcal{B} gives a constant approximation to the optimal revenue. We further show that a bait mechanism with constant approximation to the optimum can be computed in polynomial time.

Theorem 1. $\text{Opt} \leq O(1) \cdot \max_{\mathcal{M} \in \mathcal{B}} \text{Rev}(\mathcal{M})$. Approximately optimal $\mathcal{M} \in \mathcal{B}$ can be computed in polynomial time.

Proof. Let \mathcal{M}_0 be the optimal mechanism, i.e. $\text{Rev}(\mathcal{M}_0) = \text{Opt}$. Our proof strategy will be to simplify the optimal mechanism such that it has a simple structure and at the same time it extracts a constant fraction of the optimal revenue. First, we truncate the optimal menu so that the buyer goes until the end of the menu with constant probability. Let T be the largest page number so that the probability of surviving until time T is least $\frac{11}{12}$, i.e. the buyer sees menu page $\mathcal{M}_0(T)$ with probability at least $\frac{11}{12}$ and sees menu page $\mathcal{M}_0(T+1)$ with probability smaller than $\frac{11}{12}$. Let \mathcal{M}_T be the mechanism whose corresponding menus $\{\mathcal{M}_T(t)\}_{t=1}^T$ contain only the first T pages of \mathcal{M}_0 (the buyer is shown an empty menu at stage $T+1$). The next claim states that the revenue achieved by \mathcal{M}_T approximates Opt within a constant factor.

Claim 2. $\text{Opt} = \text{Rev}(\mathcal{M}_0) \leq 12 \cdot \text{Rev}(\mathcal{M}_T)$.

Proof. Let τ be a random variable that indicates the menu page $\mathcal{M}_0(\tau)$ from which the buyer bought her item ($\tau = 0$ if nothing was bought). In the case when $\tau \leq T$, the revenue of \mathcal{M}_T is at least as large as the revenue of \mathcal{M}_0 for each valuation profile with $\tau \leq T$.

On the other hand, if $\tau > T$ then the buyer must have seen all the first $T+1$ menu pages, which happens with probability at most $\frac{11}{12}$. Let us analyze a relaxed version of the optimal mechanism that is allowed to adjust its menu pages at every stage $t > T$ after observing the utility $u(T)$. Without loss of generality, we assume that all items in $\cup_{t=1}^T \mathcal{M}(t)$ get discarded and the relaxed optimum optimizes revenue with a smaller supply of the remaining items and worse initial conditions ($u(T) \geq u(0)$). Therefore, for each utility level $u(T)$ the relaxed optimal mechanism cannot extract more revenue than \mathcal{M}_0 . This implies that the revenue of the optimal mechanism obtained for $\{\vec{v} : \tau > T\}$ is not larger than $\frac{11}{12} \cdot \text{Rev}(\mathcal{M}_0)$. Thus $\text{Opt} \leq \text{Rev}(\mathcal{M}_T) + \frac{11}{12} \cdot \text{Opt}$, which concludes the proof. \square

We collect all the item prices in \mathcal{M}_T , i.e., $\cup_{t=1}^T \mathcal{M}(t)$, and sort them in a decreasing order. Furthermore, we greedily pick the highest prices from $\cup_{t=1}^T \mathcal{M}(t)$ into a set TOP while the probability that the buyer would like any $i \in \text{TOP}$ ($\exists i \in \text{TOP} : u_i \geq 0$) is at most $\frac{1}{12}$. Here we slight abuse the notation of TOP , to denote

the corresponding set of items. This convention is also applied later to a menu of prices. We put TOP expensive items into a collection M_{exp} of menus $\{M_{\text{exp}}(t)\}_{t=1}^T$, where $M_{\text{exp}}(t) \stackrel{\text{def}}{=} M(t) \cap \text{TOP}$. In addition, the remaining items are placed into the collection M_{bait} of menus $\{M_{\text{bait}}(t)\}_{t=1}^T$, where $M_{\text{bait}}(t) \stackrel{\text{def}}{=} M(t) \setminus \text{TOP}$. The item prices in M_{exp} and M_{bait} after some modification will serve as expensive and bait items in our bait mechanism. We denote by $\bar{p}_b \stackrel{\text{def}}{=} \max\{p \in M_{\text{bait}}\}$ and by $\ell \stackrel{\text{def}}{=} |\cup_t M_{\text{exp}}(t)|$. By the definition of M_{exp} , we have

$$1 - \prod_{p \in M_{\text{exp}}} F(p) \leq \frac{1}{12} < 1 - F(\bar{p}_b) \cdot \prod_{p \in M_{\text{exp}}} F(p). \quad (1)$$

We now bound the revenue of \mathcal{M}_T by the greedy revenue bound applied to the prices M_{exp} .

Claim 3. $\text{Rev}(\mathcal{M}_T) \leq \text{Greedy}(M_{\text{exp}}) + \bar{p}_b \leq 50 \cdot \text{Uprice}(\ell)$.

Proof. To obtain the first inequality we consider two cases depending on whether the buyer chose item from (i) M_{exp} , or from (ii) M_{bait} . We observe that the expected revenue obtained from items in M_{exp} is not more than $\text{Greedy}(M_{\text{exp}})$ and the expected revenue obtained from the items in M_{bait} is not more than \bar{p}_b .

To derive the second inequality we use Equation (1) to obtain

$$\frac{\bar{p}_b}{12} \leq \left(1 - F(\bar{p}_b) \cdot \prod_{p \in M_{\text{exp}}} F(p)\right) \cdot \bar{p}_b \leq \text{Greedy}(M_{\text{exp}} \cup \{\bar{p}_b\}) \leq \text{Greedy}(\ell + 1) \leq 2\text{Greedy}(\ell).$$

Note that the optimal SPM (sequential posted pricing for selling one item to many bidders) and Greedy have the same revenue (see Appendix A for more details). We conclude the proof by applying the well-known Fact below.

Fact ([10, 16]). $\text{SPM} \leq 2 \cdot \text{U-SPM} = 2 \cdot \text{Uprice}$. □

In the following we first analyze the bait items and show that comparable control over buyer's utilities can be achieved with a collection of simple menus. Let $u(t)$ be the buyer's utility derived from the menu page $M_{\text{bait}}(t)$ and $x(t) = u(t) - t\Delta$, for all $t \in [T]$.

Claim 4. $\{x(t)\}_{t=1}^T$ is a non-decreasing sequence with probability at least $\frac{5}{6}$.

Proof. If the buyer does not like any item from M_{exp} , she behaves exactly the same as if she was offered menus M_{bait} instead of M_T . Therefore, $\Pr[\text{buyer sees all } M_{\text{bait}}(t)] \geq \Pr[\text{buyer sees all } M_T(t)] - \Pr[\exists i \in M_{\text{exp}} : u_i \geq 0] \geq \frac{11}{12} - \frac{1}{12} = \frac{5}{6}$. As the buyer gets to see all menu pages of M_{bait} if and only if $\{x(t)\}_{t=1}^T$ is non-decreasing, we conclude the proof. □

In fact, we can have a separation of the supports of random variables $x(t)$'s with only a constant factor loss in probability. The following lemma is the central piece of our analysis which will allow us to achieve good control over the buyer's utility $\{u(t)\}_{t=1}^T$.

Lemma 1. Given n independent random variables $\{x_i\}_{i=1}^n$. If $\Pr[0 \leq x_1 \leq x_2 \leq \dots \leq x_n] \geq 1 - \varepsilon$, there exist thresholds $0 = \alpha_0 \leq \alpha_1 \leq \dots \leq \alpha_n < \alpha_{n+1} = \infty$ such that

$$\Pr\left[\forall i \leq \left\lfloor \frac{n-1}{2} \right\rfloor, x_{2i+1} \in [\alpha_{2i}, \alpha_{2i+2}]\right] \geq 1 - 2\varepsilon; \quad \Pr\left[\forall i \leq \left\lfloor \frac{n}{2} \right\rfloor, x_{2i} \in [\alpha_{2i-1}, \alpha_{2i+1}]\right] \geq 1 - 2\varepsilon.$$

Proof. Let α_i be the median of x_i , i.e., $\Pr[x_i \geq \alpha_i] \geq \frac{1}{2}$ and $\Pr[x_i \leq \alpha_i] \geq \frac{1}{2}$. We only give the proof to the first statement, as the second one can be derived by the same argument. If the property does not hold, let j be the smallest index such that $x_{2j+1} \notin [\alpha_{2j}, \alpha_{2j+2}]$. Then either $x_{2j+1} < \alpha_{2j}$, or $x_{2j+1} > \alpha_{2j+2}$. Note that the set of random variables $\{x_{2i}\}$ is independent of the choice of j and realization of $\{x_{2i+1}\}$. In the first case, $x_{2j} \geq \alpha_{2j} > x_{2j+1}$ happens with probability (for a fixed x_{2j+1} and random x_{2j}) at least $\frac{1}{2}$. In the second case, $x_{2j+2} \leq \alpha_{2j+2} < x_{2j+1}$ happens with probability at least $\frac{1}{2}$. In either case, the monotonicity of $\{x_i\}_{i=1}^n$ is violated with probability at least $\frac{1}{2}$. Therefore, $\frac{1}{2} \Pr[\exists i, x_{2i+1} \notin [\alpha_{2i}, \alpha_{2i+2}]] \leq \Pr[\exists i, x_i > x_{i+1}] \leq \varepsilon$. □

We apply this lemma to the above random variables $\{x(t)\}_{t=1}^T$, and get a non-decreasing sequence $\{\alpha_t\}_{t=1}^T$:

$$\Pr \left[\forall t \leq \left\lfloor \frac{T-1}{2} \right\rfloor, x(2t+1) \in [\alpha_{2t}, \alpha_{2t+2}] \right] \geq \frac{2}{3}; \quad \Pr \left[\forall t \leq \left\lfloor \frac{T}{2} \right\rfloor, x(2t) \in [\alpha_{2t-1}, \alpha_{2t+1}] \right] \geq \frac{2}{3}.$$

Let M_{bait}^e and M_{bait}^o be the even and odd pages of M_{bait} respectively. Recall that M_{bait} is obtained by removing ℓ TOP items from M_T . Hence, either M_{bait}^e or M_{bait}^o has at least $\frac{\ell}{2}$ empty spaces. Without loss of generality, we assume M_{bait}^e has more empty spaces. For technical reasons, we remove the last page of M_{bait}^e . Then, M_{bait}^e has at least $\frac{\ell}{2} - k$ empty spaces on all menu pages. Let $\underline{u}_t = \alpha_{t-1} + t\Delta$ and $\bar{u}_t = \alpha_{t+1} + t\Delta$, then

$$\Pr \left[\forall 1 \leq t \leq \left\lfloor \frac{T}{2} \right\rfloor, u(2t) \in [\underline{u}_{2t}, \bar{u}_{2t}] \right] \geq \frac{2}{3}. \quad (2)$$

In the remainder of the proof of Theorem 1 we are going to focus only on the pages of M_{bait}^e . Let T_e be the total number of pages of M_{bait}^e . To simplify notations, we will be using $u(t)$, \underline{u}_t , and \bar{u}_t to refer to the utility derived from the menu page $M_{\text{bait}}^e(t)$ and the corresponding lower and upper bounds. That is,

$$\Pr [\forall t \in [T_e], u(t) \in [\underline{u}_t, \bar{u}_t]] \geq \frac{2}{3}. \quad (3)$$

Observe that by our construction, $\underline{u}_t \geq \bar{u}_{t-1} + \Delta$ for all $t \leq T_e$. The Claim 5 below shows that the upper bound \bar{u}_{T_e} can be easily recovered by the revenue of a single menu page with k uniformly priced items.

Claim 5. $\bar{u}_{T_e} + \Delta \leq \frac{3}{2} \cdot \text{Uprice}(k)$.

Proof. Recall that we remove the last page of original M_{bait}^e . Denote the page by M . We know that with probability at least $\frac{2}{3}$, the buyer's utility after seeing menu page M is more than $\bar{u}_{T_e} + \Delta$. Consider showing a menu with k items priced at 0. Note that the utility of seeing this menu stochastically dominates the utility of seeing M . Thus, the buyer has utility at least $\bar{u}_{T_e} + \Delta$ with probability at least $\frac{2}{3}$. Finally, consider showing a single page with k items priced at $\bar{u}_{T_e} + \Delta$, we have $\text{Uprice}(k) \geq \frac{2}{3}(\bar{u}_{T_e} + \Delta)$. \square

The next important step in our analysis is to modify M_{bait}^e so that on each menu page $M_{\text{bait}}^e(t)$, there are at most two different prices.

Lemma 2. Suppose $\Pr[u(t) \in [\underline{u}_t, \bar{u}_t]] = 1 - \varepsilon_t$. There exists a menu page $\hat{M}(t)$ with at most two different prices, such that $|\hat{M}(t)| = |M_{\text{bait}}^e(t)|$ and $\Pr[\hat{u}(t) \in [\underline{u}_t, \bar{u}_t]] \geq 1 - 2\varepsilon_t$, where $\hat{u}(t)$ is utility derived from $\hat{M}(t)$.

Proof. Let $\{p_i\}_{i=1}^n$ be all n item prices that appear on the page $M_{\text{bait}}^e(t)$. We know that

$$\Pr[u(t) \in [\underline{u}_t, \bar{u}_t]] = \prod_{i=1}^n F(p_i + \bar{u}_t) - \prod_{i=1}^n F(p_i + \underline{u}_t) = 1 - \varepsilon_t.$$

Let $a = \prod_{i=1}^n F(p_i + \bar{u}_t)$ and $b = \prod_{i=1}^n F(p_i + \underline{u}_t)$. Consider n points $(\ln F(p_i + \bar{u}_t), \ln F(p_i + \underline{u}_t))$ in \mathbb{R}^2 . By the definition of a, b , the center of mass of these n points is $(\frac{\ln a}{n}, \frac{\ln b}{n})$. Since the center of mass must lie inside the convex hull of these points, there exists a convex combination of just 2 points that lies below and to the right from the center. In other words, there exists $x \in [0, n]$ and $i_1, i_2 \in [n]$ such that

$$x \cdot \ln F(p_{i_1} + \bar{u}_t) + (n - x) \cdot \ln F(p_{i_2} + \bar{u}_t) \geq \ln a \quad \text{and} \quad x \cdot \ln F(p_{i_1} + \underline{u}_t) + (n - x) \cdot \ln F(p_{i_2} + \underline{u}_t) \leq \ln b.$$

Without loss of generality, let us assume $p_{i_1} \leq p_{i_2}$. We construct a menu page $\hat{M}(t)$ with $\lceil x \rceil$ items priced at p_{i_1} and $n - \lceil x \rceil$ items priced at p_{i_2} . Then we have

$$\begin{aligned} \Pr[\hat{u}(t) \in [\underline{u}_t, \bar{u}_t]] &= F(p_{i_1} + \bar{u}_t)^{\lceil x \rceil} F(p_{i_2} + \bar{u}_t)^{n - \lceil x \rceil} - F(p_{i_1} + \underline{u}_t)^{\lceil x \rceil} F(p_{i_2} + \underline{u}_t)^{n - \lceil x \rceil} \\ &\geq F(p_{i_1} + \bar{u}_t) \cdot F(p_{i_1} + \bar{u}_t)^x F(p_{i_2} + \bar{u}_t)^{n-x} - F(p_{i_1} + \underline{u}_t)^x F(p_{i_2} + \underline{u}_t)^{n-x} \\ &\geq (1 - \varepsilon_t) \cdot a - b \geq 1 - 2\varepsilon_t. \end{aligned}$$

The first inequality follows from the fact that $F(y) \leq 1$ for all $y \in \mathbb{R}_{\geq 0}$ and $F(p_{i_1} + \underline{u}_t) \leq F(p_{i_2} + \underline{u}_t)$. The second inequality follows from the fact that $F(p_{i_1} + \bar{u}_t) \geq \prod_{i=1}^n F(p_i + \bar{u}_t) \geq 1 - \varepsilon_t$. \square

Finally, we put all the pieces together and prove Theorem 1. Briefly speaking, Lemma 2 allows us to simplify bait menus with a good control over the buyer's utility and suffer only constant factor losses in the success probability and the number of expensive items we could show together with the bait items.

The next natural step is to fill the gaps in the menus of $\{\widehat{\mathbf{M}}(t)\}_{t=1}^{T_e}$ with expensive items and hope that the buyer chooses one of them. Though the idea is clean, the technical details are involved. To make the analysis simpler and highlight the structure of the bait mechanism we make a mild assumption on the distribution F . The complete proof of the general case is deferred to Section 4. We assume F is a (Δ, η) -spreading distribution (see Definition 3 below) and prove that the revenue achieved by a bait mechanism is $O(\frac{1}{\eta})$ -approximation to the optimal revenue.

Definition 3 ((Δ, η) -Spreading). *A distribution F is a (Δ, η) -spreading distribution if $\Pr_{x \sim F}[x \geq p | x \geq p - \Delta] \geq \eta$ for all p in the support of F .*

For example exponential and Uniform $[n]$ distributions are (Δ, η) -spreading for small enough η and any fixed Δ . On the other hand, normal distribution is not (Δ, η) -spreading for any η, Δ . The problem that such distributions pose for our analysis is that expensive items may interfere with the effect of the bait items causing the buyer to stop her search early, but instead of choosing such expensive item the buyer would likely take a cheap bait item.

Proof of Theorem 1. Let p^* be the optimal price for $\text{Uprice}(\frac{\ell}{2})$. We first consider an easy case when $p^* \leq 2\bar{u}_{T_e}$. By Claim 2 and 3, it suffices to give an upper bound on $\text{Uprice}(\ell)$. We have

$$\text{Uprice}(\ell) \leq 2 \cdot \text{Uprice}(\ell/2) \leq 2 \cdot p^* \leq 4 \cdot \bar{u}_{T_e} \leq 6 \cdot \text{Uprice}(k) \leq 6 \cdot \max_{\mathcal{M} \in \mathcal{B}} \text{Rev}(\mathcal{M}),$$

where the first inequality follows from Claim 1 and the second to the last inequality follows from Claim 5.

Now we assume $p^* > 2\bar{u}_{T_e}$. Let $p^o \stackrel{\text{def}}{=} p^* - \bar{u}_{T_e}$. We consider showing one menu page over k items priced at p^o . If the selling probability $1 - F^k(p^o) \geq \frac{1}{2}$, we have

$$\text{Uprice}(k) \geq (1 - F^k(p^o)) \cdot p^o \geq \frac{1}{2} \cdot \frac{p^*}{2} = \frac{p^*}{4} \geq \frac{1}{8} \cdot \text{Uprice}(\ell).$$

We assume $1 - F^k(p^o) < \frac{1}{2}$ in the following. We apply Lemma 2 to all menu pages of $\{\mathbf{M}_{\text{bait}}^e(t)\}_{t=1}^{T_e}$ and denote the new menu as $\{\mathbf{M}(t)\}_{t=1}^{T_e}$. We fill the $(\frac{\ell}{2} - k)$ gaps in the empty slots of \mathbf{M} with expensive items priced at p^o . Then we add an extra menu page with k expensive items priced at p^o at the end of \mathbf{M} . We denote this collection of menus as \mathbf{M}_B and the corresponding mechanism as \mathcal{M}_B . Observe that \mathbf{M}_B has $(T_e + 1)$ menu pages. The mechanism \mathcal{M}_B is a bait mechanism with \mathbf{M} items being the bait items.

We now show that $\text{Rev}(\mathcal{M}_B) \geq \frac{\eta}{6} \cdot (\text{Uprice}(\frac{\ell}{2}) - \bar{u}_{T_e})$. Let $u_b(t)$ be the buyer's utility derived from the bait item on page t , i.e., those on the menu page $\mathbf{M}(t)$. Let EXP be the set of expensive items, i.e., not bait items, in \mathbf{M}_B . We will study the revenue of \mathcal{M}_B only obtained when the following event occurs $\mathbf{E}_1 \stackrel{\text{def}}{=} \{\vec{v} : u_b(t) \in [\underline{u}_t, \bar{u}_t] \ \forall t \in [T_e]\}$. By Lemma 2 and Fact 1, we know that

$$\Pr[\mathbf{E}_1] = \Pr[\forall t \in [T_e], u_b(t) \in [\underline{u}_t, \bar{u}_t]] \geq \prod_{t \in [T_e]} (1 - 2\varepsilon_t) \geq \frac{1}{3}, \quad (4)$$

since $\prod_{t \in [T_e]} (1 - \varepsilon_t) \geq \frac{2}{3}$ by Equation (3).

Fact 1. $\prod_t (1 - 2\varepsilon_t) \geq 2 \cdot \prod_t (1 - \varepsilon_t) - 1$.

Proof. Let $h(\vec{\varepsilon}) = \prod_{t=1}^T (1 - 2\varepsilon_t) + 1 - 2 \prod_{t=1}^T (1 - \varepsilon_t)$. Then $\frac{\partial h}{\partial \varepsilon_s} = -2 \prod_{t \neq s} (1 - 2\varepsilon_t) + 2 \prod_{t \neq s} (1 - \varepsilon_t) \geq 0$. It follows that the minimum of h is achieved when $\varepsilon_t = 0$ for all t , in which case $h(\vec{0}) = 0$. \square

Claim. *The revenue of \mathcal{M}_B conditioned on \mathbf{E}_1 is at least $\frac{\eta}{2} \cdot (\text{Uprice}(\frac{\ell}{2}) - \bar{u}_{T_e})$.*

Proof. Let EXP_t be the expensive items on page t , i.e. $\text{EXP}_t = \mathbf{M}_B(t) \cap \text{EXP}$. We consider the first time s (may not exist) that EXP_{s-1} interfere with the effect of bait items on page s , i.e.,

$$\max_{i \in \text{EXP}_{s-1}} (v_i - p^o) \geq u_b(s) - \Delta.$$

First, let us assume that such time $s \in \mathbb{N}$ exists. Note that, conditioned on \mathbf{E}_1 , the buyer always continues to the next page if the above event does not happen at stage s . Indeed, by construction $\underline{u}_s - \bar{u}_{s-1} \geq \Delta$ and $u_b(s) - u_b(s-1) \geq \underline{u}_s - \bar{u}_{s-1}$ by the definition of \mathbf{E}_1 and if $u_b(s) - \max_{i \in \text{EXP}_{s-1}} (v_i - p^o) \geq \Delta$ then $u_b(s) \geq u(s-1) + \Delta$.

Furthermore, we only consider the case when the buyer does not like any expensive items EXP_s on page $s \in \mathbb{N}$. This happens with probability at least $\frac{1}{2}$, as $1 - F^k(p^o) < \frac{1}{2}$. Denote this event by \mathbf{E}_2 . Consequently, the buyer stops at stage s when \mathbf{E}_2 happens. Let $r = |\text{EXP}_{s-1}|$. Then $v \stackrel{\text{def}}{=} \max_{i \in \text{EXP}_{s-1}} v_i$ is drawn according to F^r . Observe that v is independent of $\mathbf{E}_1, \mathbf{E}_2$. By the definition of (Δ, η) -spreading distribution, we have

$$\begin{aligned} \Pr_{v \sim F^r} \left[v \geq u_b(s) + p^o \mid v \geq u_b(s) + p^o - \Delta \right] &= \frac{1 - F^r(u_b(s) + p^o)}{1 - F^r(u_b(s) + p^o - \Delta)} \\ &\geq \frac{1 - F(u_b(s) + p^o)}{1 - F(u_b(s) + p^o - \Delta)} \geq \eta. \end{aligned}$$

That is, conditioned on the buyer stopping at stage $s \in \mathbb{N}$, i.e. $v - p^o \geq u_b(s) - \Delta$, the probability that she buys an expensive item is at least η . Then the expected revenue is at least $\Pr[\mathbf{E}_2] \cdot \eta p^o \geq \frac{\eta}{2} p^o$ for all $s \in \mathbb{N}$. We are left to give a lower bound on the probability that s exists. We claim that $s \in \mathbb{N}$ when $\max_{i \in \text{EXP}} v_i \geq p^*$. Indeed, we have, $u_b(s) + p^o - \Delta \leq \bar{u}_{T_e} + p^o - \Delta \leq p^*$ for all s .

We conclude that conditioned on \mathbf{E}_1 , the revenue is at least

$$\Pr \left[\max_{i \in \text{EXP}} v_i \geq p^* \right] \cdot \frac{\eta}{2} p^o \geq \frac{\eta}{2} \left(\Pr \left[\max_{i \in \text{EXP}} v_i \geq p^* \right] \cdot p^* - \bar{u}_{T_e} \right) = \frac{\eta}{2} \cdot \left(\text{Uprice} \left(\frac{\ell}{2} \right) - \bar{u}_{T_e} \right). \quad \square$$

Overall, we have the following revenue guarantee of \mathcal{M}_B ,

$$\text{Rev}(\mathcal{M}_B) \geq \Pr[\mathbf{E}_1] \cdot \text{Rev}(\mathcal{M}_B | \mathbf{E}_1) \geq \frac{\eta}{6} \cdot \left(\text{Uprice} \left(\frac{\ell}{2} \right) - \bar{u}_{T_e} \right).$$

Combining this with Claim 1 and 5, we have

$$\begin{aligned} \text{Uprice}(\ell) &\leq 2 \cdot \text{Uprice} \left(\frac{\ell}{2} \right) = 2 \cdot \left(\text{Uprice} \left(\frac{\ell}{2} \right) - \bar{u}_{T_e} + \bar{u}_{T_e} \right) \\ &\leq \frac{12}{\eta} \cdot \text{Rev}(\mathcal{M}_B) + 3 \cdot \text{Uprice}(k) \leq O \left(\frac{1}{\eta} \right) \cdot \max_{\mathcal{M} \in \mathcal{B}} \text{Rev}(\mathcal{M}). \end{aligned}$$

Computations. Here we discuss how to compute approximately optimal $\mathcal{M} \in \mathcal{B}$ via polynomial time dynamic programming (DP). We recall that in the above construction and analysis of the bait mechanism the buyer's utility from the bait items at different menu pages have disjoint supports, i.e., with a constant probability we can restrict all $u_b(t)$ to lie in the specified disjoint intervals. This crucial fact allows us to separate the pricing problem of the bait items into independent problems for each individual menu page. Indeed, we only need to care about the upper and lower bounds of the confidence interval $[\underline{u}_t, \bar{u}_t]$ of $u_b(t)$ on each menu page. Another important feature of the constructed bait mechanism is very limited interaction between the bait and expensive items. Namely, the revenue of the bait mechanism can be described by a single parameter – the total number of the available slots left for the expensive items.

More specifically, our DP works as follows. We dynamically fill a two dimensional array $D[\bar{u}_t, \ell] \in [0, 1]$, where \bar{u}_t is the upper confidence bound on $u_b(t)$ and ℓ is the total number of the slots available for the expensive items. The value of $D[\bar{u}_t, \ell]$ at time t represents the highest possible success probability for the bait items to lead the buyer from stage 1 to stage t such that $u_b(t) \leq \bar{u}_t$ and the total number of expensive items slots is $\ell \leq t \cdot k$. For each t we can efficiently compute $D[\bar{u}_t, \ell]$ by setting $\underline{u}_t = \bar{u}_{t-1} + \Delta$ and using $D[\cdot, \cdot]$ at the previous step $t-1$. Note that in each iteration we only need to search over two different prices and over k possible sizes for the bait items on the t -th menu page. When we run out of the supply m , we choose time $T \leq \frac{m}{k}$ and the maximal ℓ such that $D[\bar{u}_T, \ell] \geq \frac{1}{3}$. Then using the tables $D[\cdot, \cdot]$ for all $t \leq T$ we can recursively find good schedule of bait items and corresponding confidence intervals $\{[\underline{u}_t, \bar{u}_t]\}_{t=1}^T$ that allows us to show ℓ expensive items to the buyer with constant probability.

Finally, it is easy to calculate the optimal uniform prices for ℓ expensive items and obtain the desired guarantee for the bait mechanism in the case when value distribution F is (Δ, η) -spreading. In the case, when the distribution F is not (Δ, η) -spreading we need to do a little bit more work. However, the task is not very difficult as from DP computations we know the distribution of $u_b(t+1)$ and interval $[\underline{u}_{t+1}, \bar{u}_{t+1}]$ for each $t \in \mathbb{N}$ and can optimize the uniform price p_t^* independently for each menu page t . \square

4 Proof of Theorem 3.1 for General Distributions

Proof. We follow the proof of Theorem 1 as before Definition 3. Let p^* be the optimal price for $\text{Uprice}(\frac{\ell}{2})$. We first consider an easy case when $p^* \leq 6\bar{u}_{T_e}$. By Claim 2 and 3, it suffices to give an upper bound on $\text{Uprice}(\ell)$. We have

$$\text{Uprice}(\ell) \leq 2 \cdot \text{Uprice}\left(\frac{\ell}{2}\right) \leq 2 \cdot p^* \leq 12 \cdot \bar{u}_{T_e} \leq 18 \cdot \text{Uprice}(k) \leq 18 \cdot \max_{\mathcal{M} \in \mathcal{B}} \text{Rev}(\mathcal{M}),$$

where the first inequality follows from Claim 1 and the second to the last inequality follows from Claim 5.

Now we assume $p^* > 6\bar{u}_{T_e}$. We consider the selling probability of showing one menu page with k items priced at $\frac{p^*}{3}$. If $1 - F^k\left(\frac{p^*}{3}\right) \geq \frac{1}{2}$, we have

$$\text{Uprice}(k) \geq \left(1 - F^k\left(\frac{p^*}{3}\right)\right) \cdot \frac{p^*}{3} \geq \frac{1}{2} \cdot \frac{p^*}{3} = \frac{p^*}{6} \geq \frac{1}{12} \cdot \text{Uprice}(\ell).$$

We assume $1 - F^k\left(\frac{p^*}{3}\right) < \frac{1}{2}$ in the following. Let $\{\mathbf{M}(t)\}_{t=1}^{T_e}$ be the menu pages derived from Lemma 2 for $\{\mathbf{M}_{\text{bait}}^e(t)\}_{t=1}^{T_e}$. Let $u_b(t)$ be the buyer's utility derived from $\mathbf{M}(t)$. For each t , let $G_t(\cdot)$ be the cumulative density function of $u_b(t)$ conditioned on that $u_b(t) \in [\underline{u}_t, \bar{u}_t]$. Let ℓ_t be the number of empty slots on page $\mathbf{M}(t)$. We first consider the case that $\exists t$, such that $\forall p \in [\frac{p^*}{3}, \frac{p^*}{2}]$,

$$\int_{\underline{u}_t}^{\bar{u}_t} (1 - F^{\ell_{t-1}}(p + u)) dG_t(u) \leq \frac{1}{2} \cdot \int_{\underline{u}_t}^{\bar{u}_t} (1 - F^{\ell_{t-1}}(p - \Delta + u)) dG_t(u). \quad (5)$$

Let $h(i) = \int_{\underline{u}_t}^{\bar{u}_t} (1 - F^{\ell_{t-1}}(\frac{p^*}{2} - i\Delta + u)) dG_t(u)$. The above inequality implies that $h(i) \geq 2h(i-1)$ for all $i \in [T_e]$, as $p^* \geq 6\bar{u}_{T_e} \geq 6T_e\Delta$. Note that F is monotonically increasing. We have

$$\begin{aligned} 1 - F^{\ell_{t-1}}\left(\frac{p^*}{3}\right) &\geq 1 - F^{\ell_{t-1}}\left(\frac{p^*}{2} - T_e\Delta + \underline{u}_t\right) \\ &\geq \int_{\underline{u}_t}^{\bar{u}_t} \left(1 - F^{\ell_{t-1}}\left(\frac{p^*}{2} - T_e\Delta + u\right)\right) dG_t(u) = h(T_e) \geq 2^{T_e} \cdot h(0) \\ &= 2^{T_e} \cdot \int_{\underline{u}_t}^{\bar{u}_t} \left(1 - F^{\ell_{t-1}}\left(\frac{p^*}{2} + u\right)\right) dG_t(u) \geq 2^{T_e} \cdot (1 - F^{\ell_{t-1}}(p^*)). \end{aligned}$$

Let $q_1 = 1 - F(p^*)$ and $q_2 = 1 - F\left(\frac{p^*}{3}\right)$. Observe that $\frac{q_2}{q_1} \geq \frac{1 - F^{\ell_{t-1}}(\frac{p^*}{3})}{1 - F^{\ell_{t-1}}(p^*)} \geq 2^{T_e}$. We consider a single menu page over k items priced at $\frac{p^*}{3}$, then

$$\begin{aligned} \text{Uprice}(k) &\geq (1 - (1 - q_2)^k) \cdot \frac{p^*}{3} \geq (1 - (1 - 2^{T_e} \cdot q_1)^k) \cdot \frac{p^*}{3} \\ &\geq (1 - (1 - q_1)^{2^{T_e}k}) \cdot \frac{p^*}{3} \geq (1 - (1 - q_1)^{\ell/2}) \cdot \frac{p^*}{3} = \frac{1}{3} \cdot \text{Uprice}\left(\frac{\ell}{2}\right), \end{aligned}$$

where the last inequality follows from the fact that $\ell/2 \leq (T_e + 1)k \leq 2^{T_e}k$. Thus, $\text{Uprice}(\ell) \leq 2 \cdot \text{Uprice}(\frac{\ell}{2}) \leq 6 \cdot \text{Uprice}(k)$.

Now, we are left with the case that for all $t \in [T_e]$ there exists a $p_{t-1} \in [\frac{p^*}{3}, \frac{p^*}{2}]$, so that

$$\int_{\underline{u}_t}^{\bar{u}_t} (1 - F^{\ell_{t-1}}(p_{t-1} + u)) dG_t(u) \geq \frac{1}{2} \cdot \int_{\underline{u}_t}^{\bar{u}_t} (1 - F^{\ell_{t-1}}(p_{t-1} - \Delta + u)) dG_t(u).$$

Let v be the valuation of the buyer's favorite item over ℓ_{t-1} items. The above inequality states that

$$\Pr_{\substack{v \sim F^{\ell_{t-1}} \\ u_b \sim G_t}} \left[v - p_{t-1} \geq u_b(t) \mid v - p_{t-1} \geq u_b(t) - \Delta \right] \geq \frac{1}{2}. \quad (6)$$

Then, for each $t \in [T_e]$, we fill the empty slots on $M(t)$ with ℓ_t expensive items priced at p_t . Observe that $\sum_t \ell_t \geq \frac{\ell}{2} - k$. We add an extra menu page with k expensive items priced at $p_{T_e+1} = \frac{p^*}{2}$ at the end of M . We denote this collection of menus as M_B and the corresponding mechanism as \mathcal{M}_B . Observe that M_B has $(T_e + 1)$ menu pages. The mechanism \mathcal{M}_B is a bait mechanism with M items being the bait items.

Now we establish a lower bound on the revenue extracted by \mathcal{M}_B . Let EXP be the set of expensive items, i.e., not bait items, in M_B . We will study the revenue of \mathcal{M}_B only obtained when the following event occurs $\mathbf{E}_1 \stackrel{\text{def}}{=} \{\vec{v} : u_b(t) \in [\underline{u}_t, \bar{u}_t] \ \forall t \in [T_e]\}$.

By Lemma 2 and Fact 1, we know that

$$\Pr[\mathbf{E}_1] = \Pr[\forall t \in [T_e], u_b(t) \in [\underline{u}_t, \bar{u}_t]] \geq \prod_{t \in [T_e]} (1 - 2\varepsilon_t) \geq \frac{1}{3}, \quad (7)$$

since $\prod_{t \in [T_e]} (1 - \varepsilon_t) \geq \frac{2}{3}$ by Equation (3).

Claim. *The revenue of \mathcal{M}_B conditioned on \mathbf{E}_1 is at least $\frac{1}{12} \text{Uprice}(\frac{\ell}{2})$.*

Proof. Let EXP_t be the expensive items on page t , i.e. $\text{EXP}_t = M_B(t) \cap \text{EXP}$. We consider the first time s (might not exist) that EXP_{s-1} interfere with the effect of bait items on page s , i.e.,

$$\max_{i \in \text{EXP}_{s-1}} (v_i - p_{s-1}) \geq u_b(s) - \Delta.$$

First, let us assume that such time $s \in \mathbb{N}$ exists. Note that, conditioned on \mathbf{E}_1 , the buyer always continues to the next page if the above event does not happen at stage s . Indeed, by construction $\underline{u}_s - \bar{u}_{s-1} \geq \Delta$ and $u_b(s) - u_b(s-1) \geq \underline{u}_s - \bar{u}_{s-1}$ by the definition of \mathbf{E}_1 , and if $u_b(s) - \max_{i \in \text{EXP}_{s-1}} (v_i - p_{s-1}) \geq \Delta$ then $u_b(s) \geq u(s-1) + \Delta$.

Furthermore, we only consider the case when the buyer does not like any expensive items EXP_s on page $s \in \mathbb{N}$. This happens with probability at least $\frac{1}{2}$, as $1 - F^k(p_s) \leq 1 - F^k(\frac{p^*}{3}) < \frac{1}{2}$. Denote this event by \mathbf{E}_2 . Consequently, the buyer stops at stage s when \mathbf{E}_2 happens. Recall that $\ell_{s-1} = |\text{EXP}_{s-1}|$ and that $v \stackrel{\text{def}}{=} \max_{i \in \text{EXP}_{s-1}} v_i$ is drawn according to $F^{\ell_{s-1}}$. Observe that v is independent of $\mathbf{E}_1, \mathbf{E}_2$. By Equation (6), we have

$$\Pr_{v \sim F^{\ell_{s-1}}} \left[v - p_{s-1} \geq u_b(s) \mid v - p_{s-1} \geq u_b(s) - \Delta \right] \geq \frac{1}{2}.$$

That is, conditioned on the buyer stopping at time s , i.e., $v - p_{s-1} \geq u_b(s) - \Delta$, the probability that she buys an expensive item is at least $\frac{1}{2}$. Thus, the expected revenue is at least $\frac{p_{s-1}}{2} \geq \frac{p^*}{6}$.

To sum up, we have shown that for all $s \in \mathbb{N}$, the expected revenue is at least $\Pr[\mathbf{E}_2] \cdot \frac{p^*}{6} \geq \frac{p^*}{12}$. We are left to lower bound the probability that such $s \in \mathbb{N}$ exists. We claim that $s \in \mathbb{N}$ when $\max_{i \in \text{EXP}} v_i \geq p^*$. Indeed, we have, $u_b(s) + p^o - \Delta \leq \bar{u}_{T_e} + p^o - \Delta \leq p^*$ for all s .

We conclude that conditioned on \mathbf{E}_1 , the revenue is at least

$$\Pr \left[\max_{i \in \text{EXP}} v_i \geq p^* \right] \cdot \frac{p^*}{12} = \frac{1}{12} \text{Uprice} \left(\frac{\ell}{2} \right). \quad \square$$

Overall, we have the following revenue guarantee of \mathcal{M}_B ,

$$\text{Rev}(\mathcal{M}_B) \geq \Pr[E_1] \cdot \frac{1}{12} \text{Uprice}\left(\frac{\ell}{2}\right) \geq \frac{1}{36} \text{Uprice}\left(\frac{\ell}{2}\right).$$

Combining this with Claim 1 and 5, we have

$$\text{Uprice}(\ell) \leq 2 \cdot \text{Uprice}\left(\frac{\ell}{2}\right) \leq 72 \cdot \text{Rev}(\mathcal{M}_B) \leq 72 \cdot \max_{\mathcal{M} \in \mathcal{B}} \text{Rev}(\mathcal{M}). \quad \square$$

5 Open problems

We conclude with a few remarks. First, in the choice of our model we specifically looked for as simple mathematical formulation as possible. Specifically our i.i.d. assumption, although it might seem restrictive, actually helps to highlight interesting features and structure of the optimal pricing for the buyer with search costs while keeping the mechanism design problem still interesting and nontrivial. We leave as an open question the extension to non identical prior distribution. A good starting point would be to investigate the monopoly problem in the static regime, where the seller can select only up to k out of m items to display to the buyer. For the dynamic setting, it would be interesting to see if the decomposition into “bait” and “expensive” items still holds and, if it holds, which features of the distributions matter for such separation.

Second, our model is unavoidably built on a specific assumption of the buyer search behavior. There could be many reasonable extensions of the model in the latter regard, e.g., there could be some fixed probability of stopping no matter what the buyer’s utility increment was, or the buyer’s cost Δ and exploration tolerance parameter k may be random variables, or the buyer may be becoming more patient as the search successfully progresses.

Third, the approximation guarantees obtained in our work are rather large and not optimized even within the current analysis. Maybe we could improve the approximation constant in Theorem 1 to a number below 100 or even 50, but using the current technique it still will be a large constant and probably too far from the true value. Thus it would be great to see a different approach and techniques with a better approximation guarantees.

Finally, in many settings the seller actually may observe more about buyer’s preferences, than what we described in our model. E.g., in almost every online shopping scenario the seller can observe the “cart” of the buyer, i.e., the current most favorite item of the buyer. This observation may in principal change the seller’s algorithm. It would be interesting to see how such extra information can affect the seller’s pricing policy.

Acknowledgments

We sincerely thank Nima Haghpanah for many helpful and productive discussions at all stages of this project. We also thank the audience of the Dynamic Pricing Workshop at University de Chile for many useful comments.

References

- [1] Melika Abolhassani, Soheil Ehsani, Hossein Esfandiari, MohammadTaghi Hajiaghayi, Robert D. Kleinberg, and Brendan Lucier. Beating $1-1/e$ for ordered prophets. In *Proceedings of the 49th Annual ACM SIGACT Symposium on Theory of Computing, STOC 2017, Montreal, QC, Canada, June 19-23, 2017*, pages 61–71, 2017.
- [2] Susanne Albers and Dennis Kraft. On the value of penalties in time-inconsistent planning. In *44th International Colloquium on Automata, Languages, and Programming, ICALP 2017, July 10-14, 2017, Warsaw, Poland*, pages 10:1–10:12, 2017.

- [3] Itai Ashlagi, Constantinos Daskalakis, and Nima Haghpanah. Sequential mechanisms with ex-post participation guarantees. In *Proceedings of the 2016 ACM Conference on Economics and Computation, EC '16, Maastricht, The Netherlands, July 24-28, 2016*, pages 213–214, 2016.
- [4] Susan Athey and Glenn Ellison. Position auctions with consumer search. *The Quarterly Journal of Economics*, 126(3):1213–1270, 2011.
- [5] Pablo Daniel Azar, Robert Kleinberg, and S. Matthew Weinberg. Prophet inequalities with limited information. In *Proceedings of the Twenty-Fifth Annual ACM-SIAM Symposium on Discrete Algorithms, SODA 2014, Portland, Oregon, USA, January 5-7, 2014*, pages 1358–1377, 2014.
- [6] Moshe Babaioff, Yannai A. Gonczarowski, and Noam Nisan. The menu-size complexity of revenue approximation. In *Proceedings of the 49th Annual ACM SIGACT Symposium on Theory of Computing, STOC 2017, Montreal, QC, Canada, June 19-23, 2017*, pages 869–877, 2017.
- [7] Santiago R. Balseiro, Vahab S. Mirrokni, and Renato Paes Leme. Dynamic mechanisms with martingale utilities. In *Proceedings of the 2017 ACM Conference on Economics and Computation, EC '17, Cambridge, MA, USA, June 26-30, 2017*, page 165, 2017.
- [8] Dirk Bergemann and Maher Said. *Dynamic Auctions*. 2010.
- [9] Yang Cai and Constantinos Daskalakis. Extreme-value theorems for optimal multidimensional pricing. In *IEEE 52nd Annual Symposium on Foundations of Computer Science, FOCS 2011, Palm Springs, CA, USA, October 22-25, 2011*, pages 522–531, 2011.
- [10] Shuchi Chawla, Jason D. Hartline, and Robert D. Kleinberg. Algorithmic pricing via virtual valuations. In *Proceedings 8th ACM Conference on Electronic Commerce (EC-2007), San Diego, California, USA, June 11-15, 2007*, pages 243–251, 2007.
- [11] Shuchi Chawla, Jason D. Hartline, David L. Malec, and Balasubramanian Sivan. Multi-parameter mechanism design and sequential posted pricing. In *Proceedings of the 42nd ACM Symposium on Theory of Computing, STOC 2010, Cambridge, Massachusetts, USA, 5-8 June 2010*, pages 311–320, 2010.
- [12] Shuchi Chawla, David L. Malec, and Balasubramanian Sivan. The power of randomness in bayesian optimal mechanism design. *Games and Economic Behavior*, 91:297–317, 2015.
- [13] Shuchi Chawla and Balasubramanian Sivan. Bayesian algorithmic mechanism design. *SIGecom Exchanges*, 13(1):5–49, 2014.
- [14] Constantinos Daskalakis, Alan Deckelbaum, and Christos Tzamos. The complexity of optimal mechanism design. In *Proceedings of the Twenty-Fifth Annual ACM-SIAM Symposium on Discrete Algorithms*, pages 1302–1318. SIAM, 2014.
- [15] Shaddin Dughmi, Li Han, and Noam Nisan. Sampling and representation complexity of revenue maximization. In *Web and Internet Economics - 10th International Conference, WINE 2014, Beijing, China, December 14-17, 2014. Proceedings*, pages 277–291, 2014.
- [16] Paul Dütting, Felix A. Fischer, and Max Klimm. Revenue gaps for discriminatory and anonymous sequential posted pricing. *CoRR*, abs/1607.07105, 2016.
- [17] Michal Feldman, Nick Gravin, and Brendan Lucier. Combinatorial auctions via posted prices. In *Proceedings of the Twenty-Sixth Annual ACM-SIAM Symposium on Discrete Algorithms, SODA 2015, San Diego, CA, USA, January 4-6, 2015*, pages 123–135, 2015.
- [18] Alex Gershkov and Benny Moldovanu. Efficient sequential assignment with incomplete information. *Games and Economic Behavior*, 68(1):144–154, 2010.
- [19] Yannai A. Gonczarowski. Bounds on the menu-size of approximately optimal auctions via optimal-transport duality. *CoRR*, abs/1708.08907, 2017.

- [20] Nick Gravin, Nicole Immorlica, Brendan Lucier, and Emmanouil Pountourakis. Procrastination with variable present bias. In *Proceedings of the 2016 ACM Conference on Economics and Computation, EC '16, Maastricht, The Netherlands, July 24-28, 2016*, page 361, 2016.
- [21] Mohammad Taghi Hajiaghayi, Robert D. Kleinberg, and Tuomas Sandholm. Automated online mechanism design and prophet inequalities. In *Proceedings of the Twenty-Second AAAI Conference on Artificial Intelligence, July 22-26, 2007, Vancouver, British Columbia, Canada*, pages 58–65, 2007.
- [22] Sergiu Hart and Noam Nisan. The menu-size complexity of auctions. In *ACM Conference on Electronic Commerce, EC '13, Philadelphia, PA, USA, June 16-20, 2013*, pages 565–566, 2013.
- [23] Sergiu Hart and Philip J Reny. Maximal revenue with multiple goods: Nonmonotonicity and other observations. *Theoretical Economics*, 10(3):893–922, 2015.
- [24] Jason D. Hartline and Tim Roughgarden. Simple versus optimal mechanisms. In *Proceedings 10th ACM Conference on Electronic Commerce (EC-2009), Stanford, California, USA, July 6–10, 2009*, pages 225–234, 2009.
- [25] Jon M. Kleinberg and Sigal Oren. Time-inconsistent planning: a computational problem in behavioral economics. In *ACM Conference on Economics and Computation, EC '14, Stanford, CA, USA, June 8-12, 2014*, pages 547–564, 2014.
- [26] Jon M. Kleinberg, Sigal Oren, and Manish Raghavan. Planning with multiple biases. In *Proceedings of the 2017 ACM Conference on Economics and Computation, EC '17, Cambridge, MA, USA, June 26-30, 2017*, pages 567–584, 2017.
- [27] Robert Kleinberg and S. Matthew Weinberg. Matroid prophet inequalities. In *Proceedings of the 44th Symposium on Theory of Computing Conference, STOC 2012, New York, NY, USA, May 19 - 22, 2012*, pages 123–136, 2012.
- [28] Roger B Myerson. Optimal auction design. *Mathematics of operations research*, 6(1):58–73, 1981.
- [29] Christos H. Papadimitriou, George Pierrakos, Christos-Alexandros Psomas, and Aviad Rubinfeld. On the complexity of dynamic mechanism design. In *Proceedings of the Twenty-Seventh Annual ACM-SIAM Symposium on Discrete Algorithms, SODA 2016, Arlington, VA, USA, January 10-12, 2016*, pages 1458–1475, 2016.
- [30] Brian T Ratchford et al. Consumer search behavior and its effect on markets. *Foundations and Trends® in Marketing*, 3(1):1–74, 2009.
- [31] Maher Said. Auctions with dynamic populations: Efficiency and revenue maximization. *Journal of Economic Theory*, 147(6):2419–2438, 2012.
- [32] Ester Samuel-Cahn. Comparison of threshold stop rules and maximum for independent nonnegative random variables. *The Annals of Probability*, 12(4):1213–1216, 1984.
- [33] Christopher A. Sims. Implications of rational inattention. *Journal of Monetary Economics*, 50(3):665 – 690, 2003.
- [34] Pingzhong Tang, Yifeng Teng, Zihe Wang, Shenke Xiao, and Yichong Xu. Computational issues in time-inconsistent planning. In *Proceedings of the Thirty-First AAAI Conference on Artificial Intelligence, February 4-9, 2017, San Francisco, California, USA.*, pages 3665–3671, 2017.
- [35] Zihe Wang and Pingzhong Tang. Optimal mechanisms with simple menus. In *ACM Conference on Economics and Computation, EC '14, Stanford, CA, USA, June 8-12, 2014*, pages 227–240, 2014.

A Connection with Multi-buyer SPM

There is a close relationship between **Greedy** and the well-known **sequential posted pricing** (SPM) mechanism. In sequential posted pricing mechanism there is 1 item for sale to n i.i.d. buyers. A SPM is characterized by a price vector $\vec{p} \in \mathbb{R}^n$. The buyers come in a sequence, when the t -th comes, we offer a take-it-or-leave-it price p_t . The expected revenue of this mechanism is denoted by $\text{SPM}(\vec{p})$. Let $\text{SPM}(n)$ be the optimal revenue one can collect by using sequential posted pricing. We use U-SPM if we restrict the posted prices to be the same for all buyers.

It is easy to see that any mechanism for **Greedy** induces a mechanism for SPM, and vice versa.

Claim 6. $\text{Greedy}(n) = \text{SPM}(n)$.

Proof. Let \vec{p} be the optimal price vector for **Greedy**(n). We use the same prices in the sequential posted pricing mechanism. For any value profile $\vec{v} \in \mathbb{R}^n$ items, we map item j in the setting with a greedy buyer to the j -th buyer's value in the 1-item- n -buyer setting. It is easy to see that the greedy buyer picks item j if and only if the j -th buyer wins in the sequential posted pricing mechanism. The same argument holds reversely, i.e. any sequential posted pricing mechanism also induces a menu for a greedy buyer, from which we conclude the statement. \square

Furthermore, the argument also applies if we restrict the posted prices to be a uniform one for both **Greedy** and SPM. Observe that with uniform price, the revenue extracted from a greedy buyer is the same as using uniform pricing mechanism. Hence, the optimal revenue of U-SPM equals to the optimal revenue of *uniform pricing* mechanism.

Claim 7. $\text{Uprice}(n) = \text{U-SPM}(n)$.