

MEASURING THE RECOVERABILITY OF CLOSE BINARIES IN *GAIA* DR2 WITH THE ROBO-AO *KEPLER* SURVEY

CARL ZIEGLER¹, NICHOLAS M. LAW², CHRISTOPH BARANEC³, TIM MORTON⁴, REED RIDDLE⁵, NATHAN DE LEE^{6,7}, DANIEL HUBER^{3,8,9,10}, SUVRATH MAHADEVAN^{11,12}, JOSHUA PEPPER¹³

Accepted to AJ

ABSTRACT

We use the Robo-AO survey of *Kepler* planetary candidate host stars, the largest adaptive optics survey yet performed, to measure the recovery rate of close stellar binaries in *Gaia* DR2. We find that *Gaia* recovers binaries consistently down to 1'' and at magnitude contrasts as large as 7; close systems are not often not resolved, regardless of secondary brightness. *Gaia* DR2 binary detection does not have a strong dependence on the orientation of the stellar pairs. We find 177 nearby stars to *Kepler* planetary candidate host stars in *Gaia* DR2 that were not detected in the Robo-AO survey, almost all of which are faint ($G > 20$); the remainder were largely targets observed by Robo-AO in poor conditions. If the primary star is the host, the impact on the radii estimates of planet candidates in these systems is likely minimal; many of these faint stars, however, could be faint eclipsing binaries that are the source of a false positive planetary transit signal. With Robo-AO and *Gaia* combined, we find that $18.7 \pm 0.7\%$ of *Kepler* planet candidate hosts have nearby stars within 4''. We also find 36 nearby stars in *Gaia* DR2 around 35 planetary candidate host stars detected with K2. The nearby star fraction rate for K2 planetary candidates is significantly lower than that for the primary *Kepler* mission. The binary recovery rate of *Gaia* will improve initial radius estimates of future TESS planet candidates significantly, however ground-based high-resolution follow-up observations are still needed for precise characterization and confirmation. The sensitivity of *Gaia* to closely separated binaries is expected to improve in later data releases.

Keywords: binaries: close - instrumentation: adaptive optics - techniques: high angular resolution - methods: data analysis - methods: observational

1. INTRODUCTION

The *Gaia* Data Release 2 (DR2) has provided astrometry, parallaxes, and photometry for over a billion stars in the galaxy (Gaia Collaboration et al. 2018a). Many of these stars are in fact close binaries: approximately half of solar-type stars form with at least one companion (Raghavan et al. 2010; Moe & Di Stefano 2017). Understanding the multiplicity of stellar populations can provide insight into various stellar formation processes and evolution scenarios (Zhang et al. 2013; Ziegler et al. 2015), as well as provide constraints for theoretical models and mass-luminosity relationships (Chabrier

et al. 2000). The presence of a previously unknown stellar companion to a transiting-planet-hosting star can substantially increase the estimate of the radius of planets due to the additional flux from the non-transited star (Ciardi et al. 2015; Ziegler et al. 2017a). The Transiting Exoplanet Survey Satellite (TESS, Ricker et al. 2014), with detector pixels $\sim 25\times$ the size of *Kepler*, will be particularly susceptible to contamination from nearby sources. In addition, there is significant evidence that stellar binaries can sculpt (Ziegler et al. 2018a) or disrupt (Kraus et al. 2016) planetary systems. Many bound systems have sub-arcsecond separations (Ziegler et al. 2018a) and currently require high-angular resolution instruments on the ground to detect.

With a primary mirror 1.45-m in size in the scanning direction (Gaia Collaboration et al. 2016), the ability of *Gaia* to resolve close binaries should be comparable to the *Hubble Space Telescope*. *Gaia* Data Release 1 was limited to angular resolutions of 2-4'' due to data processing limitations (Arenou et al. 2017). DR2 greatly improved on this, sensitive to most $> 2''$ pairs, but only a small fraction of sub-arcsecond pairs were resolved (Arenou et al. 2018). The probability that *Gaia* will resolve stellar binaries is not solely a function of separation, however, but also of the flux ratio of the pair and, due to the rectangular pixels of *Gaia* induced by the scanning direction, the position angle between the two stars (de Bruijne et al. 2015). The close binaries not resolved in DR2 are handled as single objects, with blended photometry and occasional spurious astrometric solutions (Arenou et al. 2018).

There is also the potential for spurious source detections in *Gaia* DR2. The dominant source of these detections is from diffraction spikes around stars brighter than 16 mag (Fabricius et al. 2016). Many of these spurious detections are identified by comparing data from multiple transits (i.e., checking whether the source is consistent in subsequent observations).

carl.ziegler@dunlap.utoronto.ca

¹ Dunlap Institute for Astronomy and Astrophysics, University of Toronto, Ontario M5S 3H4, Canada

² Department of Physics and Astronomy, University of North Carolina at Chapel Hill, Chapel Hill, NC 27599-3255, USA

³ Institute for Astronomy, University of Hawai'i at Mānoa, Hilo, HI 96720-2700, USA

⁴ Department of Astrophysical Sciences, Princeton University, Princeton, NJ 08544, USA

⁵ Division of Physics, Mathematics, and Astronomy, California Institute of Technology, Pasadena, CA 91125, USA

⁶ Department of Physics, Geology, and Engineering Technology, Northern Kentucky University, Highland Heights, KY 41099, USA

⁷ Department of Physics and Astronomy, Vanderbilt University, Nashville, TN 37235, USA

⁸ Sydney Institute for Astronomy (SIfA), School of Physics, University of Sydney, NSW 2006, Australia

⁹ SETI Institute, 189 Bernardo Avenue, Mountain View, CA 94043, USA

¹⁰ Stellar Astrophysics Centre, Department of Physics and Astronomy, Aarhus University, Ny Munkegade 120, DK-8000 Aarhus C, Denmark

¹¹ Department of Astronomy and Astrophysics, The Pennsylvania State University, University Park, PA 16802, USA

¹² Center for Exoplanets and Habitable Worlds, The Pennsylvania State University, University Park, PA 16802, USA

¹³ Department of Physics, Lehigh University, 16 Memorial Drive East, Bethlehem, PA 18015, USA

A fraction of these erroneous detections (less than 20%) remained in the *Gaia* Data Release 1, with DR2 expected to be significantly cleaner (Gaia Collaboration et al. 2018a).

The Robo-AO *Kepler* survey, the largest adaptive optics survey yet performed, with 3857 planetary candidate host stars observed, is an excellent test of the recovery rate of binaries in *Gaia* DR2. Robo-AO, the first autonomous adaptive optics instrument, detected 620 companions¹⁴ at separations between $0''.15$ and $4''.0$ and at contrasts up to 7 mags (Law et al. 2014; Baranec et al. 2016; Ziegler et al. 2017a,b). The set of *Kepler* planet candidates host stars are largely $12 < G < 17$, a brightness regime nearly complete in DR2 (Arenou et al. 2018), and detected companions down to the *Gaia* faint limit ($G \approx 21$). With this large homogeneous set of high-angular resolution observations, the ability of *Gaia* to recover binaries as a function of separation, contrast, and orientation can be finely quantified.

We begin in Section 2 by briefly describing the Robo-AO system and the Robo-AO observations of *Kepler* planetary candidates. We then describe the crossmatching of the Robo-AO detections with the *Gaia* DR2 catalog. We present and discuss the results in Section 3, including the implications for future transiting planet surveys, and conclude in Section 4.

2. METHODOLOGY

2.1. Robo-AO Observations

Observations in the survey were performed using the Robo-AO automated laser adaptive optics system at Palomar and Kitt Peak (Baranec et al. 2014, 2017; Jensen-Clem et al. 2018) that can efficiently perform large, high angular resolution surveys. The adaptive optics system runs at a loop rate of 1.2 kHz to correct high-order wavefront aberrations, delivering median Strehl ratios of 9% and 4% in the i' -band at Palomar and Kitt Peak, respectively. Observations were between 90 and 120 s, and taken in a long-pass filter cutting on at 600 nm. The LP600 filter approximates the *Kepler* passband at redder wavelengths, while also suppressing blue wavelengths that reduce adaptive optics performance. The LP600 passband is compared to the *Kepler* passband in Figure 1 of Law et al. (2014). We obtained high-angular-resolution images of 3313 KOIs with Robo-AO between 2012 July 16 and 2015 June 12 (UT) at the Palomar 1.5m telescope. We observed 532 additional KOIs with Robo-AO between 2016 June 8 and 2016 July 15 (UT) at the Kitt Peak 2.1m telescope.

2.2. Gaia-Kepler Crossmatching

The positions of the *Kepler* planetary candidates (Mathur et al. 2017; Thompson et al. 2018) were cross-matched on the *Gaia* online archive service¹⁵ with an advanced Astronomical Data Query Language (ADQL) search. This provided a list of sources in *Gaia* DR2 within $5''$ of each planet candidate host star. To identify the likely primary star in multiple systems, we applied a magnitude cut using the *Kepler* magnitude of the host star and the *Gaia* G -magnitude of each source. The star with a G -magnitude within 1 magnitude of the host star's *Kepler* magnitude was determined to be the primary star. If multiple stars had nearly equivalent brightness, or if no star had a magnitude similar to that in the *Kepler* catalog, the closest

star to the coordinates of the planet candidate host star was determined to be the primary star. In general, the coordinates of the primary star were within $0''.20$ of the positions reported in the *Kepler* catalog. Several planet candidate host stars had no clear source in *Gaia* DR2: KOI-98, 227, 640, 959, 1152, and 6728. These systems have been excluded from this analysis.

We searched for potential spurious detections in our cross-match using the *Gaia* parallaxes and distance solutions of Bailer-Jones et al. (2018). We found no sources with distances less than 1 pc possibly originating in the solar system or greater than 20 kpc extra-galactic in our sample. Likewise, none had parallaxes greater than $1''$ or less than 0.05 mas. None of our sources were found in the catalog of known solar system objects (Gaia Collaboration et al. 2018b). Lastly, the majority of the stars have magnitudes in two additional photometric bands (BP in the blue, and RP in the red) obtained from integrating the *Gaia* prism spectra. All of the planet candidate hosts and nearby stars with the available photometry had reasonable colors ($-1 < (BP-RP) < 4$), consistent with that of a stellar source (Andrae et al. 2018).

The separation and contrast of any additional sources detected in the area of sky around each host star were compared to the companion properties measured by Robo-AO. The Robo-AO observations were performed between 2012 and 2016, and the positions of the primary and secondary stars have likely shifted with respect to the *Gaia* reference epoch (J2015.5). We used the positions and proper motion of the stars detected by *Gaia* to determine their positions when the Robo-AO observations were performed, using the Astropy software package (The Astropy Collaboration et al. 2018).

The complete list of detections of nearby stars to planet candidate host stars is available in Table 2. Nearby stars in *Gaia* DR2 with similar contrasts and separations (G -magnitude within 1 magnitude and separations within $0''.20$) to the nearby stars detected using Robo-AO were classified as “recovered,” and nearby stars detected with Robo-AO that are not in *Gaia* DR2 were classified as “not-recovered.” We also search for nearby stars in the *Gaia* DR2 catalog that were not detected by Robo-AO, and list these detections in Table 3 (systems with more than two stars have additional rows for each nearby star). The separation and position angle of these binaries were calculated using the *Gaia* coordinates using the Astropy software package (The Astropy Collaboration et al. 2018), and the magnitude contrast is calculated from the reported *Gaia* magnitudes.

In addition to searching around planet candidates from the primary *Kepler* mission, we also searched *Gaia* DR2 for sources nearby planetary candidates identified from the ongoing K2 mission. We acquired a list of these planet candidates, 773 in total, and their positions, sourced from EPIC (Huber et al. 2016), from the NASA Exoplanet Archive¹⁶. A list of sources from DR2 within $5''$ of the positions of the candidates was generated, and the host star was identified with magnitude cuts using the *Kepler* magnitude and *Gaia* G -magnitude. Detections of sources nearby K2 planet candidate host stars are listed in Table 1.

3. RESULTS AND DISCUSSION

3.1. Properties of Recovered Stars

We find that, of the 620 stars detected with Robo-AO within $4''$ of 3857 *Kepler* planetary candidates, 484, or 78%, appear

¹⁴ For brevity we denote stars which we found within our detection radius of KOIs as “companions,” in the sense that they are asterisms associated on the sky. For more on the probability of association between each pair of stars, see Ziegler et al. (2018b).

¹⁵ <http://gea.esac.esa.int/archive/>

¹⁶ <https://exoplanetarchive.ipac.caltech.edu/>




Figure 1. The Robo-AO detections of nearby stars to *Kepler* planetary candidates recovered and not-recovered in *Gaia* DR2. The fraction of binaries recovered is plotted as a function of magnitude difference and separation from the primary star, calculated by measuring the number of recovered and non-recovered stars in bins of size 1-magnitude and $0''.5$ and employing a bicubic interpolation. The 50% recoverability contour has been labeled. In general, stars within $0''.75$ of the primary star are not recovered in *Gaia* DR2.

in *Gaia* DR2. The recovery classifications for each star is listed in Table 2, along with the Robo-AO measured binary properties and *Gaia* DR2 source IDs for the primary and recovered secondary stars.

In general, most stars within $1''$ of the planetary candidate host star were not recovered (22.4% recovery rate), and stars at separations greater than $2''$ were nearly all recovered (93% recovery rate) down to the *Gaia* faint limit. These recovery rates could potentially be influenced by the ability of Robo-AO to detect binaries at given separations and contrasts in some observations due to low-image performance, resulting from bad seeing or a faint target star. For magnitude contrasts less than 3, a region of high completeness for Robo-AO (companions at separations from $0''.15$ to $4''$ are detectable in nearly all images), the recovery rate is 22.9% within $1''$, and 97% at separations greater than $2''$. For *Kepler* planet candidate hosts, the majority of stars within $1''$ are members of likely bound stellar pairs, and their influence can have a significant impact on the architecture of the planetary system (Ziegler et al. 2018a). In Figure 1, we plot the Robo-AO detections recovered and not-recovered by *Gaia*, as well as the fraction of binaries recovered as a function of magnitude difference and separation.

We also find that the recovery rate at low-separations does not depend on the brightness of the secondary star. In Figure 2, we plot the fraction of binaries recovered as a function of the secondary star’s magnitude and separation. We find that even at the bright end ($m_G < 13$), very few stars are detected within $1''$ of the primary star.

The rectangular *Gaia* pixels (with a 3:1 size ratio between across-scan and along-scan pixels) may introduce an orientation dependence to the ability of *Gaia* to resolve close binaries (de Bruijne et al. 2015). This asymmetric sensitivity is not expected to impact the final *Gaia* catalog, as each object




Figure 2. Same as Figure 1, however plotted as a function of the secondary star *G*-magnitude. For recovered binaries, the secondary magnitude was measured by *Gaia*; for non-recovered binaries, this magnitude is approximate and estimated using the primary star’s *G*-magnitude plus the visible contrast measured by Robo-AO. Most stars within $1''$ are not recovered, and the recovery rate at low-separations is not dependent on secondary magnitude.

will be observed approximately 70 times at various orientations. However, it may be apparent in the recovery rate of binaries in the DR2 catalog, which is based on 22 months of data collection. In Figure 3, we plot the fraction of stars detected with Robo-AO recovered in *Gaia* DR2 as a function of position angle. The recovery rates in six position angle bins are all consistent with the overall recovery fraction. If we limit the set to only small-separation binaries ($\rho < 2''$), as most of the variation in recovery will likely occur at these smaller separations, the recovery rate is consistent across all position angles.

3.2. New *Gaia* Detections around *Kepler* Planet Candidates

Within $4''$ of the 3857 *Kepler* planetary candidate host stars observed by Robo-AO, *Gaia* DR2 catalogs 177 nearby stars around 163 host stars that were not detected in the Robo-AO survey. The properties of these nearby stars, calculated from the *Gaia* astrometry and photometry, are listed in Table 3. The majority of these detections fall outside of the sensitivity of Robo-AO, including nearly two-thirds (65%) fainter than 20 mag. Longer integration times with Robo-AO could potentially observe some of these faint stars. We searched the Robo-AO images for any detection of a companion at the purported position of the nearby stars detected by *Gaia* (accounting for proper motion shift). None were detected with 5σ significance, however several low-significance detections were apparent to visual inspection. A future study using high-resolution data from a large-aperture telescope (such as Keck-AO) could potentially determine the validity of these faint *Gaia* detections nearby bright stars.

Altogether, approximately 99.5% of secondary stars with $G < 18$ detected by *Gaia* were also detected in the Robo-




Figure 3. The fraction of nearby stars recovered as a function of position angle with respect to the primary star for all Robo-AO detected stars within $4''$ and $2''$ in grey and blue, respectively. The recovery rate of nearby stars in *Gaia* DR2 is not strongly dependent on the position angle of the stars.




Figure 4. Nearby stars to *Kepler* planetary candidates in *Gaia* DR2 that were not detected in Robo-AO images. Typical contrast curves for Robo-AO, in approximate *Gaia* g -band magnitudes, are included for three image performance groups. The majority of these nearby stars were too faint for a significant detection in the Robo-AO images.

AO *Kepler* survey. The exceptions, all from particularly low-performance observations with shallow contrast curves, are secondaries in DR2 nearby KOI-118, 433, and 5736. The properties of the new detections are plotted in Figure 4, along with typical Robo-AO visible-light contrast curves for three image performance groups, determined using the PSF core size as described in Law et al. (2014).

The Robo-AO *Kepler* survey found a nearby star fraction rate of $14.5 \pm 0.6\%$ in the Robo-AO detectability range (separations between $\sim 0''.15$ and $4''.0$ and $\Delta m \leq 6$). With the additional nearby stars in *Gaia* DR2 combined with the Robo-AO detections, the nearby star rate of *Kepler* planet candidate hosts is $18.7 \pm 0.7\%$. Outside of $1''$, where *Gaia* recovers the majority of binaries, the nearby star fraction rate for Robo-AO and *Gaia* is $11.3 \pm 0.5\%$.

3.3. *Kepler* planetary candidate radii

A nearby star in the same photometric aperture as the target star will dilute the observed transit depth, resulting in underestimated radius estimates. In systems with a detected nearby star by Robo-AO, the estimated planetary radius will increase by a factor of 2.18, on average, if either star is assumed to be equally likely to host the planet Ziegler et al. (2017a). For just systems with likely bound stars, determined with photometric parallaxes, the radii will increase by a factor of 1.77, on average (Ziegler et al. 2018a).

The nearby stars in *Gaia* DR2 that were not detected by Robo-AO are, in general, faint and widely separated from the host star. Galactic simulations suggest that the majority of these stars are likely not bound to the primary star (Horch et al. 2014; Ziegler et al. 2018a). Assuming the planet indeed orbits the primary star, we use the relation from Law et al. (2014) to correct for the transit dilution,

$$R_{p,A} = R_{p,0} \sqrt{\frac{1}{F_A}} \quad (1)$$

where $R_{p,A}$ is the corrected radius of the planet orbiting the primary star, $R_{p,0}$ is the original planetary radius estimate based on the diluted transit signal, and F_A is the fraction of flux within the aperture from the primary star.

With the high contrasts of the newly detected *Gaia* stars, their contamination of the *Kepler* light curves is minimal. Using the *Gaia* photometry as a proxy for the *Kepler* photometry, if the transiting planet candidates orbit the primary star, their radii will increase by a factor of 1.007 due to the additional flux from these faint stars.

If instead, these planets orbit the secondary star, the corrected planet radius estimate relies on the radius of the secondary star, which is generally not known without color information. If we assume that all nearby stars are bound to the primary star, and use as the secondary radius the radius of an appropriately fainter star within the Dartmouth stellar models (Dotter et al. 2008), we can use the relation

$$R_{p,B} = R_{p,0} \frac{R_B}{R_A} \sqrt{\frac{1}{F_B}} \quad (2)$$

where $R_{p,B}$ is the corrected radius of the planet orbiting the secondary star bound to the primary star, R_B and R_A are the stellar radii of the secondary and primary star, respectively, and F_B is the fraction of flux within the aperture from the secondary star. In this scenario, the planetary radii will increase by, on average, a factor of 8.2 in these systems. This scenario is unrealistic, however, and leads to a planetary population with a large fraction of gas giants, which is inconsistent with the understood planet occurrence rates of the galaxy (Howard et al. 2012). This scenario should be investigated for rare, difficult-to-model systems, such as those with unlikely dynamical properties, where one or more planet candidates could, in fact, be associated with the secondary star.

3.4. Nearby Stars in *Gaia* to K2 Planet Candidates

We searched for nearby stars in the *Gaia* DR2 catalog around 773 K2 planet candidates from the first eight K2 campaigns, as listed on the NASA Exoplanet Archive. We found 36 nearby stars around 35 planet candidate hosts. The properties of these detected stars are listed in Table 1 and plotted in Figure 5.

The fraction of nearby stars in *Gaia* DR2 to K2 planetary candidates (4.5%) is significantly lower than that of *Kepler* planet candidates (9.7%). The disparity between the nearby




Figure 5. Nearby stars to K2 planetary candidates in *Gaia* DR2. The nearby star rate of K2 planet candidates is less than half that of *Kepler* planet candidates in *Gaia* DR2.

star fraction of *Kepler* and K2 planet candidate hosts may be due to the K2 fields, which follow the ecliptic, appearing in less dense stellar regions with fewer unassociated background or foreground stars. The K2 targets lie, on average, at approximately $|b|=38^\circ$, far from the galactic plane and a significantly less dense region of the sky than the primary *Kepler* mission (which had a center of field at $b=14^\circ$). In addition, *Gaia* operates with a scanning law that passes through the north and south ecliptic poles every six hours, resulting in over twice as many observations at high ecliptic latitudes, such as the original *Kepler* field, as at the ecliptic plane, where the K2 fields lie (Gaia Collaboration et al. 2016). The additional observations likely improved the sensitivity of *Gaia* to closely separated stars in the K2 fields (de Bruijne et al. 2015).

Lastly, part of the disparity between the two samples may also in part be due to the larger fraction of late-type stars in K2 (Huber et al. 2016), which have, at these distances, an adaptive optics resolvable binarity rate of approximately half that of solar-type stars (Law et al. 2005; Janson et al. 2012). Indeed, only 2 of the 36 (5.5%) nearby stars to K2 candidates in *Gaia* DR2 lie at separations less than $1''.5$, compared to 78 of 420 (17.3%) for the *Kepler* candidates, consistent with a low inherent binarity rate in the K2 sample.

Crossfield et al. (2016) observed in high-resolution 164 of the candidate planets from K2 campaigns 0-4 using Keck-AO, Palomar PHARO/PALM-3000, LBT-LMIRCam, Gemini-NIRI, and Robo-AO. Within the separation range in which *Gaia* has high binary recovery rate ($1-4''$), 22 nearby stars were detected around 20 planet candidate hosts, for a nearby star fraction rate of 12.2%. Only 7 of the 20 multiple systems were detected by *Gaia*: EPIC 201546283, 201828749, 202066537, 205029914, 210666756, 210958990, 203099398. This recovery rate (35%) is significantly less than that for *Kepler* planet candidates within the same separation range (82%).

The reason for the low binary recovery rate of *Gaia* DR2 compared to the high-resolution imaging in the K2 fields is unclear. Arenou et al. (2018) found that DR2 recovered significantly more close binaries in low-density fields, similar to the first five K2 campaign fields. The majority of the observations performed in Crossfield et al. (2016) were done in the NIR, with 10 of 13 of the binary systems not detected in *Gaia*




Figure 6. A $21''$ square region of sky, the area subtended by a single TESS pixel, from a Robo-AO image centered on a super-Earth-sized planet candidate host, KOI-4725, located at $b=7.6$. For comparison, the pixel size of *Kepler* has been drawn. The transit signal from this planet candidate, if detected by TESS, would be diluted by multiple additional sources within the same photometric aperture (most TESS fields will, however, be in less crowded fields than the original *Kepler* field). If not accounted for, the planetary candidate radius would be significantly underestimated due to this contamination; in this illustration, the planet candidate would exhibit a transit depth in uncorrected TESS data similar to an Earth-sized rocky planet. Each of these additional sources in this field is identified in *Gaia* DR2.

DR2 having contrasts greater than 5 magnitude. It is possible that the secondary stars in these systems are below the *Gaia* faint limit in the visible.

Unlike with the *Kepler* planet candidates, the dilution from nearby stars detected with high-resolution imaging has already been taken into account in many of the K2 planet candidate's reported radii estimates (e.g., Crossfield et al. (2016)). In addition, the literature has significant variations in the planetary radius estimates of many K2 planets, particularly those around late-type stars. This is largely due to highly uncertain stellar parameters derived from photometry alone. Consequently, we do not report radius corrections for the K2 candidates with detected nearby stars in *Gaia* DR2.

3.5. Implications for TESS

TESS, launched in April 2018, will search nearly the entire sky for transiting planets around bright, nearby stars (Ricker et al. 2014). Simulations estimate that TESS will detect over 10,000 exoplanets, including approximately 250 potentially rocky planets (Barclay et al. 2018). With significantly larger pixels than *Kepler* ($21''$ compared to $4''$), the TESS light curves for most targeted stars will have some contamination from nearby stars (see Figure 6). In the case of a transiting planet, this additional flux dilutes the transit signal, resulting in underestimated planetary radii.

Ground-based, wide-field surveys, such as 2MASS or SDSS, typically detect near-equal contrast companions to within separations of $3''$ (Ziegler et al. 2017a). The recovery of nearby stars to *Kepler* planet candidates proves that *Gaia* DR2 is a far more complete census of the stellar population in the vicinity of TESS targets. *Gaia* specifically is not sensitive to low-contrast, sub-arcsecond companions (although unresolved low-mass binaries may be identified, if not characterized, by their presence above the main-sequence us-

Table 1
Nearby Stars to K2 Planetary Candidates in *Gaia* DR2

Planet candidate	Sep. (")	P.A. (deg.)	Δm_G (mags)	K2 campaign	Primary <i>Gaia</i> DR2 source ID	Secondary <i>Gaia</i> DR2 source ID
202066537.01	2.19	74	0.7	0	3364627558065966848	3364627562364388352
202086968.01	1.95	189	2.59	0	3369361402301215616	3369361406595494016
201441872.01	3.86	240	0.37	1	3797258174978678016	3797258174978677888
201546283.01	2.97	177	5.91	1	3798552815560689792	3798552811267494016
201637175.01	1.92	226	2.95	1	3811002791880297600	3811002787586327040
201650711.01	1.78	332	1.35	1	3812335125095532672	3812335125094701056
201683540.01	1.99	203	3.85	1	3811900543124260480	3811900543123607552
201828749.01	2.45	57	2.16	1	3909309851641800704	3909309851641320832
203099398.01	1.96	64	2.49	2	6042368383828169728	6042368388127562752
205029914.01	3.32	5	1.44	2	4131047326528868352	4131047326531704960
205029914.01	3.72	178	7.17	2	4131047326528868352	4131047330825537792
205040048.01	3.8	330	4.25	2	6245720108744660480	6245720104449034880
205071984.03	3.72	346	6.81	2	4130539180358512768	4130539184653092352
210625740.01	3.6	348	2.23	4	46432827015149184	46432827013380608
210666756.01	2.4	212	2.36	4	49835540624946304	49835540624946560
210958990.01	1.81	239	2.42	4	52752231438638080	52752235733602304
211509553.01	1.96	328	3.4	5	605593554127479936	605593554127091200
211694226.01	1.81	223	0.51	5	609915592602320896	609915596898129664
211791178.01	1.67	347	1.33	5	659785149366912768	659785145072281600
211978865.01	1.08	26	1.62	5	675557368789973632	675557364493662720
212398508.01	2.32	255	3.62	6	3606357633269598464	3606357598909037696
212428509.01	1.81	73	3.33	6	3606604782867769216	3606604782867769344
212577658.01	1.42	12	0.51	6	3613738139429952768	3613738139430802816
212628098.01	1.85	20	2.39	6	3624010185078481664	3624010189374241280
212646483.01	1.69	213	2.66	6	3615089503644951168	3615089507940163072
212661144.01	2.72	294	2.85	6	3615758251528391680	3615758251528391808
212679181.01	1.24	210	-0.41	6	3630190784752117504	3630190784751508480
213920015.01	1.09	198	-0.09	7	6764880018721513856	6764880018726114688
214254518.01	3.53	29	7.61	7	6763711645882517504	6763711650189991552
216114172.01	2.62	52	2.46	7	6768794138383822848	6768794142677222272
216405287.01	2.54	254	5.59	7	4078733014274957184	4078733014252539008
217149884.01	2.82	86	5.71	7	4082665245798510848	4082665245790571264
217855533.01	2.49	92	0.17	7	4083005128025277952	4083005132333049472
219256848.01	2.93	253	0.0	7	4088264543134042880	4088264543142623104
219420915.01	2.45	266	4.37	7	4087971969962403840	4087971969954763264
220192485.01	2.3	72	5.0	8	2534555412207560960	2534555416500291328

ing the precise parallaxes and stellar properties resulting from *Gaia* DR2 (Berger et al. 2018)). Ziegler et al. (2017a) found that for systems with Robo-AO detected nearby stars, the estimated radii of *Kepler* planet candidates will increase by a factor of 1.54, on average, assuming the planet is equally likely to orbit the primary or secondary star. Using instead only the nearby stars detected by *Gaia*, including those not detected by Robo-AO, the planet candidates radii estimates will increase by a factor of 2.47, under the same assumptions. Of course, the stars detected by *Gaia* DR2 are, in general, much fainter and widely separated and are unlikely to be bound to the primary star (Horch et al. 2014; Ziegler et al. 2018a). The scenario in which the primary and secondary star are equally likely to host the star is not likely and leads to a high occurrence rate of Jupiter-sized planets that has not been observed (Howard et al. 2012). If instead, all planets orbit the primary star, the additional flux from the *Gaia* detected stars will lead to the radii of planet candidates in multiple systems increasing by a factor of 1.12, on average.

With *Gaia* DR2, the properties of a large number of nearby stars not resolved in seeing-limited ground-based surveys will be readily available, greatly improving the initial radius estimates of detected TESS planets. Ultimately, however, the TESS planet candidates will each require ground-based high-resolution follow-up observations to identify the close, likely bound stars, as well as provide more precise characterization and confirmation. With *Gaia* DR2 alone, the radius estimates of 254 *Kepler* planet candidates would be underestimated due to non-recovery of close binaries which could be detected

with high-resolution instruments. Fortunately, the brightness of the TESS targets, typically 2-5 mag brighter than *Kepler* targets, will allow smaller telescopes with less-costly high-angular resolution instruments, using methods such as speckle (Horch et al. 2014) or lucky imaging (Law et al. 2006), to be able to detect a large fraction of the sub-arcsecond companions which are not recovered by *Gaia*. In addition, as the TESS targets will be significantly closer than for *Kepler*, the on-sky angular separation of binaries will increase, allowing a larger fraction of binaries to be detected by diffraction-limited instruments on meter-class telescopes.

In addition, with multiple stars contributing to a single cumulative TESS light curve in which a purported planet transit signal is detected, it may be unclear which star is the source of the brightness dip (i.e., whether the transit is indeed a planet around the bright star, or a faint background eclipsing binary). The *Kepler* pipeline identifies some astrophysical false positives through a variety of tests, such as significant secondary transit events or in- and out-of-transit centroid shifts (Coughlin et al. 2016). The latter of these tests will be more difficult with the lower resolution and coarser plate scale of TESS.

4. CONCLUSION

We found that the majority of binaries from the Robo-AO *Kepler* survey with separations greater than 1" were recovered in *Gaia* DR2 with magnitude contrasts as large as 7. Binaries with separations less than 0".75 were typically not recovered, regardless of secondary brightness. We find that the recovery rate of binaries by *Gaia* is not dependent on position angle. We found 177 nearby stars to *Kepler* planetary can-

didates in DR2 that were not detected by Robo-AO. These newly detected stars are faint and likely not bound to the primary, and their impact on the planet candidate radii estimates is likely minimal. Between Robo-AO and *Gaia*, we found that $18.7 \pm 0.7\%$ of *Kepler* planet candidate hosts have nearby stars within $4''$. In addition, we found 36 nearby stars around 35 K2 planetary candidates, and the K2 planet hosts displayed a significantly lower nearby star fraction rate than the *Kepler* planet hosts.

With years of observations to come, it is expected that the sensitivity of *Gaia* will improve in later data releases, converging on the simulated recovery rate reported by Arenou et al. (2017), with most binaries outside of 0.5 detected. At present, *Gaia* DR2 will improve initial TESS planet radius estimates by identifying contaminating sources within the same pixel as the planet host star. For precise characterization and confirmation, however, further ground-based high-resolution follow-up observations will be required.

A future analysis will use existing Keck-AO observations of *Kepler* planet candidates performed by the Robo-AO team, as well as available archival data, to further test the sensitivity to close stellar binaries in *Gaia* DR2 and subsequent catalogs. The astrometric and photometric precision achieved by *Gaia* for stars in close proximity will be compared to that of single stars. With the deep imaging available with a large-aperture telescope, we will also be able to confirm or refute the existence of faint, potentially spurious, sources detected by *Gaia* near bright stars.

This work uses data from research supported by the NASA Exoplanets Research Program, grant #NNX 15AC91G. C.Z. is supported by a Dunlap Fellowship at the Dunlap Institute for Astronomy & Astrophysics, funded through an endowment established by the Dunlap family and the University of Toronto. C.B. acknowledges support from the Alfred P. Sloan Foundation. T.M. is supported by NASA grant #NNX 14AE11G under the Kepler Participating Scientist Program. S.M. acknowledges support from the National Science Foundation award AST-1517592. D.H. acknowledges support by the National Science Foundation (AST-1717000) and the National Aeronautics and Space Administration under Grant NNX14AB92G issued through the Kepler Participating Scientist Program. The authors thank the Research Corporation for hosting the 2018 Time Domain Astronomy Scialog, where the idea for this project originated.

The Robo-AO team thanks NSF and NOAO for making the Kitt Peak 2.1-m telescope available. Robo-AO KP is a partnership between the California Institute of Technology, the University of Hawai‘i, the University of North Carolina at Chapel Hill, the Inter-University Centre for Astronomy and Astrophysics (IUCAA) at Pune, India, and the National Central University, Taiwan. The Murty family feels very happy to have added a small value to this important project. Robo-AO KP is also supported by grants from the John Templeton Foundation and the Mt. Cuba Astronomical Foundation.

This research has made use of the NASA Exoplanet Archive, which is operated by the California Institute of Technology, under contract with the National Aeronautics and Space Administration under the Exoplanet Exploration Program. This work has made use of data from the European Space Agency (ESA) mission *Gaia* (<https://www.cosmos.esa.int/gaia>), processed by the Gaia Data Processing and Analysis Consortium (DPAC,

<https://www.cosmos.esa.int/web/gaia/dpac/consortium>).

Funding for the DPAC has been provided by national institutions, in particular the institutions participating in the *Gaia* Multilateral Agreement. This work made use of the *gaia-kepler.fun* crossmatch database created by Megan Bedell.

We thank the anonymous referee for her or his careful analysis and useful comments on the manuscript.

Facilities: PO:1.5m (Robo-AO), KPNO:2.1m (Robo-AO), *Gaia*

REFERENCES

- Andrae, R., Fouesneau, M., Creevey, O., Ordenovic, C., Mary, N., Burlacu, A., Chaul, L., Jean-Antoine-Piccolo, A., Kordopatis, G., Korn, A., Lebreton, Y., Panem, C., Pichon, B., Thevenin, F., Walmsley, G., & Bailer-Jones, C. A. L. 2018, ArXiv e-prints
- Arenou, F., Luri, X., Babusiaux, C., Fabricius, C., Helmi, A., Muraveva, T., Robin, A. C., Spoto, F., Vallenari, A., Antoja, T., Cantat-Gaudin, T., Jordi, C., Leclerc, N., Reylé, C., Romero-Gómez, M., Shih, I., Soria, S., Barache, C., Bossini, D., Bragaglia, A., Breddels, M. A., Fabrizio, M., Lambert, S., Marrese, P. M., Massari, D., Moitinho, A., Robichon, N., Ruiz-Dern, L., Sordo, R., Veljanoski, J., Di Matteo, P., Eyer, L., Jasniewicz, G., Pancino, E., Soubiran, C., Spagna, A., Tanga, P., Turon, C., & Zurbach, C. 2018, ArXiv e-prints
- Arenou, F., Luri, X., Babusiaux, C., Fabricius, C., Helmi, A., Robin, A. C., Vallenari, A., Blanco-Cuaresma, S., Cantat-Gaudin, T., Findeisen, K., Reylé, C., Ruiz-Dern, L., Sordo, R., Turon, C., Walton, N. A., Shih, I.-C., Antiche, E., Barache, C., Barros, M., Breddels, M., Carrasco, J. M., Costigan, G., Diakité, S., Eyer, L., Figueras, F., Galluccio, L., Heu, J., Jordi, C., Krone-Martins, A., Lallement, R., Lambert, S., Leclerc, N., Marrese, P. M., Moitinho, A., Mor, R., Romero-Gómez, M., Sartoretti, P., Soria, S., Soubiran, C., Souchay, J., Veljanoski, J., Ziaepour, H., Giuffrida, G., Pancino, E., & Bragaglia, A. 2017, A&A, 599, A50
- Bailer-Jones, C. A. L., Rybizki, J., Fouesneau, M., Mantelet, G., & Andrae, R. 2018, ArXiv e-prints
- Baranec, C., Riddle, R., & Law, N. M. 2017, ArXiv e-prints
- Baranec, C., Riddle, R., Law, N. M., Ramaprakash, A. N., Tendulkar, S. P., Hogstrom, K., Bui, K., Burse, M., Chordia, P., Das, H., Dekany, R. G., Kulkarni, S., & Punjabi, S. 2014, ApJL, 790, L8
- Baranec, C., Ziegler, C., Law, N. M., Morton, T., Riddle, R., Atkinson, D., Schonhut, J., & Crepp, J. 2016, AJ, 152, 18
- Barclay, T., Pepper, J., & Quintana, E. V. 2018, ArXiv e-prints
- Berger, T. A., Huber, D., Gaidos, E., & van Saders, J. L. 2018, ArXiv e-prints
- Chabrier, G., Baraffe, I., Allard, F., & Hauschildt, P. 2000, ApJ, 542, 464
- Ciardi, D. R., Beichman, C. A., Horch, E. P., & Howell, S. B. 2015, ApJ, 805, 16
- Coughlin, J. L., Mullally, F., Thompson, S. E., Rowe, J. F., Burke, C. J., Latham, D. W., Batalha, N. M., Ofir, A., Quarles, B. L., Henze, C. E., Wolfgang, A., Caldwell, D. A., Bryson, S. T., Shporer, A., Catanzarite, J., Akeson, R., Barclay, T., Borucki, W. J., Boyajian, T. S., Campbell, J. R., Christiansen, J. L., Girouard, F. R., Haas, M. R., Howell, S. B., Huber, D., Jenkins, J. M., Li, J., Patil-Sabale, A., Quintana, E. V., Ramirez, S., Seader, S., Smith, J. C., Tenenbaum, P., Twicken, J. D., & Zamudio, K. A. 2016, ApJS, 224, 12
- Crossfield, I. J. M., Ciardi, D. R., Petigura, E. A., Sinukoff, E., Schlieder, J. E., Howard, A. W., Beichman, C. A., Isaacson, H., Dressing, C. D., Christiansen, J. L., Fulton, B. J., Lépine, S., Weiss, L., Hirsch, L., Livingston, J., Baranec, C., Law, N. M., Riddle, R., Ziegler, C., Howell, S. B., Horch, E., Everett, M., Teske, J., Martinez, A. O., Obermeier, C., Benneke, B., Scott, N., Deacon, N., Aller, K. M., Hansen, B. M. S., Mancini, L., Ciceri, S., Brahm, R., Jordán, A., Knutson, H. A., Henning, T., Bonnefoy, M., Liu, M. C., Crepp, J. R., Lothringer, J., Hinz, P., Bailey, V., Skemer, A., & Defrere, D. 2016, ApJS, 226, 7
- de Bruijne, J. H. J., Allen, M., Azas, S., Krone-Martins, A., Prod'homme, T., & Hestroffer, D. 2015, A&A, 576, A74
- Dotter, A., Chaboyer, B., Jevremović, D., Kostov, V., Baron, E., & Ferguson, J. W. 2008, ApJS, 178, 89

- Fabricius, C., Bastian, U., Portell, J., Castañeda, J., Davidson, M., Hambly, N. C., Clotet, M., Biermann, M., Mora, A., Busonero, D., Riva, A., Brown, A. G. A., Smart, R., Lammers, U., Torra, J., Drimmel, R., Gracia, G., Löffler, W., Spagna, A., Lindegren, L., Klioner, S., Andrei, A., Bach, N., Bramante, L., Brüsemeister, T., Busso, G., Carrasco, J. M., Gai, M., Garralda, N., González-Vidal, J. J., Guerra, R., Hauser, M., Jordan, S., Jordi, C., Lenhardt, H., Mignard, F., Messineo, R., Mulone, A., Serraller, I., Stampa, U., Tanga, P., van Elteren, A., van Reeve, W., Voss, H., Abbas, U., Allasia, W., Altmann, M., Anton, S., Barache, C., Becciani, U., Berthier, J., Bianchi, L., Bombrun, A., Bouquillon, S., Bourda, G., Bucciarelli, B., Butkevich, A., Buzzi, R., Cancelliere, R., Carlucci, T., Charlot, P., Collins, R., Comoretto, G., Cross, N., Crosta, M., de Felice, F., Fienga, A., Figueras, F., Fraile, E., Geyer, R., Hernandez, J., Hobbs, D., Hofmann, W., Liao, S., Licata, E., Martino, M., McMillan, P. J., Michalik, D., Morbidelli, R., Parsons, P., Pecoraro, M., Ramos-Lerate, M., Sarasso, M., Siddiqui, H., Steele, I., Steidelmüller, H., Taris, F., Vecchiato, A., Abreu, A., Anglada, E., Boudreault, S., Cropper, M., Holl, B., Cheek, N., Crowley, C., Fleitas, J. M., Hutton, A., Osinde, J., Rowell, N., Salguero, E., Utrilla, E., Blagorodnova, N., Soffel, M., Osorio, J., Vicente, D., Cambras, J., & Bernstein, H. H. 2016, *A&A*, 595, A3
- Gaia Collaboration, Brown, A. G. A., Vallenari, A., Prusti, T., de Bruijne, J. H. J., Babusiaux, C., & Bailer-Jones, C. A. L. 2018a, *ArXiv e-prints*
- Gaia Collaboration, Prusti, T., de Bruijne, J. H. J., Brown, A. G. A., Vallenari, A., Babusiaux, C., Bailer-Jones, C. A. L., Bastian, U., Biermann, M., Evans, D. W., & et al. 2016, *A&A*, 595, A1
- Gaia Collaboration, Spoto, F., Tanga, P., Mignard, F., Berthier, J., Carry, B., & Cellino, A. 2018b, *ArXiv e-prints*
- Horch, E. P., Howell, S. B., Everett, M. E., & Ciardi, D. R. 2014, *ApJ*, 795, 60
- Howard, A. W., Marcy, G. W., Bryson, S. T., Jenkins, J. M., Rowe, J. F., Batalha, N. M., Borucki, W. J., Koch, D. G., Dunham, E. W., Gautier, III, T. N., Van Cleve, J., Cochran, W. D., Latham, D. W., Lissauer, J. J., Torres, G., Brown, T. M., Gilliland, R. L., Buchhave, L. A., Caldwell, D. A., Christensen-Dalsgaard, J., Ciardi, D., Fressin, F., Haas, M. R., Howell, S. B., Kjeldsen, H., Seager, S., Rogers, L., Sasselov, D. D., Steffen, J. H., Basri, G. S., Charbonneau, D., Christiansen, J., Clarke, B., Dupree, A., Fabrycky, D. C., Fischer, D. A., Ford, E. B., Fortney, J. J., Tarter, J., Girouard, F. R., Holman, M. J., Johnson, J. A., Klaus, T. C., Machalek, P., Moorhead, A. V., Morehead, R. C., Ragozzine, D., Tenenbaum, P., Twicken, J. D., Quinn, S. N., Isaacson, H., Shporer, A., Lucas, P. W., Walkowicz, L. M., Welsh, W. F., Boss, A., Devore, E., Gould, A., Smith, J. C., Morris, R. L., Prsa, A., Morton, T. D., Still, M., Thompson, S. E., Mullally, F., Endl, M., & MacQueen, P. J. 2012, *ApJS*, 201, 15
- Huber, D., Bryson, S. T., Haas, M. R., Barclay, T., Barentsen, G., Howell, S. B., Sharma, S., Stello, D., & Thompson, S. E. 2016, *ApJS*, 224, 2
- Janson, M., Hormuth, F., Bergfors, C., Brandner, W., Hippler, S., Daemgen, S., Kudryavtseva, N., Schmalzl, E., Schnupp, C., & Henning, T. 2012, *ApJ*, 754, 44
- Jensen-Clem, R., Duev, D. A., Riddle, R., Salama, M., Baranec, C., Law, N. M., Kulkarni, S. R., & Ramprakash, A. N. 2018, *AJ*, 155, 32
- Kraus, A. L., Ireland, M. J., Huber, D., Mann, A. W., & Dupuy, T. J. 2016, *AJ*, 152, 8
- Law, N. M., Hodgkin, S. T., & Mackay, C. D. 2006, *MNRAS*, 368, 1917
- Law, N. M., Hodgkin, S. T., Mackay, C. D., & Baldwin, J. E. 2005, *Astronomische Nachrichten*, 326, 1024
- Law, N. M., Morton, T., Baranec, C., Riddle, R., Ravichandran, G., Ziegler, C., Johnson, J. A., Tendulkar, S. P., Bui, K., Burse, M. P., Das, H. K., Dekany, R. G., Kulkarni, S., Punna, S., & Ramprakash, A. N. 2014, *ApJ*, 791, 35
- Mathur, S., Huber, D., Batalha, N. M., Ciardi, D. R., Bastien, F. A., Bieryla, A., Buchhave, L. A., Cochran, W. D., Endl, M., Esquerdo, G. A., Furlan, E., Howard, A., Howell, S. B., Isaacson, H., Latham, D. W., MacQueen, P. J., & Silva, D. R. 2017, *ApJS*, 229, 30
- Moe, M. & Di Stefano, R. 2017, *ApJS*, 230, 15
- Raghavan, D., McAlister, H. A., Henry, T. J., Latham, D. W., Marcy, G. W., Mason, B. D., Gies, D. R., White, R. J., & ten Brummelaar, T. A. 2010, *ApJS*, 190, 1
- Ricker, G. R., Winn, J. N., Vanderspek, R., Latham, D. W., Bakos, G. Á., Bean, J. L., Berta-Thompson, Z. K., Brown, T. M., Buchhave, L., Butler, N. R., Butler, R. P., Chaplin, W. J., Charbonneau, D., Christensen-Dalsgaard, J., Clampin, M., Deming, D., Doty, J., De Lee, N., Dressing, C., Dunham, E. W., Endl, M., Fressin, F., Ge, J., Henning, T., Holman, M. J., Howard, A. W., Ida, S., Jenkins, J., Jernigan, G., Johnson, J. A., Kaltenegger, L., Kawai, N., Kjeldsen, H., Laughlin, G., Levine, A. M., Lin, D., Lissauer, J. J., MacQueen, P., Marcy, G., McCullough, P. R., Morton, T. D., Narita, N., Paegert, M., Palle, E., Pepe, F., Pepper, J., Quirrenbach, A., Rinehart, S. A., Sasselov, D., Sato, B., Seager, S., Sozzetti, A., Stassun, K. G., Sullivan, P., Szentgyorgyi, A., Torres, G., Udry, S., & Villaseñor, J. 2014, in *Proc. SPIE*, Vol. 9143, *Space Telescopes and Instrumentation 2014: Optical, Infrared, and Millimeter Wave*, 914320
- The Astropy Collaboration, Price-Whelan, A. M., Sipőcz, B. M., Günther, H. M., Lim, P. L., Crawford, S. M., Conseil, S., Shupe, D. L., Craig, M. W., Dencheva, N., Ginsburg, A., VanderPlas, J. T., Bradley, L. D., Pérez-Suárez, D., de Val-Borro, M., Aldcroft, T. L., Cruz, K. L., Robitaille, T. P., Tollerud, E. J., Ardelean, C., Babej, T., Bachtetti, M., Bakanov, A. V., Bamford, S. P., Barentsen, G., Barmby, P., Baumbach, A., Berry, K. L., Biscani, F., Boquien, M., Bostroem, K. A., Bouma, L. G., Brammer, G. B., Bray, E. M., Breitenbach, H., Buddelmeijer, H., Burke, D. J., Calderone, G., Cano Rodríguez, J. L., Cara, M., Cardoso, J. V. M., Cheedella, S., Copin, Y., Crichton, D., D'Ávella, D., Deil, C., Depagne, É., Dietrich, J. P., Donath, A., Droettboom, M., Earl, N., Erben, T., Fabbro, S., Ferreira, L. A., Finethy, T., Fox, R. T., Garrison, L. H., Gibbons, S. L. J., Goldstein, D. A., Gommers, R., Greco, J. P., Greenfield, P., Groener, A. M., Grollier, F., Hagen, A., Hirst, P., Homeier, D., Horton, A. J., Hosseinzadeh, G., Hu, L., Hunkeler, J. S., Ivezic, Z., Jain, A., Jenness, T., Kanarek, G., Kendrew, S., Kern, N. S., Kerzendorf, W. E., Khvalko, A., King, J., Kirkby, D. A., Kulkarni, A., Kumar, A., Lee, A., Lenz, D., Littlefair, S. P., Ma, Z., Macleod, D. M., Mastropietro, M., McCully, C., Montagnac, S., Morris, B. M., Mueller, M., Mumford, S. J., Muna, D., Murphy, N. A., Nelson, S., Nguyen, G. H., Ninan, J. P., Nöthe, M., Ogaz, S., Oh, S., Parejko, J. K., Parley, N., Pascual, S., Patil, R., Patil, A. A., Plunkett, A. L., Prochaska, J. X., Rastogi, T., Reddy Janga, V., Sabater, J., Sakurikar, P., Seifert, M., Sherbert, L. E., Sherwood-Taylor, H., Shih, A. Y., Sick, J., Silbiger, M. T., Singanamalla, S., Singer, L. P., Sladen, P. H., Sooley, K. A., Sornarajah, S., Streicher, O., Teuben, P., Thomas, S. W., Tremblay, G. R., Turner, J. E. H., Terrón, V., van Kerkwijk, M. H., de la Vega, A., Watkins, L. L., Weaver, B. A., Whitmore, J. B., Woillez, J., & Zabalza, V. 2018, *ArXiv e-prints*
- Thompson, S. E., Coughlin, J. L., Hoffman, K., Mullally, F., Christiansen, J. L., Burke, C. J., Bryson, S., Batalha, N., Haas, M. R., Catanzarite, J., Rowe, J. F., Barentsen, G., Caldwell, D. A., Clarke, B. D., Jenkins, J. M., Li, J., Latham, D. W., Lissauer, J. J., Mathur, S., Morris, R. L., Seader, S. E., Smith, J. C., Klaus, T. C., Twicken, J. D., Van Cleve, J. E., Wohler, B., Akeson, R., Ciardi, D. R., Cochran, W. D., Henze, C. E., Howell, S. B., Huber, D., Prsa, A., Ramírez, S. V., Morton, T. D., Barclay, T., Campbell, J. R., Chaplin, W. J., Charbonneau, D., Christensen-Dalsgaard, J., Dotson, J. L., Doyle, L., Dunham, E. W., Dupree, A. K., Ford, E. B., Geary, J. C., Girouard, F. R., Isaacson, H., Kjeldsen, H., Quintana, E. V., Ragozzine, D., Shabram, M., Shporer, A., Silva Aguirre, V., Steffen, J. H., Still, M., Tenenbaum, P., Welsh, W. F., Wolfgang, A., Zamudio, K. A., Koch, D. G., & Borucki, W. J. 2018, *ApJS*, 235, 38
- Zhang, Z. H., Pinfield, D. J., Burningham, B., Jones, H. R. A., Gálvez-Ortiz, M. C., Catalán, S., Smart, R. L., Lépine, S., Clarke, J. R. A., Pavlenko, Y. V., Murray, D. N., Kuznetsov, M. K., Day-Jones, A. C., Gomes, J., Marocco, F., & Sipőcz, B. 2013, *MNRAS*, 434, 1005
- Ziegler, C., Law, N. M., Baranec, C., Howard, W., Morton, T., Riddle, R., Duev, D. A., Salama, M., Jensen-Clem, R., & Kulkarni, S. R. 2018a, *ArXiv e-prints*
- Ziegler, C., Law, N. M., Baranec, C., Riddle, R., Duev, D. A., Howard, W., Jensen-Clem, R., Kulkarni, S. R., Morton, T., & Salama, M. 2018b, *AJ*, 155, 161
- Ziegler, C., Law, N. M., Baranec, C., Riddle, R., Duev, D. A., Howard, W., Jensen-Clem, R., Kulkarni, S. R., & Salama, M. 2017a, *ArXiv e-prints*
- Ziegler, C., Law, N. M., Baranec, C., Riddle, R. L., & Fuchs, J. T. 2015, *ApJ*, 804, 30
- Ziegler, C., Law, N. M., Morton, T., Baranec, C., Riddle, R., Atkinson, D., Baker, A., Roberts, S., & Ciardi, D. R. 2017b, *AJ*, 153, 66

Table 2
Robo-AO Detected Nearby Stars to *Kepler* Planetary Candidates in *Gaia* DR2

KOI	Sep. (")	P.A. (deg.)	Δm (mags)	Detection reference	Primary <i>Gaia</i> DR2 source ID	Secondary <i>Gaia</i> DR2 source ID	Recovered in <i>Gaia</i> DR2?
1	1.13	135	3.95	L14	2131314401800665344	...	not-recovered
4	3.42	75	4.46	B16	2052194374009877376	2052194374009877632	recovered
13	1.16	279	0.19	L14	2130632159134827392	2130632159130638464	recovered
42	1.74	35	3.04	B16	2106904148451706752	2106904148449360000	recovered
44	3.42	123	4.03	Z18	2082166236346124544	2082166236337520896	recovered
51	3.51	161	2.63	Z17	2077023717382584576	...	not-recovered
70	3.86	51	5.74	Z18	2102548708017562112	2102548708017562368	recovered
75	3.53	124	6.6	Z18	2125795166969907968	2125795166970655104	recovered
97	1.9	99	4.61	L14	2102117871259036672	2102117871254489216	recovered
98	0.29	140	0.76	L14	2102117871259036672	...	not-recovered
99	3.67	46	5.31	Z18	2079664813030608640	2079664813026764544	recovered
102	2.91	221	1.45	Z18	2076121602454770560	2076121602454770304	recovered
107	2.6	273	5.27	Z18	2134798444914611712	2134798449213925632	recovered
119	1.05	118	0.87	L14	2080062630080517376	...	not-recovered
120	1.62	129	0.51	Z18	2135199457417898240	2135199461713461120	recovered
126	0.34	36	0.97	Z17	2076863875880496256	...	not-recovered
129	2.1	221	5.87	Z18	2135313669189075968	...	not-recovered
141	1.1	11	1.39	L14	2132943057698456320	2132943057695941376	recovered
148	2.54	245	4.99	Z18	2075112109039378688	2075112113343136896	recovered
151	4.17	58	5.84	B16	2051836689126867328	2051836792206083840	recovered
155	4.01	251	3.83	B16	2125972321478224896	2125972325781114880	recovered
161	2.7	172	6.55	Z18	2100597143598879616	2100597143598953856	recovered
163	1.22	214	-0.36	Z17	2102506239381138432	2102506239376958976	recovered
174	0.6	77	4.43	L14	2086629463276947456	...	not-recovered
177	0.24	215	0.97	Z18	2086629463276947456	...	not-recovered
190	0.23	105	1.33	B16	2086629463276947456	...	not-recovered
191	1.69	94	3.09	L14	2076692386427776768	2076692386427776640	recovered
193	2.78	137	3.07	Z17	2128892422504310656	2128892422500380928	recovered
200	0.30	44	0.52	Z17	2077586873492185344	...	not-recovered
200	2.81	130	4.00	Z17	2077586873492185344	2077586873484646272	recovered
214	3.85	119	5.68	Z18	2086877265710250496	2086877265702311168	recovered
215	2.98	22	2.34	Z18	2133225082431377792	2133225082431378176	recovered
220	3.13	213	4.52	Z18	2077236713401973888	2077236713393381120	recovered
225	0.53	338	0.93	Z17	2076679497223216384	...	not-recovered
227	0.33	72	0.84	B16	2076679497223216384	...	not-recovered
229	1.66	264	0.99	Z18	2052865419692829056	2052865415393713536	recovered
237	3.16	208	6.67	Z18	2079563829758338432	...	not-recovered
240	2.71	272	3.46	Z17	2126099078855696256	2126099078855695488	recovered
250	3.44	275	6.92	Z18	2107317358665730688	2107317358663148544	recovered
251	3.48	123	3.80	B16	2086439488284337536	2086439488275814400	recovered
255	3.41	357	2.14	Z17	2102511874378223360	2102511874378224000	recovered
258	1.05	77	2.76	B16	2131798534810060288	...	not-recovered
263	3.34	267	0.59	Z18	2119635153070609920	2119635153070609792	recovered
268	1.81	144	3.82	L14	2100020484108391808	2100020484108391680	recovered
268	2.50	308	5.55	Z18	2100020484108391808	...	not-recovered
284	0.96	98	0.45	B16	2104466256290759936	...	not-recovered
285	1.51	136	6.12	B16	2102224661326132864	...	not-recovered
298	2.01	270	0.58	B16	2139269269647566336	2139269269647565952	recovered
306	2.06	243	4.16	L14	2075161655782111872	2075161660094744064	recovered
317	3.02	283	5.14	Z18	2079005651508492032	2079005655809178496	recovered
326	3.53	267	2.01	Z17	2130549523962969216	2130549558324652288	recovered
356	0.56	218	2.92	L14	2087191485516004224	...	not-recovered
379	2.04	78	1.42	B16	2051888572333230464	2051888366174800640	recovered
385	3.36	171	5.45	Z18	2052695678282371840	2052695682584363008	recovered
387	0.98	352	3.86	B16	2099620777272914944	...	not-recovered
396	1.95	183	6.16	Z18	2099707982288265600	...	not-recovered
401	1.99	268	2.9	L14	2100015089629466112	2100015261428157824	recovered
425	0.53	346	0.86	B16	2086296513109263872	...	not-recovered
438	3.28	181	3.11	B16	2133351698066484096	2133351698066483968	recovered
454	1.49	204	2.08	Z17	2104251370492901760	2104251370490902272	recovered
465	3.62	130	4.25	Z18	2127952786739632384	2127952786732747648	recovered
472	1.12	206	0.72	Z18	2107574403864920448	2107574403864920448	recovered
486	3.53	71	3.2	Z18	2133242846415831936	2133242842119719424	recovered
506	3.15	39	5.0	Z18	2102115088120205952	2102115088115592704	recovered
507	2.03	358	4.46	B16	2073861212710627584	2073861212710627584	recovered
509	2.79	305	4.28	Z18	2076955822541823744	2076955822541824512	recovered
509	2.79	305	4.28	Z18	2076955822541823744	2076955822535002752	recovered
509	2.94	55	3.75	Z18	2076955822541823744	2076955822541824512	recovered
509	2.94	55	3.75	Z18	2076955822541823744	2076955822535002752	recovered
510	2.45	348	2.53	Z17	2104506319750394624	2104506319748626176	recovered
511	1.28	123	3.33	L14	2077485271747441280	2077485271741094784	recovered
521	3.24	152	0.42	B16	2126119862195142272	2126119866497646336	recovered
532	0.97	232	3.44	Z17	2131621272922307968	...	not-recovered
541	2.80	246	3.50	Z17	2132681339572129536	2132681339572128896	recovered
558	3.16	271	2.06	B16	2076834154709585664	2076834154709584896	recovered
568	3.16	142	4.35	Z18	2105618029085927680	2105618029082456960	recovered
584	1.83	137	4.10	B16	2130243550494676480	...	not-recovered
592	2.30	150	4.21	B16	2128157158464165504	2128157158464165376	recovered

Table 2 — *Continued*

KOI	Sep. (")	P.A. (deg.)	Δm (mags)	Detection reference	Primary <i>Gaia</i> DR2 source ID	Secondary <i>Gaia</i> DR2 source ID	Recovered in <i>Gaia</i> DR2?
598	3.17	357	2.73	Z17	2130982113070876160	2130982113070876672	recovered
614	2.76	214	4.01	B16	2077823440291891840	2077823440288065792	recovered
626	2.74	134	5.00	Z18	2076245950349844608	2076245950343273600	recovered
628	1.83	309	5.2	L14	2099728391973441920	...	not-recovered
628	2.76	237	5.30	Z18	2099728391973441920	2099728387680553728	recovered
636	3.8	343	6.0	Z18	2101270216513701760	2101270216512080896	recovered
640	0.44	117	0.62	L14	2101270216513701760	...	not-recovered
641	2.09	278	2.07	B16	2073534657762565632	2073534657762565376	recovered
641	3.65	205	0.33	B16	2073534657762565632	2073534657762564992	recovered
644	2.77	62	1.45	Z18	2101174799522225152	2101174799522225664	recovered
645	2.98	48	2.23	B16	2076601917234347520	2076601917234347776	recovered
652	1.23	272	1.59	B16	2077382707929304832	2077382707923763328	recovered
663	3.21	61	5.8	Z18	2104076204545773440	...	not-recovered
685	3.35	268	6.05	Z18	2078049767888231936	2078049767882557696	recovered
687	0.7	13	2.04	L14	2078761770388138752	...	not-recovered
688	1.71	141	2.19	L14	2126865575897687168	2126865575892838656	recovered
697	0.71	54	0.06	B16	2127172919457889792	127172923756984576	recovered
701	2.96	105	4.98	Z18	2107001283431633408	2107001283427951616	recovered
712	0.47	173	1.17	L14	2107001283431633408	...	not-recovered
730	2.04	237	2.95	B16	2086337508581280256	2086337508581280000	recovered
734	3.51	175	2.05	Z17	2129158435598210816	2129158435594504064	recovered
757	2.94	243	3.37	Z17	2131114947819394816	2131114947817450624	recovered
771	1.77	281	0.94	Z17	2086841389840620672	2086841394142813056	recovered
799	1.28	108	1.73	Z18	2052116239951396608	2052116239962862848	recovered
801	3.67	195	2.58	B16	2052086072113643264	2052086072113642624	recovered
813	3.87	137	2.09	B16	2052232410241029248	2052229455299739520	recovered
814	3.40	346	4.16	Z17	2076253887449048320	2076253887441360768	recovered
816	3.50	120	2.66	Z17	2076459496119200000	2076459496108664576	recovered
840	3.2	334	2.24	Z18	2075107062469670272	2075107062469670144	recovered
840	2.97	302	3.42	Z18	2075107062469670272	2075107062469670144	recovered
840	2.97	302	3.42	Z18	2075107062469670272	2075107062459043584	recovered
841	2.00	69	3.60	Z17	2053586321364864640	2053586321359476864	recovered
903	2.24	99	1.84	Z18	2079608703576897024	2079608703569867904	recovered
927	1.01	294	2.63	Z18	2079940824805125376	2079940824808205824	recovered
931	1.38	177	3.40	B16	2080172576942778112	2080172581243503232	recovered
944	1.14	155	2.55	Z18	2080089121438987264	2080089121435055104	recovered
959	0.68	117	1.25	Z18	2080089121438987264	...	not-recovered
976	0.25	129	0.34	B16	2080089121438987264	...	not-recovered
980	1.01	31	1.65	Z18	2135559581838479488	...	not-recovered
984	1.8	42	0.01	L14	2050249406650364160	2050249406656369920	recovered
987	2.05	225	4.1	L14	2077994272606400512	2077994242541967232	recovered
999	3.41	125	2.80	B16	2051832634677771008	2051832630384899840	recovered
1002	0.3	173	2.31	L14	2051034247508620672	...	not-recovered
1050	2.09	197	2.7	L14	2076782889978499840	2076782889978499584	recovered
1061	1.22	38	1.21	B16	2101796092309354624	2101796092302795008	recovered
1066	1.69	205	4.19	B16	2076109336027891840	2076109336021403520	recovered
1067	2.97	143	4.05	B16	2079585751272359936	2079585751267646976	recovered
1075	1.07	93	2.63	Z18	2085637497631419520	2085637497624080000	recovered
1112	2.95	172	4.57	B16	2051368056655683328	2051368052361053056	recovered
1126	1.85	302	2.89	Z18	2076905279366013056	2076905279357238912	recovered
1137	0.75	197	0.81	Z17	2081894931853376640	...	not-recovered
1150	0.39	322	2.41	L14	2117396336940399616	...	not-recovered
1151	0.75	309	3.49	L14	2105343799713595904	...	not-recovered
1152	0.59	2	0.31	L14	2105343799713595904	...	not-recovered
1188	3.39	202	2.16	Z18	2052384933114988160	2052384864395510016	recovered
1191	3.91	226	3.89	Z18	2052381737659167488	2052381737648372608	recovered
1193	3.08	7	2.81	Z17	2099639365891314816	2099639365888907520	recovered
1198	3.11	98	5.25	Z18	2051950454223150720	2051950454219712640	recovered
1201	2.81	236	4.26	Z17	2053093637076689664	2053093637076688640	recovered
1201	3.76	265	5.17	Z17	2053093637076689664	2053093637068052480	recovered
1214	0.33	132	1.21	B16	2052144621107902208	...	not-recovered
1261	1.83	340	1.58	Z17	2106216335209546368	2106216335209546240	recovered
1274	1.1	241	3.75	L14	2106891671567353728	...	not-recovered
1279	2.74	134	5.00	Z18	2126432677554353280	2126432677549006464	recovered
1287	2.64	339	1.47	Z18	2119713561993325440	2119713561993325312	recovered
1300	0.78	357	1.79	B16	2129330577887487744	...	not-recovered
1357	3.83	167	3.38	B16	2075442997627426176	2075442997620753920	recovered
1359	1.43	333	3.8	L14	2101955968172274432	2101955968166541184	recovered
1366	3.4	119	4.72	Z18	2105506119417943168	2105506119413549312	recovered
1375	0.77	269	4.38	L14	2102490189082470528	...	not-recovered
1397	2.30	229	4.41	B16	2085274349558724224	2085274349552225408	recovered
1409	2.17	312	2.58	Z17	2107265028783828736	2107265028779948800	recovered
1441	3.06	333	3.73	Z17	2134808963293894912	2134808963291323136	recovered
1442	2.24	70	6.68	L14	2132086400701217792	...	not-recovered
1447	0.28	212	0.27	Z17	2132086400701217792	...	not-recovered
1450	1.74	208	2.46	Z18	2077841169916858240	2077841169912943488	recovered
1495	3.75	188	2.92	B16	2078549908245590400	2078549908241893632	recovered
1503	0.77	107	1.52	Z17	2133767931937168512	...	not-recovered
1506	1.15	14	3.14	Z17	2133140076439141376	2133140076437170688	recovered

Table 2 — *Continued*

KOI	Sep. (")	P.A. (deg.)	Δm (mags)	Detection reference	Primary <i>Gaia</i> DR2 source ID	Secondary <i>Gaia</i> DR2 source ID	Recovered in <i>Gaia</i> DR2?
1531	0.43	99	0.90	B16	2129894833510904448	...	not-recovered
1545	2.51	180	5.06	Z18	2077290555100531328	2077290555100531584	recovered
1546	0.62	86	1.03	B16	2073614539843223808	...	not-recovered
1546	4.15	165	3.34	B16	2073614539843223808	...	not-recovered
1546	2.93	5	3.52	B16	2073614539843223808	2073614544156755200	recovered
1558	3.61	308	1.09	Z17	2128548962559954944	2128548958262581376	recovered
1573	3.84	299	4.72	B16	2073715630497465856	2073715630497465216	recovered
1593	3.24	80	1.60	Z17	2076400156855612416	2076400156848962816	recovered
1599	2.98	207	2.22	B16	2073779161653824640	2073779161653823232	recovered
1599	3.42	316	2.89	B16	2073779161653824640	2073779161640274944	recovered
1613	0.22	184	1.3	L14	2103882548762598144	...	not-recovered
1614	3.37	87	-0.44	Z18	2119635153070609792	2119635153070609920	recovered
1619	2.1	226	2.82	L14	2076237253025202688	2076237222968580224	recovered
1627	3.41	87	0.37	Z18	2076924314661348736	2076924314661349120	recovered
1630	1.77	188	0.91	Z17	2127083622797597440	2127083622795060992	recovered
1656	1.06	189	1.65	Z17	2052460387096199936	2052460387102127488	recovered
1660	1.40	23	2.00	Z17	2101095943915423872	2101095943921811328	recovered
1661	1.37	46	3.22	Z18	2101105663425358080	2101105667727502080	recovered
1677	0.61	159	4.76	L14	2101378312251177472	...	not-recovered
1687	2.11	209	4.10	Z17	2101473385648356608	2101473385648356480	recovered
1692	3.19	342	6.82	Z18	2077540827141811200	2077540831442264448	recovered
1695	0.31	215	0.61	Z17	2078446691589261696	...	not-recovered
1700	0.29	289	1.07	B16	2078446691589261696	...	not-recovered
1717	0.87	305	1.46	B16	2128190453050802048	2128190453046558208	recovered
1729	3.83	210	3.81	Z18	2101918412977930112	2101918412971417728	recovered
1781	3.4	331	3.78	Z18	2132768952604988672	2132768956904826624	recovered
1784	0.33	286	0.58	B16	2132768952604988672	...	not-recovered
1792	0.53	284	1.06	Z17	2127132821641254272	...	not-recovered
1792	1.99	111	0.98	Z17	2127132821641254272	2127132825937593600	recovered
1798	3.81	186	3.75	B16	2077782655281094400	2077782655274149248	recovered
1804	2.88	168	2.84	Z17	2129576559253685632	2129576559249803264	recovered
1812	2.71	111	6.84	Z18	2101846738564417664	2101846738565362304	recovered
1820	3.78	180	5.89	Z18	2117317588719059968	2117317588715776384	recovered
1830	0.46	319	1.29	Z18	2099980111415659776	...	not-recovered
1845	2.06	77	4.97	L14	2052826318309391104	2052826318303328896	recovered
1846	3.77	136	1.07	Z17	2127721958016074368	2127721958016074496	recovered
1853	0.96	304	0.24	B16	2106370541715114880	2106370541711607680	recovered
1855	1.5	222	5.79	Z18	2075142178123255168	2075142178115932544	recovered
1861	2.10	84	4.93	B16	2052718085136090880	2052718085129939072	recovered
1880	1.7	100	3.66	L14	2127904992341848960	2127904992341849344	recovered
1884	0.95	310	3.65	L14	2076325042161891712	2076325046465661056	recovered
1884	2.54	328	5.61	Z18	2076325042161891712	2076325046454662272	recovered
1890	0.41	142	3.44	L14	2077837115462974080	...	not-recovered
1891	2.09	210	4.46	L14	2127181926007695744	2127181926003389184	recovered
1899	1.84	342	0.94	B16	2077144079549093376	2077144079545321216	recovered
1901	3.82	105	2.16	Z18	2100001036496903040	2100001036496903936	recovered
1908	1.29	260	4.11	Z17	2053581167404822272	2053581167401905024	recovered
1916	0.27	143	2.73	L14	2101792175299215488	...	not-recovered
1922	3.78	195	2.73	Z18	2080061393129929088	2080061393129928704	recovered
1943	1.42	302	1.42	Z18	2106000590407501696	2106000590412103296	recovered
1950	3.35	326	1.69	B16	2052666992204482816	2052666992204482944	recovered
1972	1.05	246	1.05	B16	2134754193870398976	2134754193866263936	recovered
1973	0.79	31	1.69	Z17	2101146757674573568	2101146761974714368	recovered
1979	0.84	192	3.2	L14	2102730157496733952	2102730161798125056	recovered
1985	2.82	156	4.19	B16	2117335077826003840	2117335077823137792	recovered
1989	1.12	41	3.49	B16	2131701365472538112	...	not-recovered
1995	2.96	355	5.34	Z17	2104028474570252160	2104028478864310272	recovered
2009	1.51	176	4.11	L14	2051853525399301888	...	not-recovered
2014	3.75	267	2.50	B16	2077119508034963712	2077119512332178432	recovered
2019	4.01	105	2.61	B16	2076891329311747584	2076891329301673984	recovered
2022	3.14	71	4.16	Z18	2126415051008325376	2126415051002320256	recovered
2022	2.5	152	5.3	Z18	2126415051008325376	2126415051008325248	recovered
2025	3.49	191	5.05	Z18	2100338792724606720	2100338788432535552	recovered
2032	1.19	317	0.34	B16	2052800269327720832	2052800273621302016	recovered
2048	1.84	353	3.33	Z17	2126514556811478144	2126514556807960448	recovered
2050	3.33	215	5.33	Z17	2076904282933527424	2076904282926957184	recovered
2055	3.80	57	4.09	B16	2052069201482198784	2052069201478047872	recovered
2056	3.87	131	3.37	B16	2127803321876716928	2127803321874065536	recovered
2059	0.38	291	1.1	L14	2127803321876716928	...	not-recovered
2067	1.64	315	0.80	B16	2085247926912443392	2085247926919593088	recovered
2069	1.12	108	4.24	B16	2086818579276362624	...	not-recovered
2083	0.26	176	1.03	Z18	2104257967562692096	...	not-recovered
2091	1.30	215	1.72	Z17	2053593189011583360	2053593193310361088	recovered
2093	2.08	352	3.10	Z17	2077654287299877248	...	not-recovered
2096	3.50	17	4.13	B16	2082304396854334720	2082304396847726208	recovered
2098	2.88	156	2.58	B16	2104037962156847744	2104037962152329472	recovered
2098	3.24	132	2.40	B16	2104037962156847744	2104037962156847616	recovered
2100	2.98	318	2.10	B16	2077580345142027136	2077580345134899584	recovered
2105	3.01	314	6.28	Z18	2126163675162475136	2126163675157428864	recovered

Table 2 — *Continued*

KOI	Sep. (")	P.A. (deg.)	Δm (mags)	Detection reference	Primary <i>Gaia</i> DR2 source ID	Secondary <i>Gaia</i> DR2 source ID	Recovered in <i>Gaia</i> DR2?
2115	3.59	243	2.75	B16	2128112181565948800	2128112250278643840	recovered
2117	0.33	111	0.71	Z17	2100442009378111744	...	not-recovered
2143	2.16	317	3.5	L14	2129755573491351040	2129755573489373056	recovered
2156	3.35	303	2.64	B16	2099183583961614208	2099183579665333632	recovered
2159	2	323	3.99	L14	2106370576074860672	2106370576074860544	recovered
2163	0.77	248	0.04	Z17	2134773160443224192	...	not-recovered
2169	3.59	66	4.2	Z18	2106406069684947840	2106406069684948096	recovered
2174	0.92	226	0.21	B16	2076053604530982656	2076053604520641024	recovered
2174	3.88	314	0.14	B16	2076053604530982656	2076053604530982144	recovered
2206	3.28	87	1.28	Z17	2131931403921176832	2131931403921177472	recovered
2213	3.94	91	1.67	Z17	2078012796808952832	2078012040894710016	recovered
2222	2.53	333	5.33	Z18	2080017648879407616	...	not-recovered
2247	1.90	355	5.12	B16	2105106687459103488	...	not-recovered
2283	1.05	21	1.46	Z17	2129110022726874496	2129110022723221504	recovered
2287	2.96	11	5.64	Z18	2080095512350543744	...	not-recovered
2295	2.19	78	0.88	B16	2100954278719435008	2100954274423564672	recovered
2298	1.57	194	2.08	B16	2127340290041707520	2127340285742117888	recovered
2314	4.14	201	3.45	B16	2099219867845754752	2099219867845753856	recovered
2317	1.51	110	4.93	B16	2086474260339833088	2086474260332119936	recovered
2376	0.40	213	0.46	Z17	2132127666747169024	...	not-recovered
2377	2.09	335	1.25	B16	2075132626115329408	2075132626105940864	recovered
2377	4.11	326	4.04	B16	2075132626115329408	2075132626105940992	recovered
2379	3.59	139	1.89	Z17	2080470033497728256	2080470033497728384	recovered
2380	4.01	250	2.46	B16	2052019444275077632	2052019444281520000	recovered
2413	0.31	67	2.11	L14	2052019444275077632	...	not-recovered
2421	1.23	290	0.99	B16	2079397562985002368	2079397562976342656	recovered
2421	4.07	132	3.87	B16	2079397562985002368	...	not-recovered
2443	1.39	163	5.37	L14	2130255885640736768	...	not-recovered
2445	2.10	25	3.21	Z17	2101868900595689856	...	not-recovered
2460	2.36	192	3.41	Z17	2131238230560301440	2131238230557674112	recovered
2463	0.62	125	0.75	Z18	2131238230560301440	...	not-recovered
2469	4.18	114	2.44	B16	2075338028623847168	...	not-recovered
2474	0.61	279	0.65	B16	2078304407907910144	...	not-recovered
2482	0.31	212	0.59	Z17	2129755779649780224	...	not-recovered
2486	0.24	63	0.49	L14	2116954848662114304	...	not-recovered
2493	2.69	300	2.68	B16	2086307031492729856	2086307031492729472	recovered
2516	3.42	84	5.93	B16	2078006818214462592	2078006818205993088	recovered
2535	1.73	21	2.47	Z17	2107294505140214784	2107294509439351808	recovered
2542	0.88	22	1.20	Z18	2104475018028160000	2104475013729123072	recovered
2547	2.79	151	4.23	Z18	2073303313639459840	2073303313631723648	recovered
2551	2.69	197	1.93	B16	2086802670717592320	2086802670717591936	recovered
2556	3.86	238	4.08	Z18	2076601230039790592	2076601230039789952	recovered
2579	3.48	355	3.69	Z17	2128198974266072192	2128198974262403200	recovered
2580	0.60	154	0.86	Z17	2134725911507401984	2134725915799613824	recovered
2582	3.41	223	4.25	Z18	2134956572729225728	2134956572725981952	recovered
2582	3.41	223	4.25	Z18	2134956572729225728	2134956504009748608	recovered
2598	1.09	75	0.37	B16	2125910169013380992	2125910169006869248	recovered
2601	1.66	14	1.43	B16	2125878317537187328	2125878317534470144	recovered
2601	1.66	14	1.43	B16	2125878317537187328	2125878317534470400	recovered
2601	1.44	297	3.61	B16	2125878317537187328	2125878317534470144	recovered
2601	1.44	297	3.61	B16	2125878317537187328	2125878317534470400	recovered
2641	1.42	195	2.56	L14	2079884607976692608	2079884612275640064	recovered
2641	3.54	0	3.73	Z18	2079884607976692608	2079884612270800896	recovered
2657	0.73	131	0.27	L14	2079884607976692608	2126729232154434688	recovered
2664	1.17	90	0.83	B16	2073622068939722368	2073622068933093760	recovered
2679	2.11	324	2.87	B16	2078430469491245568	2078430473780605312	recovered
2681	1.10	161	1.25	B16	2077138410192262528	2077138410188489856	recovered
2688	1.09	205	0.86	Z17	2079920724360946560	2079920724357003392	recovered
2705	1.84	304	3.19	B16	2129942765344872320	2129942765340489600	recovered
2707	3.28	217	4.71	B16	2075060264503601280	2075060264484952448	recovered
2707	3.87	182	3.64	B16	2075060264503601280	2075060264484953856	recovered
2711	0.52	147	0.12	Z18	2075060264503601280	...	not-recovered
2722	3.27	282	5.88	B16	2102954187290293120	2102954187290826240	recovered
2729	3.94	278	2.03	B16	2133108190601426176	2133108190601425664	recovered
2743	2.36	182	3.79	B16	2126102411750601088	2126102411750601216	recovered
2744	3.50	257	2.12	Z17	2077383395124052096	2077383395124051328	recovered
2754	0.79	260	2.23	B16	2131677584235170048	...	not-recovered
2760	0.45	142	0.84	Z17	2131677584235170048	...	not-recovered
2771	3.85	312	6.61	B16	2129804600536996480	2129804604836735360	recovered
2779	0.98	61	2.54	B16	2135305805109041152	2135305805103474816	recovered
2797	0.35	222	0.72	Z17	2128811470960380160	...	not-recovered
2803	3.84	61	3.00	B16	2128517003703948032	2128517008002795136	recovered
2807	3.93	77	1.90	B16	2052800960823879808	2052800892104402944	recovered
2812	2.09	335	3.23	B16	2052568585913107072	2052568585913107200	recovered
2813	1.10	258	0.84	Z17	2134740827931816704	2134740827926640384	recovered
2836	3.94	70	3.39	B16	2086833663201784704	2086833663198342912	recovered
2838	1.74	197	5.92	B16	2125716891183392640	...	not-recovered
2848	2.30	28	5.63	B16	2126078080761742336	2126078085055148160	recovered
2851	0.39	223	0.45	Z17	2126078080761742336	...	not-recovered

Table 2 — Continued

KOI	Sep. (")	P.A. (deg.)	Δm (mags)	Detection reference	Primary <i>Gaia</i> DR2 source ID	Secondary <i>Gaia</i> DR2 source ID	Recovered in <i>Gaia</i> DR2?
2856	2.31	287	3.44	Z17	2103787101707694464	2103787101704559232	recovered
2859	0.47	282	2.12	B16	2130911435088877056	...	not-recovered
2862	0.68	20	0.17	Z18	2102496756092882432	2102496756087501440	recovered
2880	3.39	257	1.15	Z18	2127755733639236992	2127755733639237632	recovered
2896	0.96	272	0.38	Z17	2052657680715072256	2052657680706842624	recovered
2897	2.65	200	2.98	Z18	2073816991726503808	2073816991715140096	recovered
2900	2.36	85	1.30	Z17	2076456884779458816	2076456884779460480	recovered
2904	0.71	226	1.99	B16	2076173859319258368	...	not-recovered
2914	3.80	231	5.64	B16	2104723370217683072	2104723370215889408	recovered
2926	0.33	16	0.27	Z17	2107617246162706048	...	not-recovered
2927	1.39	36	2.65	Z17	2101587867994088960	2101587975376318976	recovered
2949	2.36	311	4.08	B16	2103813146389744640	2103813146387871104	recovered
2958	1.15	302	2.47	Z17	2129213170661792896	2129213170659031296	recovered
2962	1.13	68	0.53	B16	2076480970947694720	2076480970956346624	recovered
2971	0.53	209	1.33	B16	2073646631834185472	...	not-recovered
2976	2.02	198	2.66	Z17	2101859589106732800	2101859589102596096	recovered
2984	3.47	33	4.34	B16	2075987187160704768	2075987187155462400	recovered
3002	0.84	267	2.02	Z18	2052724029370990208	...	not-recovered
3020	0.38	272	0.93	Z17	2078325436068734464	...	not-recovered
3041	2.03	128	4.64	B16	2076176165719327232	2076176165707913728	recovered
3042	1.87	147	1.62	Z17	2079907942530577152	2079907942537359872	recovered
3043	1.14	68	1.94	Z17	2128187807350878976	2128187807346385536	recovered
3066	3.41	335	1.86	Z17	2052410599840071040	2052410599830988160	recovered
3069	1.93	109	2.20	B16	2073274107860823424	2073274107860823296	recovered
3073	1.30	10	1.76	B16	2106300241690874240	2106300241689101440	recovered
3106	0.30	189	0.76	Z17	2079963811471971584	...	not-recovered
3111	3.36	234	5.87	Z17	2079100557410633472	2079100557410632960	recovered
3112	1.87	151	0.49	Z17	2102521112854435072	2102521117144421888	recovered
3120	1.14	278	0.87	Z17	2132808676758396288	2132808676762318080	recovered
3136	1.83	238	2.91	Z17	2101944835616987136	2101944835611119488	recovered
3156	1.24	203	2.09	Z18	2100959123442732160	...	not-recovered
3156	3.06	288	5.02	Z18	2100959123442732160	2100959123436706176	recovered
3158	2.10	254	4.00	B16	2100959123442732160	2101486923382009472	recovered
3161	2.68	67	3.04	Z17	2099159459124234112	...	not-recovered
3190	2.68	190	5.92	B16	2073881583725328896	2073881588036411904	recovered
3214	0.49	320	0.73	Z17	2078996825348039552	2078996825348039552	recovered
3214	1.41	198	2.50	Z17	2078996825348039552	2078996825348039552	recovered
3245	1.58	184	3.10	B16	2117151420726319872	2117151425023219840	recovered
3255	3.15	44	4.87	B16	2078866498869418496	2078866498869418496	recovered
3263	0.80	276	2.01	Z17	2132325441397749248	2132325441400387712	recovered
3264	3.66	217	1.37	Z17	2128047825776894464	2128047791413200384	recovered
3277	2.45	355	5.79	B16	2051937638040407808	...	not-recovered
3277	3.41	353	5.00	B16	2051937638040407808	2051937638036102016	recovered
3284	3.94	4	2.42	B16	2104675781979819776	2104675781979820032	recovered
3288	1.77	75	4.32	B16	2104354690224334592	2104354690224334976	recovered
3288	3.50	80	4.62	B16	2104354690224334592	2104354690224334976	recovered
3309	3.71	42	2.78	B16	2073620144794635136	2073620144788989440	recovered
3324	3.84	323	3.05	B16	2052456263933727744	2052456263927847296	recovered
3324	3.84	323	3.05	B16	2052456263933727744	2052456263927850624	recovered
3335	2.40	61	2.89	Z17	2128907162832189056	2128907162828579840	recovered
3339	3.41	346	1.38	B16	2078646630906722816	2078646630906723200	recovered
3341	3.23	107	4.27	Z17	2053573780060204800	2053573780054283520	recovered
3347	3.24	295	2.20	Z17	2079911859548385536	2079911859544240384	recovered
3354	3.71	227	2.55	Z17	208030094924749696	208030094924250368	recovered
3372	2.36	127	1.95	Z17	2080296757338392576	2080296757338393216	recovered
3377	1.45	58	4.26	B16	2076758838151799424	2076758838151799424	recovered
3401	0.65	94	0.89	B16	2080309161204049792	2080309161199042176	recovered
3413	2.18	12	3.79	Z17	2052367856327130880	2052367856327131520	recovered
3415	0.74	89	0.03	Z17	2099457980827307264	2099457980832215552	recovered
3418	1.13	43	1.29	Z17	2100050922538767744	2100050926836897280	recovered
3432	0.66	113	1.37	Z17	2106747876063966976	...	not-recovered
3435	3.06	160	1.33	Z18	2099513196932687104	2099513192638139008	recovered
3435	3.52	301	0.58	Z18	2099513196932687104	2099513196932686976	recovered
3439	3.42	228	3.97	B16	2073199409793428736	2073199409788170752	recovered
3444	1.11	8	3.32	B16	2073740055966698368	2073740060272520320	recovered
3444	3.55	262	3.41	B16	2073740055966698368	2073740060272519936	recovered
3459	3.35	124	2.37	B16	2051898055621339648	2051898051325954048	recovered
3460	1.24	153	5.08	B16	2080270055517699328	...	not-recovered
3460	2.47	231	5.52	B16	2080270055517699328	2080270059820941568	recovered
3463	3.67	96	4.41	Z17	2076731247290834816	2076731247279581440	recovered
3463	2.74	79	4.79	Z17	2076731247290834816	2076731247279581568	recovered
3468	1.49	117	3.22	B16	2073768853731839104	2073768853716472064	recovered
3471	0.63	224	3.05	Z17	2087264293802301824	...	not-recovered
3480	0.40	210	0.75	Z17	2080332731984702720	...	not-recovered
3483	1.51	23	2.15	Z17	2099544288194239872	2099544292489114496	recovered
3486	4.16	260	4.06	B16	2079002082398263936	2079002082388662272	recovered
3497	0.78	174	1.23	B16	2127115783511206016	...	not-recovered
3500	2.54	137	4.01	B16	2076827454560320768	2076827454560321152	recovered
3533	3.08	10	5.21	Z17	2099796596054351104	2099796596051764096	recovered

Table 2 — *Continued*

KOI	Sep. (")	P.A. (deg.)	Δm (mags)	Detection reference	Primary <i>Gaia</i> DR2 source ID	Secondary <i>Gaia</i> DR2 source ID	Recovered in <i>Gaia</i> DR2?
3611	2.30	267	2.77	Z17	2104001369036675840	...	not-recovered
3626	1.96	310	3.82	Z17	2133510783655003776	2133510783653894784	recovered
3649	0.79	216	0.26	Z17	2073880729036921344	2073880729042926208	recovered
3660	0.60	160	1.05	Z17	2053301650934570112	...	not-recovered
3678	2.63	170	5.08	Z17	2100959501399885696	2100959501393904640	recovered
3770	1.20	34	1.44	Z17	2101114773059006464	2101114773054406784	recovered
3783	1.13	272	3.53	Z17	2080064515564300160	...	not-recovered
3790	1.28	138	1.91	Z18	207799809083327232	...	not-recovered
3791	3.50	258	1.89	Z17	2102070660978313472	2102070660978313088	recovered
3805	3.7	199	5.37	Z18	2052489661599834624	2052489661599834112	recovered
3813	2.54	283	4.58	Z18	2073786136680198528	2073786136664680192	recovered
3813	2.13	58	4.22	Z18	2073786136680198528	2073786136664680064	recovered
3856	2.54	101	3.27	Z18	2074294385944439680	2074294385932820992	recovered
3886	0.50	116	1.13	Z17	2074294385944439680	...	not-recovered
3891	1.05	240	4.69	B16	2079758031000730368	...	not-recovered
3891	2.01	136	4.92	B16	2079758031000730368	...	not-recovered
3907	1.58	162	6.31	B16	2077192389338777600	...	not-recovered
3907	2.82	72	3.23	B16	2077192389338777600	2077192389338777472	recovered
3928	2.96	265	1.21	Z17	2100303539632796032	2100303436553580416	recovered
3946	4.27	61	5.26	B16	2079749956462030720	...	not-recovered
4004	1.93	217	4.34	B16	2103314346067173504	2103314346067173248	recovered
4021	1.92	113	0.52	B16	2135216916465793792	2135216916465793664	recovered
4053	4.11	302	5.51	B16	2051019683267537024	...	not-recovered
4062	1.49	28	3.66	Z17	2132727725219507712	...	not-recovered
4098	0.78	174	1.10	B16	2106044742676262912	2106044742672696832	recovered
4131	2.85	124	5.04	Z17	2077415143522766848	2077415143517648768	recovered
4145	2.71	237	2.36	B16	2099532747622272768	2099532747622271232	recovered
4149	1.76	63	0.17	B16	2086637847048516992	2086637847053272192	recovered
4166	3.54	157	3.29	B16	2073229474559368832	2073229440185340288	recovered
4194	2.17	290	3.41	B16	2073793249146651136	2073793249146650880	recovered
4205	2.71	66	2.65	B16	2052313396140855040	2052313396140855552	recovered
4208	0.99	234	2.57	B16	2073540322804985216	2073540327119598592	recovered
4209	0.96	203	0.37	B16	2075988698989156992	2075988698983795072	recovered
4226	2.49	267	4.18	B16	2085311389355406208	2085311389355406080	recovered
4267	1.66	194	3.29	Z17	2077827284282464896	2077827288578898560	recovered
4268	3.56	263	4.77	Z17	2078225792827512704	2078225792822914944	recovered
4274	3.26	207	3.71	B16	2076844771869119488	2076844771869118976	recovered
4274	4.54	327	4.11	B16	2076844771869119488	2076856522895897088	recovered
4287	0.61	76	1.27	B16	2129524121993184768	...	not-recovered
4313	2.88	81	4.19	B16	2080098845245174528	2080098845242016256	recovered
4323	1.12	96	2.22	Z17	2073741846978724096	2073741846973225472	recovered
4329	1.93	117	4.64	B16	2133440616773886080	2133440621069065344	recovered
4331	0.45	103	0.25	Z18	2133440616773886080	...	not-recovered
4334	3.32	15	3.79	Z17	2129105796478619264	2129105796473940608	recovered
4343	0.89	138	1.13	Z17	2103115403182003328	2103115403177503232	recovered
4343	3.68	350	4.81	Z17	2103115403182003328	2103115403182732544	recovered
4345	3.17	242	3.22	Z17	2129193997927895808	2129193997927896064	recovered
4353	3.50	36	2.75	Z17	2052427504831894784	2052427504824529152	recovered
4366	2.46	303	3.38	Z17	2107681262654003328	2107681258361616128	recovered
4368	2.33	162	3.28	Z18	2073744733197169664	2073744733197169408	recovered
4389	2.88	332	0.58	B16	2052240312975643136	2052240312975643392	recovered
4399	2.16	17	6.24	B16	2105389708623762304	2105389708622651136	recovered
4405	2.95	249	3.19	Z17	2086617196850362880	2086617196845193600	recovered
4407	2.54	298	2.97	B16	2081891255360877568	2081891255352744320	recovered
4409	2.89	139	6.10	B16	2075040537699996288	2075040335839768320	recovered
4418	1.41	172	2.23	Z17	2051863691581812992	2051863695882152064	recovered
4421	2.45	322	4.62	Z17	2128152416820070400	2128152416814709888	recovered
4443	3.41	26	5.00	B16	2102118077417462400	2102118073122785792	recovered
4463	2.45	143	0.01	B16	2102231773785906560	2102231773785906304	recovered
4467	3.99	131	4.21	Z17	2101338248796228352	2101338248793901952	recovered
4495	3.06	89	3.90	B16	2076752103652362624	2076752103642183936	recovered
4495	3.06	89	3.90	B16	2076752103652362624	2076752103642184576	recovered
4495	3.41	344	2.68	B16	2076752103652362624	2076752103642182144	recovered
4495	3.04	58	4.73	B16	2076752103652362624	2076752103642183936	recovered
4495	3.04	58	4.73	B16	2076752103652362624	2076752103642184576	recovered
4523	3.94	100	2.61	B16	2079752086765886592	2079752086759127168	recovered
4526	2.53	346	4.44	Z17	2073173807475922816	2073173811787513728	recovered
4526	3.98	179	4.80	Z17	2073173807475922816	2073173811780195328	recovered
4549	0.75	149	1.99	Z17	2101699438363865216	2101699438367219712	recovered
4550	1.03	325	0.04	Z17	2076823400111207424	2076823400105711104	recovered
4567	1.31	142	2.48	B16	2081871906523180672	2081871910828389376	recovered
4575	2.97	61	2.18	B16	2128296693360957696	2128296727716112768	recovered
4580	1.58	60	1.27	B16	2126430856488196480	2126430856482795136	recovered
4582	2.71	308	6.28	B16	2078794755737702144	2078794755732851328	recovered
4582	3.55	286	3.27	B16	2078794755737702144	2078794755732851328	recovered
4590	0.87	340	0.38	Z18	2133122686112763392	2133122690411349888	recovered
4625	1.22	69	0.28	Z18	2087212204432303104	2087212204437890176	recovered
4630	3.94	53	2.17	Z17	2078055505964630528	2078055501665950464	recovered
4634	0.35	275	1.55	B16	2078055505964630528	...	not-recovered

Table 2 — Continued

KOI	Sep. (")	P.A. (deg.)	Δm (mags)	Detection reference	Primary <i>Gaia</i> DR2 source ID	Secondary <i>Gaia</i> DR2 source ID	Recovered in <i>Gaia</i> DR2?
4651	1.22	105	2.88	B16	2078424731413732992	2078424735715955072	recovered
4653	0.77	324	2.02	Z17	2131277778619225472	...	not-recovered
4655	3.17	116	3.02	Z17	2099154515623230208	2099154511328314752	recovered
4656	2.89	23	1.42	B16	2078123538247852800	2078123538247853696	recovered
4657	2.11	234	3.27	B16	2077628341397525120	2077628345696983040	recovered
4661	3.93	198	2.32	Z17	2053614049674000512	2053614045374562304	recovered
4699	4.01	285	5.93	B16	2125942535887596032	2125942535885186304	recovered
4700	3.77	49	1.89	Z17	2080019714767028096	2080019714767029248	recovered
4707	3.7	13	6.41	Z18	2073449789210003456	2073449789210004096	recovered
4710	2.70	168	3.50	Z17	2127445190323167488	2127445190318638720	recovered
4713	1.72	251	0.27	Z17	2103527135926458496	2103527131633898752	recovered
4743	3.06	98	2.29	Z17	2075397952010076032	2075397952002668032	recovered
4750	2.09	322	1.95	Z17	2075040473294084224	2075040473274663168	recovered
4759	0.67	4	2.12	Z17	2103024418595797888	...	not-recovered
4764	3.83	204	2.42	Z18	2053605013062652032	2053605013057644544	recovered
4768	1.30	159	3.99	B16	2080379289430494080	2080379289426853888	recovered
4792	3.68	318	2.36	B16	2134927573110309248	2134927573110309504	recovered
4793	2.37	225	4.25	Z18	2077032650914820736	2077032650904898176	recovered
4797	3.59	127	1.12	B16	2078742047898299520	2078742047893614720	recovered
4797	3.93	77	3.37	B16	2078742047898299520	2078742047893622144	recovered
4810	2.36	146	3.16	Z17	2052449220187049472	2052449220187351168	recovered
4812	3.15	100	1.84	B16	2078819013713442944	2078819013708847616	recovered
4813	2.54	208	1.22	B16	2053246572272436096	2053246572272436992	recovered
4813	4.03	146	3.34	B16	2053246572272436096	...	not-recovered
4823	1.40	153	0.59	B16	2129941012993659776	2129940944278699392	recovered
4871	0.96	333	3.12	B16	2102326709749646848	...	not-recovered
4881	3.42	30	3.30	Z17	2126862994617574784	2126862998912708096	recovered
4895	2.27	75	2.28	Z17	2135594426911404928	2135594426907679104	recovered
4923	0.78	123	1.46	Z17	2051010126960776320	...	not-recovered
4974	1.23	242	3.33	Z17	2052731210556521344	2052731210547136256	recovered
4993	3.49	148	4.13	Z17	2052185784074728320	2052185784075192192	recovered
5004	1.05	109	1.05	Z17	2053081817326568704	2053081817317528704	recovered
5052	0.75	285	0.68	Z17	2101019459138393216	2101019459143710720	recovered
5101	1.24	99	3.33	Z17	2101252620029948544	2101252624322286080	recovered
5143	1.22	222	3.83	Z17	2100795227489504512	2100795227484065664	recovered
5210	2.71	267	2.22	Z17	2104029440941679616	2104029440941679488	recovered
5216	3.67	96	3.31	Z17	2077388652164064128	2077388652164064640	recovered
5220	2.83	109	7.22	Z17	2073835026279837056	2073834996219696512	recovered
5220	2.83	109	7.22	Z17	2073835026279837056	2073835030589646080	recovered
5220	2.89	216	3.27	Z17	2073835026279837056	2073834996219696512	recovered
5220	2.89	216	3.27	Z17	2073835026279837056	2073835030589646080	recovered
5232	1.75	200	4.67	Z17	2077390163992575360	...	not-recovered
5243	0.77	17	0.55	Z17	2077390163992575360	...	not-recovered
5243	2.41	128	5.53	Z17	2077390163992575360	...	not-recovered
5274	3.95	272	4.13	Z18	2077656383244340352	2077656383244340480	recovered
5327	1.88	211	3.43	Z17	2101759121228731008	2101759121228729472	recovered
5327	3.63	277	3.92	Z17	2101759121228731008	2101759121228728960	recovered
5327	3.96	342	-0.12	Z17	2101759121228731008	2101759121232605184	recovered
5331	3.67	351	3.72	Z17	2077735273202110720	2077735273195702400	recovered
5332	2.19	7	2.37	Z17	2077865187373527552	2077865187373527424	recovered
5332	3.61	129	0.63	Z17	2077865187373527552	2077865183075514240	recovered
5340	1.24	217	2.66	Z17	2077701772458576896	2077701772455049600	recovered
5373	0.21	81	0.12	Z17	2077768494767942272	...	not-recovered
5426	2.93	152	1.75	Z18	2078743147409917312	2078743147409917184	recovered
5440	2.45	345	3.04	Z17	2126089114531451904	2126089114527569280	recovered
5454	2.07	286	1.77	Z18	2078840900864235136	2078840900864235264	recovered
5465	2.85	158	1.36	Z17	2078287331117544192	2078287331117544064	recovered
5475	3.19	70	3.65	Z18	2078297810838102272	2078297810838103680	recovered
5480	3.52	174	1.24	Z17	2075869058378560256	2075869058378559872	recovered
5482	0.62	270	1.44	Z17	2102897871680507008	...	not-recovered
5486	0.34	333	0.73	Z17	2075875208771774976	...	not-recovered
5527	2.85	236	2.63	Z18	2079607432267324800	2079607329188109568	recovered
5552	1.09	165	0.82	Z18	2079295441538666496	...	not-recovered
5553	0.97	346	2.52	Z17	2079292731415821696	...	not-recovered
5556	3.28	162	4.31	Z17	2081922350924871808	2081922350920237312	recovered
5556	3.28	162	4.31	Z17	2081922350924871808	2081922350921259392	recovered
5556	3.22	247	5.29	Z17	2081922350924871808	2081922350920237312	recovered
5556	3.22	247	5.29	Z17	2081922350924871808	2081922350921259392	recovered
5570	2.06	236	4.64	Z17	2127058230950753024	2127058230947731200	recovered
5578	0.33	89	1.78	Z17	2127058230950753024	...	not-recovered
5640	0.53	113	2.26	Z18	2127058230950753024	...	not-recovered
5665	2.11	91	3.24	Z17	2130312987226828672	...	not-recovered
5671	2.17	225	1.79	Z17	2080166838863414272	2080166843162922752	recovered
5672	3.17	169	4.58	Z18	2080164472346015488	2080164472341340032	recovered
5695	0.60	163	1.47	Z17	2128078268505279872	...	not-recovered
5707	2.71	239	2.43	Z17	2080321496349685504	2080321496343423616	recovered
5762	0.23	95	0.65	Z17	2080321496349685504	...	not-recovered
5774	1.32	336	1.90	Z17	2107586803435870080	...	not-recovered
5790	3.69	357	-0.67	Z18	2131051176144335616	2131051176144335872	recovered

Table 2 — *Continued*

KOI	Sep. (")	P.A. (deg.)	Δm (mags)	Detection reference	Primary <i>Gaia</i> DR2 source ID	Secondary <i>Gaia</i> DR2 source ID	Recovered in <i>Gaia</i> DR2?
5792	3.59	116	-0.07	Z18	2080589399229250432	2080589399229250048	recovered
5797	3.62	103	1.37	Z18	2080647707705712384	2080647707705713152	recovered
5868	2.8	94	2.71	Z18	2086565932123046016	2086565932123046400	recovered
5885	3.42	127	4.03	Z17	2132037850390684416	2132037850386940416	recovered
5889	0.77	246	1.42	Z17	2129708088332723072	...	not-recovered
5895	2.34	249	3.41	Z18	2135007528219858816	2135007528215039360	recovered
5941	1.07	216	5.28	Z18	2133045926457728768	...	not-recovered
5961	0.87	112	1.45	Z18	2133314379092602368	2133314383390604416	recovered
5993	1.25	217	3.06	Z18	2100296938265705984	2100296942562958336	recovered
6104	1.84	206	4.01	Z18	2052157536067299200	2052157540369457536	recovered
6109	0.60	322	1.30	Z17	2099737772181508096	...	not-recovered
6111	2.14	48	4.40	Z17	2100982488064896768	2100982488064896896	recovered
6120	3.85	128	2.48	Z17	2101084708287440384	2101084703989357184	recovered
6132	1.23	91	0.90	Z17	2076578312097047168	2076578312093652608	recovered
6202	0.77	322	2.49	Z17	2107221185757925120	...	not-recovered
6224	2.97	167	4.19	Z18	2080623037413477248	2080623037409489280	recovered
6256	3.05	103	2.27	Z18	2051739554147359872	2051739554141471872	recovered
6258	2.17	241	4.14	Z17	2052524777245998464	2052524777246376064	recovered
6297	2.56	103	1.55	Z18	2052234574899303552	2052234574899304064	recovered
6297	2.96	308	5.89	Z18	2052234574899303552	2052234574888592640	recovered
6311	1.75	290	0.83	Z17	2052868095451251200	...	not-recovered
6329	1.22	279	1.43	Z17	2051947396206442240	2051947396203030784	recovered
6384	3.53	285	2.09	Z18	2073195900791503744	20731959005093024640	recovered
6390	2.82	309	1.57	Z18	2052788041564792320	2052788041560743680	recovered
6415	1.75	48	1.17	Z17	2100332264374236544	2100332264371155328	recovered
6464	0.75	122	1.72	Z17	2073478823183937536	...	not-recovered
6475	1.31	57	0.50	Z17	2076373356250706176	2076373356259065856	recovered
6483	1.41	272	2.78	Z17	2073480571225222272	2073480575531025792	recovered
6527	2.21	353	1.60	Z17	2076723477686690944	2076723516349496960	recovered
6539	1.58	175	3.89	Z17	2076547835008673024	2076547835008672896	recovered
6560	3.28	246	6.04	Z17	2073776000557682816	2073776000543341952	recovered
6560	2.20	30	5.38	Z17	2073776000557682816	2073776000543349248	recovered
6600	2.36	315	5.28	Z18	2075108436858900352	...	not-recovered
6602	0.77	322	0.54	Z17	2103677528500608896	...	not-recovered
6605	2.53	320	3.46	Z17	2101523997543030528	2101523997543030400	recovered
6610	1.73	84	2.68	Z17	2076623254632652160	2076623254624465152	recovered
6610	2.63	216	1.22	Z17	2076623254632652160	2076623254632651520	recovered
6654	1.41	195	2.88	Z17	2077586358096061952	2077586358096061952	recovered
6697	3.91	313	3.4	Z18	2077601334642684416	2077601334643618944	recovered
6706	1.04	339	1.44	Z17	2103935363975417344	2103935363979413760	recovered
6728	1.94	134	5.04	Z17	2076924241638010112	...	not-recovered
6745	3.07	72	3.78	Z17	2077526056757796864	2077526056757797248	recovered
6745	3.07	72	3.78	Z17	2077526056757796864	2077526056752725760	recovered
6745	2.85	163	3.92	Z17	2077526056757796864	2077526056752725760	recovered
6783	3.25	178	3.31	Z18	2077699710874216832	2077699710870523904	recovered
6793	2.84	309	4.47	Z18	2101771868695856896	2101771868693027200	recovered
6800	2.62	145	5.10	Z17	2077223759780704000	207722375977419136	recovered
6800	3.11	337	5.41	Z17	2077223759780704000	207722375977392512	recovered
6835	3.08	78	5.34	Z18	2077204587045999104	2077204518320394880	recovered
6907	3.35	99	-0.36	Z18	2078742460215270016	2078742460215269888	recovered
6918	0.62	98	1.33	Z18	2102995144098606464	...	not-recovered
6925	2.66	125	1.71	Z17	2117261032589510272	2117261032585257472	recovered
7002	3.2	247	2.95	Z18	2078925975577835776	2078925975569707136	recovered
7003	3.78	285	1.9	Z18	2079031356896018560	2079031352596014080	recovered
7003	3.78	285	1.9	Z18	2079031356896018560	2079031356896017536	recovered
7020	3.28	23	1.43	Z17	2081882905944268288	2081882905944268800	recovered
7032	2.74	182	5.8	Z18	2076079885423496832	...	not-recovered
7050	1.78	129	2.5	Z18	2079093582383601536	2079093582383601664	recovered
7087	1.89	165	1.69	Z18	2126446627608292480	2126446627608292352	recovered
7129	1.27	191	2.39	Z18	2127458551961566080	2127458556261578624	recovered
7205	1.04	42	0.44	Z17	2107294642578956416	2107294646878293248	recovered
7220	3.57	27	1.33	Z18	2080455224450588160	2080455224450588672	recovered
7389	1.84	291	6.2	Z18	2086637743974618112	2086637743974617344	recovered
7395	3.41	212	3.00	Z17	2128770479794108544	2128770479794108672	recovered
7408	1.67	184	2.65	Z18	2134719314434132224	2134719318735329664	recovered
7426	2.45	212	2.37	Z17	2129604734239310464	2129604734236063872	recovered
7448	0.87	260	1.40	Z17	2134827204015633920	...	not-recovered
7455	1.86	306	2.39	Z18	2132769158764295040	2132769163063257216	recovered
7470	1.52	303	0.17	Z18	2134895309315415808	2134895309311184640	recovered
7501	1.15	15	1.36	Z18	2135167743381277824	2135167747675985664	recovered
7527	2.75	98	4.41	Z18	2135604563034108928	2135604563030007808	recovered
7539	2.97	348	3.03	Z18	2135508665004841472	2135508665001113216	recovered
7540	3.67	152	5.64	Z18	2133276862557026048	2133276862555363840	recovered
7546	2.93	223	5.92	Z18	2052221999240090496	2052221999240353408	recovered
7572	2.97	16	6.14	Z18	2077884428827603456	2077884428828120576	recovered

Note. —

Reference for nearby star detection: (L14, Law et al. 2014), (B16, Baranec et al. 2016), (Z17, Ziegler et al. 2017b), (Z18, Ziegler et al. 2018b). Provenance of reported companion properties is the detection reference publication.

Table 3
New Nearby Stars to *Kepler* Planetary Candidates in *Gaia* DR2

KOI	Sep. (")	P.A. (deg.)	Δm_G (mags)	Primary <i>Gaia</i> DR2 source ID	Secondary <i>Gaia</i> DR2 source ID
18	3.48	111	7.27	2079018300195390464	2076015877539239680
118	1.46	212	4.34	2099605968225288960	2099605968225289088
217	3.9	326	5.16	2080095679848047872	2080095684146710400
221	1.57	276	5.28	2100073393808483328	2100073398103782272
235	3.54	13	5.64	2078125359313871488	2078125359309472768
266	3.74	325	8.16	2078008703696509056	2078008707991780352
344	3.57	210	6.87	2131736137528127744	2131736137526502656
354	3.77	209	6.59	2134886100904948608	2134886066539848832
415	3.36	208	6.63	2077596288060821120	2077596288054326656
433	2.38	5	4.02	2086498312157538688	2086498312152241280
433	3.72	291	2.65	2086498312157538688	2086498312152239104
488	3.2	260	6.04	2099156817725596800	2099156817721708416
497	1.96	306	5.33	2076454926274192128	2076454926274445312
500	1.69	158	5.26	2076328963475704576	2076328963464397696
533	2.82	255	5.82	2119809116425132160	2119809116422789504
624	3.79	38	6.13	2052852912747829760	2052852912747830912
683	3.35	268	6.07	2078640132611129088	2078640136909689216
689	3.89	212	6.58	2126970579257130112	2126970579251947904
753	3.71	200	5.4	2086623622121548800	2086623622116676096
767	2.77	92	4.74	2086830502105850240	2086830605181608704
893	2.27	276	5.23	2125888419299436800	2125888419294076032
908	1.46	197	4.35	2079056714383865856	2079056714376186752
1031	3.5	109	5.56	2051669906960994304	2051669902665001344
1094	3.49	208	4.57	2052234368740841600	2052234368730056448
1099	3.02	234	5.3	2052567623840745216	2052567623838348672
1101	1.7	338	3.72	2052074389802779904	2052074389798914688
1102	2.91	141	4.63	2052823535171095296	2052823530876477824
1146	3.87	35	4.99	2105915343901864832	2105915343899024512
1165	3.81	309	5.99	2129164173675031936	2129164173672715904
1199	3.2	92	5.7	2052392835854583936	2052392835843568896
1210	3.91	13	5.66	2052397886736075264	2052397886724924800
1212	3.72	251	4.76	2052717466660745984	2052717466654426240
1216	3.11	77	6.5	2099681216051775616	2099681216046506368
1230	2.77	108	6.31	2075373036891027968	2075373041187294080
1242	3.75	169	6.12	2125716650665286144	2125716654965607680
1245	3.67	101	5.81	2125709405062046976	2125709405055099264
1257	3.1	4	5.67	2126633166627436928	2126633166623505152
1321	3.06	101	4.96	2076223479079929984	2076223479070585216
1323	2.52	60	3.82	2073195870740245504	2073195870733315456
1325	3.53	17	4.47	2073292868278609664	2073292868269699456
1339	2.66	311	5.95	2100216609495590912	2100216609493017216
1408	3.5	3	6.02	2127463224886292224	2127463229186009088
1428	2.63	170	5.38	2129939398090453504	2129939398091259520
1448	3.72	293	4.92	2127712474727909504	2127712474723372928
1455	3.29	244	4.81	2076280447527786880	2076280447522669696
1472	3.35	358	4.41	2078176589682140160	2078176589677446272
1499	2.97	257	5.12	2078648211455026432	2078648177089867520
1517	3.71	130	5.22	2077967888633787264	2077967888633787392
1552	3.24	226	4.15	2078982634786330112	2078982531697453056
1581	3.07	28	4.83	2105221139747765504	2105221139745555968
1615	2.96	356	7.24	2076194101502797952	2076194101502799104
1637	1.14	340	3.75	2085724496490595584	2085724496486440576
1664	3.58	304	4.84	2053298489838427264	2053298489831008768
1761	2.45	307	4.99	2052387815030027904	2052387819323056128
1762	3.36	187	5.03	2073774381339451904	2073774385635104128
1762	3.86	352	5.04	2073774381339451904	2073774385649871872
1793	2.97	55	4.43	2073821767730332928	2073823245188434688
1821	3.82	90	5.84	2079728790863754752	2079728790858521600
1852	2.6	259	6.24	2130393938771375104	2130393943069501312
1910	2.09	174	5.5	2102899314789524480	2102899314789616768
1935	1.75	151	3.56	2075043909268197120	2075043909249776128
1967	3.02	152	5.33	2101670026430316416	2101670026430316160
1997	2.36	168	5.58	2119617320366308736	2119617320366308608
2130	2.1	22	4.12	2051797274209237376	2051797278505487616
2130	1.8	232	3.92	2051797274209237376	2051797278505484928
2137	3.12	2	6.57	2085258750237006208	2085258750234401536
2146	2.34	235	5.53	2101941434002832000	2101941433996820480
2199	2.3	53	4.62	2132842177507335424	2132842177503715712
2210	3.29	90	5.11	2100405381897402496	2100405381894221184
2241	3.77	331	4.6	2073767994738269952	2073767994722471808
2259	3.83	357	5.42	2076050683953049728	2076050683942049792
2328	3.24	349	4.66	2105273705848965888	2105273710146215424
2344	2.7	120	4.57	2078832929407597312	2078832929407597952
2373	2.47	104	5.97	2129265088226500224	2129265088224647552
2494	1.81	131	5.24	2077894083914484352	2077894083909574400
2507	2.26	275	3.79	2079680137473255808	2079680137465012224
2519	2.88	345	5.99	2099514502602729600	2099514502599632512
2553	3.16	189	5.14	2128318305636573824	2128318305632504832

Table 3 — *Continued*

KOI	Sep. (")	P.A. (deg.)	Δm_G (mags)	Primary <i>Gaia</i> DR2 source ID	Secondary <i>Gaia</i> DR2 source ID
2617	3.22	151	5.01	2101249188353780480	2101249188348398464
2643	3.27	124	4.58	2105463135385330944	2105463135381131648
2734	2.35	89	3.39	2116889775616597120	2116886820677495552
2822	2.26	34	4.24	2076067073548982784	2076067073540267136
2865	3.21	66	4.85	2127136605512921600	2127136983466106112
2942	3.05	148	3.43	2073294414466892288	2073294414460099584
2982	3.01	17	6.16	2126892067256468736	2126892067252859008
3048	3.52	152	5.03	2128168256659148032	2128168256652877312
3050	3.88	177	5.45	2073778646257819520	2073778646244536576
3065	2.35	217	5.59	2073569356783775488	2073569361099660416
3065	3.93	75	5.74	2073569356783775488	2073569361088192128
3117	2.72	285	5.86	2101695418277116672	2101695418275679488
3119	1.12	313	2.91	2076747533796560256	2076747533807064448
3128	3.76	191	6.54	2125872270222128512	2125872270216008448
3259	2.17	326	4.79	2052579546669972096	2052579546666328704
3271	3.73	4	4.64	2125848733801094912	2125848733801095296
3346	2.79	0	6.21	2129558760909448064	2129558760906481536
3482	3.53	297	5.0	2077774443305045376	2077774443301405312
3692	2.27	153	4.75	2073819156390137088	2073819156379156736
3692	3.03	264	4.82	2073819156390137088	2073819156379156992
3709	2.26	93	3.94	2052564394025218432	2052564325305742080
3818	3.73	76	7.0	2102620829109177856	2102620829103353088
3939	1.93	165	4.96	2128115754978992640	2128115754978992512
4002	3.65	216	5.23	2103829913941569664	2103829913937915136
4016	3.34	186	5.71	2104452752917443584	2104452748621944960
4056	2.58	32	5.07	2073307917844452480	2073307917836893184
4120	3.44	135	5.57	2130342609620849024	2130342609620849280
4121	2.12	86	4.45	2103927495598786304	2103927495595046656
4136	3.68	108	6.21	2104828820254417664	2104828820251807232
4156	3.81	315	5.9	2077381299180152704	2077381299174112256
4173	3.36	57	5.56	2085325373768675968	2085325373759050496
4288	2.94	279	7.17	2100418850915010432	2100418850912250752
4302	3.39	118	6.46	2077605049794388736	2077605049788794240
4307	3.22	194	6.36	2052136821446989568	2052136821437832320
4393	1.44	84	3.63	2079025996777083776	2079025996772785920
4452	3.17	85	5.93	2052436919400076672	2052436919392240128
4458	1.5	60	4.14	2076141428024552192	2076141428021401088
4473	3.43	198	6.18	2077241558125147904	2077241558116766464
4504	1.35	44	4.1	2101728197467726848	2101728197462775296
4545	2.21	137	5.26	2129106724192000512	2129106724188370048
4591	2.76	184	4.91	2073589461547090048	2073589461547089408
4605	3.58	37	6.07	2133210307743921024	2133210307741784064
4659	2.62	102	6.57	2051918293507634048	2051918293508096384
4754	3.71	261	4.95	2086348641136640512	2086348641131299072
4782	1.76	51	3.5	2079323723908273408	2079323723903496960
4799	3.51	283	5.98	2117304222780856832	2117304188417929856
4875	1.78	20	3.12	2052619541406162304	2052619541402269696
4886	2.86	318	4.87	2078077977233913344	2078077977226315136
4887	2.67	124	6.26	2053103837616774528	2053103841919097728
4962	3.31	198	6.36	2052111395239338624	2052111395226557184
5031	3.03	316	6.67	2076172008190962432	2076172008179490048
5033	3.06	86	5.62	2073274314019537152	2073274314020402176
5067	3.16	305	4.28	2076246190868032000	2076246190861696128
5085	3.48	357	4.2	2076276633596891648	2076276633591957888
5107	3.12	206	6.06	2076333567680646400	2076333567669338240
5123	2.74	185	6.19	2101258259324916096	2101258259319751936
5158	2.64	15	6.63	2075052048214199168	2075052052526639744
5279	2.33	175	5.73	2073906705005532672	2073906705005532416
5279	1.26	64	3.9	2073906705005532672	2073906705001120896
5279	3.42	39	5.52	2073906705005532672	2073906705001126656
5308	3.6	56	6.09	2075427089068650368	2075427123428777216
5317	2.99	132	6.2	2077530867121103232	2077530867118047744
5384	3.03	353	4.15	2078000702181387392	2078000702179708544
5508	1.38	178	4.66	2126188036217701504	2126188036214524672
5574	1.82	219	4.76	2127024180449752064	2127024180446115456
5574	2.88	297	4.41	2127024180449752064	2127024180446115712
5628	3.6	350	5.24	2126534313661335040	2126534313658794112
5718	3.85	250	2.87	2080475840294368896	2080475840290135424
5732	3.71	301	5.16	2085558882551597184	2085558882544801152
5733	3.26	113	4.72	2085515245682829440	2085515245682829824
5736	0.84	304	2.22	2107550317687202048	2107550317690423808
5796	3.01	140	5.4	2129230762847028096	2129230762842177408
5825	3.5	336	6.47	2128744057154644736	2128744057150059520
5835	1.87	135	4.88	2129409948882314880	2129409948878328960
6102	3.22	46	7.57	2052738288662716928	2052738288654778752
6266	2.36	242	5.14	2051824869377151104	2051824869377150976
6266	3.74	112	5.4	2051824869377151104	2051824899439939968
6385	2.23	283	4.74	2073185150501623296	2073185150495364480
6399	2.88	179	4.63	2052420083127990272	2052420083127990016

Table 3 — *Continued*

KOI	Sep. (")	P.A. (deg.)	Δm_G (mags)	Primary <i>Gaia</i> DR2 source ID	Secondary <i>Gaia</i> DR2 source ID
6455	2.65	200	6.13	2101105599008028160	2101105599008615040
6484	3.55	19	4.99	2100690464646750848	2100690464643697536
6484	2.63	204	4.93	2100690464646750848	2100690464645431680
6542	2.53	40	7.14	2073583104995090304	2073583104995524096
6542	3.03	199	7.18	2073583104995090304	2073583104995391488
6707	3.91	6	3.78	2101867594925534208	2101867629280609280
6904	1.52	277	2.56	2078219642433457152	2078219642426179840
6944	2.98	210	6.14	2078058941938623616	2078058941936124672
7051	3.4	112	4.5	2081916578488487808	2081916509765722112
7197	2.69	109	4.61	2080091664059732480	2080091664056155520
7223	3.99	329	4.87	2085335853489145728	2085335853483598592
7223	3.8	93	5.69	2085335853489145728	2085335853489146624
7272	2.66	213	5.33	2080510268752316672	2080510268748439936
7445	2.75	283	4.97	2134865347623098368	2134865347618020736
7596	3.08	278	4.3	2127160000197425024	2127160004490984064

Note. —

Provenance of reported companion properties is from *Gaia* DR2 (Gaia Collaboration et al. 2018a).