

Speckle Interferometry at the U.S. Naval Observatory. XXIII.

Brian D. Mason, William I. Hartkopf¹, Sean E. Urban¹, Jordan D. Josties²

U.S. Naval Observatory

3450 Massachusetts Avenue, NW, Washington, DC, 20392-5420

Electronic mail: brian.d.mason@navy.mil

ABSTRACT

The results of 3,989 intensified CCD observations of double stars, made with the 26-inch refractor of the U.S. Naval Observatory, are presented. Each observation of a system represents a combination of over two thousand short-exposure images. These observations are averaged into 1,911 mean relative positions and range in separation from $0''.289$ to $128''.638$, with a median separation of $8''.669$. Four orbits are improved. This is the 23rd in this series of papers and covers the period 4 January 2017 through 13 September 2017.

Subject headings: binaries : general — binaries : visual — techniques : interferometric

1. Introduction

This is the 23rd in a series of papers from the U.S. Naval Observatory's speckle interferometry program, presenting results of observations obtained at the USNO 26-inch telescope in Washington, DC (see, most recently, Mason & Hartkopf 2017a).

From 4 January through 13 September 2017, the 26-inch telescope was used on 60 of 184 (33%) scheduled nights. While most nights were lost due to weather conditions, time was also lost due to testing and upgrades of instrumentation and software, other mechanical or software issues, and to a lack of observing personnel. Instrumentation and the observing technique were as described in Mason & Hartkopf (2017a). Observing was suspended in mid-September when upgrades to the motors and encoders began. After initial success in automation seen in this and recent previous entries of this series, a more ambitious

¹Retired.

²SEAP Intern.

automation project was initiated in September. This will be described in greater detail in the next entry in this series.

Individual nightly totals varied substantially, from 7 to 146 observations per night (mean 66.5). The results yielded 3989 observations (pointings of the telescope) and 3862 resolutions. After removing marginal observations, calibration data, tests, and “questionable measures” a total of 3333 measurements remained. These “questionable measures” are not all of inferior quality but may represent significant differences from the last measure, often made many decades ago. Before these measures are published they will need to be confirmed in a new observing season to account for any possible pointing or other identification problems. The tabulated list of these is retained internally and forms a “high priority observing list” for subsequent observing seasons. These 3333 measures were grouped into 1911 mean relative positions.

2. Results

Our 2017 observing list remained the same as the previous, discussed in Mason & Hartkopf (2017a). On a given night a pair may be observed multiple times in different data collection modes and with different magnification as it is not always obvious which will produce the best result. Further, as object acquisition is the most time-consuming portion of the duty cycle, adding additional observations is less consequential. For those intranightly observations ($n = 832$) the rms values are quite low: $d\theta = 0''.10$ and $\frac{d\rho}{\rho} = 0.0020$. A smaller number ($n = 262$) comprise those objects which appear to be slow moving³ and were observed on multiple nights. For those internightly observations the rms values are twice the intranightly values: $d\theta = 0''.14$ and $\frac{d\rho}{\rho} = 0.0044$. We take these values as representative of the true error.

2.1. New Pair

Table 1 presents coordinates and magnitude information from CDS⁴ for a pair which is presented here for the first time. It is a closer component to a known system. Column one gives the coordinates of the primary of the pair. Column two is the WDS identifier while

³We assume $\Delta\theta = \Delta\rho = 0$ for these.

⁴magnitude information is from one of the catalogs queried in the *Aladin Sky Atlas*, operated at CDS, Strasbourg, France. See <http://aladin.u-strasbg.fr/aladin.gml>.

Column three is the discoverer designation associated with the known pair which is used here for the new component as well. Columns four and five give the visual magnitudes of the primary and secondary, and Column six notes the circumstance of the discovery. The mean double star positions of our 26'' measures (T , θ , and ρ) of this system is given in Table 3.

As this pair is quite wide we are able to provide two additional measures of relative astrometry from other catalogs using the same methodology as described in Wycoff et al. (2006) and Hartkopf et al. (2013). In Table 2 the first two columns identify the system by providing its epoch-2000 coordinates and discovery designation (as given in Table 1). Columns three through five give the epoch of observation (expressed as a fractional Julian year), the position angle (in degrees), and the separation (in seconds of arc). Note that in all tables the position angle, measured from North through East, has not been corrected for precession, and is thus based on the equinox for the epoch of observation⁵. Columns six and seven provide the source of the measure and either a reference or note to the source.

2.2. Measures of Known Pairs

Tables 3 and 4 present the relative measurements of double stars made with the 26'' telescope. Table 3 presents those with no calculation for motion, either orbital or linear. As in Table 1, the first two columns identify the system by providing its epoch-2000 coordinates and discovery designation. Columns three and four give the epoch of observation (expressed as a fractional Julian year) and the position angle (in degrees). Column five gives the position angle error. This is the internightly rms value if one is available or the mean value of 0.1 if it is not. Columns six and seven provide the separation (in seconds of arc) and its error. As above, the error is its internightly value or the mean error ($d\rho = 0.0044\rho$). Column eight is the number of nights in the mean position. When this is “1” the errors in Columns five and seven are the mean results as described above. Finally, Column nine is reserved for notes. One of the pairs listed in Table 3 is the pair listed in Tables 1 and 2 which has not been measured before. Five pairs, designated with a “C” code, are confirmed here for the first time. Eight very wide pairings, designated with a “V” code, in multiple systems have their positions determined from vector addition. Two pairs have not been measured in over fifty years. Those are WDS10536–0742 = J 90BC, last measured in

⁵This has been the standard for double star relative astrometry for several hundred years and is in accordance with IAU Resolutions from the Commissions governing double stars, most recently, Mason et al. (2016). See §4.1.1.

1954 (Harshaw 2013) and WDS17128+2433 = POU3264, last measured in 1892 (Pourteau 1933).

The 1726 measures presented in Table 3 have a mean separation of $13''.874$ and a median value of $9''.156$. The mean number of years since the pair was last observed is 7.05.

Table 4 presents measurements of doubles where some prediction of position (orbital or linear) is available. The first eight columns are the same as Table 3 above. Columns nine and ten provide the O–C residual to the determination referenced in Column eleven. The final column, like that of Table 3, provides notes. In some cases a measure has residuals to more than one calculation. In some of those cases the second calculation refers to a new orbit (Table 5) or linear solution (Table 6) which is described below.

Not surprisingly, the objects in Table 4 are both closer and more frequently observed than those of Table 3. The 185 measures presented in Table 4 have a mean separation of $11''.507$ and a median value of $4''.158$. The mean number of years since the pair was last observed is 2.88.

2.3. Improved Orbits

Four systems with sufficient data to improve their orbits are presented in Table 5 and Figure 1. All of the individual measures were weighted by the procedures of Hartkopf et al. (2001) and calculated with the venerable “grid-search” method of Hartkopf et al. (1989).

Table 5 is broken into two groups. The first orbit we characterize as “improved but still provisional” and is given without errors. They fit the data better than the earlier orbit and should give reasonable ephemerides over the next several decades, but the elements will all require correction over the course of a complete orbit before they can be considered even approximately correct. As in earlier tables, the first two columns identify the system by providing its epoch-2000 coordinates and discovery designation. Columns three through nine provides the seven Campbell elements: the period (P in years), the semimajor axis (a'' in arcseconds), the inclination (i) and longitude of the node (Ω), both in degrees, the epoch of the most recent periastron passage (T_o in years), the eccentricity (e) and the longitude of periastron (ω in degrees). Column ten gives the reference to the previous “best” orbit and Column eleven the orbital “grade” following the procedures of Hartkopf et al. (2001).

In the second part of Table 5 are the two orbits we characterize as “reliable”, all with shorter periods than those in the first group. All eleven columns are the same as the first part of the table, however, here under each element is its formal error. The precision of the

element is defined by the precision of its error. Relative visual orbits of all four systems are plotted in Figure 1, with the x and y axes indicating the scale in arcseconds. Each solid curve represents the newly determined orbital elements presented in Table 5 and the dashed curve is the orbit of the earlier orbit referenced in Column ten.

2.4. New Linear Solutions

Inspection of all observed pairs with either a 30° change in their relative position angles or a 30% change in separations since the first observation cataloged in the WDS revealed six pairs whose motion seemed linear. These apparent linear relative motions suggest that these pairs are either composed of physically unrelated stars or have very long orbital periods. Linear elements to these doubles are given in Table 6, where Columns one and two give the WDS and discoverer designations and Columns three to nine list the seven linear elements: x_0 (zero point in x, in arcseconds), a_x (slope in x, in $''/\text{yr}$), y_0 (zero point in y, in arcseconds), a_y (slope in y, in $''/\text{yr}$), T_0 (time of closest apparent separation, in years), ρ_0 (closest apparent separation, in arcseconds), and θ_0 (position angle at T_0 , in degrees). See Hartkopf & Mason (2017) for a description of all terms.

Figure 2 illustrates these new linear solutions, plotted together with all published data in the WDS database, as well as the previously unpublished data from Table 4. Symbols are the same as in Figure 1. In the case of linear plots, the dashed line indicates the time of closest apparent separation. As in Figure 1, the direction of motion is indicated at lower right of each figure. As the plots and solutions are all relative, the proper motion (μ) difference is assumed to be zero. In some cases, cataloged proper motion differences between the components is plotted as a red line.

Table 7 gives ephemerides for each orbit or linear solution over the years 2018 through 2026, in two-year increments. Columns (1) and (2) are the same identifiers as in the previous tables, while columns (3+4), (5+6), ... (11+12) give predicted values of θ and ρ , respectively, for the years 2018.0, 2020.0, etc., through 2026.0.

Notes to individual systems follow:

09210+3811 = STF1338AB : Also known as HD 80441. Based on the period and semi-major axis of Table 5 and the parallax (23.44 ± 1.08 mas; van Leeuwen 2007) the mass sum of this system is $1.66 \pm 0.33 \mathcal{M}_\odot$. This is lower than expected for a pair of F3 dwarfs. Using the more recent parallax from Gaia’s DR2 (14.90 ± 0.59 mas; Gaia Collaboration et al. 2016, 2018) an even lower solution of is $1.18 \pm 0.26 \mathcal{M}_\odot$ is determined. If the spectral

classification is approximately correct, an orbital solution of the same period with a semi-major axis about $\frac{1}{3}$ larger would produce an expected mass sum. While it has been 188 years since the first resolution (Struve 1837), only continued observation, over a long timebase, can make the orbital solution more definitive. The wider C component is optical.

11035+5432 = A 1590 : Also known as HD 95690. Based on the period and semi-major axis of Table 5 and the parallax (23.06 ± 1.48 mas; van Leeuwen 2007) the mass sum of this system is $1.73 \pm 0.70 \mathcal{M}_{\odot}$. Using the more recent parallax from Gaia’s DR2 (23.49 ± 0.05 mas; Gaia Collaboration et al. 2016, 2018) a more precise result of $1.64 \pm 0.36 \mathcal{M}_{\odot}$ is determined. Both seems reasonable for a K2V and its companion.

2.5. Double Stars Not Found

Table 8 presents two systems which were observed but not detected. Possible reasons for nondetection include orbital or differential proper motion making the binary too close or too wide to resolve at the epoch of observation, a larger than expected Δm , incorrect pointing of the telescope, and misprints and/or errors in the original reporting paper. It is hoped that reporting these will encourage other double star astronomers to either provide corrections to the USNO observations or to verify the lack of detection.

This research has also made use of the SIMBAD database, operated at CDS, Strasbourg, France, NASA’s Astrophysics Data System and made use of data from the European Space Agency (ESA) mission *Gaia* (<https://www.cosmos.esa.int/gaia>), processed by the *Gaia* Data Processing and Analysis Consortium (DPAC, <https://www.cosmos.esa.int/web/gaia/dpac/consortium>). Funding for the DPAC has been provided by national institutions, in particular the institutions participating in the *Gaia* Multilateral Agreement.

The continued instrument maintenance by the USNO instrument shop, Gary Wieder, Chris Kilian and Phillip Eakens, makes the operation of a telescope of this vintage a true delight.

REFERENCES

- Alzner, A. 2006, Inf. Circ. 158, 3
 Baize, P. 1978, Inf. Circ. 76, 1

- Baize, P. 1985, A&AS 60, 333
- Barton, S.G. 1931, AJ 41, 35
- Boule, C., Andrews, C., Penfield, A., Puckette, I., Goodlae, K. & Harfenheist, S. 2017, JDSO 13, 189
- Chang, K. 1972, AJ 77, 759
- Cutri, R.M., Skrutskie, M.F., van Dyk, S., et al. 2003, yCat, 2246, 0
- Cvetkovic, Z. & Novakovic, B. 2006, Serbian AJ 173, 73
- Cvetkovic, Z., Pavlovic, R. & Boeva, S. 2015, AJ 149, 150
- Docobo, J.A. & Costa, J.M. 1984, Inf. Circ. 92, 1
- Docobo, J.A. & Costa, J.M. 1990, Inf. Circ. 112, 1
- Docobo, J.A. & Ling, J.F. 2015, Inf. Circ. 187, 1
- Drummond, J.D., Christou, J.C. & Fugate, R.Q. 1995, ApJ 450, 380
- Eggenberger, P., Miglio, A., Carrier, F., Fernandes, J. & Santos, N.C. 2008, A&A 482, 631
- Gaia Collaboration et al. 2016, A&A, 595A, 1
- Gaia Collaboration et al. 2018, A&A, 616A, 1
- Gorshanov, D.L., Shakht, N.A. & Kisselev, A.A. 2006, SvA 49, 386
- Grosheva, E.A. 2006, SvA 49, 397
- Hale, A. 1994, AJ 107, 306
- Harshaw, R. 2013, JDSO 9, 75
- Hartkopf, W.I. & Harshaw, R. 2013a, Inf. Circ. 179, 1
- Hartkopf, W.I. & Harshaw, R. 2013b, Inf. Circ. 181, 1
- Hartkopf, W.I. & Mason, B.D. 2008, AJ 135, 1334
- Hartkopf, W.I. & Mason, B.D. 2009, AJ 138, 813
- Hartkopf, W.I. & Mason, B.D. 2011a, AJ 142, 56
- Hartkopf, W.I. & Mason, B.D. 2011b, Inf. Circ. 175, 1
- Hartkopf, W.I. & Mason, B.D. 2013, Inf. Circ. 181, 1
- Hartkopf, W.I. & Mason, B.D. 2017, *Catalog of Rectilinear Elements*, published in *Second USNO Double Star CD 2006.5*⁶.

⁶See the current version (v. 2017.09.20) at <http://ad.usno.navy.mil/wds/lin1.html>

- Hartkopf, W.I., Mason, B.D., Finch, C.T., Zacharias, N., Wycoff, G.L. & Hsu, D. 2013, AJ 146, 76
- Hartkopf, W.I., Mason, B.D. & McAlister, H.A. 1996, AJ 111, 370
- Hartkopf, W.I., Mason, B.D. & Worley, C.E. 2001, AJ 122, 3472⁷
- Hartkopf, W.I., McAlister, H.A. & Franz, O.G. 1989, AJ 98, 1014
- Hauser, H.M. & Marcy, G.W. 1999, PASP 111, 321
- Heintz, W.D. 1988, A&AS 72, 543
- Heintz, W.D. 1994, AJ 108, 2338
- Heintz, W.D. 1995, ApJS 99, 693
- Heintz, W.D. 1996, ApJS 105, 475
- Heintz, W.D. 1997, ApJS 111, 335
- Hopmann, J. 1960, Mitt. Sternw. Wien 10, 155
- Hopmann, J. 1964, Ann. Sternw. Wien 26, #1
- Hopmann, J. 1970, Astron. Mitt. Wien, #5, 217
- Hopmann, J. 1973, Astron. Mitt. Wien #13, 301
- Josties, J. & Mason, B.D. 2017, Inf. Circ. 193, 1
- Kiselev, A.A., Kiyaeva, O.V. & Romanenko, L.G. 1997, Visual Double Stars, ed. J.A. Docobo et al., 377
- Kiselev, A.A., Kiyaeva, O.V., Romanenko, L.G. & Gorynya, N.A. 2012, Astr. Reports 56, 524
- Kiselev, A.A., Romanenko, L.G. & Kalinichenko, O.A. 2009, Astr. Reports 53, 126
- Kiselev, A.A. & Romanenko, L.G. 1996, Astr. Reports 40, 795
- Kiyaeva, O.V. 2006, Astr. Reports 32, 836
- Kiyaeva, O.V., Romanenko, L.G. & Zhuchkov, R.Ya. 2017, Astr. Letters 43, 316
- Kiyaeva, O.V., Tokovinin, A.A. & Kalinichenko, O.A. 1998, Astr. Letters 24, 753
- Ling, J.F. 2004, Inf. Circ. 153, 2
- Ling, J.F. 2010, AJ 139, 1521
- Ling, J.F. 2011, Inf. Circ. 174, 1

⁷See the current version at <http://ad.usno.navy.mil/wds/orb6.html>.

- Ling, J.F. 2012, AJ 143, 20
- Ling, J.F. 2016, Inf. Circ. 188, 1
- Mason, B.D. & Hartkopf, W.I. 2014, Inf. Circ. 184, 1
- Mason, B.D. & Hartkopf, W.I. 2017a, AJ 154, 183
- Mason, B.D. & Hartkopf, W.I. 2017b, Inf. Circ. 192, 1
- Mason, B.D., Balega, Y., Docobo, J., Arenou, F., Scardia, M., Tamazian, V., ten Brummelaar, T., Lampens, P., Reipurth, B. & Tokovinin, A. 2016, IAU Transactions 29A, 388
- Mason, B.D., Hartkopf, W.I., Wycoff, G.L. & Holdenried, E.R. 2006, AJ 132, 2219
- Mason, B.D., Hartkopf, W.I., Wycoff, G.L., Pascu, D., Urban, S.E. & Hall, D.M. 2004a, AJ 127, 539
- Mason, B.D., Hartkopf, W.I., Wycoff, G.L., Rafferty, T.J. Urban, S. & Flagg, L. 2004b, AJ 128, 3012
- Muterspaugh, M.W., Lane, B.F., Kulkarni, S.R., Konacki, M. & Burke, B.F. 2010, AJ 140, 1657
- Novakovic, B. 2008, Observatory 128, 56
- Novakovic, B. & Todorovic, N. 2006, Serbian AJ 172, 21
- Olevic, D. & Cvetkovic, Z. 2003, Inf. Circ. 150, 1
- Olevic, D. & Jovanovic, P. 2001, Serbian AJ 163, 5
- Popovic, H.M. 1969, Bull. Obs. Astron. Belgrade 27, #1, 33
- Popovic, G.M. & Pavlovic, R. 1995, Bull. Obs. Astron. Belgrade #151, 45
- Pourteau, M.A. 1933, Cat. des etoiles doubles de la zone +24deg de la carte photog. du ciel
- Prieur, J.-L., Scardia, M., Pansecchi, L., Argyle, R.W. & Sala, M. 2012, MNRAS 422, 1057
- Prieur, J.-L., Scardia, M., Pansecchi, L., Argyle, R., Zanutta, A. & Aristidi, E. 2014, AN 335, 817
- Raghavan, D., McAlister, H.A., Torres, G., Latham, D.W., Mason, B.D., Boyajian, T.S., Baines, E.K., Williams, S.J. ten Brummelaar, T.A., Farrington, C.D., Ridgway, S.T., Sturmann, L., Sturmann, J. & Turner, N.H. 2009, ApJ 690, 394
- Rica, F.M., Barrena, R., Henriquez, J.A., Perez, F.M. & Vargas, P. 2017, Pub. Astr. Soc. Australia 14, 4
- Rica Romero, F.M. 2013, Inf. Circ. 179, 1

- Rica Romero, F.M. & Zirm, H. 2012, *Inf. Circ.* 177, 1
- Riddle, R.L., Tokovinin, A., Mason, B.D., Hartkopf, W.I. & Roberts, L.C., Jr. 2015, *ApJ* 799, 4
- Roberts, L.C., Jr. & Mason, B.D. 2018, *MNRAS* 473, 4497
- Romanenko, L.G. & Kiselev, A.A. 2014, *Astr. Reports* 58, 30
- Scardia, M., Prieur, J.-L., Koechlin, L. & Aristidi, E. 2002, *Inf. Circ.* 147, 2
- Scardia, M., Prieur, J.-L., Pansecchi, L. & Argyle, R.W. 2008, *AN* 329, 379
- Scardia, M., Prieur, J.-L., Pansecchi, L., Argyle, R.W. & Sala, M. 2011, *AN* 332, 508
- Seymour, D., Mason, B.D., Hartkopf, W.I. & Wycoff, G.L. 2002, *AJ* 123, 1023
- Söderhjelm, S. 1999, *A&A* 341, 121
- Struve, F.G.W. 1837, *AN* 14, 249
- Tobal, T. 2005, *Webb Soc. Double Star Circ.* 13, 39
- Tokovinin, A. 2016a, *AJ* 152, 138
- Tokovinin, A. 2016b, *ApJ* 831, 151
- Tokovinin, A. 2017, *Inf. Circ.* 193, 1
- Tokovinin, A. & Horch, E.P. 2016, *AJ* 152, 116
- Urban, S.E., Corbin, T.E., Wycoff, G.L., Martin, J.C., Jackson, E.S., Zacharias, M.I. & Hall, D.M. 1998, *AJ* 115, 1212
- van Leeuwen, F. 2007, *A&A* 474, 653
- Winlock, J. & Pickering, E.C. 1882, *Annals of the Harvard College Observatory*, 13, Part I
- Wycoff, G.L., Mason, B.D. & Urban, S.E. 2006, *AJ* 132, 50
- Zacharias, N., Finch, C.T., Girard, T.M., Henden, A., Bartlett, J.L., Monet, D.G., & Zacharias, M.I. 2013, *AJ* 145, 44
- Zaera, J.A. 1984, *Inf. Circ.* 93, 1
- Zeller, G. 1965, *Ann. Sternw. Wien* 26, 111
- Zirm, H. 2008, *Inf. Circ.* 166, 1
- Zirm, H. 2013, *Inf. Circ.* 179, 1
- Zirm, H. 2014, *Inf. Circ.* 182, 1
- Zirm, H. 2015, *Inf. Circ.* 185, 1
- Zirm, H. & Rica, F. 2012, *Inf. Circ.* 177, 1

Zulevic, D.J. 1977, Inf. Circ. 72, 1

This preprint was prepared with the AAS L^AT_EX macros v4.0.

Table 1. New Pairs

Coordinates α, δ (2000)	WDS Designation	Discoverer Designation	Magnitudes		Note
			Primary	Secondary	
05 22 45.12 +53 32 09.6	05228+5332	HJ 2258 AC	9.59	14.0	1

1 : AB is the historically known pair. This is a closer pair.




Fig. 1.— Figure 1 illustrates the new orbital solutions, plotted together with all published data in the WDS database as well as the new data in Table 4. In each of these figures, micrometric observations are indicated by plus signs, interferometric measures by filled circles, conventional CCD by pink triangles, space-based measures are indicated by the letter ‘H’, new measure from Table 4 are plotted as a filled star. “O – C” lines connect each measure to its predicted position along the new orbit (shown as a thick solid line). Dashed “O – C” lines indicate measures given zero weight in the final solution. A dot-dash line indicates the line of nodes, and a curved arrow in the lower right corner of each figure indicates the direction of orbital motion. The earlier orbit referenced in Table 5 is shown as a dashed ellipse.




Fig. 2.— New linear fits for the systems listed in Table 6 and all data in the WDS database and Table 4. Symbols are the same as Figure 1. “O – C” lines connect each measure to its predicted position along the linear solution (shown as a thick solid line). An arrow in the lower right corner of each panel indicates the direction of increasing position. The axes are in units of arcseconds.

Table 2. Data Mining Measures for New Pairs

WDS Desig. α, δ (2000)	Discovery Designation	JY	θ ($^{\circ}$)	ρ ($''$)	Source	Reference or Note
05228+5332	HJ 2258 AC	1998.94	56.0	8.03	2MASS	1
		2003.053	56.1	8.310	UCAC4	Zacharias et al. 2013

1 : Cutri et al. (2003), All-sky Release. See `Vizier On-line Data Catalog: II/246`.

Table 3. ICCD Measurements of Double Stars

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
01201+3639	WEI 3 AB	2017.011	188.2	0.1	4.858	0.021	1	
01204+0937	GWP 171 AB	2017.011	214.0	0.1	46.474	0.204	1	
01223–0019	BAL 648	2017.012	259.4	0.1	9.307	0.041	1	
01241–1244	GAL 308	2017.012	17.1	0.1	24.729	0.109	1	
01251+0304	HDO 50 A,BC	2017.012	261.6	0.1	34.096	0.150	1	
01282+3441	HO 8 AB	2017.011	253.4	0.1	4.284	0.019	1	
01286+1440	ARN 88	2017.011	254.1	0.1	23.642	0.104	1	
01296+3025	ROE 105	2017.011	0.8	0.1	5.223	0.023	1	
01303+1239	STF 129	2017.011	283.2	0.1	8.861	0.039	1	
01320+1150	OCC 391 AB,C	2017.011	123.0	0.1	7.843	0.035	1	
01321+1657	STF 132 DF	2017.011	289.4	0.1	5.195	0.023	1	
01335–0331	HJ 640	2017.012	112.2	0.1	5.334	0.023	1	
01355+3118	STF 137	2017.011	85.9	0.1	3.408	0.015	1	
01376+0709	PLQ 19	2017.011	76.9	0.1	40.107	0.176	1	
01379+2554	A 2007	2017.011	221.2	0.1	4.685	0.021	1	
01391+1211	HJ 17	2017.011	282.0	0.1	8.158	0.036	1	
01396–0231	HJ 641	2017.012	124.0	0.1	5.706	0.025	1	
01419+3022	MLB 679	2017.011	238.2	0.1	6.468	0.028	1	
01435–1038	GAL 313	2017.012	193.3	0.1	33.301	0.147	1	
01559+6020	TDS 2056	2017.272	287.2	0.1	0.457	0.002	1	C
02411+1848	STF 291 AB	2017.678	118.1	0.1	3.362	0.015	1	
03040+4707	WFC 12	2017.069	321.4	0.1	7.182	0.032	1	
03062+4558	BRT 1137	2017.069	317.2	0.1	5.725	0.025	1	
03153+4451	KU 13 AB	2017.069	61.6	0.1	5.043	0.022	1	
03190+4602	JCT 1	2017.069	280.6	0.1	18.464	0.081	1	
03193+4559	STF 372 AB	2017.050	292.4	0.1	7.688	0.034	1	
03193+4559	STF 372 AC	2017.069	76.9	0.1	53.505	0.235	1	
03289–1959	I 720 AB	2017.012	45.0	0.1	25.864	0.114	1	
03308+0509	STF 406	2017.012	125.9	0.1	9.134	0.040	1	
03332+0409	AG 69	2017.012	354.5	0.1	6.624	0.029	1	
03345+1948	STF 414	2017.012	186.5	0.1	7.512	0.033	1	
03365–2038	CLL 3	2017.012	206.4	0.1	42.652	0.188	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
03398+0515	J	1812	2017.012	17.6	0.1	6.763	0.030	1	
03459–2059	ALG	1	2017.012	294.0	0.1	5.575	0.025	1	
03463–1235	GAL	355	2017.012	347.1	0.1	32.177	0.142	1	
03464–0810	HDS	478	2017.012	348.0	0.1	7.452	0.033	1	
03467–1231	GAL	356	2017.012	77.2	0.1	26.155	0.115	1	
03496+1817	STF	458	2017.012	202.5	0.1	5.186	0.023	1	
03507–1206	GAL	358	2017.012	333.3	0.1	50.322	0.221	1	
03514+2538	HEI	9	2017.012	282.6	0.1	4.356	0.019	1	
03532–0200	STF	466	2017.012	58.5	0.1	8.400	0.037	1	
03543–0257	STF	470 AB	2017.172	348.6	0.0	6.879	0.008	2	
03567+4729	STF	465	2017.069	235.2	0.1	5.751	0.025	1	
03568+5220	HJ	5537	2017.069	77.0	0.1	19.053	0.084	1	
03578+4932	KU	82	2017.069	287.4	0.1	41.993	0.185	1	
03589+4325	GRV	199	2017.069	60.3	0.1	11.194	0.049	1	
03598+1133	STF	478 AB	2017.206	138.7	0.1	9.672	0.043	1	
04009+2312	STF	479 AB	2017.195	127.4	0.1	7.531	0.033	1	
04009+2312	STF	479 AC	2017.195	242.4	0.1	57.814	0.254	1	
04009+2312	STF	479 BC	2017.195	248.8	0.1	61.376	0.270	1	V
04017+4905	WFC	251	2017.069	126.5	0.1	14.677	0.065	1	
04020+4151	STF	477	2017.069	212.7	0.1	3.073	0.014	1	
04024–0700	STF	489	2017.193	198.1	0.0	3.069	0.001	2	
04025+4824	HLD	10	2017.069	91.2	0.1	4.215	0.019	1	
04077+5258	WFC	20	2017.069	187.3	0.1	8.253	0.036	1	
04127–0650	STF	514	2017.170	75.8	0.1	8.122	0.008	3	
04143+4102	ES	1616	2017.069	233.6	0.1	6.397	0.028	1	
04151+4445	GRV	209	2017.069	294.0	0.1	22.410	0.099	1	
04158+4524	STF	512	2017.069	218.4	0.1	5.269	0.023	1	
04159+3142	STTA	43 AB,C	2017.678	43.0	0.1	56.167	0.247	1	
04303+5530	KR	23	2017.129	132.4	0.1	4.364	0.019	1	
04320+5355	STF	550 AB	2017.129	308.9	0.1	10.386	0.046	1	
04417+2244	STF	579	2017.129	40.9	0.1	16.359	0.072	1	
04469+2130	SCA	32	2017.129	97.1	0.1	37.140	0.163	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
04511–0946	HU	31	2017.149	331.8	0.1	1.292	0.006	1	
04518–0751	BU	748	2017.149	127.5	0.1	1.212	0.005	1	
04528–0517	BU	316	2017.149	4.6	0.1	0.713	0.003	1	
04547–0257	J	1348	2017.148	95.1	0.1	4.946	0.022	1	
04551–0033	STF	614 AB,C	2017.148	69.8	0.1	4.426	0.019	1	
04553–0450	HJ	2243	2017.148	149.8	0.1	5.823	0.026	1	
04563+5206	STF	608 AB,C	2017.121	114.3	0.1	4.652	0.020	1	
04599–1849	HJ	3709	2017.149	309.5	0.1	18.551	0.082	1	
05007–1330	STF	631	2017.149	107.3	0.1	5.784	0.025	1	
05026+5450	AG	84	2017.121	153.0	0.1	2.406	0.011	1	
05027–0542	HJ	2247 AB	2017.148	57.7	0.1	20.419	0.090	1	
05027–0542	HJ	2247 AC	2017.148	16.7	0.1	33.224	0.146	1	
05036–2029	WHC	1	2017.149	83.6	0.1	9.076	0.040	1	
05037–0232	J	307 A,BC	2017.148	320.2	0.1	53.426	0.235	1	
05040–0251	STF	639	2017.148	81.1	0.1	5.576	0.025	1	
05061–0852	HJ	2252	2017.149	149.3	0.1	7.732	0.034	1	
05062–1526	HJ	3720	2017.149	158.1	0.1	29.790	0.131	1	
05064–1649	GAL	376	2017.149	356.4	0.1	26.755	0.118	1	
05067+5121	SMA	47	2017.121	135.8	0.1	5.173	0.023	1	
05081+3609	HJ	692	2017.069	175.1	0.1	10.052	0.044	1	
05081+3625	SEI	72	2017.069	263.1	0.1	13.582	0.060	1	
05103+3718	STF	644 AB	2017.069	222.9	0.1	1.618	0.007	1	
05110+3203	STF	648 AB	2017.069	61.8	0.1	4.674	0.021	1	
05118+5722	STF	641	2017.121	259.9	0.1	16.703	0.073	1	
05120+4154	LMP	33 AC	2017.069	323.5	0.1	53.694	0.236	1	
05142+5446	A	1304	2017.121	89.9	0.1	1.813	0.008	1	
05154+3241	STF	653 AC	2017.069	225.2	0.1	14.177	0.062	1	
05167+3903	STF	658 AB	2017.069	190.1	0.1	5.843	0.026	1	
05172+3320	STF	666	2017.069	75.0	0.1	3.065	0.013	1	
05174+5928	STI	561	2017.121	272.1	0.1	14.896	0.066	1	
05183+5545	STI	2092	2017.121	139.7	0.1	12.616	0.056	1	
05188+5250	STF	657	2017.121	308.5	0.1	0.893	0.004	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
05191+4009	H 5	88 EF	2017.069	216.7	0.1	33.311	0.147	1	
05207+4658	STF	681 AB	2017.012	182.4	0.1	23.321	0.103	1	
05214+5449	STI	2094	2017.012	23.2	0.1	16.626	0.073	1	
05217–0203	STF	693	2017.157	11.5	0.1	3.491	0.015	1	
05218+6454	STF	659	2017.121	315.7	0.1	5.633	0.025	1	
05228+5332	HJ	2258 AB	2017.012	33.3	0.1	31.970	0.141	1	
05228+5332	HJ	2258 AC	2017.012	57.9	0.1	8.605	0.038	1	A
05230–1613	GAL	380	2017.157	36.9	0.1	17.004	0.075	1	
05232+0108	ARN	63	2017.157	66.1	0.1	39.409	0.173	1	
05233–1711	HLD	74	2017.157	236.4	0.1	6.126	0.027	1	
05238+5730	STI	2098	2017.012	139.3	0.1	13.566	0.060	1	
05243+0222	STF	702	2017.157	80.2	0.1	8.325	0.037	1	
05244–1750	ARA	160	2017.157	215.6	0.1	8.123	0.036	1	
05246–1752	ARA	161	2017.157	129.4	0.1	11.600	0.051	1	
05248–1642	GAL	382	2017.157	277.4	0.1	15.590	0.069	1	
05248+6444	STF	676	2017.121	268.8	0.1	1.397	0.006	1	
05260–1942	HJ	3759	2017.137	318.1	0.1	26.636	0.117	1	
05261–0216	BU	1396	2017.157	21.4	0.1	4.234	0.019	1	
05276–0843	HLD	75	2017.157	89.8	0.1	6.235	0.027	1	
05278–1447	GAL	385	2017.157	87.9	0.1	18.395	0.081	1	
05279+4441	ES	1377	2017.012	191.1	0.1	4.264	0.019	1	
05285–1131	GAL	386	2017.157	341.7	0.1	21.352	0.094	1	
05288+4417	ES	1528 AB	2017.012	46.9	0.1	5.761	0.025	1	
05291–0201	D	8 AB	2017.157	48.8	0.1	5.645	0.025	1	
05291–0201	D	8 CD	2017.157	352.5	0.1	17.097	0.075	1	
05303+1101	STF	724	2017.012	253.2	0.1	6.825	0.030	1	
05307+1154	A	2705	2017.129	250.8	0.1	0.971	0.004	1	
05310–0611	STF	732	2017.138	134.9	0.1	28.147	0.124	1	
05311+7753	UC	79	2017.129	171.8	0.1	19.514	0.086	1	
05321–1452	GAL	388	2017.138	303.6	0.1	12.012	0.053	1	
05322+1703	STF	730 AB	2017.012	141.5	0.1	9.653	0.042	1	
05324–1458	GAL	389	2017.138	287.5	0.1	14.036	0.062	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
05332+6212	ES	1887	2017.121	109.3	0.1	5.426	0.024	1	
05335+1601	STF	733 AB	2017.012	41.2	0.1	12.420	0.055	1	
05346+2137	GRV	228	2017.012	351.9	0.1	12.156	0.053	1	
05347–0424	STF	743	2017.138	284.5	0.1	1.787	0.008	1	
05350–0600	STF	747 AB	2017.138	224.4	0.1	36.136	0.159	1	
05353–0523	STF	748 AB	2017.138	31.8	0.1	8.843	0.039	1	
05353–0523	STF	748 AC	2017.138	132.2	0.1	12.802	0.056	1	
05353–0523	STF	748 AD	2017.138	96.5	0.1	21.398	0.094	1	
05353–0523	STF	748 BC	2017.138	163.5	0.1	16.913	0.074	1	
05353–0523	STF	748 BD	2017.138	120.9	0.1	19.370	0.085	1	
05353–0523	STF	748 CD	2017.138	62.5	0.1	13.336	0.059	1	
05354–0525	STFA	16 AB	2017.138	94.0	0.1	52.354	0.230	1	
05354–0525	STFA	16 AC	2017.138	98.9	0.1	128.638	0.566	1	V
05354–0525	STFA	16 BC	2017.138	102.3	0.1	76.614	0.337	1	
05355–0422	STF	750	2017.138	60.5	0.1	4.247	0.019	1	
05364+2111	STF	740	2017.012	121.6	0.1	21.703	0.095	1	
05369+6330	STF	720	2017.121	169.0	0.1	6.173	0.027	1	
05370–1340	BU	1399 AB	2017.138	189.8	0.1	25.104	0.110	1	
05372+6302	STI	572	2017.121	237.6	0.1	11.456	0.050	1	
05387–0236	STF	762 AB,D	2017.138	84.8	0.1	12.825	0.056	1	
05387–0236	STF	762 AB,E	2017.138	62.1	0.1	41.429	0.182	1	
05387–0236	STF	762 DC	2017.138	252.1	0.1	23.871	0.105	1	
05387–0236	STF	762 EC	2017.138	241.3	0.1	52.996	0.233	1	V
05387–0236	STF	762 ED	2017.138	232.7	0.1	29.880	0.131	1	
05387+1746	STF	759 AB	2017.012	326.2	0.1	29.584	0.130	1	
05388+1050	AHD	24	2017.012	8.4	0.1	8.595	0.038	1	
05393+1016	STF	763 AB	2017.012	318.5	0.1	6.264	0.028	1	
05393–1751	HJ	3780 AC	2017.137	137.4	0.1	88.774	0.391	1	
05393–1751	HJ	3780 AE	2017.137	8.9	0.1	75.437	0.332	1	
05393–1751	HJ	3780 CD	2017.137	355.5	0.1	1.507	0.007	1	
05393–1751	HJ	3780 CI	2017.137	33.7	0.1	52.188	0.230	1	
05397–2026	HDO	77 AB	2017.137	123.7	0.1	10.938	0.048	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
05398–1510	GAL 197	2017.137	3.2	0.1	5.893	0.026	1	
05400+2232	AG 99	2017.012	143.7	0.1	7.621	0.034	1	
05424+7920	STF 695 AB	2017.168	161.5	0.1	10.565	0.077	2	
05424+7920	STF 695 BC	2017.173	173.0	0.1	2.110	0.009	2	
05428+6508	MLB 339	2017.121	56.9	0.1	9.265	0.041	1	
05433–2040	HJ 3791	2017.149	58.3	0.1	10.772	0.047	1	
05436+6633	STF 739 AB,D	2017.121	70.6	0.1	38.877	0.171	1	
05461+5623	STI 2108	2017.176	139.4	0.1	10.914	0.048	1	
05504+6457	MLB 340 AB	2017.121	170.2	0.1	5.876	0.026	1	
05542+4435	J 950	2017.176	61.6	0.1	4.617	0.020	1	
05557+6420	HU 1114	2017.121	87.5	0.1	1.185	0.005	1	
05563+4353	ES 1531 AB	2017.176	304.0	0.1	4.333	0.019	1	
05563+4353	WSI 44 CD	2017.176	214.8	0.1	33.576	0.148	1	
05575–1707	ARA 164	2017.149	114.2	0.1	13.257	0.058	1	
05577–0740	STF 823	2017.149	346.9	0.1	7.674	0.034	1	
05584–2039	HDO 80	2017.149	261.7	0.1	26.482	0.117	1	
05584+5859	STI 2117	2017.129	45.7	0.1	10.036	0.044	1	
05585–2010	S 504	2017.149	67.3	0.1	3.570	0.016	1	
05589–0120	STF 826	2017.149	133.1	0.1	1.946	0.009	1	
05593–1840	ARA 338	2017.149	106.7	0.1	9.782	0.043	1	
05594+1749	STT 126	2017.069	61.2	0.1	10.694	0.047	1	
05595+1522	HEI 112 AB	2017.069	35.5	0.1	49.133	0.216	1	
05595+5853	ES 9002	2017.129	49.2	0.1	11.977	0.053	1	
06000+5310	ES 896 AD	2017.129	311.0	0.1	30.399	0.134	1	
06002+4311	STF 822	2017.176	56.7	0.1	15.111	0.066	1	
06011+6337	HU 1116	2017.121	291.6	0.1	0.924	0.004	1	
06014–1008	A 2660	2017.149	315.7	0.1	5.119	0.023	1	
06019+5249	HJ 2285	2017.129	282.9	0.1	19.153	0.084	1	
06041–1541	SKI 2	2017.149	172.0	0.1	5.335	0.023	1	
06043+1525	J 1919	2017.069	173.7	0.1	6.224	0.027	1	
06045+5134	STT 128 A,BC	2017.129	15.0	0.1	39.486	0.174	1	
06049–0243	STF 839 AB	2017.149	289.9	0.1	5.050	0.022	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
06049–1423	GAL 213	2017.149	126.1	0.1	8.703	0.038	1	
06054+5420	HJ 2287	2017.129	311.6	0.1	15.403	0.068	1	
06055–1416	XMI 11	2017.149	82.3	0.1	25.506	0.112	1	
06058+1326	SLE 833 AB	2017.069	344.5	0.1	38.750	0.170	1	
06071+0020	STF 847	2017.149	261.5	0.1	24.349	0.107	1	
06074–0400	STF 850 AB	2017.149	16.2	0.1	2.144	0.009	1	
06077+1352	CLU 1	2017.069	4.1	0.1	7.154	0.031	1	
06083+1400	STF 844 AB	2017.069	10.0	0.1	23.432	0.103	1	
06083+1400	ARN 64 AC	2017.069	171.8	0.1	31.947	0.141	1	
06085+1358	STF 848 AB	2017.069	111.0	0.1	2.514	0.011	1	
06085+1358	STF 848 AD	2017.069	122.3	0.1	28.287	0.124	1	
06085+1358	STF 848 AE	2017.069	184.5	0.1	43.271	0.190	1	V
06085+1358	STF 848 BD	2017.069	123.2	0.1	26.213	0.115	1	
06085+1358	STF 848 CE	2017.069	168.0	0.1	51.123	0.225	1	
06085+1358	STF 848 DE	2017.069	224.1	0.1	39.115	0.172	1	
06085+4725	ES 579 AB	2017.176	345.0	0.1	56.274	0.248	1	
06085+4725	ES 579 AC	2017.176	117.2	0.1	7.443	0.033	1	
06090+0230	STF 855 AB	2017.149	114.6	0.1	29.137	0.128	1	
06096+1450	SLE 841	2017.069	22.4	0.1	9.391	0.041	1	
06108+5955	STI 591	2017.129	246.5	0.1	13.215	0.058	1	
06111+6759	STF 831	2017.121	78.1	0.1	11.898	0.052	1	
06116+4843	STF 845	2017.168	358.3	0.1	7.541	0.033	1	
06131+4431	BRT 113	2017.168	211.4	0.1	32.082	0.141	1	
06151+4410	KU 90	2017.168	7.8	0.1	14.490	0.064	1	
06183+6212	STF 866 AB	2017.121	196.1	0.1	17.945	0.079	1	
06205+4708	STF 884	2017.168	272.6	0.1	8.848	0.039	1	
06216–2002	HDO 82 AC	2017.138	327.0	0.1	37.669	0.166	1	
06219+5459	ES 2617	2017.129	27.3	0.1	9.287	0.041	1	
06221–1435	HJ 3850	2017.138	50.8	0.1	16.101	0.071	1	
06222–1636	S 517 AB	2017.138	192.6	0.1	22.900	0.101	1	
06226+4618	BRT 93	2017.168	325.0	0.1	5.607	0.025	1	
06244–1613	S 518	2017.138	88.2	0.1	16.499	0.073	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
06249–1943	HO	339	2017.138	192.6	0.1	5.386	0.024	1	
06259+5153	STF	896 AB	2017.129	82.3	0.1	18.157	0.080	1	
06259+5153	STF	896 AC	2017.129	321.6	0.1	41.953	0.185	1	
06263–1536	WFC	35	2017.138	353.3	0.1	8.321	0.037	1	
06284+4018	MLB	62	2017.168	183.3	0.1	6.472	0.028	1	
06287–1021	HJ	2318 AB,C	2017.138	287.5	0.1	19.032	0.084	1	
06288–0702	STF	919 AB	2017.138	133.2	0.1	7.093	0.031	1	
06288–0702	STF	919 AC	2017.138	126.1	0.1	9.896	0.044	1	
06288–0702	STF	919 BC	2017.138	108.8	0.1	2.984	0.013	1	
06289–1408	GAL	404	2017.138	282.7	0.1	12.124	0.053	1	
06290+6511	MLB	341	2017.121	232.5	0.1	6.179	0.027	1	
06294–1749	HJ	3865	2017.138	67.1	0.1	23.407	0.103	1	
06296+7301	HJ	2308	2017.121	225.1	0.1	36.567	0.161	1	
06311–2037	ARA	863	2017.138	189.2	0.1	11.693	0.051	1	
06314–2038	HJ	2321	2017.138	306.3	0.1	5.311	0.023	1	
06319+4542	ARG	14	2017.168	243.3	0.1	6.298	0.028	1	
06319+6456	MLB	342	2017.121	356.2	0.1	6.210	0.027	1	
06320+5817	ES	66	2017.129	277.8	0.1	2.461	0.011	1	
06329+5314	ES	712	2017.129	252.5	0.1	5.081	0.022	1	
06334+5231	STF	917	2017.168	231.4	0.1	27.720	0.122	1	
06335+4822	UC	1450 AB	2017.168	81.9	0.1	52.373	0.230	1	
06339+4424	WFC	37	2017.168	248.8	0.1	9.853	0.043	1	
06340+5228	STF	918 AB	2017.130	336.2	0.1	4.858	0.021	1	
06357+8232	HU	828	2017.121	132.9	0.1	1.627	0.007	1	
06367+4404	ES	582 AB	2017.168	79.6	0.1	23.843	0.105	1	
06367+4404	ES	582 BC	2017.168	301.4	0.1	6.630	0.029	1	
06368+4108	STF	933	2017.168	75.9	0.1	25.605	0.113	1	
06373+3826	STF	940	2017.187	294.8	0.1	10.306	0.045	1	
06380–1929	ARA	548	2017.157	310.3	0.1	10.303	0.045	1	
06381+3928	ALI	1076	2017.187	134.5	0.1	10.291	0.045	1	
06385+5218	STF	935	2017.130	324.5	0.1	3.571	0.016	1	
06387+4135	STF	941 AB	2017.168	84.4	0.1	1.875	0.008	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
06398–0358	WFC 39	2017.157	294.2	0.1	9.717	0.043	1	
06399+7938	STF 893	2017.121	54.1	0.1	17.878	0.079	1	
06405–0331	FAB 6 AB	2017.157	18.9	0.1	18.127	0.080	1	
06405–0331	SKF 404 AC	2017.157	83.8	0.1	19.730	0.087	1	
06406+0402	BAL 2687	2017.012	165.5	0.1	18.278	0.080	1	
06407–0051	BAL 703	2017.157	54.0	0.1	11.176	0.049	1	
06408–1811	ARA 348	2017.157	69.5	0.1	12.554	0.055	1	
06408+4815	STF 944 AB	2017.168	59.2	0.1	6.406	0.028	1	
06412–0759	PRT 9001 CD	2017.157	168.3	0.1	21.586	0.095	1	
06412–0759	S 532 AC	2017.157	190.4	0.1	11.407	0.050	1	
06422+0409	BAL 2691 AB	2017.012	63.9	0.1	22.600	0.099	1	
06426–0934	GAL 410	2017.157	26.8	0.1	19.785	0.087	1	
06427–1257	GAL 412	2017.157	179.5	0.1	14.595	0.064	1	
06429+0026	BAL 1015	2017.157	123.4	0.1	12.847	0.057	1	
06431+0416	BAL 2695	2017.012	235.1	0.1	19.705	0.087	1	
06438+0031	J 1969 AB	2017.157	78.9	0.1	10.129	0.045	1	
06438+0031	BAL 1021 AC	2017.157	61.4	0.1	17.044	0.075	1	
06438+0031	BAL 1021 BC	2017.157	38.9	0.1	7.990	0.035	1	V
06439–1008	GWP 828	2017.157	123.3	0.1	49.450	0.218	1	
06442+0431	BAL 2697	2017.012	149.6	0.1	4.989	0.022	1	
06443+4414	ES 1383	2017.168	338.7	0.1	2.622	0.012	1	
06444+0014	BAL 1026	2017.157	39.0	0.1	16.855	0.074	1	
06446–1516	GAL 414	2017.157	144.2	0.1	15.214	0.067	1	
06447–0002	BAL 1027 AB	2017.157	127.4	0.1	18.404	0.081	1	
06447–0002	BAL 1029 AC	2017.157	219.1	0.1	12.083	0.053	1	
06447–0002	BAL 1029 BC	2017.157	274.7	0.1	22.266	0.098	1	
06462+3627	ES 175	2017.187	82.8	0.1	6.591	0.029	1	
06462+4956	ES 2619	2017.168	287.4	0.1	10.094	0.044	1	
06462+5927	STF 948 AC	2017.121	309.5	0.1	8.680	0.038	1	
06481+4619	CBL 113	2017.176	316.8	0.1	12.302	0.054	1	
06483+4105	A 2359 AB	2017.176	247.7	0.1	2.311	0.010	1	
06483+4105	H 2 71 AC	2017.176	48.1	0.1	8.102	0.036	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
06483+4105	H 2	71 AD	2017.176	211.2	0.1	43.155	0.190	1	
06483+4105	H 2	71 DE	2017.176	108.7	0.1	13.857	0.061	1	
06504+4345	STF	964	2017.176	182.7	0.1	1.569	0.007	1	
06505+6557	MLB	1067	2017.121	210.3	0.1	12.664	0.056	1	
06512+4030	ES	67	2017.176	308.6	0.1	5.569	0.025	1	
06530+5708	STI	2164	2017.130	264.8	0.1	10.476	0.046	1	
06549+0930	STF	986	2017.195	164.0	0.1	5.352	0.024	1	
06553+4037	SMA	65	2017.187	11.7	0.1	23.438	0.103	1	
06555+6030	ES	1892	2017.121	289.9	0.1	7.784	0.034	1	
06558+5205	HJ	2348	2017.130	207.2	0.1	28.689	0.126	1	
06558+5433	UC	95	2017.130	317.2	0.1	35.661	0.157	1	
06561+4041	SMA	67	2017.187	345.6	0.1	23.629	0.104	1	
06561+4912	KU	91	2017.176	211.1	0.1	46.789	0.206	1	
06565+4004	KUI	27 AB	2017.187	6.8	0.1	37.808	0.166	1	
06566+4632	STF	979	2017.176	210.8	0.1	7.541	0.033	1	
06580+4129	MLB	1069	2017.176	182.4	0.1	11.657	0.051	1	
06587+4739	UC	100	2017.176	148.2	0.1	20.524	0.090	1	
07001+7938	PRZ	6 AB	2017.121	177.5	0.1	4.463	0.020	1	
07001+7938	PRZ	6 AC	2017.121	136.4	0.1	45.580	0.201	1	
07002+4259	STF	996 AB	2017.200	167.9	0.0	9.752	0.013	2	
07002+4259	STF	996 BC	2017.206	314.7	0.1	22.596	0.091	2	
07009+5651	KR	29 AB	2017.168	356.8	0.1	6.353	0.028	1	
07018+6617	MLB	400	2017.121	58.2	0.1	2.167	0.010	1	
07031+5410	STF	1001 AB	2017.130	66.9	0.1	9.092	0.040	1	
07031+5410	WNO	18 A,BC	2017.130	63.2	0.1	9.265	0.041	1	
07031+5410	STF	1001 AC	2017.130	59.1	0.1	9.910	0.044	1	
07031+5410	STF	1001 BC	2017.130	6.3	0.1	1.612	0.007	1	
07042+4957	ES	900	2017.195	53.2	0.1	10.210	0.045	1	
07042+5626	STF	1002 AB,C	2017.130	318.5	0.1	30.225	0.133	1	
07052+4152	A	2463	2017.195	214.2	0.1	4.164	0.018	1	
07053+0151	BAL	1764	2017.099	84.9	0.1	15.277	0.067	1	
07053–1638	SKI	4	2017.206	337.3	0.1	4.422	0.019	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
07053+2309	POU 2405	2017.099	18.2	0.1	7.342	0.032	1	
07055+5641	STI 2174	2017.168	96.0	0.1	11.575	0.051	1	
07056+0524	J 2778	2017.099	309.6	0.1	5.858	0.026	1	
07056+2027	SLE 400	2017.099	354.4	0.1	23.382	0.103	1	
07057+2608	STF 1014	2017.099	221.0	0.1	1.958	0.009	1	
07059−1041	OL 208	2017.206	79.8	0.1	5.378	0.024	1	
07061−1257	HU 48	2017.206	150.9	0.1	2.634	0.012	1	
07064−0426	XMI 39	2017.206	303.3	0.1	13.503	0.059	1	
07066+3142	ES 340	2017.099	140.7	0.1	5.513	0.024	1	
07069+6233	STF 1006 AB	2017.121	75.6	0.1	28.635	0.126	1	
07077−0110	BAL 407	2017.100	240.5	0.1	20.088	0.088	1	
07079−0441	STF 1029	2017.206	27.0	0.1	1.640	0.007	1	
07081−0801	DAM 839	2017.206	225.1	0.1	13.170	0.058	1	
07081+7341	PRZ 7	2017.121	189.6	0.1	4.535	0.020	1	
07083−1037	STF 1028	2017.206	303.9	0.1	10.983	0.048	1	
07083−1310	HJ 3930	2017.206	73.5	0.1	15.305	0.067	1	
07086−1359	STF 1031 AB	2017.206	251.6	0.1	3.510	0.015	1	
07086−1738	FAB 8	2017.206	43.8	0.1	22.003	0.097	1	
07087−2027	ARA 892	2017.206	250.4	0.1	10.524	0.046	1	
07088−0841	STF 1030	2017.206	45.3	0.1	15.789	0.069	1	
07091+1642	XMI 45	2017.099	113.3	0.1	13.391	0.059	1	
07092−0040	BAL 766	2017.100	42.6	0.1	16.164	0.071	1	
07093−0040	BAL 767	2017.099	215.7	0.1	12.855	0.057	1	
07093−1606	ARA 2	2017.206	80.8	0.1	11.557	0.051	1	
07094−0819	STF 1034	2017.206	10.1	0.1	2.372	0.010	1	
07095−2012	HDO 101 AB	2017.206	199.7	0.1	12.096	0.053	1	
07096+3134	SEI 472	2017.099	185.9	0.1	18.205	0.080	1	
07096+3333	GRV 728	2017.099	232.5	0.1	20.980	0.092	1	
07097−0012	BAL 768	2017.099	276.2	0.1	12.723	0.056	1	
07097−1541	DAM 742	2017.206	130.4	0.1	15.810	0.070	1	
07099+5806	HJ 2359	2017.130	19.6	0.1	30.196	0.133	1	
07100−0804	DAM 843	2017.206	199.0	0.1	18.916	0.083	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
07101+0454	BAL 3006	2017.099	24.3	0.1	7.896	0.035	1	
07102–0617	STF 1036 AB	2017.206	102.7	0.1	17.385	0.076	1	
07102–0617	STF 1036 BC	2017.206	183.1	0.1	10.782	0.047	1	
07104–0406	BU 1279 AB	2017.206	12.2	0.1	1.166	0.005	1	
07104–0409	ARN 44	2017.206	70.7	0.1	46.435	0.204	1	
07108+0418	BAL 2744	2017.099	167.7	0.1	13.633	0.060	1	
07111+4954	ES 2622 AB	2017.187	127.2	0.1	46.690	0.205	1	
07119+5730	STF 1020	2017.130	285.4	0.1	13.309	0.059	1	
07120+3112	SEI 473 AB	2017.099	60.8	0.1	13.055	0.057	1	
07120+3112	BKO 109 AC	2017.099	263.1	0.1	11.481	0.051	1	
07126+0340	BAL 2256	2017.099	170.4	0.1	18.412	0.081	1	
07142+0412	STF 1048	2017.184	350.9	0.1	6.014	0.026	1	
07148+5233	STF 1033 AB	2017.130	278.0	0.1	1.538	0.007	1	
07150+1101	HJ 753	2017.184	5.0	0.1	22.706	0.100	1	
07153–0033	BAL 785 AB	2017.184	100.1	0.1	6.739	0.030	1	
07154–0126	DAL 13	2017.184	339.0	0.1	36.499	0.161	1	
07156–0152	STF 1056	2017.184	299.1	0.1	3.885	0.017	1	
07159+4209	STF 1042 AB	2017.187	42.7	0.1	11.924	0.052	1	
07163+0428	BAL 2752 AB	2017.184	199.8	0.1	20.793	0.091	1	
07163+0428	BKO 26 AC	2017.184	238.9	0.1	38.778	0.171	1	
07181+0421	STF 1063 AB	2017.184	290.5	0.1	51.563	0.227	1	
07181+0421	STF 1063 A,BC	2017.184	287.2	0.1	51.994	0.229	1	
07181+0421	STF 1063 AC	2017.184	282.6	0.1	52.904	0.233	1	
07181+0421	STF 1063 BC	2017.184	207.5	0.1	7.116	0.031	1	
07185+0550	A 2859 AB,C	2017.184	194.8	0.1	8.215	0.036	1	
07192+5920	STI 640	2017.195	118.0	0.1	10.598	0.047	1	
07198–0035	BAL 794	2017.184	70.5	0.1	13.095	0.058	1	
07198+1322	STF 1068 AB	2017.184	348.5	0.1	4.191	0.018	1	
07199+5455	STF 1050 AB	2017.130	21.3	0.1	19.319	0.085	1	
07202+4820	HU 619 AB,C	2017.187	270.0	0.1	16.347	0.072	1	
07205+6832	STF 1038	2017.126	99.6	0.1	11.462	0.022	2	
07209+4336	BRT 97	2017.187	346.4	0.1	4.696	0.021	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
07223+5009	STF	1065	2017.199	255.5	0.1	14.857	0.010	2	
07229+5517	STF	1062 AB	2017.190	316.3	0.0	14.762	0.012	2	
07231+5835	STI	2188	2017.190	173.1	0.1	13.029	0.027	2	
07253+5507	STI	2187 AB	2017.190	283.7	0.1	14.393	0.007	2	
07264+4611	ES	1242	2017.197	277.0	0.1	7.940	0.015	2	
07264+6929	STF	1059 AB	2017.198	309.5	0.0	25.615	0.034	2	
07266+7305	STF	1051 AC	2017.138	84.8	0.0	31.697	0.013	2	
07272+6255	STI	644	2017.126	28.7	0.0	14.268	0.008	2	
07285+4245	STF	1086	2017.203	104.0	0.0	12.170	0.001	2	
07288+5212	HJ	2380	2017.182	281.8	0.4	10.737	0.023	2	
07292+1421	STTA	86	2017.222	349.3	0.1	55.593	0.245	1	
07294+1132	STF	1099	2017.222	344.2	0.1	3.889	0.017	1	
07303+4136	ES	586	2017.195	22.6	0.1	13.408	0.059	1	
07309+2441	HJ	424 AC	2017.223	337.9	0.1	11.821	0.052	1	
07312+1859	BRT	2376	2017.223	127.1	0.1	4.803	0.021	1	
07312+2343	POU	2822 AB	2017.223	38.3	0.1	12.158	0.053	1	
07312+2343	POU	2822 BC	2017.223	202.1	0.1	28.409	0.125	1	C
07313+1619	STF	1106	2017.222	34.6	0.1	10.683	0.047	1	
07319+5009	STF	1096	2017.176	326.9	0.1	29.073	0.128	1	
07323+6440	MLB	196	2017.121	328.3	0.1	8.017	0.035	1	
07326+7202	HJ	2376	2017.130	265.4	0.1	16.960	0.075	1	
07328+2253	STF	1108	2017.223	179.4	0.1	11.705	0.052	1	
07331+2255	POU	2828	2017.223	19.1	0.1	20.167	0.089	1	
07345+1724	SLE	422	2017.222	269.2	0.1	23.473	0.103	1	
07352+1859	SLE	424	2017.222	190.9	0.1	10.980	0.048	1	
07355+1424	BRT	1236	2017.222	253.2	0.1	4.725	0.021	1	
07357+4303	MAD	3	2017.195	120.6	0.1	3.603	0.016	1	
07400–0336	BGH	3 AB	2017.149	113.3	0.1	57.913	0.255	1	
07402–2027	ARA	974	2017.157	136.5	0.1	11.375	0.050	1	
07406+4930	SKF	110 AB	2017.195	79.3	0.1	22.588	0.099	1	
07406+4930	SKF	110 AC	2017.195	71.3	0.1	44.512	0.196	1	
07407–1425	XMI	69 AB	2017.149	88.5	0.1	10.552	0.046	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
07415+3325	STF 1123	2017.203	168.3	0.1	3.544	0.016	1	
07422–0331	STF 1132	2017.149	234.6	0.1	20.106	0.088	1	
07426–0402	STF 1133	2017.149	108.0	0.1	4.250	0.019	1	
07434–1542	XMI 72	2017.149	169.6	0.1	16.299	0.072	1	
07442+4934	ES 1082	2017.187	318.8	0.1	5.624	0.025	1	
07446–1717	A 3095 AB	2017.149	281.7	0.1	16.626	0.073	1	
07446+6245	LDS 2548	2017.130	129.4	0.1	16.660	0.073	1	
07447–1408	BRT 1892	2017.149	331.9	0.1	6.373	0.028	1	
07455–1441	STF 1138 AB	2017.149	340.5	0.1	16.788	0.074	1	
07457–1720	POC 1 AB	2017.149	60.5	0.1	4.990	0.022	1	
07458+6053	STF 1125	2017.130	342.6	0.1	23.295	0.102	1	
07459+6509	STF 1122	2017.121	187.0	0.1	14.916	0.066	1	
07461–0832	HJ 2416	2017.149	114.6	0.1	9.915	0.044	1	
07466+4556	ES 587	2017.195	84.1	0.1	5.087	0.022	1	
07469+6331	MLB 198	2017.121	318.8	0.1	4.998	0.022	1	
07470+3832	PTT 11	2017.203	6.2	0.1	4.634	0.020	1	
07470+6403	STF 1127 AB	2017.121	339.7	0.1	5.461	0.024	1	
07470+6403	STF 1127 AC	2017.121	178.7	0.1	11.677	0.051	1	
07470+6403	STF 1127 BC	2017.121	172.6	0.1	16.958	0.075	1	
07474+4718	ES 588	2017.195	307.1	0.1	2.542	0.011	1	
07492–1020	SKF 63	2017.149	42.9	0.1	8.747	0.038	1	
07492+3706	STF 1139	2017.203	34.8	0.1	17.281	0.076	1	
07494–1750	ARA 198	2017.149	127.0	0.1	13.642	0.060	1	
07510–0307	STF 1152	2017.149	313.5	0.1	6.033	0.027	1	
07510–1107	GWP 939	2017.149	55.9	0.1	41.574	0.183	1	
07524–1752	RST 2507 A,BC	2017.149	130.0	0.1	16.599	0.073	1	
07527+0323	STT 182	2017.138	9.3	0.1	0.929	0.004	1	
07531+0906	AG 145	2017.138	248.7	0.1	5.082	0.022	1	
07540+1457	WEI 17	2017.138	96.3	0.1	7.020	0.031	1	
07540–1534	XMI 75	2017.157	140.0	0.1	15.022	0.066	1	
07541–1838	ARA 390	2017.157	141.3	0.1	10.374	0.046	1	
07544–1748	HJ 4015	2017.157	229.5	0.1	20.270	0.089	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
07548–1648	ARA	47	2017.157	72.7	0.1	12.216	0.054	1	
07548+4309	ES	590	2017.187	73.4	0.1	7.741	0.034	1	
07552+4134	WEI	16 AB	2017.187	38.5	0.1	22.770	0.100	1	
07564+6522	PKO	7	2017.121	242.2	0.1	13.410	0.059	1	
07567–1006	XMI	76	2017.138	206.5	0.1	23.119	0.102	1	
07570+3620	GRV	744	2017.203	193.9	0.1	43.524	0.192	1	
07575–1324	BRT	2695	2017.157	311.5	0.1	4.556	0.020	1	C
07576–1618	HJ	771	2017.157	114.3	0.1	13.089	0.058	1	
07576–1917	ARA	624	2017.157	24.8	0.1	10.437	0.046	1	
07589+7044	STF	1148	2017.121	222.6	0.1	39.109	0.172	1	
07598+1341	STF	1170	2017.138	108.3	0.1	2.366	0.010	1	
08003+1138	HJ	74	2017.138	294.4	0.1	9.393	0.041	1	
08008–1621	ARA	50	2017.157	7.3	0.1	12.626	0.056	1	
08014–1722	ARA	206	2017.157	82.2	0.1	10.073	0.044	1	
08034–1312	STF	1178	2017.157	330.4	0.1	5.179	0.023	1	
08037–2022	ARA	1025	2017.157	297.5	0.1	14.020	0.062	1	
08042+4918	HU	713	2017.195	310.1	0.1	4.507	0.020	1	
08043–1815	ARA	207	2017.157	150.6	0.1	15.700	0.069	1	
08047+4717	STF	1174 AB,C	2017.187	214.4	0.1	5.874	0.026	1	
08053–1549	HJ	775	2017.157	178.6	0.1	11.205	0.049	1	
08054+0550	STF	1182	2017.138	74.6	0.1	4.717	0.021	1	
08054+0812	STF	1181	2017.138	141.5	0.1	5.150	0.023	1	
08056–1802	ARA	209	2017.157	100.9	0.1	14.594	0.064	1	
08059–0146	AG	148	2017.138	176.9	0.1	6.802	0.030	1	
08064+4159	STF	1176	2017.187	30.8	0.1	22.574	0.099	1	
08065–0915	STF	1183 AB	2017.138	327.9	0.1	30.575	0.135	1	
08067+3354	STF	1180 AB	2017.203	258.2	0.1	23.747	0.104	1	
08074+1145	J	1002	2017.138	118.4	0.1	2.223	0.010	1	
08076+1259	SLE	463	2017.138	166.3	0.1	10.972	0.048	1	
08080+4611	ES	1144 AB	2017.187	337.0	0.1	6.501	0.029	1	
08092–0642	BU	583	2017.138	72.9	0.1	1.835	0.008	1	
08092+1202	J	376	2017.138	284.8	0.1	2.144	0.009	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
08094+3752	STF 1184 AB	2017.203	341.7	0.1	27.054	0.119	1	
08101+0403	AG 150	2017.138	31.2	0.1	5.051	0.022	1	
08108–1635	XMI 80	2017.157	29.9	0.1	20.720	0.091	1	
08109–0455	A 335	2017.138	126.5	0.1	1.363	0.006	1	
08121–1540	HJ 4050	2017.157	304.3	0.1	23.111	0.102	1	
08122–0150	J 421	2017.138	285.2	0.1	3.441	0.015	1	
08122+1739	STF 1196 AC	2017.153	62.9	0.7	6.112	0.082	2	
08122+1739	STF 1196 BC	2017.121	70.2	0.1	5.524	0.024	1	
08137+0407	ARG 68	2017.184	326.3	0.1	51.803	0.228	1	
08137–1707	ARA 54	2017.242	89.7	0.1	11.038	0.049	1	
08138+3346	AG 151	2017.203	149.6	0.1	6.362	0.028	1	
08140+5423	STI 2204	2017.130	210.7	0.1	11.008	0.048	1	
08147+0438	WSI 162	2017.184	250.0	0.1	20.785	0.091	1	
08159+3829	STF 1204	2017.203	103.7	0.1	11.540	0.051	1	
08160+4946	STF 1200	2017.176	181.3	0.1	8.364	0.037	1	
08166–1638	ARA 56	2017.242	351.5	0.1	11.230	0.049	1	
08167+4053	ES 593 AB	2017.176	345.3	0.1	20.842	0.092	1	
08167+4053	ES 593 AC	2017.176	334.4	0.1	17.826	0.078	1	
08167+4053	ES 593 BC	2017.176	210.6	0.1	4.799	0.021	1	
08169–0448	HJ 86 AB	2017.258	228.7	0.1	17.203	0.076	1	
08174–1146	XMI 83	2017.242	347.3	0.1	17.550	0.077	1	
08179–1015	BRT 543	2017.242	6.9	0.1	16.635	0.073	1	
08185–1113	J 1514 AB	2017.242	39.9	0.1	7.286	0.032	1	
08211+4725	STT 190 AC	2017.176	169.1	0.1	38.595	0.170	1	
08211+4725	STT 190 DC	2017.176	127.3	0.1	102.684	0.452	1	
08212+0423	BAL 2815	2017.184	84.7	0.1	10.377	0.046	1	
08212+3758	PTT 21	2017.203	182.7	0.1	4.515	0.020	1	
08213–1335	J 2876 AB	2017.242	153.9	0.1	5.275	0.023	1	
08213–1335	J 2876 AC	2017.242	37.9	0.1	13.340	0.059	1	
08213–1335	J 2876 BD	2017.242	0.0	0.1	19.361	0.085	1	
08213–1335	J 2876 CD	2017.242	305.0	0.1	7.147	0.031	1	
08216–1120	BRT 3206	2017.242	89.8	0.1	4.154	0.018	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
08226–1041	HU	116 AB	2017.242	170.5	0.1	1.925	0.008	1	
08226–1041	HJ	784 AC	2017.242	11.4	0.1	18.266	0.080	1	
08244+3229	SEI	495	2017.203	2.5	0.1	9.388	0.041	1	
08247–1831	J	1519	2017.242	322.6	0.1	5.901	0.026	1	
08253+2421	STF	1220	2017.184	215.6	0.1	29.112	0.128	1	
08255–0207	A	1336	2017.258	207.6	0.1	5.745	0.025	1	
08258+0557	SCJ	9	2017.184	332.5	0.1	3.815	0.017	1	
08267+2432	STF	1224 A,BC	2017.184	52.4	0.1	5.709	0.025	1	
08268+0226	STF	1229	2017.184	115.8	0.1	21.551	0.095	1	
08287–0018	BAL	1137	2017.184	190.6	0.1	5.712	0.025	1	
08287–1732	ARG	20	2017.242	173.9	0.1	15.046	0.066	1	
08298–1015	HJ	789	2017.258	47.2	0.1	10.171	0.045	1	
08298+5112	STF	1225	2017.130	193.3	0.1	3.709	0.016	1	
08319–1821	FEN	15	2017.242	163.3	0.1	5.209	0.023	1	
08324–0056	HJ	96 AB	2017.184	21.6	0.1	39.467	0.174	1	
08358+0637	STF	1245 AB	2017.184	25.3	0.1	10.048	0.044	1	
08366–1846	ARA	402	2017.242	156.5	0.1	13.308	0.059	1	
08372+5557	STI	2209	2017.130	66.4	0.1	12.010	0.053	1	
08395+5403	STI	2212	2017.176	162.5	0.1	7.525	0.033	1	
08399+1933	S	571 AC	2017.184	157.0	0.1	45.256	0.199	1	
08402+4117	STF	1251	2017.176	30.8	0.1	6.616	0.029	1	
08402+5147	STF	1250 AB	2017.130	168.2	0.1	21.408	0.094	1	
08420+2348	STF	1262	2017.100	202.5	0.1	6.873	0.030	1	
08420+6201	STF	1248	2017.121	210.2	0.1	18.315	0.081	1	
08430–0242	HO	355	2017.242	149.6	0.1	0.761	0.003	1	
08439+1337	STF	1265	2017.100	311.5	0.1	5.680	0.025	1	
08445+2012	SLE	339	2017.100	121.4	0.1	6.709	0.030	1	
08445+2827	STF	1266	2017.258	65.3	0.1	23.372	0.103	1	
08453–0236	STF	1270	2017.168	265.2	0.1	4.649	0.020	1	
08466+3829	STF	1259	2017.203	341.9	0.1	5.060	0.022	1	
08473+6422	MLB	202	2017.121	132.6	0.1	6.411	0.028	1	
08489+7201	STF	1253	2017.121	247.1	0.1	26.010	0.114	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
08490+3821	STF 1274	2017.203	41.4	0.1	9.055	0.040	1	
08491+6632	MLB 345	2017.121	266.4	0.1	4.528	0.020	1	
08500+1752	KU 33	2017.100	99.6	0.1	8.631	0.038	1	
08501+3712	MLB 840	2017.203	135.6	0.1	7.013	0.031	1	
08505+2308	AG 157	2017.100	77.1	0.1	2.279	0.010	1	
08507+4921	STF 1278 AB	2017.168	127.7	0.1	8.484	0.037	1	
08508+3504	STF 1282 AB	2017.203	279.4	0.1	3.442	0.015	1	
08519+6308	KR 32	2017.121	15.3	0.1	4.934	0.022	1	
08529+1957	TDS 6160	2017.100	323.2	0.1	9.293	0.041	1	
08538–0035	STF 1292 AB	2017.100	188.7	0.1	6.103	0.027	1	
08540+0825	STT 195	2017.100	139.3	0.1	9.824	0.043	1	
08542–0846	BU 24	2017.242	174.9	0.1	1.131	0.005	1	
08542+3035	STF 1291 AB	2017.258	310.3	0.1	1.505	0.007	1	
08547+4954	ARG 71	2017.168	338.3	0.1	5.297	0.023	1	
08553+4656	HJ 1163	2017.168	173.2	0.1	16.845	0.074	1	
08555–0758	STF 1295	2017.242	4.8	0.1	4.026	0.018	1	
08594+5358	STF 1293	2017.130	93.2	0.1	18.606	0.082	1	
08596–0758	J 2892	2017.242	150.7	0.1	7.563	0.033	1	
08599–0135	HJ 111	2017.100	244.1	0.1	24.616	0.108	1	
09005+2244	STF 1297 AB	2017.100	160.6	0.1	5.011	0.022	1	
09011+1253	HJ 113	2017.100	211.8	0.1	28.933	0.127	1	
09012+0245	STF 1302 AB	2017.100	237.0	0.1	2.683	0.012	1	
09013+4843	ES 1083	2017.168	337.1	0.1	6.324	0.028	1	
09032–0337	J 384	2017.242	212.9	0.1	2.852	0.013	1	
09042–1152	BRT 3209	2017.242	174.3	0.1	4.055	0.018	1	
09043+0511	ALD 85	2017.258	37.0	0.1	2.676	0.012	1	
09051+3931	AG 160	2017.203	60.1	0.1	3.871	0.017	1	
09057+3227	AG 161	2017.258	225.0	0.1	4.349	0.019	1	
09061+3537	WLY 4	2017.203	256.2	0.1	31.967	0.141	1	
09067+5038	HU 722	2017.195	243.5	0.1	0.504	0.002	1	
09071+3037	AG 162	2017.203	107.2	0.1	4.056	0.018	1	
09072–0357	A 342	2017.223	151.5	0.1	5.590	0.025	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
09074–1543	HJ	4174	2017.206	260.5	0.1	9.362	0.041	1	
09078–0013	SCJ	12	2017.223	261.6	0.1	6.560	0.029	1	
09079–0708	STF	1316 AB	2017.223	137.0	0.1	7.151	0.031	1	
09081+4510	HJ	1164 AB	2017.195	173.6	0.1	6.028	0.027	1	
09082+2353	POU	3029	2017.223	316.1	0.1	8.100	0.036	1	
09094–1535	PTT	12	2017.206	128.6	0.1	18.456	0.081	1	
09103+5223	STF	1312	2017.130	148.8	0.1	4.708	0.021	1	
09104+2916	BOH	1	2017.223	151.0	0.1	11.042	0.049	1	
09104+5441	STI	2223	2017.130	34.3	0.1	11.237	0.049	1	
09115–2049	ARA	1064	2017.157	262.8	0.1	12.124	0.053	1	
09115+2801	HJ	805 AB	2017.223	70.1	0.1	8.760	0.039	1	
09121+5357	STI	2225	2017.130	160.7	0.1	5.455	0.024	1	
09122–0729	A	2972	2017.223	340.9	0.1	4.329	0.019	1	
09127+1632	STF	1322	2017.223	53.7	0.1	1.767	0.008	1	
09129+2420	BRT	155 AB	2017.223	270.1	0.1	4.548	0.020	1	
09129+5259	UC	1765	2017.130	164.6	0.1	14.167	0.062	1	
09134+2246	POU	3035	2017.223	155.9	0.1	13.151	0.058	1	
09137+1109	HJ	122	2017.223	91.9	0.1	9.899	0.044	1	
09137+6959	STF	1313	2017.121	283.4	0.1	1.050	0.005	1	
09147–0212	BAL	517	2017.223	49.8	0.1	4.921	0.022	1	
09156–2016	PTT	15	2017.206	259.8	0.1	12.532	0.055	1	
09161–0821	BU	212	2017.223	198.8	0.1	1.559	0.007	1	
09175+7949	STF	1305 AB	2017.121	1.0	0.1	1.496	0.007	1	
09176+3641	ES	1734	2017.203	69.9	0.1	2.391	0.011	1	
09184+3522	STF	1333	2017.203	49.8	0.1	1.908	0.008	1	
09186–1712	A	3076	2017.206	283.0	0.1	1.046	0.005	1	
09188–1025	A	125 AC	2017.206	80.5	0.1	52.207	0.230	1	
09188+5729	STI	2227	2017.130	164.8	0.1	4.312	0.019	1	
09190+4438	ES	1148	2017.195	31.9	0.1	5.655	0.025	1	
09191–2026	B	773 AB,C	2017.206	225.4	0.1	5.694	0.025	1	
09208+6121	STF	1331 AB	2017.121	153.3	0.1	0.890	0.004	1	
09210–1955	ARA	656	2017.206	340.4	0.1	12.797	0.056	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
09215+1943	A	127	2017.223	32.4	0.1	1.477	0.007	1	
09224–2047	OL	130	2017.206	270.4	0.1	3.227	0.014	1	
09226–1239	XMI	91	2017.206	28.4	0.1	14.962	0.066	1	
09229–0753	BRT	428	2017.223	191.6	0.1	4.346	0.019	1	
09235+3908	STF	1344	2017.203	103.8	0.1	3.778	0.017	1	
09245+0621	STF	1348 AB	2017.223	314.8	0.1	1.932	0.008	1	
09247+3641	VBS	16	2017.203	283.3	0.1	1.590	0.007	1	
09249–1034	J	1547	2017.206	14.9	0.1	9.024	0.040	1	
09252+1449	HU	869	2017.223	276.9	0.1	0.748	0.003	1	
09257–1917	XMI	92 AB	2017.206	44.9	0.1	16.776	0.074	1	
09257–1917	XMI	92 AC	2017.206	271.9	0.1	30.087	0.132	1	
09261+1332	HJ	136	2017.223	307.5	0.1	38.997	0.172	1	
09271–1716	SKI	6	2017.206	358.0	0.1	6.361	0.028	1	
09277+1545	STF	1353	2017.184	126.4	0.1	3.277	0.014	1	
09278–1256	BRT	2719	2017.272	356.2	0.1	4.446	0.020	1	
09287+7834	LDS	1696	2017.145	237.3	0.9	3.039	0.016	2	
09297–1435	LDS	3898	2017.280	258.3	0.1	33.680	0.148	1	
09297+2833	BRT	18	2017.203	94.9	0.1	3.535	0.016	1	
09310–1544	BU	339	2017.280	252.4	0.1	1.290	0.006	1	
09315+0128	STF	1365	2017.184	156.9	0.1	3.347	0.015	1	
09330+5615	STF	1359 AB	2017.138	54.3	0.0	7.526	0.008	2	
09338–1020	A	131 AB	2017.272	322.1	0.1	0.891	0.004	1	
09357+5004	HU	565	2017.159	4.0	0.1	1.992	0.002	2	
09357+5318	STF	1366	2017.138	321.7	0.0	8.194	0.004	2	
09361+5318	STF	1368	2017.204	221.3	0.0	21.678	0.027	2	
09365–1728	RST	3650	2017.280	255.9	0.1	0.956	0.004	1	
09368+1914	HJ	468	2017.184	305.5	0.1	15.974	0.070	1	
09381+6249	ES	1902	2017.122	269.6	0.1	9.073	0.040	1	
09385+3051	ES	429	2017.203	15.3	0.1	4.007	0.018	1	
09400–1710	STN	19 AB	2017.157	266.0	0.1	2.912	0.013	1	
09403+5417	STI	2233	2017.159	174.7	0.2	3.822	0.020	2	
09405–1509	J	1555	2017.157	293.5	0.1	8.540	0.038	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
09413–1818	UC 1821	2017.157	178.5	0.1	39.873	0.175	1	
09424–0750	BRT 547	2017.280	224.4	0.1	4.003	0.018	1	
09424–1643	J 2071	2017.157	248.1	0.1	10.903	0.048	1	
09427+6016	HU 229	2017.199	182.1	0.2	0.960	0.004	2	
09431+3824	ALI 846	2017.203	95.4	0.1	20.551	0.090	1	
09435+0612	A 2761	2017.272	251.7	0.1	1.047	0.005	1	
09435–1422	BRT 1910	2017.280	158.5	0.1	4.873	0.021	1	
09476+5057	HU 630	2017.248	74.1	0.3	2.168	0.001	2	
09483–1448	BRT 575	2017.280	70.0	0.1	6.499	0.029	1	
09500+0148	A 2560	2017.272	17.8	0.1	1.092	0.005	1	
09509+5812	KR 33	2017.130	214.3	0.1	2.009	0.009	1	
09521+0249	A 2561 AB	2017.272	311.0	0.1	1.174	0.005	1	
09522+5537	STI 2237	2017.159	116.9	0.1	9.156	0.018	2	
09537–1405	BRT 1911	2017.157	283.0	0.1	5.065	0.022	1	
09546–2026	ARA 661	2017.157	191.9	0.1	15.293	0.067	1	
09549–1750	FEN 16	2017.157	154.7	0.1	4.460	0.020	1	
09550+1014	HJ 144	2017.184	155.6	0.1	25.632	0.113	1	
09551+6854	STF 1386 AB	2017.122	111.7	0.1	2.132	0.009	1	
09556+0806	AG 170	2017.272	44.0	0.1	1.697	0.007	1	
09561+5932	STI 697	2017.130	110.3	0.1	14.287	0.063	1	
09562+0328	J 426	2017.184	209.3	0.1	3.443	0.015	1	
09564+1040	STF 1396 AB	2017.184	130.0	0.1	3.909	0.017	1	
09576+0910	HJ 824	2017.184	177.5	0.1	12.740	0.056	1	
09580+6016	MLR 117	2017.199	299.5	2.5	0.485	0.007	2	
10004–0731	RST 3673	2017.272	170.9	0.1	0.389	0.002	1	
10019+7334	STF 1393	2017.122	254.9	0.1	9.504	0.042	1	
10022–1946	B 781	2017.280	341.5	0.1	2.272	0.010	1	
10025–0915	RST 3674	2017.280	142.7	0.1	2.869	0.013	1	
10029+0742	STF 1403	2017.100	334.1	0.1	2.969	0.013	1	
10034+3935	HJ 2516	2017.176	111.6	0.1	8.239	0.036	1	
10057–2049	ARA 1083	2017.206	274.4	0.1	15.372	0.068	1	
10057+8042	WFC 91	2017.122	272.5	0.1	8.474	0.037	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
10066–1919	S 607 AB	2017.272	328.0	0.1	9.515	0.042	1	
10068+5648	STI 2240	2017.127	12.9	0.1	4.121	0.018	1	
10069–0143	HDO 125	2017.258	192.0	0.1	2.842	0.013	1	
10074–1943	BU 218	2017.272	146.4	0.1	0.435	0.002	1	
10083+0802	A 2564	2017.272	285.1	0.1	0.740	0.003	1	
10090+6427	STF 1407	2017.202	50.8	0.1	4.859	0.031	2	
10092+2147	HJ 2520 AB	2017.179	343.8	0.0	33.921	0.015	2	
10101–0157	HJ 153 AB	2017.258	192.9	0.1	16.655	0.073	1	
10110+1834	COU 287	2017.272	94.6	0.1	1.439	0.006	1	
10111–1922	XMI 97	2017.272	300.5	0.1	17.930	0.079	1	
10112+3346	POP 85 AB	2017.100	48.2	0.1	9.158	0.040	1	
10112+3346	POP 85 AC	2017.100	58.7	0.1	50.327	0.221	1	
10114+7302	STF 1408	2017.153	14.1	0.0	3.734	0.014	2	
10123+1621	STF 1413	2017.272	271.4	0.1	1.809	0.008	1	
10124–1832	ARA 410	2017.272	181.4	0.1	10.269	0.045	1	
10125+0245	BAL 2370 CD	2017.100	352.5	0.1	20.062	0.088	1	
10135+3746	HJ 3322	2017.176	132.0	0.1	8.015	0.035	1	
10135+3928	STF 1414	2017.176	94.6	0.1	4.043	0.018	1	
10146+1753	L 10	2017.224	352.4	0.4	1.120	0.000	2	
10151+1907	STF 1417	2017.100	78.0	0.1	2.354	0.010	1	
10157+1424	HJ 155	2017.100	148.4	0.1	14.163	0.062	1	
10163–1711	CBL 135	2017.280	283.3	0.1	41.668	0.183	1	
10164+2350	POU 3076	2017.100	4.2	0.1	19.571	0.086	1	
10164+4003	A 2147	2017.176	97.3	0.1	0.893	0.004	1	
10174–1424	HJ 831	2017.258	129.6	0.1	16.948	0.075	1	
10185–1811	GWP 1338	2017.280	320.2	0.1	20.463	0.090	1	
10206–1621	HLD 103	2017.272	343.3	0.1	1.684	0.007	1	
10206–1643	HLD 104 AB	2017.280	197.5	0.1	3.368	0.015	1	
10211+2324	POU 3078	2017.100	161.8	0.1	10.232	0.045	1	
10216+0430	SLE 492	2017.100	244.7	0.1	27.478	0.121	1	
10232+6137	KR 36	2017.247	243.3	0.0	5.599	0.034	2	
10236–1721	GWP 1359 AB	2017.280	295.1	0.1	34.038	0.150	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
10236+2617	A	1991	2017.203	190.6	0.1	1.297	0.006	1	
10241+4034	ES	1394	2017.176	143.8	0.1	6.695	0.029	1	
10245+4008	ES	1542	2017.227	200.8	0.1	3.773	0.030	2	
10256+0302	HEI	761	2017.272	173.9	0.1	1.192	0.005	1	
10257–0629	SCA	52	2017.258	195.0	0.1	47.158	0.207	1	
10260+5237	STF	1428	2017.269	88.3	0.2	2.752	0.049	2	
10283+4013	HJ	2531	2017.196	3.6	0.1	8.592	0.025	2	
10284+0310	CHE	148	2017.258	64.3	0.1	4.816	0.021	1	
10285+4733	HU	635	2017.196	173.8	0.1	4.084	0.013	2	
10291+0342	BAL	2841	2017.280	355.5	0.1	4.654	0.020	1	
10303+8728	PKO	22	2017.122	219.5	0.1	13.684	0.060	1	
10314–0226	A	1350	2017.223	317.0	0.1	2.575	0.011	1	
10316–1624	SKI	14	2017.206	82.5	0.1	7.024	0.031	1	
10320–2021	B	2248	2017.206	62.1	0.1	6.832	0.030	1	
10321+4723	KU	35	2017.195	16.2	0.1	1.218	0.005	1	
10321+8136	TDS	594	2017.147	103.7	0.3	2.779	0.025	2	
10325–1230	SCA	62	2017.258	338.1	0.1	35.610	0.157	1	
10333+3740	STF	1443	2017.277	160.4	0.1	5.228	0.023	1	
10334+0553	HJ	164	2017.258	189.9	0.1	32.330	0.142	1	
10345–1219	SCA	69 AB	2017.258	87.7	0.1	45.512	0.200	1	
10345–1219	SCA	69 AC	2017.258	80.0	0.1	99.889	0.440	1	V
10345–1219	SCA	69 BC	2017.258	73.7	0.1	55.113	0.242	1	
10347+4639	ES	918	2017.195	185.7	0.1	3.260	0.014	1	
10355–1756	HLD	107	2017.272	307.5	0.1	1.745	0.008	1	
10358+4937	COU	2623	2017.195	295.1	0.1	1.786	0.008	1	
10376–1921	HJ	4337	2017.206	72.7	0.1	9.630	0.042	1	
10380–1257	DOO	52 AB	2017.272	330.6	0.1	2.243	0.010	1	
10391–1735	HLD	108 AB	2017.257	25.6	0.2	0.918	0.013	2	
10391–1735	HO	373 AB,C	2017.242	238.2	0.1	49.576	0.218	1	
10392–0553	A	66	2017.272	140.0	0.1	0.614	0.003	1	
10392–1200	SCA	86	2017.258	132.0	0.1	43.824	0.193	1	
10393–1430	HU	1255	2017.242	276.9	0.1	0.553	0.002	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
10395+3142	STF 1458	2017.277	217.1	0.1	18.040	0.079	1	
10399+6206	STE 8	2017.127	196.7	0.1	30.129	0.133	1	
10401+1914	STT 225 AC	2017.204	356.9	0.1	6.543	0.029	1	
10405–1331	HJ 4339 AB	2017.258	51.4	0.1	43.311	0.191	1	
10405–1331	HJ 4339 BC	2017.258	93.2	0.1	6.035	0.027	1	
10406+4209	STF 1460	2017.195	162.2	0.1	3.764	0.017	1	
10422+2334	POU 3086	2017.204	33.4	0.1	7.096	0.031	1	
10429+4641	STF 1463	2017.195	258.5	0.1	7.913	0.035	1	
10429+5608	STI 2253	2017.127	14.9	0.1	11.421	0.050	1	
10443–1731	RST 3711	2017.242	100.1	0.1	2.329	0.010	1	
10447–1613	J 1569	2017.206	20.1	0.1	9.277	0.041	1	
10447+2042	STF 1468	2017.204	334.3	0.1	4.276	0.019	1	
10459+0426	BAL 2844	2017.242	329.8	0.1	5.003	0.022	1	
10462–0459	A 3082	2017.272	69.7	0.1	1.265	0.006	1	
10462–0546	STF 1470	2017.258	191.7	0.1	1.335	0.006	1	
10473+5815	MLB 167	2017.127	322.4	0.1	5.530	0.024	1	
10476–1516	STF 1474 AB	2017.206	28.0	0.1	65.877	0.290	1	
10476–1516	STF 1474 AC	2017.206	27.0	0.1	72.565	0.319	1	
10476–1516	STF 1474 BC	2017.206	17.5	0.1	6.748	0.030	1	
10488–1425	UC 1999	2017.258	359.5	0.1	25.209	0.111	1	
10493–0401	STF 1476	2017.242	17.4	0.1	2.408	0.011	1	
10505–1847	ARA 413	2017.206	132.2	0.1	12.651	0.056	1	
10512–0906	BU 111 AB	2017.242	5.7	0.1	3.205	0.014	1	
10512–0906	BU 111 AC	2017.242	131.9	0.1	64.564	0.284	1	
10533–1045	A 132	2017.258	202.4	0.1	4.423	0.019	1	
10534–0215	S 617	2017.223	178.7	0.1	35.181	0.155	1	
10535–2008	HO 533 BC	2017.206	133.4	0.1	13.803	0.061	1	
10536–0742	J 90 AB	2017.242	39.4	0.1	1.938	0.009	1	
10536–0742	J 90 AC	2017.242	192.6	0.1	11.431	0.050	1	
10536–0742	J 90 BC	2017.242	195.9	0.1	12.932	0.057	1	63
10538+7947	STF 1471	2017.122	184.3	0.1	2.073	0.009	1	
10545+4730	STF 1483	2017.195	242.9	0.1	2.351	0.010	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
10556+2445	STF 1487	2017.204	113.2	0.1	6.607	0.029	1	
10569–0256	A 68	2017.272	116.4	0.1	0.367	0.002	1	
10578+1314	HJ 2551	2017.258	196.6	0.1	27.912	0.123	1	
10588+6143	STF 1491 AB	2017.127	33.0	0.1	14.054	0.062	1	
11001–0657	A 134	2017.272	329.9	0.1	1.735	0.008	1	
11021–1542	H 1 77	2017.206	25.4	0.1	2.963	0.013	1	
11024+1631	LDS 917	2017.185	282.0	0.1	18.690	0.082	1	
11024+8313	STF 1479	2017.157	26.1	0.2	4.468	0.030	2	
11053+1635	A 2378	2017.295	140.2	0.6	0.356	0.004	2	
11075+1232	J 2079 AC	2017.185	96.7	0.1	36.789	0.162	1	
11076–1732	ARA 225 AB	2017.207	174.1	0.1	8.597	0.038	1	
11080+1012	J 81	2017.262	137.8	0.1	1.896	0.012	2	
11086–0442	J 1572	2017.221	22.5	0.0	8.232	0.010	2	
11098+6123	ES 1906	2017.168	277.3	0.1	4.667	0.021	1	
11111+3027	STT 231 AB	2017.237	263.0	0.0	34.176	0.001	2	
11128+1031	HEI 500	2017.262	81.3	0.4	1.628	0.008	2	
11145+5733	STI 2263	2017.168	269.9	0.1	11.157	0.049	1	
11154+2734	STF 1521	2017.310	98.1	0.1	3.677	0.011	2	
11161+5246	STF 1520	2017.168	344.3	0.1	12.387	0.055	1	
11184–2005	ARA 681	2017.157	312.2	0.1	10.738	0.047	1	
11187+3759	GRV 833	2017.195	344.3	0.1	33.563	0.148	1	
11188–2016	ARA 682	2017.207	59.2	0.1	11.089	0.049	1	
11189–1146	HU 130	2017.242	112.6	0.1	1.007	0.004	1	
11190+5118	WNC 3	2017.223	208.5	0.1	6.700	0.010	2	
11195+4728	STF 1525	2017.294	174.0	0.1	2.250	0.002	2	
11212–1047	BRT 3212	2017.207	262.3	0.1	4.189	0.018	1	
11230+6443	AG 174 AB	2017.256	105.4	0.6	2.075	0.065	2	
11241+7623	HJ 1187 AB	2017.168	180.0	0.1	19.229	0.085	1	
11245–0423	STF 3070	2017.221	277.7	0.0	8.789	0.004	2	
11245+2037	STF 1537	2017.292	358.5	0.2	2.294	0.019	2	
11246+0213	SLE 597	2017.185	163.0	0.1	42.051	0.185	1	
11252+1608	UC 2134 AB	2017.305	45.8	0.0	24.787	0.010	3	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
11266+3946	GRV 835	2017.195	294.6	0.1	24.413	0.107	1	
11272+1908	KU 38	2017.292	54.1	0.1	6.231	0.013	2	
11282+3618	HJ 499	2017.195	254.6	0.1	39.312	0.173	1	
11299–0458	HJ 2573	2017.221	19.2	0.1	7.891	0.009	2	
11300+0305	SLE 604	2017.185	353.1	0.1	25.493	0.112	1	
11318+3552	HJ 500	2017.195	28.5	0.1	25.005	0.110	1	
11329+5525	A 1593	2017.223	255.1	0.1	4.146	0.005	2	
11332+4927	HU 727	2017.294	204.9	0.7	1.256	0.000	2	
11336+4445	LEO 34	2017.220	157.9	0.8	1.666	0.021	2	
11344–1707	J 1576	2017.221	59.7	0.0	10.938	0.014	2	
11350+5557	STI 2273	2017.168	298.7	0.1	5.245	0.023	1	
11362–0223	RST 4946	2017.280	232.4	0.2	1.020	0.001	2	
11366+5608	STF 1553	2017.223	166.0	0.1	6.163	0.007	2	
11371+4040	A 1996	2017.236	191.4	0.1	2.027	0.009	2	
11392+4910	STF 1562	2017.195	270.4	0.1	16.072	0.071	1	
11396+2657	STF 1564	2017.281	87.2	0.0	5.253	0.005	2	
11403–0926	J 2659	2017.207	232.9	0.1	7.556	0.033	1	
11416+7056	A 74	2017.196	302.4	0.1	1.271	0.006	1	
11431+3715	HU 1135	2017.261	334.3	0.5	0.684	0.003	2	
11447–0431	RST 4484	2017.272	63.8	0.1	0.738	0.003	1	
11448+1230	HJ 1195	2017.298	328.9	0.0	10.642	0.004	2	
11489+3342	KU 40	2017.197	184.9	0.2	2.944	0.005	2	
11517+4449	HJ 842	2017.197	90.0	0.2	3.107	0.010	2	
11519+1401	HJ 3335 AB	2017.285	69.7	0.0	6.779	0.006	2	
11519+1401	HJ 3335 AC	2017.259	37.2	0.1	54.509	0.240	1	
11539–1423	HLD 113	2017.272	270.3	0.1	3.354	0.015	1	
11556+1654	KU 41	2017.318	68.3	0.0	5.123	0.010	2	
11561+5016	UC 2234	2017.168	322.4	0.1	15.044	0.066	1	
11566–0514	STF 3076	2017.338	55.3	0.1	6.073	0.027	1	
11578–1604	XMI 100	2017.272	75.3	0.1	25.361	0.112	1	
11582–1045	J 2084	2017.272	232.3	0.1	3.552	0.016	1	
11585+4709	KZA 22	2017.196	96.1	0.1	10.878	0.048	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
12005–1517	A 2162	2017.272	149.6	0.1	1.438	0.006	1	
12006+4337	STF 1589	2017.197	159.0	0.2	2.226	0.016	2	
12018+2643	GRV 848	2017.280	215.8	0.1	26.455	0.116	1	
12033+2902	LDS 1275 AC	2017.318	299.7	0.1	34.536	0.152	1	
12035–0227	STF 1593 AB	2017.320	14.5	0.4	1.200	0.002	2	
12040+6429	STI 739	2017.168	245.9	0.1	9.940	0.044	1	
12081+3820	ALI 855	2017.196	121.9	0.1	14.456	0.064	1	
12084–1835	BU 412	2017.274	153.7	0.5	1.795	0.032	2	
12093–1055	RST 3774	2017.280	332.5	0.1	2.802	0.012	1	
12096–1734	HJ 1212 AB	2017.272	101.8	0.1	22.532	0.099	1	
12111+1228	HDS 1719	2017.318	98.8	0.1	0.490	0.002	1	
12141+3247	STF 1615 AB	2017.195	88.3	0.1	26.835	0.118	1	
12151+8349	WFC 124	2017.196	133.3	0.1	4.609	0.020	1	
12167+3004	AG 176	2017.212	184.0	0.2	2.350	0.009	2	
12168+7009	STF 1626	2017.237	3.8	0.5	2.152	0.010	2	
12176–1914	ARA 417	2017.370	53.8	0.1	10.420	0.046	1	
12182–0357	STF 1627	2017.353	196.0	0.0	20.046	0.002	2	
12185+5037	COU 2103	2017.243	137.2	0.1	2.542	0.004	2	
12201+3121	SEI 530	2017.195	135.0	0.1	27.695	0.122	1	
12206–0420	BRT 549	2017.338	234.3	0.1	8.134	0.036	1	
12214+0310	BAL 2388	2017.258	275.7	0.1	17.695	0.078	1	
12222+5805	WNC 4	2017.168	76.5	0.1	53.210	0.234	1	
12225+0518	STF 1636	2017.259	338.2	0.1	20.995	0.092	1	
12257+4444	STF 1642	2017.212	179.6	0.1	2.470	0.005	2	
12266–1336	HJ 2611	2017.370	221.8	0.1	13.531	0.060	1	
12272+5519	MLB 1076	2017.168	224.8	0.1	10.947	0.048	1	
12273–2026	I 513	2017.370	329.4	0.1	4.456	0.020	1	
12276–1836	HU 466	2017.351	212.3	0.1	2.828	0.012	1	
12279+3110	LDS 1310	2017.338	274.5	0.1	45.386	0.200	1	
12283+3143	LDS 4214	2017.338	219.4	0.1	17.853	0.079	1	
12285+8841	STF 1717	2017.196	328.0	0.1	8.263	0.036	1	
12287–0035	UC 2346	2017.351	278.3	0.1	24.869	0.109	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($\circ$)	$\sigma\theta$ ($\circ$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
12305+1142	BRT 1278	2017.330	27.1	0.6	2.777	0.002	2	
12311+0207	AG 178	2017.370	284.3	0.1	1.250	0.006	1	
12334+3202	STF 1653	2017.338	343.3	0.1	8.017	0.035	1	
12334+6101	STI 747	2017.278	296.5	0.1	12.344	0.054	1	
12339+5522	STI 2286	2017.280	86.6	0.1	12.081	0.053	1	
12345−0048	UC 2360	2017.351	227.6	0.1	32.545	0.143	1	
12350+5814	STF 1660	2017.280	118.3	0.1	19.722	0.087	1	
12357−1201	STF 1659 AB	2017.351	351.6	0.1	27.569	0.121	1	
12357−1201	STF 1659 BC	2017.351	105.8	0.1	46.471	0.204	1	
12358+5635	STF 1662	2017.280	242.8	0.1	19.329	0.085	1	
12360+1124	STF 1661	2017.368	254.1	0.1	2.306	0.009	2	
12376−1353	HJ 2615	2017.351	293.5	0.1	10.834	0.048	1	
12380+4444	HJ 1219	2017.338	260.2	0.1	10.189	0.045	1	
12397+3714	ES 2167	2017.338	272.7	0.1	6.160	0.027	1	
12400+1702	BRT 2415	2017.329	139.0	0.0	4.433	0.026	2	
12402+2430	POU 3130	2017.346	104.8	0.0	11.484	0.010	2	
12406+4017	HJ 2617 AB	2017.338	2.3	0.1	5.713	0.025	1	
12409+0850	STF 1668	2017.319	186.4	0.1	1.061	0.005	1	
12427+3349	STF 1672	2017.337	312.9	0.1	4.314	0.005	2	
12438+0733	STF 1674	2017.319	174.5	0.1	2.334	0.010	1	
12460+4949	STF 1679 AB	2017.280	207.6	0.1	5.885	0.026	1	
12473−2059	ARA 1098	2017.351	75.8	0.1	10.263	0.045	1	
12477+1218	LDS 4272	2017.319	80.9	0.1	34.685	0.153	1	
12480+1217	HU 893	2017.319	33.0	0.1	1.511	0.007	1	
12485−1746	FEN 18	2017.351	218.2	0.1	3.954	0.017	1	
12492+0738	HLD 117	2017.319	20.6	0.1	2.482	0.011	1	
12494+1628	SLE 904	2017.319	172.1	0.1	13.642	0.060	1	
12519−1404	BRT 2731	2017.351	74.3	0.1	3.997	0.018	1	
12533+1310	HU 894	2017.319	144.9	0.1	1.184	0.005	1	
12550+5810	STF 1691 AB	2017.278	275.5	0.1	18.697	0.082	1	
12560+3819	STF 1692 AB	2017.309	229.6	0.1	19.300	0.051	2	
12566−1709	HJ 2624	2017.351	230.5	0.1	28.277	0.124	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
12574+3022	STF 1696	2017.338	204.3	0.1	3.663	0.016	1	
12576+4728	HJ 2627	2017.280	133.3	0.1	17.488	0.077	1	
12578–1308	STN 27	2017.351	70.3	0.1	2.076	0.009	1	
12587+2707	STF 1700	2017.322	84.2	0.1	7.336	0.000	2	
12587+2728	STF 1699	2017.346	9.0	0.3	1.706	0.001	2	
12592+0148	BAL 1888	2017.338	193.8	0.1	18.460	0.081	1	
12592+8256	STF 1720	2017.196	330.8	0.1	1.671	0.007	1	
13006+1822	BU 112 BC	2017.322	299.3	0.3	2.108	0.005	2	
13009+2134	GRV 860	2017.319	232.2	0.1	30.495	0.134	1	
13031–1210	HU 137	2017.351	116.8	0.1	3.594	0.016	1	
13034–0626	BU 928 AB	2017.351	319.7	0.1	2.439	0.011	1	
13037+2339	STF 1714	2017.346	307.6	0.0	3.144	0.009	2	
13048+0341	HJ 2635	2017.338	130.5	0.1	13.228	0.058	1	
13064–1405	UC 2480	2017.371	140.3	0.1	19.146	0.084	1	
13077+0113	BRF 2	2017.373	67.1	0.1	11.592	0.051	1	
13084+1529	STF 1722	2017.338	336.9	0.1	2.533	0.011	1	
13128+4030	A 1606	2017.280	16.5	0.1	1.300	0.006	1	
13134–1850	SHJ 161	2017.370	33.5	0.1	5.391	0.024	1	
13137–0134	BAL 549	2017.373	291.0	0.1	19.605	0.086	1	
13152–1200	J 1605	2017.371	297.1	0.1	6.436	0.028	1	
13152–1855	BU 342	2017.370	35.1	0.1	4.084	0.018	1	
13164–0029	BAL 1163	2017.373	277.9	0.1	23.249	0.102	1	
13184–1954	UC 2516	2017.370	348.9	0.1	54.847	0.241	1	
13202–0008	BAL 1164	2017.373	246.5	0.1	19.552	0.086	1	
13207+0257	STF 1734	2017.319	175.1	0.1	1.080	0.005	1	
13208+3158	ES 308	2017.280	114.1	0.1	7.334	0.032	1	
13218+0550	STF 1735	2017.319	110.1	0.1	4.063	0.018	1	
13223–1137	LDS 439	2017.371	278.5	0.1	15.163	0.067	1	
13225+3032	STF 1739	2017.280	125.6	0.1	14.939	0.066	1	
13231–1326	BRT 2734	2017.371	255.2	0.1	4.515	0.020	1	
13233–1456	STF 1738	2017.371	278.5	0.1	3.706	0.016	1	
13270–2021	B 2751 AB	2017.370	110.5	0.1	16.316	0.072	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
13292+2738	BRT 162	2017.346	162.8	0.1	5.113	0.022	1	
13297–1634	BVD 150	2017.370	345.5	0.1	38.008	0.167	1	
13330+3402	ES 2414	2017.280	268.5	0.1	3.066	0.013	1	
13338+0654	DAM 702 BD	2017.319	274.0	0.1	27.865	0.123	1	
13343–0837	BU 114	2017.371	171.5	0.1	1.390	0.006	1	
13344+2617	STF 1760	2017.338	64.4	0.1	8.713	0.038	1	
13346+3308	BU 933 AB	2017.280	22.6	0.1	2.801	0.012	1	
13356+4939	AG 190	2017.280	12.6	0.1	2.621	0.012	1	
13376–0752	STF 1763 AB	2017.371	39.6	0.1	2.681	0.012	1	
13376–1048	STF 1762 AB	2017.371	276.6	0.1	4.620	0.020	1	
13377+0223	STF 1764 AB	2017.319	31.9	0.1	15.880	0.070	1	
13395+2242	POU 3147	2017.373	308.8	0.1	3.627	0.016	1	
13411+3901	KZA 77	2017.280	145.1	0.1	57.508	0.253	1	
13427+6218	LDS 2326	2017.351	249.7	0.1	49.531	0.218	1	
13431+3201	STF 1778 AB	2017.280	204.7	0.1	25.431	0.112	1	
13452–1150	STF 3081	2017.371	67.0	0.1	1.998	0.009	1	
13453+4559	COU 1915	2017.280	76.5	0.1	1.620	0.007	1	
13455–0301	WNC 5	2017.373	163.8	0.1	3.962	0.017	1	
13461–1833	HU 473 AB	2017.373	65.2	0.1	3.000	0.013	1	
13470–1135	UC 2615	2017.371	309.0	0.1	13.332	0.059	1	
13488–1645	HJ 2683	2017.370	28.6	0.1	14.667	0.065	1	
13501+8555	WFC 142	2017.351	21.4	0.1	3.471	0.015	1	
13509+4422	A 1613 AB	2017.422	261.0	0.1	3.119	0.014	1	
13526–0212	BAL 552	2017.371	95.7	0.1	14.488	0.064	1	
13563+0517	STT 273 AB	2017.371	113.5	0.1	0.991	0.004	1	
14007–1915	J 2661	2017.444	311.0	0.1	5.769	0.025	1	
14038+6946	UC 2670	2017.417	30.5	0.1	40.139	0.177	1	
14048–0633	STF 1799	2017.371	297.6	0.1	4.249	0.019	1	
14089–0336	HLD 16	2017.371	217.9	0.1	2.830	0.012	1	
14097–1104	MRG 1	2017.444	319.8	0.1	1.445	0.006	1	
14100+0401	STF 1805	2017.371	33.6	0.1	4.814	0.021	1	
14101+2636	STF 1808 AB	2017.371	83.1	0.1	2.594	0.011	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
14116+2802	STF	1810	2017.371	184.1	0.1	2.385	0.010	1	
14126+6852	TDS	742	2017.417	2.0	0.1	2.239	0.010	1	
14143+3411	HJ	543	2017.422	243.1	0.1	13.408	0.059	1	
14152–0305	BAL	233	2017.371	304.8	0.1	17.287	0.076	1	
14158+1018	STF	1823 AB,C	2017.346	147.6	0.1	3.837	0.017	1	
14160+5247	A	1616	2017.417	84.5	0.1	1.664	0.007	1	
14161+5643	STF	1830 EG	2017.346	81.3	0.1	35.218	0.155	1	
14162+5122	STFA	26 AB	2017.346	33.1	0.1	38.947	0.171	1	
14170–1626	HJ	1249 AB	2017.444	164.7	0.1	5.201	0.023	1	
14170+2412	STF	1828	2017.371	159.4	0.1	2.036	0.009	1	
14184+3412	HU	901	2017.422	36.2	0.1	0.576	0.003	1	
14185+3837	HJ	545	2017.346	242.0	0.1	9.159	0.040	1	
14192+4223	AG	193	2017.346	130.9	0.1	7.584	0.033	1	
14197+2330	STF	3083	2017.346	232.3	0.1	4.813	0.021	1	
14213+3050	COU	482	2017.422	120.7	0.1	0.606	0.003	1	
14218+4229	A	1618 AB	2017.346	161.6	0.1	3.818	0.017	1	
14226+1159	HJ	236 AB	2017.371	285.7	0.1	23.119	0.102	1	
14229+0943	A	1103	2017.371	204.5	0.1	4.679	0.021	1	
14234+0827	STF	1835 A,BC	2017.371	195.2	0.1	6.246	0.027	1	
14251–0910	RST	3877	2017.444	52.0	0.1	1.133	0.005	1	
14266+0208	HJ	1254	2017.371	63.3	0.1	6.197	0.027	1	
14270+0341	STF	1842	2017.371	198.6	0.1	2.763	0.012	1	
14273+3038	A	1105	2017.422	177.0	0.1	1.106	0.005	1	
14276+2037	HO	542	2017.371	34.7	0.1	0.872	0.004	1	
14279+2123	HO	543	2017.346	237.5	0.1	4.657	0.020	1	
14293–0143	FIL	34	2017.431	156.0	0.1	24.928	0.110	1	
14300–0343	BU	462 AB	2017.433	323.2	0.1	2.112	0.018	2	
14300–0343	BU	462 AC	2017.431	76.2	0.1	15.627	0.069	1	
14301+0617	STF	1853	2017.377	83.2	0.0	2.824	0.003	2	
14313–1538	BU	117 AB	2017.444	73.7	0.1	1.430	0.006	1	
14317+0150	AG	195	2017.416	337.9	0.2	1.838	0.007	3	
14325+0308	A	2226 AB	2017.438	261.2	2.0	0.435	0.001	2	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
14326+3522	ALI	130	2017.423	182.5	0.1	8.088	0.036	1	
14327+5553	UC	194	2017.437	192.9	0.0	15.123	0.002	2	
14330+0218	FOX	72	2017.438	7.9	0.6	1.193	0.001	2	
14331–0252	BAL	235	2017.431	274.0	0.1	16.415	0.072	1	
14339+5514	STF	1860	2017.431	113.0	0.2	1.024	0.001	2	
14348–0518	BRT	454	2017.431	327.0	0.1	4.375	0.019	1	
14358–0014	HJ	1256	2017.431	60.4	0.1	10.213	0.045	1	
14362+0825	HEI	780	2017.373	63.1	0.1	1.942	0.009	1	
14363+1924	STF	3087	2017.374	222.4	0.1	2.361	0.010	1	
14370+1459	HEI	66	2017.371	61.0	0.1	4.040	0.018	1	
14397+0314	BAL	2399	2017.373	341.6	0.1	15.941	0.070	1	
14403+1206	HWE	34	2017.371	12.7	0.1	2.613	0.011	1	
14407+1625	STF	1864 AB	2017.477	112.7	0.0	5.474	0.002	2	
14416+5124	STF	1871	2017.426	312.5	0.0	1.858	0.010	2	
14417+0523	OL	160	2017.444	36.3	0.1	4.687	0.021	1	
14417+0932	STF	1866	2017.408	206.2	0.5	0.739	0.016	2	
14424–0248	BAL	236	2017.431	330.3	0.1	6.498	0.029	1	
14430+1310	KU	48 AB	2017.371	137.6	0.1	6.616	0.029	1	
14430+1310	KU	48 AC	2017.371	104.7	0.1	35.674	0.157	1	
14430+1310	SMR	19 AD	2017.371	232.1	0.1	72.693	0.320	1	
14430+1310	KU	48 BC	2017.371	97.8	0.1	30.348	0.134	1	
14430+1310	SMR	19 BD	2017.371	237.3	0.1	73.441	0.323	1	
14436–0152	J	2108	2017.431	327.1	0.1	4.421	0.019	1	
14436+3745	STF	1875	2017.423	129.1	0.1	3.103	0.014	1	
14437+6234	STI	773	2017.436	337.6	0.1	47.674	0.210	1	
14441+6106	STF	1882 AB	2017.436	359.7	0.1	11.440	0.050	1	
14446–0338	TDS	9292	2017.444	148.4	0.1	0.882	0.004	1	C
14457+3058	SEI	537	2017.423	307.7	0.1	7.150	0.031	1	
14475+6210	KR	43	2017.436	212.9	0.1	2.736	0.012	2	
14479+1013	BRT	1282	2017.371	145.2	0.1	3.897	0.017	1	
14489–0959	RST	3896	2017.444	345.3	0.1	2.449	0.011	1	
14504+6751	MLR	174	2017.438	113.1	0.0	1.385	0.002	2	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
14506–0001	STF 1885	2017.431	145.7	0.1	4.107	0.018	1	
14524+1757	A 2071	2017.374	271.8	0.1	1.385	0.006	1	
14538–0024	BU 942 CD	2017.444	185.0	0.1	1.488	0.007	1	
14539+5734	HJ 1261	2017.438	17.2	0.0	8.764	0.030	2	
14544+0017	J 440	2017.438	219.9	0.2	2.587	0.014	2	
14562+1704	COU 187	2017.423	226.1	0.1	2.028	0.009	1	
14564+0842	HEI 781	2017.444	217.4	0.1	1.626	0.007	1	
14564+8503	WFC 157 AB	2017.426	291.7	0.2	3.466	0.001	2	
14568+7050	STF 1905	2017.438	162.2	0.1	2.801	0.004	2	
14593+6035	MLR 46	2017.438	114.6	0.0	1.636	0.015	2	
14596+5352	SHJ 191	2017.431	342.0	0.0	40.369	0.011	2	
15035+7304	A 1115	2017.428	327.3	0.2	2.114	0.010	2	
15056+1138	STF 1907	2017.371	346.2	0.1	0.872	0.004	1	
15061+6930	UC 2918	2017.423	199.2	0.1	31.301	0.138	1	
15064+2145	UC 2923	2017.371	277.7	0.1	11.204	0.049	1	
15069–0655	AOT 56 AB	2017.374	262.2	0.1	30.317	0.133	1	
15069–0655	AOT 57 AC	2017.374	263.3	0.1	11.566	0.051	1	
15069–0655	AOT 57 BC	2017.374	81.7	0.1	18.825	0.083	1	
15069–1806	HU 1157	2017.445	245.9	0.1	2.634	0.012	1	
15076+0310	UC 2932	2017.371	292.0	0.1	12.975	0.057	1	
15076+5056	ES 774	2017.436	230.7	0.1	3.331	0.015	1	
15088+2814	GRV 897	2017.374	214.9	0.1	30.002	0.132	1	
15093+7227	STF 1928	2017.431	275.3	0.0	6.529	0.006	2	
15126+1523	STF 1917	2017.346	233.4	0.1	2.396	0.011	1	
15126+2041	COU 190	2017.374	273.2	0.1	1.321	0.006	1	
15127+1917	STF 1919	2017.346	10.8	0.1	23.297	0.103	1	
15138+1427	STF 1923 AB	2017.346	12.0	0.1	4.814	0.021	1	
15141+0149	ABT 11	2017.371	221.8	0.1	57.031	0.251	1	
15145–1826	SHJ 195	2017.494	140.4	0.1	47.053	0.207	1	
15156+5527	WZ 13	2017.423	15.6	0.1	9.009	0.040	1	
15158+4153	POP 118	2017.436	343.9	0.1	2.761	0.012	1	
15169+4124	HJ 2773	2017.436	145.9	0.1	28.519	0.125	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
15187+5334	ES	740	2017.423	38.7	0.1	3.422	0.015	1	
15205+2013	UC	204	2017.371	259.9	0.1	27.300	0.120	1	
15217–2040	BVD	114	2017.494	119.9	0.1	21.371	0.094	1	
15218–1510	BU	1448	2017.494	271.3	0.1	33.299	0.147	1	
15223+0626	SKF	11	2017.371	265.7	0.1	9.342	0.041	1	
15250–1837	HJ	1271	2017.494	102.4	0.1	7.694	0.034	1	
15252+0932	HEI	784	2017.346	274.6	0.1	3.927	0.017	1	
15257+2638	STF	1941	2017.374	212.2	0.1	1.376	0.006	1	
15261+2128	STF	1942	2017.346	91.7	0.1	9.657	0.042	1	
15264+0822	A	1119	2017.371	180.1	0.1	1.720	0.008	1	
15269+4610	KU	50	2017.436	336.1	0.1	2.909	0.013	1	
15271–0349	BRT	457	2017.398	15.5	0.1	3.745	0.016	1	
15272+6452	HU	1162 AB	2017.431	107.9	0.1	1.221	0.001	2	
15272+6452	HU	1162 AC	2017.431	36.5	0.4	19.770	0.013	2	
15280+1442	STF	1945 BC	2017.351	281.2	0.1	9.180	0.016	2	
15282–0921	SHJ	202 AB	2017.417	132.9	0.1	52.183	0.230	1	
15288+2038	HU	150	2017.371	26.2	0.1	4.479	0.020	1	
15292–0659	HJ	4779	2017.374	18.3	0.1	21.878	0.096	1	
15301+4618	ROE	2	2017.436	83.7	0.1	4.520	0.020	1	
15304+4542	ROE	48	2017.436	220.9	0.1	8.580	0.038	1	
15307–0452	HJ	1272	2017.374	144.9	0.1	7.493	0.033	1	
15308–0746	RST	4543	2017.445	339.6	0.1	1.003	0.004	1	
15311+4022	KZA	93 AB	2017.436	357.3	0.1	40.507	0.178	1	
15311+4022	KZA	93 AC	2017.436	91.6	0.1	49.804	0.219	1	
15313–1259	BU	34 CD	2017.494	55.6	0.1	6.429	0.028	1	
15317–2010	S	672	2017.491	280.2	0.1	11.223	0.049	1	
15328–1756	HJ	1273	2017.491	328.7	0.1	14.544	0.064	1	
15339+2643	STF	1955 AB	2017.491	237.3	0.1	7.759	0.034	1	
15361+5531	A	1124	2017.436	143.0	0.1	1.436	0.006	1	
15370–0041	HJ	1276	2017.374	258.6	0.1	5.346	0.024	1	
15370–1659	HWE	35 AB	2017.491	332.1	0.1	7.405	0.033	1	
15370–1659	HWE	35 AC	2017.491	236.9	0.1	43.440	0.191	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
15379+3006	STF 1963 AB	2017.491	298.5	0.1	5.301	0.023	1	
15382+3615	STF 1964 AC	2017.491	90.4	0.1	14.467	0.064	1	V
15382+3615	STF 1964 AD	2017.491	84.9	0.1	15.087	0.066	1	
15384+5234	ES 964	2017.436	218.7	0.1	5.332	0.023	1	
15387–0847	STF 1962	2017.431	190.0	0.1	11.711	0.052	1	
15389+3401	COU 976	2017.491	127.4	0.1	1.189	0.005	1	
15391–0834	STF 3094	2017.431	297.6	0.1	2.486	0.011	1	
15398+2117	AG 197	2017.491	126.6	0.1	3.156	0.014	1	
15399–1946	BU 122	2017.445	228.6	0.1	1.715	0.008	1	
15403–1432	HLD 25	2017.494	308.5	0.1	1.368	0.006	1	
15422+7256	MLR 192	2017.423	67.7	0.1	0.954	0.004	1	
15437–0542	A 19	2017.445	334.3	0.1	1.670	0.007	1	
15443–1943	HU 654	2017.445	15.1	0.1	1.073	0.005	1	
15448+3534	PRT 5	2017.491	44.7	0.1	4.486	0.020	1	
15457–1511	GLP 11	2017.491	204.2	0.1	20.197	0.089	1	
15470–1908	HU 656	2017.445	17.0	0.1	1.388	0.006	1	
15479–0519	STF 3096	2017.431	77.1	0.1	3.724	0.016	1	
15482+0134	EIS 1 AB	2017.431	352.6	0.1	17.665	0.078	1	
15487+8337	STF 2034	2017.423	110.4	0.1	1.078	0.005	1	
15492–0314	STF 1974	2017.374	159.5	0.1	2.425	0.011	1	
15501–0311	STF 3126 AB	2017.374	278.4	0.1	2.270	0.010	1	
15501+3639	ALI 369	2017.491	338.4	0.1	8.218	0.036	1	
15509–0902	STF 3097	2017.431	189.1	0.1	3.969	0.017	1	
15509+1911	A 2078	2017.431	165.4	0.1	1.071	0.005	1	
15509+6842	A 1133	2017.423	230.4	0.1	1.246	0.005	1	
15521+0528	A 1128	2017.431	351.6	0.1	1.498	0.007	1	
15523+0842	A 1129	2017.431	119.2	0.1	3.997	0.018	1	
15524–1714	SKI 9 AB	2017.445	272.1	0.1	2.425	0.011	1	
15530+6007	HU 913 AB	2017.436	309.9	0.1	0.432	0.002	1	
15549–1658	ALD 57	2017.494	98.3	0.1	5.341	0.023	1	
15554+5303	ES 965	2017.436	328.5	0.1	4.933	0.022	1	
15559+1555	ALD 12	2017.431	49.3	0.1	1.906	0.008	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
15568+1229	STF 1988	2017.346	250.0	0.1	1.808	0.008	1	
15578+1737	BRT 2422	2017.374	179.7	0.1	4.502	0.020	1	
15589–0304	STF 3101 AB	2017.374	74.1	0.1	2.230	0.010	1	
15592+5110	BEM 20	2017.436	284.6	0.1	22.507	0.099	1	
16004+7331	MLR 195	2017.423	297.4	0.1	1.137	0.005	1	
16010+4338	ES 1556	2017.439	234.8	0.1	10.891	0.048	1	
16011+3936	AG 200	2017.439	217.3	0.1	3.087	0.014	1	
16030+1359	STF 2000	2017.269	227.5	0.1	2.573	0.015	2	
16034+1025	J 446	2017.391	181.3	0.1	4.110	0.018	2	
16041+4858	AG 201	2017.439	253.3	0.1	8.006	0.035	1	
16044–1127	STF 1999 AB	2017.478	99.1	0.0	11.865	0.008	3	
16054–1948	H 3 7 AC	2017.537	19.6	0.1	13.673	0.060	1	
16055+6900	A 1135	2017.423	69.5	0.1	4.463	0.020	1	
16056+4739	AG 202	2017.439	284.3	0.1	22.069	0.097	1	
16065+5441	MLB 135	2017.437	96.6	0.0	3.608	0.006	2	
16067+6000	PKO 14	2017.436	144.1	0.1	2.968	0.013	1	
16081+5605	STI 2331	2017.436	18.5	0.1	6.469	0.028	1	
16085–1940	ARA 703	2017.374	120.6	0.1	14.354	0.063	1	
16111–0814	MTL 1	2017.392	350.4	0.0	37.255	0.006	2	
16116–2050	UC 3130	2017.537	30.0	0.1	20.141	0.089	1	
16120–1928	BU 120 AB	2017.445	1.8	0.1	1.285	0.006	1	
16120–1928	H 5 6 AC	2017.409	336.6	0.2	41.286	0.039	2	
16120–1928	MTL 2 CD	2017.445	56.2	0.1	2.365	0.010	1	
16125–1359	RST 3934 AB	2017.374	180.9	0.1	29.991	0.132	1	
16138–0147	ARG 75	2017.392	64.5	0.1	21.506	0.051	2	
16138+2844	STF 2029	2017.259	187.8	0.1	6.091	0.027	1	
16139+6420	MLR 138	2017.436	318.3	0.1	2.528	0.011	1	
16145+0531	STF 2023	2017.484	224.0	0.0	1.893	0.002	2	
16147–2000	ARA 704	2017.259	212.1	0.1	17.276	0.076	1	
16153+0416	STF 2027	2017.484	81.6	0.3	1.872	0.007	2	
16160+5718	STI 2335	2017.436	151.1	0.1	9.402	0.041	1	
16163+4142	HJ 1291	2017.439	111.8	0.1	20.519	0.090	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
16188+1724	STF 2037	2017.352	256.2	0.3	1.101	0.027	2	
16188+3154	HU 1172	2017.259	327.0	0.1	1.758	0.008	1	
16206+6740	HJL 234	2017.423	160.7	0.1	9.589	0.042	1	
16214–1222	HU 157	2017.445	246.1	0.1	0.801	0.004	1	
16216+7620	STF 2066	2017.423	56.1	0.1	5.200	0.023	1	
16229+3815	KU 53	2017.439	49.2	0.1	5.267	0.023	1	
16231+4738	STF 2047	2017.439	324.7	0.1	1.817	0.008	1	
16234+4251	ARG 76	2017.439	251.9	0.1	57.636	0.254	1	
16235–0940	J 2666	2017.392	40.5	0.3	3.495	0.018	2	
16237+0710	TDS 810	2017.391	76.4	1.1	1.154	0.018	2	
16238+6142	STF 2054 AB	2017.436	350.6	0.1	0.943	0.004	1	
16241+5835	STI 2339	2017.436	76.0	0.1	12.923	0.057	1	
16242+3702	STF 2044	2017.439	341.0	0.1	8.247	0.036	1	
16260+0312	BAL 2414	2017.391	128.4	0.1	4.016	0.004	2	
16269+0113	BAL 1471	2017.275	263.9	0.1	16.567	0.010	2	
16278+2506	COU 413	2017.259	320.0	0.1	4.596	0.020	1	
16279+2559	STF 2049	2017.259	195.0	0.1	1.100	0.005	1	
16282+6041	COP 3	2017.436	90.0	0.1	1.395	0.006	1	
16284+3724	HJ 261	2017.439	102.9	0.1	21.422	0.094	1	
16308–1308	STF 2050 AB	2017.259	219.1	0.1	5.637	0.025	1	
16308+2744	HO 64	2017.259	109.1	0.1	4.408	0.019	1	
16316+7056	CBL 159 AC	2017.423	132.7	0.1	40.003	0.176	1	
16323+0012	HDO 308	2017.341	305.1	0.1	6.961	0.000	2	
16326+2314	BU 817	2017.494	327.2	0.1	0.917	0.004	1	
16327+3959	STF 2065 AB	2017.439	215.2	0.1	31.960	0.141	1	
16339+4717	STF 2068	2017.439	251.3	0.1	4.951	0.022	1	
16355+4741	STF 2072	2017.439	179.5	0.1	5.020	0.022	1	
16357+1442	BPM 662	2017.494	277.1	0.1	21.970	0.097	1	
16384+7020	STF 2099	2017.423	216.0	0.1	9.717	0.043	1	
16391+6042	STF 2092	2017.423	5.2	0.1	8.245	0.036	1	
16412+8603	MLR 352 AB	2017.439	258.5	0.1	29.399	0.129	1	
16420+4031	BRT 339	2017.439	280.6	0.1	4.761	0.021	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
16430+4355	KU	54	2017.439	99.4	0.1	9.487	0.042	1	
16431+3321	GRV	935	2017.494	293.2	0.1	10.479	0.046	1	
16440+1236	HEI	544	2017.259	139.8	0.1	3.011	0.013	1	
16448+3544	STF	2097 AB	2017.537	80.0	0.1	1.915	0.008	1	
16448+6647	AG	206	2017.423	155.9	0.1	6.141	0.027	1	
16460+1222	J	1137	2017.259	305.0	0.1	3.494	0.015	1	
16462–1721	SKI	10	2017.494	85.1	0.1	3.338	0.015	1	
16463+2438	AG	351	2017.494	303.5	0.1	2.959	0.013	1	
16466+2348	POU	3245	2017.494	346.0	0.1	13.479	0.059	1	
16490+5757	STI	2346	2017.436	104.7	0.1	15.506	0.068	1	
16491+6203	STI	807 AB	2017.423	247.6	0.1	8.934	0.039	1	
16494+4127	BRT	340	2017.537	199.6	0.1	3.545	0.016	1	
16501+2358	POU	3248	2017.494	348.8	0.1	11.675	0.051	1	
16540+2906	A	350	2017.494	144.4	0.1	0.585	0.003	1	
16541+4354	BRT	341	2017.439	255.8	0.1	4.308	0.019	1	
16552+6332	STF	2116	2017.423	4.1	0.1	19.060	0.084	1	
16569+2541	LDS	986	2017.494	266.5	0.1	8.532	0.038	1	
16571–1932	SHJ	240	2017.494	233.0	0.1	4.541	0.020	1	
16571+4903	BEM	23	2017.439	21.8	0.1	24.773	0.109	1	
16593–1312	HLD	27	2017.537	135.5	0.1	4.905	0.022	1	
16593+6513	STF	2124	2017.423	87.4	0.1	14.713	0.065	1	
17005+4817	ES	1090	2017.439	276.3	0.1	5.549	0.024	1	
17014+3754	HJ	263	2017.439	114.9	0.1	18.699	0.082	1	
17056+0530	SKF	14	2017.524	262.1	0.1	39.386	0.173	1	
17065–1356	STF	2119	2017.578	185.3	0.1	2.374	0.010	1	
17076+0332	BAL	2434	2017.423	316.9	0.1	15.498	0.068	1	
17116+3916	STF	2136 AB,C	2017.491	112.8	0.1	15.431	0.068	1	
17122+2137	WFC	189	2017.511	301.7	0.1	6.700	0.000	2	
17128–0403	STF	2132	2017.512	114.3	0.1	1.945	0.002	2	
17128+2433	POU	3264	2017.374	240.6	0.1	26.053	0.115	1	C,125
17130+3656	ALI	604	2017.491	175.5	0.1	11.320	0.050	1	
17133–2058	ARA	1123	2017.454	120.1	0.4	13.265	0.038	2	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
17134–1839	ARA 438	2017.579	262.5	0.1	13.255	0.058	1	
17139+1557	STF 2137	2017.478	144.6	0.0	4.066	0.004	2	
17139+2848	BU 44 AB	2017.512	17.7	0.1	5.615	0.006	3	
17157–1811	HJ 4932 AC	2017.579	227.5	0.1	10.431	0.046	1	
17165–1920	BU 958	2017.512	211.1	0.8	1.870	0.000	2	
17167+3752	PTT 17	2017.491	189.5	0.1	10.310	0.045	1	
17170+5612	SLE 81	2017.439	16.4	0.1	17.462	0.077	1	
17177+0207	BAL 1934	2017.423	236.4	0.1	12.646	0.056	1	
17178+0733	J 450	2017.431	60.2	0.1	4.749	0.021	1	
17178+4535	STF 2152	2017.540	238.1	0.2	1.967	0.010	2	
17179+3229	BU 45	2017.494	291.0	0.1	4.865	0.021	1	
17179+4918	STF 2153	2017.557	245.0	0.1	1.447	0.000	2	
17195+5832	KR 46	2017.501	64.5	0.1	1.686	0.003	2	
17200–0626	STF 2149	2017.581	24.1	0.1	7.298	0.032	1	
17205+3439	POP 218	2017.494	89.9	0.1	30.710	0.135	1	
17207+3832	ALI 866	2017.491	133.9	0.1	11.628	0.051	1	
17208–0902	A 28	2017.554	36.8	0.1	2.027	0.002	2	
17209+2429	DOO 66	2017.548	17.0	0.1	9.940	0.044	1	
17237+3709	STF 2161 AB	2017.491	321.1	0.1	4.108	0.018	1	
17240–0050	STF 2156	2017.578	36.3	0.1	3.799	0.014	2	
17240–1142	BU 242 AB	2017.512	80.0	0.3	1.178	0.009	2	
17240–1142	BU 242 AC	2017.445	64.8	0.1	9.097	0.040	1	
17240–1142	BU 242 AD	2017.445	61.8	0.1	48.292	0.212	1	
17255+5130	HU 672	2017.540	58.5	0.2	4.154	0.011	2	
17266+3546	STF 2168	2017.491	202.4	0.1	2.329	0.010	1	
17268+2240	J 1032	2017.460	349.6	0.8	4.061	0.006	2	
17270+2243	J 1033	2017.441	247.3	0.1	6.535	0.028	2	
17277+3024	HO 416 AB	2017.521	97.6	0.2	4.457	0.005	2	
17290+5052	STF 2180	2017.502	260.2	0.0	3.032	0.001	2	
17291+1727	DAL 14 AC	2017.431	184.3	0.1	18.153	0.080	1	
17293–0959	STF 2171	2017.513	60.3	0.2	1.452	0.002	2	
17295+3456	STF 2178 AB	2017.491	128.5	0.1	10.654	0.047	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
17317+1111	AG	354	2017.435	52.3	0.2	2.465	0.000	2	
17319+5655	ES	2659	2017.439	215.2	0.1	11.768	0.052	1	
17323–0828	HJ	4960	2017.581	93.6	0.1	6.096	0.027	1	
17324+2352	STF	2182 AB	2017.543	0.9	0.1	5.376	0.000	2	
17346+0935	STFA	34 AB	2017.565	190.6	0.0	41.221	0.013	2	
17349+1519	STT	332 AB	2017.431	111.3	0.1	10.384	0.046	1	
17352+2545	WFC	196	2017.521	104.3	0.1	7.878	0.007	2	
17358+0100	STF	2186	2017.449	78.2	0.2	2.985	0.014	2	
17362+5425	ES	637	2017.546	295.8	0.1	4.128	0.018	1	
17365+3243	SEI	543 AB	2017.491	178.5	0.1	7.335	0.032	1	
17371–1636	BHA	58	2017.454	140.7	0.0	23.869	0.046	2	
17372+4309	ES	2660	2017.538	154.4	0.1	9.382	0.041	1	
17374+5040	ES	2661 AB	2017.546	102.5	0.1	58.312	0.257	1	
17375–2003	HU	752 AC	2017.564	92.6	0.1	50.220	0.032	2	
17383+4500	ES	1257 AB	2017.538	297.4	0.1	2.790	0.012	1	
17383+4500	ES	1257 AC	2017.538	123.7	0.1	52.439	0.231	1	
17394–2042	ARA	1127	2017.538	138.9	0.2	11.559	0.067	2	
17397+7256	H 1	41	2017.581	336.1	0.1	0.946	0.004	1	
17400+3144	SEI	545	2017.491	325.8	0.1	11.431	0.050	1	
17412+4139	STF	2203	2017.538	292.8	0.1	0.731	0.003	1	
17420+0814	STF	2193	2017.565	66.1	0.1	5.861	0.026	1	
17422–1544	HU	184	2017.476	274.2	0.0	4.413	0.002	2	
17424–1353	BVD	123	2017.476	270.9	0.1	18.466	0.009	2	
17424+6501	ES	1910	2017.548	55.9	0.1	5.116	0.023	1	
17436+3203	SEI	546	2017.491	94.4	0.1	21.683	0.095	1	
17439+0551	STF	2200 AB	2017.565	163.0	0.1	1.576	0.007	1	
17439+1455	J	2115	2017.565	224.0	0.1	6.587	0.029	1	
17446+0235	STF	2202 AB	2017.565	93.6	0.0	20.796	0.009	2	
17449+3108	STF	2213	2017.491	328.4	0.1	4.741	0.021	1	
17452+5157	STF	2225 CD	2017.546	296.5	0.1	8.735	0.038	1	
17456–0424	A	31	2017.445	5.6	0.1	1.055	0.005	1	
17457+4132	POP	216	2017.538	89.4	0.1	7.967	0.035	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
17459–0231	BAL 245	2017.374	70.6	0.1	12.127	0.053	1	
17459+5011	STF 2229	2017.571	341.1	0.0	6.446	0.002	2	
17462+5613	STI 2357	2017.548	171.8	0.1	11.876	0.052	1	
17464+0542	STF 2212	2017.565	341.3	0.1	3.241	0.014	1	
17467+1447	STF 2217 AB	2017.606	284.7	0.1	7.006	0.031	1	
17467+3538	STF 2226	2017.491	89.8	0.1	12.667	0.056	1	
17494+4904	BEM 9024 AB	2017.538	280.0	0.1	18.426	0.081	1	
17495+3436	AG 214	2017.491	204.9	0.1	4.636	0.020	1	
17496–2000	HJ 2810 AB	2017.454	188.1	0.0	43.959	0.088	2	
17500+4157	STF 2237	2017.538	6.9	0.1	20.434	0.090	1	
17505+4112	A 698 AB	2017.491	256.3	0.1	4.267	0.019	1	
17505+4112	A 698 AC	2017.491	167.1	0.1	25.922	0.114	1	
17511+5523	HO 71	2017.546	227.7	0.1	3.805	0.017	1	
17512+4454	STF 2242	2017.538	327.0	0.1	3.391	0.015	1	
17514+5938	ROE 17	2017.548	54.4	0.1	9.016	0.040	1	
17523+6414	KR 47	2017.548	202.9	0.1	7.557	0.033	1	
17528–1319	HJ 4993	2017.567	301.8	0.1	19.518	0.104	2	
17535+3240	SEI 549	2017.491	131.4	0.1	12.040	0.053	1	
17536–1726	HDO 147 AB	2017.606	206.0	0.1	12.159	0.054	1	
17536+4313	ES 2663	2017.538	333.3	0.1	10.075	0.044	1	
17541+3928	HLM 9	2017.491	285.0	0.1	5.525	0.024	1	
17543–1927	DOO 69	2017.380	89.1	0.1	11.516	0.019	2	
17546–1911	HJ 2812	2017.564	134.4	0.0	12.545	0.039	2	
17554+3930	STF 2246	2017.491	100.2	0.1	5.576	0.025	1	
17557–1156	HJ 4997	2017.259	85.7	0.1	11.071	0.049	1	
17563+5731	ES 1744	2017.538	266.8	0.1	7.375	0.032	1	
17567+4837	STF 2258	2017.546	222.4	0.1	2.035	0.009	1	
17569–1920	B 2846	2017.581	141.8	0.1	10.919	0.048	1	
17573+3351	ES 344	2017.548	30.8	0.1	9.064	0.040	1	
17598–1346	HU 191	2017.481	120.7	0.1	4.149	0.006	3	
18000+5316	A 1886	2017.546	340.9	0.1	4.758	0.021	1	
18001+3328	KU 116 AB	2017.548	333.3	0.1	58.865	0.259	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
18004–1521	FOX	212	2017.374	10.2	0.1	20.272	0.089	1	
18007+5453	ES	640	2017.538	77.7	0.1	8.420	0.037	1	
18009+2633	STF	2263	2017.549	160.0	0.1	7.535	0.033	1	
18011–1952	I	9027 AC	2017.490	301.7	0.1	33.288	0.029	2	
18013–0601	J	2511	2017.374	74.2	0.1	4.675	0.021	1	
18013–1522	FOX	214 AB	2017.374	252.1	0.1	31.509	0.139	1	
18029+5626	STF	2278 AB	2017.538	29.5	0.1	35.909	0.158	1	
18029+5626	STF	2278 BC	2017.538	146.6	0.1	6.019	0.026	1	
18031+4828	STF	2277 AB	2017.546	128.6	0.1	26.858	0.118	1	
18033+2751	ES	470	2017.549	209.9	0.1	8.143	0.036	1	
18046–1936	HJ	2817	2017.490	275.7	0.0	13.422	0.002	2	
18054+3029	SLE	131 AB	2017.549	203.8	0.1	52.465	0.231	1	
18054+3029	SLE	131 AC	2017.549	206.9	0.1	67.223	0.296	1	
18054+3029	SLE	131 BC	2017.549	217.5	0.1	15.043	0.066	1	
18057–0433	HJ	5016	2017.259	88.8	0.1	12.187	0.054	1	
18061–2057	ARA	1133	2017.536	325.5	0.0	15.194	0.011	2	
18063+4213	ROE	18	2017.548	171.8	0.1	14.915	0.066	1	
18067–1859	HJ	592	2017.374	207.1	0.1	36.647	0.161	1	
18069+2933	SLE	135	2017.549	127.2	0.1	9.415	0.041	1	
18069+4647	ES	1157 AB	2017.546	179.2	0.1	30.153	0.133	1	
18069+4647	ES	1157 BC	2017.546	11.2	0.1	2.803	0.012	1	
18072–1854	STN	41 A,BC	2017.259	211.9	0.1	29.654	0.130	1	
18072+4430	BRT	1914	2017.548	160.1	0.1	3.986	0.018	1	
18078+2606	STF	2280 AB	2017.524	183.3	0.1	14.380	0.063	1	
18081–1925	ARA	730 AB	2017.563	330.2	0.1	12.587	0.035	3	
18081–1925	AOT	68 AC	2017.481	314.7	0.1	23.573	0.019	3	
18081–1925	AOT	68 BC	2017.481	298.8	0.2	11.919	0.023	3	
18082–1847	ARA	452	2017.581	262.2	0.1	12.595	0.055	1	
18086–1823	GAU	9002	2017.259	125.2	0.1	26.733	0.118	1	
18090–1825	HJ	2819	2017.259	113.7	0.1	23.297	0.103	1	
18092–0817	B	2856 AB,C	2017.259	123.7	0.1	11.885	0.052	1	
18093–1624	BRT	627	2017.520	221.1	0.1	4.621	0.011	3	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
18094+5019	UC 236	2017.546	323.0	0.1	13.467	0.059	1	
18107–1624	FEN 27	2017.476	22.4	0.0	4.560	0.027	2	
18107+3903	ES 2569	2017.548	275.7	0.1	9.942	0.044	1	
18108–1709	HJ 593 AC	2017.374	312.8	0.1	19.854	0.087	1	
18111+5330	AG 217	2017.565	238.3	0.1	14.400	0.063	1	
18116+5329	VBS 27	2017.565	27.8	0.1	21.906	0.096	1	
18117–1605	J 1620 AB	2017.494	272.6	0.1	27.740	0.122	1	
18117–1605	J 1620 BC	2017.494	235.9	0.1	7.252	0.032	1	
18117–1605	J 1620 BD	2017.494	11.4	0.1	8.023	0.035	1	
18120+5110	AG 359 AB	2017.565	306.6	0.1	23.274	0.102	1	
18120+5110	AG 359 AC	2017.565	333.6	0.1	10.444	0.046	1	
18120+5110	AG 359 BC	2017.565	107.8	0.1	14.741	0.065	1	
18123+3106	SLE 141	2017.546	17.0	0.1	6.067	0.027	1	
18125–1522	LV 7 AC	2017.494	240.9	0.1	33.725	0.148	1	
18125–1852	VAT 2	2017.494	86.9	0.1	7.615	0.034	1	
18126–1804	ARA 461	2017.494	314.3	0.1	10.824	0.048	1	
18128–1618	HJ 2821 AB	2017.494	278.5	0.1	7.830	0.034	1	
18130+4251	ES 473 AB	2017.565	99.1	0.1	30.781	0.135	1	
18130+4251	SLV 6 AC	2017.565	129.5	0.1	42.777	0.188	1	
18133+4944	HDS 2572	2017.565	69.5	0.1	14.611	0.064	1	
18137–1410	BRT 2745	2017.494	319.5	0.1	5.331	0.023	1	
18137–1949	TOB 277	2017.494	130.7	0.1	23.490	0.103	1	
18138–1847	HJ 594 AB	2017.494	122.0	0.1	7.629	0.034	1	
18138–1847	HJ 594 AC	2017.494	238.4	0.1	13.467	0.059	1	
18145+6454	MLB 212	2017.565	321.0	0.1	3.606	0.016	1	
18147+5635	BU 1274 BC	2017.565	144.2	0.1	1.041	0.005	1	
18147+5635	BU 1274 BD	2017.565	5.7	0.1	5.348	0.024	1	
18150–1945	TOB 276	2017.574	345.7	0.2	13.019	0.060	2	
18150–1955	HJ 2823 AB	2017.494	331.3	0.1	20.214	0.089	1	
18150–1955	TOB 275 AC	2017.494	90.6	0.1	23.211	0.102	1	
18150–1955	TOB 275 AD	2017.494	47.5	0.1	30.625	0.135	1	
18150–1955	TOB 275 DE	2017.494	37.2	0.1	35.848	0.158	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
18150+2345	POU 3367	2017.538	212.9	0.1	14.895	0.066	1	
18152–1738	ARA 270	2017.494	333.4	0.1	15.052	0.066	1	
18153–1900	BU 284 AB	2017.494	359.1	0.1	18.104	0.080	1	
18153–1900	BU 284 AD	2017.494	192.3	0.1	57.728	0.254	1	
18153–1900	BU 284 AE	2017.494	189.1	0.1	75.297	0.331	1	
18153–1900	BU 284 AG	2017.494	200.9	0.1	12.411	0.055	1	
18153–1900	BU 284 AH	2017.494	67.6	0.1	21.027	0.093	1	
18156+2321	SLE 148	2017.538	189.8	0.1	20.007	0.088	1	
18156+3842	ALI 871	2017.546	181.9	0.1	12.946	0.057	1	
18157+3723	ES 2664	2017.546	83.4	0.1	9.233	0.041	1	
18158–1527	SKF 2388	2017.494	48.0	0.1	12.232	0.054	1	
18162+5120	STF 2305 AB	2017.565	334.2	0.1	5.060	0.022	1	
18164–1214	BRT 2747	2017.579	5.0	0.1	3.918	0.017	1	
18167–1649	TOB 278 AB	2017.494	108.6	0.1	25.614	0.113	1	
18167–1649	TOB 278 BC	2017.536	114.3	0.0	17.208	0.006	2	
18169+5309	CBL 76	2017.565	9.0	0.1	44.783	0.197	1	
18170–1933	B 2862	2017.494	296.5	0.1	7.310	0.032	1	
18170+2937	UC 238	2017.546	66.9	0.1	48.626	0.214	1	
18171–1952	HJ 2827	2017.476	252.6	0.1	19.916	0.029	2	
18171+4015	STF 2304	2017.546	69.7	0.1	5.152	0.023	1	
18172+5103	AG 220	2017.565	126.9	0.1	10.892	0.048	1	
18174–1819	ARA 471	2017.536	54.5	0.1	11.921	0.030	2	
18177–1940	BU 246 AB	2017.606	111.8	0.1	0.464	0.002	1	
18179–1848	SHJ 263 AB	2017.611	11.7	0.0	53.721	0.031	2	
18181–1215	SS 7 AH	2017.538	269.0	0.1	40.813	0.180	1	
18182+0557	HJ 2830	2017.538	94.4	0.1	11.402	0.050	1	
18187–1837	BU 639 AB	2017.606	136.7	0.1	0.467	0.002	1	
18187–1837	SHJ 264 AB,C	2017.646	51.6	0.0	17.218	0.004	2	
18194–1618	BRT 628	2017.579	319.5	0.1	4.341	0.019	1	
18195+0320	AG 218 AB	2017.538	276.8	0.1	2.679	0.012	1	
18195+0320	AG 218 AC	2017.538	54.7	0.1	54.350	0.239	1	
18195–1647	TOB 284 AB	2017.538	178.7	0.1	13.363	0.059	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
18195–1647	TOB	284 AC	2017.538	63.7	0.1	19.973	0.088	1	
18197+0207	AG	219 AB	2017.538	34.5	0.1	8.723	0.038	1	
18197–1655	TOB	285	2017.538	194.4	0.1	19.423	0.085	1	
18200+0858	SLE	153	2017.491	219.4	0.1	9.970	0.044	1	
18209–2004	ARA	1148	2017.581	310.5	0.1	11.144	0.049	1	
18212+0315	BAL	2489	2017.538	111.7	0.1	17.466	0.077	1	
18214–1522	CBL	168	2017.538	26.6	0.1	18.923	0.083	1	
18218+0852	SLE	158	2017.491	118.4	0.1	11.351	0.050	1	
18222–1505	MTL	3 BC	2017.538	71.8	0.1	0.826	0.004	1	
18227+0614	SLE	162	2017.491	143.1	0.1	20.919	0.092	1	
18229+0835	ROE	99 AB	2017.491	222.1	0.1	5.873	0.026	1	
18234–1137	BVD	126	2017.538	290.7	0.1	19.138	0.084	1	
18235+0748	SLE	340	2017.491	158.0	0.1	23.031	0.101	1	
18240+0940	SLE	170	2017.491	166.8	0.1	16.335	0.072	1	
18241+0535	SLE	169 AB	2017.538	344.1	0.1	12.025	0.053	1	
18241+0535	SLE	169 AC	2017.538	351.9	0.1	30.802	0.136	1	
18243+0347	BAL	2490	2017.538	289.3	0.1	19.175	0.084	1	
18246+0653	SLE	341	2017.491	98.2	0.1	23.662	0.104	1	
18247–0636	STF	2313	2017.538	196.4	0.1	5.838	0.026	1	
18249+0819	SLE	171	2017.491	85.8	0.1	23.816	0.105	1	
18250+1928	VAT	3	2017.491	178.2	0.1	8.578	0.038	1	
18253+4846	STT	351 AC	2017.674	28.5	0.1	0.811	0.004	1	
18255+0756	J	2580 AB	2017.491	168.9	0.1	6.535	0.029	1	
18255+0756	J	2580 AC	2017.491	180.6	0.1	37.909	0.167	1	
18258+0359	J	462	2017.582	348.7	0.1	4.159	0.018	1	
18264–1819	ARA	480	2017.581	279.0	0.1	10.073	0.044	1	
18269–1429	J	520	2017.582	295.2	0.1	5.675	0.025	1	
18273–1441	BRT	590	2017.582	249.3	0.1	2.740	0.012	1	
18274–1838	LEO	17 DE	2017.581	295.1	0.1	15.969	0.070	1	
18276–1039	DAM	320 AB	2017.582	64.7	0.1	16.545	0.073	1	
18281–2048	RSS	32	2017.581	223.8	0.1	45.654	0.201	1	
18287–1420	J	1831	2017.582	349.7	0.1	5.643	0.025	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($\circ$)	$\sigma\theta$ ($\circ$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
18300+0111	STF 2321	2017.582	191.0	0.1	6.687	0.029	1	
18300–0522	BRT 479	2017.582	282.2	0.1	5.453	0.024	1	
18307–1639	ARA 104	2017.582	205.7	0.1	11.276	0.050	1	
18309–1456	FOX 231	2017.582	9.0	0.1	8.940	0.039	1	
18310+0123	STF 2324 AB	2017.582	148.9	0.1	2.397	0.011	1	
18315–1430	BRT 593	2017.582	355.3	0.1	5.637	0.025	1	
18315–1905	ARA 752	2017.581	284.4	0.1	11.169	0.049	1	
18320–1641	ARA 105	2017.581	144.8	0.1	14.333	0.063	1	
18326–1657	ARA 283 AB	2017.581	35.1	0.1	11.860	0.052	1	
18326–1657	ARA 283 AC	2017.581	143.4	0.1	13.948	0.061	1	
18331–1918	J 2215	2017.581	267.2	0.1	5.983	0.026	1	
18332–1418	SLE 185 AB	2017.582	253.6	0.1	11.451	0.050	1	
18332–1418	SLE 185 AC	2017.582	288.5	0.1	44.472	0.196	1	
18337–1426	SLE 190	2017.582	34.5	0.1	14.074	0.062	1	
18341+1712	SLE 202 AB	2017.549	70.9	0.1	51.743	0.228	1	
18341+1712	SLE 202 AC	2017.549	71.0	0.1	68.698	0.302	1	
18341+1712	SLE 202 BC	2017.549	71.2	0.1	16.967	0.075	1	
18342+1705	SLE 203 AB	2017.549	268.4	0.1	55.981	0.246	1	
18342+1705	SLE 203 AC	2017.549	280.3	0.1	63.218	0.278	1	
18342+1705	SLE 203 BC	2017.549	334.0	0.1	14.278	0.063	1	
18344–1707	J 2217	2017.693	300.5	0.1	5.832	0.026	1	
18349+2701	ES 477	2017.549	227.2	0.1	10.205	0.045	1	
18364+1017	PRZ 14 AB	2017.691	300.5	0.1	11.045	0.049	1	
18364+1017	PRZ 14 AC	2017.691	102.0	0.1	43.900	0.193	1	
18369+2915	SLE 98	2017.549	315.9	0.1	11.199	0.049	1	
18384+6332	STF 2377 AB	2017.674	338.4	0.1	16.877	0.074	1	
18386+2937	J 525	2017.549	70.2	0.1	3.075	0.014	1	
18387+2439	HJ 1332	2017.549	232.8	0.1	27.757	0.122	1	
18413+3018	STF 2367 AB,C	2017.674	192.2	0.1	14.129	0.062	1	
18421+3445	STF 2372 AB	2017.674	82.9	0.1	25.028	0.110	1	
18422+2739	STF 2371	2017.549	55.3	0.1	9.695	0.043	1	
18427+1152	AG 364 AB	2017.691	1.5	0.1	29.809	0.131	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
18427+1152	AG	364 AC	2017.691	14.3	0.1	23.565	0.104	1	
18427+1152	AG	364 BC	2017.691	144.4	0.1	8.559	0.038	1	
18428–1523	HLD	145	2017.579	51.7	0.1	1.498	0.007	1	
18439–1954	STN	44	2017.579	316.2	0.1	1.606	0.007	1	
18448+3736	STFA	38 AD	2017.674	150.4	0.1	43.778	0.193	1	
18455+0530	STF	2375 AB	2017.667	120.8	0.0	2.522	0.005	4	
18455+4202	STF	2394	2017.546	203.0	0.1	6.872	0.030	1	
18465–0058	STF	2379 AB	2017.677	121.6	0.0	12.620	0.003	4	
18465–0058	STF	2379 AC	2017.606	155.8	0.1	21.843	0.096	1	V
18465–0058	STF	2379 BC	2017.606	172.3	0.1	13.430	0.059	1	
18467+4303	ES	1425	2017.546	230.7	0.1	4.443	0.020	1	
18478+1143	J	2149	2017.691	258.4	0.1	7.201	0.032	1	
18478+3954	GRV	240	2017.546	43.5	0.1	15.625	0.069	1	
18508+1059	STF	2404	2017.652	181.7	0.0	3.548	0.003	4	
18512+5210	BEM	35	2017.546	156.7	0.1	17.230	0.076	1	
18513–1438	J	2153	2017.693	352.4	0.1	5.436	0.024	1	
18517+4323	BU	421 AB	2017.546	296.9	0.1	1.199	0.005	1	
18517+4323	BU	421 AB,C	2017.546	226.9	0.1	43.116	0.190	1	
18523+1432	STF	2411 AB	2017.669	95.9	0.1	13.453	0.034	3	
18523+1432	WAL	97 AC	2017.654	87.9	0.0	60.148	0.012	2	
18523+1432	WAL	97 AD	2017.654	118.8	0.0	83.798	0.036	2	
18542+5535	STI	2395	2017.546	164.6	0.1	12.114	0.053	1	
18548–0229	J	531	2017.617	154.2	0.1	4.243	0.019	1	
18549+3358	SHJ	282 AC	2017.674	349.8	0.1	45.347	0.200	1	
18562+0412	STF	2417 AB	2017.657	104.3	0.0	22.501	0.006	3	
18577+4324	HJ	1358	2017.546	264.9	0.1	14.624	0.064	1	
18580+4407	A	587 AB	2017.546	308.3	0.1	42.356	0.186	1	
18580+4407	A	587 BC	2017.546	188.4	0.1	1.811	0.008	1	
18588+5307	BEM	36	2017.565	337.4	0.1	11.797	0.052	1	
18591+1149	J	473	2017.617	161.2	0.1	3.586	0.016	1	
18595+1504	WRD	2 AB	2017.617	252.1	0.1	9.252	0.041	1	
18595+1504	WRD	2 AC	2017.617	101.0	0.1	22.294	0.098	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($\circ$)	$\sigma\theta$ ($\circ$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
18598+5543	ES	1748	2017.565	55.2	0.1	6.601	0.029	1	
19002+0237	J	474	2017.617	101.5	0.1	2.916	0.013	1	
19012+1253	J	1279	2017.617	350.3	0.1	3.044	0.013	1	
19012+3621	ALI	382	2017.565	78.4	0.1	14.745	0.065	1	
19017–2001	DYL	31	2017.579	267.2	0.1	17.728	0.078	1	
19020–2043	J	1755	2017.579	95.6	0.1	4.064	0.018	1	
19028–1545	HJ	2849	2017.582	143.4	0.1	20.430	0.090	1	
19031–1914	EGB	7	2017.579	250.1	0.1	16.017	0.070	1	
19031–1915	HJ	5082 BC	2017.582	127.2	0.1	13.510	0.059	1	
19037+3545	STF	2448	2017.565	191.6	0.1	2.474	0.011	1	
19037+5727	ARG	33	2017.565	57.7	0.1	10.585	0.047	1	
19040+1625	J	2938	2017.617	215.5	0.1	5.447	0.024	1	
19050–0402	SHJ	286	2017.672	210.4	0.0	39.559	0.004	4	
19052+5201	ES	978	2017.565	199.6	0.1	5.101	0.022	1	
19058+0633	STF	2446 AB	2017.683	153.2	0.1	9.415	0.009	3	
19060+3553	H 5	103	2017.565	55.6	0.1	56.895	0.250	1	
19061–2056	J	1840	2017.582	116.8	0.1	10.191	0.045	1	
19066–0121	STF	2447 AB	2017.634	343.5	0.1	13.996	0.035	3	
19070–1959	HJ	2853	2017.582	85.8	0.1	14.724	0.065	1	
19077+5057	ES	979 AB	2017.565	193.7	0.1	8.208	0.036	1	
19077+5057	ES	979 AC	2017.565	47.1	0.1	19.251	0.085	1	
19080–1726	ARA	290	2017.579	149.4	0.1	13.269	0.058	1	
19086–1750	ARA	291	2017.579	249.5	0.1	10.026	0.044	1	
19088+3419	POP	30	2017.565	316.4	0.1	2.340	0.010	1	
19091+3436	STF	2474 AB	2017.608	263.4	0.1	15.919	0.004	2	
19106+3530	ALI	145	2017.565	308.8	0.1	14.353	0.063	1	
19117+0533	J	1377	2017.617	292.7	0.1	5.581	0.025	1	
19121–1630	ARA	115	2017.579	105.3	0.1	13.841	0.061	1	
19125+0306	J	2168	2017.598	336.9	0.3	3.066	0.013	2	
19144+0053	J	1035	2017.617	74.8	0.1	4.021	0.018	1	
19144+0212	SLE	935	2017.617	221.5	0.1	8.354	0.037	1	
19160+1610	STT	368 AB	2017.606	218.9	0.1	1.148	0.005	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
19181–2049	ARA 1178 AB	2017.579	36.2	0.1	12.724	0.056	1	
19181–2049	ARA 1178 AC	2017.579	296.4	0.1	11.806	0.052	1	
19185+0620	BU 1256	2017.579	43.5	0.1	1.658	0.007	1	
19206+0256	HWE 47	2017.606	304.5	0.1	0.549	0.002	1	
19221+3053	HJ 1390 AB	2017.546	103.0	0.1	17.031	0.075	1	
19227–0708	STF 2503	2017.579	285.6	0.1	2.441	0.011	1	
19243+3349	GRV 256	2017.546	214.9	0.1	27.119	0.119	1	
19254+3418	SEI 598	2017.546	146.8	0.1	25.182	0.111	1	
19254+3443	SEI 597	2017.546	319.0	0.1	12.358	0.054	1	
19257+3234	MLB 760	2017.546	190.2	0.1	5.452	0.024	1	
19258+2846	STF 2522	2017.546	338.4	0.1	4.516	0.020	1	
19259+3339	HJ 1399	2017.546	206.7	0.1	26.883	0.118	1	
19259+3442	SEI 599	2017.546	297.4	0.1	20.677	0.091	1	
19260+2830	MLB 472	2017.546	350.8	0.1	10.105	0.044	1	
19267+3221	STF 2528 AB	2017.546	243.8	0.1	14.396	0.063	1	
19267+3221	STF 2528 AC	2017.546	182.6	0.1	32.797	0.144	1	
19303+3320	HJ 1406 AB	2017.546	300.4	0.1	12.615	0.056	1	
19303+3320	HJ 1406 AC	2017.546	206.3	0.1	12.146	0.053	1	
19307+2758	STFA 43 AB	2017.674	54.4	0.1	34.581	0.152	1	
19307+3227	SEI 610	2017.546	23.3	0.1	19.772	0.087	1	
19309+3815	SEI 614 A,BC	2017.374	359.3	0.1	11.917	0.052	1	
19311+2233	COU 516	2017.549	148.6	0.1	1.879	0.008	1	
19320+3849	A 1397 AC	2017.374	174.5	0.1	26.095	0.115	1	
19326+3855	SEI 625	2017.374	214.8	0.1	18.025	0.079	1	
19333+2025	STF 2540 AB	2017.549	146.7	0.1	5.319	0.023	1	
19336+0458	BAL 2948	2017.374	324.4	0.1	15.034	0.066	1	
19336+0511	BAL 2947	2017.549	228.2	0.1	16.427	0.072	1	
19352+1058	TDT 1560	2017.549	176.4	0.1	10.053	0.044	1	
19355+1433	J 2984	2017.549	338.5	0.1	6.621	0.029	1	
19357+5948	HJ 2889	2017.374	164.5	0.1	12.384	0.054	1	
19360+1506	J 1144	2017.549	179.6	0.1	3.306	0.015	1	
19364+4808	ES 491 AC	2017.374	234.7	0.1	24.492	0.108	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
19371+1723	HU	342	2017.549	255.8	0.1	4.549	0.020	1	
19373+1534	TDT	1590	2017.549	350.3	0.1	6.153	0.027	1	
19374+2249	STF	2551 AB	2017.549	42.0	0.1	6.778	0.030	1	
19377+1422	BRT	1321	2017.549	157.3	0.1	4.477	0.020	1	
19402+6030	STF	2573	2017.674	27.2	0.1	18.287	0.080	1	
19404+3121	SEI	657 AB	2017.538	356.8	0.1	19.313	0.085	1	
19407–1618	HJ	599 AC	2017.685	42.2	0.1	45.471	0.200	1	
19428+0823	STF	2562 AB	2017.685	251.9	0.1	27.209	0.120	1	
19440+1110	J	2277	2017.691	318.1	0.1	8.086	0.036	1	
19453+3048	AG	237	2017.538	141.0	0.1	2.432	0.011	1	
19457+3605	STF	2578 AB	2017.674	125.3	0.1	14.877	0.065	1	
19459+3501	H 5	137 AB	2017.674	25.5	0.1	38.582	0.170	1	
19487+1149	STF	2583 AB	2017.639	105.7	0.1	1.415	0.008	4	
19528+6411	STF	2604	2017.674	183.7	0.1	27.862	0.123	1	
19533+0820	AG	241	2017.691	217.2	0.1	8.602	0.038	1	
19534+6154	HJ	2915	2017.374	259.9	0.1	11.780	0.052	1	
19546–0814	STF	2594	2017.693	170.5	0.0	35.698	0.010	3	
19548+3724	ES	2118 AB	2017.565	273.9	0.1	10.705	0.047	1	
19548+3724	SMA	110 AC	2017.565	0.6	0.1	10.012	0.044	1	
19558+3803	SMA	112	2017.565	0.1	0.1	13.113	0.058	1	
19560+7927	STF	2647	2017.374	258.9	0.1	8.533	0.038	1	
19570+8319	WFC	227	2017.374	50.9	0.1	5.873	0.026	1	
19573+3927	SEI	744	2017.565	85.6	0.1	16.465	0.072	1	
19577+3755	HJ	1457	2017.565	223.1	0.1	12.126	0.053	1	
19579+3843	SEI	751 AB	2017.565	258.6	0.1	20.374	0.090	1	
19579+3843	TOB	163 AC	2017.565	72.3	0.1	23.538	0.104	1	
19579+3843	MLB	949 CD	2017.565	105.0	0.1	3.111	0.014	1	
19584+3611	ALI	165	2017.565	166.1	0.1	11.839	0.052	1	
19586+3806	STF	2609	2017.608	22.8	0.1	1.935	0.003	3	
19590+3851	SEI	763	2017.565	333.6	0.1	23.700	0.104	1	
19593+3829	SEI	772 AB	2017.565	1.3	0.1	22.157	0.097	1	
19593+3829	SEI	771 AC	2017.565	284.3	0.1	22.357	0.098	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
20001+3842	SEI	777	2017.565	222.3	0.1	25.033	0.110	1	
20005+3659	SEI	782	2017.565	199.5	0.1	25.749	0.113	1	
20007+3635	WEB	9 BC	2017.565	278.6	0.1	26.294	0.116	1	
20007+3635	WEB	9 CD	2017.565	325.5	0.1	13.947	0.061	1	
20010+3737	SEI	786	2017.565	253.3	0.1	28.781	0.127	1	
20010+3742	BU	1289 AC	2017.565	89.9	0.1	21.392	0.094	1	
20046+0914	STF	2621	2017.691	224.4	0.1	5.688	0.025	1	
20060+3547	SHJ	314 AD	2017.676	300.4	0.4	11.350	0.058	2	
20060+3547	SHJ	314 AF	2017.684	28.4	0.0	35.925	0.011	2	
20064+0433	BAL	2961	2017.691	252.9	0.1	9.326	0.041	1	
20099+2055	STF	2637 AB	2017.689	331.6	0.1	11.636	0.019	3	
20108+1827	J	506	2017.582	305.6	0.1	3.477	0.015	1	
20111–1252	HO	119	2017.702	198.9	0.1	3.139	0.014	1	
20126+0052	STF	2644	2017.689	206.4	0.0	2.590	0.016	2	
20132+0256	CRI	26	2017.579	124.4	0.1	32.524	0.143	1	
20134+0201	BAL	1549	2017.579	228.3	0.1	17.079	0.075	1	
20136+2021	BU	1484	2017.582	323.9	0.1	23.654	0.104	1	
20137+1609	STF	2651 AB	2017.582	99.9	0.1	0.921	0.004	1	
20141+2213	STF	2655 AB	2017.582	3.1	0.1	6.220	0.027	1	
20149+0315	BAL	2021	2017.579	344.2	0.1	4.471	0.020	1	
20152–0330	STF	2654	2017.698	233.5	0.1	14.410	0.009	2	
20155+2437	POU	4315	2017.582	95.9	0.1	4.395	0.019	1	
20157–1849	HJ	2940 AC	2017.579	77.0	0.1	20.578	0.091	1	
20164+1500	CHE	262	2017.582	245.4	0.1	19.744	0.087	1	
20166+2134	BRT	2524	2017.582	288.5	0.1	5.230	0.023	1	
20169+3130	HO	588 AB	2017.690	297.5	0.0	51.095	0.003	3	
20170–1228	HJ	2943 AB	2017.579	113.6	0.1	9.928	0.044	1	
20170–1228	DOO	84 AC	2017.579	11.1	0.1	25.781	0.113	1	
20180+1543	CHE	285	2017.582	17.2	0.1	7.142	0.031	1	
20204+0118	J	555	2017.579	275.4	0.1	2.533	0.011	1	
20208–0745	SCJ	25	2017.579	215.9	0.1	2.788	0.012	1	
20220–1854	DON	1119	2017.579	198.2	0.1	5.101	0.022	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
20222–1647	H N	138	2017.579	327.8	0.1	3.144	0.014	1	
20224–1841	B	479	2017.579	117.4	0.1	2.323	0.010	1	
20230+3913	STTA	206 AB	2017.684	255.9	0.0	43.611	0.000	2	
20264+5638	STF	2687	2017.675	117.5	0.1	26.219	0.115	1	
20275–0206	S	749 AB	2017.694	188.9	0.0	59.822	0.005	2	
20299–1835	SHJ	324	2017.694	239.0	0.0	21.948	0.001	2	
20328–1333	HO	133 AB	2017.579	171.6	0.1	1.226	0.005	1	
20328–1343	HO	132	2017.579	207.3	0.1	6.956	0.031	1	
20335+0527	STF	2696 AB	2017.691	298.5	0.1	0.535	0.002	1	
20338+2808	STF	2698	2017.694	303.9	0.1	4.468	0.020	1	
20347+3230	STF	2700	2017.657	285.3	0.0	24.117	0.004	2	
20358+5435	ES	991 AB	2017.374	297.6	0.1	15.973	0.070	1	
20368+2951	BTN	1	2017.694	1.9	0.1	13.833	0.061	1	
20369–1244	STF	2699 AB	2017.691	196.5	0.1	9.186	0.040	1	
20397+6325	DOB	15	2017.374	91.0	0.1	3.130	0.014	1	
20408+5307	ES	2698	2017.374	28.6	0.1	8.365	0.037	1	
20434–1929	HLD	40 CD	2017.691	188.4	0.1	4.460	0.020	1	
20435+5217	TVB	6	2017.374	318.7	0.1	11.732	0.052	1	
20453+6332	ES	134	2017.374	85.1	0.1	11.063	0.049	1	
20461+2222	J	514	2017.694	148.8	0.1	2.588	0.011	1	
20465–1642	SKI	11	2017.691	290.6	0.1	3.789	0.017	1	
20472+5607	KR	52	2017.374	63.5	0.1	4.620	0.020	1	
20519–1631	HJ	3001	2017.691	241.6	0.1	6.609	0.029	1	
20528–1610	BU	154	2017.691	61.2	0.1	2.995	0.013	1	
20552+2705	ES	511	2017.617	47.2	0.1	8.484	0.037	1	
20556–0250	J	1713	2017.691	327.2	0.1	9.029	0.040	1	
20585+5028	STF	2741 AB	2017.683	25.2	0.1	1.956	0.005	3	
20591+0418	STF	2737 AB,C	2017.660	67.1	0.1	10.546	0.014	4	
21021+5640	STF	2751	2017.649	356.2	0.1	1.620	0.002	3	
21022+0711	STF	2742	2017.617	214.5	0.1	2.908	0.013	1	
21023+3931	H 4	113 AB	2017.675	300.1	0.1	18.860	0.083	1	
21039+4138	STTA	214 AB	2017.675	185.2	0.1	57.409	0.253	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
21046+1201	BU	70 BC	2017.617	97.3	0.1	9.150	0.040	1	
21047+0332	STF	2749 A,BC	2017.617	178.8	0.1	3.198	0.014	1	
21047+0332	STF	2749 AC	2017.691	176.6	0.1	3.389	0.015	1	
21050–1105	HO	462 AB	2017.691	218.5	0.1	2.538	0.011	1	
21075–0010	STF	2755	2017.689	79.9	0.0	25.190	0.008	4	
21105+2227	STF	2769 AB	2017.690	300.0	0.0	18.189	0.002	2	
21118+5959	STF	2780 AB	2017.679	213.5	0.1	1.016	0.002	3	
21197+5303	S	786	2017.676	299.8	0.0	47.771	0.002	2	
21206+4219	WSI	16	2017.702	149.5	0.1	8.185	0.036	1	
21323+5245	BU	370 AB	2017.702	325.5	0.1	3.427	0.015	1	
21339+5045	HDS	3070	2017.702	347.9	0.1	5.396	0.024	1	
21374+2340	HJ	1668	2017.617	36.1	0.1	8.147	0.036	1	
21376+0643	STT	443 AB	2017.617	349.1	0.1	8.262	0.036	1	
21377+0637	STFA	56 AB	2017.665	348.8	0.0	39.160	0.006	3	
21390+5729	STF	2816 AC	2017.680	120.6	0.0	11.830	0.015	2	
21390+5729	STF	2816 AD	2017.681	339.3	0.0	19.899	0.036	3	
21390+5729	GUI	36 CD	2017.702	325.0	0.1	30.166	0.133	1	
21396+2322	AG	274 AB	2017.617	153.4	0.1	9.185	0.040	1	
21396+2322	AG	274 AC	2017.617	161.1	0.1	62.542	0.275	1	
21434+5834	MLB	91	2017.702	71.1	0.1	4.618	0.020	1	
21458+1419	J	164	2017.617	300.5	0.1	5.056	0.022	1	
21487+3251	ES	2386	2017.694	232.2	0.1	4.793	0.021	1	
21495+0324	STF	2828 BC	2017.617	39.6	0.1	3.522	0.015	1	
21543+1943	STF	2841 A,BC	2017.653	110.3	0.0	22.362	0.012	3	
21559+3752	ES	2524	2017.694	277.7	0.1	6.171	0.027	1	
21575+5937	MLB	92	2017.702	55.6	0.1	5.334	0.023	1	
21598+3515	J	2704 AB	2017.694	154.5	0.1	3.778	0.017	1	
22036+3825	ES	2529	2017.694	272.5	0.1	4.992	0.022	1	
22086+5917	STF	2872 A,BC	2017.688	316.4	0.1	21.745	0.035	2	
22093+4451	HJ	1735 AB	2017.675	110.3	0.1	27.139	0.119	1	
22128+6829	HJ	1747 AC	2017.702	213.5	0.1	18.740	0.082	1	
22128+6829	ABH	161 AD	2017.702	123.0	0.1	35.372	0.156	1	

Table 3—Continued

WDS Desig. α, δ (2000)	Discoverer Designation		JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	Note
22128+6829	ABH	161 AE	2017.702	152.6	0.1	58.405	0.257	1	
22129+7318	STF	2893	2017.690	347.5	0.0	28.897	0.017	3	
22158+4354	HO	180 AB	2017.694	241.7	0.1	0.765	0.003	1	
22189+3746	STF	2894 AB	2017.676	194.4	0.2	15.924	0.007	2	
22227+2849	KU	64 AB	2017.617	160.3	0.1	33.208	0.146	1	
22227+2849	KU	64 AC	2017.617	280.8	0.1	34.605	0.152	1	
22227+2849	KU	64 CD	2017.617	115.6	0.1	6.038	0.027	1	
22292+5825	STFA	58 AC	2017.694	191.9	0.0	40.729	0.019	2	
22359+3938	STF	2922 AB	2017.666	185.9	0.0	22.314	0.008	3	
22361+7253	STTA	236 AB,D	2017.694	137.4	0.0	42.213	0.002	2	
22379+3506	ES	2393	2017.617	215.6	0.1	5.132	0.023	1	
22514+2623	HO	482 AB,C	2017.702	197.9	0.1	11.753	0.052	1	
23034+6027	STT	486	2017.694	276.4	0.0	33.962	0.015	2	
23054+5825	HJ	1847	2017.702	238.3	0.1	7.329	0.032	1	
23075+3250	STF	2978	2017.690	145.4	0.1	8.338	0.006	4	
23077+0636	STF	2976 AB	2017.691	262.3	0.1	7.785	0.034	1	
23077+0636	STF	2976 CB	2017.691	9.1	0.1	17.802	0.078	1	
23100+1426	STF	2986	2017.697	270.2	0.0	31.417	0.026	2	
23190+3610	J	3190	2017.617	184.8	0.1	4.193	0.018	1	
23191–1328	STF	2998 AB	2017.686	353.0	0.1	12.219	0.054	1	
23243+0343	STF	3009 AB	2017.693	230.7	0.1	7.128	0.030	2	
23260+2742	HO	489 AB	2017.702	222.6	0.1	0.535	0.002	1	
23260+2742	STTA	245 AB,C	2017.702	195.0	0.1	63.131	0.278	1	
23314+1613	STF	3021 AB	2017.691	308.4	0.1	8.657	0.038	1	
23332+5724	STT	499 A,BC	2017.702	76.7	0.1	9.654	0.042	1	
23369+2016	HJ	988	2017.691	242.0	0.1	9.107	0.040	1	
23420+2018	STT	503 AB	2017.691	131.6	0.1	0.873	0.004	1	
23460–1841	H 2	24	2017.689	135.8	0.0	6.982	0.008	2	
23487+6453	STT	507 AC	2017.690	350.4	0.0	50.600	0.022	2	
23536+5131	STTA	251 AC	2017.686	135.4	0.1	46.586	0.205	1	

A : First measure of this pair. See Tables 1 & 2.

C : Confirming observation.

N = 63–125 : Number of years since last measure.

Table 4. ICCD Measurements of Double Stars with Orbit & Linear Residuals

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	O- C_{θ} ($^{\circ}$)	O- C_{ρ} ($''$)	Reference	Note
01399+1515	STF 142 AB	2017.011	68.6	0.1	23.188	0.102	1	0.6	0.082	Hartkopf & Mason 2017	
02589+2137	BU 525	2016.860	274.6	0.2	0.530	0.003	5	-0.3	-0.013	Roberts & Mason 2018	
02589+2137	BU 525	2017.129	274.9	0.8	0.504	0.003	2	0.0	-0.039	Roberts & Mason 2018	
02589+2137	BU 525	2017.678	275.3	0.1	0.524	0.002	1	0.4	-0.019	Roberts & Mason 2018	
03313-0542	HLD 65	2017.012	28.9	0.1	5.798	0.026	1	0.5	0.075	Table 6	A
04312+5858	STI 2051 AB	2017.129	58.7	0.1	10.306	0.045	1	0.9	-0.063	Hartkopf & Mason 2017	
05239-0052	WNC 2 A,BC	2017.157	159.4	0.1	3.101	0.014	1	1.1	-0.015	Rica Romero 2013	
05247+6323	STF 677 AB	2017.121	114.1	0.1	1.110	0.005	1	2.8	-0.041	Hartkopf & Mason 2008	
05313-1834	B 2588	2017.137	307.8	0.1	19.366	0.085	1	0.5	0.063	Table 6	A
05328+8324	STF 629	2017.129	31.7	0.1	22.031	0.097	1	2.1	-0.147	Hartkopf & Mason 2017	
05341+6940	STF 704	2017.129	32.2	0.1	12.958	0.057	1	1.1	-0.191	Hartkopf & Mason 2017	
05364+2200	STF 742	2017.012	275.3	0.1	4.095	0.018	1	-0.5	-0.055	Hopmann 1973	
06344+1445	STF 932	2017.187	304.9	0.1	1.630	0.007	1	5.3	0.010	Hopmann 1960	
06386+4020	FRK 6 AB	2017.176	280.6	0.1	49.027	0.216	1	0.5	0.076	Hartkopf & Mason 2017	
06386+4020	FRK 6 AC	2017.176	71.3	0.1	64.515	0.284	1	0.7	-0.361	Hartkopf & Mason 2017	
06462+5927	STF 948 AB	2017.121	67.4	0.1	1.876	0.008	1	1.5	-0.031	Mason et al. 2006	
06482+5542	STF 958 AB	2017.130	257.1	0.1	4.475	0.020	1	0.7	0.024	Kiselev et al. 2009	
07002+4259	STF 996 AC	2017.195	294.5	0.1	15.315	0.075	2	0.5	-0.088	Hartkopf & Mason 2017	
07057+5245	STF 1009 AB	2017.168	148.7	0.1	4.331	0.019	1	1.0	-0.024	Hartkopf & Mason 2017	
07128+5548	STF 1025 AB	2017.168	129.7	0.1	26.806	0.118	1	0.8	-0.054	Hartkopf & Mason 2017	
07309+2441	HJ 424 AB	2017.223	114.3	0.1	16.460	0.072	1	1.1	0.000	Hartkopf & Mason 2017	
07377-1330	J 2840	2017.222	277.4	0.1	8.388	0.037	1	-0.3	0.043	Table 6	A
07546-0248	STF 1157	2017.138	171.3	0.1	0.647	0.003	1	-3.5	-0.037	Ling 2010	
08095+3213	STF 1187 AB	2017.203	21.4	0.1	3.028	0.013	1	1.6	0.064	Olevic & Jovanovic 2001	
08122+1739	STF 1196 AB,C	2017.121	64.5	0.1	5.911	0.026	1	-0.8	-0.019	Boule et al. 2017	
08165+7930	STF 1169 AB	2017.121	16.1	0.1	20.770	0.091	1	-0.3	0.267	Kiselev et al. 2009	
08211+4725	STT 190 AD	2017.176	288.1	0.1	78.359	0.345	1	0.7	-0.026	Table 6	A
08324-0056	HJ 96 AC	2017.184	138.1	0.1	75.034	0.330	1	0.6	-0.051	Hartkopf & Mason 2017	
08369+2315	AG 154	2017.184	3.2	0.1	2.665	0.012	1	2.4	-0.012	Hartkopf & Mason 2011b	
08554+7048	STF 1280 AB	2017.121	357.2	0.1	3.256	0.014	1	0.0	0.033	Heintz 1997	
09013+1516	STF 1300 AB	2017.100	179.4	0.1	5.032	0.022	1	0.7	0.006	Zirm 2008	
09079-0708	STF 1316 AC	2017.223	280.4	0.1	8.119	0.036	1	0.5	0.084	Hartkopf & Mason 2017	
09144+5241	STF 1321 AB	2017.130	99.0	0.1	17.078	0.075	1	0.5	0.252	Chang 1972	
09157-0114	STF 1329 AB	2017.223	266.2	0.1	8.164	0.036	1	0.6	0.026	Hartkopf & Mason 2017	
09179+2834	STF 3121 AB	2017.223	205.1	0.1	0.487	0.002	1	2.7	-0.004	Söderhjelm 1999	
09186+2049	HO 43	2017.223	97.6	0.1	0.609	0.003	1	1.4	-0.010	Tokovinin 2016a	
09210+3811	STF 1338 AB	2017.203	312.1	0.1	1.095	0.005	1	-4.8	0.093	Scardia et al. 2002	
								-0.6	-0.038	Table 5	B
09273+0614	STF 1355	2017.223	355.5	0.1	1.776	0.008	1	0.3	-0.006	Ling 2011	
09524+2659	STF 1389	2017.203	289.6	0.1	2.441	0.011	1	-0.2	-0.068	Ling 2016	
10110+7508	KUI 47	2017.122	123.3	0.1	1.913	0.008	1	-2.2	0.036	Heintz 1994	
10163+1744	STT 215	2017.100	176.8	0.1	1.487	0.007	1	-1.3	-0.082	Zaera 1984	
10200+1950	STF 1424 AB	2017.100	127.0	0.1	4.736	0.021	1	0.6	0.018	Romanenko & Kiselev 2014	
10217-0946	BU 25	2017.272	129.8	0.1	1.500	0.007	1	0.4	-0.060	Zirm & Rica 2012	
10387+0544	STF 1457	2017.223	334.7	0.1	1.847	0.008	1	1.0	0.004	Riddle et al. 2015	
10596+2527	AG 342	2017.277	116.1	0.1	5.290	0.023	1	0.8	0.036	Kiselev et al. 1997	
11000-0328	STF 1500	2017.232	299.8	0.1	1.299	0.014	2	0.2	-0.022	Hartkopf & Harshaw 2013a	
11035+5432	A 1590	2017.181	327.6	0.1	1.458	0.002	5	-3.4	-0.051	Baize 1985	
								-0.6	-0.008	Table 5	B
11080+5249	STF 1510	2017.199	328.4	0.1	5.580	0.002	2	0.3	0.099	Kiselev et al. 2012	
11170-0708	BU 600 AC	2017.276	99.3	0.0	53.215	0.011	2	0.3	0.088	Hartkopf & Mason 2017	
11268+0301	STF 1540 AB	2017.159	150.1	0.0	28.255	0.020	2	3.3	-0.357	Hopmann 1960	
11317+1422	STF 1547 AB	2017.185	332.0	0.1	15.528	0.068	1	0.0	0.174	Hartkopf & Mason 2013	
11368-1221	BU 456	2017.242	163.1	0.1	1.170	0.005	1	1.2	-0.005	Prieur et al. 2012	
11387+4507	STF 1561 AB	2017.236	246.8	0.1	8.946	0.022	2	1.0	0.084	Hale 1994	
11520+4805	HU 731	2017.294	307.4	0.1	1.184	0.016	2	-0.2	-0.013	Hartkopf & Mason 2008	
12023+7222	STF 1588	2017.196	34.2	0.1	11.738	0.052	1	0.8	0.050	Hartkopf & Mason 2017	
12095-1151	STF 1604 AB	2017.272	88.8	0.1	7.529	0.033	1	0.5	-1.464	Hartkopf & Mason 2017	V
12095-1151	STF 1604 AC	2017.272	3.9	0.1	10.511	0.046	1	0.5	0.033	Hartkopf & Mason 2017	
12095-1151	STF 1604 BC	2017.272	321.4	0.1	13.214	0.058	1	0.7	0.055	Hartkopf & Mason 2017	
12114-1647	S 634	2017.276	301.7	0.1	4.668	0.015	2	1.0	0.034	Hartkopf & Mason 2017	
12115+5325	STF 1608 AB	2017.223	221.1	0.0	13.556	0.008	2	0.5	0.027	Hartkopf & Mason 2017	
12116+3605	STF 1607 AB	2017.195	28.1	0.1	26.965	0.119	1	0.7	-0.010	Hartkopf & Mason 2017	
12151-0715	STF 1619 AB	2017.320	266.2	0.1	6.840	0.002	2	0.5	0.015	Rica et al. 2017	
12160+0538	STF 1621	2017.289	47.7	0.1	1.706	0.013	2	1.5	-0.005	Söderhjelm 1999	
12202-1408	STF 1631	2017.272	305.3	0.1	14.782	0.065	1	2.0	0.051	Hartkopf & Mason 2017	
12272+2701	STF 1643 AB	2017.322	4.3	0.2	2.758	0.014	2	1.0	0.033	Olevic & Cvetkovic 2003	
12281+4448	STF 1645	2017.338	157.6	0.1	9.702	0.043	1	0.6	-0.007	Hartkopf & Mason 2017	

Table 4—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	O- C_{θ} ($^{\circ}$)	O- C_{ρ} ($''$)	Reference	Note
12306+0943	STF 1647	2017.319	249.5	0.1	1.276	0.006	1	-2.7	0.038	Hopmann 1970	
12357-1201	STF 1659 AC	2017.351	70.8	0.1	43.305	0.191	1	1.1	0.066	Hartkopf & Mason 2017	
12454+1422	STF 1678	2017.319	170.0	0.1	37.655	0.166	1	0.6	0.037	Hartkopf & Mason 2017	
12564-0057	STT 256	2017.351	103.2	0.1	1.056	0.005	1	2.4	-0.013	Zirm 2015	C
								2.6	-0.029	Hartkopf & Mason 2017	C
13120+3205	STT 261	2017.417	339.0	0.1	2.637	0.012	1	0.6	0.040	Kiselev et al. 2012	
13235+2914	HO 260	2017.346	89.4	0.1	1.598	0.007	1	1.4	-0.062	Zirm 2013	
13284+1543	STT 266	2017.319	358.3	0.1	1.981	0.009	1	0.4	-0.016	Hartkopf & Mason 2011b	
13343-0019	STF 1757 AB	2017.373	141.7	0.1	1.640	0.007	1	0.3	-0.072	Heintz 1988	
13550-0804	STF 1788 AB	2017.371	101.5	0.1	3.698	0.016	1	1.0	0.099	Hopmann 1970	
13577+5200	A 1614	2017.417	299.8	0.1	1.414	0.006	1	0.5	0.017	Riddle et al. 2015	
14024+4620	SWI 1	2017.346	25.6	0.1	3.801	0.017	1	-0.6	0.193	Seymour et al. 2002	
14131+5520	STF 1820	2017.346	123.0	0.1	2.736	0.012	1	-0.3	0.068	Kiyaeva et al. 1998	
14135+5147	STF 1821 AB	2017.346	236.1	0.1	13.671	0.060	1	0.8	-0.126	Kiyaeva 2006	
14160-0704	HU 138	2017.444	37.5	0.1	0.573	0.003	1	3.6	-0.040	Docobo & Costa 1990	
14161+5643	STF 1830 EF	2017.421	312.9	0.0	10.509	0.001	2	0.5	0.066	Hartkopf & Mason 2017	
14165+2007	STF 1825	2017.346	153.0	0.1	4.435	0.020	1	0.1	0.004	Kiyaeva et al. 2017	
14195-1343	BU 116	2017.444	274.9	0.1	4.051	0.018	1	0.6	0.020	Hartkopf & Mason 2017	
14307+8308	LDS 1800	2017.422	226.2	0.6	1.596	0.015	2	37.9	-0.009	Hartkopf & Mason 2017	
								8.7	0.069	Cvetkovic et al. 2015	
14336+3535	STF 1858 AB	2017.423	38.5	0.1	3.049	0.013	1	0.6	0.018	Zirm 2015	
14380+5135	STF 1863	2017.431	59.9	0.0	0.654	0.001	2	0.2	0.005	Zirm 2013	
14485-1720	BU 346	2017.444	277.4	0.1	2.684	0.012	1	-0.1	-0.057	Hartkopf & Mason 2017	
14538-0024	STTA 131 AB	2017.431	216.0	0.1	82.781	0.364	1	0.5	-0.196	Hartkopf & Mason 2017	
15055-0701	BU 119 AB	2017.442	274.6	0.0	2.284	0.004	2	0.4	-0.028	Kiyaeva et al. 2017	
15174+4348	STF 1934 AB	2017.436	13.4	0.1	9.833	0.043	1	0.6	-0.019	Hartkopf & Mason 2017	
15206+1523	HU 1160	2017.445	181.0	0.1	0.454	0.002	1	5.6	-0.060	Hartkopf & Mason 2009	
15210+2104	HU 146	2017.371	123.2	0.1	0.678	0.003	1	-0.1	-0.045	Zirm 2015	
15246+5413	HU 149	2017.431	271.7	0.1	0.665	0.002	2	1.2	0.012	Zirm 2015	
15280+1442	STF 1945 AB	2017.359	313.7	0.0	41.575	0.008	2	0.4	-0.011	Hartkopf & Mason 2017	
15280+1442	STF 1945 AC	2017.359	308.0	0.0	49.498	0.014	2	0.3	0.039	Hartkopf & Mason 2017	
15320-1123	OSO 65	2017.491	20.3	0.1	18.367	0.081	1	0.4	-0.062	Table 6	A
15348+1032	STF 1954 AB	2017.346	172.5	0.1	4.019	0.018	1	0.7	0.049	Mason et al. 2004a	
15382+3615	STF 1964 CD	2017.491	21.1	0.1	1.557	0.007	1	1.3	0.051	Drummond et al. 1995	
15405+1840	A 2076	2017.431	187.5	0.1	0.724	0.003	1	1.7	-0.009	Zirm 2014	
15413+5959	STF 1969	2017.423	29.9	0.1	1.061	0.005	1	0.8	-0.016	Riddle et al. 2015	
15517-0559	A 21 AB	2017.431	292.5	0.1	0.507	0.002	1	14.0	0.030	Hartkopf & Mason 2017	
								12.7	0.017	Rica Romero & Zirm 2012	
15598+1723	STF 1993 AB	2017.374	43.3	0.1	20.179	0.089	1	0.5	0.128	Hartkopf & Mason 2017	
16009+1316	STT 303 AB	2017.346	174.6	0.1	1.587	0.007	1	0.8	-0.014	Zirm 2015	
16060+1319	STF 2007 AB	2017.259	322.3	0.1	38.557	0.170	1	0.5	0.152	Hartkopf & Mason 2017	
16081+1703	STF 2010 AB	2017.259	13.9	0.1	27.004	0.119	1	0.1	-0.030	Hartkopf & Mason 2017	
16147+3352	STF 2032 AB	2017.259	239.2	0.1	7.267	0.032	1	0.6	0.049	Raghavan et al. 2009	
16160+0721	STF 2026 AB	2017.515	17.0	0.1	3.562	0.013	2	0.2	0.022	Scardia et al. 2011	
16489+1949	BRT 2425	2017.494	317.8	0.1	4.418	0.019	1	0.7	0.050	Hartkopf & Mason 2017	
17033+5935	STF 2128	2017.423	43.3	0.1	12.194	0.054	1	-2.4	0.063	Kiselev et al. 2009	
17121+2114	STF 2135 AB	2017.460	194.6	0.1	8.681	0.016	2	0.3	0.041	Hartkopf & Mason 2017	
17146+1423	STF 2140 AB	2017.478	103.8	0.0	4.831	0.024	2	1.0	0.189	Baize 1978	
17386+5546	STF 2199	2017.548	54.3	0.1	2.061	0.009	1	2.3	0.124	Popovic & Pavlovic 1995	
17400-0038	BU 631	2017.445	88.1	0.1	0.289	0.001	1	10.0	-0.028	Heintz 1996	
17471+1742	STF 2215	2017.606	249.8	0.1	0.410	0.002	1	3.7	-0.033	Cvetkovic & Novakovic 2006	
17506+0714	STT 337	2017.606	164.2	0.1	0.586	0.003	1	0.3	-0.003	Docobo & Ling 2015	
17520+1520	STT 338 AB	2017.565	163.7	0.1	0.810	0.004	1	0.3	-0.020	Prieur et al. 2012	
17571+0004	STF 2244	2017.606	101.0	0.1	0.641	0.003	1	1.0	-0.027	Josties & Mason 2017	
18002+8000	STF 2308 AB	2017.674	232.2	0.1	18.669	0.082	1	0.3	-0.130	Kiselev & Romanenko 1996	C
								0.4	-0.128	Hartkopf & Mason 2017	C
18029+5626	STF 2278 AC	2017.538	38.6	0.1	33.592	0.148	1	0.4	0.150	Hartkopf & Mason 2017	
18031-0811	STF 2262 AB	2017.601	289.5	0.1	1.454	0.003	2	1.3	-0.058	Söderhjelm 1999	
18055+0230	STF 2272 AB	2017.579	124.4	0.2	6.524	0.007	3	0.8	0.050	Eggenberger et al. 2008	
18101+1629	STF 2289	2017.606	218.8	0.1	1.215	0.005	1	3.4	-0.027	Hopmann 1964	
18112-1951	BU 132 AB	2017.560	188.0	0.1	1.375	0.003	3	1.2	-0.030	Hartkopf & Mason 2011b	
18130+4251	ES 47 BC	2017.565	173.3	0.1	22.390	0.099	1	0.3	-0.212	Table 6	A
18222-1505	STF 2306 AB	2017.538	222.1	0.1	9.124	0.040	1	0.2	-0.046	Hartkopf & Mason 2017	
18250-0135	AC 11	2017.679	354.2	0.8	0.826	0.011	3	-0.6	-0.082	Tokovinin 2017	
18253+4846	HU 66 BC	2017.674	27.0	0.1	0.771	0.003	1	1.5	-0.115	Novakovic 2008	
18355+2104	STF 2345	2017.549	225.4	0.1	12.254	0.054	1	0.4	0.035	Hartkopf & Mason 2017	
18359+1659	STT 358 AB	2017.668	148.1	0.3	1.584	0.012	4	3.1	0.092	Heintz 1995	
								0.8	-0.059	Table 5	B

Table 4—Continued

WDS Desig. α, δ (2000)	Discoverer Designation	JY	θ ($^{\circ}$)	$\sigma\theta$ ($^{\circ}$)	ρ ($''$)	$\sigma\rho$ ($''$)	n	O-C θ ($^{\circ}$)	O-C ρ ($''$)	Reference	Note
18360+1144	STT 357	2017.691	86.3	0.1	0.464	0.002	1	16.4	0.095	Scardia et al. 2011	
18443+3940	STF 2382 AB	2017.680	345.8	0.1	2.258	0.007	2	0.6	−0.067	Mason et al. 2004b	
								0.7	−0.021	Novakovic & Todorovic 2006	
18443+3940	STF 2383 CD	2017.675	76.0	0.1	2.336	0.009	2	1.3	−0.056	Docobo & Costa 1984	
18488−1836	KUI 88	2017.606	152.5	0.1	0.463	0.002	1	−1.9	−0.054	Hartkopf & Harshaw 2013b	
19019+1910	STF 2437	2017.617	8.2	0.1	0.519	0.002	1	3.9	−0.042	Scardia et al. 2008	
19022+0845	STF 2436 AB	2017.617	315.4	0.1	30.148	0.133	1	0.5	0.061	Hartkopf & Mason 2017	
19027−0043	STF 2434 A,BC	2017.617	89.0	0.1	27.649	0.122	1	0.3	−0.022	Hartkopf & Mason 2017	
19058+3831	STF 2456 AB	2017.565	340.9	0.1	17.468	0.077	1	0.6	0.070	Hartkopf & Mason 2017	
19121+4951	STF 2486 AB	2017.674	204.6	0.1	7.135	0.031	1	0.7	−0.059	Hale 1994	
19126+1651	BU 139 AB	2017.617	136.1	0.1	0.597	0.003	1	0.0	0.003	Zirm 2013	
19143+1904	STF 2484	2017.617	241.7	0.1	2.109	0.009	1	1.7	−0.149	Hopmann 1973	
19346+1808	STT 375	2017.606	188.7	0.1	0.592	0.003	1	0.4	−0.008	Zirm 2015	
19370+6350	STF 2564	2017.374	146.3	0.1	9.193	0.040	1	0.3	−0.023	Hartkopf & Mason 2017	
19418+5032	STFA 46 AB	2017.674	133.6	0.1	39.829	0.175	1	0.1	0.057	Hauser & Marcy 1999	
19520−1021	BU 148 AB	2017.702	222.6	0.1	0.619	0.003	1	5.3	0.060	Ling 2004	
19553−0644	STF 2597 AB	2017.606	100.8	0.1	0.647	0.003	1	0.8	−0.061	Hartkopf et al. 1996	
19585+3317	STF 2606 AB	2017.677	146.2	0.0	0.658	0.008	2	−0.8	0.000	Zirm 2015	
20014+1045	STF 2613 AB	2017.691	355.7	0.1	3.522	0.015	1	3.7	−0.621	Hopmann 1973	
20020+2456	STT 395	2017.685	127.5	0.1	0.730	0.003	1	0.6	−0.120	Zirm 2013	
20099+2055	STF 2637 AC	2017.702	221.9	0.1	91.250	0.401	1	0.5	−0.019	Hartkopf & Mason 2017	
20099+2055	STF 2637 BC	2017.702	215.4	0.1	95.687	0.421	1	0.2	−0.098	Hartkopf & Mason 2017	
20213+0250	HLD 158	2017.579	42.0	0.1	1.204	0.005	1	−0.0	−0.002	Mason & Hartkopf 2017b	
20387+3838	STF 2708 AB	2017.684	323.3	0.0	57.662	0.002	2	0.3	0.116	Hartkopf & Mason 2017	
20396+4035	STT 410 AB	2017.677	3.3	0.4	0.880	0.009	2	−0.3	0.009	Hartkopf & Mason 2011a	
20462+1554	STF 2725 AB	2017.691	12.1	0.1	6.185	0.027	1	0.3	0.031	Mason & Hartkopf 2014	
20467+1607	STF 2727 AB	2017.693	265.8	0.0	8.915	0.004	4	0.9	−0.006	Hale 1994	
20524+2008	HO 144	2017.617	345.9	0.1	0.408	0.002	1	−1.5	0.046	Ling 2012	
								−2.9	−0.018	Table 5	B
21031+0132	STF 2744 AB	2017.681	109.0	0.2	1.182	0.007	4	6.6	−0.010	Popovic 1969	
21069+3845	STF 2758 AB	2017.684	153.3	0.0	31.699	0.026	2	1.1	−0.010	Gorshanov et al. 2006	
21124−1500	H 1 47	2017.617	309.4	0.1	4.221	0.019	1	0.7	0.031	Hartkopf & Mason 2017	
21141+5818	STF 2783	2017.702	351.9	0.1	0.658	0.003	1	0.8	−0.007	Zirm 2014	
21200+5259	STF 2789 AB	2017.696	114.8	0.0	6.860	0.012	2	0.9	−0.044	Kiselev et al. 2009	
21495+0324	STF 2828 AB	2017.617	140.9	0.1	33.652	0.148	1	0.6	0.065	Hartkopf & Mason 2017	
21495+0324	STF 2828 AC	2017.617	135.0	0.1	33.132	0.146	1	0.5	0.077	Hartkopf & Mason 2017	
21520+5548	STF 2840 AB	2017.696	196.6	0.0	17.687	0.005	3	0.7	0.005	Hartkopf & Mason 2017	
21582+8252	STF 2873 AB	2017.694	66.4	0.1	13.792	0.061	1	0.5	0.052	Grosheva 2006	
22033+6051	STF 2860 AB	2017.702	257.6	0.1	13.313	0.059	1	0.6	0.024	Hartkopf & Mason 2017	
22038+6438	STF 2863 AB	2017.680	275.1	0.0	0.800	0.007	2	1.6	−0.350	Zeller 1965	
22086+5917	STF 2872 BC	2017.677	296.7	0.0	0.827	0.008	2	0.0	0.027	Seymour et al. 2002	
22128+6829	HJ 1747 AB	2017.702	86.1	0.1	12.900	0.057	1	0.5	−0.151	Hartkopf & Mason 2017	
22143+1711	STF 2877 AB	2017.655	24.6	0.0	23.910	0.005	3	0.5	0.050	Hartkopf & Mason 2017	
22207+2457	STF 2895 AB	2017.617	48.7	0.1	14.005	0.062	1	0.5	0.026	Hartkopf & Mason 2017	
22266−1645	SHJ 345 AB	2017.672	78.5	0.2	1.126	0.008	2	5.1	−0.169	Hale 1994	
22288−0001	STF 2909 AB	2017.691	162.3	0.1	2.299	0.003	4	4.6	0.067	Tokovinin 2016b	
22326+0725	STF 2915 AB	2017.692	125.3	0.1	15.227	0.009	2	0.7	0.031	Hartkopf & Mason 2017	
22490+6834	STF 2947 AB	2017.698	55.7	0.0	4.714	0.006	3	0.4	0.021	Hartkopf & Mason 2017	
22514+2623	HO 482 AB	2017.702	15.2	0.1	0.539	0.002	1	0.5	−0.025	Prieur et al. 2014	
23077+0636	STF 2976 AC	2017.691	209.5	0.1	21.393	0.094	1	0.6	0.073	Hartkopf & Mason 2017	
23212+3526	STF 3006 AB	2017.617	151.8	0.1	7.330	0.032	1	0.7	0.015	Hartkopf & Mason 2017	
23228+2034	STF 3007 AB	2017.691	92.2	0.1	5.857	0.026	1	−2.5	0.036	Tokovinin & Horch 2016	
23238−0828	STF 3008	2017.694	147.8	0.1	7.013	0.031	1	0.8	0.079	Hartkopf & Mason 2017	
23241+5732	STT 495	2017.702	122.1	0.1	0.401	0.002	1	−0.2	0.008	Alzner 2006	
23340+3120	BU 720	2017.688	105.8	0.3	0.552	0.004	4	0.1	−0.024	Muterspaugh et al. 2010	
23487+6453	STT 507 AB	2017.687	322.6	0.5	0.724	0.009	2	3.6	0.018	Zulevic 1977	
23536+5131	STTA 251 AB	2017.690	208.8	0.0	48.056	0.017	2	0.6	0.058	Hartkopf & Mason 2017	
23595+3343	STF 3050 AB	2017.687	341.5	0.0	2.463	0.005	2	0.4	0.032	Hartkopf & Mason 2011b	

A : New linear solution. See Table 6, 7, Figure 2 and §2.4.

B : New orbit solution. See Table 5, 7, Figure 1 and §2.3.

C : It is unclear if the pair is physical or not. An orbit and common proper motion indicates that it is, however, it appears to be equally well fit by a linear determination.

V : Measure made by vector addition of other measured pairs in this multiple system.

Table 5. Improved Orbital Elements

WDS Desig. α, δ (2000)	Discoverer Designation	P (yr)	a ($''$)	i ($^\circ$)	Ω ($^\circ$)	T ₀ (yr)	e	ω ($^\circ$)	Reference	Gr
Improved but still Provisional Orbital Elements										
18359+1659	STT 358 AB	444.6	1.770	127.1	233.4	1754.7	0.575	256.6	Heintz 1995	4
20524+2008	HO 144	2085.7	1.508	89.1	169.6	2071.5	0.730	209.0	Ling 2012	5
Reliable Orbital Elements										
09210+3811	STF 1338 AB	424.2 ± 6.9	1.568 ± 0.016	28.4 ± 1.5	178.2 ± 2.5	1992.2 ± 1.8	0.255 ± 0.009	94.8 ± 4.9	Scardia et al. 2002	4
11035+5432	A 1590	183.7 ± 8.9	0.8950 ± 0.0350	149.9 ± 10.0	110. $\pm 10.$	1915.68 ± 2.13	0.7538 ± 0.0220	313.6 ± 9.8	Baize 1985	5

Table 6. New Linear Elements

WDS Desig. α, δ (2000) (1)	Discoverer Designation (2)	x ₀ ($''$) (3)	a _x ($''$ /yr) (4)	y ₀ ($''$) (5)	a _y ($''$ /yr) (6)	T ₀ (yr) (7)	ρ_0 ($''$) (8)	θ_0 (deg) (9)
03313–0542	HLD 65	–1.387066	0.018936	–3.307647	–0.007941	1799.833	3.587	337.25
05313–1834	B 2588	–4.232138	–0.078973	3.165629	–0.105579	1876.193	5.285	233.20
07377–1330	J 2840	–5.459991	–0.043010	–4.515467	0.052006	1951.682	7.085	309.59
08211+4725	STT 190 AD	–76.353394	0.015329	–15.976615	–0.073260	1914.322	78.007	281.82
15320–1123	OSO 65	2.068836	0.385139	–17.819626	0.044714	2006.111	17.939	6.62
18130+4251	ES 473 BC	4.403793	–0.009231	0.332003	01224365	1836.467	4.416	94.31

Table 7. Ephemerides for New Solutions

WDS Desig. α, δ (2000)	Discoverer Designation		2018.0		2020.0		2022.0		2024.0		2026.0	
			θ	ρ	θ	ρ	θ	ρ	θ	ρ	θ	ρ
			($^{\circ}$)	($''$)	($^{\circ}$)	($''$)	($^{\circ}$)	($''$)	($^{\circ}$)	($''$)	($^{\circ}$)	($''$)
03313–0542	HLD	65	28.6	5.739	28.8	5.771	29.1	5.803	29.3	5.835	29.6	5.868
05313–1834	B	2588	307.4	19.43	307.6	19.68	307.8	19.94	308.0	20.19	308.2	20.45
07377+1330	J	2840	277.3	8.380	276.5	8.453	275.8	8.528	275.0	8.604	274.3	8.681
08211+4725	STT	190 AD	287.5	78.39	287.6	78.41	287.7	78.42	287.8	78.44	287.9	78.45
09210+3811	STF	1338 AB	313.8	1.139	316.5	1.153	319.1	1.167	321.7	1.182	324.2	1.197
11035+5432	A	1590	327.8	1.465	327.0	1.463	326.2	1.459	325.3	1.455	324.5	1.449
15320–1123	OSO	65	21.0	18.52	23.3	18.73	25.6	18.97	27.8	19.23	29.9	19.53
18130+4251	ES	473 BC	173.1	22.72	173.2	22.96	173.3	23.21	173.5	23.45	173.6	23.69
18359+1659	STT	358 AB	147.1	1.642	146.2	1.637	145.2	1.632	144.3	1.627	143.3	2.622
20524+2008	HO	144	348.8	0.427	348.8	0.431	348.9	0.434	348.9	0.437	349.0	0.440

Table 8. Double Stars Not Found

WDS Desig. α, δ (2000)	Discoverer Designation		Date ($\circ$)	Most Recent		Published Reference	Observed		Published Magnitudes		Notes
				θ (")	ρ				Primary	Secondary	
06216–2002	HDO	82 AB	1869	180	12.0	Winlock & Pickering 1882			9.	11.	1
14362–0636	BRT	455	1911	87	4.0	Barton 1931			10.9	11.0	2

1: Triple system. While AC has six measure, AB has never been confirmed. The direction of the component is only approximately given as “south”. Maybe the proper motion of B moved it out of the field of view of the A component when AC was confirmed in 1981 (Tobal 2005).

2: Remeasured more accurately in the AC reanalysis (Urban et al. 1998), but this may be nothing more than a more precise measure of a plate flaw.