

# Bosons, Fermions, Spin, Gravity, and the Spin-Statistics Connection\*

C. S. Unnikrishnan  
Tata Institute of Fundamental Research, Mumbai 400005,  
India

## Abstract

Satyendra Nath Bose's attempt to describe the quantum statistical aspects of light consistently in terms of particles, and Einstein's generalisation, lead to the concept of Bosons as a class of quanta obeying 'Bose-Einstein statistics'. Their identity as a class came in sharp contrast when the Pauli exclusion principle and the Dirac equation revealed the other class called Fermions, obeying 'Fermi-Dirac statistics'. Spin, and spin alone, is the determining factor of the multiparticle behaviour of fundamental quanta. This is the basis of the Spin-Statistics Connection. While it is known that the overall theoretical picture is consistent, the physical reason for the connection is unknown. Further, the class difference is sensitive only to the total spin in a quantum aggregate, as spectacularly seen in superconductivity and superfluidity, and in the Bose-Einstein condensation of neutral atomic gas. Can we grasp the true reason behind the difference in the collective behaviour of Bosons and Fermions? An explorer's journey demanding logical and physical consistency of what we already know takes us to the hidden factors in the relation between spin and the statistics of quanta. The surprising answer is in the domain of gravity, that too, on a cosmic scale.

## Prologue

The fundamental particles of nature are just two kinds as far as their collective quantum dynamical behaviour is concerned, governing much of the physical phenomena of the macroscopic world. While any number of identical particles with integer spin, called Bosons, can occupy a physical state, only one particle per state is possible for identical particles with half-integer

---

\*Invited article written for the S. N. Bose 125-birth anniversary commemorative issue of Physics News (Indian Physics Association).

spin, called Fermions. The contrasting statistical property of both kinds of particles were first phenomenologically introduced, notably by S. N. Bose for the integer spin photons, and by W. Pauli, for the half-integer spin electrons in atoms. A connection between the spin and ‘statistics’ was established by Pauli in terms of the consistency of the underlying relativistic quantum field theories [1] but there is no physical understanding of these rules to date. The lack of true understanding is seriously felt when one recognizes that these rules, stated in the context of relativistic field theories, are operative in nonrelativistic dynamics, even for just a pair of particles of a kind. The frustration about the unsatisfactory situation was expressed in a comprehensive book on the spin-statistics connection by Ian Duck and George Sudarshan [2]:

Everyone knows the spin-statistics theorem, but no one understands it... What is proved - whether truly or not, whether optimally or not, in an acceptable logical sequence or not - is that the existing theory is consistent with spin-statistics relation. What is not demonstrated is a reason for the spin-statistics relation.

This lament is not new. Feynman admitted in his ‘Lectures in physics’ [3],

Why is it that particles with half-integral spin are Fermi particles whose amplitudes add with the minus sign, whereas particles with integral spin are Bose particles whose amplitudes add with the positive sign? We apologize for the fact that we cannot give you an elementary explanation. An explanation has been worked out by Pauli from complicated arguments of quantum field theory and relativity. He has shown that the two must necessarily go together, but we have not been able to find a way of reproducing his arguments on an elementary level... This probably means that we do not have a complete understanding of the fundamental principle involved.

Though the connection is called Spin-Statistics Connection (SSC), it is not a ‘statistical’ connection because the rules are effective for just two identical nonrelativistic particles. The bipartite behaviour then influences the entire ensemble and their statistical behaviour. Another point to note is that the formal wavefunctions for a pair of Bosons (and Fermions) need to specify their symmetry (anti-symmetry) property even when the particles are at space-like separations, anticipating the possibility that two particles can approach each other in their future. Finally, the human need to make consistent theories and understand the physical world cannot be the *reason* for

a fundamental fact in the physical world! If we follow Bose's attitude about the need to have uncompromising logical integrity in dealing with physical problems, we cannot be satisfied with the present situation of the lack of understanding of the spin-statistics connection. The entire confidence in the formal proofs of SSC rests on the absolute correctness of the special theory of relativity. In fact, Pauli's 1940 paper [1] ends with the statement,

In conclusion we wish to state that according to our opinion the connection between spin and statistics is one of the most important applications of the special relativity theory.

The special theory requires that space is empty and remains isotropic in every moving frame. In anisotropic spaces one cannot preserve a isotropic Minkowski metric. However, a fact realized three decades after the special theory shows that the factual situation is very different; we live in matter-filled universe, instead of largely empty space. This renders space and its metric anisotropic in moving frames, as evidenced clearly in observational cosmology. We choose to ignore this fatal inconsistency, despite clear experimental proofs. This inconsistency affects the entire edifice [4] and we need to reconstruct a logically consistent and physically reasoned proof for the SSC. This goal cannot be achieved without a proper understanding of the true physical relevance of 'spin' itself.

*Spin is the closed localized current of the charge of gravity, or mass-energy.* Thus, spin is to gravity as the magnetic moment is to electromagnetism. Just as every physical effect involving a magnetic moment is traceable to its interaction with an electromagnetic field, and hence its sources, every spin related physical effect should have a connection to a gravitational field. These are the only two long range fields in this world and all physical explanations have to rely on these interactions. The difference between a pair of Bosons and a pair of Fermions is the phase of the wavefunction under exchange of their spatial positions. As we will see, exchange in the presence of sufficient amount of matter generates exactly such a phase, due to the gravitational interaction. Where is the gravitational field large enough to be capable of affecting a microscopic spin? It turns out that the gravity of the entire matter-energy of the observed universe is just right and large to provide spin-dependent quantum phase that is the crucial physical input to understand the spin-statistics connection. Thus, *the physical reason for SSC is this cosmic gravitational connection.* Before we discuss this profound link, we will review several important aspects related to the spin-statistics connection.

# 1 Bose, Einstein and Bosons

The important contribution of S. N. Bose to the understanding of the Planck radiation formula, in Bose's own words, was "the derivation of the factor  $8\pi\nu^2/c^3$  without using any classical aspects of radiatio". The derivation [5] motivated by consistent pedagogy and logical integrity, went much further and contained implicitly the concept of indistinguishability of identical quanta. The important aspects of the indistinguishability of identical particles had been already used as a crucial input in the statistical mechanics of atoms, by J. W. Gibbs in his resolution of the Gibbs paradox [6, 7]. The often repeated statements that Bose introduced the concept of indistinguishable identical particles is incorrect, as clear from Bose's second paper in 1924, where he wrote [8],

Debye has shown that Planck's law can be derived using statistical mechanics. His derivation is, however, not completely independent of classical electrodynamics, because he uses the concept of normal modes of the ether and assumes that for calculating the energy the spectral range between  $\nu$  and  $\nu + d\nu$  can be replaced by  $8\pi V\nu^2/c^3$  resonators whose energy can be only multiples of  $h\nu$ . One can however show that the derivation can be so modified that one does not have to borrow anything from the classical theory.  $8\pi V\nu^2/c^3$  can be interpreted as the number of elementary cells in the six dimensional phase space of the quanta. The further calculations remain essentially unchanged.

(The words 'identical' and 'indistinguishable' do not appear in Bose's paper).

Einstein's involvement in Bose's work was a chance event, due to Bose's confident correspondence with him on the importance and uniqueness of his derivation that eliminated the logical deficiency in the derivations by Debye and Einstein. But Einstein's immediate interest in the derivation was due to his noticing the possibility of its generalization to the quantum theory of a monatomic gas. He did this with due praise to Bose's method, with the spectacular prediction of the non-intuitive 'condensation', now known as the Bose-Einstein condensation [9]. This was a condensation 'without interaction' into a zero-pressure state with no kinetic energy. The role of the spin was not realized because the quantum spin was not yet part of physics.

Bose treated the *quanta of light as real particles* with energy  $E = h\nu$  and momentum  $p = h\nu/c$ . He thought that using the waves of radiation, a concept belonging to classical electrodynamics, in the quantum theory of particles was inconsistent and logically flawed. L. de Broglie's daring proposal of wave-particle duality came in late 1924, and the idea was known

only to a few, like Einstein. Bose argued that the volume of the phase space with momentum between  $p$  and  $p + dp$ , occupying spatial volume  $V$ , would be  $4\pi V p^2 dp = 4\pi h^3 \nu^2 d\nu / c^3$ . He assumed that the light quanta occupied ‘elementary cells’ of volume  $h^3$  in the phase space of coordinates and momenta. Accounting for the two ‘polarization’ states and dividing by volume of each phase space cell ( $h^3$ ), one gets the correct weight factor  $8\pi V h^3 \nu^2 / c^3$  in the radiation spectrum. Thus, Bose derived the factor ‘quantum theoretically’, *for the first time*. By avoiding the modes of waves, Bose’s derivation marked an important conceptual advance. Bose had even considered the possibility of a two-valued helicity for photons in his derivation of the Planck spectrum. Apparently, Bose meant and wrote ‘two states of spin directions’ rather than ‘polarization states’, but Einstein changed it to a more conventional, though inconsistent, description [10, 11]. In any case, the importance of spin in the collective behaviour of particles became clear by 1926, with the clear division into the two classes of Bose-Einstein statistics for integer-spin particles and Fermi-Dirac statistics for half-integer spin particles. It was Dirac who named the integer class as Bosons. The associated quantum field theories used tensor fields for the former and spinor field for the latter. Thus, spin, statistics and the transformation properties under spatial rotations were all linked.

## 2 Fermi, Fermions and their Statistics

Pauli’s exclusion principle, proposed in 1925, was a prohibitive principle distilled from atomic data, advanced as a decree that bans electrons with the same quantum numbers to occupy the same orbital shell [?]. The ‘fourth quantum number’ of pre-mature quantum mechanics was introduced as a two-valued quantity, which eventually was identified as the two projections of the half-integer spin. The proposal by Uhlenbeck and Goudsmit [13] connecting the fourth quantum number and the intrinsic spin of the electron was not easy to digest, though plausible. A classically indescribable two-valuedness of a familiar physical quantity like angular momentum that is orientable freely in 3-dimensional space was a difficulty to incorporate in the new quantum theory. That it was genuine angular momentum, and its tight relationship between the spin and the magnetic moment, was indisputable in experimental spectral data. The theoretical issues were cleared and solved soon, mainly by L. Thomas, P. Jordan, W. Pauli and P. Dirac [14]. The two-valuedness of the spin projections even for the vector field of electromagnetism was understood as linked to the massless nature of the quanta. In 1926, a year after the genesis of Bose-Einstein statistics, Enrico Fermi published the equivalent of Einstein’s 1924 paper on the quantum theory of monatomic gases (in the same journal where Bose’s 1924 paper appeared), with the Pauli exclusion as a constraint [15]. He wrote,

It shall in the present work be assumed only the rule, that was proposed for the first time by Pauli and proved by many spectroscopic facts, that two equivalent elements can never exist in a system, whose quantum numbers completely agree. The equation of state and internal energy of the ideal gas shall be deduced from this assumption.

It was left for Fermi himself to suggest, a year later, an application for the electrons in a metal, later known as the Thomas-Fermi model. The characteristic difference between Bosons and Fermions is seen in the probability function for their statistical distribution, as a crucial quantum signature differing in sign,  $1/(\exp(\frac{E}{kT}) - 1)$  for Bosons and  $1/(\exp(\frac{E}{kT}) + 1)$  Fermions.

### 3 Phenomena, from atoms to stars

The rich variety of elements and nature itself can be traced to the peculiar behavior of electrons, and other Fermions – neutrons and protons – in atoms. The quantum mechanical nature of Bosons was more subtle and difficult to see, because any number of identical particles can be in the same state even in classical statistical mechanics of Boltzmann and Maxwell. Therefore, the signature quantum feature of Bosons is not that any number of particles can occupy the same state, but the probability is enhanced if there are already some particles occupying the state; Bosons tend to bunch together. The special feature of the “ $-1$ ” factor in the distribution is evident only at very low temperature, as in the prediction of ‘condensation without any interaction’ by Einstein. In contrast, the exclusion principle and Fermionic behaviour were evident in diverse phenomena, from the electronic transport in metals to behaviour of ‘finished’ stars. R. H. Fowler, who presented Dirac’s paper on the new statistics in the Royal Society, applied the wisdom to dense dwarf stars and resolved the puzzle about their stability [16]. It is striking that Fowler’s description – “Its essential feature is a principle of exclusion which prevents two mass-points ever occupying exactly the same cell of extension  $h^3$  in the six dimensional phase-space of the mass-points” – uses the key idea of ‘minimal cell’ introduced by Bose for the statistics of photons. The first application of Fermi statistics to relativistic electrons was S. Chandrasekhar’s amazing discovery of the critical mass of white dwarf stars, beyond which gravity wins over exclusion [?]. In the next decade, the discovery of superfluidity in liquid Helium was soon identified by F. London as the phenomenon of Bose-Einstein condensation [?]. This confirmed that Fermionic composites, like the Helium atom consisting of two Fermions each of protons, neutrons and electrons, behave as a Boson. What matters for statistics is not the fundamental fields, but the gross spin of the assembled entity. By then, quantum theory of particles and fields, and their numer-

ous applications in various physical problems of the micro-world were well charted. Superconductivity was identified as the Bose-Einstein condensation of paired electrons, called Cooper pairs. The BCS theory was further confirmation that even loosely bound pair of Fermions behave as Bosons, due to their net integer spin [19]. The next half of the century saw spectacular discoveries like masers and lasers (Bosons) and neutron stars (Fermions). The quantum discoveries and their theories involving multi-particle quantum effects seem never ending.

## 4 Pauli's struggle and triumph

The two-valued quantum number and exclusion principle was introduced into atomic physics in 1924-25 by Pauli. This was in the context of the spectrum of Hydrogen-like alkali atoms. He became obsessed with the need to establish the reasons for his exclusion principle, and it took over much of his intellectual and psychological space for two decades [20]. Rather than trying to find the physical reason for the exclusion tendency of Fermions, the quest went in another direction, of finding the reasons for the difference between Fermions and Bosons. This seemed feasible since the difference in the collective behaviour was linked to whether the spin was integer valued or half-integer valued. All known quantum fields belonged to these two classes. The integer spin fields had scalar, vector, tensor representations and the half integer fields were spinors. The characteristic theoretical difference was encoded in the algebra of the creation and annihilation operators that linked fields to the particles in the theory. Pauli said in his Nobel lecture of 1945 [21],

In order to prepare for the discussion of more fundamental questions, we want to stress here a law of Nature which is generally valid, namely, the connection between spin and symmetry class. A half-integer value of the spin quantum number is always connected with antisymmetrical states (exclusion principle), an integer spin with symmetrical states. This law holds not only for protons and neutrons but also for electrons. Moreover, it can easily be seen that it holds for compound systems, if it holds for all of its constituents. If we search for a theoretical explanation of this law, we must pass to the discussion of relativistic wave mechanics, since we saw that it can certainly not be explained by non-relativistic wave mechanics.

If  $\psi_1(x)$  and  $\psi_2(x)$  are the wavefunctions for the two particles, the two-particle symmetric wavefunction is  $\Psi_s(x_1, x_2) = \psi_1(x_1)\psi_2(x_2) + \psi_2(x_1)\psi_1(x_2)$  and the anti-symmetric wavefunction is  $\Psi_a(x_1, x_2) = \psi_1(x_1)\psi_2(x_2) - \psi_2(x_1)\psi_1(x_2)$ .

This difference in sign captures the Pauli exclusion, since the wavefunction vanishes if the states are identical with the same coordinates. This was made clear by Jordan and Wigner in an article in 1928 [22]. They compared Bose-Einstein situation with Pauli's (Fermi-Dirac) and stated, "We can say that the existence of material particles and the validity of the Pauli principle can be understood as a consequence of the quantum mechanical multiplication properties of the de Broglie wave amplitudes."

The field amplitudes in the classical theory,  $a$  and its complex conjugate  $a^*$ , become the annihilation operator  $\hat{a}$  and the creation operator  $\hat{a}^\dagger$  in the quantum theory. The operator  $N = a^\dagger a$  is the number operator that counts the total quanta (we drop the 'operator hats'). Hence, the energy at frequency  $\nu$  is  $E = h\nu(a^\dagger a + 1/2)$ . The algebra obeyed by these operators is known to be that of the 'commutator',

$$\begin{aligned} [a, a^\dagger]_- &= aa^\dagger - a^\dagger a = 1 \\ [a, a]_- &= [a^\dagger, a^\dagger]_- = 0 \end{aligned} \tag{1}$$

For Fermions, the situation is different. Dirac equation is the basis for describing massive Fermions. Now there are two sets of creation and annihilation operators, meant for particles and their anti-particles. Pauli exclusion principle is implemented by choosing anticommutation algebra for these operators, as first done by Jordan.

$$\begin{aligned} [a, a^\dagger]_+ &= aa^\dagger + a^\dagger a = 1 \\ [b, b^\dagger]_+ &= bb^\dagger + b^\dagger b = 1 \end{aligned} \tag{2}$$

All other anticommutators are zero. Then  $a^\dagger a^\dagger = aa = 0$ . The only eigenvalues of the number operators  $a^\dagger a$  and  $b^\dagger b$  are 0 and 1, realizing Pauli exclusion. This has no classical counterparts in the field amplitudes. However, the number operator is still  $N = a^\dagger a$  and  $\bar{N} = b^\dagger b$ .

I will first quote Pauli's own description [23] of what he achieved in his proof of the SSC:

In relativistically invariant quantized field theories the following conditions are fulfilled in the normal cases of half-integer spin connected with exclusion principle (Fermions) and of integer spin connected with symmetrical statistics (Bosons).

1. The vacuum is the state of lowest energy. So long as no interaction between particles is considered the energy difference between this state of lowest energy and the state where a finite number of particles is present is finite.

2. Physical quantities (observables) commute with each other in two space-time points with a space-like distance. (Indeed due to the impossibility of signal velocities greater than that of light, measurements at two such points cannot disturb each other.)

3. The metric in the Hilbert-space of the quantum mechanical states is positive definite. This guarantees the positive sign of the values of physical probabilities. There seems to be agreement now about the necessity of all three postulates in physical theories. In earlier investigations I have shown that in the abnormal cases of half-integer spin connected with symmetrical statistics and of integer spin connected with exclusion principle, which do not occur in nature, not all of the three mentioned postulates can be fulfilled in a relativistically invariant quantized field theory. In this older formulation of the theory for the abnormal cases the postulate (1) was violated for half-integer spins and the postulate (2) for integer spins, while postulate (3) was always fulfilled. (Progress of Theoretical Physics, 1950).

Following Sudarshan and Duck [24], I indicate the case for spin-1/2 Fermions. The Dirac wavefunction, for  $p \approx 0$  is of the form

$$\chi = a\psi_+e^{-imt/\hbar} + b^*\psi_-e^{+imt/\hbar} \quad (3)$$

with  $m$  positive. We have  $i\hbar a \frac{\partial}{\partial t} e^{-imt/\hbar} = ame^{-imt/\hbar}$  and  $i\hbar b^* \frac{\partial}{\partial t} e^{+imt/\hbar} = -b^*me^{+imt/\hbar} = Ee^{+imt/\hbar}$ . In the field quantization, amplitudes  $a$  and  $b^*$  become the annihilation and creation operators  $a$  and  $b^\dagger$ . The energy in the state  $\chi$  is

$$\begin{aligned} E &= i \int \chi^\dagger \frac{\partial}{\partial t} \chi d^3x = m(a^\dagger a - b b^\dagger) \\ &= m(a^\dagger a + b^\dagger b - 1) = m(N + \bar{N} - 1) \end{aligned} \quad (4)$$

If we assume the commutation relation  $[a, a^\dagger]_- = aa^\dagger - a^\dagger a = 1$  and  $[b, b^\dagger]_- = 1$ , instead of anticommutation,  $E = m(a^\dagger a - b^\dagger b - 1) = m(N - \bar{N} - 1)$ , This energy is not positive definite. Thus, one concludes that Dirac spin-1/2 field cannot be consistently quantized with commutation relations.

The path taken by Pauli, and established with his authority, has been followed by many mathematical physicists. As a result, the proofs were made more formal, mathematically rigorous, and applicable to interacting particles etc. However, the universality and simplicity of the actual physical situations where the SSC is applicable have not been captured. We reiterate the features that prompted Sudarshan and Duck, and Feynman to make their comments: The proof does not reveal the reason for the SSC; there is no physical insight. The elementary situation of the quantum mechanics of a

pair of identical non-relativistic particles remains as an enigma. Particles are said to obey their statistics for the consistency of the theories of the hypothetical fields that represent them. The reasons the ‘wrong statistics’ violate the requirement of consistency are very different for Bosons and Fermions. In short, the proof is really unsatisfactory. It was unsatisfactory even for Pauli! He ended his Nobel lecture thus,

At the end of this lecture I may express my critical opinion, that a correct theory should neither lead to infinite zero-point energies nor to infinite zero charges, that it should not use mathematical tricks to subtract infinities or singularities, nor should it invent a ‘hypothetical world’ which is only a mathematical fiction before it is able to formulate the correct interpretation of the actual world of physics.

From the point of view of logic, my report on ‘Exclusion principle and quantum mechanics’ has no conclusion.

## 5 Physical proofs of the spin-statistics connection?

A study of the work on the the reasons for the spin-statistics connection leaves anybody, who desires a coherent and physically reasonable understanding into the most remarkable characteristic of two-particle behaviour, disappointed. As emphasized, what is shown is that the quantization of the corresponding fields with the inappropriate algebra of the creation-annihilation operators leads to inconsistency. Thus, Bosons need commutation relation; otherwise the requirement that the field operators commute at space-like separated points cannot be maintained in the theory. Fermions need anti-commutation relation; otherwise the requirement of the positivity of the energy cannot be guaranteed, in the theory. The standard proofs rely on very different reasons for the spin-statistics connection of Bosons and Fermions.

There is a wide chasm between the physical situations in which the SSC is operative and the premises of the formal proofs. The SSC is most spectacularly and commonly seen in many nonrelativistic situations. Does one has to rely on a proof based on relativistic quantum field theories for proving SSC for the modest spin-1 phonons in the solid lattice? Even in situations where fundamental particles are involved, when the Fermions can form pair-wise bonds, as in the Cooper pairs of superconductivity, the Fermion composites behave as Bosons. For such composites, one will have to argue that the effective theory applicable is a Klein-Gordon like field theory, while the rest of the electrons obey a spinor field theory; that seems far-fetched in the proof of a fundamental fact like SSC. Finally, I consider that it is very important to realize that every physical change, including changes in quantum phase,

must occur through a physical interaction involving one of the fundamental interactions. This point will become obvious as our discussion progresses.

The behaviour of Fermions under pressure is well known in the case of white dwarfs and neutron stars. The degeneracy pressure can be defeated by gravity even though the particles remain as Fermions. Pauli would have been very disappointed and plunged further into depression at the breach of his exclusion Principle and any negation of the formal proof by overwhelming gravity.

There have been some sustained efforts by many to find a physically reasoned, and possible ‘simple’, proof of the spin-statistics connection. These tried to derive the crucial phase factor under exchange of a pair of particles, without using relativistic physics or mathematical aspects of field theory [2, 24]. So, they were focusing on the statement by Jordan and Wigner that the “validity of the Pauli principle can be understood as a consequence of the quantum mechanical multiplication properties of the de Broglie wave amplitudes”. However, these proofs need additional assumptions and some of these could be circular, with a hidden connection to the proposition to be proved.

The spin-statistics connection usually stated as

a) Particles with integer spin are Bosons and they obey the Bose-Einstein statistics,

b) Particles with half-integer spin are Fermions and they obey the Fermi-Dirac statistics,

can be restated in the Jordan-Wigner spirit as

a) The quantum amplitude for a scattering event between identical integer spin particles and the amplitude with an exchange of the particles add with a plus (+) sign. In other words, the phase difference between the direct amplitude and the exchanged amplitude is an integer multiple of  $2\pi$ .

b) The amplitude for a scattering event between identical half-integer spin particles and the amplitude with an exchange of the particles add with a minus (−) sign. In other words, the phase difference between the direct amplitude and the exchanged amplitude is an odd integer multiple of  $\pi$ .

A geometric understanding of these statements was published by Berry and Robbins [25], and several authors have invoked the relation between rotation operators and exchange of particles in quantum mechanics while attempting to prove the spin-statistic theorem [24]. E. C. G. Sudarshan has been arguing for the existence of a simple proof that is free of arguments specific to relativistic quantum field theory [2]. His proof of the SSC used rotational invariance, in conjunction with the postulate of flavor symmetry of the Lagrangian. Flavor symmetry is assumed to prevent a free antisymmetrization on internal ‘pseudo-spin’ degrees of freedom like isospin, which could reverse the conclusions.

The general assessment seems to be that none of the proofs projected as a simple proof, can be considered as valid proofs. This has been implied in a critical review of the book by Sudarshan and Duck [2], by A. S. Wightman [27]. The grave nature of the situation is clear from the fact that even the very small fraction of physicists who are experts on these formal proofs do not agree with each other on their own attempts at more accessible proofs. Thus, there is no consensus on whether any of these proofs is taking us closer to a better understanding of SSC, let alone a physical understanding.

## 6 Comments on Anyons

Physics in two spatial dimensions have become very important, with many situations in condensed matter physics. Topological considerations become relevant for SSC when dynamics is confined to two dimensions. The quantization of fundamental particles into two groups of integer and half integer spin remains intact. However, the statistics for certain composite objects has more general options. I discuss just one example involving a charged particle and a ‘flux tube’. A wavefunction of a charged particle of charge  $e$  going a full circle around a solenoid containing magnetic flux  $\phi$  picks up the quantum phase  $e\phi/\hbar$ . Therefore, two such particle-flux composites has a net phase  $e\phi/\hbar$  under exchange of their spatial coordinates. Since the exchange phase is now arbitrary, with any value between 0 and  $2\pi$ , the statistics is not restricted to that of either Bosons or Fermions. Such composites are named ‘anyons’, obeying ‘any statistics’ [28]. The restriction of two dimensions is important because then the flux tube cannot be avoided in the exchange process, by crossing over in the third dimension.

Does this has any experimental basis? There are effective theories of condensed matter phenomena where the concept of anyon has been found useful. But, it does not have the same significance as the fundamental classification into Bosons and Fermions. There are no fundamental anyons. Further, the flux tube is not a physical entity. A charged particle that is executing an orbit in the presence of a magnetic field has its dynamical phase  $\int (p - eA) \cdot dx/\hbar$ . The magnetic flux contributes the extra phase  $-e\nabla \times A(\pi r^2)/\hbar = -e\phi/\hbar$  in a ground state orbit with radius  $r$ . This has to be a multiple of  $2\pi$ . Then  $\phi = nh/e$ . This is the flux quantization, which is not a statement on the flux itself, but a requirement on the product of the magnetic field and the area of the orbit. There is no meaning to the flux tube without the real particle and the implicit particle orbit. There are no fundamental flux quanta in physics independent of charged particles. The usual magnetic field is not a collection of quantized flux tubes.

Now we present a mystery that will prove crucial in our discussion of the SSC [29]. Consider the cyclotron motion with frequency  $\Omega = eB/m$  of an electron in a 2D system, as a MOSFET used for observing the quantum Hall

effect. The wavefunction of the ground state Landau level in the applied magnetic field has to obey the flux quantization condition  $\phi = nh/e$ . The quantity  $h/e$  is indeed the flux quantum in the quantum Hall effect. However, the wavefunction also acquires a phase from the interaction of the magnetic moment with the magnetic field,  $\int \mu \cdot B dt / \hbar = 2\pi\mu_B B / \hbar\Omega = \pi$ . Then the requirement of  $2\pi$  closure phase on the orbit is violated! Something is missing.

## 7 Spin and Gravity - the missing link

I assert that the reason why we have not found a satisfactory understanding and proof of the spin-statistics connection is because we have not yet considered the true physical identity of spin! We already learned a lesson about mass and inertia, but it took 300 years to come to a proper understanding of the equivalence of these two entities in physics. Mass is the inertia for dynamics. Mass is also the charge of gravity; in fact that is its paramount role.

*Spin and angular momentum are, in all cases, the current of matter-energy, or the current of the charge of gravity.* The role of spin and angular momentum in gravitation is akin to the role of a magnetic moment in electrodynamics. All physical effects involving a magnetic moment can be traced to some electrodynamic effect. Since spin is the microscopic limit of the closed current of mass-energy, the charge of gravity, all spin-dependent physical effects should be traced ultimately to gravity, just as all physical effects involving mass can be traced to gravity. The interaction of a magnetic moment ( $\mu = \frac{1}{2} \int (r \times j) dV$ ) with the magnetic field is  $E = \mu \cdot B$ . The angular momentum or spin is  $l = \int r \times \bar{p} dV$  where  $\bar{p}$  is the momentum density in terms of the mass-energy density. Therefore, the coupling of the angular momentum is to a ‘gravitomagnetic field’ generated by the angular momentum or rotation of matter. This field is the analogue of the magnetic field in relativistic gravitation, with mass-energy currents as its source. The Lense-Thirring precession effect (called ‘frame-dragging’) in general relativity arises from this. The coupling of the spin with the gravitomagnetic field is then  $E = l \cdot B_g/2$ .

Most of our fundamental theories were completed well before any significant knowledge about our cosmos was acquired, especially from an observational point of view. Hence, most of our theories assume the ‘empty flat space-time’ background. In particular the theories of relativity explicitly assume an empty space for their construction, which is blatant conflict with the factual situation that was realized decades later. But, the theories have remained the same, carrying this inconsistency. It is very easy to show and convince oneself that the space and the ‘metric’ of the matter-filled universe become anisotropic in a frame moving relative to the average rest frame of




Figure 1: Space filled with matter cannot maintain its isotropy in a moving frame. The anisotropy is linked to the matter-current that modifies the gravitational potentials. Circular motion results in nonzero ‘curl’ and a ‘gravitomagnetic field’.

all matter-energy (identical to the preferred frame indicated by the cosmic microwave background) [31]. If that is the case, a theory based on the invariance of the fundamental metric in all inertial frame is obviously inconsistent. In fact, there is direct experimental evidence that the one-way speed of light is Galilean ( $c \pm v$ ), instead of being an invariant (the Michelson-Morley experiment deals with two-way speed and second order effects) [32].

One of the simplest calculations that one may do regarding the gravity of the universe, knowing that it has a finite age of about 14 billion years, is an estimate of the gravitational potential due to all the matter in causal contact with us today. Though such a Newtonian concept is not rigorous in the context of general relativity, it is instructive. Taking the average density consistent with observations as  $10^{-29}$  g/cm<sup>3</sup>, we have

$$\Phi_N = \int_0^{R \approx cT} (4\pi r^2 dr G\rho) / r = 2\pi G\rho c^2 T^2 \approx c^2 \quad (5)$$

since the quantity  $2\pi G\rho T^2$  is approximately unity. Note that for matter-dominated and radiation dominated evolutions,  $\rho$  evolves as  $1/T^2$ , and therefore  $\Phi_N$  remains a constant at  $c^2$ . This is already remarkable since it is possible to make the theoretical claim that the correct relativistic transformation for space and time involves the cosmic gravitational potential and not the square of the speed of light as usually assumed. Such a claim and the associated phenomenology are valid in the context of all known experimental tests. A particle that is moving in the cosmic gravitational potential  $\phi$  of the universe experiences a modified gravitational potential and a vector gravitational potential equal to

$$\phi' = \phi(1 - V^2/c^2)^{-1/2} \quad (6)$$

$$A_i = \phi \frac{V_i}{c} \quad (7)$$

For universe with critical density, the quantity  $\phi = 1$  (in unit of  $c^2$ ). Circular motion then gives either a time dependent vector potential in which the direction of potential changes, or a nonzero curl for the velocity field, depending on the details of the motion. In the first case one gets an electric-like gravitational effect, with no direct coupling to spin and in the second case of pure rotations there is a gravitomagnetic field due to the entire universe,

$$\vec{B}_g = \nabla \times \mathbf{A} = 2\omega \quad (8)$$

This gravitomagnetic field couples to the spin angular momentum, analogous to the coupling of the magnetic moment to a magnetic field in electromagnetism. The coupling in the case of gravity is

$$H_i = \frac{1}{2} \left( \vec{s} \cdot \vec{B}_g \right) \quad (9)$$

Now, we will make this argument more rigorous. In a nearly isotropic and homogenous universe with critical density, symmetry dictates the physical metric as the Robertson-Walker metric,

$$ds^2 = -c^2 dt^2 + a^2(t)(dr^2 + r^2 d\Sigma^2) = -c^2 dt^2 + a^2(dx^2 + dy^2 + dz^2) \quad (10)$$

The time dependent scale factor  $a(t)$  changes very slowly and can be considered nearly a constant over time scales relevant to laboratory experiments (or even the age of a typical successful theory).

This indicates a preferred frame with absolute time! Since there is matter, there is a matter-current and anisotropy in a moving frame. This anisotropic metric is obtained by transforming the Robertson-Walker metric into the frame moving through the universe at velocity  $v(t)$  (fig. 1). To highlight the essential feature, we choose the direction of motion to be the  $x$  axis. Then,  $x' = x - vt$ ,  $t' = t$ . Also, we redefine the coordinates by absorbing the slowly varying scale factor ( $\dot{a}/a \simeq 10^{-18}m/s/m$ ) into the spatial coordinate labels. Then a *Galilean boost* is

$$\begin{aligned} x' &= x - \left(\frac{v}{c}\right) ct \\ t' &= t \end{aligned}$$

This is a coordinate transformation  $(x, ct)$  of the privileged cosmic frame to  $(x^1, x^0 = x', ct')$  of a moving frame, representing physical motion relative to cosmic matter. (It should be evident that a Lorentz transformation that leaves the metric invariant is not physically proper in nonempty space [31]). The metric changes from that of the FRW universe as a result of this motion, from the approximate  $\delta_{ik}$  to a new  $g_{ik}$ . Therefore, the physical measures of time and space in the moving frame are different from just the coordinate

measures. We can calculate the metric from the coordinate relations  $x^i(x, t)$  as

$$g'_{ik} = \begin{bmatrix} -(1 - v^2/c^2) & -v/c \\ -v/c & 1 \end{bmatrix} \quad (11)$$

Other components are  $\delta'_{ik}$ . The new non-zero metric components in the moving frame are  $g'_{00} = -(1 - v^2/c^2)$ ,  $g'_{01} = -v/c$ , and  $g'_{ii} = 1$ . The components  $g'_{01} = g'_{10} = g'_{tx} = -v/c$  in the frame moving through the matter filled universe are in fact gravitomagnetic potentials in the post-Newtonian language. Here  $v$  is identical to the (absolute) velocity that causes the Doppler dipole anisotropy of the CMBR. Therefore, there is indeed an effective 'gravitational vector potential'  $A_i = -v_i$  in the moving frame. Its curl, as experienced in every rotating frame, is the cosmic gravitomagnetic field,  $B_g = -\nabla \times v = 2\Omega$ .

I have shown elsewhere that cosmic gravity is the determining factor of both relativity and dynamics, as described in theory of Cosmic Relativity [31]. There is a master determining frame defined by cosmic matter-energy content and its gravity. The metric I derived already shows clearly that relativistic effects like time dilation is already contained in Galilean transformation! Numerous experimental results in mechanics, relativity, electrodynamics, and propagation of light etc. give strong support to the correctness of Cosmic Relativity [32].

With this background, it is easy to see that all spin-dependent effects can be consistently and correctly attributed to the spin-gravity interaction. This is an important change of view in fundamental physics, where spin assumes its true gravitational role. Spin can interact gravitationally with other matter currents and the most important effects will occur in rotating frames in the universe. In such frames, there is enormous matter current with circulation, equivalent to a large gravitomagnetic field, and the interaction is  $(s \cdot \text{curl } A_g) / 2 = -\vec{s} \cdot \vec{\Omega}$ . Spin can be affected by forces  $-s \times \Omega$  or a quantum phase can change by the interaction,  $\Delta\varphi = -s \cdot \Omega / \hbar$ . The coupling is the same for classical and quantum angular momentum. This is the physical reason why the method of transforming to rotating frames generates physical effects akin to the presence of a pseudo-magnetic field, provided there is a magnetic moment associated with the spin, as in nuclear magnetic resonance [33]. Factually, the interaction is between the spin and the induced cosmic gravitomagnetic field,  $-\vec{s} \cdot \vec{\Omega}$ . This then can be rewritten in terms of the magnetic moment, the gyromagnetic ratio  $g_m$  and an equivalent magnetic field  $g_m \mu_{BS} \cdot B_{eq}$  where  $B_{eq} = \Omega / g_m$ . It is the phase changes that are relevant for the spin-statistics connection.

Suddenly, we feel close to a truly fundamental reason for the SSC and




Figure 2: Interfering amplitudes for scattering between indistinguishable particles with spin. The process in the upper panel involves two interfering amplitudes, sketched in the lower panel. The difference between the two is the angles through which the momentum vector rotates. In the presence of cosmic matter, scattering induces the gravitomagnetic potentials for the duration of such rotation, schematically indicated by the matter rotating in the centre of mass frame. Therefore, there is a definite gravitational phase difference  $2s(\delta\theta) = 2s\pi$  between the two amplitudes.

Pauli exclusion. I will show that the interaction of the spins of identical particles with the relativistic cosmic gravitomagnetic field gives the exact phases required for their characteristic difference, requiring symmetric states for Bosons and anti-symmetric states for Fermions!

## 8 Proof of the Spin-Statistics Connection

Cosmic Relativity suggest that it is the gravitational interaction of the quantum particles with cosmic matter that is responsible for the spin-statistics connection [34]. In other words, the Pauli exclusion is a consequence of the relativistic gravitational interaction of the spin with the mass-energy in the universe. The quantum physical behavior of two particles, as opposed to just one, is governed by their relative phase. Consider the scattering of two identical particles, sketched in figure 2.

The process can happen by two quantum amplitudes, shown in the lower panel. The amplitudes for these two processes differ by only a phase for identical particles in identical states, since the initial and final states in the two processes are indistinguishable. The particles are assumed to be spin polarized in identical directions, perpendicular the plane containing the scattering

event. Only then, the initial and final states are indistinguishable, and interfering. We can calculate the phase changes in any configuration, but at present we want to discuss only the phase difference for indistinguishable states. The two processes are different in the angle through which the momentum vectors of the particles turn. In fact that is the only difference between the two amplitudes. The difference in angles is just  $\pi$ . (This is why it is equivalent to an exchange - what is really exchanged is the momentum vector after the scattering). The dynamics happens always in the gravitational potential of the entire universe. The calculation for each particle can be done by noting that the  $k$ -vector can be considered without deflection, but the entire universe turned through an appropriate angle, with angular velocity of this turning decided by the rate of turning of the  $k$ -vector. It does not matter whether we are dealing with massless particles or massive particles since the only physical fact used is the change in the direction of the  $k$ -vector of the particle.

As discussed earlier, the motion of the particle relative to the universe generates the vector potential, and the rotation of the momentum vector generates a nonzero curl and therefore a gravitomagnetic field,  $\vec{B}_g = \nabla \times \mathbf{v}(t) = 2\vec{\Omega}(t)$  where  $\vec{\Omega}$  is the rate of rotation of the  $k$ -vector. This field exists only for the duration of the turning of the  $k$ -vector. The change in phase is

$$\Delta\varphi_g = \frac{1}{\hbar} \int (\vec{s} \cdot \vec{\Omega}) dt = \frac{1}{\hbar} \int (\vec{s} \cdot \frac{d\vec{\theta}}{dt}) dt = \frac{\vec{s} \cdot \vec{\theta}}{\hbar} \quad (12)$$

The phase depends only on the angle through which dynamical path turns. We see that, remarkably, this additional phase is independent of the duration  $t$ . This is the reason that there is an apparent connection to geometric phases, but in reality the quantum dynamical phase arises in the gravitational interaction.

As an important interlude, we see that the phase due to the interaction of the spin with the motion-induced cosmic gravitomagnetic field in a cyclotron Landau orbit that we discussed earlier is  $\varphi_g = 2\pi s = \pi$ . This, when added (with either sign) to the equal phase from the magnetic moment-magnetic field interaction, we get  $2\pi$  (or 0); only then the correct closure phase for the orbit is obtained [29]. *This proves the reality of cosmic gravitational potential and the verity of the spin- gravitomagnetic field interaction.*

The momentum vectors turn in the same sense for both the particles (the product wavefunction) and therefore the total phase change is  $\varphi_1 = 2s\theta_1/\hbar$  where  $\theta_1$  is the angle through which the  $k$ -vector turns for the first amplitude. For the second amplitude the phase change is  $\varphi_2 = 2s\theta_2/\hbar$ . The *phase difference between the two amplitudes* is

$$\Delta\varphi = 2s(\theta_1 - \theta_2)/\hbar = 2s/\hbar \times \pi \quad (13)$$

The rest of the proof of the spin-statistics connection is straightforward. For zero-spin particles the proof is trivial since

$$\Delta\varphi = s(\theta_1 - \theta_2) = 0 \times 2\pi = 0 \quad (14)$$

and therefore zero-spin particles are Bosons and their scattering amplitudes add with a + sign. Zero-spin particles have no spin-coupling to the gravitomagnetic field of the universe and there is no phase difference between the two possible amplitudes in scattering. What remains is the proof for spin-half particles, since the higher spin cases can be constructed from spin-half using the Schwinger construction (both the phase and the spin projection for identical states is just additive). The phase difference between the two amplitudes then is

$$\Delta\varphi = 2s(\theta_1 - \theta_2) = 2 \times \frac{1}{2} \times \pi = \pi \quad (15)$$

The relative sign between the amplitudes is  $\exp(i\pi) = -1$ . The amplitudes add with a negative sign. *Therefore, the half-integer spin particles obey the Pauli exclusion and the Fermi-Dirac statistics.* The exchange of *any* two particles in a multiparticle system of identical fermions introduces a minus (-) sign between the original amplitude and the exchanged amplitude.

Particles of higher spins can be considered (for this proof) as composites of spin-1/2 particles. When the spin projection is integer valued ( $n\hbar$ ), we have  $\Delta\varphi = 2s(\theta_1 - \theta_2) = 2n\pi$ . Therefore, integer spin particles obey Bose-Einstein statistics.

The proof is valid for interacting particles since the phase changes due to interactions are identical for the two amplitudes, as all other dynamical phases in the relevant diagrams.

This remarkable connection between quantum physics and gravity of the universe is indeed startling. But this cosmic connection is also a natural consequence in a critical universe in which everything is gravitationally interacting with everything else. It is satisfying to see that a deep physical phenomenon is linked to a universal physical interaction and not just to mathematical structures and consistency. This reaffirms my conviction that every physical change, including changes in quantum phase, must occur through a physical interaction involving one of the four interactions (we know of at present). We can now calculate the gravitational phase change for the two amplitudes for any *arbitrary initial and final states*, and thus we have the most general statement about the relative phase between multi-particle quantum amplitudes.

## 9 Epilogue

The first ‘oriental’ and English translation of Einstein’s general theory of relativity was by S. N. Bose and M. N. Saha, in 1920, as very young lecturers

in physics [35]. Bose's last published works pertain to Einstein's attempt at a unified field theory, based on the mathematical deviation from general relativity with a non-symmetric metric tensor. But, generally speaking, Bose didn't show much interest in the conceptual and fundamental issues in gravity or quantum mechanics, except in that one decisive occasion of his derivation of the Planck law of radiation, and an immediate follow up paper, both translated for publication by Einstein. He was perhaps drawn more by the mathematical aspects in theoretical physics [11]. S. N. Bose would have been very surprised to see the role of gravity in the statistical mechanics of light quanta he derived at a time when nothing significant about the universe and its matter-energy content was known. Observational cosmology matured only after the protagonists involved in the development of the quantum mechanics of spin all left the stage. By then, relativity theories based on the unreal and non-existent empty space had taken deep roots, giving the impression of a robust framework. Despite that well known criticism of the physics of inertia and dynamics based in empty-space by Ernst Mach, the rapid cruise of physics continued with any course correction. The obvious reality of the gigantic cosmic gravitational potentials was not noticed for a whole century, while observational cosmology slowly matured. Today, we are in a position to see the truth of the situation from many experimental evidence, old and new. Cosmic gravity is the decisive factor for relativity and dynamics. A fundamental problem like the origin of the spin-statistics connection involving the current of mass-energy as the 'spin' of fundamental particles could not have been solved without invoking gravity. Consideration of phase changes of quanta with spin in the ever present cosmic gravitational fields yielded the surprising and pleasing result that the fundamental connection between spin and statistics in quantum theory is a consequence of the gravitational interaction of the spin with the matter in the universe. This is a deep result, valid in very general physical situations. It is simple and transparent to understand. Atoms and matter of wide variety exist stably because Fermions obey Pauli exclusion. Wonders like lasers are possible because Bosons tend to bunch together. At a deeper layer, it is cosmic gravity that provides the basis for this rich variety of phenomena. As in collapsing stars, only gravity can violate what has been set up by gravity.

## 10 Acknowledgments

In fond memory of E. C. George Sudarshan, teacher and friend, who understood and helped us understand Bosons and Fermions through his phenomenal work in quantum optics and the theory of weak interactions.

## References

- [1] W. Pauli, *Physical Review* **48**, 716-722, 1940.
- [2] I. Duck and E. C. G. Sudarshan, *Pauli and the Spin-Statistics Theorem*, Singapore: World Scientific, 1998.
- [3] R. P. Feynman, *Feynman Lectures in Physics*, Vols. III (Section 4-1), R. P. Feynman, R. B. Leighton and M. Sands, Eds., Addison-Wesley.
- [4] C. S. Unnikrishnan, in *Space, Time, and Limits of Human Understanding*, S. Wuppuluri and G. Ghirardi, Eds., Springer, 2016, pp. 167-183.
- [5] S. N. Bose, *Zeitschrift für Physik* **26**, 168-171, 1924.
- [6] E. T. Jaynes, in *Maximum Entropy and Bayesian Methods*, C. R. Smith, G. J. Erickson and P. O. Neudorfer, Eds., Kluwer Academic Publishers, Dordrecht, 1992, pp. 1-22.
- [7] C. S. Unnikrishnan, *Int. J. Quantum Information* **14**, 1640037, 2016.
- [8] S. N. Bose, *Zeitschrift für Physik* **27**, 384-393, 1924.
- [9] A. Einstein, 'Quantum theory of the ideal monatomic gas - II,' *Sitzungsberichte der Preussischen Akademie der Wissenschaften (Berlin)*, pp. 3-14, 1925.
- [10] P. Ghose, in *S. N. Bose: The Man and His Work*, C. K. Majumdar et al, Ed., S. N. Bose National Centre for Basic Sciences, 1994, pp. 35-71.
- [11] W. A. Blanpied, *Satyendranath Bose: Co-Founder of Quantum Statistics. Am. J. Phys.* **40**, 1212-1220, 1972.
- [12] W. Pauli, *Zeitschrift für Physik* **31**, 765-783, 1925.
- [13] E. Uhlenbeck and S. Goudsmit, *Nature* **117**, 264-265, 1925.
- [14] S. Tomonaga, *The Story of Spin*, University of Chicago Press, 1998.
- [15] E. Fermi, 'Zur Quantelung des idealen einatomigen Gases,' *Zeitschrift für Physik* **36**, 902-912, 1926.
- [16] R. H. Fowler, *MNRAS* **87**, 114-122, 1926.
- [17] S. Chandrasekhar, *Astrophysical J.* **74**, 81-82, 1931.
- [18] F. London, *Nature* **141**, 643-644, 1938.
- [19] J. Bardeen, L. N. Coope and J. R. Schrieffer, *Phys. Rev.* **108**, 1175-1204, 1957.
- [20] A. I. Miller, *137: Jung, Pauli, and the Pursuit of a Scientific Obsession*, W. W. Norton & Company, 2010.
- [21] W. Pauli, 'Nobel prize 1945 lecture,' 1946.
- [22] P. Jordan and E. Wigner, *Zeitschrift für Physik* **47**, 631-651, 1928.
- [23] W. Pauli, *Progress of Theoretical Physics* **5**, 526-543, 1950.
- [24] I. Duck and E. C. G. Sudarshan, *Am. J. Phys.* **66**, 284-303, 1999.
- [25] M. V. Berry and J. M. Robbins, *Proc. Roy. Soc. London Ser. A* **453**, 1771-1790, 1997.
- [26] E. C. G. Sudarshan, in *Proceedings of the Nobel Symposium 8*, N. Svartholm, Ed., Almquist and Wiksell, Stockholm, 1968, pp. 379-386.
- [27] A. S. Wightman, *Am. J. Phys.* **67**, 742-746, 1999.

- [28] F. Wilczek, *Phys. Rev. Lett.* **49**, 957-959, 1982.
- [29] C. S. Unnikrishnan, “Quantum Hall Effects and Gravity,” To be published.
- [30] I. Ciufolini and J. A. Wheeler, *Gravitation and Inertia*, Princeton University Press, 1995.
- [31] C. S. Unnikrishnan, “Physics in the ‘once given’ universe,” in *Recent Developments in Theoretical Physics*, S. Ghosh and G. Kar, Eds., World Scientific, Singapore, 2007, pp. 99-120.
- [32] C. S. Unnikrishnan, in *The Physical universe*, S. M. Wagh, S. D. Maharaj and G. Chon, Eds., Central India Research Institute, Nagpur, India, 2018, pp. 183-202.
- [33] I. I. Rabi, N. F. Ramsey and J. Schwinger, *Rev. Mod. Phys.* **26**, 167-171, 1954.
- [34] C. S. Unnikrishnan, “Spin-Statistics Connection: The cosmic connection,” *ArXiv:gr-qc/0405043*, 2004.
- [35] M. N. Saha and S. N. Bose, *The Principle of Relativity* (Original papers by A. Einstein and H. Minkowski translated into English), University of Calcutta, 1920.