

$D_6^{(1)}$ - GEOMETRIC CRYSTAL AT THE SPIN NODE

KAILASH C. MISRA AND SUCHADA PONGPRASERT

ABSTRACT. Let \mathfrak{g} be an affine Lie algebra with index set $I = \{0, 1, 2, \dots, n\}$. It is conjectured that for each Dynkin node $k \in I \setminus \{0\}$ the affine Lie algebra \mathfrak{g} has a positive geometric crystal. In this paper we construct a positive geometric crystal for the affine Lie algebra $D_6^{(1)}$ corresponding to the Dynkin spin node $k = 6$.

1. INTRODUCTION

Let \mathfrak{g} be an affine Lie algebra [8] with Cartan datum $\{A, \Pi, \check{\Pi}, P, \check{P}\}$ and index set $I = \{0, 1, \dots, n\}$ where $A = (a_{ij})_{i,j \in I}$ is the affine GCM, $\Pi = \{\alpha_i \mid i \in I\}$ is the set of simple roots, $\check{\Pi} = \{\check{\alpha}_i \mid i \in I\}$ is the set of simple coroots, P and \check{P} are the weight lattice, and coweight lattice respectively. Let $\mathfrak{t} = \mathbb{C} \otimes_{\mathbb{Z}} \check{P}$, \mathfrak{c} , δ , and $\{\Lambda_i \mid i \in I\}$ denote the Cartan subalgebra, the canonical central element, the null root and the set of fundamental weights respectively. Note that $\alpha_j(\check{\alpha}_i) = a_{ij}$ and $\Lambda_j(\check{\alpha}_i) = \delta_{ij}$ and $\mathfrak{t} = \text{span}_{\mathbb{C}}\{\check{\alpha}_i, d \mid i \in I\}$ where d is a degree derivation. Then $P = \bigoplus_{j \in I} \mathbb{Z}\Lambda_j \oplus \mathbb{Z}\delta \subset \mathfrak{t}^*$, $\check{P} = \bigoplus_{i \in I} \mathbb{Z}\check{\alpha}_i \oplus \mathbb{Z}d \subset \mathfrak{t}$ and $P_{cl} = P/\mathbb{Z}\delta$ is called the classical weight lattice. The set $P^+ = \{\lambda \in P \mid \lambda(\check{\alpha}_i) \in \mathbb{Z}_{\geq 0} \text{ for all } i \in I\}$ (resp. $P_{cl}^+ = \{\lambda \in P_{cl} \mid \lambda(\check{\alpha}_i) \in \mathbb{Z}_{\geq 0} \text{ for all } i \in I\}$) is called the set of (affine) dominant (resp. classical dominant) weights and we say that $\lambda \in P^+$ or P_{cl}^+ has level $l = \lambda(\mathfrak{c})$. We denote $(P^+)_l$ (resp. $(P_{cl}^+)_l$) to be the set of affine (resp. classical) dominant weights of level l . We denote $\mathfrak{t}_{cl}^* = \mathfrak{t}^*/\mathbb{C}\delta$ and $(\mathfrak{t}_{cl}^*)_0 = \{\lambda \in \mathfrak{t}_{cl}^* \mid \langle \mathfrak{c}, \lambda \rangle = 0\}$. We also denote \mathfrak{g}_i to be the subalgebra of \mathfrak{g} with index set $I_i = I \setminus \{i\}$ which is a finite dimensional semisimple Lie algebra. The Weyl group W of \mathfrak{g} is generated by the simple reflections $\{s_i \mid i \in I\}$. The sets Δ , Δ_+ , $\Delta^{re} := \{w(\alpha_i) \mid w \in W, i \in I\}$ and $\Delta_+^{re} = \Delta_+ \cap \Delta^{re}$ are called the set of roots, positive roots, real roots and positive real roots respectively. In this paper we will assume \mathfrak{g} to be simply laced which implies that the affine GCM $A = (a_{ij})_{i,j \in I}$ is symmetric.

Let \mathfrak{g}' be the derived Lie algebra of \mathfrak{g} and let G be the Kac-Moody group associated with \mathfrak{g}' ([9, 16]). Let $U_\alpha := \exp \mathfrak{g}'_\alpha$ ($\alpha \in \Delta^{re}$) be the one-parameter subgroup of G . The group G is generated by U_α ($\alpha \in \Delta^{re}$). Let $U^\pm := \langle U_{\pm\alpha} \mid \alpha \in \Delta_+^{re} \rangle$ be the subgroup generated by $U_{\pm\alpha}$ ($\alpha \in \Delta_+^{re}$). For any $i \in I$, there exists a unique homomorphism; $\phi_i : SL_2(\mathbb{C}) \rightarrow G$ such that

$$\phi_i \left(\begin{pmatrix} c & 0 \\ 0 & c^{-1} \end{pmatrix} \right) = c^{\check{\alpha}_i}, \phi_i \left(\begin{pmatrix} 1 & t \\ 0 & 1 \end{pmatrix} \right) = \exp(te_i), \phi_i \left(\begin{pmatrix} 1 & 0 \\ t & 1 \end{pmatrix} \right) = \exp(tf_i).$$

KCM is partially supported by the Simons Foundation Grant #307555.

where $c \in \mathbb{C}^\times$ and $t \in \mathbb{C}$. Set $\check{\alpha}_i(c) := c^{\check{\alpha}_i}$, $x_i(t) := \exp(te_i)$, $y_i(t) := \exp(tf_i)$, $G_i := \phi_i(SL_2(\mathbb{C}))$, $H_i := \phi_i(\{\text{diag}(c, c^{-1}) \mid c \in \mathbb{C} \setminus \{0\}\})$. Let H be the subgroup of G generated by H_i 's with the Lie algebra \mathfrak{t} . Then H is called a maximal torus in G , and $B^\pm = U^\pm H$ are the Borel subgroups of G . The element $\bar{s}_i := x_i(-1)y_i(1)x_i(-1) \in N_G(H)$ is a representative of $s_i \in W = N_G(H)/H$.

The geometric crystal for the simply laced affine Lie algebra \mathfrak{g} is defined as follows.

Definition 1.1. ([1],[14]) The geometric crystal for the simply laced affine Lie algebra \mathfrak{g} is a quadruple $\mathcal{V}(\mathfrak{g}) = (X, \{e_i\}_{i \in I}, \{\gamma_i\}_{i \in I}, \{\varepsilon_i\}_{i \in I})$, where X is an ind-variety, $e_i : \mathbb{C}^\times \times X \rightarrow X$ ($(c, x) \mapsto e_i^c(x)$) are rational \mathbb{C}^\times -actions and $\gamma_i, \varepsilon_i : X \rightarrow \mathbb{C}$ ($i \in I$) are rational functions satisfying the following:

- (1) $\{1\} \times X \subset \text{dom}(e_i)$ for any $i \in I$.
- (2) $\gamma_j(e_i^c(x)) = c^{a_{ij}} \gamma_j(x)$.
- (3) $\{e_i\}_{i \in I}$ satisfy the following relations :

$$\begin{aligned} e_i^{c_1} e_j^{c_2} &= e_j^{c_2} e_i^{c_1} && \text{if } a_{ij} = a_{ji} = 0, \\ e_i^{c_1} e_j^{c_1 c_2} e_i^{c_2} &= e_j^{c_2} e_i^{c_1 c_2} e_j^{c_1} && \text{if } a_{ij} = a_{ji} = -1, \end{aligned}$$
- (4) $\varepsilon_i(e_i^c(x)) = c^{-1} \varepsilon_i(x)$ and $\varepsilon_i(e_j^c(x)) = \varepsilon_i(x)$ if $a_{i,j} = a_{j,i} = 0$.

For fixed $i \in I$, let G^i be the reductive algebraic group with Lie algebra \mathfrak{g}_i and B^i, W^i be its Borel subgroup, Weyl group respectively. We consider the flag variety $X^i := G^i/B^i$. For $w \in W^i$, the Schubert cell X_w^i associated with w has a natural \mathfrak{g}_i -geometric crystal structure [1, 14]. Let $w = s_{i_1} s_{i_2} \cdots s_{i_l}$ be a reduced expression. For $\mathbf{i} := (i_1, i_2, \dots, i_l)$, set

$B_{\mathbf{i}}^- := \{Y_{\mathbf{i}}(c_1, c_2, \dots, c_l) := Y_{i_1}(c_1)Y_{i_2}(c_2) \cdots Y_{i_l}(c_l) \mid c_1, c_2, \dots, c_l \in \mathbb{C}^\times\} \subset B^-$, where $Y_j(c) := y_j(\frac{1}{c})\check{\alpha}_j(c) = y_j(\frac{1}{c})c^{\check{\alpha}_j}$. Then we have the following result.

Theorem 1.2. [1, 14] *The set $B_{\mathbf{i}}^-$ with the explicit actions of e_k^c, ε_k , and γ_k , for $k \in I_i, c \in \mathbb{C}^\times$ given by:*

$$e_k^c(Y_{\mathbf{i}}(c_1, \dots, c_l)) = Y_{\mathbf{i}}(C_1, \dots, C_l),$$

where

$$(1.1) \mathcal{C}_j := c_j \cdot \frac{\sum_{1 \leq m \leq j, i_m = k} \frac{c}{c_1^{a_{i_1, k}} \cdots c_{m-1}^{a_{i_{m-1}, k}} c_m} + \sum_{j < m \leq l, i_m = k} \frac{1}{c_1^{a_{i_1, k}} \cdots c_{m-1}^{a_{i_{m-1}, k}} c_m}}{\sum_{1 \leq m < j, i_m = k} \frac{c}{c_1^{a_{i_1, k}} \cdots c_{m-1}^{a_{i_{m-1}, k}} c_m} + \sum_{j \leq m \leq l, i_m = k} \frac{1}{c_1^{a_{i_1, k}} \cdots c_{m-1}^{a_{i_{m-1}, k}} c_m}},$$

$$(1.2) \varepsilon_k(Y_{\mathbf{i}}(c_1, \dots, c_l)) = \sum_{1 \leq m \leq l, i_m = k} \frac{1}{c_1^{a_{i_1, k}} \cdots c_{m-1}^{a_{i_{m-1}, k}} c_m},$$

$$(1.3) \gamma_k(Y_{\mathbf{i}}(c_1, \dots, c_l)) = c_1^{a_{i_1, k}} \cdots c_l^{a_{i_l, k}},$$

is a geometric crystal isomorphic to X_w^i .


The geometric crystal $\mathcal{V}(\mathfrak{g}) = (X, \{e_i\}_{i \in I}, \{\gamma_i\}_{i \in I}, \{\varepsilon_i\}_{i \in I})$ is said to be positive if it has a positive structure [1, 7, 14]. Roughly speaking this means that each of the rational maps e_i^c, ε_i and γ_i are ratios of polynomial functions with positive coefficients. For example, $B_{\mathbf{i}}^-$ is a positive geometric crystal.

It was conjectured in [7] that for each affine Lie algebra \mathfrak{g} and each Dynkin index $k \in I \setminus \{0\}$, there exists a positive geometric crystal $\mathcal{V}(\mathfrak{g}) = (X, \{e_i\}_{i \in I}, \{\gamma_i\}_{i \in I},$

$\{\varepsilon_i\}_{i \in I}$). So far positive geometric crystals have been explicitly constructed for $\mathfrak{g} = A_n^{(1)}, B_n^{(1)}, C_n^{(1)}, D_n^{(1)}, A_{2n-1}^{(2)}, A_{2n}^{(2)}, D_{n+1}^{(2)}$ [7], $\mathfrak{g} = D_4^{(3)}$ [2], $\mathfrak{g} = G_2^{(1)}$ [15] for $k = 1$, $\mathfrak{g} = A_n^{(1)}$ [10, 11] for $k > 1$, and $\mathfrak{g} = D_5^{(1)}$ for $k = 5$ [12]. In this paper we construct explicitly positive geometric crystal for $\mathfrak{g} = D_6^{(1)}$ corresponding to the Dynkin spin node $k = 6$ in the level zero fundamental spin module $W(\varpi_6)$. It turns out that the diagram automorphism σ in this case has order two, unlike the corresponding diagram automorphism in $D_5^{(1)}$ -case [12].

2. THE QUANTUM AFFINE ALGEBRA $U_q(D_6^{(1)})$


From now on we assume \mathfrak{g} to be the affine Lie algebra $D_6^{(1)}$ with index set $I = \{0, 1, 2, 3, 4, 5, 6\}$, Cartan matrix $A = (a_{ij})_{i,j \in I}$ where $a_{ii} = 2, a_{j,j+1} = -1 = a_{j+1,j}, j = 1, 2, 3, 4, a_{02} = a_{20} = a_{46} = a_{64} = -1, a_{ij} = 0$ otherwise and Dynkin diagram:



Let $\{\alpha_0, \alpha_1, \alpha_2, \alpha_3, \alpha_4, \alpha_5, \alpha_6\}$, $\{\check{\alpha}_0, \check{\alpha}_1, \check{\alpha}_2, \check{\alpha}_3, \check{\alpha}_4, \check{\alpha}_5, \check{\alpha}_6\}$ and $\{\Lambda_0, \Lambda_1, \Lambda_2, \Lambda_3, \Lambda_4, \Lambda_5, \Lambda_6\}$ denote the set of simple roots, simple coroots and fundamental weights, respectively. Then $\mathbf{c} = \check{\alpha}_0 + \check{\alpha}_1 + 2\check{\alpha}_2 + 2\check{\alpha}_3 + 2\check{\alpha}_4 + \check{\alpha}_5 + \check{\alpha}_6$ and $\delta = \alpha_0 + \alpha_1 + 2\alpha_2 + 2\alpha_3 + 2\alpha_4 + \alpha_5 + \alpha_6$ are the canonical central element and null root respectively. The sets $P_{cl} = \bigoplus_{j=0}^6 \mathbb{Z}\Lambda_j$ and $P = P_{cl} \oplus \mathbb{Z}\delta$ are called classical weight lattice and weight lattice respectively.

We consider the Dynkin diagram automorphism σ defined by

$$\sigma : 0 \mapsto 6, 1 \mapsto 5, 2 \mapsto 4, 3 \mapsto 3, 4 \mapsto 2, 5 \mapsto 1, 6 \mapsto 0.$$



Let \mathfrak{g}_j (resp. $\sigma(\mathfrak{g}_j)$) be the subalgebra of \mathfrak{g} (resp. $\sigma(\mathfrak{g})$) with index set $I_j = I \setminus \{j\}$. Then observe that \mathfrak{g}_0 as well as \mathfrak{g}_1 and $\sigma(\mathfrak{g}_1)$ are isomorphic to D_6 .

Let $W(\varpi_6)$ be the level 0 fundamental $U'_q(\mathfrak{g})$ -module associated with the level 0 weight $\varpi_6 = \Lambda_6 - \Lambda_0$ [5]. By [[5], Theorem 5.17], $W(\varpi_6)$ is a finite-dimensional irreducible integrable $U'_q(\mathfrak{g})$ -module and has a global basis with a simple crystal. Thus, we can consider the specialization $q = 1$ and obtain the finite-dimensional $D_6^{(1)}$ -module $W(\varpi_6)$, which we call the fundamental $D_6^{(1)}$ - module and use the same notation as above. Below we give the explicit description of $W(\varpi_6)$.

3. FUNDAMENTAL REPRESENTATION $W(\varpi_6)$ FOR $D_6^{(1)}$

The fundamental $D_6^{(1)}$ -module $W(\varpi_6)$ is a 32-dimensional module with the basis

$$\{v = (i_1, i_2, i_3, i_4, i_5, i_6) \mid i_j \in \{+, -\}, i_1 i_2 i_3 i_4 i_5 i_6 = +\}.$$

The actions of the generators e_k , and f_k , $0 \leq k \leq 6$ of $D_6^{(1)}$, on the basis vectors are given as follows.

$$e_k(i_1, i_2, i_3, i_4, i_5, i_6) = \begin{cases} (-, -, i_3, i_4, i_5, i_6) & \text{if } k = 0, (i_1, i_2) = (+, +) \\ (i_1, \dots, +, -, \dots, i_6) & \text{if } k \neq 0, k \neq 6, \\ k & k+1 & (i_k, i_{k+1}) = (-, +) \\ (i_1, i_2, i_3, i_4, +, +) & \text{if } k = 6, (i_5, i_6) = (-, -) \\ 0 & \text{otherwise.} \end{cases}$$

$$f_k(i_1, i_2, i_3, i_4, i_5, i_6) = \begin{cases} (+, +, i_3, i_4, i_5, i_6) & \text{if } k = 0, (i_1, i_2) = (-, -) \\ (i_1, \dots, -, +, \dots, i_6) & \text{if } k \neq 0, k \neq 6, \\ k & k+1 & (i_k, i_{k+1}) = (+, -) \\ (i_1, i_2, i_3, i_4, -, -) & \text{if } k = 6, (i_5, i_6) = (+, +) \\ 0 & \text{otherwise.} \end{cases}$$

Furthermore, we observe that

$$\langle \check{\alpha}_k, \text{wt}(v) \rangle = \begin{cases} 1 & \text{if } k = 0, (i_1, i_2) = (-, -) \\ & \text{or } k \neq 0, k \neq 6, (i_k, i_{k+1}) = (+, -) \\ & \text{or } k = 6, (i_5, i_6) = (+, +) \\ -1 & \text{if } k = 0, (i_1, i_2) = (+, +) \\ & \text{or } k \neq 0, k \neq 6, (i_k, i_{k+1}) = (-, +) \\ & \text{or } k = 6, (i_5, i_6) = (-, -) \\ 0 & \text{otherwise.} \end{cases}$$

Note that in $W(\varpi_6)$, we have $(+, +, +, +, +, +)$ (resp. $(-, +, +, +, +, -)$) is a \mathfrak{g}_0 (resp. \mathfrak{g}_1) highest weight vector with weight $\varpi_6 = \Lambda_6 - \Lambda_0$ (resp. $\check{\varpi}_6 := \Lambda_5 - \Lambda_1$). We define $\sigma(\Lambda_j) = \Lambda_{\sigma(j)}$ for $j \in I$. Then we define the action of σ on $W(\varpi_6)$ by $\sigma(v) = v'$ if $\sigma(\text{wt}(v)) = \text{wt}(v')$.

4. POSITIVE GEOMETRIC CRYSTALS IN $W(\varpi_6)$

For $\xi \in (\mathfrak{t}_{\mathfrak{c}_1}^*)_0$, let $t(\xi)$ be the translation as in [[5], Sect 4]. Define simple reflections $s_k(\lambda) := \lambda - \lambda(\check{\alpha}_k)\alpha_k$, $k \in I$ and let $W = \langle s_k \mid k \in I \rangle$ be the Weyl group for $D_6^{(1)}$. Then we have

$$t(\varpi_6) = \sigma s_6 s_4 s_3 s_2 s_5 s_4 s_3 s_6 s_4 s_5 s_1 s_2 s_3 s_4 s_6 = \sigma w_1,$$

$$t(\check{\varpi}_6) = \sigma s_5 s_4 s_3 s_2 s_6 s_4 s_3 s_5 s_4 s_6 s_0 s_2 s_3 s_4 s_5 = \sigma w_2,$$

where $w_1 = s_6 s_4 s_3 s_2 s_5 s_4 s_3 s_6 s_4 s_5 s_1 s_2 s_3 s_4 s_6 \in W^0$ and $w_2 = s_5 s_4 s_3 s_2 s_6 s_4 s_3 s_5 s_4 s_6 s_0 s_2 s_3 s_4 s_5 \in W^1$. Associated with these Weyl group elements $w_1, w_2 \in W$, we define algebraic varieties $\mathcal{V}_1, \mathcal{V}_2 \subset W(\varpi_6)$ as follows.

$$\mathcal{V}_1 = \{V_1(x) := Y_6(x_6^{(3)})Y_4(x_4^{(4)})Y_3(x_3^{(3)})Y_2(x_2^{(2)})Y_5(x_5^{(2)})Y_4(x_4^{(3)})Y_3(x_3^{(2)})Y_6(x_6^{(2)}) \\ Y_4(x_4^{(2)})Y_5(x_5^{(1)})Y_1(x_1^{(1)})Y_2(x_2^{(1)})Y_3(x_3^{(1)})Y_4(x_4^{(1)})Y_6(x_6^{(1)})(+, +, +, +, +, +) \mid \\ x_m^{(l)} \in \mathbb{C}^\times\},$$

$$\mathcal{V}_2 = \{V_2(y) := Y_5(y_5^{(3)})Y_4(y_4^{(4)})Y_3(y_3^{(3)})Y_2(y_2^{(2)})Y_6(y_6^{(2)})Y_4(y_4^{(3)})Y_3(y_3^{(2)})Y_5(y_5^{(2)}) \\ Y_4(y_4^{(2)})Y_6(y_6^{(1)})Y_0(y_0^{(1)})Y_2(y_2^{(1)})Y_3(y_3^{(1)})Y_4(y_4^{(1)})Y_5(y_5^{(1)})(-, +, +, +, +, -) \mid \\ y_m^{(l)} \in \mathbb{C}^\times\},$$

where $x = (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, x_3^{(1)}, x_4^{(1)}, x_6^{(1)})$
and $y = (y_5^{(3)}, y_4^{(4)}, y_3^{(3)}, y_2^{(2)}, y_6^{(2)}, y_4^{(3)}, y_3^{(2)}, y_5^{(2)}, y_4^{(2)}, y_6^{(1)}, y_0^{(1)}, y_2^{(1)}, y_3^{(1)}, y_4^{(1)}, y_5^{(1)})$.

From the explicit actions of f_k 's on $W(\varpi_6)$, we observe that $f_k^2 = 0$, for all $k \in I$. Therefore, we have

$$Y_k(c) = (1 + \frac{f_k}{c})\check{\alpha}_k(c) = (1 + \frac{f_k}{c})c^{\check{\alpha}_k} \text{ for all } k \in I.$$

Thus we have the explicit forms of $V_1(x)$ and $V_2(y)$ as follows.

$$\begin{aligned} V_1(x) = & x_6^{(3)}x_6^{(2)}x_6^{(1)}(+, +, +, +, +, +) + (x_6^{(2)}x_6^{(1)} + \frac{x_4^{(4)}x_4^{(3)}x_6^{(1)}}{x_6^{(3)}} + \frac{x_4^{(4)}x_4^{(3)}x_4^{(2)}x_4^{(1)}}{x_6^{(3)}x_6^{(2)}}) \\ & \times (+, +, +, +, -, -) + (x_4^{(3)}x_6^{(1)} + \frac{x_3^{(3)}x_5^{(2)}x_6^{(1)}}{x_4^{(4)}} + \frac{x_4^{(3)}x_4^{(2)}x_4^{(1)}}{x_6^{(2)}} + \frac{x_3^{(3)}x_5^{(2)}x_3^{(2)}x_4^{(1)}}{x_4^{(4)}x_4^{(3)}} + \frac{x_3^{(3)}x_5^{(2)}x_4^{(2)}x_4^{(1)}}{x_4^{(4)}x_6^{(2)}}) \\ & + \frac{x_3^{(3)}x_5^{(2)}x_3^{(2)}x_5^{(1)}x_3^{(1)}}{x_4^{(4)}x_4^{(3)}x_4^{(2)}}(+, +, +, -, +, -) + (x_5^{(2)}x_6^{(1)} + \frac{x_2^{(2)}x_5^{(2)}x_4^{(1)}}{x_3^{(3)}} + \frac{x_5^{(2)}x_3^{(2)}x_4^{(1)}}{x_4^{(4)}}) \\ & + \frac{x_5^{(2)}x_4^{(2)}x_4^{(1)}}{x_6^{(2)}} + \frac{x_2^{(2)}x_5^{(2)}x_5^{(1)}x_2^{(1)}}{x_3^{(3)}x_3^{(2)}} + \frac{x_2^{(2)}x_5^{(2)}x_5^{(1)}x_3^{(1)}}{x_3^{(3)}x_4^{(2)}} + \frac{x_5^{(2)}x_3^{(2)}x_5^{(1)}x_3^{(1)}}{x_4^{(4)}x_3^{(2)}}(+, +, -, +, +, -) \\ & + (x_3^{(3)}x_6^{(1)} + \frac{x_3^{(3)}x_3^{(2)}x_3^{(1)}}{x_5^{(2)}} + \frac{x_3^{(3)}x_3^{(2)}x_4^{(1)}}{x_4^{(3)}} + \frac{x_3^{(3)}x_3^{(2)}x_4^{(1)}}{x_6^{(2)}} + \frac{x_3^{(3)}x_3^{(2)}x_5^{(1)}x_3^{(1)}}{x_4^{(3)}x_4^{(2)}})(+, +, +, -, -, +) \\ & + (x_5^{(2)}x_4^{(1)} + \frac{x_5^{(2)}x_5^{(1)}x_1^{(1)}}{x_2^{(2)}} + \frac{x_5^{(2)}x_5^{(1)}x_2^{(1)}}{x_3^{(3)}} + \frac{x_5^{(2)}x_5^{(1)}x_3^{(1)}}{x_4^{(4)}})(+, -, +, +, +, -) + (x_4^{(4)}x_6^{(1)} \\ & + \frac{x_4^{(4)}x_2^{(2)}x_4^{(1)}}{x_3^{(3)}} + \frac{x_4^{(4)}x_3^{(2)}x_4^{(1)}}{x_5^{(2)}} + \frac{x_4^{(4)}x_3^{(2)}x_4^{(1)}}{x_4^{(3)}} + \frac{x_4^{(4)}x_2^{(2)}x_4^{(1)}}{x_6^{(2)}} + \frac{x_4^{(4)}x_2^{(2)}x_4^{(3)}x_3^{(1)}}{x_3^{(3)}x_5^{(2)}} + \frac{x_4^{(4)}x_2^{(2)}x_5^{(1)}x_2^{(1)}}{x_3^{(3)}x_3^{(2)}}) \\ & + \frac{x_4^{(4)}x_2^{(2)}x_5^{(1)}x_3^{(1)}}{x_3^{(3)}x_4^{(2)}} + \frac{x_4^{(4)}x_3^{(2)}x_5^{(1)}x_3^{(1)}}{x_4^{(3)}x_4^{(2)}} + \frac{x_4^{(4)}x_2^{(2)}x_3^{(3)}x_4^{(2)}x_2^{(1)}}{x_3^{(3)}x_5^{(2)}x_3^{(2)}})(+, +, -, +, -, +) \\ & + x_5^{(2)}x_5^{(1)}(-, +, +, +, +, -) + (x_4^{(4)}x_4^{(1)} + \frac{x_4^{(4)}x_5^{(1)}x_4^{(1)}}{x_2^{(2)}} + \frac{x_4^{(4)}x_4^{(3)}x_3^{(1)}}{x_5^{(2)}} + \frac{x_4^{(4)}x_5^{(1)}x_2^{(1)}}{x_3^{(3)}}) \\ & + \frac{x_4^{(4)}x_5^{(1)}x_3^{(1)}}{x_2^{(2)}} + \frac{x_4^{(4)}x_4^{(3)}x_4^{(2)}x_1^{(1)}}{x_2^{(2)}x_5^{(2)}} + \frac{x_4^{(4)}x_4^{(3)}x_4^{(2)}x_2^{(1)}}{x_5^{(2)}x_3^{(2)}})(+, -, +, +, -, +) + (x_6^{(3)}x_6^{(1)} + \frac{x_6^{(3)}x_2^{(2)}x_3^{(1)}}{x_4^{(4)}}) \\ & + \frac{x_6^{(3)}x_2^{(2)}x_4^{(1)}}{x_3^{(3)}} + \frac{x_6^{(3)}x_3^{(2)}x_3^{(1)}}{x_6^{(2)}} + \frac{x_6^{(3)}x_3^{(2)}x_4^{(1)}}{x_4^{(3)}} + \frac{x_6^{(3)}x_2^{(2)}x_4^{(1)}}{x_6^{(2)}} + \frac{x_6^{(3)}x_2^{(2)}x_6^{(2)}x_2^{(1)}}{x_4^{(4)}x_3^{(2)}} + \frac{x_6^{(3)}x_2^{(2)}x_4^{(2)}x_2^{(1)}}{x_4^{(4)}x_3^{(2)}}) \\ & + \frac{x_6^{(3)}x_2^{(2)}x_4^{(3)}x_3^{(1)}}{x_3^{(3)}x_5^{(2)}} + \frac{x_6^{(3)}x_2^{(2)}x_4^{(1)}x_2^{(1)}}{x_3^{(3)}x_3^{(2)}} + \frac{x_6^{(3)}x_2^{(2)}x_5^{(1)}x_3^{(1)}}{x_3^{(3)}x_4^{(2)}} + \frac{x_6^{(3)}x_2^{(2)}x_4^{(1)}x_2^{(1)}}{x_4^{(3)}x_4^{(2)}} + \frac{x_6^{(3)}x_2^{(2)}x_4^{(2)}x_2^{(1)}}{x_3^{(3)}x_5^{(2)}x_3^{(2)}}) \\ & \times (+, +, -, -, +, +) + (x_4^{(4)}x_5^{(1)} + \frac{x_4^{(4)}x_4^{(3)}x_4^{(2)}}{x_5^{(2)}})(-, +, +, +, -, +) + (x_6^{(3)}x_4^{(1)} + \frac{x_6^{(3)}x_3^{(3)}x_3^{(1)}}{x_4^{(4)}}) \\ & + \frac{x_6^{(3)}x_5^{(1)}x_4^{(1)}}{x_2^{(2)}} + \frac{x_6^{(3)}x_4^{(3)}x_4^{(1)}}{x_5^{(2)}} + \frac{x_6^{(3)}x_5^{(1)}x_2^{(1)}}{x_3^{(3)}} + \frac{x_6^{(3)}x_5^{(1)}x_3^{(1)}}{x_4^{(4)}} + \frac{x_6^{(3)}x_3^{(3)}x_4^{(2)}x_1^{(1)}}{x_4^{(4)}x_4^{(2)}} + \frac{x_6^{(3)}x_3^{(3)}x_3^{(2)}x_2^{(1)}}{x_4^{(4)}x_4^{(3)}}) \\ & + \frac{x_6^{(3)}x_3^{(3)}x_4^{(2)}x_2^{(1)}}{x_4^{(4)}x_3^{(2)}} + \frac{x_6^{(3)}x_4^{(3)}x_4^{(2)}x_1^{(1)}}{x_2^{(2)}x_5^{(2)}} + \frac{x_6^{(3)}x_4^{(3)}x_4^{(2)}x_2^{(1)}}{x_5^{(2)}x_3^{(2)}} + \frac{x_6^{(3)}x_3^{(3)}x_3^{(2)}x_6^{(2)}x_1^{(1)}}{x_4^{(4)}x_2^{(2)}x_4^{(3)}})(+, -, +, -, +, +) \\ & + (x_6^{(1)} + \frac{x_2^{(2)}x_2^{(1)}}{x_4^{(4)}} + \frac{x_2^{(2)}x_3^{(1)}}{x_4^{(3)}} + \frac{x_2^{(2)}x_4^{(1)}}{x_3^{(3)}} + \frac{x_2^{(2)}x_3^{(1)}}{x_5^{(2)}} + \frac{x_2^{(2)}x_4^{(1)}}{x_4^{(3)}} + \frac{x_2^{(2)}x_4^{(1)}}{x_6^{(2)}} + \frac{x_2^{(2)}x_6^{(2)}x_2^{(1)}}{x_4^{(4)}x_4^{(3)}}) \\ & + \frac{x_2^{(2)}x_4^{(2)}x_2^{(1)}}{x_4^{(4)}x_3^{(2)}} + \frac{x_2^{(2)}x_4^{(3)}x_3^{(1)}}{x_3^{(3)}x_5^{(2)}} + \frac{x_2^{(2)}x_3^{(1)}x_2^{(1)}}{x_3^{(3)}x_3^{(2)}} + \frac{x_2^{(2)}x_5^{(1)}x_2^{(1)}}{x_3^{(3)}x_4^{(2)}} + \frac{x_2^{(2)}x_5^{(1)}x_3^{(1)}}{x_4^{(4)}x_4^{(2)}} + \frac{x_2^{(2)}x_4^{(3)}x_4^{(2)}x_2^{(1)}}{x_3^{(3)}x_5^{(2)}x_3^{(2)}}) \\ & \times (+, +, -, -, -, -) + (x_6^{(3)}x_5^{(1)} + \frac{x_6^{(3)}x_3^{(3)}x_4^{(2)}}{x_4^{(4)}} + \frac{x_6^{(3)}x_3^{(3)}x_4^{(2)}}{x_5^{(2)}} + \frac{x_6^{(3)}x_3^{(3)}x_3^{(2)}x_6^{(2)}}{x_4^{(4)}x_4^{(3)}}) \\ & \times (-, +, +, -, +, +) + (x_6^{(3)}x_3^{(1)} + \frac{x_6^{(3)}x_6^{(2)}x_1^{(1)}}{x_3^{(3)}} + \frac{x_6^{(3)}x_4^{(2)}x_1^{(1)}}{x_2^{(2)}} + \frac{x_6^{(3)}x_6^{(2)}x_2^{(1)}}{x_4^{(3)}} + \frac{x_6^{(3)}x_4^{(2)}x_2^{(1)}}{x_3^{(3)}}) \\ & + \frac{x_6^{(3)}x_3^{(2)}x_6^{(2)}x_1^{(1)}}{x_2^{(2)}x_4^{(3)}})(+, -, -, +, +, +) + (x_4^{(1)} + \frac{x_3^{(3)}x_2^{(1)}}{x_6^{(3)}} + \frac{x_3^{(3)}x_3^{(1)}}{x_4^{(4)}} + \frac{x_5^{(1)}x_4^{(1)}}{x_2^{(2)}} + \frac{x_4^{(3)}x_3^{(1)}}{x_5^{(2)}}) \\ & + \frac{x_5^{(1)}x_3^{(1)}}{x_3^{(3)}} + \frac{x_5^{(1)}x_3^{(1)}}{x_6^{(2)}} + \frac{x_3^{(3)}x_3^{(2)}x_1^{(1)}}{x_6^{(3)}x_2^{(2)}} + \frac{x_3^{(3)}x_2^{(2)}x_1^{(1)}}{x_4^{(4)}x_2^{(2)}} + \frac{x_3^{(3)}x_6^{(2)}x_2^{(1)}}{x_4^{(4)}x_4^{(3)}} + \frac{x_3^{(3)}x_4^{(2)}x_1^{(1)}}{x_4^{(4)}x_4^{(2)}} + \frac{x_4^{(3)}x_4^{(1)}x_1^{(1)}}{x_2^{(2)}x_5^{(2)}}) \\ & + \frac{x_3^{(3)}x_4^{(2)}x_2^{(1)}}{x_5^{(2)}x_3^{(2)}} + \frac{x_3^{(3)}x_3^{(2)}x_6^{(2)}x_1^{(1)}}{x_4^{(4)}x_2^{(2)}x_4^{(3)}})(+, -, +, -, -, -) + (x_6^{(3)}x_4^{(2)} + \frac{x_6^{(3)}x_2^{(2)}x_6^{(2)}}{x_3^{(3)}} + \frac{x_6^{(3)}x_3^{(2)}x_6^{(2)}}{x_4^{(4)}}) \\ & \times (-, +, -, +, +, +) + (x_5^{(1)} + \frac{x_3^{(3)}x_2^{(2)}}{x_6^{(3)}} + \frac{x_3^{(3)}x_4^{(1)}}{x_4^{(4)}} + \frac{x_4^{(4)}x_4^{(1)}}{x_5^{(2)}} + \frac{x_3^{(3)}x_2^{(2)}x_5^{(2)}}{x_4^{(4)}x_4^{(3)}})(-, +, +, -, -, -) \end{aligned}$$

$$\begin{aligned}
& + \left(x_3^{(1)} + \frac{x_4^{(4)} x_2^{(1)}}{x_6^{(3)}} + \frac{x_6^{(2)} x_1^{(1)}}{x_3^{(3)}} + \frac{x_4^{(2)} x_1^{(1)}}{x_2^{(2)}} + \frac{x_6^{(2)} x_2^{(1)}}{x_4^{(3)}} + \frac{x_4^{(2)} x_2^{(1)}}{x_3^{(2)}} + \frac{x_4^{(4)} x_3^{(3)} x_1^{(1)}}{x_6^{(3)} x_3^{(3)}} + \frac{x_4^{(4)} x_3^{(2)} x_1^{(1)}}{x_6^{(3)} x_2^{(2)}} \right. \\
& + \left. \frac{x_3^{(2)} x_6^{(2)} x_1^{(1)}}{x_2^{(2)} x_3^{(3)}} \right) (+, -, -, +, -, -) + x_6^{(3)} x_6^{(2)} (-, -, +, +, +, +) + \left(x_4^{(2)} + \frac{x_4^{(4)} x_3^{(2)}}{x_6^{(3)}} + \frac{x_2^{(2)} x_6^{(2)}}{x_3^{(3)}} \right) \\
& + \frac{x_3^{(2)} x_6^{(2)}}{x_4^{(3)}} + \frac{x_4^{(4)} x_2^{(2)} x_4^{(3)}}{x_6^{(3)} x_3^{(3)}} (-, +, -, +, -, -) + \left(x_2^{(1)} + \frac{x_5^{(2)} x_1^{(1)}}{x_4^{(4)}} + \frac{x_4^{(3)} x_1^{(1)}}{x_3^{(3)}} + \frac{x_3^{(2)} x_1^{(1)}}{x_2^{(2)}} \right) \\
& \times (+, -, -, -, +, -) + \left(x_6^{(2)} + \frac{x_4^{(4)} x_4^{(3)}}{x_6^{(3)}} \right) (-, -, +, +, -, -) + \left(x_3^{(2)} + \frac{x_2^{(2)} x_5^{(2)}}{x_4^{(4)}} + \frac{x_2^{(2)} x_4^{(3)}}{x_3^{(3)}} \right) \\
& \times (-, +, -, -, +, -) + x_1^{(1)} (+, -, -, -, -, +) + \left(x_4^{(3)} + \frac{x_3^{(3)} x_5^{(2)}}{x_4^{(4)}} \right) (-, -, +, -, +, -) \\
& + x_2^{(2)} (-, +, -, -, -, +) + x_5^{(2)} (-, -, -, +, +, -) + x_3^{(3)} (-, -, +, -, -, +) \\
& + x_4^{(4)} (-, -, -, +, -, +) + x_6^{(3)} (-, -, -, -, +, +) + (-, -, -, -, -, -),
\end{aligned}$$

$$\begin{aligned}
V_2(y) & = y_5^{(3)} y_5^{(2)} y_5^{(1)} (-, +, +, +, +, -) + \left(y_5^{(2)} y_5^{(1)} + \frac{y_4^{(4)} y_4^{(3)} y_5^{(1)}}{y_5^{(3)}} + \frac{y_4^{(4)} y_4^{(3)} y_4^{(2)} y_4^{(1)}}{y_5^{(3)} y_5^{(2)}} \right) \\
& \times (-, +, +, +, -, +) + \left(y_4^{(3)} y_5^{(1)} + \frac{y_3^{(3)} y_6^{(2)} y_5^{(1)}}{y_4^{(4)}} + \frac{y_4^{(3)} y_4^{(2)} y_4^{(1)}}{y_5^{(2)}} + \frac{y_3^{(3)} y_6^{(2)} y_3^{(2)} y_4^{(1)}}{y_4^{(4)} y_4^{(3)}} + \frac{y_3^{(3)} y_6^{(2)} y_4^{(1)} y_4^{(1)}}{y_5^{(4)} y_5^{(2)}} \right. \\
& + \left. \frac{y_3^{(3)} y_6^{(2)} y_3^{(2)} y_4^{(1)} y_4^{(1)}}{y_4^{(4)} y_4^{(3)} y_4^{(2)}} \right) (-, +, +, -, +, +) + \left(y_6^{(2)} y_5^{(1)} + \frac{y_2^{(2)} y_6^{(2)} y_4^{(1)}}{y_3^{(3)}} + \frac{y_6^{(2)} y_3^{(2)} y_4^{(1)}}{y_4^{(3)}} + \frac{y_6^{(2)} y_4^{(2)} y_4^{(1)}}{y_5^{(2)}} \right. \\
& + \left. \frac{y_2^{(2)} y_6^{(2)} y_6^{(1)} y_2^{(1)}}{y_3^{(3)} y_3^{(2)}} + \frac{y_2^{(2)} y_6^{(2)} y_6^{(1)} y_3^{(1)}}{y_3^{(3)} y_4^{(2)}} + \frac{y_6^{(2)} y_3^{(2)} y_6^{(1)} y_3^{(1)}}{y_4^{(4)} y_4^{(2)}} \right) (-, +, -, +, +, +) + \left(y_3^{(3)} y_5^{(1)} + \frac{y_3^{(3)} y_6^{(2)} y_3^{(1)}}{y_6^{(2)}} \right. \\
& + \left. \frac{y_3^{(3)} y_3^{(2)} y_4^{(1)}}{y_4^{(3)}} + \frac{y_3^{(3)} y_4^{(2)} y_4^{(1)}}{y_5^{(2)}} + \frac{y_3^{(3)} y_3^{(2)} y_6^{(1)} y_3^{(1)}}{y_4^{(3)} y_4^{(2)}} \right) (-, +, +, -, -, -) + \left(y_6^{(2)} y_4^{(1)} + \frac{y_6^{(2)} y_6^{(1)} y_0^{(1)}}{y_2^{(2)}} \right. \\
& + \left. \frac{y_6^{(2)} y_6^{(1)} y_2^{(1)}}{y_3^{(2)}} + \frac{y_6^{(2)} y_6^{(1)} y_3^{(1)}}{y_4^{(2)}} \right) (-, -, +, +, +, +) + \left(y_4^{(4)} y_5^{(1)} + \frac{y_4^{(4)} y_2^{(2)} y_4^{(1)}}{y_3^{(3)}} + \frac{y_4^{(4)} y_3^{(2)} y_3^{(1)}}{y_6^{(2)}} \right. \\
& + \left. \frac{y_4^{(4)} y_2^{(2)} y_4^{(1)}}{y_5^{(2)}} + \frac{y_4^{(4)} y_4^{(2)} y_4^{(1)}}{y_3^{(3)} y_6^{(2)}} + \frac{y_4^{(4)} y_2^{(2)} y_6^{(1)} y_3^{(1)}}{y_3^{(3)} y_3^{(2)}} + \frac{y_4^{(4)} y_2^{(2)} y_6^{(1)} y_3^{(1)}}{y_3^{(3)} y_4^{(2)}} + \frac{y_4^{(4)} y_3^{(2)} y_6^{(1)} y_3^{(1)}}{y_4^{(3)} y_4^{(2)}} \right. \\
& + \left. \frac{y_4^{(4)} y_2^{(2)} y_4^{(3)} y_4^{(2)} y_2^{(1)}}{y_3^{(3)} y_6^{(2)} y_2^{(2)}} \right) (-, +, -, +, -, -) + y_6^{(2)} y_6^{(1)} (+, +, +, +, +, +) + \left(y_4^{(4)} y_4^{(1)} + \frac{y_4^{(4)} y_6^{(1)} y_0^{(1)}}{y_2^{(2)}} \right. \\
& + \left. \frac{y_4^{(4)} y_4^{(3)} y_3^{(1)}}{y_6^{(2)}} + \frac{y_4^{(4)} y_6^{(1)} y_2^{(1)}}{y_4^{(3)}} + \frac{y_4^{(4)} y_4^{(1)} y_3^{(1)}}{y_4^{(2)}} + \frac{y_4^{(4)} y_4^{(3)} y_4^{(2)} y_0^{(1)}}{y_2^{(2)} y_6^{(2)}} + \frac{y_4^{(4)} y_4^{(3)} y_4^{(2)} x_2^{(1)}}{y_6^{(2)} y_6^{(3)}} \right) (-, -, +, +, -, -) \\
& + \left(y_5^{(3)} y_5^{(1)} + \frac{y_5^{(3)} y_2^{(2)} y_3^{(1)}}{y_4^{(4)}} + \frac{y_5^{(3)} y_2^{(2)} y_3^{(1)}}{y_5^{(3)}} + \frac{y_5^{(3)} y_2^{(2)} y_4^{(1)}}{y_3^{(3)}} + \frac{y_5^{(3)} y_3^{(2)} y_3^{(1)}}{y_6^{(2)}} + \frac{y_5^{(3)} y_3^{(2)} y_4^{(1)}}{y_5^{(2)}} + \frac{y_5^{(3)} y_4^{(2)} y_4^{(1)}}{y_5^{(4)}} + \frac{y_5^{(3)} y_2^{(2)} y_5^{(2)} y_2^{(1)}}{y_4^{(3)} y_4^{(2)}} \right. \\
& + \left. \frac{y_5^{(3)} y_2^{(2)} y_2^{(1)}}{y_4^{(4)} y_3^{(2)}} + \frac{y_5^{(3)} y_2^{(2)} y_3^{(1)}}{y_3^{(3)} y_6^{(2)}} + \frac{y_5^{(3)} y_2^{(2)} y_6^{(1)} y_2^{(1)}}{y_3^{(3)} y_3^{(2)}} + \frac{y_5^{(3)} y_2^{(2)} y_6^{(1)} y_3^{(1)}}{y_3^{(3)} y_4^{(2)}} + \frac{y_5^{(3)} y_2^{(2)} y_6^{(1)} y_3^{(1)}}{y_4^{(3)} y_4^{(2)}} \right) \\
& + \left. \frac{y_5^{(3)} y_2^{(2)} y_4^{(3)} y_4^{(2)} y_2^{(1)}}{y_3^{(3)} y_6^{(2)} y_3^{(2)}} \right) (-, +, -, -, +, -) + \left(y_4^{(4)} y_6^{(1)} + \frac{y_4^{(4)} y_4^{(3)} y_4^{(2)}}{y_6^{(2)}} \right) (+, +, +, +, -, -) \\
& + \left(y_5^{(3)} y_4^{(1)} + \frac{y_5^{(3)} y_3^{(3)} y_3^{(1)}}{y_4^{(4)}} + \frac{y_5^{(3)} y_6^{(1)} y_0^{(1)}}{y_5^{(2)}} + \frac{y_5^{(3)} y_4^{(3)} y_3^{(1)}}{y_6^{(2)}} + \frac{y_5^{(3)} y_6^{(1)} y_3^{(1)}}{y_5^{(4)}} + \frac{y_5^{(3)} y_3^{(3)} y_4^{(2)} y_0^{(1)}}{y_4^{(4)} y_2^{(2)}} \right. \\
& + \left. \frac{y_5^{(3)} y_3^{(2)} y_5^{(2)} y_2^{(1)}}{y_4^{(4)} y_4^{(3)}} + \frac{y_5^{(3)} y_3^{(3)} y_4^{(2)} y_2^{(1)}}{y_4^{(4)} y_3^{(2)}} + \frac{y_5^{(3)} y_4^{(3)} y_4^{(2)} y_0^{(1)}}{y_2^{(2)} y_6^{(2)}} + \frac{y_5^{(3)} y_4^{(3)} y_4^{(2)} y_2^{(1)}}{y_6^{(2)} y_3^{(2)}} + \frac{y_5^{(3)} y_3^{(3)} y_3^{(2)} y_5^{(2)} y_0^{(1)}}{y_4^{(4)} y_2^{(2)} y_4^{(3)}} \right) \\
& \times (-, -, +, -, +, -) + \left(y_5^{(1)} + \frac{y_2^{(2)} y_5^{(1)}}{y_3^{(3)}} + \frac{y_2^{(2)} y_3^{(1)}}{y_4^{(4)}} + \frac{y_2^{(2)} y_4^{(1)}}{y_3^{(2)}} + \frac{y_3^{(2)} y_3^{(1)}}{y_6^{(2)}} + \frac{y_3^{(2)} y_4^{(1)}}{y_5^{(2)}} + \frac{y_4^{(2)} y_4^{(1)}}{y_5^{(4)}} \right. \\
& + \left. \frac{y_2^{(2)} y_5^{(2)} y_2^{(1)}}{y_4^{(4)} y_4^{(3)}} + \frac{y_2^{(2)} y_4^{(2)} y_2^{(1)}}{y_4^{(4)} y_3^{(2)}} + \frac{y_2^{(2)} y_4^{(3)} y_3^{(1)}}{y_3^{(3)} y_6^{(2)}} + \frac{y_2^{(2)} y_6^{(1)} y_2^{(1)}}{y_3^{(3)} y_3^{(2)}} + \frac{y_2^{(2)} y_6^{(1)} y_3^{(1)}}{y_2^{(3)} y_4^{(2)}} + \frac{y_3^{(2)} y_6^{(1)} y_3^{(1)}}{y_4^{(3)} y_4^{(2)}} \right) \\
& + \left. \frac{y_2^{(2)} y_4^{(3)} y_4^{(2)} y_2^{(1)}}{y_3^{(3)} y_6^{(2)} y_3^{(2)}} \right) (-, +, -, -, -, +) + \left(y_5^{(3)} y_6^{(1)} + \frac{y_5^{(3)} y_3^{(3)} y_4^{(2)}}{y_4^{(4)}} + \frac{y_5^{(3)} y_3^{(3)} y_4^{(2)}}{y_6^{(2)}} + \frac{y_5^{(3)} y_3^{(3)} y_3^{(2)} y_5^{(2)}}{y_4^{(4)} y_3^{(3)}} \right. \\
& \times (+, +, +, -, +, -) + \left(y_5^{(3)} y_3^{(1)} + \frac{y_5^{(3)} y_5^{(2)} y_0^{(1)}}{y_3^{(2)}} + \frac{y_5^{(3)} y_4^{(2)} y_0^{(1)}}{y_5^{(4)}} + \frac{y_5^{(3)} y_5^{(2)} y_2^{(1)}}{y_4^{(3)}} + \frac{y_5^{(3)} y_2^{(2)} y_2^{(1)}}{y_3^{(2)}} \right. \\
& + \left. \frac{y_5^{(3)} y_3^{(2)} y_5^{(2)} y_0^{(1)}}{y_2^{(2)} y_4^{(3)}} \right) (-, -, -, +, +, -) + \left(y_4^{(1)} + \frac{y_3^{(3)} y_2^{(1)}}{y_5^{(3)}} + \frac{y_3^{(3)} y_3^{(1)}}{y_4^{(4)}} + \frac{y_6^{(1)} y_0^{(1)}}{y_2^{(2)}} + \frac{y_4^{(3)} y_3^{(1)}}{y_4^{(2)}} \right. \\
& + \left. \frac{y_6^{(1)} y_2^{(1)}}{y_3^{(2)}} + \frac{y_6^{(1)} y_3^{(1)}}{y_4^{(3)}} + \frac{y_5^{(3)} y_3^{(2)} y_0^{(1)}}{y_5^{(2)} y_2^{(2)}} + \frac{y_3^{(3)} y_2^{(1)} y_0^{(1)}}{y_4^{(4)} y_2^{(2)}} + \frac{y_3^{(3)} y_5^{(2)} y_2^{(1)}}{y_4^{(4)} y_4^{(3)}} + \frac{y_3^{(3)} y_4^{(1)} y_0^{(1)}}{y_4^{(4)} y_3^{(2)}} + \frac{y_4^{(3)} y_1^{(2)} y_0^{(1)}}{y_2^{(2)} y_6^{(2)}} \right)
\end{aligned}$$

$$\begin{aligned}
& + \frac{y_4^{(3)} y_4^{(2)} y_2^{(1)}}{y_6^{(2)} y_3^{(2)}} + \frac{y_3^{(3)} y_3^{(2)} y_5^{(2)} y_0^{(1)}}{y_4^{(4)} y_2^{(2)} y_4^{(3)}} \Big) (-, -, +, -, -, +) + \left(y_5^{(3)} y_4^{(2)} + \frac{y_5^{(3)} y_2^{(2)} y_5^{(2)}}{y_3^{(3)}} + \frac{y_5^{(3)} y_3^{(2)} y_5^{(2)}}{y_4^{(3)}} \right) \\
& \times (+, +, -, +, +, -) + \left(y_6^{(1)} + \frac{y_3^{(3)} y_5^{(2)}}{y_5^{(3)}} + \frac{y_3^{(3)} y_4^{(2)}}{y_4^{(4)}} + \frac{y_4^{(3)} y_4^{(2)}}{y_6^{(2)}} + \frac{y_3^{(3)} y_3^{(2)} y_5^{(2)}}{y_4^{(4)} y_4^{(3)}} \right) (+, +, +, -, -, +) \\
& + \left(y_3^{(1)} + \frac{y_4^{(4)} y_2^{(1)}}{y_5^{(3)}} + \frac{y_5^{(2)} y_0^{(1)}}{y_3^{(3)}} + \frac{y_4^{(2)} y_0^{(1)}}{y_2^{(2)}} + \frac{y_5^{(2)} y_2^{(1)}}{y_4^{(3)}} + \frac{y_4^{(2)} y_2^{(1)}}{y_3^{(2)}} + \frac{y_4^{(4)} y_4^{(3)} y_0^{(1)}}{y_5^{(3)} y_3^{(3)}} + \frac{y_4^{(4)} y_3^{(2)} y_0^{(1)}}{y_5^{(3)} y_2^{(2)}} \right. \\
& \left. + \frac{y_3^{(2)} y_5^{(2)} y_0^{(1)}}{y_2^{(2)} y_4^{(3)}} \right) (-, -, -, +, -, +) + y_5^{(3)} y_5^{(2)} (+, -, +, +, +, -) + \left(y_4^{(2)} + \frac{y_4^{(4)} y_4^{(2)}}{y_5^{(3)}} + \frac{y_2^{(2)} y_5^{(2)}}{y_3^{(3)}} \right. \\
& \left. + \frac{y_3^{(2)} y_5^{(2)}}{y_4^{(3)}} + \frac{y_4^{(4)} y_2^{(2)} y_4^{(3)}}{y_5^{(3)} y_3^{(3)}} \right) (+, +, -, +, -, +) + \left(y_2^{(1)} + \frac{y_6^{(2)} y_0^{(1)}}{y_4^{(4)}} + \frac{y_4^{(3)} y_0^{(1)}}{y_3^{(3)}} + \frac{y_3^{(2)} y_0^{(1)}}{y_2^{(2)}} \right) \\
& \times (-, -, -, -, +, +) + \left(y_5^{(2)} + \frac{y_4^{(4)} y_4^{(3)}}{y_5^{(3)}} \right) (+, -, +, +, -, +) + \left(y_3^{(2)} + \frac{y_2^{(2)} y_6^{(2)}}{y_4^{(4)}} + \frac{y_2^{(2)} y_4^{(3)}}{y_3^{(3)}} \right) \\
& \times (+, +, -, -, +, +) + y_0^{(1)} (-, -, -, -, -, -) + \left(y_4^{(3)} + \frac{y_3^{(3)} y_6^{(2)}}{y_4^{(4)}} \right) (+, -, +, -, +, +) \\
& + y_2^{(2)} (+, +, -, -, -, -) + y_6^{(2)} (+, -, -, +, +, +) + y_3^{(3)} (+, -, +, -, -, -) \\
& + y_4^{(4)} (+, -, -, +, -, -) + y_5^{(3)} (+, -, -, -, +, -) + (+, -, -, -, -, +).
\end{aligned}$$

Now for a given x we solve the equation

$$(4.1) \quad V_2(y) = a(x)\sigma(V_1(x)).$$

where $a(x)$ is a rational function in x and the action of σ on $V_1(x)$ is induced by its action on $W(\varpi_6)$. Though this equation is over-determined, it can be solved uniquely by comparing the coefficients of the basis vectors of $W(\varpi_6)$. We give the explicit solutions of $a(x)$, and the variables $y_m^{(l)}$ below.

Lemma 4.1. *The rational function $a(x)$ and the complete solution of (4.1) is:*

$$\begin{aligned}
a(x) &= \frac{1}{x_5^{(2)} x_5^{(1)}}, \\
y_0^{(1)} &= \frac{x_6^{(3)} x_6^{(2)} x_6^{(1)}}{x_5^{(2)} x_5^{(1)}}, & y_6^{(1)} &= \frac{1}{x_5^{(2)}}, & y_6^{(2)} &= \frac{1}{x_5^{(1)}}, \\
y_2^{(1)} &= \left(\frac{x_5^{(1)} x_5^{(1)}}{x_6^{(3)} x_6^{(2)}} + \frac{x_6^{(1)} x_5^{(2)} x_5^{(1)}}{x_6^{(3)} x_4^{(2)} x_4^{(1)}} + \frac{x_6^{(2)} x_6^{(1)} x_5^{(2)} x_5^{(1)}}{x_4^{(4)} x_4^{(3)} x_4^{(2)} x_4^{(1)}} \right)^{-1}, \\
y_2^{(2)} &= \frac{x_4^{(4)} x_4^{(3)} x_4^{(2)} x_4^{(1)}}{(x_5^{(2)})^2 (x_5^{(1)})^2} \left(\frac{x_5^{(2)} x_5^{(1)}}{x_6^{(3)} x_6^{(2)}} + \frac{x_6^{(1)} x_5^{(2)} x_5^{(1)}}{x_6^{(3)} x_4^{(2)} x_4^{(1)}} + \frac{x_6^{(2)} x_6^{(1)} x_5^{(2)} x_5^{(1)}}{x_4^{(4)} x_4^{(3)} x_4^{(2)} x_4^{(1)}} \right), \\
y_3^{(1)} &= \left(\frac{x_5^{(2)} x_5^{(1)}}{x_6^{(3)} x_4^{(2)}} + \frac{x_6^{(2)} x_5^{(2)} x_5^{(1)}}{x_4^{(4)} x_4^{(3)} x_4^{(2)}} + \frac{x_5^{(2)} x_4^{(1)}}{x_6^{(3)} x_3^{(1)}} + \frac{x_6^{(2)} x_5^{(2)} x_4^{(1)}}{x_4^{(4)} x_4^{(3)} x_3^{(1)}} + \frac{x_5^{(2)} x_4^{(2)} x_4^{(1)}}{x_4^{(4)} x_3^{(2)} x_3^{(1)}} \right. \\
&\quad \left. + \frac{x_4^{(3)} x_4^{(2)} x_4^{(1)}}{x_3^{(3)} x_3^{(2)} x_3^{(1)}} \right)^{-1}, \\
y_3^{(2)} &= \frac{x_3^{(3)} x_3^{(2)} x_3^{(1)}}{(x_5^{(2)})^2 (x_5^{(1)})^2} \left(\frac{x_5^{(2)} x_5^{(1)}}{x_6^{(3)} x_4^{(2)}} + \frac{x_6^{(2)} x_5^{(2)} x_5^{(1)}}{x_4^{(4)} x_4^{(3)} x_4^{(2)}} + \frac{x_5^{(2)} x_4^{(1)}}{x_6^{(3)} x_3^{(1)}} + \frac{x_6^{(2)} x_5^{(2)} x_4^{(1)}}{x_4^{(4)} x_4^{(3)} x_3^{(1)}} + \frac{x_5^{(2)} x_4^{(2)} x_4^{(1)}}{x_4^{(4)} x_3^{(2)} x_3^{(1)}} \right. \\
&\quad \left. + \frac{x_5^{(2)} x_4^{(2)} x_4^{(1)}}{x_4^{(4)} x_3^{(2)} x_3^{(1)}} + \frac{x_4^{(3)} x_4^{(2)} x_4^{(1)}}{x_3^{(3)} x_3^{(2)} x_3^{(1)}} \right) \left(\frac{x_3^{(3)} x_3^{(2)} x_3^{(1)}}{x_4^{(4)} x_4^{(3)} x_4^{(2)}} + \frac{x_4^{(1)} x_3^{(3)} x_3^{(2)}}{x_5^{(1)} x_4^{(4)} x_4^{(3)}} + \frac{x_4^{(2)} x_4^{(1)} x_3^{(3)}}{x_6^{(2)} x_5^{(1)} x_4^{(4)}} \right. \\
&\quad \left. + \frac{x_6^{(1)} x_3^{(3)}}{x_5^{(1)} x_4^{(4)}} + \frac{x_4^{(3)} x_4^{(2)} x_4^{(1)}}{x_6^{(2)} x_5^{(2)} x_5^{(1)}} + \frac{x_6^{(1)} x_4^{(3)}}{x_5^{(2)} x_5^{(1)}} \right)^{-1},
\end{aligned}$$

$$\begin{aligned}
y_3^{(3)} &= \frac{x_3^{(3)} x_3^{(2)} x_3^{(1)}}{x_4^{(4)} x_4^{(3)} x_4^{(2)}} + \frac{x_4^{(1)} x_3^{(3)} x_3^{(2)}}{x_5^{(1)} x_4^{(4)} x_4^{(3)}} + \frac{x_4^{(2)} x_4^{(1)} x_3^{(3)}}{x_6^{(2)} x_5^{(1)} x_4^{(4)}} + \frac{x_6^{(1)} x_3^{(3)}}{x_5^{(1)} x_4^{(4)}} + \frac{x_4^{(3)} x_4^{(2)} x_4^{(1)}}{x_6^{(2)} x_5^{(2)} x_5^{(1)}} \\
&\quad + \frac{x_6^{(1)} x_4^{(3)}}{x_5^{(2)} x_5^{(1)}}, \\
y_4^{(1)} &= \left(\frac{x_5^{(2)}}{x_6^{(3)}} + \frac{x_6^{(2)} x_5^{(2)}}{x_4^{(4)} x_4^{(3)}} + \frac{x_5^{(2)} x_4^{(2)}}{x_4^{(4)} x_3^{(2)}} + \frac{x_4^{(3)} x_4^{(2)}}{x_3^{(3)} x_3^{(2)}} + \frac{x_5^{(2)} x_3^{(1)}}{x_4^{(4)} x_2^{(1)}} + \frac{x_4^{(3)} x_3^{(1)}}{x_3^{(3)} x_2^{(1)}} + \frac{x_3^{(2)} x_3^{(1)}}{x_2^{(2)} x_2^{(1)}} \right)^{-1}, \\
y_4^{(2)} &= \frac{x_2^{(2)} x_2^{(1)}}{(x_5^{(2)})^2 (x_5^{(1)})^2} \left(\frac{x_5^{(2)}}{x_6^{(3)}} + \frac{x_6^{(2)} x_5^{(2)}}{x_4^{(4)} x_4^{(3)}} + \frac{x_5^{(2)} x_4^{(2)}}{x_4^{(4)} x_3^{(2)}} + \frac{x_4^{(3)} x_4^{(2)}}{x_3^{(3)} x_3^{(2)}} + \frac{x_5^{(2)} x_3^{(1)}}{x_4^{(4)} x_2^{(1)}} + \frac{x_4^{(3)} x_3^{(1)}}{x_3^{(3)} x_2^{(1)}} \right) \\
&\quad + \frac{x_3^{(2)} x_3^{(1)}}{x_2^{(2)} x_2^{(1)}} \left(\frac{x_2^{(2)} x_2^{(1)}}{x_5^{(1)} x_4^{(4)} x_3^{(2)}} + \frac{x_4^{(3)} x_2^{(2)} x_2^{(1)}}{x_5^{(2)} x_5^{(1)} x_3^{(3)} x_3^{(2)}} + \frac{x_3^{(1)} x_2^{(2)}}{x_5^{(1)} x_4^{(4)} x_4^{(2)}} \right) \\
&\quad + \frac{x_4^{(3)} x_3^{(1)} x_2^{(2)}}{x_5^{(2)} x_5^{(1)} x_4^{(2)} x_3^{(3)}} + \frac{x_4^{(1)} x_2^{(2)}}{(x_5^{(1)})^2 x_4^{(4)}} + \frac{x_4^{(3)} x_4^{(1)} x_2^{(2)}}{x_5^{(2)} (x_5^{(1)})^2 x_3^{(3)}} + \frac{x_3^{(2)} x_3^{(1)}}{x_5^{(2)} x_5^{(1)} x_4^{(2)}} \\
&\quad + \frac{x_4^{(1)} x_3^{(2)}}{x_5^{(2)} (x_5^{(1)})^2} \Big)^{-1}, \\
y_4^{(3)} &= \left(\frac{x_2^{(2)} x_2^{(1)}}{x_5^{(1)} x_4^{(4)} x_3^{(2)}} + \frac{x_4^{(3)} x_2^{(2)} x_2^{(1)}}{x_5^{(2)} x_5^{(1)} x_3^{(3)} x_3^{(2)}} + \frac{x_3^{(1)} x_2^{(2)}}{x_5^{(1)} x_4^{(4)} x_4^{(2)}} + \frac{x_4^{(3)} x_3^{(1)} x_2^{(2)}}{x_5^{(2)} x_5^{(1)} x_4^{(2)} x_3^{(3)}} \right. \\
&\quad + \frac{x_4^{(1)} x_2^{(2)}}{(x_5^{(1)})^2 x_4^{(4)}} + \frac{x_4^{(3)} x_4^{(1)} x_2^{(2)}}{x_5^{(2)} (x_5^{(1)})^2 x_3^{(3)}} + \frac{x_3^{(2)} x_3^{(1)}}{x_5^{(2)} x_5^{(1)} x_4^{(2)}} + \frac{x_4^{(1)} x_3^{(2)}}{x_5^{(2)} (x_5^{(1)})^2} \Big) \left(\frac{x_2^{(2)} x_2^{(1)}}{x_3^{(3)} x_3^{(2)}} \right) \\
&\quad + \frac{x_3^{(1)} x_2^{(2)}}{x_4^{(2)} x_3^{(3)}} + \frac{x_4^{(1)} x_2^{(2)}}{x_5^{(1)} x_3^{(3)}} + \frac{x_3^{(2)} x_3^{(1)}}{x_4^{(3)} x_4^{(2)}} + \frac{x_4^{(1)} x_3^{(2)}}{x_5^{(1)} x_4^{(3)}} + \frac{x_4^{(2)} x_4^{(1)}}{x_6^{(2)} x_5^{(1)}} + \frac{x_6^{(1)}}{x_5^{(1)}} \Big)^{-1}, \\
y_4^{(4)} &= \frac{x_2^{(2)} x_2^{(1)}}{x_3^{(3)} x_3^{(2)}} + \frac{x_3^{(1)} x_2^{(2)}}{x_4^{(2)} x_3^{(3)}} + \frac{x_4^{(1)} x_2^{(2)}}{x_5^{(1)} x_3^{(3)}} + \frac{x_3^{(2)} x_3^{(1)}}{x_4^{(3)} x_4^{(2)}} + \frac{x_4^{(1)} x_3^{(2)}}{x_5^{(1)} x_4^{(3)}} + \frac{x_4^{(2)} x_4^{(1)}}{x_6^{(2)} x_5^{(1)}} + \frac{x_6^{(1)}}{x_5^{(1)}}, \\
y_5^{(1)} &= \left(\frac{x_5^{(2)}}{x_4^{(4)}} + \frac{x_4^{(3)}}{x_3^{(3)}} + \frac{x_3^{(2)}}{x_2^{(2)}} + \frac{x_2^{(1)}}{x_1^{(1)}} \right)^{-1}, \\
y_5^{(2)} &= \frac{x_1^{(1)}}{x_5^{(2)} x_5^{(1)}} \left(\frac{x_5^{(2)}}{x_4^{(4)}} + \frac{x_4^{(3)}}{x_3^{(3)}} + \frac{x_3^{(2)}}{x_2^{(2)}} + \frac{x_2^{(1)}}{x_1^{(1)}} \right) \left(\frac{x_1^{(1)}}{x_2^{(2)}} + \frac{x_2^{(1)}}{x_3^{(3)}} + \frac{x_3^{(1)}}{x_4^{(4)}} + \frac{x_4^{(1)}}{x_5^{(1)}} \right)^{-1}, \\
y_5^{(3)} &= \frac{x_1^{(1)}}{x_2^{(2)}} + \frac{x_2^{(1)}}{x_3^{(3)}} + \frac{x_3^{(1)}}{x_4^{(4)}} + \frac{x_4^{(1)}}{x_5^{(1)}}.
\end{aligned}$$

Using Lemma 4.1 we define the map

$$\begin{aligned}
\bar{\sigma} : \mathcal{V}_1 &\rightarrow \mathcal{V}_2, \\
V_1(x) &\mapsto V_2(y).
\end{aligned}$$

Now we have the following result.

Proposition 4.2. *The map $\bar{\sigma} : \mathcal{V}_1 \rightarrow \mathcal{V}_2$ is a bi-positive birational isomorphism with the inverse positive rational map*

$$\begin{aligned}
\bar{\sigma}^{-1} : \mathcal{V}_2 &\rightarrow \mathcal{V}_1, \\
V_2(y) &\mapsto V_1(x)
\end{aligned}$$

given by

$$\begin{aligned}
 x_1^{(1)} &= \frac{y_5^{(3)} y_5^{(2)} y_5^{(1)}}{y_6^{(2)} y_6^{(1)}}, & x_5^{(1)} &= \frac{1}{y_6^{(2)}}, & x_5^{(2)} &= \frac{1}{y_6^{(1)}}, \\
 x_2^{(1)} &= \left(\frac{y_6^{(2)} y_6^{(1)}}{y_5^{(3)} y_5^{(2)}} + \frac{y_6^{(2)} y_6^{(1)} y_5^{(1)}}{y_5^{(3)} y_4^{(2)} y_4^{(1)}} + \frac{y_6^{(2)} y_6^{(1)} y_5^{(2)} y_5^{(1)}}{y_4^{(4)} y_4^{(3)} y_4^{(2)} y_4^{(1)}} \right)^{-1}, \\
 x_2^{(2)} &= \frac{y_4^{(4)} y_4^{(3)} y_4^{(2)} y_4^{(1)}}{(y_6^{(2)})^2 (y_6^{(1)})^2} \left(\frac{y_6^{(2)} y_6^{(1)}}{y_5^{(3)} y_5^{(2)}} + \frac{y_6^{(2)} y_6^{(1)} y_5^{(1)}}{y_5^{(3)} y_4^{(2)} y_4^{(1)}} + \frac{y_6^{(2)} y_6^{(1)} y_5^{(2)} y_5^{(1)}}{y_4^{(4)} y_4^{(3)} y_4^{(2)} y_4^{(1)}} \right), \\
 x_3^{(1)} &= \left(\frac{y_6^{(2)} y_6^{(1)}}{y_5^{(3)} y_4^{(2)}} + \frac{y_6^{(2)} y_6^{(1)} y_5^{(2)}}{y_4^{(4)} y_4^{(3)} y_4^{(2)}} + \frac{y_6^{(2)} y_4^{(1)}}{y_5^{(3)} y_3^{(1)}} + \frac{y_6^{(2)} y_5^{(2)} y_4^{(1)}}{y_4^{(4)} y_4^{(3)} y_3^{(1)}} + \frac{y_6^{(2)} y_4^{(2)} y_4^{(1)}}{y_4^{(4)} y_3^{(2)} y_3^{(1)}} \right. \\
 &\quad \left. + \frac{y_4^{(3)} y_4^{(2)} y_4^{(1)}}{y_3^{(3)} y_3^{(2)} y_3^{(1)}} \right)^{-1}, \\
 x_3^{(2)} &= \frac{y_3^{(3)} y_3^{(2)} y_3^{(1)}}{(y_6^{(2)})^2 (y_6^{(1)})^2} \left(\frac{y_6^{(2)} y_6^{(1)}}{y_5^{(3)} y_4^{(2)}} + \frac{y_6^{(2)} y_6^{(1)} y_5^{(2)}}{y_4^{(4)} y_4^{(3)} y_4^{(2)}} + \frac{y_6^{(2)} y_4^{(1)}}{y_5^{(3)} y_3^{(1)}} + \frac{y_6^{(2)} y_5^{(2)} y_4^{(1)}}{y_4^{(4)} y_4^{(3)} y_3^{(1)}} \right. \\
 &\quad + \frac{y_6^{(2)} y_4^{(2)} y_4^{(1)}}{y_4^{(4)} y_3^{(2)} y_3^{(1)}} + \frac{y_4^{(3)} y_4^{(2)} y_4^{(1)}}{y_3^{(3)} y_3^{(2)} y_3^{(1)}} \left(\frac{y_3^{(3)} y_3^{(2)} y_3^{(1)}}{y_4^{(4)} y_4^{(3)} y_4^{(2)}} + \frac{y_4^{(1)} y_3^{(3)} y_3^{(2)}}{y_6^{(1)} y_4^{(4)} y_4^{(3)}} + \frac{y_4^{(2)} y_4^{(1)} y_3^{(3)}}{y_6^{(1)} y_5^{(2)} y_4^{(4)}} \right. \\
 &\quad \left. \left. + \frac{y_5^{(1)} y_3^{(3)}}{y_6^{(1)} y_4^{(4)}} + \frac{y_4^{(3)} y_4^{(2)} y_4^{(1)}}{y_6^{(2)} y_6^{(1)} y_5^{(2)}} + \frac{y_5^{(1)} y_4^{(3)}}{y_6^{(2)} y_6^{(1)}} \right) \right)^{-1}, \\
 x_3^{(3)} &= \frac{y_3^{(3)} y_3^{(2)} y_3^{(1)}}{y_4^{(4)} y_4^{(3)} y_4^{(2)}} + \frac{y_4^{(1)} y_3^{(3)} y_3^{(2)}}{y_6^{(1)} y_4^{(4)} y_4^{(3)}} + \frac{y_4^{(2)} y_4^{(1)} y_3^{(3)}}{y_6^{(1)} y_5^{(2)} y_4^{(4)}} + \frac{y_5^{(1)} y_3^{(3)}}{y_6^{(1)} y_4^{(4)}} + \frac{y_4^{(3)} y_4^{(2)} y_4^{(1)}}{y_6^{(2)} y_6^{(1)} y_5^{(2)}} + \frac{y_5^{(1)} y_4^{(3)}}{y_6^{(2)} y_6^{(1)}}, \\
 x_4^{(1)} &= \left(\frac{y_6^{(2)}}{y_5^{(3)}} + \frac{y_6^{(2)} y_5^{(2)}}{y_4^{(4)} y_4^{(3)}} + \frac{y_6^{(2)} y_4^{(2)}}{y_4^{(4)} y_3^{(2)}} + \frac{y_4^{(3)} y_4^{(2)}}{y_3^{(3)} y_3^{(2)}} + \frac{y_6^{(2)} y_3^{(2)}}{y_4^{(4)} y_2^{(1)}} + \frac{y_4^{(3)} y_3^{(1)}}{y_3^{(3)} y_2^{(1)}} + \frac{y_3^{(2)} y_3^{(1)}}{y_2^{(2)} y_2^{(1)}} \right)^{-1}, \\
 x_4^{(2)} &= \frac{y_2^{(2)} y_2^{(1)}}{(y_6^{(2)})^2 (y_6^{(1)})^2} \left(\frac{y_6^{(2)}}{y_5^{(3)}} + \frac{y_6^{(2)} y_5^{(2)}}{y_4^{(4)} y_4^{(3)}} + \frac{y_6^{(2)} y_4^{(2)}}{y_4^{(4)} y_3^{(2)}} + \frac{y_4^{(3)} y_4^{(2)}}{y_3^{(3)} y_3^{(2)}} + \frac{y_6^{(2)} y_3^{(2)}}{y_4^{(4)} y_2^{(1)}} + \frac{y_4^{(3)} y_3^{(1)}}{y_3^{(3)} y_2^{(1)}} \right. \\
 &\quad \left. + \frac{y_3^{(2)} y_3^{(1)}}{y_2^{(2)} y_2^{(1)}} \right) \left(\frac{y_2^{(2)} y_2^{(1)}}{y_6^{(1)} y_4^{(4)} y_3^{(2)}} + \frac{y_4^{(3)} y_2^{(2)} y_2^{(1)}}{y_6^{(2)} y_6^{(1)} y_3^{(3)} y_3^{(2)}} + \frac{y_3^{(1)} y_2^{(2)}}{y_6^{(1)} y_4^{(4)} y_4^{(3)}} \right. \\
 &\quad \left. + \frac{y_4^{(3)} y_3^{(1)} y_2^{(2)}}{y_6^{(2)} y_6^{(1)} y_4^{(4)} y_3^{(3)}} + \frac{y_4^{(1)} y_2^{(2)}}{(y_6^{(1)})^2 y_4^{(4)}} + \frac{y_4^{(3)} y_4^{(1)} y_2^{(2)}}{y_6^{(2)} (y_6^{(1)})^2 y_3^{(3)}} + \frac{y_3^{(2)} y_3^{(1)}}{y_6^{(2)} y_6^{(1)} y_4^{(4)}} \right. \\
 &\quad \left. \left. + \frac{y_4^{(1)} y_3^{(2)}}{y_6^{(2)} (y_6^{(1)})^2} \right) \right)^{-1}, \\
 x_4^{(3)} &= \left(\frac{y_2^{(2)} y_2^{(1)}}{y_6^{(1)} y_4^{(4)} y_3^{(2)}} + \frac{y_4^{(3)} y_2^{(2)} y_2^{(1)}}{y_6^{(2)} y_6^{(1)} y_3^{(3)} y_3^{(2)}} + \frac{y_3^{(1)} y_2^{(2)}}{y_6^{(1)} y_4^{(4)} y_4^{(3)}} + \frac{y_4^{(3)} y_3^{(1)} y_2^{(2)}}{y_6^{(2)} y_6^{(1)} y_4^{(4)} y_3^{(3)}} \right. \\
 &\quad \left. + \frac{y_4^{(1)} y_2^{(2)}}{(y_6^{(1)})^2 y_4^{(4)}} + \frac{y_4^{(3)} y_4^{(1)} y_2^{(2)}}{y_6^{(2)} (y_6^{(1)})^2 y_3^{(3)}} + \frac{y_3^{(2)} y_3^{(1)}}{y_6^{(2)} (y_6^{(1)})^2} \right) \left(\frac{y_2^{(2)} y_2^{(1)}}{y_3^{(3)} y_3^{(2)}} \right. \\
 &\quad \left. + \frac{y_3^{(1)} y_2^{(2)}}{y_4^{(4)} y_3^{(3)}} + \frac{y_4^{(1)} y_2^{(2)}}{y_6^{(1)} y_3^{(3)}} + \frac{y_3^{(2)} y_3^{(1)}}{y_4^{(4)} y_4^{(3)}} + \frac{y_4^{(1)} y_4^{(2)}}{y_6^{(1)} y_4^{(4)}} + \frac{y_4^{(2)} y_4^{(1)}}{y_6^{(1)} y_5^{(2)}} + \frac{y_5^{(1)}}{y_6^{(1)}} \right)^{-1},
 \end{aligned}$$

$$\begin{aligned}
x_4^{(4)} &= \frac{y_2^{(2)} y_2^{(1)}}{y_3^{(3)} y_3^{(2)}} + \frac{y_3^{(1)} y_2^{(2)}}{y_4^{(2)} y_3^{(3)}} + \frac{y_4^{(1)} y_2^{(2)}}{y_6^{(1)} y_3^{(3)}} + \frac{y_3^{(2)} y_3^{(1)}}{y_4^{(3)} y_4^{(2)}} + \frac{y_4^{(1)} y_3^{(2)}}{y_6^{(1)} y_4^{(3)}} + \frac{y_4^{(2)} y_4^{(1)}}{y_6^{(1)} y_5^{(2)}} + \frac{y_5^{(1)}}{y_6^{(1)}}, \\
x_6^{(1)} &= \left(\frac{y_6^{(2)}}{y_4^{(4)}} + \frac{y_4^{(3)}}{y_3^{(3)}} + \frac{y_3^{(2)}}{y_2^{(2)}} + \frac{y_2^{(1)}}{y_0^{(1)}} \right)^{-1}, \\
x_6^{(2)} &= \frac{y_0^{(1)}}{y_6^{(2)} y_6^{(1)}} \left(\frac{y_6^{(2)}}{y_4^{(4)}} + \frac{y_4^{(3)}}{y_3^{(3)}} + \frac{y_3^{(2)}}{y_2^{(2)}} + \frac{y_2^{(1)}}{y_0^{(1)}} \right) \left(\frac{y_0^{(1)}}{y_2^{(2)}} + \frac{y_2^{(1)}}{y_3^{(2)}} + \frac{y_3^{(1)}}{y_4^{(2)}} + \frac{y_4^{(1)}}{y_6^{(1)}} \right)^{-1}, \\
x_6^{(3)} &= \frac{y_0^{(1)}}{y_2^{(2)}} + \frac{y_2^{(1)}}{y_3^{(2)}} + \frac{y_3^{(1)}}{y_4^{(2)}} + \frac{y_4^{(1)}}{y_6^{(1)}}.
\end{aligned}$$

Proof. The fact that $\bar{\sigma}$ is a bi-positive birational map follows from the explicit formulas. The rest follows by direct calculations. \square

It is known that \mathcal{V}_1 (resp. \mathcal{V}_2) has the structure of a \mathfrak{g}_0 (resp. \mathfrak{g}_1) positive geometric crystal ([1], [14], [7]). Indeed, note that taking the sesquence $\mathbf{i} = (6, 4, 3, 2, 5, 4, 3, 6, 4, 5, 1, 2, 3, 4, 6)$ the explicit actions of e_k^c , γ_k , ε_k on $V_1(x)$ for $k = 1, 2, 3, 4, 5, 6$ are given by Theorem 1.2 as follows.

$$e_k^c(V_1(x)) = \begin{cases} V_1(x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, cx_1^{(1)}, x_2^{(1)}, x_3^{(1)}, \\ x_4^{(1)}, x_6^{(1)}), k = 1, \\ V_1(x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, c_2 x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, x_1^{(1)}, \frac{c}{c_2} x_2^{(1)}, \\ x_3^{(1)}, x_4^{(1)}, x_6^{(1)}), k = 2, \\ V_1(x_6^{(3)}, x_4^{(4)}, c_{3_1} x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, c_{3_2} x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, \\ \frac{c}{c_{3_1} c_{3_2}} x_3^{(1)}, x_4^{(1)}, x_6^{(1)}), k = 3, \\ V_1(x_6^{(3)}, c_{4_1} x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, c_{4_2} x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, c_{4_3} x_4^{(2)}, x_5^{(1)}, x_1^{(1)}, \\ x_2^{(1)}, x_3^{(1)}, \frac{c}{c_{4_1} c_{4_2} c_{4_3}} x_4^{(1)}, x_6^{(1)}), k = 4, \\ V_1(x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, c_5 x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, \frac{c}{c_5} x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, \\ x_3^{(1)}, x_4^{(1)}, x_6^{(1)}), k = 5, \\ V_1(c_{6_1} x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, c_{6_2} x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, \\ x_3^{(1)}, x_4^{(1)}, \frac{c}{c_{6_1} c_{6_2}} x_6^{(1)}), k = 6, \end{cases}$$

where

$$\begin{aligned}
c_2 &= \frac{cx_2^{(2)} x_2^{(1)} + x_3^{(2)} x_1^{(1)}}{x_2^{(2)} x_2^{(1)} + x_3^{(2)} x_1^{(1)}}, \\
c_{3_1} &= \frac{cx_3^{(3)} (x_3^{(2)})^2 x_3^{(1)} + x_4^{(3)} x_3^{(2)} x_3^{(1)} x_2^{(2)} + x_4^{(3)} x_4^{(2)} x_2^{(2)} x_2^{(1)}}{x_3^{(3)} (x_3^{(2)})^2 x_3^{(1)} + x_4^{(3)} x_3^{(2)} x_3^{(1)} x_2^{(2)} + x_4^{(3)} x_4^{(2)} x_2^{(2)} x_2^{(1)}}, \\
c_{3_2} &= \frac{cx_3^{(3)} (x_3^{(2)})^2 x_3^{(1)} + cx_4^{(3)} x_3^{(2)} x_3^{(1)} x_2^{(2)} + x_4^{(3)} x_4^{(2)} x_2^{(2)} x_2^{(1)}}{cx_3^{(3)} (x_3^{(2)})^2 x_3^{(1)} + x_4^{(3)} x_3^{(2)} x_3^{(1)} x_2^{(2)} + x_4^{(3)} x_4^{(2)} x_2^{(2)} x_2^{(1)}}, \\
c_{4_1} &= \frac{cc_4^1 + c_4^2 + c_4^3 + c_4^4}{c_4^1 + c_4^2 + c_4^3 + c_4^4}, \\
c_{4_2} &= \frac{cc_4^1 + cc_4^2 + c_4^3 + c_4^4}{cc_4^1 + c_4^2 + c_4^3 + c_4^4},
\end{aligned}$$

$$\begin{aligned}
 c_{4_3} &= \frac{cc_4^1 + cc_4^2 + cc_4^3 + c_4^4}{cc_4^1 + cc_4^2 + c_4^3 + c_4^4}, \\
 c_4^1 &= x_4^{(4)} (x_4^{(3)})^2 (x_4^{(2)})^2 x_4^{(1)}, \\
 c_4^2 &= x_5^{(2)} x_4^{(3)} (x_4^{(2)})^2 x_4^{(1)} x_3^{(3)}, \\
 c_4^3 &= x_6^{(2)} x_5^{(2)} x_4^{(2)} x_4^{(1)} x_3^{(3)} x_3^{(2)}, \\
 c_4^4 &= x_6^{(2)} x_5^{(2)} x_5^{(1)} x_3^{(3)} x_3^{(2)} x_3^{(1)}, \\
 c_5 &= \frac{cx_5^{(2)} x_5^{(1)} + x_4^{(3)} x_4^{(2)}}{x_5^{(2)} x_5^{(1)} + x_4^{(3)} x_4^{(2)}}, \\
 c_{6_1} &= \frac{cx_6^{(3)} (x_6^{(2)})^2 x_6^{(1)} + x_6^{(2)} x_6^{(1)} x_4^{(4)} x_4^{(3)} + x_4^{(4)} x_4^{(3)} x_4^{(2)} x_4^{(1)}}{x_6^{(3)} (x_6^{(2)})^2 x_6^{(1)} + x_6^{(2)} x_6^{(1)} x_4^{(4)} x_4^{(3)} + x_4^{(4)} x_4^{(3)} x_4^{(2)} x_4^{(1)}}, \\
 c_{6_2} &= \frac{cx_6^{(3)} (x_6^{(2)})^2 x_6^{(1)} + cx_6^{(2)} x_6^{(1)} x_4^{(4)} x_4^{(3)} + x_4^{(4)} x_4^{(3)} x_4^{(2)} x_4^{(1)}}{cx_6^{(3)} (x_6^{(2)})^2 x_6^{(1)} + x_6^{(2)} x_6^{(1)} x_4^{(4)} x_4^{(3)} + x_4^{(4)} x_4^{(3)} x_4^{(2)} x_4^{(1)}}.
 \end{aligned}$$

$$\gamma_k(V_1(x)) = \begin{cases} \frac{(x_1^{(1)})^2}{x_2^{(2)} x_2^{(1)}}, & k = 1, \\ \frac{(x_2^{(2)})^2 (x_2^{(1)})^2}{x_3^{(3)} x_3^{(2)} x_3^{(1)} x_1^{(1)}}, & k = 2, \\ \frac{(x_3^{(3)})^2 (x_3^{(2)})^2 (x_3^{(1)})^2}{x_4^{(4)} x_4^{(3)} x_4^{(2)} x_4^{(1)} x_2^{(2)} x_2^{(1)}}, & k = 3, \\ \frac{(x_4^{(4)})^2 (x_4^{(3)})^2 (x_4^{(2)})^2 (x_4^{(1)})^2}{x_6^{(3)} x_6^{(2)} x_6^{(1)} x_5^{(2)} x_5^{(1)} x_3^{(3)} x_3^{(2)} x_3^{(1)}}, & k = 4, \\ \frac{(x_5^{(2)})^2 (x_5^{(1)})^2}{x_4^{(4)} x_4^{(3)} x_4^{(2)} x_4^{(1)}}, & k = 5, \\ \frac{(x_6^{(3)})^2 (x_6^{(2)})^2 (x_6^{(1)})^2}{x_4^{(4)} x_4^{(3)} x_4^{(2)} x_4^{(1)}}, & k = 6. \end{cases}$$

$$\varepsilon_k(V_1(x)) = \begin{cases} \frac{x_2^{(2)}}{x_1^{(1)}}, & k = 1, \\ \frac{x_3^{(3)}}{x_2^{(2)}} \left(1 + \frac{x_3^{(2)} x_1^{(1)}}{x_2^{(2)} x_2^{(1)}}\right), & k = 2, \\ \frac{x_4^{(4)}}{x_3^{(3)}} \left(1 + \frac{x_4^{(3)} x_2^{(2)}}{x_3^{(3)} x_3^{(2)}} + \frac{x_4^{(3)} x_4^{(2)} x_2^{(2)} x_2^{(1)}}{x_3^{(3)} (x_3^{(2)})^2 x_3^{(1)}}\right), & k = 3, \\ \frac{x_6^{(3)}}{x_5^{(2)}} \left(1 + \frac{x_5^{(3)} x_3^{(3)}}{x_6^{(3)} x_5^{(2)} x_3^{(3)} x_3^{(2)}} + \frac{x_6^{(2)} x_5^{(2)} x_5^{(1)} x_3^{(3)} x_3^{(2)} x_3^{(1)}}{x_4^{(4)} (x_4^{(3)})^2 (x_4^{(2)})^2 x_4^{(1)}}\right), & k = 4, \\ \frac{x_4^{(4)}}{x_5^{(2)}} \left(1 + \frac{x_4^{(3)} x_4^{(2)}}{x_5^{(2)} x_5^{(1)}}\right), & k = 5, \\ \frac{1}{x_6^{(3)}} \left(1 + \frac{x_4^{(4)} x_4^{(3)}}{x_6^{(3)} x_6^{(2)}} + \frac{x_4^{(4)} x_4^{(3)} x_4^{(2)} x_4^{(1)}}{x_6^{(3)} (x_6^{(2)})^2 x_6^{(1)}}\right), & k = 6. \end{cases}$$

By choosing $\mathbf{i} = (5, 4, 3, 2, 6, 4, 3, 5, 4, 6, 0, 2, 3, 4, 5)$, we also have the following explicit actions of \bar{e}_k^c , $\bar{\gamma}_k$, $\bar{\varepsilon}_k$, $k = 0, 2, 3, 4, 5, 6$ on $V_2(y)$ by Theorem 1.2.

$$\bar{e}_k^c(V_2(y)) = \begin{cases} V_2(y_5^{(3)}, y_4^{(4)}, y_3^{(3)}, y_2^{(2)}, y_6^{(2)}, y_4^{(3)}, y_3^{(2)}, y_5^{(2)}, y_4^{(2)}, y_6^{(1)}, cy_0^{(1)}, y_2^{(1)}, y_3^{(1)}, \\ y_4^{(1)}, y_5^{(1)}), k = 0, \\ V_2(y_5^{(3)}, y_4^{(4)}, y_3^{(3)}, \bar{c}_2 y_2^{(2)}, y_6^{(2)}, y_4^{(3)}, y_3^{(2)}, y_5^{(2)}, y_4^{(2)}, y_6^{(1)}, y_0^{(1)}, \frac{c}{\bar{c}_2} y_2^{(1)}, \\ y_3^{(1)}, y_4^{(1)}, y_5^{(1)}), k = 2, \\ V_2(y_5^{(3)}, y_4^{(4)}, \bar{c}_{31} y_3^{(3)}, y_2^{(2)}, y_6^{(2)}, y_4^{(3)}, \bar{c}_{32} y_3^{(2)}, y_5^{(2)}, y_4^{(2)}, y_6^{(1)}, y_0^{(1)}, y_2^{(1)}, \\ \frac{c}{\bar{c}_{31} \bar{c}_{32}} y_3^{(1)}, y_4^{(1)}, y_5^{(1)}), k = 3, \\ V_2(y_5^{(3)}, \bar{c}_{41} y_4^{(4)}, y_3^{(3)}, y_2^{(2)}, y_6^{(2)}, \bar{c}_{42} y_4^{(3)}, y_3^{(2)}, y_5^{(2)}, \bar{c}_{43} y_4^{(2)}, y_6^{(1)}, y_0^{(1)}, \\ y_2^{(1)}, y_3^{(1)}, \frac{c}{\bar{c}_{41} \bar{c}_{42} \bar{c}_{43}} y_4^{(1)}, y_5^{(1)}), k = 4, \\ V_2(\bar{c}_{51} y_5^{(3)}, y_4^{(4)}, y_3^{(3)}, y_2^{(2)}, y_6^{(2)}, y_4^{(3)}, \bar{c}_{52} y_5^{(2)}, y_4^{(2)}, y_6^{(1)}, y_0^{(1)}, y_2^{(1)}, \\ y_3^{(1)}, y_4^{(1)}, \frac{c}{\bar{c}_{51} \bar{c}_{52}} y_5^{(1)}), k = 5, \\ V_2(y_5^{(3)}, y_4^{(4)}, y_3^{(3)}, y_2^{(2)}, \bar{c}_6 y_6^{(2)}, y_4^{(3)}, y_3^{(2)}, y_5^{(2)}, y_4^{(2)}, \frac{c}{\bar{c}_6} y_6^{(1)}, y_0^{(1)}, y_2^{(1)}, \\ y_3^{(1)}, y_4^{(1)}, y_5^{(1)}), k = 6, \end{cases}$$

where

$$\begin{aligned} \bar{c}_2 &= \frac{cy_2^{(2)} y_2^{(1)} + y_3^{(2)} y_0^{(1)}}{y_2^{(2)} y_2^{(1)} + y_3^{(2)} y_0^{(1)}}, \\ \bar{c}_{31} &= \frac{cy_3^{(3)} (y_3^{(2)})^2 y_3^{(1)} + y_4^{(3)} y_3^{(2)} y_3^{(1)} y_2^{(2)} + y_4^{(3)} y_4^{(2)} y_2^{(2)} y_2^{(1)}}{y_3^{(3)} (y_3^{(2)})^2 y_3^{(1)} + y_4^{(3)} y_3^{(2)} y_3^{(1)} y_2^{(2)} + y_4^{(3)} y_4^{(2)} y_2^{(2)} y_2^{(1)}}, \\ \bar{c}_{32} &= \frac{cy_3^{(3)} (y_3^{(2)})^2 y_3^{(1)} + cy_4^{(3)} y_3^{(2)} y_3^{(1)} y_2^{(2)} + y_4^{(3)} y_4^{(2)} y_2^{(2)} y_2^{(1)}}{cy_3^{(3)} (y_3^{(2)})^2 y_3^{(1)} + y_4^{(3)} y_3^{(2)} y_3^{(1)} y_2^{(2)} + y_4^{(3)} y_4^{(2)} y_2^{(2)} y_2^{(1)}}, \\ \bar{c}_{41} &= \frac{c\bar{c}_4^1 + \bar{c}_4^2 + \bar{c}_4^3 + \bar{c}_4^4}{\bar{c}_4^1 + \bar{c}_4^2 + \bar{c}_4^3 + \bar{c}_4^4}, \\ \bar{c}_{42} &= \frac{c\bar{c}_4^1 + c\bar{c}_4^2 + \bar{c}_4^3 + \bar{c}_4^4}{c\bar{c}_4^1 + \bar{c}_4^2 + \bar{c}_4^3 + \bar{c}_4^4}, \\ \bar{c}_{43} &= \frac{c\bar{c}_4^1 + c\bar{c}_4^2 + c\bar{c}_4^3 + \bar{c}_4^4}{c\bar{c}_4^1 + c\bar{c}_4^2 + \bar{c}_4^3 + \bar{c}_4^4}, \\ \bar{c}_4^1 &= y_4^{(4)} (y_4^{(3)})^2 (y_4^{(2)})^2 y_4^{(1)}, \\ \bar{c}_4^2 &= y_6^{(2)} y_4^{(3)} (y_4^{(2)})^2 y_4^{(1)} y_3^{(3)}, \\ \bar{c}_4^3 &= y_6^{(2)} y_5^{(2)} y_4^{(2)} y_4^{(1)} y_3^{(3)} y_3^{(2)}, \\ \bar{c}_4^4 &= y_6^{(2)} y_6^{(1)} y_5^{(2)} y_3^{(3)} y_3^{(2)} y_3^{(1)}, \\ \bar{c}_{51} &= \frac{cy_5^{(3)} (y_5^{(2)})^2 y_5^{(1)} + y_5^{(2)} y_5^{(1)} y_4^{(4)} y_4^{(3)} + y_4^{(4)} y_4^{(3)} y_4^{(2)} y_4^{(1)}}{y_5^{(3)} (y_5^{(2)})^2 y_5^{(1)} + y_5^{(2)} y_5^{(1)} y_4^{(4)} y_4^{(3)} + y_4^{(4)} y_4^{(3)} y_4^{(2)} y_4^{(1)}}, \\ \bar{c}_{52} &= \frac{cy_5^{(3)} (y_5^{(2)})^2 y_5^{(1)} + cy_5^{(2)} y_5^{(1)} y_4^{(4)} y_4^{(3)} + y_4^{(4)} y_4^{(3)} y_4^{(2)} y_4^{(1)}}{cy_5^{(3)} (y_5^{(2)})^2 y_5^{(1)} + y_5^{(2)} y_5^{(1)} y_4^{(4)} y_4^{(3)} + y_4^{(4)} y_4^{(3)} y_4^{(2)} y_4^{(1)}}, \\ \bar{c}_6 &= \frac{cy_6^{(2)} y_6^{(1)} + y_4^{(3)} y_4^{(2)}}{y_6^{(2)} y_6^{(1)} + y_4^{(3)} y_4^{(2)}}. \end{aligned}$$

$$\bar{\gamma}_k(V_2(y)) = \begin{cases} \frac{(y_0^{(1)})^2}{y_2^{(2)} y_2^{(1)}}, & k = 0, \\ \frac{(y_2^{(2)})^2 (y_2^{(1)})^2}{y_3^{(3)} y_3^{(2)} y_3^{(1)} y_0^{(1)}}, & k = 2, \\ \frac{(y_3^{(3)})^2 (y_3^{(2)})^2 (y_3^{(1)})^2}{y_4^{(4)} y_4^{(3)} y_4^{(2)} y_4^{(1)} y_2^{(2)} y_2^{(1)}}, & k = 3, \\ \frac{(y_4^{(4)})^2 (y_4^{(3)})^2 (y_4^{(2)})^2 (y_4^{(1)})^2}{y_6^{(2)} y_6^{(1)} y_5^{(3)} y_5^{(2)} y_5^{(1)} y_3^{(3)} y_3^{(2)} y_3^{(1)}}, & k = 4, \\ \frac{(y_5^{(3)})^2 (y_5^{(2)})^2 (y_5^{(1)})^2}{y_4^{(4)} y_4^{(3)} y_4^{(2)} y_4^{(1)}}, & k = 5, \\ \frac{(y_6^{(2)})^2 (y_6^{(1)})^2}{y_4^{(4)} y_4^{(3)} y_4^{(2)} y_4^{(1)}}, & k = 6. \end{cases}$$

$$\bar{\varepsilon}_k(V_2(y)) = \begin{cases} \frac{y_2^{(2)}}{y_0^{(1)}}, & k = 0, \\ \frac{y_3^{(3)}}{y_2^{(2)}} \left(1 + \frac{y_3^{(2)} y_6^{(1)}}{y_2^{(2)} y_2^{(1)}}\right), & k = 2, \\ \frac{y_4^{(4)}}{y_3^{(3)}} \left(1 + \frac{y_4^{(3)} y_2^{(2)}}{y_3^{(3)} y_3^{(2)}} + \frac{y_4^{(3)} y_4^{(2)} y_2^{(2)} y_2^{(1)}}{y_3^{(3)} (y_3^{(2)})^2 y_3^{(1)}}\right), & k = 3, \\ \frac{y_5^{(3)}}{y_4^{(4)}} \left(1 + \frac{y_6^{(2)} y_3^{(2)}}{y_4^{(4)} y_4^{(3)}} + \frac{y_6^{(2)} y_5^{(2)} y_3^{(2)} y_3^{(1)}}{y_4^{(4)} (y_4^{(3)})^2 y_4^{(2)}} + \frac{y_6^{(2)} y_6^{(1)} y_5^{(2)} y_3^{(2)} y_3^{(1)}}{y_4^{(4)} (y_4^{(3)})^2 (y_4^{(2)})^2 y_4^{(1)}}\right), & k = 4, \\ \frac{1}{y_5^{(3)}} \left(1 + \frac{y_4^{(4)} y_4^{(3)}}{y_5^{(3)} y_5^{(2)}} + \frac{y_4^{(4)} y_4^{(3)} y_4^{(2)} y_4^{(1)}}{y_5^{(3)} (y_5^{(2)})^2 y_5^{(1)}}\right), & k = 5, \\ \frac{y_4^{(4)}}{y_6^{(2)}} \left(1 + \frac{y_4^{(3)} y_4^{(2)}}{y_6^{(2)} y_6^{(1)}}\right), & k = 6. \end{cases}$$

Proposition 4.3. *The relation $\bar{\sigma} e_2^c = \bar{\varepsilon}_4^c \bar{\sigma}$ holds.*

Proof. Set $e_2^c(V_1(x)) = V_1(z)$, $\bar{\sigma}(V_1(z)) = V_2(y')$, $\bar{\sigma}(V_1(x)) = V_2(y)$ and $\bar{\varepsilon}_4^c(V_2(y)) = V_2(w)$. We need to show that $y_m^{(l)'} = w_m^{(l)}$ for $(l, m) \in \{(1, 0), (1, 2), (1, 3), (1, 4), (1, 5), (1, 6), (2, 2), (2, 3), (2, 4), (2, 5), (2, 6), (3, 3), (3, 4), (3, 5), (4, 4)\}$. Let us check this equality for $l = 1$ and the rest can be verified similarly.

- $y_0^{(1)'} = \frac{z_6^{(3)} z_6^{(2)} z_6^{(1)}}{z_5^{(2)} z_5^{(1)}} = \frac{x_6^{(3)} x_6^{(2)} x_6^{(1)}}{x_5^{(2)} x_5^{(1)}} = y_0^{(1)} = w_0^{(1)}$.
- $y_2^{(1)'} = \left(\frac{z_5^{(2)} z_5^{(1)}}{z_6^{(3)} z_6^{(2)}} + \frac{z_6^{(1)} z_2^{(2)} z_5^{(1)}}{z_6^{(3)} z_6^{(2)} z_4^{(1)}} + \frac{z_6^{(2)} z_6^{(1)} z_5^{(2)} z_5^{(1)}}{z_4^{(4)} z_4^{(3)} z_4^{(2)} z_4^{(1)}} \right)^{-1}$
 $= \left(\frac{x_5^{(2)} x_5^{(1)}}{x_6^{(3)} x_6^{(2)}} + \frac{x_6^{(1)} x_2^{(2)} x_5^{(1)}}{x_6^{(3)} x_6^{(2)} x_4^{(1)}} + \frac{x_6^{(2)} x_6^{(1)} x_5^{(2)} x_5^{(1)}}{x_4^{(4)} x_4^{(3)} x_4^{(2)} x_4^{(1)}} \right)^{-1} = y_2^{(1)} = w_2^{(1)}$.
- $y_3^{(1)'} = \left(\frac{z_6^{(2)} z_6^{(1)}}{z_5^{(3)} z_4^{(2)}} + \frac{z_6^{(2)} z_6^{(1)} z_5^{(2)}}{z_4^{(4)} z_4^{(3)} z_4^{(2)}} + \frac{z_6^{(2)} z_4^{(1)}}{z_5^{(3)} z_3^{(1)}} + \frac{z_6^{(2)} z_5^{(2)} z_4^{(1)}}{z_4^{(4)} z_4^{(3)} z_3^{(1)}} + \frac{z_6^{(2)} z_4^{(2)} z_4^{(1)}}{z_4^{(4)} z_3^{(2)} z_3^{(1)}} + \frac{z_4^{(3)} z_4^{(2)} z_4^{(1)}}{z_3^{(3)} z_3^{(2)} z_3^{(1)}} \right)^{-1}$
 $= \left(\frac{y_6^{(2)} y_6^{(1)}}{y_5^{(3)} y_4^{(2)}} + \frac{y_6^{(2)} y_6^{(1)} y_5^{(2)}}{y_4^{(4)} y_4^{(3)} y_4^{(2)}} + \frac{y_6^{(2)} y_4^{(1)}}{y_5^{(3)} y_3^{(1)}} + \frac{y_6^{(2)} y_5^{(2)} y_4^{(1)}}{y_4^{(4)} y_4^{(3)} y_3^{(1)}} + \frac{y_6^{(2)} y_4^{(2)} y_4^{(1)}}{y_4^{(4)} y_3^{(2)} y_3^{(1)}} + \frac{y_4^{(3)} y_4^{(2)} y_4^{(1)}}{y_3^{(3)} y_3^{(2)} y_3^{(1)}} \right)^{-1}$
 $= y_3^{(1)} = w_3^{(1)}$.
- $y_4^{(1)'} = \left(\frac{z_5^{(2)}}{z_6^{(3)}} + \frac{z_6^{(2)} z_5^{(2)}}{z_4^{(4)} z_4^{(3)}} + \frac{z_5^{(2)} z_4^{(2)}}{z_4^{(4)} z_3^{(2)}} + \frac{z_4^{(3)} z_4^{(2)}}{z_3^{(3)} z_3^{(2)}} + \frac{z_5^{(2)} z_3^{(1)}}{z_4^{(4)} z_2^{(1)}} + \frac{z_4^{(3)} z_3^{(1)}}{z_3^{(3)} z_2^{(1)}} + \frac{z_3^{(2)} z_3^{(1)}}{z_2^{(2)} z_2^{(1)}} \right)^{-1}$
 $= \left(\frac{x_5^{(2)}}{x_6^{(3)}} + \frac{x_6^{(2)} x_5^{(2)}}{x_4^{(4)} x_4^{(3)}} + \frac{x_5^{(2)} x_4^{(2)}}{x_4^{(4)} x_3^{(2)}} + \frac{x_4^{(3)} x_4^{(2)}}{x_3^{(3)} x_3^{(2)}} + \frac{x_5^{(2)} x_3^{(1)} (c x_2^{(2)} x_2^{(1)} + x_3^{(2)} x_3^{(1)})}{x_4^{(4)} x_2^{(1)} (c x_2^{(2)} x_2^{(1)} + c x_3^{(2)} x_3^{(1)})} \right)^{-1}$
 $+ \frac{x_4^{(3)} x_3^{(1)} (c x_2^{(2)} x_2^{(1)} + x_3^{(2)} x_3^{(1)})}{x_3^{(3)} x_2^{(1)} (c x_2^{(2)} x_2^{(1)} + c x_3^{(2)} x_3^{(1)})} + \frac{x_3^{(2)} x_3^{(1)}}{c x_2^{(2)} x_2^{(1)}} \right)^{-1}$
 $= (c x_2^{(2)} x_2^{(1)} + c x_3^{(2)} x_3^{(1)}) \left(\left(\frac{x_5^{(2)}}{x_6^{(3)}} + \frac{x_6^{(2)} x_5^{(2)}}{x_4^{(4)} x_4^{(3)}} + \frac{x_5^{(2)} x_4^{(2)}}{x_4^{(4)} x_3^{(2)}} + \frac{x_4^{(3)} x_4^{(2)}}{x_3^{(3)} x_3^{(2)}} + \frac{x_3^{(2)} x_3^{(1)}}{c x_2^{(2)} x_2^{(1)}} \right) (c x_2^{(2)} x_2^{(1)} \right.$
 $\left. + c x_3^{(2)} x_3^{(1)}) + \left(\frac{x_5^{(2)} x_3^{(1)}}{x_4^{(4)} x_2^{(1)}} + \frac{x_4^{(3)} x_3^{(1)}}{x_3^{(3)} x_2^{(1)}} \right) (c x_2^{(2)} x_2^{(1)} + x_3^{(2)} x_3^{(1)}) \right)^{-1}$

$$\begin{aligned}
&= \left(\frac{x_5^{(2)}}{x_6^{(3)}} + \frac{x_6^{(2)} x_5^{(2)}}{x_4^{(4)} x_4^{(3)}} + \frac{x_5^{(2)} x_4^{(2)}}{x_4^{(4)} x_3^{(2)}} + \frac{x_4^{(3)} x_4^{(2)}}{x_3^{(3)} x_3^{(2)}} + \frac{x_5^{(2)} x_3^{(1)}}{x_4^{(4)} x_2^{(1)}} + \frac{x_4^{(3)} x_3^{(1)}}{x_3^{(3)} x_2^{(1)}} + \frac{x_3^{(2)} x_3^{(1)}}{x_2^{(2)} x_2^{(1)}} \right)^{-1} \\
&\times \left(\left(\frac{x_5^{(2)}}{x_6^{(3)}} + \frac{x_6^{(2)} x_5^{(2)}}{x_4^{(4)} x_4^{(3)}} + \frac{x_5^{(2)} x_4^{(2)}}{x_4^{(4)} x_3^{(2)}} + \frac{x_4^{(3)} x_4^{(2)}}{x_3^{(3)} x_3^{(2)}} + \frac{x_5^{(2)} x_3^{(1)}}{x_4^{(4)} x_2^{(1)}} + \frac{x_4^{(3)} x_3^{(1)}}{x_3^{(3)} x_2^{(1)}} + \frac{x_3^{(2)} x_3^{(1)}}{x_2^{(2)} x_2^{(1)}} \right) (cx_2^{(2)} x_2^{(1)} \right. \\
&+ cx_3^{(2)} x_1^{(1)}) \left. \left(\left(\frac{x_5^{(2)}}{x_6^{(3)}} + \frac{x_6^{(2)} x_5^{(2)}}{x_4^{(4)} x_4^{(3)}} + \frac{x_5^{(2)} x_4^{(2)}}{x_4^{(4)} x_3^{(2)}} + \frac{x_4^{(3)} x_4^{(2)}}{x_3^{(3)} x_3^{(2)}} + \frac{x_5^{(2)} x_3^{(1)}}{x_4^{(4)} x_2^{(1)}} + \frac{x_4^{(3)} x_3^{(1)}}{x_3^{(3)} x_2^{(1)}} + \frac{x_3^{(2)} x_3^{(1)}}{x_2^{(2)} x_2^{(1)}} \right) (cx_2^{(2)} x_2^{(1)} \right. \right. \\
&+ cx_3^{(2)} x_1^{(1)}) + \left. \left. \left(\frac{x_5^{(2)} x_3^{(1)}}{x_4^{(4)} x_2^{(1)}} + \frac{x_4^{(3)} x_3^{(1)}}{x_3^{(3)} x_2^{(1)}} \right) (cx_2^{(2)} x_2^{(1)} + x_3^{(2)} x_1^{(1)}) \right)^{-1} \right. \\
&= y_4^{(1)} \left(cy_4^{(4)} (y_4^{(3)})^2 (y_4^{(2)})^2 y_4^{(1)} + cy_6^{(2)} y_4^{(3)} (y_4^{(2)})^2 y_4^{(1)} y_3^{(3)} + cy_6^{(2)} y_5^{(2)} y_4^{(2)} y_4^{(1)} y_3^{(3)} y_3^{(2)} \right. \\
&+ cy_6^{(2)} y_6^{(1)} y_5^{(2)} y_3^{(3)} y_3^{(2)} y_3^{(1)} \left. \right) \left(cy_4^{(4)} (y_4^{(3)})^2 (y_4^{(2)})^2 y_4^{(1)} + cy_6^{(2)} y_4^{(3)} (y_4^{(2)})^2 y_4^{(1)} y_3^{(3)} \right. \\
&+ cy_6^{(2)} y_5^{(2)} y_4^{(2)} y_4^{(1)} y_3^{(3)} y_3^{(2)} + y_6^{(2)} y_6^{(1)} y_5^{(2)} y_3^{(3)} y_3^{(2)} y_3^{(1)} \left. \right)^{-1} \text{ by Maple} \\
&= w_4^{(1)}. \\
\bullet \quad y_5^{(1)'} &= \left(\frac{z_5^{(2)}}{z_4^{(4)}} + \frac{z_4^{(3)}}{z_3^{(3)}} + \frac{z_3^{(2)}}{z_2^{(2)}} + \frac{z_2^{(1)}}{z_1^{(1)}} \right)^{-1} \\
&= \left(\frac{x_5^{(2)}}{x_4^{(4)}} + \frac{x_4^{(3)}}{x_3^{(3)}} + \frac{x_3^{(2)} (x_2^{(2)} x_2^{(1)} + x_3^{(2)} x_1^{(1)})}{x_2^{(2)} (cx_2^{(2)} x_2^{(1)} + x_3^{(2)} x_1^{(1)})} + \frac{x_2^{(1)} (cx_2^{(2)} x_2^{(1)} + cx_3^{(2)} x_1^{(1)})}{x_1^{(1)} (cx_2^{(2)} x_2^{(1)} + x_3^{(2)} x_1^{(1)})} \right)^{-1} \\
&= \left(\frac{x_5^{(2)}}{x_4^{(4)}} + \frac{x_4^{(3)}}{x_3^{(3)}} + \frac{x_3^{(2)}}{x_2^{(2)}} + \frac{x_2^{(1)}}{x_1^{(1)}} \right)^{-1} = y_5^{(1)} = w_5^{(1)}. \\
\bullet \quad y_6^{(1)'} &= \frac{1}{z_5^{(2)}} = \frac{1}{x_5^{(2)}} = y_6^{(1)} = w_6^{(1)}.
\end{aligned}$$

□

5. $D_6^{(1)}$ -GEOMETRIC CRYSTAL \mathcal{V}

In order to give \mathcal{V}_1 a $\mathfrak{g} = D_6^{(1)}$ -geometric crystal structure, we need to define the actions of e_0^c, γ_0 , and ε_0 on $V_1(x)$. We use the \mathfrak{g}_1 -geometric crystal structure on \mathcal{V}_2 to define the action of e_0^c, γ_0 , and ε_0 on $V_1(x)$ as follows.

$$(5.1) \quad e_0^c(V_1(x)) := \bar{\sigma}^{-1} \circ \bar{e}_{\sigma(0)}^c \circ \bar{\sigma}(V_1(x)) = \bar{\sigma}^{-1} \circ \bar{e}_6^c(V_2(y)),$$

$$(5.2) \quad \gamma_0(V_1(x)) := \overline{\gamma_{\sigma(0)}} \circ \bar{\sigma}(V_1(x)) = \overline{\gamma}_6(V_2(y)).$$

$$(5.3) \quad \varepsilon_0(V_1(x)) := \overline{\varepsilon_{\sigma(0)}} \circ \bar{\sigma}(V_1(x)) = \overline{\varepsilon}_6(V_2(y)),$$

Set

$$\begin{aligned}
K = K_x &= x_6^{(1)} + \frac{x_5^{(1)} x_2^{(2)} x_2^{(1)}}{x_3^{(3)} x_3^{(2)}} + \frac{x_5^{(1)} x_3^{(1)} x_2^{(2)}}{x_4^{(2)} x_3^{(3)}} + \frac{x_4^{(1)} x_2^{(2)}}{x_3^{(3)}} + \frac{x_5^{(1)} x_3^{(2)} x_3^{(1)}}{x_4^{(3)} x_4^{(2)}} + \frac{x_4^{(1)} x_3^{(2)}}{x_4^{(3)}} \\
&+ \frac{x_4^{(2)} x_4^{(1)}}{x_6^{(2)}} + \frac{x_2^{(2)} x_2^{(1)}}{x_6^{(3)}} + \frac{x_6^{(2)} x_2^{(2)} x_2^{(1)}}{x_4^{(4)} x_4^{(3)}} + \frac{x_4^{(2)} x_2^{(2)} x_2^{(1)}}{x_4^{(4)} x_3^{(2)}} + \frac{x_4^{(3)} x_4^{(2)} x_2^{(2)} x_2^{(1)}}{x_5^{(2)} x_3^{(3)} x_3^{(2)}} \\
&+ \frac{x_3^{(1)} x_2^{(2)}}{x_4^{(4)}} + \frac{x_4^{(3)} x_3^{(1)} x_2^{(2)}}{x_5^{(2)} x_3^{(3)}} + \frac{x_3^{(2)} x_3^{(1)}}{x_5^{(2)}}, \\
K_{3_1} = K_{x_{3_1}} &= cx_6^{(1)} + \frac{x_5^{(1)} x_2^{(2)} x_2^{(1)}}{x_3^{(3)} x_3^{(2)}} + c \frac{x_5^{(1)} x_3^{(1)} x_2^{(2)}}{x_4^{(2)} x_3^{(3)}} + c \frac{x_4^{(1)} x_2^{(2)}}{x_3^{(3)}} + c \frac{x_5^{(1)} x_3^{(2)} x_3^{(1)}}{x_4^{(3)} x_4^{(2)}} + c \frac{x_4^{(1)} x_3^{(2)}}{x_4^{(3)}} \\
&+ c \frac{x_4^{(2)} x_4^{(1)}}{x_6^{(2)}} + c \frac{x_2^{(2)} x_2^{(1)}}{x_6^{(3)}} + c \frac{x_6^{(2)} x_2^{(2)} x_2^{(1)}}{x_4^{(4)} x_4^{(3)}} + c \frac{x_4^{(2)} x_2^{(2)} x_2^{(1)}}{x_4^{(4)} x_3^{(2)}} + c \frac{x_4^{(3)} x_4^{(2)} x_2^{(2)} x_2^{(1)}}{x_5^{(2)} x_3^{(3)} x_3^{(2)}} \\
&+ c \frac{x_3^{(1)} x_2^{(2)}}{x_4^{(4)}} + c \frac{x_4^{(3)} x_3^{(1)} x_2^{(2)}}{x_5^{(2)} x_3^{(3)}} + c \frac{x_3^{(2)} x_3^{(1)}}{x_5^{(2)}},
\end{aligned}$$

$$\begin{aligned}
& + c \frac{x_5^{(1)} x_3^{(1)} x_2^{(2)}}{x_4^{(2)} x_3^{(3)}} + c \frac{x_4^{(1)} x_2^{(2)}}{x_3^{(3)}} + c \frac{x_5^{(1)} x_3^{(2)} x_3^{(1)}}{x_4^{(3)} x_4^{(2)}} + c \frac{x_4^{(1)} x_3^{(2)}}{x_4^{(3)}} + c \frac{x_4^{(2)} x_2^{(2)} x_2^{(1)}}{x_4^{(4)} x_3^{(2)}} \\
& + c \frac{x_4^{(3)} x_4^{(2)} x_2^{(2)} x_2^{(1)}}{x_5^{(2)} x_3^{(3)} x_3^{(2)}} + c \frac{x_3^{(1)} x_2^{(2)}}{x_4^{(4)}} + c \frac{x_4^{(3)} x_3^{(1)} x_2^{(2)}}{x_5^{(2)} x_3^{(3)}} + c \frac{x_3^{(2)} x_3^{(1)}}{x_5^{(2)}}) K, \\
K_{4_3} = K_{x_{4_3}} & = c x_6^{(1)} + c \frac{x_5^{(1)} x_2^{(2)} x_2^{(1)}}{x_3^{(3)} x_3^{(2)}} + c \frac{x_5^{(1)} x_3^{(1)} x_2^{(2)}}{x_4^{(2)} x_3^{(3)}} + c \frac{x_4^{(1)} x_2^{(2)}}{x_3^{(3)}} + c \frac{x_5^{(1)} x_3^{(2)} x_3^{(1)}}{x_4^{(3)} x_4^{(2)}} + c \frac{x_4^{(1)} x_3^{(2)}}{x_4^{(3)}} \\
& + c \frac{x_4^{(2)} x_4^{(1)}}{x_6^{(2)}} + c \frac{x_2^{(2)} x_2^{(1)}}{x_6^{(3)}} + c \frac{x_6^{(2)} x_2^{(2)} x_2^{(1)}}{x_4^{(4)} x_4^{(3)}} + c \frac{x_4^{(2)} x_2^{(2)} x_2^{(1)}}{x_4^{(4)} x_3^{(2)}} + c \frac{x_4^{(3)} x_4^{(2)} x_2^{(2)} x_2^{(1)}}{x_5^{(2)} x_3^{(3)} x_3^{(2)}} \\
& + c \frac{x_3^{(1)} x_2^{(2)}}{x_4^{(4)}} + c \frac{x_4^{(3)} x_3^{(1)} x_2^{(2)}}{x_5^{(2)} x_3^{(3)}} + c \frac{x_3^{(2)} x_3^{(1)}}{x_5^{(2)}}, \\
K_{5_1} = K_{x_{5_1}} & = c x_6^{(1)} + c \frac{x_5^{(1)} x_2^{(2)} x_2^{(1)}}{x_3^{(3)} x_3^{(2)}} + c \frac{x_5^{(1)} x_3^{(1)} x_2^{(2)}}{x_4^{(2)} x_3^{(3)}} + c \frac{x_4^{(1)} x_2^{(2)}}{x_3^{(3)}} + c \frac{x_5^{(1)} x_3^{(2)} x_3^{(1)}}{x_4^{(3)} x_4^{(2)}} + c \frac{x_4^{(1)} x_3^{(2)}}{x_4^{(3)}} \\
& + c \frac{x_4^{(2)} x_4^{(1)}}{x_6^{(2)}} + c \frac{x_2^{(2)} x_2^{(1)}}{x_6^{(3)}} + c \frac{x_6^{(2)} x_2^{(2)} x_2^{(1)}}{x_4^{(4)} x_4^{(3)}} + c \frac{x_4^{(2)} x_2^{(2)} x_2^{(1)}}{x_4^{(4)} x_3^{(2)}} + c \frac{x_4^{(3)} x_4^{(2)} x_2^{(2)} x_2^{(1)}}{x_5^{(2)} x_3^{(3)} x_3^{(2)}} \\
& + c \frac{x_3^{(1)} x_2^{(2)}}{x_4^{(4)}} + c \frac{x_4^{(3)} x_3^{(1)} x_2^{(2)}}{x_5^{(2)} x_3^{(3)}} + c \frac{x_3^{(2)} x_3^{(1)}}{x_5^{(2)}}, \\
K_{6_1} = K_{x_{6_1}} & = c x_6^{(1)} + c \frac{x_5^{(1)} x_2^{(2)} x_2^{(1)}}{x_3^{(3)} x_3^{(2)}} + c \frac{x_5^{(1)} x_3^{(1)} x_2^{(2)}}{x_4^{(2)} x_3^{(3)}} + c \frac{x_4^{(1)} x_2^{(2)}}{x_3^{(3)}} + c \frac{x_5^{(1)} x_3^{(2)} x_3^{(1)}}{x_4^{(3)} x_4^{(2)}} + c \frac{x_4^{(1)} x_3^{(2)}}{x_4^{(3)}} \\
& + c \frac{x_4^{(2)} x_4^{(1)}}{x_6^{(2)}} + c \frac{x_2^{(2)} x_2^{(1)}}{x_6^{(3)}} + c \frac{x_6^{(2)} x_2^{(2)} x_2^{(1)}}{x_4^{(4)} x_4^{(3)}} + c \frac{x_4^{(2)} x_2^{(2)} x_2^{(1)}}{x_4^{(4)} x_3^{(2)}} + c \frac{x_4^{(3)} x_4^{(2)} x_2^{(2)} x_2^{(1)}}{x_5^{(2)} x_3^{(3)} x_3^{(2)}} \\
& + c \frac{x_3^{(1)} x_2^{(2)}}{x_4^{(4)}} + c \frac{x_4^{(3)} x_3^{(1)} x_2^{(2)}}{x_5^{(2)} x_3^{(3)}} + c \frac{x_3^{(2)} x_3^{(1)}}{x_5^{(2)}}, \\
K_{6_2} = K_{x_{6_2}} & = c x_6^{(1)} + c \frac{x_5^{(1)} x_2^{(2)} x_2^{(1)}}{x_3^{(3)} x_3^{(2)}} + c \frac{x_5^{(1)} x_3^{(1)} x_2^{(2)}}{x_4^{(2)} x_3^{(3)}} + c \frac{x_4^{(1)} x_2^{(2)}}{x_3^{(3)}} + c \frac{x_5^{(1)} x_3^{(2)} x_3^{(1)}}{x_4^{(3)} x_4^{(2)}} + c \frac{x_4^{(1)} x_3^{(2)}}{x_4^{(3)}} \\
& + c \frac{x_4^{(2)} x_4^{(1)}}{x_6^{(2)}} + c \frac{x_2^{(2)} x_2^{(1)}}{x_6^{(3)}} + c \frac{x_6^{(2)} x_2^{(2)} x_2^{(1)}}{x_4^{(4)} x_4^{(3)}} + c \frac{x_4^{(2)} x_2^{(2)} x_2^{(1)}}{x_4^{(4)} x_3^{(2)}} + c \frac{x_4^{(3)} x_4^{(2)} x_2^{(2)} x_2^{(1)}}{x_5^{(2)} x_3^{(3)} x_3^{(2)}} \\
& + c \frac{x_3^{(1)} x_2^{(2)}}{x_4^{(4)}} + c \frac{x_4^{(3)} x_3^{(1)} x_2^{(2)}}{x_5^{(2)} x_3^{(3)}} + c \frac{x_3^{(2)} x_3^{(1)}}{x_5^{(2)}}.
\end{aligned}$$

The following is the main result in this paper.

Theorem 5.1. *The algebraic variety $\mathcal{V} = \mathcal{V}_1 = \{V_1(x), e_k^c, \gamma_k, \varepsilon_k \mid k \in I\}$ is a positive geometric crystal for the affine Lie algebra $\mathfrak{g} = D_6^{(1)}$ with the e_0^c , γ_0 , and ε_0 actions on $V_1(x)$ given by:*

$$\gamma_0(V_1(x)) = \frac{1}{x_2^{(2)} x_2^{(1)}},$$

$$\varepsilon_0(V_1(x)) = K,$$

$$e_0^c(V_1(x)) = V_1(x') = V_1(x_6^{(3)'}, x_4^{(4)'}, \dots, x_6^{(1)'}) \text{ where}$$

$$\begin{aligned}
 x_1^{(1)'} &= \frac{x_1^{(1)}}{c}, & x_2^{(1)'} &= \frac{x_2^{(1)}}{c}, & x_2^{(2)'} &= \frac{x_2^{(2)}}{c}, \\
 x_3^{(1)'} &= x_3^{(1)} \frac{K}{K_{3_1}}, & x_3^{(2)'} &= x_3^{(2)} \frac{K_{3_1}}{cK_{3_2}}, & x_3^{(3)'} &= x_3^{(3)} \frac{K_{3_2}}{cK}, \\
 x_4^{(1)'} &= x_4^{(1)} \frac{K}{K_{4_1}}, & x_4^{(2)'} &= x_4^{(2)} \frac{KK_{4_1}}{K_{4_2}}, & x_4^{(3)'} &= x_4^{(3)} \frac{K_{4_2}}{cKK_{4_3}}, \\
 x_4^{(4)'} &= x_4^{(4)} \frac{K_{4_3}}{cK}, & x_5^{(1)'} &= x_5^{(1)} \frac{K}{K_{5_1}}, & x_5^{(2)'} &= x_5^{(2)} \frac{K_{5_1}}{cK}, \\
 x_6^{(1)'} &= x_6^{(1)} \frac{K}{K_{6_1}}, & x_6^{(2)'} &= x_6^{(2)} \frac{K_{6_1}}{K_{6_2}}, & x_6^{(3)'} &= x_6^{(3)} \frac{K_{6_2}}{cK}.
 \end{aligned}$$

Proof. Since $\mathcal{V} = \mathcal{V}_1$ is a positive geometric crystal for \mathfrak{g}_0 , to show that it is a positive geometric crystal for $\mathfrak{g} = D_6^{(1)}$, it suffices to show that the following relations involving the 0-action hold (see Definition 1.1):

- (1) $\gamma_0(e_k^c(V_1(x))) = c^{a_{k0}}\gamma_0(V_1(x))$ for all $k \in I$
- (2) $\gamma_k(e_0^c(V_1(x))) = c^{a_{0k}}\gamma_k(V_1(x))$ for all $k \in I$
- (3) $\varepsilon_0(e_0^c(V_1(x))) = c^{-1}\varepsilon_0(V_1(x))$
- (4) $e_0^{c_1}e_k^{c_2} = e_k^{c_2}e_0^{c_1}$ for all $k \in \{1, 3, 4, 5, 6\}$
- (5) $e_0^{c_1}e_2^{c_1c_2}e_0^{c_2} = e_2^{c_2}e_0^{c_1c_2}e_2^{c_1}$

Note that $x_1^{(1)'} = c^{-1}x_1^{(1)}$, $x_2^{(2)'}x_2^{(1)'} = c^{-2}x_2^{(2)}x_2^{(1)}$, $x_3^{(3)'}x_3^{(2)'}x_3^{(1)'} = c^{-2}x_3^{(3)}x_3^{(2)}x_3^{(1)}$, $x_4^{(4)'}x_4^{(3)'}x_4^{(2)'}x_4^{(1)'} = c^{-2}x_4^{(4)}x_4^{(3)}x_4^{(2)}x_4^{(1)}$, $x_5^{(2)'}x_5^{(1)'} = c^{-1}x_5^{(2)}x_5^{(1)}$, $x_6^{(3)'}x_6^{(2)'}x_6^{(1)'} = c^{-1}x_6^{(3)}x_6^{(2)}x_6^{(1)}$. Relations (1) and (2) follows easily from the defined actions. For example,

$$\begin{aligned}
 \gamma_0(e_0^c(V_1(x))) &= \frac{1}{x_2^{(2)'}x_2^{(1)'}} = \frac{1}{c^{-2}x_2^{(2)}x_2^{(1)}} = c^2\gamma_0(V_1(x)) = c^{a_{0,0}}\gamma_0(V_1(x)), \\
 \gamma_0(e_2^c(V_1(x))) &= \frac{1}{c_2x_2^{(2)}cc_2^{-1}x_2^{(1)}} = c^{-1}\gamma_0(V_1(x)) = c^{a_{2,0}}\gamma_0(V_1(x)), \\
 \gamma_1(e_0^c(V_1(x))) &= \frac{(x_1^{(1)'})^2}{x_2^{(2)'}x_2^{(1)'}} = \frac{(c^{-1})^2(x_1^{(1)})^2}{c^{-2}x_2^{(2)}x_2^{(1)}} = c^0\gamma_1(V_1(x)) = c^{a_{0,1}}\gamma_1(V_1(x)).
 \end{aligned}$$

Now we consider relation (3). We have

$$\begin{aligned}
 \varepsilon_0(e_0^c(V_1(x))) &= x_6^{(1)'} + \frac{x_5^{(1)'}x_2^{(2)'}x_2^{(1)'}}{x_3^{(3)'}x_3^{(2)'}} + \frac{x_5^{(1)'}x_3^{(1)'}x_2^{(2)'}}{x_4^{(2)'}x_3^{(3)'}} + \frac{x_4^{(1)'}x_2^{(2)'}}{x_3^{(3)'}} + \frac{x_5^{(1)'}x_3^{(2)'}x_3^{(1)'}}{x_4^{(3)'}x_4^{(2)'}} \\
 &+ \frac{x_4^{(1)'}x_3^{(2)'}}{x_4^{(3)'}} + \frac{x_4^{(2)'}x_4^{(1)'}}{x_6^{(2)'}} + \frac{x_2^{(2)'}x_2^{(1)'}}{x_6^{(3)'}} + \frac{x_6^{(2)'}x_2^{(2)'}x_2^{(1)'}}{x_4^{(4)'}x_4^{(3)'}} + \frac{x_4^{(2)'}x_2^{(2)'}x_2^{(1)'}}{x_4^{(4)'}x_3^{(2)'}} \\
 &+ \frac{x_4^{(3)'}x_4^{(2)'}x_2^{(2)'}x_2^{(1)'}}{x_5^{(2)'}x_3^{(3)'}x_3^{(2)'}} + \frac{x_3^{(1)'}x_2^{(2)'}}{x_4^{(4)'}} + \frac{x_3^{(3)'}x_3^{(1)'}x_2^{(2)'}}{x_5^{(2)'}x_3^{(3)'}} + \frac{x_3^{(2)'}x_3^{(1)'}}{x_5^{(2)'}} \\
 &= x_6^{(1)} \cdot \frac{K}{K_{6_1}} + \frac{x_5^{(1)}x_2^{(2)}x_2^{(1)}}{x_3^{(3)}x_3^{(2)}} \cdot \frac{K^2}{K_{5_1}K_{3_1}} + \frac{x_5^{(1)}x_3^{(1)}x_2^{(2)}}{x_4^{(2)}x_3^{(3)}} \cdot \frac{K^2K_{4_2}}{K_{5_1}K_{4_1}K_{3_2}K_{3_1}} \\
 &+ \frac{x_4^{(1)}x_2^{(2)}}{x_3^{(3)}} \cdot \frac{K^2}{K_{4_1}K_{3_2}} + \frac{x_5^{(1)}x_3^{(2)}x_3^{(1)}}{x_4^{(3)}x_4^{(2)}} \cdot \frac{K^2K_{4_3}}{K_{5_1}K_{4_1}K_{3_2}} + \frac{x_4^{(1)}x_3^{(2)}}{x_4^{(3)}} \cdot \frac{K^2K_{4_3}K_{3_1}}{K_{4_2}K_{4_1}K_{3_2}}
 \end{aligned}$$

$$\begin{aligned}
& + \frac{x_4^{(2)} x_4^{(1)}}{x_6^{(2)}} \cdot \frac{K^2 K_{6_2}}{K_{6_1} K_{4_2}} + \frac{x_2^{(2)} x_2^{(1)}}{x_6^{(3)}} \cdot \frac{K}{c K_{6_2}} + \frac{x_6^{(2)} x_2^{(2)} x_2^{(1)}}{x_4^{(4)} x_4^{(3)}} \cdot \frac{K^2 K_{6_1}}{K_{6_2} K_{4_2}} \\
& + \frac{x_4^{(2)} x_2^{(2)} x_2^{(1)}}{x_4^{(4)} x_3^{(2)}} \cdot \frac{K^2 K_{4_1} K_{3_2}}{K_{4_3} K_{4_2} K_{3_1}} + \frac{x_4^{(3)} x_4^{(2)} x_2^{(2)} x_2^{(1)}}{x_5^{(2)} x_3^{(3)} x_3^{(2)}} \cdot \frac{K^2 K_{4_1}}{K_{5_1} K_{4_3} K_{3_1}} \\
& + \frac{x_3^{(1)} x_2^{(2)}}{x_4^{(4)}} \cdot \frac{K^2}{K_{4_3} K_{3_1}} + \frac{x_4^{(3)} x_3^{(1)} x_2^{(2)}}{x_5^{(2)} x_3^{(3)}} \cdot \frac{K^2 K_{4_2}}{K_{5_1} K_{4_3} K_{3_2} K_{3_1}} + \frac{x_3^{(2)} x_3^{(1)}}{x_5^{(2)}} \cdot \frac{K^2}{K_{5_1} K_{3_2}} \\
& = c^{-1} K \left((K_{6_2} K_{6_1} K_{5_2} K_{5_1} K_{4_3} K_{4_2} K_{4_1} K_{3_2} K_{3_1}) \right. \\
& \quad \left. \times (K_{6_2} K_{6_1} K_{5_2} K_{5_1} K_{4_3} K_{4_2} K_{4_1} K_{3_2} K_{3_1})^{-1} \right) \\
& = c^{-1} K = c^{-1} \varepsilon_0(V_1(x)).
\end{aligned}$$

Next we show relation (4) hold for $k = 1$. It can be shown similarly that it holds for $k = 3, 4, 5, 6$. We need to show that

$$e_0^{c_1} e_1^{c_2}(V_1(x)) = e_1^{c_2} e_0^{c_1}(V_1(x)).$$

Set $e_1^{c_2}(V_1(x)) = V_1(z)$, $e_0^{c_1}(V_1(z)) = V_1(z')$, $e_0^{c_1}(V_1(x)) = V_1(x')$ and $e_1^{c_2}(V_1(x')) = V_1(u)$. We have to show that

$$z_m^{(l)'} = u_m^{(l)}$$

for $(l, m) \in \{(1, 1), (1, 2), (1, 3), (1, 4), (1, 5), (1, 6), (2, 2), (2, 3), (2, 4), (2, 5), (2, 6), (3, 3), (3, 4), (3, 5), (4, 4)\}$. Since in this case $z_1^{(1)} = c_2 x_1^{(1)}$ and $z_m^{(l)} = x_m^{(l)}$ for $(l, m) \neq (1, 1)$ we have $K_z = K_x$, $K_{z3_1} = K_{x3_1}$, $K_{z3_2} = K_{x3_2}$, $K_{z4_1} = K_{x4_1}$, $K_{z4_2} = K_{x4_2}$, $K_{z4_3} = K_{x4_3}$, $K_{z5_1} = K_{x5_1}$, $K_{z6_1} = K_{x6_1}$ and $K_{z6_2} = K_{x6_2}$. Hence we have the following.

- $z_1^{(1)'} = \frac{z_1^{(1)}}{c_1} = \frac{c_2 x_1^{(1)}}{c_1} = c_2 x_1^{(1)'} = u_1^{(1)}$.
- $z_2^{(1)'} = \frac{z_2^{(1)}}{c_1} = \frac{x_2^{(1)}}{c_1} = x_2^{(1)'} = u_2^{(1)}$.
- $z_2^{(2)'} = \frac{z_2^{(2)}}{c_1} = \frac{x_2^{(2)}}{c_1} = x_2^{(2)'} = u_2^{(2)}$.
- $z_3^{(1)'} = z_3^{(1)} \frac{K_z}{K_{z3_1}} = x_3^{(1)} \frac{K_x}{K_{x3_1}} = x_3^{(1)'} = u_3^{(1)}$.
- $z_3^{(2)'} = z_3^{(2)} \frac{K_{z3_1}}{c_1 K_{z3_2}} = x_3^{(2)} \frac{K_{x3_1}}{c_1 K_{x3_2}} = x_3^{(2)'} = u_3^{(2)}$.
- $z_3^{(3)'} = z_3^{(3)} \frac{K_{z3_2}}{c_1 K_z} = x_3^{(3)} \frac{K_{x3_2}}{c_1 K_x} = x_3^{(3)'} = u_3^{(3)}$.
- $z_4^{(1)'} = z_4^{(1)} \frac{K_z}{K_{z4_1}} = x_4^{(1)} \frac{K_x}{K_{x4_1}} = x_4^{(1)'} = u_4^{(1)}$.
- $z_4^{(2)'} = z_4^{(2)} \frac{K_z K_{z4_1}}{K_{z4_2}} = x_4^{(2)} \frac{K_x K_{x4_1}}{K_{x4_2}} = x_4^{(2)'} = u_4^{(2)}$.
- $z_4^{(3)'} = z_4^{(3)} \frac{K_{z4_2}}{c_1 K_z K_{z4_3}} = \frac{K_{x4_2}}{c_1 K_x K_{x4_3}} = x_4^{(3)'} = u_4^{(3)}$.
- $z_4^{(4)'} = z_4^{(4)} \frac{K_{z4_3}}{c_1 K_z} = x_4^{(4)} \frac{K_{x4_3}}{c_1 K_x} = x_4^{(4)'} = u_4^{(4)}$.
- $z_5^{(1)'} = z_5^{(1)} \frac{K_z}{K_{z5_1}} = x_5^{(1)} \frac{K_x}{K_{x5_1}} = x_5^{(1)'} = u_5^{(1)}$.
- $z_5^{(2)'} = z_5^{(2)} \frac{K_{z5_1}}{c_1 K_z} = x_5^{(2)} \frac{K_{x5_1}}{c_1 K_x} = x_5^{(2)'} = u_5^{(2)}$.
- $z_6^{(1)'} = z_6^{(1)} \frac{K_z}{K_{z6_1}} = x_6^{(1)} \frac{K_x}{K_{x6_1}} = x_6^{(1)'} = u_6^{(1)}$.
- $z_6^{(2)'} = z_6^{(2)} \frac{K_{z6_1}}{K_{z6_2}} = x_6^{(2)} \frac{K_{x6_1}}{K_{x6_2}} = x_6^{(2)'} = u_6^{(2)}$.
- $z_6^{(3)'} = z_6^{(3)} \frac{K_{z6_2}}{c_1 K_z} = x_6^{(3)} \frac{K_{x6_2}}{c_1 K_x} = x_6^{(3)'} = u_6^{(3)}$.

since $u_1^{(1)} = c_2 x_1^{(1)'}$ and $u_m^{(l)} = c_2 x_m^{(l)'}$ for $(l, m) \neq (1, 1)$. Finally to show relation (5) we observe that $\bar{e}_6^{c_1} \bar{e}_4^{c_1 c_2} \bar{e}_6^{c_2} = \bar{e}_4^{c_2} \bar{e}_6^{c_1 c_2} \bar{e}_4^{c_1}$ since \mathcal{V}_2 is a \mathfrak{g}_1 -geometric crystal. Hence by Proposition 4.3, we have

$$\begin{aligned} e_0^{c_1} e_2^{c_1 c_2} e_0^{c_2} &= \bar{\sigma}^{-1} \bar{e}_6^{c_1} \bar{\sigma} e_2^{c_1 c_2} \bar{\sigma}^{-1} \bar{e}_6^{c_2} \bar{\sigma} \\ &= \bar{\sigma}^{-1} \bar{e}_6^{c_1} \bar{e}_4^{c_1 c_2} \bar{e}_6^{c_2} \bar{\sigma} = \bar{\sigma}^{-1} \bar{e}_4^{c_2} \bar{e}_6^{c_1 c_2} \bar{e}_4^{c_1} \bar{\sigma} \\ &= e_2^{c_2} \bar{\sigma}^{-1} \bar{e}_6^{c_1 c_2} \bar{\sigma} e_2^{c_1} = e_2^{c_2} e_0^{c_1 c_2} e_2^{c_1}, \end{aligned}$$

which completes the proof. \square

REFERENCES

- [1] Berenstein A. and Kazhdan D., Geometric crystals and Unipotent crystals, GAFA 2000(Tel Aviv,1999), Geom Funct.Anal.2000, Special Volume, PartI, 188–236.
- [2] Igarashi M. and Nakashima T., Affine Geometric Crystal of type $D_4^{(3)}$, Contemporary Mathematics **506**, (2010), 215–226.
- [3] Igarashi M. , Misra K. C. and Pongprasert, S., $D_5^{(1)}$ - Geometric Crystal corresponding to the Dynkin spin node $i = 5$ and its ultra-discretization, J. Algebra and its Appl. (2019), to appear.
- [4] Kashiwara M., On crystal bases of the q -analogue of universal enveloping algebras, *Duke Math. J.*, **63** (1991), 465–516.
- [5] Kashiwara M., On level-zero representation of quantized affine algebras, *Duke Math.J.*, **112** (2002), 499–525.
- [6] Kashiwara M., Level zero fundamental representations over quantized affine algebras and Demazure modules. Publ. Res. Inst. Math. Sci. **41** (2005), no. 1, 223–250.
- [7] Kashiwara M., Nakashima T. and Okado M., Affine geometric crystals and limit of perfect crystals, Trans.Amer.Math.Soc., **360**, (2008), no.7, 3645–3686.
- [8] Kac V.G., Infinite dimensional Lie algebras, Cambridge Univ.Press, 3rd edition (1990).
- [9] Kac V.G. and Peterson D.H., Defining relations of certain infinite-dimensional groups; in “Arithmetic and Geometry”(Artin M.,Tate J.,eds), 141–166, Birkhäuser, Boston-Basel-Stuttgart, (1983).
- [10] Misra K.C. and Nakashima T., $A_n^{(1)}$ -Geometric Crystal corresponding to Dynkin index $i = 2$ and its ultra-discretization, Symmetries, Integrable Systems and Representations, Springer Proceedings in Mathematics & Statistics 40 (2013), 297–318.
- [11] Misra K.C. and Nakashima T., Affine Geometric Crystal of $A_n^{(1)}$ and Limit of Kirillov-Reshetikhin Perfect Crystals, J. Algebra, **507** (2018) 249-291.
- [12] Igarashi M., Misra K.C. and Pongprasert S., $D_5^{(1)}$ - Geometric Crystal corresponding to the Dynkin spin node $i = 5$ and its ultra-discretization, J. Algebra and Appl. (2019) to appear.
- [13] Lusztig G., Canonical bases arising from quantized enveloping algebras, *J. Amer. Math. Soc.* **3** (1990), 447–498.
- [14] Nakashima T., Geometric crystals on Schubert varieties, Journal of Geometry and Physics, **53** (2), 197–225, (2005).
- [15] Nakashima T., Affine Geometric Crystal of type $G_2^{(1)}$, Contemporary Mathematics, **442**, 179–192, Amer.Math.Soc.,Providence, RI, (2007).
- [16] Peterson D.H., and Kac V.G., Infinite flag varieties and conjugacy theorems, Porc.Nat.Acad.Sci.USA, **80**, 1778–1782, (1983).

DEPARTMENT OF MATHEMATICS, NORTH CAROLINA STATE UNIVERSITY, RALEIGH, NC 27695-8205, USA

E-mail address: misra@ncsu.edu

DEPARTMENT OF MATHEMATICS, SRINAKHARINWIROT UNIVERSITY, BANGKOK, THAILAND 10310

E-mail address: suchadapo@g.swu.ac.th