

Comment on “Quantum Games and Quantum Strategies”

Anthony Bordg¹ and Yijun He²

¹Department of Computer Science and Technology, University of Cambridge

²University of Cambridge

Abstract

We point out a flaw in the unfair case of the quantum Prisoner’s Dilemma as introduced in the pioneering Letter *Quantum Games and Quantum Strategies* of Eisert, Wilkens and Lewenstein. It is not true that the so-called *miracle move* therein always gives quantum Alice a large reward against classical Bob and outperforms *tit-for-tat* in an iterated game. Indeed, we introduce a new classical strategy that becomes Bob’s dominant strategy, should Alice play the miracle move. Finally, we briefly survey the subsequent literature and turn to the 3-parameter strategic space instead of the 2-parameter one of Eisert *et al.*

Along with Meyer [Mey99] Eisert, Wilkens and Lewenstein pioneered the field of quantum game theory. In their classic Letter [EWL99] they investigated the quantization of the Prisoner’s Dilemma. However, as previously noted [BH01] their restricted strategic space using two parameters

$$\hat{U}(\theta, \phi) = \begin{pmatrix} e^{i\phi} \cos(\theta/2) & \sin(\theta/2) \\ -\sin(\theta/2) & e^{-i\phi} \cos(\theta/2) \end{pmatrix}$$

is only a subset of $SU(2)$ and as a consequence is unlikely to reflect any reasonable physical constraint. Fortunately, this subset exhibits interesting properties arising in the quantum regime. But below we show their section

on the quantum-classical version of the Prisoner's Dilemma, where Alice may use a quantum strategy while Bob is restricted to a classical strategy, is also flawed.

In particular the claim that the so-called miracle move $\hat{M} := \hat{U}(\pi/2, \pi/2)$ gives Alice "at least reward $r = 3$ as pay-off, since $\$_A(\hat{M}, \hat{U}(\theta, 0)) \geq 3$ for any $\theta \in [0, \pi]$, leaving Bob with $\$_B(\hat{M}, \hat{U}(\theta, 0)) \leq \frac{1}{2}$ " [EWL99, p.3079] is false. Indeed, for a maximally entangled game $\gamma = \frac{\pi}{2}$, for $\theta = \frac{\pi}{2}$ one has

$$\frac{1}{2} < \$_A(\hat{M}, \hat{U}(\frac{\pi}{2}, 0)) = \$_B(\hat{M}, \hat{U}(\frac{\pi}{2}, 0)) = 1 < 3 .$$

In the situation where Alice plays the miracle move while Bob is restricted only to classical strategies, for $0 \leq \gamma \leq \frac{\pi}{2}$ we have

$$\$_A(\hat{M}, \hat{U}(\theta, 0)) = \frac{1}{8} (21 + \cos(\gamma)^2(-3 + 14 \cos \theta) + 3 \sin(\gamma)^2 - 16 \sin \gamma \sin \theta) \quad (1)$$

$$\$_B(\hat{M}, \hat{U}(\theta, 0)) = \frac{1}{8} (11 + \cos(\gamma)^2(7 - 6 \cos \theta) - 7 \sin(\gamma)^2 + 4 \sin \gamma \sin \theta) . \quad (2)$$

So, plugging $\gamma = \frac{\pi}{2}$ in equations (1) and (2) gives

$$\$_A(\hat{M}, \hat{U}(\theta, 0)) - \$_B(\hat{M}, \hat{U}(\theta, 0)) = \frac{5}{2}(1 - \sin \theta)$$

admitting a minimum of 0 when $\theta = \frac{\pi}{2}$.

In other words, in the 2-parameter scheme there is no miracle move and the dilemma is not removed in favor of the quantum player contrary to the claim in [AD02, III.C] which reproduced the faulty analysis of [EWL99] supported by erroneous computations (the authors found $\$_A = 3 + 2 \sin \theta$ and $\$_B = \frac{1}{2}(1 - \sin \theta)$ instead of $\$_A = 3 - 2 \sin \theta$ and $\$_B = \frac{1}{2}(1 + \sin \theta)$).

Indeed, Bob can immunize himself against Alice's miracle move by playing the *down-to-earth* move \hat{E}

$$\hat{E} \equiv \hat{U}(\frac{\pi}{2}, 0) = \frac{1}{\sqrt{2}} \begin{pmatrix} 1 & 1 \\ -1 & 1 \end{pmatrix} ,$$

the outcome being a draw $\$_A = \$_B = 1$.

Following the notations in [EWL99] and assuming $\gamma = \frac{\pi}{2}$, $\phi_B = 0$, we get the following pay-off matrix.

		Bob		
		\hat{C}	\hat{D}	\hat{E}
Alice	\hat{C}	(3, 3)	(0, 5)	$(\frac{3}{2}, 4)$
	\hat{D}	(5, 0)	(1, 1)	$(3, \frac{1}{2})$
	\hat{Q}	(1, 1)	(5, 0)	$(3, \frac{1}{2})$
	\hat{M}	$(3, \frac{1}{2})$	$(3, \frac{1}{2})$	(1, 1)

So, if Alice plays \hat{M} , the dominant strategy of Bob becomes \hat{E} , thereby doing substantially worse than if they would both cooperate, reproducing the dilemma. Moreover, nothing supports the claim that Alice “may choose “Always- \hat{M} ” as her preferred strategy in an iterated game. This certainly outperforms *tit-for-tat* [...]” [EWL99, p.3079].

In conclusion, the “miracle move” is of no advantage and there is nothing special about it.

We now turn to the 3-parameter scheme as outlined in [FA03, 3] for a brief comparison with the 2-parameter case. A pure quantum strategy becomes any $SU(2)$ operator

$$\hat{U}(\theta, \alpha, \beta) = \begin{pmatrix} e^{i\alpha} \cos(\theta/2) & ie^{i\beta} \sin(\theta/2) \\ ie^{-i\beta} \sin(\theta/2) & e^{-i\alpha} \cos(\theta/2) \end{pmatrix},$$

where $\theta \in [0, \pi]$ and $\alpha, \beta \in [-\pi, \pi]$. In the maximally entangled case $\gamma = \frac{\pi}{2}$ with Bob restricted to classical strategies ($\alpha = \beta = 0$), we get the following payoff matrix.

		Bob		
		\hat{C}	\hat{D}	\hat{E}
Alice	\hat{C}	(3, 3)	(0, 5)	$(\frac{3}{2}, 4)$
	\hat{D}	(5, 0)	(1, 1)	$(3, \frac{1}{2})$
	\hat{M}	$(\frac{3}{2}, 4)$	$(\frac{3}{2}, 4)$	(3, 3)

The miracle move guarantees Alice a minimum payoff against Bob’s classical strategies, but the classical player is the one who benefits most from this move! Strangely enough, this point is not mentioned in [FA03].

Acknowledgments

This work was supported by the European Research Council Advanced Grant ALEXANDRIA (Project 742178).

References

- [AD02] A. P. Flitney and D. Abbott. An Introduction to Quantum Game Theory. *Fluctuation and Noise Letters*, 02(04):R175–R187, 2002.
- [BH01] Simon C. Benjamin and Patrick M. Hayden. Comment on “Quantum Games and Quantum Strategies”. *Phys. Rev. Lett.*, 87:069801, Jul 2001.
- [EWL99] J. Eisert, M. Wilkens, and M. Lewenstein. Quantum Games and Quantum Strategies. *Phys. Rev. Lett.*, 83:3077–3080, Oct 1999.
- [FA03] Adrian P. Flitney and Derek Abbott. Advantage of a Quantum Player over a Classical One in 2 x 2 Quantum Games. *Proceedings: Mathematical, Physical and Engineering Sciences*, 459(2038):2463–2474, 2003.
- [Mey99] David A. Meyer. Quantum Strategies. *Phys. Rev. Lett.*, 82:1052–1055, Feb 1999.