

Automated SpectroPhotometric Image REDuction (ASPIRED)

Marco C Lam, Robert J Smith, and Iain A Steele

*Astrophysics Research Institute, Liverpool John Moores University, IC2, LSP,
146 Brownlow Hill, Liverpool, Merseyside L3 5RF, UK*

c.y.lam@ljmu.ac.uk

Abstract. We aim to provide a suite of publicly available spectral data reduction software to facilitate rapid scientific outcomes from time-domain observations. For time resolved observations, an automated pipeline frees astronomers from performance of the routine data analysis tasks to concentrate on interpretation, planning future observations and communication with international collaborators. The project consists of two parts: data processing (ASPIRED) and a graphical user interface (gASPIRED). ASPIRED is written in Python 3, and was intentionally developed as a self-consistent reduction pipeline with its own diagnostics and error handling. The pipeline can reduce 2D spectral data from raw image to wavelength and flux calibrated 1D spectrum automatically without any user input. gASPIRED is a cross-platform software developed with Electron on a single code base. It brings interactivity to the software with a well-maintained and user-friendly environment.

1. Introduction

With major global investments in multi-wavelength and multi-messenger surveys, time domain astronomy is entering a golden age. To maximally scientific exploit discoveries from these facilities rapid spectroscopic follow-up observations of transient objects (e.g., supernovae, gravitational wave optical counterparts etc.) will provide crucial *astrophysical* interpretations. Part of the OPTICON¹ project coordinates the operation of a network of largely self-funded European robotic and conventional telescopes, coordinating common science goals and providing the tools to deliver science-ready photometric and spectroscopic data. As part of this activity SPRAT (Piascik et al. 2014) was developed as a compact, reliable, low-cost and high-throughput spectrograph and appropriate for deployment on a wide range of 1-4m class telescopes. Installed on the Liverpool Telescope since 2014, the deployable slit and grating mechanism and optical fibre based calibration system make the instrument self-contained. Copies of SPRAT are being built for other telescopes. Our final task is to deliver software that can be easily configured to build pipelines for long slit spectrographs on different telescopes. We use SPRAT as a test case for this development, but our aim is to support a much wider range of instruments. By delivering near real-time data reduction we will facilitate automated or interactive decision making, allowing "on-the-fly" modification of observing strategies and rapid triggering of other facilities.

¹<https://www.astro-opticon.org/>

2. Desktop or Web Application?

Desktop and web-based applications have their strengths and weaknesses, examples specific to the development of the ASPIRED pipeline are summarised in Table 1. Some other considerations include:

Geographical Location – If users are working in extreme or remote environments, there is less likely to be a high speed and reliable internet connection. An application will become completely unusable if it does not have an offline mode.

Platform – The three platforms that dominate the market are the various distributions of Windows, Mac and Linux. (In the context of research data reduction, we neglect hand-held and mobile computing. The solutions selected here ought to be well suited to adaptation to the current generation of mobile devices.) Astrophysics research heavily employs Unix-like systems, but Windows is more commonly used in teaching.

Cost – Development costs for a web-based and a desktop application are similar. When the technology shifts to a completely new paradigm, updating a piece of software can be more expensive than developing a new one.

Desktop	Web-based
Users only need to download once	Has to be downloaded every time
Users have to update the service	A single copy is maintained on the server
Work both on- and/or off-line	Only work online
No overhead cost for hosting	Cost for hosting service
Difficult cross-platform support	Difficult cross-browser support
High performance for local storage	Usually up/download speed limited
Less concern with security problem	Every connection is a potential security issue

Table 1. Comparison of the pros and cons of desktop and web-based application.

3. Data Processing Software

In order to maximise the potential user base and allow easier maintenance and future extension, the development is divided into three self-consistent components – (a) 2D and 1D spectral reduction (except wavelength calibration); (b) wavelength calibration (see RASCAL by Veitch-Michaelis & Lam (2020) in this proceeding); and (c) graphical user interface. The ASPIRED is written in object-oriented Python³, while the gASPIRED is written in JavaScript, html and CSS with the Electron² framework.

3.1. Data Reduction – ASPIRED

ASPIRED³ focuses on spectral data extraction, but it also contains a minimal image reduction facility, which serves basic arithmetic operations. The data extraction itself contains: (a) aperture tracing; (b) top hat/optimal aperture extraction (Horne 1986); (c)

²<https://electronjs.org/>

³<https://github.com/cylammarco/ASPIRED>




Figure 1. An M-dwarf spectrum taken with SPRAT in red optimised mode used as a test case for the development. Top Left: visualisation of the regions for spectral extraction region (black) and background sky fitting (red); bottom left: extracted spectrum (blue), uncertainty (orange), sky signal (red) and signal-to-noise ratio (grey); top right: the extracted spectrum of the standard star after wavelength and flux calibration (blue) and the standard spectrum used for flux calibration (black); bottom right: the extracted spectrum (blue), the uncertainty (orange) and the sky signal (red).

wavelength calibration with RASCAL, or user defined polynomial/spline solutions; and (d) flux calibration if standard star is also provided. It is currently suitable for low resolution long-slit spectral extraction, including flux calibration. It makes use of a number of well-developed packages: NumPy(Walt et al. 2011), ccdproc(Craig et al. 2017) & Astropy for data handling (Astropy Collaboration et al. 2013, 2018); SciPy(Virtanen et al. 2019) for peak finding and curve fitting, as well as for a 1D geometrical distortion correction along the spatial direction, which is applicable to cases of single or multiple sources appearing in the slit, it should be easily extendable to spectral images taken with most integrated field units (although it currently does not support flux calibration of this type of spectrograph); Astro-SCRAPPY(McCully et al. 2018; van Dokkum 2001) for cosmic ray removal to improve the reliability in spectral tracing (original image is used in spectral extraction); RASCAL for wavelength calibration; a slightly modified forked version of SpectRes⁴ for 1D spectral resampling (Carnall 2017); and plotly(Plotly Technologies Inc. 2015) for visualisations (Fig. 1) in both scripting mode and passing JSON to gASPIRED for the interactive GUI mode.

3.2. Graphical User Interface – gASPIRED

As a layer independent of the “logical” part, gASPIRED itself cannot function without an appropriate data reduction script running at the back of the GUI. The spectral identification from a 2D image is manipulated with JS9⁵ (Mandel & Vikhlinin 2019), JSON strings are sent to the back calling a python script to perform the spectral identification

⁴<https://github.com/cylammarco/spectres>

⁵<https://js9.si.edu>

and extraction interactively. The extracted spectra are displayed using `plotly`. Because the `Python-plotly` is built on top of the JavaScript version, it allows us to maintain only a single code base for visualisation in both scripting and GUI modes. If developers prefer a different plotting library, or a static image file is preferred over dynamic plots, only minor modification would be required. The `Electron` framework has cross-platform support. `Travis CI` is used to test the cross-platform builds from Linux and Mac environments for deployment to Windows (32-bit), Linux and Mac. The final software can be installed or used as a “double-click” portable application. This is also hosted on `GitHub`⁶ in a public repository.

4. Future Development

The current development is expected to be released as an alpha version at the end of 2019. We anticipate wider beta-release in 2020. The object-oriented nature of the development should make it easy for subsequent conversion into an `Astropy` affiliated package should it become the future goal.

Acknowledgement

This project has received funding from the European Union’s Horizon 2020 research and innovation programme under grant agreement No 730890. This material reflects only the authors views and the Commission is not liable for any use that may be made of the information contained therein.

References

- Astropy Collaboration, et al. 2013, *A&A*, 558, A33. 1307.6212
 — 2018, *AJ*, 156, 123. 1801.02634
 Carnall, A. C. 2017, arXiv e-prints, arXiv:1705.05165. 1705.05165
 Craig, M., et al. 2017, *astropy/ccdproc*: v1.3.0.post1. URL <https://doi.org/10.5281/zenodo.1069648>
 Horne, K. 1986, *PASP*, 98, 609
 Mandel, E., & Vikhlinin, A. 2019, *ericmandel/js9*: v2.5 a checkpoint release with a few bug fixes, in preparation for widespread ES6 upgrade edits. URL <https://doi.org/10.5281/zenodo.3382228>
 McCully, C., et al. 2018, *astropy/astroscrappy*: v1.0.5 zenodo release. URL <https://doi.org/10.5281/zenodo.1482019>
 Piascik, A. S., Steele, I. A., Bates, S. D., Mottram, C. J., Smith, R. J., Barnsley, R. M., & Bolton, B. 2014, in *Proc. SPIE*, vol. 9147 of Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series, 91478H
 Plotly Technologies Inc. 2015, Collaborative data science. URL <https://plot.ly>
 van Dokkum, P. G. 2001, *PASP*, 113, 1420. astro-ph/0108003
 Veitch-Michaelis, J., & Lam, M. C. 2020, in *ADASS XXIX*, edited by TBD (San Francisco: ASP), vol. TBD of ASP Conf. Ser., TBD
 Virtanen, P., et al. 2019, arXiv e-prints, arXiv:1907.10121. 1907.10121
 Walt, S. v. d., Colbert, S. C., & Varoquaux, G. 2011, *Computing in Science and Engg.*, 13, 22. URL <https://doi.org/10.1109/MCSE.2011.37>

⁶<https://github.com/cylammarco/gASPIRED>