

# Ultra-Discretization of $D_6^{(1)}$ - Geometric Crystal at the spin node

Kailash C. Misra and Suchada Pongprasert

*To Mirko Primc on his 70th Birthday*

ABSTRACT. Let  $\mathfrak{g}$  be an affine Lie algebra with index set  $I = \{0, 1, 2, \dots, n\}$ . It is conjectured in [12] that for each Dynkin node  $k \in I \setminus \{0\}$  the affine Lie algebra  $\mathfrak{g}$  has a positive geometric crystal whose ultra-discretization is isomorphic to the limit of a coherent family of perfect crystals for the Langland dual  $\mathfrak{g}^L$ . In this paper we show that at the spin node  $k = 6$ , the family of perfect crystals given in [6] form a coherent family and show that its limit  $B^{6,\infty}$  is isomorphic to the ultra-discretization of the positive geometric crystal we constructed in [18] for the affine Lie algebra  $D_6^{(1)}$  which proves the conjecture in this case.

## 1. Introduction

Let  $\mathfrak{g}$  denote a simply-laced affine Lie algebra with Cartan datum  $(A, \{\alpha_i\}_{i \in I}, \{\alpha_i^\vee\}_{i \in I})$ , where  $A = (a_{ij})_{i,j \in I}$ ,  $I = \{0, 1, \dots, n\}$  is a symmetric affine Cartan matrix and  $U_q(\mathfrak{g})$  denote the corresponding quantum affine algebra. Let  $P = \mathbb{Z}\Lambda_0 \oplus \mathbb{Z}\Lambda_1 \oplus \dots \oplus \mathbb{Z}\Lambda_n \oplus \mathbb{Z}\delta$  and  $P^\vee = \mathbb{Z}\alpha_0^\vee \oplus \mathbb{Z}\alpha_1^\vee \oplus \dots \oplus \mathbb{Z}\alpha_n^\vee \oplus \mathbb{Z}d$  denote the affine weight lattice and the dual affine weight lattice where  $\delta$  and  $d$  denote the simple imaginary root and the degree derivation respectively. For a dominant weight  $\lambda \in P^+ = \{\mu \in P \mid \mu(h_i) \geq 0 \text{ for all } i \in I\}$  of level  $l = \lambda(\mathbf{c})$  ( $\mathbf{c}$  is the canonical central element),  $(L(\lambda), B(\lambda))$  denote the crystal base [8, 9, 15] for the integrable highest weight  $U_q(\mathfrak{g})$ -module  $V(\lambda)$ . To give explicit realization of the crystal  $B(\lambda)$ , the notion of affine crystal and perfect crystal has been introduced in [5]. In particular, it is shown in [5, 6] that the affine crystal  $B(\lambda)$  for the level  $l \in \mathbb{Z}_{\geq 1}$  integrable highest weight  $U_q(\mathfrak{g})$ -module  $V(\lambda)$  can be realized as the semi-infinite tensor product  $\dots \otimes B^l \otimes B^l \otimes B^l$ , where  $B^l$  is a perfect crystal of level  $l$ . This is known as the path realization of the crystal  $B(\lambda)$ . Subsequently it is noticed in [7] that one needs a coherent family of perfect crystals  $\{B^l\}_{l \geq 1}$  in order to give a path realization of the crystal  $B^\infty$  of  $U_q^-(\mathfrak{g})$ . In particular, the crystal  $B(\infty)$  can be realized as the semi-infinite tensor product  $\dots \otimes B^\infty \otimes B^\infty \otimes B^\infty$  where  $B^\infty$  is the limit of the coherent family of perfect crystals  $\{B^l\}_{l \geq 1}$ .

---

2010 *Mathematics Subject Classification*. Primary 17B37, 17B10; Secondary 17B67.  
KCM is partially supported by the Simons Foundation Grant #636482.

On the other hand the geometric crystal [1, 19] for the simply-laced affine Lie algebra  $\mathfrak{g}$  is a quadruple  $\mathcal{V}(\mathfrak{g}) = (X, \{e_i\}_{i \in I}, \{\gamma_i\}_{i \in I}, \{\varepsilon_i\}_{i \in I})$ , where  $X$  is an ind-variety,  $e_i : \mathbb{C}^\times \times X \rightarrow X$  ( $(c, x) \mapsto e_i^c(x)$ ) are rational  $\mathbb{C}^\times$ -actions and  $\gamma_i, \varepsilon_i : X \rightarrow \mathbb{C}$  ( $i \in I$ ) are rational functions satisfying the following:

- (1)  $\{1\} \times X \subset \text{dom}(e_i)$  for any  $i \in I$ ,
- (2)  $\gamma_j(e_i^c(x)) = c^{a_{ij}} \gamma_j(x)$ ,
- (3) 
$$\begin{cases} e_i^{c_1} e_j^{c_2} = e_j^{c_2} e_i^{c_1} & \text{if } a_{ij} = a_{ji} = 0, \\ e_i^{c_1} e_j^{c_1 c_2} e_i^{c_2} = e_j^{c_2} e_i^{c_1 c_2} e_j^{c_1} & \text{if } a_{ij} = a_{ji} = -1, \end{cases}$$
- (4)  $\varepsilon_j(e_i^c(x)) = c^{-1} \varepsilon_j(x)$  and  $\varepsilon_i(e_j^c(x)) = \varepsilon_i(x)$  if  $a_{i,j} = a_{j,i} = 0$ .

The geometric crystal  $\mathcal{V}(\mathfrak{g})$  is said to be positive if it has a positive structure [1, 12, 19]. Roughly speaking this means that each of the rational maps  $e_i^c$ ,  $\varepsilon_i$  and  $\gamma_i$  are ratios of polynomial functions with positive coefficients.


A remarkable relation between positive geometric crystals and algebraic crystals is the ultra-discretization functor  $\mathcal{UD}$  between them [1]. Applying this functor, positive rational functions are transferred to piecewise linear functions by the simple correspondence:

$$x \times y \mapsto x + y, \quad \frac{x}{y} \mapsto x - y, \quad x + y \mapsto \max\{x, y\}.$$

It was conjectured in [12] that for each affine Lie algebra  $\mathfrak{g}$  and each Dynkin index  $i \in I \setminus \{0\}$ , there exists a positive geometric crystal  $\mathcal{V}(\mathfrak{g}) = (X, \{e_i\}_{i \in I}, \{\gamma_i\}_{i \in I}, \{\varepsilon_i\}_{i \in I})$  whose ultra-discretization  $\mathcal{UD}(\mathcal{V})$  is isomorphic to the limit  $B^\infty$  of a coherent family of perfect crystals for the Langlands dual  $\mathfrak{g}^L$ . So far this conjecture has been proved for  $(k = 1; \mathfrak{g} = A_n^{(1)}, B_n^{(1)}, C_n^{(1)}, D_n^{(1)}, A_{2n-1}^{(2)}, A_{2n}^{(2)}, D_{n+1}^{(2)})$  [12];  $(k \geq 2; A_n^{(1)})$  [16, 17];  $(k = 1; G_2^{(1)})$  [20, 21];  $(k = 1; D_4^{(3)})$  [2, 3];  $(k = 5, D_5^{(1)})$  [4]. In [18] we construct a positive geometric crystal for the affine Lie algebra  $D_6^{(1)}$  at the Dynkin spin node  $k = 6$ . In this paper for  $l \in \mathbb{Z}_{\geq 1}$ , we show that the family of perfect crystals  $\{B^{6,l}\}_{l \geq 1}$  for  $D_6^{(1)}$  given in [6] is a coherent family of perfect crystals with limit  $B^{6,\infty}$ . Furthermore, we prove that the ultra-discretization of the positive geometric crystal  $\mathcal{V}(D_6^{(1)})$  constructed in [18] is isomorphic as crystal to  $B^{6,\infty}$  proving the conjecture [12] in this case.

## 2. Perfect Crystals of type $D_6^{(1)}$

From now on we assume  $\mathfrak{g}$  to be the affine Lie algebra  $D_6^{(1)}$  with index set  $I = \{0, 1, 2, 3, 4, 5, 6\}$ , Cartan matrix  $A = (a_{ij})_{i,j \in I}$  where  $a_{ii} = 2, a_{j,j+1} = -1 = a_{j+1,j}$ ,  $j = 1, 2, 3, 4, a_{02} = a_{20} = a_{46} = a_{64} = -1, a_{ij} = 0$  otherwise, and Dynkin diagram:



Let  $\{\alpha_0, \alpha_1, \alpha_2, \alpha_3, \alpha_4, \alpha_5, \alpha_6\}$ ,  $\{\check{\alpha}_0, \check{\alpha}_1, \check{\alpha}_2, \check{\alpha}_3, \check{\alpha}_4, \check{\alpha}_5, \check{\alpha}_6\}$  and  $\{\Lambda_0, \Lambda_1, \Lambda_2, \Lambda_3, \Lambda_4, \Lambda_5, \Lambda_6\}$  denote the set of simple roots, simple coroots and fundamental weights, respectively. Then  $\mathbf{c} = \check{\alpha}_0 + \check{\alpha}_1 + 2\check{\alpha}_2 + 2\check{\alpha}_3 + 2\check{\alpha}_4 + \check{\alpha}_5 + \check{\alpha}_6$  and  $\delta = \alpha_0 + \alpha_1 + 2\alpha_2 + 2\alpha_3 + 2\alpha_4 + \alpha_5 + \alpha_6$  are the canonical central element and null root respectively.

The sets  $P_{cl} = \bigoplus_{j=0}^6 \mathbb{Z}\Lambda_j$  and  $P = P_{cl} \oplus \mathbb{Z}\delta$  are called classical weight lattice and weight lattice respectively.

In this section we reformulate the  $D_6^{(1)}$ -perfect crystals  $\{B^{6,l}\}_{l \in \mathbb{Z}_{\geq 1}}$  corresponding to the spin node  $k = 6$  given in [6] in coordinatized form and show that it is a coherent family of perfect crystal with limit  $B^{6,\infty}$ .

For a positive integer  $l$ , we consider the sets  $B^{6,l}$  and  $B^{6,\infty}$  as follows.

$$B^{6,l} = \left\{ b = (b_{ij}) \begin{array}{l} i \leq j \leq i+5, \\ 1 \leq i \leq 6 \end{array} \left| \begin{array}{l} b_{ij} \in \mathbb{Z}_{\geq 0}, \sum_{j=i}^{i+5} b_{ij} = l, \ 1 \leq i \leq 6, \\ \sum_{j=i}^{6-t} b_{ij} = \sum_{j=i+t}^{5+t} b_{i+t,j}, \ 1 \leq i, t \leq 5, \\ \sum_{j=i}^t b_{ij} \geq \sum_{j=i+1}^{t+1} b_{i+1,j}, \ 1 \leq i \leq t \leq 5 \end{array} \right. \right\},$$

$$B^{6,\infty} = \left\{ b = (b_{ij}) \begin{array}{l} i \leq j \leq i+5, \\ 1 \leq i \leq 6 \end{array} \left| \begin{array}{l} b_{ij} \in \mathbb{Z}, \sum_{j=i}^{i+5} b_{ij} = 0, \ 1 \leq i \leq 6, \\ \sum_{j=i}^{6-t} b_{ij} = \sum_{j=i+t}^{5+t} b_{i+t,j}, \ 1 \leq i, t \leq 5 \end{array} \right. \right\}.$$

For  $\mathcal{B} = B^{6,l}$  or  $B^{6,\infty}$  we define the maps  $\tilde{e}_k, \tilde{f}_k : \mathcal{B} \rightarrow \mathcal{B} \cup \{0\}$ ,  $\varepsilon_k, \varphi_k : \mathcal{B} \rightarrow \mathbb{Z}$ ,  $0 \leq k \leq 6$  and  $\text{wt} : \mathcal{B} \rightarrow P_{cl}$ , as follows. First we define conditions  $(E_j)$ ,  $1 \leq j \leq 14$ :

$$\begin{aligned} (E_1) \quad & -b_{13} - b_{14} - b_{15} + b_{22} > b_{55}, \\ & -b_{13} - b_{14} - b_{15} + b_{22} > -b_{13} - b_{23} + b_{44} + b_{45}, \\ & -b_{13} - b_{14} - b_{15} + b_{22} > -b_{13} - b_{34} + b_{44} + b_{45}, \\ & -b_{13} - b_{14} - b_{15} + b_{22} > -b_{13} + b_{44}, \\ & -b_{13} - b_{14} - b_{15} + b_{22} > -b_{24} - b_{34} + b_{44} + b_{45}, \\ & -b_{13} - b_{14} - b_{15} + b_{22} > -b_{24} + b_{44}, \\ & -b_{13} - b_{14} - b_{15} + b_{22} > -b_{35} + b_{44}, \\ & -b_{13} - b_{14} - b_{15} + b_{22} > -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35}, \\ & -b_{13} - b_{14} - b_{15} + b_{22} > -b_{13} - b_{14} - b_{23} + b_{33} + b_{34}, \\ & -b_{13} - b_{14} - b_{15} + b_{22} > -b_{13} - b_{23} - b_{25} + b_{33} + b_{34}, \\ & -b_{13} - b_{14} - b_{15} + b_{22} > -b_{13} - b_{14} + b_{33}, \\ & -b_{13} - b_{14} - b_{15} + b_{22} > -b_{13} - b_{25} + b_{33}, \\ & -b_{13} - b_{14} - b_{15} + b_{22} > -b_{24} - b_{25} + b_{33}, \\ (E_2) \quad & -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35} > b_{55}, \\ & -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35} > -b_{13} - b_{23} + b_{44} + b_{45}, \\ & -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35} > -b_{13} - b_{34} + b_{44} + b_{45}, \\ & -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35} > -b_{13} + b_{44}, \\ & -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35} > -b_{24} - b_{34} + b_{44} + b_{45}, \\ & -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35} > -b_{24} + b_{44}, \end{aligned}$$

$$\begin{aligned}
& -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35} > -b_{35} + b_{44}, \\
& -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35} \geq -b_{13} - b_{14} - b_{15} + b_{22}, \\
& -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35} > -b_{13} - b_{14} - b_{23} + b_{33} + b_{34}, \\
& -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35} > -b_{13} - b_{23} - b_{25} + b_{33} + b_{34}, \\
& -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35} > -b_{13} - b_{14} + b_{33}, \\
& -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35} > -b_{13} - b_{25} + b_{33}, \\
& -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35} > -b_{24} - b_{25} + b_{33}, \\
(E_3) \quad & -b_{13} - b_{14} - b_{23} + b_{33} + b_{34} > b_{55}, \\
& -b_{13} - b_{14} - b_{23} + b_{33} + b_{34} > -b_{13} - b_{23} + b_{44} + b_{45}, \\
& -b_{13} - b_{14} - b_{23} + b_{33} + b_{34} > -b_{13} - b_{34} + b_{44} + b_{45}, \\
& -b_{13} - b_{14} - b_{23} + b_{33} + b_{34} > -b_{13} + b_{44}, \\
& -b_{13} - b_{14} - b_{23} + b_{33} + b_{34} > -b_{24} - b_{34} + b_{44} + b_{45}, \\
& -b_{13} - b_{14} - b_{23} + b_{33} + b_{34} > -b_{24} + b_{44}, \\
& -b_{13} - b_{14} - b_{23} + b_{33} + b_{34} > -b_{35} + b_{44}, \\
& -b_{13} - b_{14} - b_{23} + b_{33} + b_{34} \geq -b_{13} - b_{14} - b_{15} + b_{22}, \\
& -b_{13} - b_{14} - b_{23} + b_{33} + b_{34} \geq -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35}, \\
& -b_{13} - b_{14} - b_{23} + b_{33} + b_{34} > -b_{13} - b_{23} - b_{25} + b_{33} + b_{34}, \\
& -b_{13} - b_{14} - b_{23} + b_{33} + b_{34} > -b_{13} - b_{14} + b_{33}, \\
& -b_{13} - b_{14} - b_{23} + b_{33} + b_{34} > -b_{13} - b_{25} + b_{33}, \\
& -b_{13} - b_{14} - b_{23} + b_{33} + b_{34} > -b_{24} - b_{25} + b_{33}, \\
(E_4) \quad & -b_{13} - b_{23} - b_{25} + b_{33} + b_{34} > b_{55}, \\
& -b_{13} - b_{23} - b_{25} + b_{33} + b_{34} > -b_{13} - b_{23} + b_{44} + b_{45}, \\
& -b_{13} - b_{23} - b_{25} + b_{33} + b_{34} > -b_{13} - b_{34} + b_{44} + b_{45}, \\
& -b_{13} - b_{23} - b_{25} + b_{33} + b_{34} > -b_{13} + b_{44}, \\
& -b_{13} - b_{23} - b_{25} + b_{33} + b_{34} > -b_{24} - b_{34} + b_{44} + b_{45}, \\
& -b_{13} - b_{23} - b_{25} + b_{33} + b_{34} > -b_{24} + b_{44}, \\
& -b_{13} - b_{23} - b_{25} + b_{33} + b_{34} > -b_{35} + b_{44}, \\
& -b_{13} - b_{23} - b_{25} + b_{33} + b_{34} \geq -b_{13} - b_{14} - b_{15} + b_{22}, \\
& -b_{13} - b_{23} - b_{25} + b_{33} + b_{34} \geq -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35}, \\
& -b_{13} - b_{23} - b_{25} + b_{33} + b_{34} \geq -b_{13} - b_{14} - b_{23} + b_{33} + b_{34}, \\
& -b_{13} - b_{23} - b_{25} + b_{33} + b_{34} > -b_{13} - b_{14} + b_{33}, \\
& -b_{13} - b_{23} - b_{25} + b_{33} + b_{34} > -b_{13} - b_{25} + b_{33}, \\
& -b_{13} - b_{23} - b_{25} + b_{33} + b_{34} > -b_{24} - b_{25} + b_{33}, \\
(E_5) \quad & -b_{13} - b_{14} + b_{33} > b_{55}, \\
& -b_{13} - b_{14} + b_{33} > -b_{13} - b_{23} + b_{44} + b_{45}, \\
& -b_{13} - b_{14} + b_{33} > -b_{13} - b_{34} + b_{44} + b_{45}, \\
& -b_{13} - b_{14} + b_{33} > -b_{13} + b_{44}, \\
& -b_{13} - b_{14} + b_{33} > -b_{24} - b_{34} + b_{44} + b_{45}, \\
& -b_{13} - b_{14} + b_{33} > -b_{24} + b_{44},
\end{aligned}$$

$$\begin{aligned}
& -b_{13} - b_{14} + b_{33} > -b_{35} + b_{44}, \\
& -b_{13} - b_{14} + b_{33} \geq -b_{13} - b_{14} - b_{15} + b_{22}, \\
& -b_{13} - b_{14} + b_{33} \geq -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35}, \\
& -b_{13} - b_{14} + b_{33} \geq -b_{13} - b_{14} - b_{23} + b_{33} + b_{34}, \\
& -b_{13} - b_{14} + b_{33} > -b_{13} - b_{23} - b_{25} + b_{33} + b_{34}, \\
& -b_{13} - b_{14} + b_{33} > -b_{13} - b_{25} + b_{33}, \\
& -b_{13} - b_{14} + b_{33} > -b_{24} - b_{25} + b_{33}, \\
(E_6) \quad & -b_{13} - b_{23} + b_{44} + b_{45} > b_{55}, \\
& -b_{13} - b_{23} + b_{44} + b_{45} > -b_{13} - b_{34} + b_{44} + b_{45}, \\
& -b_{13} - b_{23} + b_{44} + b_{45} > -b_{13} + b_{44}, \\
& -b_{13} - b_{23} + b_{44} + b_{45} > -b_{24} - b_{34} + b_{44} + b_{45}, \\
& -b_{13} - b_{23} + b_{44} + b_{45} > -b_{24} + b_{44}, \\
& -b_{13} - b_{23} + b_{44} + b_{45} > -b_{35} + b_{44}, \\
& -b_{13} - b_{23} + b_{44} + b_{45} \geq -b_{13} - b_{14} - b_{15} + b_{22}, \\
& -b_{13} - b_{23} + b_{44} + b_{45} \geq -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35}, \\
& -b_{13} - b_{23} + b_{44} + b_{45} \geq -b_{13} - b_{14} - b_{23} + b_{33} + b_{34}, \\
& -b_{13} - b_{23} + b_{44} + b_{45} \geq -b_{13} - b_{23} - b_{25} + b_{33} + b_{34}, \\
& -b_{13} - b_{23} + b_{44} + b_{45} > -b_{13} - b_{14} + b_{33}, \\
& -b_{13} - b_{23} + b_{44} + b_{45} > -b_{13} - b_{25} + b_{33}, \\
& -b_{13} - b_{23} + b_{44} + b_{45} > -b_{24} - b_{25} + b_{33}, \\
(E_7) \quad & -b_{13} - b_{25} + b_{33} > b_{55}, \\
& -b_{13} - b_{25} + b_{33} > -b_{13} - b_{23} + b_{44} + b_{45}, \\
& -b_{13} - b_{25} + b_{33} > -b_{13} - b_{34} + b_{44} + b_{45}, \\
& -b_{13} - b_{25} + b_{33} > -b_{13} + b_{44}, \\
& -b_{13} - b_{25} + b_{33} > -b_{24} - b_{34} + b_{44} + b_{45}, \\
& -b_{13} - b_{25} + b_{33} > -b_{24} + b_{44}, \\
& -b_{13} - b_{25} + b_{33} > -b_{35} + b_{44}, \\
& -b_{13} - b_{25} + b_{33} \geq -b_{13} - b_{14} - b_{15} + b_{22}, \\
& -b_{13} - b_{25} + b_{33} \geq -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35}, \\
& -b_{13} - b_{25} + b_{33} \geq -b_{13} - b_{14} - b_{23} + b_{33} + b_{34}, \\
& -b_{13} - b_{25} + b_{33} \geq -b_{13} - b_{23} - b_{25} + b_{33} + b_{34}, \\
& -b_{13} - b_{25} + b_{33} \geq -b_{13} - b_{14} + b_{33}, \\
& -b_{13} - b_{25} + b_{33} > -b_{24} - b_{25} + b_{33}, \\
(E_8) \quad & -b_{24} - b_{25} + b_{33} > b_{55}, \\
& -b_{24} - b_{25} + b_{33} > -b_{13} - b_{23} + b_{44} + b_{45}, \\
& -b_{24} - b_{25} + b_{33} > -b_{13} - b_{34} + b_{44} + b_{45}, \\
& -b_{24} - b_{25} + b_{33} > -b_{13} + b_{44}, \\
& -b_{24} - b_{25} + b_{33} > -b_{24} - b_{34} + b_{44} + b_{45}, \\
& -b_{24} - b_{25} + b_{33} > -b_{24} + b_{44},
\end{aligned}$$

$$\begin{aligned}
& -b_{24} - b_{25} + b_{33} > -b_{35} + b_{44}, \\
& -b_{24} - b_{25} + b_{33} \geq -b_{13} - b_{14} - b_{15} + b_{22}, \\
& -b_{24} - b_{25} + b_{33} \geq -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35}, \\
& -b_{24} - b_{25} + b_{33} \geq -b_{13} - b_{14} - b_{23} + b_{33} + b_{34}, \\
& -b_{24} - b_{25} + b_{33} \geq -b_{13} - b_{23} - b_{25} + b_{33} + b_{34}, \\
& -b_{24} - b_{25} + b_{33} \geq -b_{13} - b_{14} + b_{33}, \\
& -b_{24} - b_{25} + b_{33} \geq -b_{13} - b_{25} + b_{33}, \\
(E_9) \quad & -b_{13} - b_{34} + b_{44} + b_{45} > b_{55}, \\
& -b_{13} - b_{34} + b_{44} + b_{45} \geq -b_{13} - b_{23} + b_{44} + b_{45}, \\
& -b_{13} - b_{34} + b_{44} + b_{45} > -b_{13} + b_{44}, \\
& -b_{13} - b_{34} + b_{44} + b_{45} > -b_{24} - b_{34} + b_{44} + b_{45}, \\
& -b_{13} - b_{34} + b_{44} + b_{45} > -b_{24} + b_{44}, \\
& -b_{13} - b_{34} + b_{44} + b_{45} > -b_{35} + b_{44}, \\
& -b_{13} - b_{34} + b_{44} + b_{45} \geq -b_{13} - b_{14} - b_{15} + b_{22}, \\
& -b_{13} - b_{34} + b_{44} + b_{45} \geq -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35}, \\
& -b_{13} - b_{34} + b_{44} + b_{45} \geq -b_{13} - b_{14} - b_{23} + b_{33} + b_{34}, \\
& -b_{13} - b_{34} + b_{44} + b_{45} \geq -b_{13} - b_{23} - b_{25} + b_{33} + b_{34}, \\
& -b_{13} - b_{34} + b_{44} + b_{45} \geq -b_{13} - b_{14} + b_{33}, \\
& -b_{13} - b_{34} + b_{44} + b_{45} \geq -b_{13} - b_{25} + b_{33}, \\
& -b_{13} - b_{34} + b_{44} + b_{45} > -b_{24} - b_{25} + b_{33}, \\
(E_{10}) \quad & -b_{13} + b_{44} > b_{55}, \\
& -b_{13} + b_{44} \geq -b_{13} - b_{23} + b_{44} + b_{45}, \\
& -b_{13} + b_{44} \geq -b_{13} - b_{34} + b_{44} + b_{45}, \\
& -b_{13} + b_{44} > -b_{24} - b_{34} + b_{44} + b_{45}, \\
& -b_{13} + b_{44} > -b_{24} + b_{44}, \\
& -b_{13} + b_{44} > -b_{35} + b_{44}, \\
& -b_{13} + b_{44} \geq -b_{13} - b_{14} - b_{15} + b_{22}, \\
& -b_{13} + b_{44} \geq -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35}, \\
& -b_{13} + b_{44} \geq -b_{13} - b_{14} - b_{23} + b_{33} + b_{34}, \\
& -b_{13} + b_{44} \geq -b_{13} - b_{23} - b_{25} + b_{33} + b_{34}, \\
& -b_{13} + b_{44} \geq -b_{13} - b_{14} + b_{33}, \\
& -b_{13} + b_{44} \geq -b_{13} - b_{25} + b_{33}, \\
& -b_{13} + b_{44} > -b_{24} - b_{25} + b_{33}, \\
(E_{11}) \quad & -b_{24} - b_{34} + b_{44} + b_{45} > b_{55}, \\
& -b_{24} - b_{34} + b_{44} + b_{45} \geq -b_{13} - b_{23} + b_{44} + b_{45}, \\
& -b_{24} - b_{34} + b_{44} + b_{45} \geq -b_{13} - b_{34} + b_{44} + b_{45}, \\
& -b_{24} - b_{34} + b_{44} + b_{45} > -b_{13} + b_{44}, \\
& -b_{24} - b_{34} + b_{44} + b_{45} > -b_{24} + b_{44}, \\
& -b_{24} - b_{34} + b_{44} + b_{45} > -b_{35} + b_{44},
\end{aligned}$$

$$\begin{aligned}
& -b_{24} - b_{34} + b_{44} + b_{45} \geq -b_{13} - b_{14} - b_{15} + b_{22}, \\
& -b_{24} - b_{34} + b_{44} + b_{45} \geq -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35}, \\
& -b_{24} - b_{34} + b_{44} + b_{45} \geq -b_{13} - b_{14} - b_{23} + b_{33} + b_{34}, \\
& -b_{24} - b_{34} + b_{44} + b_{45} \geq -b_{13} - b_{23} - b_{25} + b_{33} + b_{34}, \\
& -b_{24} - b_{34} + b_{44} + b_{45} \geq -b_{13} - b_{14} + b_{33}, \\
& -b_{24} - b_{34} + b_{44} + b_{45} \geq -b_{13} - b_{25} + b_{33}, \\
& -b_{24} - b_{34} + b_{44} + b_{45} \geq -b_{24} - b_{25} + b_{33}, \\
(E_{12}) \quad & -b_{24} + b_{44} > b_{55}, \\
& -b_{24} + b_{44} \geq -b_{13} - b_{23} + b_{44} + b_{45}, \\
& -b_{24} + b_{44} \geq -b_{13} - b_{34} + b_{44} + b_{45}, \\
& -b_{24} + b_{44} \geq -b_{13} + b_{44}, \\
& -b_{24} + b_{44} \geq -b_{24} - b_{34} + b_{44} + b_{45}, \\
& -b_{24} + b_{44} > -b_{35} + b_{44}, \\
& -b_{24} + b_{44} \geq -b_{13} - b_{14} - b_{15} + b_{22}, \\
& -b_{24} + b_{44} \geq -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35}, \\
& -b_{24} + b_{44} \geq -b_{13} - b_{14} - b_{23} + b_{33} + b_{34}, \\
& -b_{24} + b_{44} \geq -b_{13} - b_{23} - b_{25} + b_{33} + b_{34}, \\
& -b_{24} + b_{44} \geq -b_{13} - b_{14} + b_{33}, \\
& -b_{24} + b_{44} \geq -b_{13} - b_{25} + b_{33}, \\
& -b_{24} + b_{44} \geq -b_{24} - b_{25} + b_{33}, \\
(E_{13}) \quad & -b_{35} + b_{44} > b_{55}, \\
& -b_{35} + b_{44} \geq -b_{13} - b_{23} + b_{44} + b_{45}, \\
& -b_{35} + b_{44} \geq -b_{13} - b_{34} + b_{44} + b_{45}, \\
& -b_{35} + b_{44} \geq -b_{13} + b_{44}, \\
& -b_{35} + b_{44} \geq -b_{24} - b_{34} + b_{44} + b_{45}, \\
& -b_{35} + b_{44} \geq -b_{24} + b_{44}, \\
& -b_{35} + b_{44} \geq -b_{13} - b_{14} - b_{15} + b_{22}, \\
& -b_{35} + b_{44} \geq -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35}, \\
& -b_{35} + b_{44} \geq -b_{13} - b_{14} - b_{23} + b_{33} + b_{34}, \\
& -b_{35} + b_{44} \geq -b_{13} - b_{23} - b_{25} + b_{33} + b_{34}, \\
& -b_{35} + b_{44} \geq -b_{13} - b_{14} + b_{33}, \\
& -b_{35} + b_{44} \geq -b_{13} - b_{25} + b_{33}, \\
& -b_{35} + b_{44} \geq -b_{24} - b_{25} + b_{33}, \\
(E_{14}) \quad & b_{55} \geq -b_{13} - b_{23} + b_{44} + b_{45}, \\
& b_{55} \geq -b_{13} - b_{34} + b_{44} + b_{45}, \\
& b_{55} \geq -b_{13} + b_{44}, \\
& b_{55} \geq -b_{24} - b_{34} + b_{44} + b_{45}, \\
& b_{55} \geq -b_{24} + b_{44}, \\
& b_{55} \geq -b_{35} + b_{44},
\end{aligned}$$

$$\begin{aligned}
b_{55} &\geq -b_{13} - b_{14} - b_{15} + b_{22}, \\
b_{55} &\geq -b_{13} - b_{14} - b_{23} - b_{24} + b_{33} + b_{34} + b_{35}, \\
b_{55} &\geq -b_{13} - b_{14} - b_{23} + b_{33} + b_{34}, \\
b_{55} &\geq -b_{13} - b_{23} - b_{25} + b_{33} + b_{34}, \\
b_{55} &\geq -b_{13} - b_{14} + b_{33}, \\
b_{55} &\geq -b_{13} - b_{25} + b_{33}, \\
b_{55} &\geq -b_{24} - b_{25} + b_{33}.
\end{aligned}$$

Then we define conditions  $(F_j)$  ( $1 \leq j \leq 14$ ) by replacing  $>$  (resp.  $\geq$ ) with  $\geq$  (resp.  $>$ ) in  $(E_j)$ . Let  $b = (b_{ij}) \in \mathcal{B}$ . Then for  $\tilde{e}_k(b) = (b'_{ij})$  where

$$k = 0 : \left\{ \begin{array}{l}
b'_{11} = b_{11} - 1, b'_{16} = b_{16} + 1, b'_{22} = b_{22} - 1, b'_{27} = b_{27} + 1, b'_{36} = b_{36} - 1, \\
b'_{38} = b_{38} + 1, b'_{47} = b_{47} - 1, b'_{49} = b_{49} + 1, b'_{59} = b_{59} - 1, b'_{5,10} = b_{5,10} + 1, \\
b'_{69} = b_{69} - 1, b'_{6,11} = b_{6,11} + 1 \text{ if } (E_1) \\
b'_{11} = b_{11} - 1, b'_{15} = b_{15} + 1, b'_{22} = b_{22} - 1, b'_{26} = b_{26} + 1, b'_{35} = b_{35} - 1, \\
b'_{38} = b_{38} + 1, b'_{46} = b_{46} - 1, b'_{49} = b_{49} + 1, b'_{58} = b_{58} - 1, b'_{5,10} = b_{5,10} + 1, \\
b'_{69} = b_{69} - 1, b'_{6,11} = b_{6,11} + 1 \text{ if } (E_2) \\
b'_{11} = b_{11} - 1, b'_{15} = b_{15} + 1, b'_{22} = b_{22} - 1, b'_{24} = b_{24} + 1, b'_{25} = b_{25} - 1, \\
b'_{26} = b_{26} + 1, b'_{34} = b_{34} - 1, b'_{38} = b_{38} + 1, b'_{46} = b_{46} - 1, b'_{47} = b_{47} + 1, \\
b'_{48} = b_{48} - 1, b'_{49} = b_{49} + 1, b'_{57} = b_{57} - 1, b'_{5,10} = b_{5,10} + 1, b'_{69} = b_{69} - 1, \\
b'_{6,11} = b_{6,11} + 1 \text{ if } (E_3) \\
b'_{11} = b_{11} - 1, b'_{14} = b_{14} + 1, b'_{22} = b_{22} - 1, b'_{26} = b_{26} + 1, b'_{34} = b_{34} - 1, \\
b'_{37} = b_{37} + 1, b'_{46} = b_{46} - 1, b'_{49} = b_{49} + 1, b'_{57} = b_{57} - 1, b'_{5,10} = b_{5,10} + 1, \\
b'_{69} = b_{69} - 1, b'_{6,11} = b_{6,11} + 1 \text{ if } (E_4) \\
b'_{11} = b_{11} - 1, b'_{15} = b_{15} + 1, b'_{22} = b_{22} - 1, b'_{23} = b_{23} + 1, b'_{25} = b_{25} - 1, \\
b'_{26} = b_{26} + 1, b'_{33} = b_{33} - 1, b'_{38} = b_{38} + 1, b'_{46} = b_{46} - 1, b'_{47} = b_{47} + 1, \\
b'_{48} = b_{48} - 1, b'_{49} = b_{49} + 1, b'_{57} = b_{57} - 1, b'_{58} = b_{58} + 1, b'_{59} = b_{59} - 1, \\
b'_{5,10} = b_{5,10} + 1, b'_{68} = b_{68} - 1, b'_{6,11} = b_{6,11} + 1 \text{ if } (E_5) \\
b'_{11} = b_{11} - 1, b'_{14} = b_{14} + 1, b'_{22} = b_{22} - 1, b'_{25} = b_{25} + 1, b'_{34} = b_{34} - 1, \\
b'_{36} = b_{36} + 1, b'_{45} = b_{45} - 1, b'_{49} = b_{49} + 1, b'_{56} = b_{56} - 1, b'_{5,10} = b_{5,10} + 1, \\
b'_{69} = b_{69} - 1, b'_{6,11} = b_{6,11} + 1 \text{ if } (E_6) \\
b'_{11} = b_{11} - 1, b'_{14} = b_{14} + 1, b'_{22} = b_{22} - 1, b'_{23} = b_{23} + 1, b'_{24} = b_{24} - 1, \\
b'_{26} = b_{26} + 1, b'_{33} = b_{33} - 1, b'_{37} = b_{37} + 1, b'_{46} = b_{46} - 1, b'_{48} = b_{48} + 1, \\
b'_{57} = b_{57} - 1, b'_{58} = b_{58} + 1, b'_{59} = b_{59} - 1, b'_{5,10} = b_{5,10} + 1, b'_{68} = b_{68} - 1, \\
b'_{6,11} = b_{6,11} + 1 \text{ if } (E_7) \\
b'_{11} = b_{11} - 1, b'_{13} = b_{13} + 1, b'_{22} = b_{22} - 1, b'_{26} = b_{26} + 1, b'_{33} = b_{33} - 1, \\
b'_{37} = b_{37} + 1, b'_{46} = b_{46} - 1, b'_{48} = b_{48} + 1, b'_{57} = b_{57} - 1, b'_{5,10} = b_{5,10} + 1, \\
b'_{68} = b_{68} - 1, b'_{6,11} = b_{6,11} + 1 \text{ if } (E_8) \\
b'_{11} = b_{11} - 1, b'_{14} = b_{14} + 1, b'_{22} = b_{22} - 1, b'_{23} = b_{23} + 1, b'_{24} = b_{24} - 1, \\
b'_{25} = b_{25} + 1, b'_{33} = b_{33} - 1, b'_{36} = b_{36} + 1, b'_{45} = b_{45} - 1, b'_{49} = b_{49} + 1, \\
b'_{56} = b_{56} - 1, b'_{58} = b_{58} + 1, b'_{59} = b_{59} - 1, b'_{5,10} = b_{5,10} + 1, b'_{68} = b_{68} - 1, \\
b'_{6,11} = b_{6,11} + 1 \text{ if } (E_9)
\end{array} \right.$$



$$\begin{aligned}
& \left\{ \begin{array}{l}
b'_{11} = b_{11} - 1, b'_{14} = b_{14} + 1, b'_{22} = b_{22} - 1, b'_{23} = b_{23} + 1, b'_{24} = b_{24} - 1, \\
b'_{25} = b_{25} + 1, b'_{33} = b_{33} - 1, b'_{34} = b_{34} + 1, b'_{35} = b_{35} - 1, b'_{36} = b_{36} + 1, \\
b'_{44} = b_{44} - 1, b'_{49} = b_{49} + 1, b'_{56} = b_{56} - 1, b'_{57} = b_{57} + 1, b'_{59} = b_{59} - 1, \\
b'_{5,10} = b_{5,10} + 1, b'_{67} = b_{67} - 1, b'_{6,11} = b_{6,11} + 1 \text{ if } (E_{10}) \\
b'_{11} = b_{11} - 1, b'_{13} = b_{13} + 1, b'_{22} = b_{22} - 1, b'_{25} = b_{25} + 1, b'_{33} = b_{33} - 1, \\
b'_{36} = b_{36} + 1, b'_{45} = b_{45} - 1, b'_{48} = b_{48} + 1, b'_{56} = b_{56} - 1, b'_{5,10} = b_{5,10} + 1, \\
b'_{68} = b_{68} - 1, b'_{6,11} = b_{6,11} + 1 \text{ if } (E_{11}) \\
b'_{11} = b_{11} - 1, b'_{13} = b_{13} + 1, b'_{22} = b_{22} - 1, b'_{25} = b_{25} + 1, b'_{33} = b_{33} - 1, \\
b'_{34} = b_{34} + 1, b'_{35} = b_{35} - 1, b'_{36} = b_{36} + 1, b'_{44} = b_{44} - 1, b'_{48} = b_{48} + 1, \\
b'_{56} = b_{56} - 1, b'_{57} = b_{57} + 1, b'_{58} = b_{58} - 1, b'_{5,10} = b_{5,10} + 1, b'_{67} = b_{67} - 1, \\
b'_{6,11} = b_{6,11} + 1 \text{ if } (E_{12}) \\
b'_{11} = b_{11} - 1, b'_{13} = b_{13} + 1, b'_{22} = b_{22} - 1, b'_{24} = b_{24} + 1, b'_{33} = b_{33} - 1, \\
b'_{36} = b_{36} + 1, b'_{44} = b_{44} - 1, b'_{47} = b_{47} + 1, b'_{56} = b_{56} - 1, b'_{5,10} = b_{5,10} + 1, \\
b'_{67} = b_{67} - 1, b'_{6,11} = b_{6,11} + 1 \text{ if } (E_{13}) \\
b'_{11} = b_{11} - 1, b'_{13} = b_{13} + 1, b'_{22} = b_{22} - 1, b'_{24} = b_{24} + 1, b'_{33} = b_{33} - 1, \\
b'_{35} = b_{35} + 1, b'_{44} = b_{44} - 1, b'_{46} = b_{46} + 1, b'_{56} = b_{56} - 1, b'_{5,10} = b_{5,10} + 1, \\
b'_{67} = b_{67} - 1, b'_{6,11} = b_{6,11} + 1 \text{ if } (E_{14})
\end{array} \right. \\
k = 1 : & \left\{ \begin{array}{l}
b'_{11} = b_{11} + 1, b'_{12} = b_{12} - 1, b'_{6,10} = b_{6,10} + 1, b'_{6,11} = b_{6,11} - 1
\end{array} \right. \\
k = 2 : & \left\{ \begin{array}{l}
b'_{12} = b_{12} + 1, b'_{13} = b_{13} - 1, b'_{59} = b_{59} + 1, b'_{5,10} = b_{5,10} - 1 \text{ if } b_{12} \geq b_{23} \\
b'_{22} = b_{22} + 1, b'_{23} = b_{23} - 1, b'_{69} = b_{69} + 1, b'_{6,10} = b_{6,10} - 1 \text{ if } b_{12} < b_{23}
\end{array} \right. \\
k = 3 : & \left\{ \begin{array}{l}
b'_{13} = b_{13} + 1, b'_{14} = b_{14} - 1, b'_{48} = b_{48} + 1, b'_{49} = b_{49} - 1 \\
\text{if } b_{13} \geq b_{24}, b_{13} + b_{23} \geq b_{24} + b_{34} \\
b'_{23} = b_{23} + 1, b'_{24} = b_{24} - 1, b'_{58} = b_{58} + 1, b'_{59} = b_{59} - 1 \\
\text{if } b_{13} < b_{24}, b_{23} \geq b_{34} \\
b'_{33} = b_{33} + 1, b'_{34} = b_{34} - 1, b'_{68} = b_{68} + 1, b'_{69} = b_{69} - 1 \\
\text{if } b_{13} + b_{23} < b_{24} + b_{34}, b_{23} < b_{34}
\end{array} \right. \\
k = 4 : & \left\{ \begin{array}{l}
b'_{14} = b_{14} + 1, b'_{15} = b_{15} - 1, b'_{37} = b_{37} + 1, b'_{38} = b_{38} - 1 \\
\text{if } b_{14} \geq b_{25}, b_{14} + b_{24} \geq b_{25} + b_{35}, b_{14} + b_{24} + b_{34} \geq b_{25} + b_{35} + b_{45} \\
b'_{24} = b_{24} + 1, b'_{25} = b_{25} - 1, b'_{47} = b_{47} + 1, b'_{48} = b_{48} - 1 \\
\text{if } b_{14} < b_{25}, b_{24} \geq b_{35}, b_{24} + b_{34} \geq b_{35} + b_{45}
\end{array} \right. \\
k = 4 : & \left\{ \begin{array}{l}
b'_{34} = b_{34} + 1, b'_{35} = b_{35} - 1, b'_{57} = b_{57} + 1, b'_{58} = b_{58} - 1 \\
\text{if } b_{14} + b_{24} < b_{25} + b_{35}, b_{24} < b_{35}, b_{34} \geq b_{45} \\
b'_{44} = b_{44} + 1, b'_{45} = b_{45} - 1, b'_{67} = b_{67} + 1, b'_{68} = b_{68} - 1 \\
\text{if } b_{14} + b_{24} + b_{34} < b_{25} + b_{35} + b_{45}, b_{24} + b_{34} < b_{35} + b_{45}, b_{34} < b_{45}
\end{array} \right. \\
k = 5 : & \left\{ \begin{array}{l}
b'_{25} = b_{25} + 1, b'_{26} = b_{26} - 1, b'_{36} = b_{36} + 1, b'_{37} = b_{37} - 1 \\
\text{if } b_{25} + b_{44} + b_{45} \geq b_{33} + b_{34} \\
b'_{45} = b_{45} + 1, b'_{46} = b_{46} - 1, b'_{56} = b_{56} + 1, b'_{57} = b_{57} - 1 \\
\text{if } b_{25} + b_{44} + b_{45} < b_{33} + b_{34}
\end{array} \right.
\end{aligned}$$

$$k = 6 : \left\{ \begin{array}{l} b'_{15} = b_{15} + 1, b'_{16} = b_{16} - 1, b'_{26} = b_{26} + 1, b'_{27} = b_{27} - 1 \\ \quad \text{if } b_{15} + b_{33} + b_{34} + b_{35} \geq b_{22} + b_{23} + b_{24}, \\ \quad \quad b_{15} + b_{33} + b_{34} + 2b_{35} + b_{55} \geq b_{22} + b_{23} + b_{24} + b_{44} \\ b'_{35} = b_{35} + 1, b'_{36} = b_{36} - 1, b'_{46} = b_{46} + 1, b'_{47} = b_{47} - 1 \\ \quad \text{if } b_{15} + b_{33} + b_{34} + b_{35} < b_{22} + b_{23} + b_{24}, b_{35} + b_{55} \geq b_{44} \\ b'_{55} = b_{55} + 1, b'_{56} = b_{56} - 1, b'_{66} = b_{66} + 1, b'_{67} = b_{67} - 1 \\ \quad \text{if } b_{15} + b_{33} + b_{34} + 2b_{35} + b_{55} < b_{22} + b_{23} + b_{24} + b_{44}, \\ \quad \quad b_{35} + b_{55} < b_{44} \end{array} \right.$$

and  $b'_{ij} = b_{ij}$  otherwise.

Also  $\tilde{f}_k(b) = (b'_{ij})$  where

$$k = 0 : \left\{ \begin{array}{l} b'_{11} = b_{11} + 1, b'_{16} = b_{16} - 1, b'_{22} = b_{22} + 1, b'_{27} = b_{27} - 1, b'_{36} = b_{36} + 1, \\ b'_{38} = b_{38} - 1, b'_{47} = b_{47} + 1, b'_{49} = b_{49} - 1, b'_{59} = b_{59} + 1, b'_{5,10} = b_{5,10} - 1, \\ b'_{69} = b_{69} + 1, b'_{6,11} = b_{6,11} - 1 \text{ if } (F_1) \\ b'_{11} = b_{11} + 1, b'_{15} = b_{15} - 1, b'_{22} = b_{22} + 1, b'_{26} = b_{26} - 1, b'_{35} = b_{35} + 1, \\ b'_{38} = b_{38} - 1, b'_{46} = b_{46} + 1, b'_{49} = b_{49} - 1, b'_{58} = b_{58} + 1, b'_{5,10} = b_{5,10} - 1, \\ b'_{69} = b_{69} + 1, b'_{6,11} = b_{6,11} - 1 \text{ if } (F_2) \\ b'_{11} = b_{11} + 1, b'_{15} = b_{15} - 1, b'_{22} = b_{22} + 1, b'_{24} = b_{24} - 1, b'_{25} = b_{25} + 1, \\ b'_{26} = b_{26} - 1, b'_{34} = b_{34} + 1, b'_{38} = b_{38} - 1, b'_{46} = b_{46} + 1, b'_{47} = b_{47} - 1, \\ b'_{48} = b_{48} + 1, b'_{49} = b_{49} - 1, b'_{57} = b_{57} + 1, b'_{5,10} = b_{5,10} - 1, b'_{69} = b_{69} + 1, \\ b'_{6,11} = b_{6,11} - 1 \text{ if } (F_3) \\ b'_{11} = b_{11} + 1, b'_{14} = b_{14} - 1, b'_{22} = b_{22} + 1, b'_{26} = b_{26} - 1, b'_{34} = b_{34} + 1, \\ b'_{37} = b_{37} - 1, b'_{46} = b_{46} + 1, b'_{49} = b_{49} - 1, b'_{57} = b_{57} + 1, b'_{5,10} = b_{5,10} - 1, \\ b'_{69} = b_{69} + 1, b'_{6,11} = b_{6,11} - 1 \text{ if } (F_4) \\ b'_{11} = b_{11} + 1, b'_{15} = b_{15} - 1, b'_{22} = b_{22} + 1, b'_{23} = b_{23} - 1, b'_{25} = b_{25} + 1, \\ b'_{26} = b_{26} - 1, b'_{33} = b_{33} + 1, b'_{38} = b_{38} - 1, b'_{46} = b_{46} + 1, b'_{47} = b_{47} - 1, \\ b'_{48} = b_{48} + 1, b'_{49} = b_{49} - 1, b'_{57} = b_{57} + 1, b'_{58} = b_{58} - 1, b'_{59} = b_{59} + 1, \\ b'_{5,10} = b_{5,10} - 1, b'_{68} = b_{68} + 1, b'_{6,11} = b_{6,11} - 1 \text{ if } (F_5) \\ b'_{11} = b_{11} + 1, b'_{14} = b_{14} - 1, b'_{22} = b_{22} + 1, b'_{25} = b_{25} - 1, b'_{34} = b_{34} + 1, \\ b'_{36} = b_{36} - 1, b'_{45} = b_{45} + 1, b'_{49} = b_{49} - 1, b'_{56} = b_{56} + 1, b'_{5,10} = b_{5,10} - 1, \\ b'_{69} = b_{69} + 1, b'_{6,11} = b_{6,11} - 1 \text{ if } (F_6) \\ b'_{11} = b_{11} + 1, b'_{14} = b_{14} - 1, b'_{22} = b_{22} + 1, b'_{23} = b_{23} - 1, b'_{24} = b_{24} + 1, \\ b'_{26} = b_{26} - 1, b'_{33} = b_{33} + 1, b'_{37} = b_{37} - 1, b'_{46} = b_{46} + 1, b'_{48} = b_{48} - 1, \\ b'_{57} = b_{57} + 1, b'_{58} = b_{58} - 1, b'_{59} = b_{59} + 1, b'_{5,10} = b_{5,10} - 1, b'_{68} = b_{68} + 1, \\ b'_{6,11} = b_{6,11} - 1 \text{ if } (F_7) \\ b'_{11} = b_{11} + 1, b'_{13} = b_{13} - 1, b'_{22} = b_{22} + 1, b'_{26} = b_{26} - 1, b'_{33} = b_{33} + 1, \\ b'_{37} = b_{37} - 1, b'_{46} = b_{46} + 1, b'_{48} = b_{48} - 1, b'_{57} = b_{57} + 1, b'_{5,10} = b_{5,10} - 1, \\ b'_{68} = b_{68} + 1, b'_{6,11} = b_{6,11} - 1 \text{ if } (F_8) \\ b'_{11} = b_{11} + 1, b'_{14} = b_{14} - 1, b'_{22} = b_{22} + 1, b'_{23} = b_{23} - 1, b'_{24} = b_{24} + 1, \\ b'_{25} = b_{25} - 1, b'_{33} = b_{33} + 1, b'_{36} = b_{36} - 1, b'_{45} = b_{45} + 1, b'_{49} = b_{49} - 1, \\ b'_{56} = b_{56} + 1, b'_{58} = b_{58} - 1, b'_{59} = b_{59} + 1, b'_{5,10} = b_{5,10} - 1, b'_{68} = b_{68} + 1, \\ b'_{6,11} = b_{6,11} - 1 \text{ if } (F_9) \end{array} \right.$$

$$\begin{aligned}
& \left\{ \begin{array}{l}
b'_{11} = b_{11} + 1, b'_{14} = b_{14} - 1, b'_{22} = b_{22} + 1, b'_{23} = b_{23} - 1, b'_{24} = b_{24} + 1, \\
b'_{25} = b_{25} - 1, b'_{33} = b_{33} + 1, b'_{34} = b_{34} - 1, b'_{35} = b_{35} + 1, b'_{36} = b_{36} - 1, \\
b'_{44} = b_{44} + 1, b'_{49} = b_{49} - 1, b'_{56} = b_{56} + 1, b'_{57} = b_{57} - 1, b'_{59} = b_{59} + 1, \\
b'_{5,10} = b_{5,10} - 1, b'_{67} = b_{67} + 1, b'_{6,11} = b_{6,11} - 1 \text{ if } (F_{10}) \\
b'_{11} = b_{11} + 1, b'_{13} = b_{13} - 1, b'_{22} = b_{22} + 1, b'_{25} = b_{25} - 1, b'_{33} = b_{33} + 1, \\
b'_{36} = b_{36} - 1, b'_{45} = b_{45} + 1, b'_{48} = b_{48} - 1, b'_{56} = b_{56} + 1, b'_{5,10} = b_{5,10} - 1, \\
b'_{68} = b_{68} + 1, b'_{6,11} = b_{6,11} - 1 \text{ if } (F_{11}) \\
b'_{11} = b_{11} + 1, b'_{13} = b_{13} - 1, b'_{22} = b_{22} + 1, b'_{25} = b_{25} - 1, b'_{33} = b_{33} + 1, \\
b'_{34} = b_{34} - 1, b'_{35} = b_{35} + 1, b'_{36} = b_{36} - 1, b'_{44} = b_{44} + 1, b'_{48} = b_{48} - 1, \\
b'_{56} = b_{56} + 1, b'_{57} = b_{57} - 1, b'_{58} = b_{58} + 1, b'_{5,10} = b_{5,10} - 1, b'_{67} = b_{67} + 1, \\
b'_{6,11} = b_{6,11} - 1 \text{ if } (F_{12}) \\
b'_{11} = b_{11} + 1, b'_{13} = b_{13} - 1, b'_{22} = b_{22} + 1, b'_{24} = b_{24} - 1, b'_{33} = b_{33} + 1, \\
b'_{36} = b_{36} - 1, b'_{44} = b_{44} + 1, b'_{47} = b_{47} - 1, b'_{56} = b_{56} + 1, b'_{5,10} = b_{5,10} - 1, \\
b'_{67} = b_{67} + 1, b'_{6,11} = b_{6,11} - 1 \text{ if } (F_{13}) \\
b'_{11} = b_{11} + 1, b'_{13} = b_{13} - 1, b'_{22} = b_{22} + 1, b'_{24} = b_{24} - 1, b'_{33} = b_{33} + 1, \\
b'_{35} = b_{35} - 1, b'_{44} = b_{44} + 1, b'_{46} = b_{46} - 1, b'_{56} = b_{56} + 1, b'_{5,10} = b_{5,10} - 1, \\
b'_{67} = b_{67} + 1, b'_{6,11} = b_{6,11} - 1 \text{ if } (F_{14})
\end{array} \right. \\
k = 1 : & \left\{ \begin{array}{l}
b'_{11} = b_{11} - 1, b'_{12} = b_{12} + 1, b'_{6,10} = b_{6,10} - 1, b'_{6,11} = b_{6,11} + 1
\end{array} \right. \\
k = 2 : & \left\{ \begin{array}{l}
b'_{12} = b_{12} - 1, b'_{13} = b_{13} + 1, b'_{59} = b_{59} - 1, b'_{5,10} = b_{5,10} + 1 \text{ if } b_{12} > b_{23} \\
b'_{22} = b_{22} - 1, b'_{23} = b_{23} + 1, b'_{69} = b_{69} - 1, b'_{6,10} = b_{6,10} + 1 \text{ if } b_{12} \leq b_{23}
\end{array} \right. \\
k = 3 : & \left\{ \begin{array}{l}
b'_{13} = b_{13} - 1, b'_{14} = b_{14} + 1, b'_{48} = b_{48} - 1, b'_{49} = b_{49} + 1 \\
\text{if } b_{13} > b_{24}, b_{13} + b_{23} > b_{24} + b_{34} \\
b'_{23} = b_{23} - 1, b'_{24} = b_{24} + 1, b'_{58} = b_{58} - 1, b'_{59} = b_{59} + 1 \\
\text{if } b_{13} \leq b_{24}, b_{23} > b_{34} \\
b'_{33} = b_{33} - 1, b'_{34} = b_{34} + 1, b'_{68} = b_{68} - 1, b'_{69} = b_{69} + 1 \\
\text{if } b_{13} + b_{23} \leq b_{24} + b_{34}, b_{23} \leq b_{34}
\end{array} \right. \\
k = 4 : & \left\{ \begin{array}{l}
b'_{14} = b_{14} - 1, b'_{15} = b_{15} + 1, b'_{37} = b_{37} - 1, b'_{38} = b_{38} + 1 \\
\text{if } b_{14} > b_{25}, b_{14} + b_{24} > b_{25} + b_{35}, b_{14} + b_{24} + b_{34} > b_{25} + b_{35} + b_{45} \\
b'_{24} = b_{24} - 1, b'_{25} = b_{25} + 1, b'_{47} = b_{47} - 1, b'_{48} = b_{48} + 1 \\
\text{if } b_{14} \leq b_{25}, b_{24} > b_{35}, b_{24} + b_{34} > b_{35} + b_{45} \\
b'_{34} = b_{34} - 1, b'_{35} = b_{35} + 1, b'_{57} = b_{57} - 1, b'_{58} = b_{58} + 1 \\
\text{if } b_{14} + b_{24} \leq b_{25} + b_{35}, b_{24} \leq b_{35}, b_{34} > b_{45} \\
b'_{44} = b_{44} - 1, b'_{45} = b_{45} + 1, b'_{67} = b_{67} - 1, b'_{68} = b_{68} + 1 \\
\text{if } b_{14} + b_{24} + b_{34} \leq b_{25} + b_{35} + b_{45}, b_{24} + b_{34} \leq b_{35} + b_{45}, b_{34} \leq b_{45}
\end{array} \right. \\
k = 5 : & \left\{ \begin{array}{l}
b'_{25} = b_{25} - 1, b'_{26} = b_{26} + 1, b'_{36} = b_{36} - 1, b'_{37} = b_{37} + 1 \\
\text{if } b_{25} + b_{44} + b_{45} > b_{33} + b_{34} \\
b'_{45} = b_{45} - 1, b'_{46} = b_{46} + 1, b'_{56} = b_{56} - 1, b'_{57} = b_{57} + 1 \\
\text{if } b_{25} + b_{44} + b_{45} \leq b_{33} + b_{34}
\end{array} \right.
\end{aligned}$$

$$k = 6 : \begin{cases} b'_{15} = b_{15} - 1, b'_{16} = b_{16} + 1, b'_{26} = b_{26} - 1, b'_{27} = b_{27} + 1 \\ \quad \text{if } b_{15} + b_{33} + b_{34} + b_{35} > b_{22} + b_{23} + b_{24}, \\ \quad \quad b_{15} + b_{33} + b_{34} + 2b_{35} + b_{55} > b_{22} + b_{23} + b_{24} + b_{44} \\ b'_{35} = b_{35} - 1, b'_{36} = b_{36} + 1, b'_{46} = b_{46} - 1, b'_{47} = b_{47} + 1 \\ \quad \text{if } b_{15} + b_{33} + b_{34} + b_{35} \leq b_{22} + b_{23} + b_{24}, b_{35} + b_{55} > b_{44} \\ b'_{55} = b_{55} - 1, b'_{56} = b_{56} + 1, b'_{66} = b_{66} - 1, b'_{67} = b_{67} + 1 \\ \quad \text{if } b_{15} + b_{33} + b_{34} + 2b_{35} + b_{55} \leq b_{22} + b_{23} + b_{24} + b_{44}, b_{35} + b_{55} \leq b_{44} \end{cases}$$

and  $b'_{ij} = b_{ij}$  otherwise.

For  $b \in B^{6,l}$  if  $\tilde{e}_k(b)$  or  $\tilde{f}_k(b)$  does not belong to  $B^{6,l}$ , then we assume it to be 0. The maps  $\varepsilon_k(b)$ ,  $\varphi_k(b)$  and  $\text{wt}_k(b)$  for  $k = 0, 1, 2, 3, 4, 5, 6$  are given as follows. We observe that  $\text{wt}_k(b) = \varphi_k(b) - \varepsilon_k(b)$ ,  $\varphi(b) = \sum_{k=0}^6 \varphi_k(b)\Lambda_k$ ,  $\varepsilon(b) = \sum_{k=0}^6 \varepsilon_k(b)\Lambda_k$  and  $\text{wt}(b) = \varphi(b) - \varepsilon(b)$ .

$$\varepsilon_0(b) = \begin{cases} l + \mathcal{A}_1 & \text{if } b \in B^{6,l}, \\ \mathcal{A}_1 & \text{if } b \in B^{6,\infty}, \end{cases}$$

$$\begin{aligned} \text{where } \mathcal{A}_1 = & \max\{-b_{56} - b_{57} - b_{58} - b_{59} - b_{5,10}, -b_{13} - b_{23} - b_{46} - b_{47} - b_{48} - b_{49}, \\ & -b_{13} - b_{34} - b_{46} - b_{47} - b_{48} - b_{49}, -b_{13} - b_{45} - b_{46} - b_{47} - b_{48} - b_{49}, \\ & -b_{24} - b_{34} - b_{46} - b_{47} - b_{48} - b_{49}, -b_{24} - b_{45} - b_{46} - b_{47} - b_{48} - b_{49}, \\ & -b_{35} - b_{45} - b_{46} - b_{47} - b_{48} - b_{49}, -b_{13} - b_{14} - b_{15} - b_{23} - b_{24} - b_{25} \\ & -b_{26} - b_{27}, -b_{13} - b_{14} - b_{23} - b_{24} - b_{36} - b_{37} - b_{38}, -b_{13} - b_{14} - b_{23} \\ & -b_{35} - b_{36} - b_{37} - b_{38}, -b_{13} - b_{23} - b_{25} - b_{35} - b_{36} - b_{37} - b_{38}, -b_{13} \\ & -b_{14} - b_{34} - b_{35} - b_{36} - b_{37} - b_{38}, -b_{13} - b_{25} - b_{34} - b_{35} - b_{36} - b_{37} \\ & -b_{38}, -b_{24} - b_{25} - b_{34} - b_{35} - b_{36} - b_{37} - b_{38}\}. \end{aligned}$$

$$\varepsilon_1(b) = b_{12},$$

$$\varepsilon_2(b) = \max\{b_{13}, -b_{12} + b_{13} + b_{23}\},$$

$$\varepsilon_3(b) = \max\{b_{14}, -b_{13} + b_{14} + b_{24}, -b_{13} + b_{14} - b_{23} + b_{24} + b_{34}\},$$

$$\begin{aligned} \varepsilon_4(b) = & \max\{b_{15}, -b_{14} + b_{15} + b_{25}, -b_{14} + b_{15} - b_{24} + b_{25} + b_{35}, \\ & -b_{14} + b_{15} - b_{24} + b_{25} - b_{34} + b_{35} + b_{45}\}, \end{aligned}$$

$$\varepsilon_5(b) = \max\{b_{11} + b_{12} + b_{13} + b_{14} - b_{22} - b_{23} - b_{24} - b_{25},$$

$$b_{11} + b_{12} + b_{13} + b_{14} - b_{22} - b_{23} - b_{24} - 2b_{25} + b_{33} + b_{34} - b_{44} - b_{45}\},$$

$$\varepsilon_6(b) = \begin{cases} l + \mathcal{A}_2 & \text{if } b \in B^{6,l}, \\ \mathcal{A}_2 & \text{if } b \in B^{6,\infty}, \end{cases}$$

$$\begin{aligned} \text{where } \mathcal{A}_2 = & \max\{-b_{11} - b_{12} - b_{13} - b_{14} - b_{15}, -b_{11} - b_{12} - b_{13} - b_{14} - 2b_{15} \\ & + b_{22} + b_{23} + b_{24} - b_{33} - b_{34} - b_{35}, -b_{11} - b_{12} - b_{13} - b_{14} - 2b_{15} \\ & + b_{22} + b_{23} + b_{24} - b_{33} - b_{34} - 2b_{35} + b_{44} - b_{55}\}. \end{aligned}$$

$$\varphi_0(b) = \begin{cases} l + \mathcal{A}_3, & \text{if } b \in B^{6,l}, \\ \mathcal{A}_3, & \text{if } b \in B^{6,\infty}, \end{cases}$$

$$\begin{aligned} \text{where } \mathcal{A}_3 = & \max\{-b_{11} - b_{12} + b_{23} + b_{24} + b_{25} + b_{26} + b_{27} - b_{56} - b_{57} - b_{58} - b_{59} - b_{5,10}, \\ & -b_{11} - b_{12} - b_{13} + b_{24} + b_{25} + b_{26} + b_{27} - b_{46} - b_{47} - b_{48} - b_{49}, \\ & -b_{11} - b_{12} - b_{13} + b_{23} + b_{24} + b_{25} + b_{26} + b_{27} - b_{34} - b_{46} - b_{47} - b_{48} - b_{49}, \end{aligned}$$

$$\begin{aligned}
& -b_{11} - b_{12} - b_{13} + b_{23} + b_{24} + b_{25} + b_{26} + b_{27} - b_{45} - b_{46} - b_{47} - b_{48} - b_{49}, \\
& -b_{11} - b_{12} + b_{23} + b_{25} + b_{26} + b_{27} - b_{34} - b_{46} - b_{47}b_{48} - b_{49}, \\
& -b_{11} - b_{12} + b_{23} + b_{25} + b_{26} + b_{27} - b_{45} - b_{46} - b_{47} - b_{48} - b_{49}, \\
& -b_{11} - b_{12} + b_{23} + b_{24} + b_{25} + b_{26} + b_{27} - b_{35} - b_{45} - b_{46} - b_{47} - b_{48} - b_{49}, \\
& -b_{11} - b_{12} - b_{13} - b_{14} - b_{15}, -b_{11} - b_{12} - b_{13} - b_{14} + b_{25} + b_{26} + b_{27} - b_{36} - b_{37} \\
& - b_{38}, -b_{11} - b_{12} - b_{13} - b_{14} + b_{24} + b_{25} + b_{26} + b_{27} - b_{35} - b_{36} - b_{37} - b_{38}, \\
& -b_{11} - b_{12} - b_{13} + b_{24} + b_{26} + b_{27} - b_{35} - b_{36} - b_{37} - b_{38}, -b_{11} - b_{12} - b_{13} \\
& - b_{14} + b_{23} + b_{24} + b_{25} + b_{26} + b_{27} - b_{34} - b_{35} - b_{36} - b_{37} - b_{38}, \\
& -b_{11} - b_{12} - b_{13} + b_{23} + b_{24} + b_{26} + b_{27} - b_{34} - b_{35} - b_{36} - b_{37} - b_{38}, \\
& -b_{11} - b_{12} + b_{23} + b_{26} + b_{27} - b_{34} - b_{35} - b_{36} - b_{37} - b_{38}.
\end{aligned}$$

$$\varphi_1(b) = b_{11} - b_{22},$$

$$\varphi_2(b) = \max\{b_{22} - b_{33}, b_{12} + b_{22} - b_{23} - b_{33}\},$$

$$\varphi_3(b) = \max\{b_{33} - b_{44}, b_{23} + b_{33} - b_{34} - b_{44}, b_{13} + b_{23} - b_{24} + b_{33} - b_{34} - b_{44}\},$$

$$\varphi_4(b) = \max\{b_{44} - b_{55}, b_{34} + b_{44} - b_{45} - b_{55}, b_{24} + b_{34} - b_{35} + b_{44} - b_{45} - b_{55}, \\ b_{14} + b_{24} - b_{25} + b_{34} - b_{35} + b_{44} - b_{45} - b_{55}\},$$

$$\varphi_5(b) = \max\{b_{45}, b_{25} - b_{33} - b_{34} + b_{44} + 2b_{45}\},$$

$$\varphi_6(b) = \begin{cases} l + \mathcal{A}_4, & \text{if } b \in B^{6,i}, \\ \mathcal{A}_4, & \text{if } b \in B^{6,\infty}, \end{cases}$$

$$\begin{aligned}
\text{where } \mathcal{A}_4 = & \max\{-b_{56} - b_{57} - b_{58} - b_{59} - b_{5,10}, b_{35} - b_{44} + b_{55} - b_{56} - b_{57} \\
& - b_{58} - b_{59} - b_{5,10}, b_{15} - b_{22} - b_{23} - b_{24} + b_{33} + b_{34} + 2b_{35} - b_{44} \\
& + b_{55} - b_{56} - b_{57} - b_{58} - b_{59} - b_{5,10}\}.
\end{aligned}$$

$$\text{wt}_0(b) = -b_{11} - b_{12} + b_{23} + b_{24} + b_{25} + b_{26} + b_{27},$$

$$\text{wt}_1(b) = b_{11} - b_{12} - b_{22},$$

$$\text{wt}_2(b) = b_{12} - b_{13} + b_{22} - b_{23} - b_{33},$$

$$\text{wt}_3(b) = b_{13} - b_{14} + b_{23} - b_{24} + b_{33} - b_{34} - b_{44},$$

$$\text{wt}_4(b) = b_{14} - b_{15} + b_{24} - b_{25} + b_{34} - b_{35} + b_{44} - b_{45} - b_{55},$$

$$\text{wt}_5(b) = -b_{11} - b_{12} - b_{13} - b_{14} + b_{22} + b_{23} + b_{24} + 2b_{25} - b_{33} - b_{34} + b_{44} + 2b_{45},$$

$$\text{wt}_6(b) = b_{11} + b_{12} + b_{13} + b_{14} + 2b_{15} - b_{22} - b_{23} - b_{24} + b_{33} + b_{34} + 2b_{35} - b_{44} + b_{55} \\ - b_{56} - b_{57} - b_{58} - b_{59} - b_{5,10}.$$

Choose elements  $b_0^0, b_1^0, b_2^0, b_3^0, b_4^0, b_5^0, b_6^0$  where

$$(b_0^0)_{ij} = 1 \quad \text{if } (i, j) = (1, 6), (2, 7), (3, 8), (4, 9), (5, 10), (6, 11),$$

$$(b_1^0)_{ij} = 1 \quad \text{if } (i, j) = (1, 1), (2, 6), (3, 7), (4, 8), (5, 9), (6, 10),$$

$$(b_2^0)_{ij} = 1 \quad \text{if } (i, j) = (1, 1), (1, 5), (2, 2), (2, 6), (3, 6), (3, 8), (4, 7), (4, 9), (5, 8), (5, 10), \\ (6, 9), (6, 11),$$

$$(b_3^0)_{ij} = 1 \quad \text{if } (i, j) = (1, 1), (1, 4), (2, 2), (2, 5), (3, 3), (3, 6), (4, 6), (4, 9), (5, 7), (5, 10), \\ (6, 8), (6, 11),$$

$$(b_4^0)_{ij} = 1 \quad \text{if } (i, j) = (1, 1), (1, 3), (2, 2), (2, 4), (3, 3), (3, 5), (4, 4), (4, 6), (5, 6), (5, 10), \\ (6, 7), (6, 11),$$

$$(b_5^0)_{ij} = 1 \quad \text{if } (i, j) = (1, 2), (2, 3), (3, 4), (4, 5), (5, 6), (6, 11),$$

$$(b_6^0)_{ij} = 1 \quad \text{if } (i, j) = (1, 1), (2, 2), (3, 3), (4, 4), (5, 5), (6, 6),$$

and  $(b_k^0)_{ij} = 0$  otherwise, for  $0 \leq k \leq 6$ .

As shown in [6], the crystal  $B^{6,l}$  is a perfect crystal with the set of minimal elements:

$$(B^{6,l})_{\min} = \{b \in B^{6,l} \mid \langle \mathbf{c}, \varepsilon(b) \rangle = l\} \\ = \left\{ \sum_{k=0}^6 a_k b_k^0 \mid a_k \in \mathbb{Z}_{\geq 0}, a_0 + a_1 + 2a_2 + 2a_3 + 2a_4 + a_5 + a_6 = l \right\}.$$

For  $\lambda \in P_{cl}$ , consider the crystal  $T_\lambda = \{t_\lambda\}$  with

$$\tilde{e}_k(t_\lambda) = \tilde{f}_k(t_\lambda) = 0, \quad \varepsilon_k(t_\lambda) = \varphi_k(t_\lambda) = -\infty, \\ \text{wt}(t_\lambda) = \lambda,$$

for  $k = 0, 1, 2, 3, 4, 5, 6$ . Then for  $\lambda, \mu \in P_{cl}$ ,  $T_\lambda \otimes B^{6,l} \otimes T_\mu$  is a crystal with the structure given by

$$\tilde{e}_k(t_\lambda \otimes b \otimes t_\mu) = t_\lambda \otimes \tilde{e}_k b \otimes t_\mu, \quad \tilde{f}_k(t_\lambda \otimes b \otimes t_\mu) = t_\lambda \otimes \tilde{f}_k b \otimes t_\mu, \\ \varepsilon_k(t_\lambda \otimes b \otimes t_\mu) = \varepsilon_k(b) - \langle \check{\alpha}_k, \lambda \rangle, \quad \varphi_k(t_\lambda \otimes b \otimes t_\mu) = \varphi_k(b) + \langle \check{\alpha}_k, \mu \rangle, \\ \text{wt}(t_\lambda \otimes b \otimes t_\mu) = \lambda + \mu + \text{wt}(b)$$

where  $t_\lambda \otimes b \otimes t_\mu \in T_\lambda \otimes B^{6,l} \otimes T_\mu$ .

The notion of a coherent family of perfect crystals and its limit is defined in [7]. In the following theorem we prove that the family of  $D_6^{(1)}$  crystals  $\{B^{6,l}\}_{l \geq 1}$  form a coherent family with limit  $B^{6,\infty}$  containing the special vector  $b^\infty = \mathbf{0}$  (i.e.  $(b^\infty)_{ij} = 0$  for  $i \leq j \leq i + 5$ ,  $1 \leq i \leq 6$ ).

**THEOREM 2.1.** *The family of perfect crystals  $\{B^{6,l}\}_{l \geq 1}$  forms a coherent family and the crystal  $B^{6,\infty}$  is its limit.*

**PROOF.** Set  $J = \{(l, b) \mid l \in \mathbb{Z}_{>0}, b \in (B^{6,l})_{\min}\}$ . By ([7], Definition 4.1), we need to show that

- (1)  $\text{wt}(b^\infty) = 0, \varepsilon(b^\infty) = \varphi(b^\infty) = 0$ ,
- (2) for any  $(l, b) \in J$ , there exists an embedding of crystals
$$f_{(l,b)} : T_{\varepsilon(b)} \otimes B^{6,l} \otimes T_{-\varphi(b)} \longrightarrow B^{6,\infty}$$
 where  $f_{(l,b)}(t_{\varepsilon(b)} \otimes b \otimes t_{-\varphi(b)}) = b^\infty$ ,
- (3)  $B^{6,\infty} = \cup_{(l,b) \in J} \text{Im } f_{(l,b)}$ .

Since  $\varepsilon_k(b^\infty) = 0, \varphi_k(b^\infty) = 0, 0 \leq k \leq 6$ , we have  $\varepsilon(b^\infty) = 0, \varphi(b^\infty) = 0$  and hence  $\text{wt}(b^\infty) = 0$  which proves (1).

Let  $l \in \mathbb{Z}_{>0}$  and  $b^0 = (b_{ij}^0)$  be an element of  $(B^{6,l})_{\min}$ . Then there exist  $a_k \in \mathbb{Z}_{\geq 0}, 0 \leq k \leq 6$  such that  $a_0 + a_1 + 2a_2 + 2a_3 + 2a_4 + a_5 + a_6 = l$  and

$$b_{11}^0 = a_1 + a_2 + a_3 + a_4 + a_6, \quad b_{12}^0 = a_5, \quad b_{13}^0 = a_4, \quad b_{14}^0 = a_3, \quad b_{15}^0 = a_2, \quad b_{16}^0 = a_0, \\ b_{22}^0 = a_2 + a_3 + a_4 + a_6, \quad b_{23}^0 = a_5, \quad b_{24}^0 = a_4, \quad b_{25}^0 = a_3, \quad b_{26}^0 = a_1 + a_2, \quad b_{27}^0 = a_0, \\ b_{33}^0 = a_3 + a_4 + a_6, \quad b_{34}^0 = a_5, \quad b_{35}^0 = a_4, \quad b_{36}^0 = a_2 + a_3, \quad b_{37}^0 = a_1, \quad b_{38}^0 = a_0 + a_2, \\ b_{44}^0 = a_4 + a_6, \quad b_{45}^0 = a_5, \quad b_{46}^0 = a_3 + a_4, \quad b_{47}^0 = a_2, \quad b_{48}^0 = a_1, \quad b_{49}^0 = a_0 + a_2 + a_3, \\ b_{55}^0 = a_6, \quad b_{56}^0 = a_4 + a_5, \quad b_{57}^0 = a_3, \quad b_{58}^0 = a_2, \quad b_{59}^0 = a_1, \quad b_{5,10}^0 = a_0 + a_2 + a_3 + a_4, \\ b_{66}^0 = a_6, \quad b_{67}^0 = a_4, \quad b_{68}^0 = a_3, \quad b_{69}^0 = a_2, \quad b_{6,10}^0 = a_1, \quad b_{6,11}^0 = a_0 + a_2 + a_3 + a_4 + a_5, \\ \varepsilon(b^0) = a_6 \Lambda_0 + a_5 \Lambda_1 + a_4 \Lambda_2 + a_3 \Lambda_3 + a_2 \Lambda_4 + a_1 \Lambda_5 + a_0 \Lambda_6,$$

$$\varphi(b^0) = a_0\Lambda_0 + a_1\Lambda_1 + a_2\Lambda_2 + a_3\Lambda_3 + a_4\Lambda_4 + a_5\Lambda_5 + a_6\Lambda_6.$$

For any  $b = (b_{ij}) \in B^{6,l}$ , we define a map

$$f_{(l,b^0)} : T_{\varepsilon(b^0)} \otimes B^{6,l} \otimes T_{-\varphi(b^0)} \longrightarrow B^{6,\infty}$$

by  $f_{(l,b^0)}(t_{\varepsilon(b^0)} \otimes b \otimes t_{-\varphi(b^0)}) = b' = (b'_{ij})$  where  $b'_{ij} = b_{ij} - b_{ij}^0$  for all  $i \leq j \leq i+5$ ,  $1 \leq i \leq 6$ . Then it is easy to see that

$$\varepsilon_k(b') = \varepsilon_k(b) - a_{6-k} = \varepsilon_k(b) - \langle \check{\alpha}_k, \varepsilon(b^0) \rangle \quad \text{for } 0 \leq k \leq 6,$$

$$\varphi_k(b') = \varphi_k(b) - a_k = \varphi_k(b) + \langle \check{\alpha}_k, -\varphi(b^0) \rangle \quad \text{for } 0 \leq k \leq 6.$$

Hence we have

$$\varepsilon_k(b') = \varepsilon_k(b) - \langle \check{\alpha}_k, \varepsilon(b^0) \rangle = \varepsilon_k(t_{\varepsilon(b^0)} \otimes b \otimes t_{-\varphi(b^0)}),$$

$$\varphi_k(b') = \varphi_k(b) + \langle \check{\alpha}_k, -\varphi(b^0) \rangle = \varphi_k(t_{\varepsilon(b^0)} \otimes b \otimes t_{-\varphi(b^0)}),$$

$$\begin{aligned} \text{wt}(b') &= \sum_{k=0}^6 (\varphi_k(b') - \varepsilon_k(b')) \Lambda_k = \text{wt}(b) + \sum_{k=0}^6 \langle \check{\alpha}_k, -\varphi(b^0) \rangle \Lambda_k + \sum_{k=0}^6 \langle \check{\alpha}_k, \varepsilon(b^0) \rangle \Lambda_k \\ &= \text{wt}(b) - \varphi(b^0) + \varepsilon(b^0) = \text{wt}(t_{\varepsilon(b^0)} \otimes b \otimes t_{-\varphi(b^0)}). \end{aligned}$$

For  $0 \leq k \leq 6$ ,  $b \in B^{6,l}$ , it can be checked easily that the conditions for the action of  $\tilde{e}_k$  on  $b' = b - b^0$  hold if and only if the conditions for the action of  $\tilde{e}_k$  on  $b$  hold. Hence from the defined action of  $\tilde{e}_k$ , we see that  $\tilde{e}_k(b') = \tilde{e}_k(b) - b^0$ ,  $0 \leq k \leq 6$ . This implies that

$$\begin{aligned} f_{(l,b^0)}(\tilde{e}_k(t_{\varepsilon(b^0)} \otimes b \otimes t_{-\varphi(b^0)})) &= f_{(l,b^0)}(t_{\varepsilon(b^0)} \otimes \tilde{e}_k(b) \otimes t_{-\varphi(b^0)}) \\ &= \tilde{e}_k(b) - b^0 = \tilde{e}_k(b') = \tilde{e}_k(f_{(l,b^0)}(t_{\varepsilon(b^0)} \otimes b \otimes t_{-\varphi(b^0)})). \end{aligned}$$

Similarly, we have  $f_{(l,b^0)}(\tilde{f}_k(t_{\varepsilon(b^0)} \otimes b \otimes t_{-\varphi(b^0)})) = \tilde{f}_k(f_{(l,b^0)}(t_{\varepsilon(b^0)} \otimes b \otimes t_{-\varphi(b^0)}))$ . Clearly the map  $f_{(l,b^0)}$  is injective with  $f_{(l,b^0)}(t_{\varepsilon(b^0)} \otimes b^0 \otimes t_{-\varphi(b^0)}) = b^\infty$ . This proves (2).

We observe that  $\sum_{j=i}^{i+5} b'_{ij} = \sum_{j=i}^{i+5} b_{ij} - \sum_{j=i}^{i+5} b_{ij}^0 = l - l = 0$  for all  $1 \leq i \leq 6$ . Also,

$$\begin{aligned} b'_{11} &= b_{11} - b_{11}^0 \\ &= b_{66} + b_{67} + b_{68} + b_{69} + b_{6,10} - a_1 - a_2 - a_3 - a_4 - a_6 \\ &= b'_{66} + b'_{67} + b'_{68} + b'_{69} + b'_{6,10}, \\ b'_{11} + b'_{12} &= b_{11} - b_{11}^0 + b_{12} - b_{12}^0 \\ &= b_{55} + b_{56} + b_{57} + b_{58} + b_{59} - a_1 - a_2 - a_3 - a_4 - a_5 - a_6 \\ &= b'_{55} + b'_{56} + b'_{57} + b'_{58} + b'_{59}, \\ b'_{11} + b'_{12} + b'_{13} &= b_{11} - b_{11}^0 + b_{12} - b_{12}^0 + b_{13} - b_{13}^0 \\ &= b_{44} + b_{45} + b_{46} + b_{47} + b_{48} - a_1 - a_2 - a_3 - 2a_4 - a_5 - a_6 \\ &= b'_{44} + b'_{45} + b'_{46} + b'_{47} + b'_{48}, \\ b'_{11} + b'_{12} + b'_{13} + b'_{14} &= b_{11} - b_{11}^0 + b_{12} - b_{12}^0 + b_{13} - b_{13}^0 + b_{14} - b_{14}^0 \\ &= b_{33} + b_{34} + b_{35} + b_{36} + b_{37} - a_1 - a_2 - 2a_3 - 2a_4 - a_5 - a_6 \\ &= b'_{33} + b'_{34} + b'_{35} + b'_{36} + b'_{37}, \\ b'_{11} + b'_{12} + b'_{13} + b'_{14} + b'_{15} &= b_{11} - b_{11}^0 + b_{12} - b_{12}^0 + b_{13} - b_{13}^0 + b_{14} - b_{14}^0 + b_{15} - b_{15}^0 \\ &= b_{22} + b_{23} + b_{24} + b_{25} + b_{26} - a_1 - 2a_2 - 2a_3 - 2a_4 - a_5 - a_6 \\ &= b'_{22} + b'_{23} + b'_{24} + b'_{25} + b'_{26}. \end{aligned}$$

Similarly, we can show that  $\sum_{j=i}^{6-t} b'_{ij} = \sum_{j=i+t}^{5+t} b'_{i+t,j}$ , for  $2 \leq i \leq 5$ ,  $1 \leq t \leq 5$ . Hence we have  $B^{6,\infty} \supseteq \cup_{(l,b) \in J} \text{Im } f_{(l,b)}$ . To prove (3) we also need to show that  $B^{6,\infty} \subseteq \cup_{(l,b) \in J} \text{Im } f_{(l,b)}$ . Let  $b' = (b'_{ij}) \in B^{6,\infty}$ . By (2), we can assume that  $b' \neq b^\infty$ . Set

$$\begin{aligned} a_1 &= \max\{-b'_{11} + b'_{22}, -b'_{11} - b'_{12} + b'_{22} + b'_{23}, -b'_{11} - b'_{12} - b'_{13} + b'_{22} + b'_{23} + b'_{24}, \\ &\quad -b'_{11} - b'_{12} - b'_{13} - b'_{14} + b'_{22} + b'_{23} + b'_{24} + b'_{25}, 0\}, \\ a_2 &= \max\{-b'_{22} + b'_{33}, -b'_{22} - b'_{23} + b'_{33} + b'_{34}, -b'_{22} - b'_{23} - b'_{24} + b'_{33} + b'_{34} + b'_{35}, \\ &\quad -b'_{15}, -b'_{26} - a_1, 0\}, \\ a_3 &= \max\{-b'_{33} + b'_{44}, -b'_{33} - b'_{34} + b'_{44} + b'_{45}, -b'_{14}, -b'_{25}, -b'_{36} - a_2, 0\}, \\ a_4 &= \max\{-b'_{44} + b'_{55}, -b'_{13}, -b'_{24}, -b'_{35}, -b'_{46} - a_3, 0\}, \\ a_5 &= \max\{-b'_{12}, -b'_{23}, -b'_{34}, -b'_{45}, -b'_{56} - a_4, 0\}, \\ a_6 &= \max\{-b'_{11} - a_1 - a_2 - a_3 - a_4, -b'_{22} - a_2 - a_3 - a_4, -b'_{33} - a_3 - a_4, -b'_{44} \\ &\quad - a_4, -b'_{55}, 0\}, \\ a_0 &= \max\{b'_{11} - a_2 - a_3 - a_4 - a_5, b'_{11} + b'_{12} - a_2 - a_3 - a_4, b'_{11} + b'_{12} + b'_{13} - a_2 \\ &\quad - a_3, b'_{11} + b'_{12} + b'_{13} + b'_{14} - a_2, b'_{11} + b'_{12} + b'_{13} + b'_{14} + b'_{15}, 0\}. \end{aligned}$$

Let  $l = a_0 + a_1 + 2a_2 + 2a_3 + 2a_4 + a_5 + a_6$ . Let  $b^0 = (b^0_{ij})$  where

$$\begin{aligned} b^0_{11} &= a_1 + a_2 + a_3 + a_4 + a_6, \quad b^0_{12} = a_5, \quad b^0_{13} = a_4, \quad b^0_{14} = a_3, \quad b^0_{15} = a_2, \quad b^0_{16} = a_0, \\ b^0_{22} &= a_2 + a_3 + a_4 + a_6, \quad b^0_{23} = a_5, \quad b^0_{24} = a_4, \quad a^0_{25} = a_3, \quad b^0_{26} = a_1 + a_2, \quad b^0_{27} = a_0, \\ b^0_{33} &= a_3 + a_4 + a_6, \quad b^0_{34} = a_5, \quad b^0_{35} = a_4, \quad b^0_{36} = a_2 + a_3, \quad b^0_{37} = a_1, \quad b^0_{38} = a_0 + a_2, \\ b^0_{44} &= a_4 + a_6, \quad b^0_{45} = a_5, \quad b^0_{46} = a_3 + a_4, \quad b^0_{47} = a_2, \quad b^0_{48} = a_1, \quad b^0_{49} = a_0 + a_2 + a_3, \\ b^0_{55} &= a_6, \quad b^0_{56} = a_4 + a_5, \quad b^0_{57} = a_3, \quad b^0_{58} = a_2, \quad b^0_{5,9} = a_1, \quad b^0_{5,10} = a_0 + a_2 + a_3 + a_4, \\ b^0_{66} &= a_6, \quad b^0_{67} = a_4, \quad b^0_{68} = a_3, \quad b^0_{69} = a_2, \quad b^0_{6,10} = a_1, \quad b^0_{6,11} = a_0 + a_2 + a_3 + a_4 + a_5. \end{aligned}$$

Then  $\varepsilon(b^0) = a_6\Lambda_0 + a_5\Lambda_1 + a_4\Lambda_2 + a_3\Lambda_3 + a_2\Lambda_4 + a_1\Lambda_5 + a_0\Lambda_6$  and  $\varphi(b^0) = a_0\Lambda_0 + a_1\Lambda_1 + a_2\Lambda_2 + a_3\Lambda_3 + a_4\Lambda_4 + a_5\Lambda_5 + a_6\Lambda_6$ . It is easy to see that  $b^0 \in (B^{6,l})_{\min}$ .

Set  $b = (b_{ij})$  where  $b_{ij} = b'_{ij} + b^0_{ij}$ . Then  $\sum_{j=i}^{i+5} b_{ij} = \sum_{j=i}^{i+5} b'_{ij} + \sum_{j=i}^{i+5} b^0_{ij} = 0 + l = l$ ,  $1 \leq i \leq 6$  and we observe that

$$\begin{aligned} b_{11} &= b'_{11} + b^0_{11} = b'_{11} + a_1 + a_2 + a_3 + a_4 + a_6 \geq 0, \\ &\quad \text{since } a_6 \geq -b'_{11} - a_1 - a_2 - a_3 - a_4, \\ b_{12} &= b'_{12} + b^0_{12} = b'_{12} + a_5 \geq 0, \quad \text{since } a_5 \geq -b'_{12}, \\ b_{13} &= b'_{13} + b^0_{13} = b'_{13} + a_4 \geq 0, \quad \text{since } a_4 \geq -b'_{13}, \\ b_{14} &= b'_{14} + b^0_{14} = b'_{14} + a_3 \geq 0, \quad \text{since } a_3 \geq -b'_{14}, \\ b_{15} &= b'_{15} + b^0_{15} = b'_{14} + a_2 \geq 0, \quad \text{since } a_2 \geq -b'_{15}, \\ b_{16} &= b'_{16} + b^0_{16} = b'_{15} + a_0 = -b'_{11} - b'_{12} - b'_{13} - b'_{14} - b'_{15} + a_0 \geq 0, \\ &\quad \text{since } a_0 \geq b'_{11} + b'_{12} + b'_{13} + b'_{14} + b'_{15}. \end{aligned}$$

Similarly, we can show that  $b_{ij} \in \mathbb{Z}_{\geq 0}$  for  $i \leq j \leq i + 5$ ,  $2 \leq i \leq 6$ . We also have

$$\begin{aligned} b_{44} &= b'_{44} + b^0_{44} = b'_{66} + b'_{67} + a_4 + a_6 = b_{66} + b_{67}, \\ b_{44} + b_{45} &= b'_{44} + b^0_{44} + b'_{45} + b^0_{45} = b'_{55} + b'_{56} + a_4 + a_5 + a_6 = b_{55} + b_{56}, \\ b_{55} &= b'_{55} + b^0_{55} = b'_{66} + a_6 = b_{66}. \end{aligned}$$



Similarly, we see that  $\sum_{j=i}^{6-t} b_{ij} = \sum_{j=i+t}^{5+t} b_{i+t,j}$ ,  $1 \leq i \leq 3, 1 \leq t \leq 5$ . Also,

$$b_{11} = b'_{11} + b_{11}^0 \geq b'_{22} + b_{22}^0 = b_{22}, \text{ since } b_{11}^0 - b_{22}^0 = a_1 \geq -b'_{11} + b'_{22},$$

$$b_{22} = b'_{22} + b_{22}^0 \geq b'_{33} + b_{33}^0 = b_{33}, \text{ since } b_{22}^0 - b_{33}^0 = a_2 \geq -b'_{22} + b'_{33},$$

$$b_{33} = b'_{33} + b_{33}^0 \geq b'_{44} + b_{44}^0 = b_{44}, \text{ since } b_{33}^0 - b_{44}^0 = a_3 \geq -b'_{33} + b'_{44},$$

$$b_{44} = b'_{44} + b_{44}^0 \geq b'_{55} + b_{55}^0 = b_{55}, \text{ since } b_{44}^0 - b_{55}^0 = a_4 \geq -b'_{44} + b'_{55}.$$

Similarly,  $\sum_{j=i}^t b_{ij} \geq \sum_{j=i+1}^{t+1} b_{i+1,j}$ ,  $1 \leq i < t \leq 5$ . Hence  $b \in B^{6,l}$ .

Then  $f_{(l,b^0)}(t_{\varepsilon(b^0)} \otimes b \otimes t_{-\varphi(b^0)}) = b'$ , and  $b' \in \cup_{(l,b) \in J} \text{Im } f_{(l,b)}$  which proves (3).  $\square$

### 3. Ultra-discretization of $\mathcal{V}(D_6^{(1)})$

It is known that the ultra-discretization of a positive geometric crystal is a Kashiwara crystal [1, 19]. In this section we apply the ultra-discretization functor  $\mathcal{UD}$  to the positive geometric crystal  $\mathcal{V} = \mathcal{V}(D_6^{(1)})$  for the affine Lie algebra  $D_6^{(1)}$  at the spin node  $k = 6$  in ([18], Theorem 5.1). Then we show that as crystal it is isomorphic to the crystal  $B^{6,\infty}$  given in the last section which proves the conjecture in [12] for this case. As a set  $\mathcal{X} = \mathcal{UD}(\mathcal{V}) = \mathbb{Z}^{15}$ . We denote the variables  $x_m^{(l)}$  in  $\mathcal{V}$  by the same notation  $x_m^{(l)}$  in  $\mathcal{UD}(\mathcal{V}) = \mathcal{X}$ .

Let  $x = (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, x_3^{(1)}, x_4^{(1)}, x_6^{(1)}) \in \mathcal{X}$ . By applying the ultra-discretization functor  $\mathcal{UD}$  to the positive geometric crystal  $\mathcal{V}$  in ([18], Theorem 5.1), we have for  $0 \leq k \leq 6$ :

$$\mathcal{UD}(\gamma_k)(x) = \begin{cases} -x_2^{(2)} - x_2^{(1)}, & k = 0, \\ 2x_1^{(1)} - x_2^{(2)} - x_2^{(1)}, & k = 1, \\ -x_1^{(1)} + 2x_2^{(2)} + 2x_2^{(1)} - x_3^{(3)} - x_3^{(2)} - x_3^{(1)}, & k = 2, \\ -x_2^{(2)} - x_2^{(1)} + 2x_3^{(3)} + 2x_3^{(2)} + 2x_3^{(1)} - x_4^{(4)} - x_4^{(3)} & \\ -x_4^{(2)} - x_4^{(1)}, & k = 3, \\ -x_3^{(3)} - x_3^{(2)} - x_3^{(1)} + 2x_4^{(4)} + 2x_4^{(3)} + 2x_4^{(2)} + 2x_4^{(1)} & \\ -x_5^{(2)} - x_5^{(1)} - x_6^{(3)} - x_6^{(2)} - x_6^{(1)}, & k = 4, \\ -x_4^{(4)} - x_4^{(3)} - x_4^{(2)} - x_4^{(1)} + 2x_5^{(2)} + 2x_5^{(1)}, & k = 5, \\ -x_4^{(4)} - x_4^{(3)} - x_4^{(2)} - x_4^{(1)} + 2x_6^{(3)} + 2x_6^{(2)} + 2x_6^{(1)}, & k = 6. \end{cases}$$

$$\mathcal{UD}(\varepsilon_k)(x) = \begin{cases} \max\{x_6^{(1)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} \\ + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, x_3^{(3)} + x_3^{(2)} \\ - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, x_3^{(3)} - x_4^{(3)} + x_4^{(1)}, x_4^{(4)} + x_4^{(1)} \\ - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, x_2^{(2)} + x_2^{(1)} + x_6^{(1)} - x_4^{(4)} \\ - x_4^{(3)}, x_2^{(2)} + x_2^{(1)} - x_4^{(2)} - x_4^{(4)} + x_4^{(2)}, x_2^{(2)} + x_2^{(1)} \\ - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, \\ x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, x_3^{(3)} + x_3^{(1)} - x_5^{(2)}\}, & k = 0, \\ -x_1^{(1)} + x_2^{(2)}, & k = 1, \\ \max\{-x_2^{(2)} + x_3^{(3)}, x_1^{(1)} - 2x_2^{(2)} - x_2^{(1)} + x_3^{(3)} + x_3^{(2)}\}, & k = 2, \\ \max\{-x_3^{(3)} + x_4^{(4)}, x_2^{(2)} - 2x_3^{(3)} - x_3^{(2)} + x_4^{(4)} + x_4^{(3)}, \\ x_2^{(2)} + x_2^{(1)} - 2x_3^{(3)} - 2x_3^{(2)} - x_3^{(1)} + x_4^{(4)} + x_4^{(3)} + x_4^{(2)}\}, & k = 3, \end{cases}$$

$$UD(\varepsilon_k)(x) =: \begin{cases} \max\{-x_4^{(4)} + x_6^{(3)}, x_3^{(3)} - 2x_4^{(4)} - x_4^{(3)} + x_5^{(2)} + x_6^{(3)}, \\ x_3^{(3)} + x_3^{(2)} - 2x_4^{(4)} - 2x_4^{(3)} - x_4^{(2)} + x_5^{(2)} + x_6^{(3)} + x_6^{(2)}, \\ x_3^{(3)} + x_3^{(2)} + x_3^{(1)} - 2x_4^{(4)} - 2x_4^{(3)} - 2x_4^{(2)} - x_4^{(1)} + x_5^{(2)} \\ + x_5^{(1)} + x_6^{(3)} + x_6^{(2)}\}, & k = 4, \\ \max\{x_4^{(4)} - x_5^{(2)}, x_4^{(4)} + x_4^{(3)} + x_4^{(2)} - 2x_5^{(2)} - x_5^{(1)}\}, & k = 5, \\ \max\{-x_6^{(3)}, x_4^{(4)} + x_4^{(3)} - 2x_6^{(3)} - x_6^{(2)}, x_4^{(4)} + x_4^{(3)} + x_4^{(2)} \\ + x_4^{(1)} - 2x_6^{(3)} - 2x_6^{(2)} - x_6^{(1)}\}, & k = 6. \end{cases}$$

We define

$$\begin{aligned} \check{c}_2 &= \max\{c + x_2^{(2)} + x_2^{(1)}, x_3^{(2)} + x_1^{(1)}\} - \max\{x_2^{(2)} + x_2^{(1)}, x_3^{(2)} + x_1^{(1)}\}, \\ \check{c}_{3_1} &= \max\{c + x_3^{(3)} + 2x_3^{(2)} + x_3^{(1)}, x_2^{(2)} + x_3^{(2)} + x_3^{(1)} + x_4^{(3)}, x_2^{(2)} + x_2^{(1)} + x_4^{(3)} + x_4^{(2)}\} \\ &\quad - \max\{x_3^{(3)} + 2x_3^{(2)} + x_3^{(1)}, x_2^{(2)} + x_3^{(2)} + x_3^{(1)} + x_4^{(3)}, x_2^{(2)} + x_2^{(1)} + x_4^{(3)} + x_4^{(2)}\}, \\ \check{c}_{3_2} &= \max\{c + x_3^{(3)} + 2x_3^{(2)} + x_3^{(1)}, c + x_2^{(2)} + x_3^{(2)} + x_3^{(1)} + x_4^{(3)}, x_2^{(2)} + x_2^{(1)} + x_4^{(3)} \\ &\quad + x_4^{(2)}\} - \max\{c + x_3^{(3)} + 2x_3^{(2)} + x_3^{(1)}, x_2^{(2)} + x_3^{(2)} + x_3^{(1)} + x_4^{(3)}, x_2^{(2)} + x_2^{(1)} \\ &\quad + x_4^{(3)} + x_4^{(2)}\}, \\ \check{c}_{4_1} &= \max\{c + x_4^{(4)} + 2x_4^{(3)} + 2x_4^{(2)} + x_4^{(1)}, x_3^{(3)} + x_4^{(3)} + 2x_4^{(2)} + x_4^{(1)} + x_5^{(2)}, x_3^{(3)} \\ &\quad + x_3^{(2)} + x_4^{(2)} + x_4^{(1)} + x_5^{(2)} + x_6^{(2)}, x_3^{(3)} + x_3^{(2)} + x_3^{(1)} + x_5^{(2)} + x_5^{(1)} + x_6^{(2)}\} \\ &\quad - \max\{x_4^{(4)} + 2x_4^{(3)} + 2x_4^{(2)} + x_4^{(1)}, x_3^{(3)} + x_4^{(3)} + 2x_4^{(2)} + x_4^{(1)} + x_5^{(2)}, x_3^{(3)} + x_3^{(2)} \\ &\quad + x_4^{(2)} + x_4^{(1)} + x_5^{(2)} + x_6^{(2)}, x_3^{(3)} + x_3^{(2)} + x_3^{(1)} + x_5^{(2)} + x_5^{(1)} + x_6^{(2)}\} \\ \check{c}_{4_2} &= \max\{c + x_4^{(4)} + 2x_4^{(3)} + 2x_4^{(2)} + x_4^{(1)}, c + x_3^{(3)} + x_4^{(3)} + 2x_4^{(2)} + x_4^{(1)} + x_5^{(2)}, x_3^{(3)} + \\ &\quad x_3^{(2)} + x_4^{(2)} + x_4^{(1)} + x_5^{(2)} + x_6^{(2)}, x_3^{(3)} + x_3^{(2)} + x_3^{(1)} + x_5^{(2)} + x_5^{(1)} + x_6^{(2)}\} - \\ &\quad \max\{c + x_4^{(4)} + 2x_4^{(3)} + 2x_4^{(2)} + x_4^{(1)}, x_3^{(3)} + x_4^{(3)} + 2x_4^{(2)} + x_4^{(1)} + x_5^{(2)}, \\ &\quad x_3^{(3)} + x_3^{(2)} + x_4^{(2)} + x_4^{(1)} + x_5^{(2)} + x_6^{(2)}, x_3^{(3)} + x_3^{(2)} + x_3^{(1)} + x_5^{(2)} + x_5^{(1)} + x_6^{(2)}\} \\ \check{c}_{4_3} &= \max\{c + x_4^{(4)} + 2x_4^{(3)} + 2x_4^{(2)} + x_4^{(1)}, c + x_3^{(3)} + x_4^{(3)} + 2x_4^{(2)} + x_4^{(1)} + x_5^{(2)}, \\ &\quad c + x_3^{(3)} + x_3^{(2)} + x_4^{(2)} + x_4^{(1)} + x_5^{(2)} + x_6^{(2)}, x_3^{(3)} + x_3^{(2)} + x_3^{(1)} + x_5^{(2)} + x_5^{(1)} \\ &\quad + x_6^{(2)}\} - \max\{c + x_4^{(4)} + 2x_4^{(3)} + 2x_4^{(2)} + x_4^{(1)}, c + x_3^{(3)} + x_4^{(3)} + 2x_4^{(2)} + x_4^{(1)} \\ &\quad + x_5^{(2)}, x_3^{(3)} + x_3^{(2)} + x_4^{(2)} + x_4^{(1)} + x_5^{(2)} + x_6^{(2)}, x_3^{(3)} + x_3^{(2)} + x_3^{(1)} + x_5^{(2)} + x_5^{(1)} \\ &\quad + x_6^{(2)}\} \\ \check{c}_5 &= \max\{c + x_5^{(2)} + x_5^{(1)}, x_4^{(3)} + x_4^{(2)}\} - \max\{x_5^{(2)} + x_5^{(1)}, x_4^{(3)} + x_4^{(2)}\}, \\ \check{c}_{6_1} &= \max\{c + x_6^{(3)} + 2x_6^{(2)} + x_6^{(1)}, x_4^{(4)} + x_4^{(3)} + x_6^{(2)} + x_6^{(1)}, x_4^{(4)} + x_4^{(3)} + x_4^{(2)} + x_4^{(1)}\} \\ &\quad - \max\{x_6^{(3)} + 2x_6^{(2)} + x_6^{(1)}, x_4^{(4)} + x_4^{(3)} + x_6^{(2)} + x_6^{(1)}, x_4^{(4)} + x_4^{(3)} + x_4^{(2)} + x_4^{(1)}\}, \\ \check{c}_{6_2} &= \max\{c + x_6^{(3)} + 2x_6^{(2)} + x_6^{(1)}, c + x_4^{(4)} + x_4^{(3)} + x_6^{(2)} + x_6^{(1)}, x_4^{(4)} + x_4^{(3)} + x_4^{(2)} \\ &\quad + x_4^{(1)}\} - \max\{c + x_6^{(3)} + 2x_6^{(2)} + x_6^{(1)}, x_4^{(4)} + x_4^{(3)} + x_6^{(2)} + x_6^{(1)}, x_4^{(4)} + x_4^{(3)} \\ &\quad + x_4^{(2)} + x_4^{(1)}\}, \\ \check{K} &= \max\{x_6^{(1)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}\}, \end{aligned}$$

$$\begin{aligned} & x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, x_3^{(3)} + x_3^{(2)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, \\ & x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, \\ & x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, \\ & x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, x_3^{(2)} + x_3^{(1)} - x_5^{(2)} \}, \end{aligned}$$

Then we have

$$UD(e_k^c)(x) = \begin{cases} (x_6^{(3)'}, x_4^{(4)'}, x_3^{(3)'}, x_2^{(2)} - c, x_5^{(2)'}, x_4^{(3)'}, x_3^{(2)'}, x_6^{(2)'}, x_4^{(2)'}, x_5^{(1)'}, \\ \quad x_1^{(1)} - c, x_2^{(1)} - c, x_3^{(1)'}, x_4^{(1)'}, x_6^{(1)'}, & k = 0, \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, x_1^{(1)} + c, \\ \quad x_2^{(1)}, x_3^{(1)}, x_4^{(1)}, x_6^{(1)}), & k = 1, \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)} + \check{c}_2, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, \\ \quad x_1^{(1)}, x_2^{(1)} + c - \check{c}_2, x_3^{(1)}, x_4^{(1)}, x_6^{(1)}), & k = 2, \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)} + \check{c}_{31}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)} + \check{c}_{32}, x_6^{(2)}, x_4^{(2)}, \\ \quad x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, x_3^{(1)} + c - \check{c}_{31} - \check{c}_{32}, x_4^{(1)}, x_6^{(1)}), & k = 3, \\ (x_6^{(3)}, x_4^{(4)} + \check{c}_{41}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)} + \check{c}_{42}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)} \\ \quad + \check{c}_{43}, x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, x_3^{(1)}, x_4^{(1)} + c - \check{c}_{41} - \check{c}_{42} - \check{c}_{43}, x_6^{(1)}), & k = 4, \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)} + \check{c}_5, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)} \\ \quad + c - \check{c}_5, x_1^{(1)}, x_2^{(1)}, x_3^{(1)}, x_4^{(1)}, x_6^{(1)}), & k = 5, \\ (x_6^{(3)} + \check{c}_{61}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)} + \check{c}_{62}, x_4^{(2)}, \\ \quad x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, x_3^{(1)}, x_4^{(1)}, x_6^{(1)} + c - \check{c}_{61} - \check{c}_{62}), & k = 6, \end{cases}$$

where

$$\begin{aligned} x_3^{(1)'} &= x_3^{(1)} + \check{K} - \max\{c + x_6^{(1)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, c + x_2^{(2)} \\ &\quad - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, c + x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, c + x_3^{(3)} + x_3^{(2)} - x_4^{(3)} \\ &\quad - x_4^{(2)} + x_5^{(1)}, c + x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, c + x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} \\ &\quad - x_6^{(3)}, x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, \\ &\quad x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, c + x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, c \\ &\quad + x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, c + x_3^{(2)} + x_3^{(1)} - x_5^{(2)}\}, \\ x_3^{(2)'} &= -c + x_3^{(2)} + \max\{c + x_6^{(1)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, c + x_2^{(2)} \\ &\quad - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, c + x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, c + x_3^{(3)} + x_3^{(2)} - x_4^{(3)} \\ &\quad - x_4^{(2)} + x_5^{(1)}, c + x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, c + x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} \\ &\quad - x_6^{(3)}, x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, \\ &\quad x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, c + x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, \\ &\quad c + x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, c + x_3^{(2)} + x_3^{(1)} - x_5^{(2)}\} - \max\{c \\ &\quad + x_6^{(1)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} \\ &\quad + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, c + x_3^{(3)} + x_3^{(2)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, c + x_3^{(2)} \\ &\quad - x_4^{(3)} + x_4^{(1)}, c + x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, c + x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, c + x_2^{(2)} \\ &\quad + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, c + x_3^{(1)} - x_4^{(4)}, c + x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} \\ &\quad - x_5^{(2)}, c + x_3^{(2)} + x_3^{(1)} - x_5^{(2)}\}. \end{aligned}$$

$$\begin{aligned}
& + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, c + x_2^{(2)} \\
& + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, x_2^{(2)} - x_3^{(3)} \\
& + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, c + x_3^{(2)} + x_3^{(1)} - x_5^{(2)} \}, \\
x_3^{(3)'} & = -c + x_3^{(3)} + \max\{c + x_6^{(1)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, x_2^{(2)} \\
& - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, c + x_3^{(3)} + x_3^{(2)} - x_4^{(3)} \\
& - x_4^{(2)} + x_5^{(1)}, c + x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, c + x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, c + x_2^{(2)} \\
& + x_2^{(1)} - x_6^{(3)}, c + x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, c + x_2^{(2)} + x_2^{(1)} \\
& - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, \\
& x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, c + x_3^{(2)} + x_3^{(1)} \\
& - x_5^{(2)} \} - \check{K}, \\
x_4^{(1)'} & = x_4^{(1)} + \check{K} - \max\{c + x_6^{(1)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} \\
& + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, c + x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, x_3^{(3)} + x_3^{(2)} - x_4^{(3)} - x_4^{(2)} \\
& + x_5^{(1)}, c + x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, c + x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, \\
& x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, x_2^{(2)} \\
& + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, x_2^{(2)} - x_3^{(3)} \\
& + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, x_3^{(2)} + x_3^{(1)} - x_5^{(2)} \}, \\
x_4^{(2)'} & = x_4^{(2)} + \check{K} + \max\{c + x_6^{(1)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} \\
& + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, c + x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, x_3^{(3)} + x_3^{(2)} - x_4^{(3)} - x_4^{(2)} \\
& + x_5^{(1)}, c + x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, c + x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, \\
& x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, x_2^{(2)} \\
& + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, x_2^{(2)} - x_3^{(3)} \\
& + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, x_3^{(2)} + x_3^{(1)} - x_5^{(2)} \} - \max\{c + x_6^{(1)} + \max\{c \\
& + x_6^{(1)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, c + x_2^{(2)} - x_3^{(3)} + x_3^{(1)} \\
& - x_4^{(2)} + x_5^{(1)}, c + x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, c + x_3^{(3)} + x_3^{(2)} - x_4^{(3)} - x_4^{(2)} \\
& + x_5^{(1)}, c + x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, c + x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, \\
& x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, c \\
& + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, c + x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, \\
& c + x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, c + x_3^{(2)} + x_3^{(1)} - x_5^{(2)} \}, c + x_2^{(2)} \\
& + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)} + \check{K}, c + x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)} \\
& + \check{K}, c + x_2^{(2)} - x_3^{(3)} + x_4^{(1)} + \check{K}, c + x_3^{(3)} + x_3^{(2)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)} \\
& + \check{K}, c + x_3^{(2)} - x_4^{(3)} + x_4^{(1)} + \max\{x_6^{(1)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)}
\end{aligned}$$

$$\begin{aligned}
& + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, x_3^{(3)} + x_3^{(2)} \\
& - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} \\
& - x_6^{(3)}, x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} \\
& + x_4^{(2)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, x_3^{(2)} + x_3^{(1)} - x_5^{(2)} \}, c + x_4^{(2)} + x_4^{(1)} \\
& - x_6^{(2)} + \max\{c + x_6^{(1)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, c + x_2^{(2)} \\
& - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, c + x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, c + x_3^{(3)} + x_3^{(2)} - x_4^{(3)} \\
& - x_4^{(2)} + x_5^{(1)}, c + x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, c + x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} \\
& - x_6^{(3)}, x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} \\
& + x_4^{(2)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, c + x_2^{(2)} + x_3^{(1)} \\
& - x_4^{(4)}, c + x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, c + x_3^{(2)} + x_3^{(1)} - x_5^{(2)} \}, x_2^{(2)} \\
& + x_2^{(1)} - x_6^{(3)} + \max\{c + x_6^{(1)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, x_2^{(2)} \\
& - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, x_3^{(3)} + x_3^{(2)} - x_4^{(3)} - x_4^{(2)} \\
& + x_5^{(1)}, x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, c + x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, \\
& x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, x_2^{(2)} \\
& + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, x_2^{(2)} - x_3^{(3)} \\
& + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, x_3^{(2)} + x_3^{(1)} - x_5^{(2)} \}, x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} \\
& - x_4^{(3)} + \max\{c + x_6^{(1)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} \\
& + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, x_3^{(3)} + x_3^{(2)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, \\
& x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, x_2^{(2)} + x_2^{(1)} \\
& + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} \\
& - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} \\
& - x_5^{(2)}, x_3^{(2)} + x_3^{(1)} - x_5^{(2)} \}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_4^{(4)} + x_4^{(2)} + \check{K}, \\
& c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)} + \check{K}, c + x_2^{(2)} + x_3^{(1)} \\
& - x_4^{(4)} + \check{K}, c + x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)} + \check{K}, c + x_3^{(2)} + x_3^{(1)} \\
& - x_5^{(2)} + \check{K} \}, \\
x_4^{(3)'} & = -c + x_4^{(3)} + \max\{c + x_6^{(1)} + \max\{c + x_6^{(1)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} \\
& + x_5^{(1)}, c + x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, c + x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, c \\
& + x_3^{(3)} + x_3^{(2)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, c + x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, c + x_4^{(2)} \\
& + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, c \\
& + x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} \\
& + x_4^{(2)} - x_5^{(2)} \} \\
\end{aligned}$$

$$\begin{aligned}
& + x_4^{(2)} - x_5^{(2)}, c + x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, c + x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} \\
& - x_5^{(2)}, c + x_3^{(2)} + x_3^{(1)} - x_5^{(2)}\}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)} \\
& + \check{K}, c + x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)} + \check{K}, c + x_2^{(2)} - x_3^{(3)} + x_4^{(1)} \\
& + \check{K}, c + x_3^{(3)} + x_3^{(2)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)} + \check{K}, c + x_3^{(2)} - x_4^{(3)} + x_4^{(1)} \\
& + \max\{x_6^{(1)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} \\
& + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, x_3^{(3)} + x_3^{(2)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, x_3^{(2)} - x_4^{(3)} \\
& + x_4^{(1)}, x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} \\
& - x_4^{(3)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} \\
& + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, \\
& x_3^{(2)} + x_3^{(1)} - x_5^{(2)}\}, c + x_4^{(2)} + x_4^{(1)} - x_6^{(2)} + \max\{c + x_6^{(1)}, c + x_2^{(2)} \\
& + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, c + x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, c \\
& + x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, c + x_3^{(3)} + x_3^{(2)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, c + x_3^{(2)} - x_4^{(3)} \\
& + x_4^{(1)}, c + x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, x_2^{(2)} + x_2^{(1)} + x_6^{(2)} \\
& - x_4^{(4)} - x_4^{(3)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} \\
& - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, c + x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, c + x_2^{(2)} - x_3^{(3)} \\
& + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, c + x_3^{(2)} + x_3^{(1)} - x_5^{(2)}\}, x_2^{(2)} + x_2^{(1)} - x_6^{(3)} + \max\{c \\
& + x_6^{(1)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, x_3^{(3)} + x_3^{(2)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, \\
& c + x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} \\
& - x_4^{(3)}, x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} \\
& + x_4^{(2)} - x_5^{(2)}, x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, x_3^{(2)} \\
& + x_3^{(1)} - x_5^{(2)}\}, x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} - x_4^{(3)} + \max\{c + x_6^{(1)}, x_2^{(2)} \\
& + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} \\
& + x_4^{(1)}, x_3^{(3)} + x_3^{(2)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, x_4^{(2)} + x_4^{(1)} \\
& - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, x_2^{(2)} + x_2^{(1)} \\
& - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, x_2^{(2)} \\
& + x_3^{(1)} - x_4^{(4)}, x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, x_3^{(2)} + x_3^{(1)} - x_5^{(2)}\}, c \\
& + x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)} + \check{K}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} \\
& + x_4^{(3)} + x_4^{(2)} - x_5^{(2)} + \check{K}, c + x_2^{(2)} + x_3^{(1)} - x_4^{(4)} + \check{K}, c + x_2^{(2)} - x_3^{(3)} \\
& + x_3^{(1)} + x_4^{(3)} - x_5^{(2)} + \check{K}, c + x_3^{(2)} + x_3^{(1)} - x_5^{(2)} + \check{K}\} - \check{K} - \max\{c \\
& + x_6^{(1)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, c + x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)}
\end{aligned}$$

$$\begin{aligned}
& + x_5^{(1)}, c + x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, c + x_3^{(3)} + x_3^{(2)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, c \\
& + x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, c + x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, x_2^{(2)} \\
& + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, c + x_2^{(2)} \\
& + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, c + x_2^{(2)} \\
& - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, c + x_3^{(2)} + x_3^{(1)} - x_5^{(2)} \} \\
x_4^{(4)'} & = -c + x_4^{(4)} + \max\{c + x_6^{(1)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, c + x_2^{(2)} \\
& - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, c + x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, c + x_3^{(3)} + x_3^{(2)} \\
& - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, c + x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, c + x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} \\
& + x_2^{(1)} - x_6^{(3)}, x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} \\
& + x_4^{(2)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, x_2^{(2)} + x_3^{(1)} \\
& - x_4^{(4)}, c + x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, c + x_3^{(2)} + x_3^{(1)} - x_5^{(2)} \} - \check{K}, \\
x_5^{(1)'} & = x_5^{(1)} + \check{K} - \max\{c + x_6^{(1)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, c + x_2^{(2)} \\
& - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, c + x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, c + x_3^{(3)} + x_3^{(2)} - x_4^{(3)} \\
& - x_4^{(2)} + x_5^{(1)}, c + x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, c + x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} \\
& - x_6^{(3)}, x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, x_2^{(2)} \\
& - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, x_3^{(2)} + x_3^{(1)} - x_5^{(2)} \}, \\
x_5^{(2)'} & = -c + x_5^{(2)} + \max\{c + x_6^{(1)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, c + x_2^{(2)} \\
& - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, c + x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, c + x_3^{(3)} + x_3^{(2)} - x_4^{(3)} \\
& - x_4^{(2)} + x_5^{(1)}, c + x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, c + x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} \\
& - x_6^{(3)}, x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, x_2^{(2)} \\
& - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, x_3^{(2)} + x_3^{(1)} - x_5^{(2)} \} - \check{K}, \\
x_6^{(1)'} & = x_6^{(1)} + \check{K} - \max\{c + x_6^{(1)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} \\
& + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, x_3^{(3)} + x_3^{(2)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, \\
& x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, x_2^{(2)} + x_2^{(1)} \\
& + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} \\
& - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} \\
& - x_5^{(2)}, x_3^{(2)} + x_3^{(1)} - x_5^{(2)} \}, \\
x_6^{(2)'} & = x_6^{(2)} + \max\{c + x_6^{(1)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} + x_3^{(1)} \\
& - x_4^{(2)} + x_5^{(1)}, x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, x_3^{(3)} + x_3^{(2)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, x_3^{(2)} \\
& - x_4^{(3)} + x_4^{(1)}, x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, x_2^{(2)} + x_2^{(1)} \\
& + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} \\
& - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} \\
& - x_5^{(2)}, x_3^{(2)} + x_3^{(1)} - x_5^{(2)} \},
\end{aligned}$$

$$\begin{aligned}
& -x_4^{(3)} + x_4^{(1)}, x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, x_2^{(2)} + x_2^{(1)} + x_6^{(2)} \\
& -x_4^{(4)} - x_4^{(3)}, x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} \\
& + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, \\
& x_3^{(2)} + x_3^{(1)} - x_5^{(2)} \} - \max\{c + x_6^{(1)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, \\
& c + x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, c + x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, c + x_3^{(3)} \\
& + x_3^{(2)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, c + x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, c + x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, c + x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, c + x_2^{(2)} + x_2^{(1)} \\
& - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, \\
& c + x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, c + x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, c + x_3^{(2)} \\
& + x_3^{(1)} - x_5^{(2)} \}, \\
x_6^{(3)'} & = -c + x_6^{(3)} + \max\{c + x_6^{(1)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, c + x_2^{(2)} \\
& - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, c + x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, c + x_3^{(3)} + x_3^{(2)} - x_4^{(3)} \\
& - x_4^{(2)} + x_5^{(1)}, c + x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, c + x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, x_2^{(2)} + x_2^{(1)} \\
& - x_6^{(3)}, c + x_2^{(2)} + x_2^{(1)} + x_6^{(2)} - x_4^{(4)} - x_4^{(3)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(2)} \\
& - x_4^{(4)} + x_4^{(2)}, c + x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, c + x_2^{(2)} \\
& + x_3^{(1)} - x_4^{(4)}, c + x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, c + x_3^{(2)} + x_3^{(1)} \\
& - x_5^{(2)} \} - \check{K}.
\end{aligned}$$

As shown in [1, 19],  $\mathcal{X}$  with maps  $\tilde{e}_k, \tilde{f}_k : \mathcal{X} \longrightarrow \mathcal{X} \cup \{0\}$ ,  $\varepsilon_k, \varphi_k : \mathcal{X} \longrightarrow \mathbb{Z}$ ,  $0 \leq k \leq 6$  and  $\text{wt} : \mathcal{X} \longrightarrow P_{cl}$  is a Kashiwara crystal where for  $x \in \mathcal{X}$

$$\tilde{e}_k(x) = \mathcal{UD}(e_k^c)(x)|_{c=1}, \quad \tilde{f}_k(x) = \mathcal{UD}(e_k^c)(x)|_{c=-1},$$

$$\text{wt}(x) = \sum_{k=0}^6 \text{wt}_k(x) \Lambda_k, \text{ where } \text{wt}_k(x) = \mathcal{UD}(\gamma_k)(x),$$

$$\varepsilon_k(x) = \mathcal{UD}(\varepsilon_k)(x), \quad \varphi_k(x) = \text{wt}_k(x) + \varepsilon_k(x).$$

In particular, the explicit actions of  $\tilde{f}_k$ ,  $1 \leq k \leq 6$  on  $\mathcal{X}$  is given as follows.

$$\begin{aligned}
\tilde{f}_1(x) & = (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, x_3^{(1)}, x_4^{(1)}, \\
& x_6^{(1)}), \\
\tilde{f}_2(x) & = \begin{cases} (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)} - 1, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, x_3^{(1)}, x_4^{(1)}, \\ x_6^{(1)}) \text{ if } x_2^{(2)} + x_2^{(1)} > x_1^{(1)} + x_3^{(2)}, \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, x_1^{(1)}, x_2^{(1)} - 1, x_3^{(1)}, x_4^{(1)}, \\ x_6^{(1)}) \text{ if } x_2^{(2)} + x_2^{(1)} \leq x_1^{(1)} + x_3^{(2)}, \end{cases} \\
\tilde{f}_3(x) & = \begin{cases} (x_6^{(3)}, x_4^{(4)}, x_3^{(3)} - 1, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, x_3^{(1)}, x_4^{(1)}, \\ x_6^{(1)}) \text{ if } x_3^{(3)} + x_3^{(2)} > x_2^{(2)} + x_4^{(3)}, \\ x_3^{(3)} + 2x_3^{(2)} + x_3^{(1)} > x_2^{(2)} + x_2^{(1)} + x_4^{(3)} + x_4^{(2)}, \end{cases}
\end{aligned}$$



$$\begin{aligned}
\tilde{f}_3(x) &= \begin{cases} (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)} - 1, x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, x_3^{(1)}, x_4^{(1)}, \\ x_6^{(1)}) \text{ if } x_3^{(3)} + x_3^{(2)} \leq x_2^{(2)} + x_4^{(3)}, x_3^{(2)} + x_3^{(1)} > x_2^{(1)} + x_4^{(2)}, \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, x_3^{(1)} - 1, x_4^{(1)}, \\ x_6^{(1)}) \text{ if } x_3^{(2)} + x_3^{(1)} \leq x_2^{(1)} + x_4^{(2)}, \\ x_3^{(3)} + 2x_3^{(2)} + x_3^{(1)} \leq x_2^{(2)} + x_2^{(1)} + x_4^{(3)} + x_4^{(2)}, \end{cases} \\
\tilde{f}_4(x) &= \begin{cases} (x_6^{(3)}, x_4^{(4)} - 1, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, x_3^{(1)}, x_4^{(1)}, \\ x_6^{(1)}) \text{ if } x_4^{(4)} + x_4^{(3)} > x_3^{(3)} + x_5^{(2)}, \\ x_4^{(4)} + 2x_4^{(3)} + x_4^{(2)} > x_3^{(3)} + x_3^{(2)} + x_5^{(2)} + x_6^{(2)}, \\ x_4^{(4)} + 2x_4^{(3)} + 2x_4^{(2)} + x_4^{(1)} > x_3^{(3)} + x_3^{(2)} + x_3^{(1)} + x_5^{(2)} + x_5^{(1)} + x_6^{(2)}, \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)} - 1, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, x_3^{(1)}, x_4^{(1)}, \\ x_6^{(1)}) \text{ if } x_4^{(4)} + x_4^{(3)} \leq x_3^{(3)} + x_5^{(2)}, x_4^{(3)} + x_4^{(2)} > x_3^{(2)} + x_6^{(2)}, \\ x_4^{(3)} + 2x_4^{(2)} + x_4^{(1)} > x_3^{(2)} + x_3^{(1)} + x_5^{(1)} + x_6^{(2)}, \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)} - 1, x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, x_3^{(1)}, x_4^{(1)}, \\ x_6^{(1)}) \text{ if } x_4^{(4)} + 2x_4^{(3)} + x_4^{(2)} \leq x_3^{(3)} + x_3^{(2)} + x_5^{(2)} + x_6^{(2)}, \\ x_4^{(3)} + x_4^{(2)} \leq x_3^{(2)} + x_6^{(2)}, x_4^{(2)} + x_4^{(1)} > x_3^{(1)} + x_5^{(1)}, \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, x_3^{(1)}, x_4^{(1)} - 1, \\ x_6^{(1)}) \text{ if } x_4^{(2)} + x_4^{(1)} \leq x_3^{(1)} + x_5^{(1)}, \\ x_4^{(3)} + 2x_4^{(2)} + x_4^{(1)} \leq x_3^{(2)} + x_3^{(1)} + x_5^{(1)} + x_6^{(2)}, \\ x_4^{(4)} + 2x_4^{(3)} + 2x_4^{(2)} + x_4^{(1)} \leq x_3^{(3)} + x_3^{(2)} + x_3^{(1)} + x_5^{(2)} + x_5^{(1)} + x_6^{(2)}, \end{cases} \\
\tilde{f}_5(x) &= \begin{cases} (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)} - 1, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, x_3^{(1)}, x_4^{(1)}, \\ x_6^{(1)}) \text{ if } x_5^{(2)} + x_5^{(1)} > x_4^{(3)} + x_4^{(2)}, \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)} - 1, x_1^{(1)}, x_2^{(1)}, x_3^{(1)}, x_4^{(1)}, \\ x_6^{(1)}) \text{ if } x_5^{(2)} + x_5^{(1)} \leq x_4^{(3)} + x_4^{(2)}, \end{cases} \\
\tilde{f}_6(x) &= \begin{cases} (x_6^{(3)} - 1, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, x_3^{(1)}, x_4^{(1)}, \\ x_6^{(1)}) \text{ if } x_6^{(3)} + x_6^{(2)} > x_4^{(4)} + x_4^{(3)}, \\ x_6^{(3)} + 2x_6^{(2)} + x_6^{(1)} > x_4^{(4)} + x_4^{(3)} + x_4^{(2)} + x_4^{(1)}, \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)} - 1, x_4^{(2)}, x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, x_3^{(1)}, x_4^{(1)}, \\ x_6^{(1)}) \text{ if } x_6^{(3)} + x_6^{(2)} \leq x_4^{(4)} + x_4^{(3)}, x_6^{(2)} + x_6^{(1)} > x_4^{(2)} + x_4^{(1)}, \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, x_3^{(1)}, x_4^{(1)}, \\ x_6^{(1)} - 1) \text{ if } x_6^{(2)} + x_6^{(1)} \leq x_4^{(2)} + x_4^{(1)}, \\ x_6^{(3)} + 2x_6^{(2)} + x_6^{(1)} \leq x_4^{(4)} + x_4^{(3)} + x_4^{(2)} + x_4^{(1)}. \end{cases}
\end{aligned}$$

To determine the explicit action of  $\tilde{f}_0(x)$  we define conditions  $(\tilde{F}1) - (\tilde{F}14)$  as follows.

$$\begin{aligned}
(\tilde{F}1) \quad & x_2^{(2)} + x_2^{(1)} - x_6^{(3)} \geq x_6^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_6^{(3)} \geq x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_6^{(3)} \geq x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_6^{(3)} \geq x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_6^{(3)} \geq x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)},
\end{aligned}$$

$$\begin{aligned}
& x_2^{(2)} + x_2^{(1)} - x_6^{(3)} \geq x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_6^{(3)} \geq x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_6^{(3)} \geq x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_6^{(3)} \geq x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_6^{(3)} \geq x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_6^{(3)} \geq x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, \\
& x_2^{(2)} + x_2^{(1)} - x_6^{(3)} \geq x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_6^{(3)} \geq x_3^{(2)} + x_3^{(3)} - x_5^{(2)}, \\
(\check{F}2) \quad & x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)} \geq x_6^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)} \geq x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)} \geq x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)} \geq x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)} \geq x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)} \geq x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)} \geq x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)} > x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, \\
& x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)} \geq x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)} \geq x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)} \geq x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, \\
& x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)} \geq x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)} \geq x_3^{(2)} + x_3^{(3)} - x_5^{(2)}, \\
(\check{F}3) \quad & x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)} \geq x_6^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)} \geq x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)} \geq x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)} \geq x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)} \geq x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)} \geq x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)} \geq x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)} > x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)} > x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)} \geq x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)},
\end{aligned}$$

$$\begin{aligned}
& x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)} \geq x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)} \geq x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)} \geq x_3^{(2)} + x_3^{(3)} - x_5^{(2)}, \\
(\check{F}4) \quad & x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)} \geq x_6^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)} \geq x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)} \geq x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)} \geq x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)} \geq x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)} \geq x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)} \geq x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)} > x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)} > x_2^{(2)} + x_2^{(1)} - x_4^{(3)} - x_4^{(4)} + x_6^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)} > x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)} \geq x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)} \geq x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)} \geq x_3^{(2)} + x_3^{(3)} - x_5^{(2)}, \\
(\check{F}5) \quad & x_2^{(2)} + x_3^{(1)} - x_4^{(4)} \geq x_6^{(1)}, \\
& x_2^{(2)} + x_3^{(1)} - x_4^{(4)} \geq x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} + x_3^{(1)} - x_4^{(4)} \geq x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} + x_3^{(1)} - x_4^{(4)} \geq x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, \\
& x_2^{(2)} + x_3^{(1)} - x_4^{(4)} \geq x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} + x_3^{(1)} - x_4^{(4)} \geq x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, \\
& x_2^{(2)} + x_3^{(1)} - x_4^{(4)} \geq x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, \\
& x_2^{(2)} + x_3^{(1)} - x_4^{(4)} > x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, \\
& x_2^{(2)} + x_3^{(1)} - x_4^{(4)} > x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)}, \\
& x_2^{(2)} + x_3^{(1)} - x_4^{(4)} > x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, \\
& x_2^{(2)} + x_3^{(1)} - x_4^{(4)} \geq x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, \\
& x_2^{(2)} + x_3^{(1)} - x_4^{(4)} \geq x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, \\
& x_2^{(2)} + x_3^{(1)} - x_4^{(4)} \geq x_3^{(2)} + x_3^{(3)} - x_5^{(2)}, \\
(\check{F}6) \quad & x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)} \geq x_6^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)} \geq x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)},
\end{aligned}$$

$$\begin{aligned}
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)} \geq x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)} \geq x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)} \geq x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)} \geq x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)} > x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)} > x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)} > x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)} > x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)} \geq x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)} \geq x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, \\
& x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)} \geq x_3^{(2)} + x_3^{(3)} - x_5^{(2)}, \\
(\check{F}7) \quad & x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)} \geq x_6^{(1)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)} \geq x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)} \geq x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)} \geq x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)} \geq x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)} \geq x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)} \geq x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)} > x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)} > x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)} > x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)} > x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)} > x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)} \geq x_3^{(2)} + x_3^{(3)} - x_5^{(2)}, \\
(\check{F}8) \quad & x_3^{(2)} + x_3^{(3)} - x_5^{(2)} \geq x_6^{(1)}, \\
& x_3^{(2)} + x_3^{(3)} - x_5^{(2)} \geq x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, \\
& x_3^{(2)} + x_3^{(3)} - x_5^{(2)} \geq x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, \\
& x_3^{(2)} + x_3^{(3)} - x_5^{(2)} \geq x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, \\
& x_3^{(2)} + x_3^{(3)} - x_5^{(2)} \geq x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, \\
& x_3^{(2)} + x_3^{(3)} - x_5^{(2)} \geq x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, \\
& x_3^{(2)} + x_3^{(3)} - x_5^{(2)} \geq x_4^{(2)} + x_4^{(1)} - x_6^{(2)},
\end{aligned}$$

$$\begin{aligned}
& x_3^{(2)} + x_3^{(3)} - x_5^{(2)} > x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, \\
& x_3^{(2)} + x_3^{(3)} - x_5^{(2)} > x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)}, \\
& x_3^{(2)} + x_3^{(3)} - x_5^{(2)} > x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, \\
& x_3^{(2)} + x_3^{(3)} - x_5^{(2)} > x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, \\
& x_3^{(2)} + x_3^{(3)} - x_5^{(2)} > x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, \\
& x_3^{(2)} + x_3^{(3)} - x_5^{(2)} > x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, \\
(F\check{9}) \quad & x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)} \geq x_6^{(1)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)} > x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)} \geq x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)} \geq x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)} \geq x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)} \geq x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)} > x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)} > x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)} > x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)} > x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)} > x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)} > x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, \\
& x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)} \geq x_3^{(2)} + x_3^{(3)} - x_5^{(2)}, \\
(F\check{10}) \quad & x_2^{(2)} - x_3^{(3)} + x_4^{(1)} \geq x_6^{(1)}, \\
& x_2^{(2)} - x_3^{(3)} + x_4^{(1)} > x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} - x_3^{(3)} + x_4^{(1)} > x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} - x_3^{(3)} + x_4^{(1)} \geq x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, \\
& x_2^{(2)} - x_3^{(3)} + x_4^{(1)} \geq x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, \\
& x_2^{(2)} - x_3^{(3)} + x_4^{(1)} \geq x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, \\
& x_2^{(2)} - x_3^{(3)} + x_4^{(1)} > x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, \\
& x_2^{(2)} - x_3^{(3)} + x_4^{(1)} > x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)}, \\
& x_2^{(2)} - x_3^{(3)} + x_4^{(1)} > x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, \\
& x_2^{(2)} - x_3^{(3)} + x_4^{(1)} > x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, \\
& x_2^{(2)} - x_3^{(3)} + x_4^{(1)} > x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, \\
& x_2^{(2)} - x_3^{(3)} + x_4^{(1)} > x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)},
\end{aligned}$$

$$\begin{aligned}
& x_2^{(2)} - x_3^{(3)} + x_4^{(1)} \geq x_3^{(2)} + x_3^{(3)} - x_5^{(2)}, \\
(F\check{11}) \quad & x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)} \geq x_6^{(1)}, \\
& x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)} > x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, \\
& x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)} > x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, \\
& x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)} \geq x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, \\
& x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)} \geq x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, \\
& x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)} \geq x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, \\
& x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)} > x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, \\
& x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)} > x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)}, \\
& x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)} > x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, \\
& x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)} > x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, \\
& x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)} > x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, \\
& x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)} > x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, \\
& x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)} > x_3^{(2)} + x_3^{(3)} - x_5^{(2)}, \\
(F\check{12}) \quad & x_3^{(2)} - x_4^{(3)} + x_4^{(1)} \geq x_6^{(1)}, \\
& x_3^{(2)} - x_4^{(3)} + x_4^{(1)} > x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, \\
& x_3^{(2)} - x_4^{(3)} + x_4^{(1)} > x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, \\
& x_3^{(2)} - x_4^{(3)} + x_4^{(1)} > x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, \\
& x_3^{(2)} - x_4^{(3)} + x_4^{(1)} > x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, \\
& x_3^{(2)} - x_4^{(3)} + x_4^{(1)} \geq x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, \\
& x_3^{(2)} - x_4^{(3)} + x_4^{(1)} > x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, \\
& x_3^{(2)} - x_4^{(3)} + x_4^{(1)} > x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)}, \\
& x_3^{(2)} - x_4^{(3)} + x_4^{(1)} > x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, \\
& x_3^{(2)} - x_4^{(3)} + x_4^{(1)} > x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, \\
& x_3^{(2)} - x_4^{(3)} + x_4^{(1)} > x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, \\
& x_3^{(2)} - x_4^{(3)} + x_4^{(1)} > x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, \\
& x_3^{(2)} - x_4^{(3)} + x_4^{(1)} > x_3^{(2)} + x_3^{(3)} - x_5^{(2)}, \\
(F\check{13}) \quad & x_4^{(2)} + x_4^{(1)} - x_6^{(2)} \geq x_6^{(1)}, \\
& x_4^{(2)} + x_4^{(1)} - x_6^{(2)} > x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, \\
& x_4^{(2)} + x_4^{(1)} - x_6^{(2)} > x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, \\
& x_4^{(2)} + x_4^{(1)} - x_6^{(2)} > x_2^{(2)} - x_3^{(3)} + x_4^{(1)},
\end{aligned}$$

$$\begin{aligned}
& x_4^{(2)} + x_4^{(1)} - x_6^{(2)} > x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, \\
& x_4^{(2)} + x_4^{(1)} - x_6^{(2)} > x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, \\
& x_4^{(2)} + x_4^{(1)} - x_6^{(2)} > x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, \\
& x_4^{(2)} + x_4^{(1)} - x_6^{(2)} > x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)}, \\
& x_4^{(2)} + x_4^{(1)} - x_6^{(2)} > x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, \\
& x_4^{(2)} + x_4^{(1)} - x_6^{(2)} > x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, \\
& x_4^{(2)} + x_4^{(1)} - x_6^{(2)} > x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, \\
& x_4^{(2)} + x_4^{(1)} - x_6^{(2)} > x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, \\
& x_4^{(2)} + x_4^{(1)} - x_6^{(2)} > x_3^{(2)} + x_3^{(3)} - x_5^{(2)}, \\
(F\check{1}4) \quad & x_6^{(1)} > x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_5^{(1)}, \\
& x_6^{(1)} > x_2^{(2)} - x_3^{(3)} + x_3^{(1)} - x_4^{(2)} + x_5^{(1)}, \\
& x_6^{(1)} > x_2^{(2)} - x_3^{(3)} + x_4^{(1)}, \\
& x_6^{(1)} > x_3^{(2)} + x_3^{(1)} - x_4^{(3)} - x_4^{(2)} + x_5^{(1)}, \\
& x_6^{(1)} > x_3^{(2)} - x_4^{(3)} + x_4^{(1)}, \\
& x_6^{(1)} > x_4^{(2)} + x_4^{(1)} - x_6^{(2)}, \\
& x_6^{(1)} > x_2^{(2)} + x_2^{(1)} - x_6^{(3)}, \\
& x_6^{(1)} > x_2^{(2)} + x_2^{(1)} - x_4^{(4)} - x_4^{(3)} + x_6^{(2)}, \\
& x_6^{(1)} > x_2^{(2)} + x_2^{(1)} - x_3^{(2)} - x_4^{(4)} + x_4^{(2)}, \\
& x_6^{(1)} > x_2^{(2)} + x_2^{(1)} - x_3^{(3)} - x_3^{(2)} + x_4^{(3)} + x_4^{(2)} - x_5^{(2)}, \\
& x_6^{(1)} > x_2^{(2)} + x_3^{(1)} - x_4^{(4)}, \\
& x_6^{(1)} > x_2^{(2)} - x_3^{(3)} + x_3^{(1)} + x_4^{(3)} - x_5^{(2)}, \\
& x_6^{(1)} > x_3^{(2)} + x_3^{(3)} - x_5^{(2)},
\end{aligned}$$

Then for  $x \in \mathcal{X}$  we have  $\tilde{f}_0(x) = \mathcal{UD}(e_0^c)(x)|_{c=-1}$  given by

$$\tilde{f}_0(x) = \begin{cases} (x_6^{(3)} + 1, x_4^{(4)} + 1, x_3^{(3)} + 1, x_2^{(2)} + 1, x_5^{(2)} + 1, x_4^{(3)} + 1, x_3^{(2)} + 1, x_6^{(2)}, x_4^{(2)}, \\ x_5^{(1)}, x_1^{(1)} + 1, x_2^{(1)} + 1, x_3^{(1)}, x_4^{(1)}, x_6^{(1)}) \text{ if } (\check{F}1), \\ (x_6^{(3)}, x_4^{(4)} + 1, x_3^{(3)} + 1, x_2^{(2)} + 1, x_5^{(2)} + 1, x_4^{(3)} + 1, x_3^{(2)} + 1, x_6^{(2)} + 1, x_4^{(2)}, \\ x_5^{(1)}, x_1^{(1)} + 1, x_2^{(1)} + 1, x_3^{(1)}, x_4^{(1)}, x_6^{(1)}) \text{ if } (\check{F}2), \\ (x_6^{(3)}, x_4^{(4)} + 1, x_3^{(3)} + 1, x_2^{(2)} + 1, x_5^{(2)} + 1, x_4^{(3)}, x_3^{(2)} + 1, x_6^{(2)} + 1, x_4^{(2)} + 1, \\ x_5^{(1)}, x_1^{(1)} + 1, x_2^{(1)} + 1, x_3^{(1)}, x_4^{(1)}, x_6^{(1)}) \text{ if } (\check{F}3), \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)} + 1, x_2^{(2)} + 1, x_5^{(2)} + 1, x_4^{(3)} + 1, x_3^{(2)} + 1, x_6^{(2)} + 1, x_4^{(2)} + 1, \\ x_5^{(1)}, x_1^{(1)} + 1, x_2^{(1)} + 1, x_3^{(1)}, x_4^{(1)}, x_6^{(1)}) \text{ if } (\check{F}4), \\ (x_6^{(3)}, x_4^{(4)} + 1, x_3^{(3)} + 1, x_2^{(2)} + 1, x_5^{(2)} + 1, x_4^{(3)}, x_3^{(2)}, x_6^{(2)} + 1, x_4^{(2)} + 1, \\ x_5^{(1)}, x_1^{(1)} + 1, x_2^{(1)} + 1, x_3^{(1)} + 1, x_4^{(1)}, x_6^{(1)}) \text{ if } (\check{F}5), \end{cases}$$

$$\tilde{f}_0(x) = \left\{ \begin{array}{l} (x_6^{(3)}, x_4^{(4)}, x_3^{(3)} + 1, x_2^{(2)} + 1, x_5^{(2)}, x_4^{(3)} + 1, x_3^{(2)} + 1, x_6^{(2)} + 1, x_4^{(2)} + 1, \\ \quad x_5^{(1)} + 1, x_1^{(1)} + 1, x_2^{(1)} + 1, x_3^{(1)}, x_4^{(1)}, x_6^{(1)}) \text{ if } (\check{F}6), \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)} + 1, x_2^{(2)} + 1, x_5^{(2)} + 1, x_4^{(3)} + 1, x_3^{(2)}, x_6^{(2)} + 1, x_4^{(2)} + 1, \\ \quad x_5^{(1)}, x_1^{(1)} + 1, x_2^{(1)} + 1, x_3^{(1)} + 1, x_4^{(1)}, x_6^{(1)}) \text{ if } (\check{F}7), \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)} + 1, x_5^{(2)} + 1, x_4^{(3)} + 1, x_3^{(2)} + 1, x_6^{(2)} + 1, x_4^{(2)} + 1, \\ \quad x_5^{(1)}, x_1^{(1)} + 1, x_2^{(1)} + 1, x_3^{(1)} + 1, x_4^{(1)}, x_6^{(1)}) \text{ if } (\check{F}8), \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)} + 1, x_2^{(2)} + 1, x_5^{(2)}, x_4^{(3)} + 1, x_3^{(2)}, x_6^{(2)} + 1, x_4^{(2)} + 1, \\ \quad x_5^{(1)} + 1, x_1^{(1)} + 1, x_2^{(1)} + 1, x_3^{(1)} + 1, x_4^{(1)}, x_6^{(1)}) \text{ if } (\check{F}9), \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)} + 1, x_2^{(2)} + 1, x_5^{(2)}, x_4^{(3)} + 1, x_3^{(2)}, x_6^{(2)} + 1, x_4^{(2)}, \\ \quad x_5^{(1)} + 1, x_1^{(1)} + 1, x_2^{(1)} + 1, x_3^{(1)} + 1, x_4^{(1)} + 1, x_6^{(1)}) \text{ if } (\check{F}10), \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)} + 1, x_5^{(2)}, x_4^{(3)} + 1, x_3^{(2)} + 1, x_6^{(2)} + 1, x_4^{(2)} + 1, \\ \quad x_5^{(1)} + 1, x_1^{(1)} + 1, x_2^{(1)} + 1, x_3^{(1)} + 1, x_4^{(1)}, x_6^{(1)}) \text{ if } (\check{F}11), \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)} + 1, x_5^{(2)}, x_4^{(3)} + 1, x_3^{(2)} + 1, x_6^{(2)} + 1, x_4^{(2)}, \\ \quad x_5^{(1)} + 1, x_1^{(1)} + 1, x_2^{(1)} + 1, x_3^{(1)} + 1, x_4^{(1)} + 1, x_6^{(1)}) \text{ if } (\check{F}12), \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)} + 1, x_5^{(2)}, x_4^{(3)}, x_3^{(2)} + 1, x_6^{(2)} + 1, x_4^{(2)} + 1, \\ \quad x_5^{(1)} + 1, x_1^{(1)} + 1, x_2^{(1)} + 1, x_3^{(1)} + 1, x_4^{(1)} + 1, x_6^{(1)}) \text{ if } (\check{F}13), \\ (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)} + 1, x_5^{(2)}, x_4^{(3)}, x_3^{(2)} + 1, x_6^{(2)}, x_4^{(2)} + 1, \\ \quad x_5^{(1)} + 1, x_1^{(1)} + 1, x_2^{(1)} + 1, x_3^{(1)} + 1, x_4^{(1)} + 1, x_6^{(1)} + 1) \text{ if } (\check{F}14). \end{array} \right.$$

THEOREM 3.1. *The map*

$$\begin{aligned} \Omega : \quad B^{6,\infty} &\rightarrow \mathcal{X}, \\ b = (b_{ij})_{i \leq j \leq i+5, 1 \leq i \leq 6} &\mapsto x = (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)}, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, \\ &\quad x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, x_3^{(1)}, x_4^{(1)}, x_6^{(1)}) \end{aligned}$$

defined by

$$x_m^{(l)} = \begin{cases} \sum_{j=m-l+1}^m b_{m-l+1,j}, & \text{for } m = 1, 2, 3, 4 \\ \sum_{j=m-2l+1}^m b_{m-2l+1,j}, & \text{for } m = 5 \\ \sum_{j=m-2l+1}^{m-1} b_{m-2l+1,j}, & \text{for } m = 6. \end{cases}$$

is an isomorphism of crystals.

PROOF. First we observe that the map  $\Omega^{-1} : \mathcal{X} \rightarrow B^{6,\infty}$  is given by  $\Omega^{-1}(x) = b$  where  $b_{11} = x_1^{(1)}$ ,  $b_{12} = x_2^{(2)} - x_1^{(1)}$ ,  $b_{13} = x_3^{(3)} - x_2^{(2)}$ ,  $b_{14} = x_4^{(4)} - x_3^{(3)}$ ,  $b_{15} = x_6^{(3)} - x_4^{(4)}$ ,  $b_{16} = -x_6^{(3)}$ ,  $b_{22} = x_2^{(1)}$ ,  $b_{23} = x_3^{(2)} - x_2^{(1)}$ ,  $b_{24} = x_4^{(3)} - x_3^{(2)}$ ,  $b_{25} = x_5^{(2)} - x_4^{(3)}$ ,  $b_{26} = x_6^{(2)} - x_5^{(2)}$ ,  $b_{27} = -x_6^{(2)}$ ,  $b_{33} = x_3^{(1)}$ ,  $b_{34} = x_4^{(2)} - x_3^{(1)}$ ,  $b_{35} = x_6^{(2)} - x_4^{(2)}$ ,  $b_{36} = x_5^{(2)} - x_6^{(2)}$ ,  $b_{37} = x_4^{(4)} - x_5^{(2)}$ ,  $b_{38} = -x_4^{(4)}$ ,  $b_{44} = x_4^{(1)}$ ,  $b_{45} = x_5^{(1)} - x_4^{(1)}$ ,  $b_{46} = x_6^{(2)} - x_5^{(1)}$ ,  $b_{47} = x_4^{(3)} - x_6^{(2)}$ ,  $b_{48} = x_3^{(3)} - x_4^{(3)}$ ,  $b_{49} = -x_3^{(3)}$ ,  $b_{55} = x_6^{(1)}$ ,  $b_{56} = x_5^{(1)} - x_6^{(1)}$ ,  $b_{57} = x_4^{(2)} - x_5^{(1)}$ ,  $b_{58} = x_3^{(2)} - x_4^{(2)}$ ,  $b_{59} = x_2^{(2)} - x_3^{(2)}$ ,  $b_{5,10} = -x_2^{(2)}$ ,  $b_{66} = x_6^{(1)}$ ,  $b_{67} = x_4^{(1)} - x_6^{(1)}$ ,  $b_{68} = x_3^{(1)} - x_4^{(1)}$ ,  $b_{69} = x_2^{(1)} - x_3^{(1)}$ ,  $b_{6,10} = x_1^{(1)} - x_2^{(1)}$ ,  $b_{6,11} = -x_1^{(1)}$ .



Hence the map  $\Omega$  is bijective. To prove that  $\Omega$  is an isomorphism of crystals we need to show that for  $b \in B^{6,\infty}$  and  $0 \leq k \leq 6$  we have:

$$\Omega(\tilde{f}_k(b)) = \tilde{f}_k(\Omega(b)),$$

$$\Omega(\tilde{e}_k(b)) = \tilde{e}_k(\Omega(b)),$$

$$\text{wt}_k(\Omega(b)) = \text{wt}_k(b),$$

$$\varepsilon_k(\Omega(b)) = \varepsilon_k(b).$$

Hence  $\varphi_k(\Omega(b)) = \text{wt}_k(\Omega(b)) + \varepsilon_k(\Omega(b)) = \text{wt}_k(b) + \varepsilon_k(b) = \varphi_k(b)$ . We observe that the conditions for the action of  $\tilde{f}_k$  on  $\Omega(b)$  in  $\mathcal{X}$  hold if and only if the corresponding conditions for the action of  $\tilde{f}_k$  on  $b$  in  $B^{6,\infty}$  hold for all  $0 \leq k \leq 6$ . Suppose  $\Omega(b) = x$  and  $x_2^{(2)} + x_2^{(1)} > x_1^{(1)} + x_3^{(2)}$ , then  $b_{11} + b_{12} + b_{22} > b_{11} + b_{22} + b_{23}$  and  $\tilde{f}_2(x) = (x_6^{(3)}, x_4^{(4)}, x_3^{(3)}, x_2^{(2)} - 1, x_5^{(2)}, x_4^{(3)}, x_3^{(2)}, x_6^{(2)}, x_4^{(2)}, x_5^{(1)}, x_1^{(1)}, x_2^{(1)}, x_3^{(1)}, x_4^{(1)}, x_6^{(1)}) = \Omega(\tilde{f}_2(b))$ . Similarly, we can show  $\Omega(\tilde{f}_k(b)) = \tilde{f}_k(\Omega(b))$  and  $\Omega(\tilde{e}_k(b)) = \tilde{e}_k(\Omega(b))$  for  $k = 0, 1, 3, 4, 5, 6$ . We also have  $\text{wt}_0(\Omega(b)) = \text{wt}_0(x) = -x_2^{(2)} - x_2^{(1)} = -b_{11} - b_{12} - b_{22} = -b_{11} - b_{12} + b_{23} + b_{24} + b_{25} + b_{26} + b_{27} = \text{wt}_0(b)$  for all  $b \in B^{6,\infty}$ . Similarly,  $\text{wt}_k(\Omega(b)) = \text{wt}_k(b)$  for  $1 \leq k \leq 6$ . Also,  $\varepsilon_6(\Omega(b)) = \varepsilon_6(x) = \max\{-x_6^{(3)}, x_4^{(4)} + x_4^{(3)} - 2x_6^{(3)} - x_6^{(2)}, x_4^{(4)} + x_4^{(3)} + x_4^{(2)} + x_4^{(1)} - 2x_6^{(3)} - 2x_6^{(2)} - x_6^{(1)}\} = \max\{-b_{11} - b_{12} - b_{13} - b_{14} - b_{15}, -b_{11} - b_{12} - b_{13} - b_{14} - 2b_{15} + b_{22} + b_{23} + b_{24} - b_{33} - b_{34} - b_{35}, -b_{11} - b_{12} - b_{13} - b_{14} - 2b_{15} + b_{22} + b_{23} + b_{24} - b_{33} - b_{34} - 2b_{35} + b_{44} - b_{55}\} = \varepsilon_6(b)$ . Similarly,  $\varepsilon_k(\Omega(b)) = \varepsilon_k(b)$  for  $0 \leq k \leq 5$  which completes the proof.  $\square$

## References

- [1] Berenstein A. and Kazhdan D., Geometric crystals and Unipotent crystals, GAFA 2000(Tel Aviv,1999), Geom Funct.Anal.2000, Special Volume, PartI, 188–236.
- [2] Igarashi M. and Nakashima T., Affine Geometric Crystal of type  $D_4^{(3)}$ , Contemporary Mathematics **506**, (2010), 215-226.
- [3] Igarashi M. , Misra K. C. and Nakashima T., Ultra-Discretization of the  $D_4^{(3)}$ -Geometric Crystals to the  $G_2^{(1)}$ -Perfect Crystals, Pacific J. Math. , **255**, (2012), 117-142..
- [4] Igarashi, M. , Misra, K. C. , Pongprasert, S. ,  $D_5^{(1)}$ -Geometric Crystal corresponding to the Dynkin Spin node  $i = 5$  and its Ultra-Discretization, *J. Algebra & Appl.* **18**(12) (2019) 1950227 (31 pages).
- [5] Kang S-J., Kashiwara M., Misra K.C., Miwa T., Nakashima T. and Nakayashiki A., Affine crystals and vertex models, *Int.J.Mod.Phys.A*,**7** Suppl.1A (1992), 449–484.
- [6] Kang S-J., Kashiwara M., Misra K.C., Miwa T., Nakashima T. and Nakayashiki A., Perfect crystals of quantum affine Lie algebras, *Duke Math. J.*, **68**(3), (1992), 499-607.
- [7] Kang S-J., Kashiwara M. and Misra K.C., Crystal bases of Verma modules for quantum affine Lie algebras, *Compositio Mathematica* **92** (1994), 299–345.
- [8] Kashiwara M., Crystallizing the  $q$ -analogue of universal enveloping algebras, *Commun. Math. Phys.*, **133** (1990), 249–260.
- [9] Kashiwara M., On crystal bases of the  $q$ -analogue of universal enveloping algebras, *Duke Math. J.*, **63** (1991), 465–516.
- [10] Kashiwara M., On level-zero representation of quantized affine algebras, *Duke Math.J.*, **112** (2002), 499–525.
- [11] Kashiwara M., Level zero fundamental representations over quantized affine algebras and Demazure modules. *Publ. Res. Inst. Math. Sci.* **41** (2005), no. 1, 223–250.
- [12] Kashiwara M., Nakashima T. and Okado M., Affine geometric crystals and limit of perfect crystals, *Trans.Amer.Math.Soc.*, **360**, (2008), no.7, 3645–3686.
- [13] Kac V.G., Infinite dimensional Lie algebras, Cambridge Univ.Press, 3rd edition (1990).
- [14] Kac V.G. and Peterson D.H., Defining relations of certain infinite-dimensional groups; in “Arithmetic and Geometry”(Artin M.,Tate J.,eds), 141–166, Birkhäuser, Boston-Basel-Stuttgart, (1983).

- [15] Lusztig G., Canonical bases arising from quantized enveloping algebras, *J. Amer. Math. Soc.* **3** (1990), 447–498.
- [16] Misra K.C. and Nakashima T.,  $A_n^{(1)}$ -Geometric Crystal corresponding to Dynkin index  $i = 2$  and its ultra-discretization, *Symmetries, Integrable Systems and Representations*, Springer Proceedings in Mathematics & Statistics 40 (2013), 297–318.
- [17] Misra K.C. and Nakashima T., Affine Geometric Crystal of  $A_n^{(1)}$  and Limit of Kirillov-Reshetikhin Perfect Crystals, *J. Algebra*, **507** (2018) 249 – 291.
- [18] Misra, K. C. , Pongprasert, S. ,  $D_6^{(1)}$ -Geometric Crystal at the spin node, *Commun. Algebra*, (2019) submitted. (arXiv:1911.04484).
- [19] Nakashima T., Geometric crystals on Schubert varieties, *Journal of Geometry and Physics*, **53** (2), 197–225, (2005).
- [20] Nakashima T., Affine Geometric Crystal of type  $G_2^{(1)}$ , *Contemporary Mathematics*, **442**, 179–192, Amer.Math.Soc., Providence, RI, (2007).
- [21] Nakashima T., Ultra-discretization of the  $G_2^{(1)}$ -Geometric Crystals to the  $D_4^{(3)}$ -Perfect Crystals, *Representation Theory of Algebraic Groups and Quantum Groups*, Progr. Math., 284, Birkhauser/Springer, New York, 273–296, (2010).
- [22] Okado M., Schilling A., Existence of Kirillov-Reshetikhin crystals for nonexceptional types, *Represent. Theory*, **12** (2008), 186–207.
- [23] Peterson D.H., and Kac V.G., Infinite flag varieties and conjugacy theorems, *Proc.Nat.Acad.Sci.USA*, **80**, 1778–1782, (1983).

DEPARTMENT OF MATHEMATICS, NORTH CAROLINA STATE UNIVERSITY, RALEIGH, NC 27695-8205, USA

*E-mail address:* `misra@ncsu.edu`

DEPARTMENT OF MATHEMATICS, SRINAKHARINWIROT UNIVERSITY, BANGKOK, THAILAND 10310

*E-mail address:* `suchadapo@g.swu.ac.th`