

Investigating Taxonomic Diversity within Asteroid Families through ATLAS Dual-Band Photometry

N. ERASMUS,¹ S. NAVARRO-MEZA,^{2,3} A. MCNEILL,³ D. E. TRILLING,^{3,1} A. A. SICKAFOOSE,^{1,4,5} L. DENNEAU,⁶
H. FLEWELLING,⁶ A. HEINZE,⁶ AND J. L. TONRY⁶

¹*South African Astronomical Observatory, Cape Town, 7925, South Africa.*

²*Instituto de Astronomia, Universidad Nacional Autonoma de Mexico, Ensenada B.C. 22860, Mexico.*

³*Department of Physics and Astronomy, Northern Arizona University, Flagstaff, AZ 86001, USA.*

⁴*Department of Earth, Atmospheric, and Planetary Sciences, Massachusetts Institute of Technology, Cambridge, MA 02139-4307, USA.*

⁵*Planetary Science Institute, Tucson, AZ 85719-2395, USA*

⁶*Institute for Astronomy, University of Hawaii, Honolulu, HI 9682, USA.*

ABSTRACT

We present here the c - o colors for identified Flora, Vesta, Nysa-Polana, Themis, and Koronis family members within the historic data set (2015-2018) of the Asteroid Terrestrial-impact Last Alert System (ATLAS). The Themis and Koronis families are known to be relatively pure C- and S-type Bus-DeMeo taxonomic families, respectively, and the extracted color data from the ATLAS broadband c - and o -filters of these two families is used to demonstrate that the ATLAS c - o color is a sufficient parameter to distinguish between the C- and S-type taxonomies. The Vesta and Nysa-Polana families are known to display a mixture of taxonomies possibly due to Vesta's differentiated parent body origin and Nysa-Polana actually consisting of two nested families with differing taxonomies. Our data show that the Flora family also displays a large degree of taxonomic mixing and the data reveal a substantial H-magnitude dependence on color. We propose and exclude several interpretations for the observed taxonomic mix. Additionally, we extract rotation periods of all of the targets reported here and find good agreement with targets that have previously reported periods.

Keywords: minor planets, asteroids: individual (Main-Belt Asteroids) — techniques: photometric — surveys

1. INTRODUCTION

Asteroid families are groups of objects where members of the group display similar proper orbital elements. This suggests a common collisionally-disrupted parent-body source for a family. Since the identification of asteroid families (Hirayama 1918), several studies have also shown that for many of the identified families there is also a strong correlation between taxonomic type and family membership (Bus 1999). For instance, family members of the Massalia, Eunomia, and Koronis families all have observed spectra or colors that are consistent with the Bus-DeMeo S-type taxonomy (Erasmus et al. 2019; Masiero et al. 2015; Lazzaro et al. 1999). On the other hand, members of the Hygiea, Adeona, and Themis families all have observed spectra or colors that are consistent with the Bus-DeMeo C-type taxon-

omy (Erasmus et al. 2019; Masiero et al. 2015; Carruba 2013). This leads to the assumption that the individual parent-body sources of each of these families must have had a pure composition with either a S-type or C-type spectral signature (see Figure 1 for spectra in the visible of the Bus-DeMeo S- and C-type taxonomies).

However, there are several families that display a large variation in observed spectra or color and therefore potentially contain a significant mix of two (or more) taxonomies. Some explanations that have been proposed include: nested families, i.e., two overlapping families in orbital space that are actually two separate families with differing taxonomy (Cellino et al. 2001); two colliding parents that had completely different mineralogy; size-dependent space-weathering that modifies the spectral shape of a subgroup within the family (Brunetto & Strazzulla 2005); a large differentiated parent body having variations in mineralogy (Binzel & Xu 1993); or simply incorrectly assigning membership (sometimes referred to as interlopers).

In this work we present the *c-o* colors and rotation periods of 1613 (414 Vesta, 494 Flora, 304 Nysa-Polana, 204 Themis, and 197 Koronis) main-belt targets. In Sections 2 and 3 we briefly summarize the Asteroid Terrestrial-impact Last Alert System (ATLAS) system and the approach for identifying the relevant family members within its data set. In Section 4 we explain how the colors are derived from the data set’s dual-band photometry. The method for extracting color relies on the determination of the rotation periods, hence the latter are a convenient by-product of our analysis. In Section 5 we discuss how we assign taxonomies to the targets. Section 6 contains results of validation tests using previously reported taxonomies and rotation periods. We also show validation results using the ATLAS *c-o* colors of the Themis and Koronis targets which have known and relatively pure taxonomic distributions. In Sections 7 and 8 we perform a more in-depth study on the observed taxonomic diversity of the Vesta, Nysa-Polana and Flora families and use this to draw conclusions on the origin of the Flora family by comparing to the Vesta and Nysa-Polana families which have known reasons for the observed mixture in taxonomies present.

2. ATLAS DATA

Observations were performed between 2015 and 2018 by the Asteroid Terrestrial-impact Last Alert System (ATLAS)¹. Currently consisting of two units both located in Hawaii, ATLAS is designed to achieve a high survey speed per unit cost (Tonry et al. 2018a). Its main purpose is to discover asteroids with imminent impacts with Earth that are either regionally or globally threatening in nature. To fulfill this, the two current ATLAS units scan the complete visible northern sky every night enabling it to make numerous discoveries in multiple astronomical disciplines, such as supernovae candidates discovery (Prentice et al. 2018), gamma ray burst phenomena (Stalder et al. 2017), variable stars (Heinze et al. 2018), and asteroid discovery. Since its inception ATLAS has found 39 Potentially Hazardous Asteroids among the 370 near-Earth asteroids that it has discovered. All detected asteroid astrometry and photometry are posted to the Minor Planet Center, while the supernova candidates are publicly reported to the International Astronomical Union Transient Name Server.

The two ATLAS units are 0.5 m telescopes each covering 30 deg² field-of-view in a single exposure. The main survey mode mostly utilizes two custom filters, a “cyan” or *c*-filter with a bandpass between 420-650 nm and an “orange” or *o*-filter with a bandpass between 560-820 nm




Figure 1. The transmission curves of the *c*- and *o*-filters of ATLAS (Tonry et al. 2018a) are plotted together with the averaged visible wavelength reflectance spectra, normalized at 550 nm, of the Bus-DeMeo S- and C-type taxonomies (DeMeo et al. 2009). The upper and lower bounds of the two taxonomic spectra provided by DeMeo et al. (2009) are also indicated with shading. The dashed lines are linear interpolations of the spectra and bounds since no data below 450 nm is provided.

(see Figure 1). For further details on ATLAS, ATLAS photometry, and the ATLAS All-Sky Stellar Reference Catalog see Tonry et al. (2018a); Heinze et al. (2018); Tonry et al. (2018b).

3. FAMILY DETERMINATION

To identify Flora, Vesta, Nysa-Polana, Themis, and Koronis family members within the ATLAS data set we utilize and cross-correlate with data from Nesvorný (2015) obtained through The Planetary Data System¹ (PDS) to associate objects from the ATLAS data set with known collisional families. The Nesvorný (2015) data set makes use of the Hierarchical Clustering Method (Zappala et al. 1990) to assign families. The data set also supplies a “*c*-parameter” (see Nesvorný (2015) for description) that can be used to identify suspected interlopers. For the ATLAS data set the interloper contamination is low with a percentage of suspected interlopers for the Flora, Vesta, Nysa-Polana, Themis, and Koronis of 4.5%, 0.0%, 13.5%, 6.4% and 5.6% respectively.

¹ <http://atlas.fallingstar.com>

¹ <https://pds.nasa.gov/>

4. ROTATION PERIOD EXTRACTION AND COLOR CALCULATION

Rotation periods were extracted from the ATLAS data by generating a Lomb-Scargle periodogram (Lomb 1976; Scargle 1982) of each target’s *o*-filter photometric data since this is the most abundant data out of the two filters used by ATLAS. We only considered ATLAS targets that had at least 30 photometric data points in the *o*-filter and 10 photometric data points in the *c*-filter. See top plots of Figure 2 for example *o*- and *c*-filter photometric data of Flora family member 1785 Wurm (1941 CD), Koronis family member 1809 Prometheus (2522 P-L), and Vesta family member 2511 Patterson (1980 LM). Targets that had periodograms containing peaks with a confidence (Zechmeister & K rster 2009) larger than 50% were flagged to have potentially extractable rotation periods. See middle plots of Figure 2 for example periodograms which resulted in high confidence peaks. The final extracted light-curve period is determined from the strongest periodogram peak and the uncertainty of this periodicity is determined by fitting a Gaussian function to the periodogram peak and using the RMS width (σ) as the uncertainty (see superimposed black curve and σ of the fitted function in the periodogram plots in Figure 2). It has to be noted that because of the ATLAS observing cadence there is significant alias ambiguity in our periodograms due to the daily interval between observations. Therefore there is the likelihood that some of the periods we extract are offset from the actual period by a frequency that is a multiple of a day (24 hours). This is evident by the presence of multiple peaks in some of our periodograms that have a similar confidence. The rotation periods (twice the extracted light-curve period), uncertainty, and confidence in the periods are recorded in Table 1.

To determine the colors of each ATLAS targets we fold both the *c*- and *o*-filter data with the extracted rotation period. A spline fit in the form of a high-order polynomial is fitted to the more-abundant *o*-filter data with the fit weighted on the uncertainty of the photometric values. The same polynomial that is fitted to the *o*-filter data, with the inclusion of a magnitude-offset as a variable fit parameter, is fitted to the *c*-filter data. The *c*-*o* color is assigned as this fitted magnitude offset. The uncertainty in this color value is derived from the weighted (by uncertainty of the photometric values)

standard deviation of the residuals of the two filter fits and the respective filter data. See bottom plots of Figure 2 for examples of the results of this procedure with the *c*-*o* color values and uncertainty displayed in bottom-left corner of each plot. This derived color value is not dramatically affected if by chance the folding is performed using an alias of the rotation period instead of the actual rotation period.

In a final step we remove photometric outliers and low-quality data from our data set by discarding targets that have a *c*-*o* color that falls more than 3σ from the median measured *c*-*o* color of the relevant family, and targets that had an uncertainty in measured *c*-*o* color larger than 130% of the median uncertainty of the targets in the relevant family. The result was that we discarded on average roughly 25% of our targets for each family. The calculated *c*-*o* colors and the uncertainties are recorded in Table 1.

5. TAXONOMIC DETERMINATION

For this study we limit our target classification to the two most prominent Bus-DeMeo taxonomic classes namely the silicate-rich S-type and the carbonaceous C-type which make up roughly 50% and 35% of the main-belt population respectively (Erasmus et al. 2018; DeMeo & Carry 2014; Bus & Binzel 2002). Because the Bus-DeMeo S- and V-type spectra are difficult to distinguish using only two broadband filters in the visible region we consider those two both as S-type in this study. To decide which of these two classifications is the most likely for each of our targets we calculate the expected *c*-*o* ATLAS color for the mean Bus-DeMeo S- and C-type spectra provided by DeMeo et al. (2009), and compare that to the target’s measured *c*-*o* color. The expected *c*-*o* color is determined by convolving the ATLAS filter responses with the mean Bus-DeMeo S- and C-type spectra (see Figure 1 for filter responses and spectra) and use the convolution of the ATLAS filter responses with the Sun’s spectrum as the zero-point magnitudes. The same was done for the the upper and lower bounds of the spectra to determine the uncertainty in the expected color. The expected *c*-*o* color for a S-type asteroid is $0.388^{+0.011}_{-0.012}$ and for a C-type $0.249^{+0.004}_{-0.004}$ (see solid blue and red vertical lines in Figures 3, 4 and 5 with the upper and lower bounds indicated in dashed lines).




Figure 2. Example ATLAS photometric data (top plots), Lomb-Scargle periodograms of photometric data (middle plots), and phased photometric data (bottom plots) for (a) Flora family member 1785 Wurm (1941 CD), (b) Koronis family member 1809 Prometheus (2522 P-L), and (c) Vesta family member 2511 Patterson (1980 LM). For the periodograms we also indicate the extracted light-curve period ($P_{max} = \frac{Rot.Period}{2}$), uncertainty in extracted period (σ), and confidence in extracted period. Fitted to the phased data are spline fits in the form of a high-order polynomial which are used to determine the color of each target (see Section 4 for detail). The determined $c-o$ color value and the uncertainty is displayed in the bottom-left of each plot.

Table 1. ATLAS Colors, Extracted Rotation Periods, and Taxonomic Probabilities^b

No.	Target Name	Family	H^a	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
0002	167 Urda	Koronis	9.2	0.38 ± 0.06	13.060 ± 0.009	88	14	86
0008	277 Elvira	Koronis	9.8	0.41 ± 0.04	29.676 ± 0.046	86	1	99
0018	540 Rosamunde (A904 PE)	Flora	10.8	0.44 ± 0.06	9.348 ± 0.004	88	1	99
0606	10541 Malesherbes (1991 YX)	Flora	14.3	0.29 ± 0.06	20.224 ± 0.051	94	71	29
0905	23266 (2000 YP50)	Nysa-Polana	14.7	0.41 ± 0.04	11.114 ± 0.020	96	1	99

^a H magnitude was obtained from <https://ssd.jpl.nasa.gov/horizons.cgi>

^b This is only example data, the full table containing all 1612 targets is located in the Appendix

To assign the S- or C-type taxonomy to each of our targets we use a probabilistic approach using a Monte-Carlo method where we generate 10000 pseudo-measured colors with a normal distribution centered on the target’s measured color and the width of the distribution equal to the uncertainty in the measured color (see Navarro-Meza et al. (2019) for a similar approach using $r-i$ colors to classify near-Earth asteroids). Each pseudo-measured color is classified as either S- or C-type depending on where it lies relative to the decision-line located at the color value midway between the two expected $c-o$ color values for an S- and C-type asteroid

(i.e., $c-o = 0.319$, see dotted black vertical line in Figures 3, 4 and 5). The pseudo-measured classifications are tallied to give the S- and C-type taxonomic probabilities for each target. The taxonomy with the highest probability is assigned to the target (data points in Figures 3, 4 and 5 are color-coded depending on the final assigned taxonomy, S-type = red and C-type = blue). We use the probabilities instead of the discrete classification for all our analyses in Section 7 and 8. The taxonomic probabilities for each target are recorded in Table 1.




Figure 3. Plotted are the $c-o$ colors that could be extracted (see Section 4) from the ATLAS data set of (a) Themis family members and (b) Koronis family members. The data points are colored depending on the final assigned taxonomy (see Section 5, S-type = red and C-type = blue). The Themis and Koronis families are two known C- and S-type Bus-DeMeo taxonomic families, respectively, and the color-histograms centered at the relevant mean Bus-DeMeo color therefore illustrates that the ATLAS $c-o$ color is a suitable parameter to distinguish between the C- and S-type taxonomies.

6. VALIDATION OF ROTATION PERIODS AND TAXONOMIC DETERMINATION

To validate our procedures of extracting rotation periods and determining taxonomic types, we cross-reference our results with The Asteroid Light Curve Database (LCDB; Warner et al. 2009, Updated 2019 January 31)² and find that $\sim 10\%$ of our targets are also present in the LCDB. For the 262 targets present in both data sets we derive the same taxonomy as that reported in the LCDB for 85% of the targets (for this we consider V-type and S-type as a match as well as B-type and C-type as a match) and also match the reported rotation periods within an error margin of 1% for 76% of our targets and within an error margin of 10% for 89% of our targets (for this comparison we also included the two alias periods adjacent to the main extracted period).

As a second validation test, the Themis and Koronis families which are two well-known relatively pure C- and S-type Bus-DeMeo taxonomic families are used as benchmarks for our taxonomic determination. In Figure 3 we plot the extracted $c-o$ colors of the Themis and Koronis family members within the ATLAS data set. The data points are color coded depending on the final assigned taxonomy, S-type = red and C-type = blue. Of the 204 Themis targets we classify 95% as C-type and the color histogram shown in Figure 3 (a) shows a clear peak centered at the expected mean Bus-DeMeo C-type color. Of the 197 Koronis targets we classify

91% as S-type and the color histogram shown in Figure 3 (b) shows a clear peak centered at the expected mean Bus-DeMeo S-type color. These two plots demonstrate that the ATLAS $c-o$ colors that we extract are a sufficient parameter to distinguish between the C- and S-type taxonomies.

7. MIXTURE OF TAXONOMIES IN THE VESTA AND NYSA-POLANA FAMILIES

The Vesta family, a V-type family, has a spectral signature similar to the spectral shape of S-type asteroids but with the distinct S-type absorption feature at $1\mu\text{m}$ enhanced in V-types. The Nysa-Polana family is also a known S-type family. However, observations have indicated that both contain a significant number of family members with spectra or color different to the majority of family members (Erasmus et al. 2019). This could be ascribed to the parent body of the Vesta family originally consisting of a differentiated object (Russell et al. 2012) and hence a plausible reason behind the range in colors observed within the Vesta family. Through albedo studies the Nysa-Polana family has been identified to consist of two subgroups overlapping in proper orbital space (Cellino et al. 2001) i.e., two nested families of which one shows S-type spectral characteristics and the other B-type spectral characteristics. The Bus-DeMeo B-type spectrum is similar to the spectral shape of C-type asteroids, flat and featureless, but with a slightly bluer slope in the visible. The top set of plots in Figure 4 are the extracted $c-o$ colors of the Vesta and Nysa-Polana family members within the ATLAS data set. The two-taxonomic mix is clearly evident in both families with only $\sim 70\%$ of Vesta targets having $c-o$ colors

² <http://www.MinorPlanet.info/lightcurvedatabase.html>




Figure 4. (Top) Plotted are the $c-o$ colors that could be extracted (see Section 4) from the ATLAS data set of (a) Vesta family members and (b) Nysa-Polana family members. The data points are colored depending on the final assigned taxonomy (see Section 5, S-type = red and C-type = blue). (Middle) Proper orbital elements of all ATLAS targets with all known family members from Nesvorný (2015) plotted as small black data points in the background (suspected interlopers plotted with a $\times$ -symbol). Also included are the histograms of the taxonomic probabilities (see Section 5) indicating the taxonomic dependence on orbital parameters. (Bottom) The cumulative probabilities of the two taxonomies with respect to the three orbital parameters: broad red-line = S-type and narrow blue-line = C-type (see Section 7).

in the vicinity of the expected S(V)-type color while the Nysa-Polana targets have a 1 : 3 split between $c-o$ colors that match the expected C(B)-type and S-type colors respectively.

By plotting the distributions of the two taxonomies as a function of proper orbital space (see middle set of plots in Figure 4), the differing causes behind the taxonomic diversity seen in both of these families can be distinguished from one another. The assigned taxonomy of Vesta family members have no dependence on proper orbital space (consistent with a differentiated

parent body origin) while the Nysa-Polana “B-type subgroup” is positioned at a lower eccentricity (and to a lesser extend higher inclination) than the Nysa-Polana “S-type subgroup” (consistent with two nested families with slightly differing orbital parameters). This taxonomic dependence (or independence) on orbital parameters is highlighted by performing Kolmogorov-Smirnov (K-S) tests and plotting the resultant cumulative probabilities of the two taxonomies with respect to the three orbital parameters (see bottom plots of Figure 4, broad red-line = S-type and narrow blue-line = C-type). The

two taxonomies in the Vesta family have identical cumulative probabilities for the three orbital parameters (K-S statistics for semi-major axis, inclination, and eccentricity of 0.08, 0.04, and 0.01) while the two taxonomies in the Nysa-Polana family have obvious differing cumulative probabilities in eccentricity (K-S statistics for semi-major axis, inclination, and eccentricity of 0.05, 0.12, and 0.15). We use the cumulative probabilities of these two families as benchmarks for ascertaining the likely cause of the taxonomic diversity also seen in the Flora family.

8. TAXONOMIC DIVERSITY OF THE FLORA FAMILY

The top plot in Figure 5 shows the the extracted $c-o$ colors of the Flora family members within the ATLAS data set. As is the case with the Vesta and Nysa-Polana families, the Flora family also displays a significant taxonomic mix, or at least a significant range of colors. Roughly 70% of the targets have $c-o$ colors consistent with the expected S-type color with the remaining targets displaying bluer C-like colors. This is a similar proportion to that of the Vesta family. The cumulative plots of the two colors in the Flora family (see bottom of Figure 5) are identical for the three orbital parameters (as is the case for the Vesta family) as opposed to indicating a nested family as is the case for the Nysa-Polana family. Therefore a nested family is unlikely as the source of the taxonomic mix in the Flora family.

9. DISCUSSION

There are several possible interpretations for the taxonomic mix observed for the Flora family. Plotting the moving average of the colors as a function of H-magnitude (size) reveals a strong color dependence on size for the Flora family targets (see Figure 5). Since the smaller bodies are probably younger (more recently created through collisions) and therefore have fresher surfaces, one clear possibility is that the older surfaces on the larger bodies have been reddened through space weathering, whereas the younger surfaces on smaller bodies are unweathered and therefore less red. Thomas et al. (2012, 2011) report that small ($H \approx 15$) Koronis family objects are bluer than large ($H \approx 12$) Koronis family objects and attribute this difference to space weathering. We also observe a hint of this effect at a similar H-magnitude range in our Koronis family observations (see Figure 3 (b)). However this effect is subtle and can not explain the large color range we observe for the Flora family (compare color ranges as a function of H-magnitude for the Koronis and Flora families in Figure 3 (b) and 5)




Figure 5. (Top) Plotted are the $c-o$ colors that could be extracted (see Section 4) from the ATLAS data set of Flora family members. The data points are colored depending on the final assigned taxonomy (see Section 5, S-type = red and C-type = blue). (Middle) Proper orbital elements of all ATLAS targets with all known family members from Nesvorný (2015) plotted as small black data points in the background (suspected interlopers plotted with a $\times$ -symbol). Also included are the histograms of the taxonomic probabilities (see Section 5) indicating the taxonomic dependence on orbital parameters. (Bottom) The cumulative probabilities of the two taxonomies with respect to the three orbital parameters: broad red-line = S-type and narrow blue-line = C-type (see Section 7)

Another possibility is that, like the Vesta family, the heterogeneous Flora family may show evidence of a differentiated parent body. This is in agreement with a differentiated-body speculation by Gaffey (1984) based on several mineralogic and petrologic parameters derived for the surface material of asteroid Flora. Spectral data from the Galileo spacecraft on its flyby

of Flora-family member 951 Gaspra also showed an olivine/pyroxene ratio that points to Gaspra being a fragment of at least a partially differentiated parent body (Veverka et al. 1994). However, various work (Vernazza et al. 2008; Dunn et al. 2013; Vernazza et al. 2014) has shown that Flora family is likely the source of the undifferentiated LL chondrites, making this interpretation potentially problematic.

Alternatively, the C-like asteroids in the Flora family may simply be interlopers in the family membership list, though this would imply a relatively high contamination fraction of 28.3% which is significantly higher than the estimation for our data set of only 4.5% using the model of Nesvorný (2015).

Finally, two additional possible causes for the C-like colors that are observed could be due to shocked material and impact melt, which Kohout et al. (2014) and Reddy et al. (2014) have shown can make LL chondrite (S-like) spectra appear more C-like, or that a large member of the original S-type Flora family was simply impacted by a C-type asteroid that shattered, producing an embedded family within the Flora family that has a separate parent body (here we define an embedded family as one that was created through a collision between a family member and a non-family member whereas a nested family occupies similar orbital element space but has an independent origin). Neither of these interpretations can be excluded by the taxonomic independence on orbital parameters we observe. The strong color dependence on size of our observed Flora family targets can be explained if the C-type impactor was smaller ($H \gtrsim 12$) than the original S-type Flora parent body.

These topics are discussed in further detail in a forthcoming paper (Sun et al., in prep.).

10. CONCLUSION

We have reported the $c-o$ colors (and rotation periods) for identified Flora, Vesta, Nysa-Polana, Themis, and Koronis family members within the historic data set (2015-2018) of ATLAS. By using a probabilistic approach we also classify our targets as either S-type or C-type and compare to previously reported taxonomies and rotation periods to validate our methodologies. We use the Themis (a C-type family) and Koronis (a S-type family) targets in the ATLAS data set to demonstrate that the ATLAS $c-o$ color is a sufficient parameter to distinguish between the C- and S-type taxonomies.

We find that the Flora family has a significant mixture of red (S-like) and blue (C-like) colors and a compelling observed H-magnitude dependence on the colors and we propose several possible causes of this range in colors.

ACKNOWLEDGMENTS

This work has made use of data from the Asteroid Terrestrial-impact Last Alert System (ATLAS) project. ATLAS is primarily funded to search for near earth asteroids through NASA grants NN12AR55G, 80NSSC18K0284, and 80NSSC18K1575; byproducts of the NEO search include images and catalogs from the survey area. The ATLAS science products have been made possible through the contributions of the University of Hawaii Institute for Astronomy, the Queen's University Belfast, the Space Telescope Science Institute, and the South African Astronomical Observatory.

This work is partially supported by the South African National Research Foundation (NRF), the Arizona Board of Regents' Regents Innovation Fund, the National Aeronautics and Space Administration (NASA), and by a grant from NASA's Office of the Chief Technologist.

REFERENCES

- Binzel, R. P., & Xu, S. 1993, *Science*, 260, 186
- Brunetto, R., & Strazzulla, G. 2005, *Icarus*, 179, 265
- Bus, S. 1999, PhD thesis, MASSACHUSETTS INSTITUTE OF TECHNOLOGY
- Bus, S. J., & Binzel, R. P. 2002, *Icarus*, 158, 146
- Carruba, V. 2013, *MNRAS*, 431, 3557
- Cellino, A., Zappalà, V., Doressoundiram, A., et al. 2001, *Icarus*, 152, 225
- DeMeo, F. E., Binzel, R. P., Slivan, S. M., & Bus, S. J. 2009, *Icarus*, 202, 160
- DeMeo, F. E., & Carry, B. 2014, *Nature*, 505, 629
- Dunn, T. L., Burbine, T. H., Bottke, W. F., & Clark, J. P. 2013, *ICARUS*, 222, 273
- Erasmus, N., McNeill, A., & Mommert, M. 2018, *The Astrophysical Journal Supplement Series*, 237, 19
- . 2019, *The Astrophysical Journal Supplement Series*, 242, 15
- Gaffey, M. J. 1984, *Icarus*, 60, 83
- Heinze, A. N., Tonry, J. L., Denneau, L., et al. 2018, *The Astronomical Journal*, 156, 241
- Hirayama, K. 1918, *Proceedings of the Tokyo Mathematico-Physical Society*. 2nd Series, 9, 354
- Kohout, T., Gritsevich, M., Grokhovsky, V. I., et al. 2014, *Icarus*, 228, 78
- Lazzaro, D., Mothé-Diniz, T., Carvano, J., et al. 1999, *Icarus*, 142, 445

- Lomb, N. R. 1976, *Astrophysics and Space Science*, 39, 447
- Masiero, J., DeMeo, F., Kasuga, T., & Parker, A. 2015, *Asteroid Family Physical Properties*, ed. P. Michel, F. DeMeo, & W. Bottke, 323–340
- Navarro-Meza, S., Mommert, M., Trilling, D. E., et al. 2019, *The Astronomical Journal*, 157, 190
- Nesvorny, D. 2015, *NASA Planetary Data System*, 234, EAR
- Prentice, S. J., Maguire, K., Smartt, S. J., et al. 2018, *The Astrophysical Journal Letters*, 865, L3
- Reddy, V., Sanchez, J. A., Bottke, W. F., et al. 2014, *Icarus*, 237, 116
- Russell, C. T., Raymond, C. A., Coradini, A., et al. 2012, *Science*, 336, 684
- Scargle, J. D. 1982, *Astrophys. J.*, 263, 835
- Stalder, B., Tonry, J., Smartt, S. J., et al. 2017, *The Astrophysical Journal*, 850, 149
- Thomas, C. A., Rivkin, A. S., Trilling, D. E., Enga, M.-t., & Grier, J. A. 2011, *Icarus*, 212, 158
- Thomas, C. A., Trilling, D. E., & Rivkin, A. S. 2012, *Icarus*, 219, 505
- Tonry, J. L., Denneau, L., Heinze, A. N., et al. 2018a, [arXiv:arXiv:1802.00879v2](https://arxiv.org/abs/1802.00879v2)
- Tonry, J. L., Denneau, L., Flewelling, H., et al. 2018b, *The Astrophysical Journal*, 867, 105
- Vernazza, P., Binzel, R., Thomas, C., et al. 2008, *Nature*, 454, 858
- Vernazza, P., Zanda, B., Binzel, R. P., et al. 2014, *The Astrophysical Journal*, 791, 120
- Veverka, J., Belton, M., Klaasen, K., & Chapman, C. 1994, *Icarus*, 107, 2
- Warner, B. D., Harris, A. W., & Pravec, P. 2009, *Icarus*, 202, 134
- Zappala, V., Cellino, A., & Farinella, P. 1990, *Astronomical Journal*, 100, 2030
- Zechmeister, M., & Kürster, M. 2009, 584, 577

APPENDIX

A. ALL DATA

Table 2. ATLAS Colors, Extracted Rotation Periods, and Taxonomic Probabilities

No.	Target Name	Family	H^R	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
0001	158 Koronis	Koronis	9.3	0.40±0.09	14.204±0.006	73	18	82
0002	167 Urda	Koronis	9.2	0.38±0.06	13.060±0.009	88	14	86
0003	208 Lacrimosa	Koronis	9.0	0.42±0.09	14.087±0.010	84	13	87
0004	222 Lucia	Themis	9.1	0.22±0.09	9.371±0.005	58	86	14
0005	243 Ida	Koronis	9.9	0.39±0.10	4.225±0.001	74	26	74
0006	254 Augusta	Flora	12.1	0.42±0.12	5.895±0.002	85	18	82
0007	263 Dresda	Koronis	10.2	0.39±0.12	12.450±0.055	72	28	72
0008	277 Elvira	Koronis	9.8	0.41±0.04	29.676±0.046	86	1	99
0009	281 Lucretia	Flora	12.0	0.44±0.13	4.783±0.001	70	17	83
0010	352 Gisela (A893 AB)	Flora	10.0	0.43±0.09	7.480±0.003	82	10	90
0011	364 Isara (A893 FE)	Flora	9.9	0.48±0.10	9.159±0.003	72	4	96
0012	383 Janina (A894 BC)	Themis	9.9	0.23±0.07	6.429±0.003	61	91	9
0013	453 Tea (A900 DD)	Flora	10.5	0.45±0.04	48.036±0.117	73	0	100
0014	461 Saskia (A900 UG)	Themis	10.5	0.26±0.09	7.346±0.002	77	74	26
0015	462 Eriphyla (A900 UJ)	Koronis	9.2	0.37±0.11	8.659±0.003	76	32	68
0016	526 Jena (A904 EE)	Themis	10.2	0.25±0.04	11.877±0.009	66	98	2
0017	534 Nassovia (A904 HD)	Koronis	9.8	0.35±0.12	11.805±0.014	59	38	62
0018	540 Rosamunde (A904 PE)	Flora	10.8	0.44±0.06	9.348±0.004	88	1	99
0019	553 Kundry (A904 YA)	Flora	12.2	0.41±0.12	12.605±0.008	83	21	79
0020	561 Ingwelde (A905 FC)	Themis	11.2	0.25±0.07	12.013±0.005	84	83	17
0021	621 Werdandi (A906 VM)	Themis	10.5	0.27±0.11	11.773±0.006	91	67	33
0022	656 Beagle (A908 BJ)	Themis	10.1	0.25±0.13	8.245±0.029	85	71	29
0023	658 Asteria (A908 BL)	Koronis	10.5	0.37±0.10	21.026±0.019	76	29	71
0024	685 Hermia (A909 PC)	Flora	12.0	0.40±0.09	50.418±0.146	90	17	83
0025	700 Auravictrix (A910 LD)	Flora	11.1	0.43±0.06	6.076±0.002	82	2	98
0026	711 Marmulla (A911 EA)	Flora	11.7	0.45±0.09	48.087±0.123	79	7	93
0027	720 Bohlinia (A911 UL)	Koronis	9.6	0.34±0.07	14.210±0.015	73	35	65
0028	800 Kressmannia (A915 FG)	Flora	11.6	0.44±0.08	4.461±0.001	64	8	92
0029	802 Epyaxa (A915 FJ)	Flora	12.7	0.41±0.07	4.390±0.001	85	12	88
0030	809 Lundia (A915 PF)	Flora	12.1	0.37±0.12	15.993±0.014	60	34	66
0031	819 Barnardiana (A916 EA)	Flora	11.9	0.47±0.06	19.230±0.035	75	0	100
0032	832 Karin (A916 SE)	Koronis	11.2	0.38±0.12	18.359±0.082	67	29	71
0033	846 Lipperta (A916 WN)	Themis	10.3	0.26±0.07	49.361±0.105	66	82	18
0034	848 Inna (A915 RQ)	Themis	11.3	0.27±0.07	45.479±0.172	76	74	26
0035	864 Aase (A921 SB)	Flora	12.9	0.47±0.13	3.232±0.001	56	14	86
0036	883 Matterania (A917 RD)	Flora	12.6	0.45±0.12	5.643±0.002	58	14	86
0037	905 Universitas (A918 UE)	Flora	11.6	0.44±0.09	20.255±0.018	68	8	92
0038	913 Otila (A919 KD)	Flora	11.9	0.41±0.07	48.070±0.128	59	10	90
0039	915 Cosette (A918 XB)	Flora	11.6	0.45±0.09	4.930±0.001	84	7	93
0040	936 Kunigunde (A920 RB)	Themis	10.4	0.27±0.06	8.827±0.003	76	80	20

Table 2 continued

Table 2 (continued)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
0041	967 Helionape (A921 VE)	Flora	11.8	0.41±0.08	47.542±0.143	78	13	87
0042	981 Martina (A917 SW)	Themis	10.6	0.24±0.07	11.269±0.007	55	87	13
0043	1003 Lilofee (A923 RV)	Themis	10.8	0.16±0.12	8.251±0.031	85	89	11
0044	1016 Anitra (A924 CG)	Flora	11.9	0.39±0.10	6.766±0.003	60	24	76
0045	1052 Belgica (1925 VD)	Flora	12.0	0.42±0.13	31.725±0.083	57	21	79
0046	1056 Azalea (A924 CE)	Flora	11.6	0.39±0.10	15.034±0.013	68	24	76
0047	1073 Gellivara (A923 RW)	Themis	11.7	0.30±0.09	16.847±0.022	60	58	42
0048	1082 Pirola (1927 UC)	Themis	10.4	0.22±0.07	15.852±0.015	77	91	9
0049	1100 Arnica (1928 SD)	Koronis	10.9	0.37±0.06	14.533±0.010	74	18	82
0050	1133 Lugduna (1929 RC1)	Flora	12.2	0.47±0.12	5.478±0.002	73	8	92
0051	1185 Nikko (1927 WC)	Flora	12.1	0.43±0.06	4.112±0.001	65	3	97
0052	1188 Gothlandia (1930 SB)	Flora	11.6	0.46±0.12	3.254±0.001	90	12	88
0053	1223 Neckar (1931 TG)	Koronis	10.6	0.41±0.10	7.826±0.005	59	17	83
0054	1229 Tilia (1931 TP1)	Themis	11.3	0.25±0.09	8.246±0.008	72	80	20
0055	1249 Rutherfordia (1932 VB)	Flora	11.5	0.48±0.13	13.197±0.026	88	11	89
0056	1259 Ogyalla (1933 BT)	Themis	10.6	0.22±0.08	17.296±0.016	62	90	10
0057	1270 Datura (1930 YE)	Flora	12.5	0.42±0.12	3.480±0.001	82	19	81
0058	1273 Helma (1932 PF)	Vesta	12.9	0.41±0.09	6.086±0.003	58	14	86
0059	1289 Kutaissi (1933 QR)	Koronis	10.7	0.38±0.11	3.624±0.001	70	28	72
0060	1314 Paula (1933 SC)	Flora	12.7	0.39±0.12	5.950±0.002	85	27	73
0061	1340 Yvette (1934 YA)	Themis	11.1	0.22±0.09	3.388±0.001	60	86	14
0062	1365 Henyey (1928 RK)	Flora	11.8	0.40±0.07	31.480±0.035	68	13	87
0063	1389 Onnie (1935 SS1)	Koronis	11.6	0.36±0.10	23.029±0.047	82	34	66
0064	1412 Lagrula (1937 BA)	Flora	12.3	0.43±0.12	5.918±0.006	73	19	81
0065	1419 Danzig (1929 RF)	Flora	11.3	0.45±0.09	8.121±0.002	86	6	94
0066	1422 Stromgrenia (1936 QF)	Flora	13.4	0.40±0.11	3.782±0.001	68	24	76
0067	1423 Jose (1936 QM)	Koronis	10.9	0.39±0.10	12.309±0.015	92	25	75
0068	1487 Boda (1938 WC)	Themis	11.1	0.25±0.10	11.015±0.006	74	75	25
0069	1497 Tampere (1938 SB1)	Koronis	11.5	0.36±0.07	3.547±0.001	54	30	70
0070	1514 Ricouxa (A906 QG)	Flora	12.7	0.48±0.06	10.426±0.007	88	0	100
0071	1527 Malmquista (1939 UG)	Flora	12.0	0.41±0.07	14.061±0.010	82	10	90
0072	1530 Rantaseppa (1938 SG)	Flora	13.2	0.44±0.11	3.805±0.001	56	13	87
0073	1601 Patry (1942 KA)	Flora	12.3	0.44±0.14	5.944±0.003	68	18	82
0074	1608 Munoz (1951 RZ)	Flora	12.7	0.39±0.09	6.018±0.003	57	20	80
0075	1618 Dawn (1948 NF)	Koronis	11.2	0.38±0.10	43.209±0.098	91	28	72
0076	1619 Ueta (1953 TA)	Flora	12.2	0.45±0.12	2.718±0.000	72	13	87
0077	1621 Druzhba (1926 TM)	Flora	11.6	0.44±0.09	99.228±0.366	85	10	90
0078	1622 Chacornac (1952 EA)	Flora	12.2	0.39±0.10	9.725±0.006	53	25	75
0079	1624 Rabe (1931 TT1)	Themis	11.3	0.28±0.10	6.694±0.003	69	63	37
0080	1633 Chimay (1929 EC)	Themis	10.6	0.24±0.08	6.166±0.002	75	84	16
0081	1663 van den Bos (1926 PE)	Flora	11.9	0.44±0.10	45.067±0.123	83	12	88
0082	1667 Pels (1930 SY)	Flora	11.9	0.42±0.08	3.059±0.001	73	11	89
0083	1682 Karel (1949 PH)	Flora	12.8	0.45±0.09	3.375±0.001	58	7	93
0084	1686 De Sitter (1935 SR1)	Themis	11.1	0.27±0.07	5.645±0.002	55	76	24
0085	1687 Glarona (1965 SC)	Themis	10.2	0.24±0.09	6.496±0.002	83	80	20
0086	1691 Oort (1956 RB)	Themis	10.9	0.21±0.12	10.271±0.007	70	81	19
0087	1696 Nurmela (1939 FF)	Flora	12.9	0.35±0.10	3.058±0.001	86	39	61
0088	1738 Oosterhoff (1930 SP)	Flora	12.5	0.47±0.11	4.448±0.001	84	7	93
0089	1742 Schaifers (1934 RO)	Koronis	11.3	0.37±0.10	8.535±0.005	89	31	69
0090	1764 Cogshall (1953 VM1)	Themis	11.4	0.25±0.12	3.921±0.001	61	73	27
0091	1781 Van Biesbroeck (A906 UB)	Vesta	12.8	0.31±0.06	6.385±0.002	88	58	42
0092	1782 Schneller (1931 TL1)	Themis	11.8	0.29±0.10	11.716±0.010	85	58	42
0093	1785 Wurm (1941 CD)	Flora	12.6	0.38±0.08	3.270±0.001	73	22	78
0094	1788 Kiess (1952 OZ)	Themis	11.9	0.29±0.10	11.000±0.009	64	63	37
0095	1802 Zhang Heng (1964 TW1)	Koronis	11.7	0.40±0.06	3.161±0.001	81	11	89
0096	1805 Dirikis (1970 GD)	Themis	11.4	0.23±0.12	23.452±0.032	87	80	20
0097	1809 Prometheus (2522 P-L)	Koronis	11.6	0.40±0.14	22.462±0.022	87	29	71
0098	1810 Epimetheus (4196 P-L)	Flora	12.6	0.52±0.14	51.661±0.131	67	7	93
0099	1824 Haworth (1952 FM)	Koronis	11.4	0.34±0.12	17.815±0.026	72	42	58
0100	1835 Gajdariya (1970 OE)	Koronis	11.7	0.39±0.10	6.339±0.006	89	22	78
0101	1840 Hus (1971 UY)	Koronis	11.7	0.42±0.07	4.749±0.001	83	11	89
0102	1850 Kohoutek (1942 EN)	Flora	12.9	0.42±0.07	3.675±0.001	77	7	93
0103	1855 Korolev (1969 TU1)	Flora	12.8	0.36±0.10	4.657±0.001	86	33	67
0104	1895 Larink (1971 UZ)	Themis	12.1	0.28±0.10	38.180±0.127	70	64	36
0105	1896 Beer (1971 UC1)	Nysa-Polana	13.8	0.43±0.12	3.328±0.001	62	17	83
0106	1899 Crommelin (1971 UR1)	Flora	13.0	0.47±0.10	8.038±0.005	69	8	92

Table 2 continued

Table 2 (*continued*)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
0107	1906 Naef (1972 RC)	Vesta	12.5	0.41±0.10	11.007±0.007	87	18	82
0108	1913 Sekanina (1928 SF)	Koronis	11.6	0.41±0.09	14.031±0.014	74	16	84
0109	1933 Tinschen (1972 AC)	Vesta	13.0	0.39±0.06	3.975±0.001	87	13	87
0110	1953 Rupertwildt (1951 UK)	Themis	11.9	0.26±0.06	4.422±0.001	57	86	14
0111	1955 McMath (1963 SR)	Koronis	12.1	0.41±0.07	5.574±0.002	88	8	92
0112	1959 Karbyshev (1972 NB)	Vesta	12.8	0.41±0.08	7.722±0.006	76	12	88
0113	1979 Sakharov (2006 P-L)	Vesta	13.5	0.34±0.14	7.520±0.004	66	45	55
0114	1986 Plaut (1935 SV1)	Themis	12.0	0.23±0.06	18.773±0.022	66	94	6
0115	2009 Voloshina (1968 UL)	Themis	11.2	0.28±0.10	5.895±0.002	74	64	36
0116	2016 Heinemann (1938 SE)	Themis	11.8	0.27±0.06	30.238±0.091	79	80	20
0117	2029 Binomi (1969 RB)	Vesta	13.0	0.40±0.11	3.755±0.001	78	22	78
0118	2031 BAM (1969 TG2)	Flora	12.9	0.31±0.08	48.087±0.200	56	56	44
0119	2058 Roka (1938 BH)	Themis	11.4	0.30±0.10	8.331±0.027	62	58	42
0120	2066 Palala (1934 LB)	Nysa-Polana	12.7	0.27±0.12	9.732±0.006	63	65	35
0121	2086 Newell (1966 BC)	Vesta	12.3	0.17±0.11	78.000±0.327	76	92	8
0122	2088 Sahlia (1976 DJ)	Flora	12.4	0.42±0.10	36.717±0.073	59	14	86
0123	2094 Magnitka (1971 TC2)	Flora	12.0	0.48±0.10	6.112±0.003	92	5	95
0124	2112 Ulyanov (1972 NP)	Flora	12.3	0.45±0.07	3.041±0.001	75	5	95
0125	2114 Wallenquist (1976 HA)	Themis	11.8	0.25±0.10	6.223±0.006	61	76	24
0126	2117 Danmark (1978 AC)	Koronis	11.8	0.39±0.09	17.719±0.032	86	18	82
0127	2139 Makharadze (1970 MC)	Nysa-Polana	12.8	0.24±0.08	6.845±0.004	63	83	17
0128	2153 Akiyama (1978 XD)	Themis	12.0	0.30±0.09	12.531±0.009	57	55	45
0129	2163 Korczak (1971 SP1)	Themis	11.7	0.31±0.10	3.984±0.001	71	52	48
0130	2165 Young (1956 RJ)	Themis	11.3	0.22±0.09	6.389±0.003	91	85	15
0131	2176 Donar (2529 P-L)	Koronis	12.2	0.43±0.12	4.705±0.001	91	17	83
0132	2203 van Rhijn (1935 SQ1)	Themis	11.6	0.22±0.07	30.590±0.067	87	92	8
0133	2209 Tianjin (1978 US1)	Koronis	11.1	0.40±0.09	9.453±0.006	86	16	84
0134	2222 Lermontov (1977 ST1)	Themis	11.3	0.27±0.09	4.345±0.001	80	70	30
0135	2228 Soyuz-Apollo (1977 OH)	Themis	11.5	0.25±0.07	5.387±0.002	84	83	17
0136	2230 Yunnan (1978 UT1)	Koronis	11.9	0.38±0.10	10.039±0.007	69	28	72
0137	2237 Melnikov (1938 TB)	Themis	12.0	0.29±0.07	31.725±0.074	84	63	37
0138	2248 Kanda (1933 DE)	Themis	11.3	0.23±0.07	16.308±0.022	85	91	9
0139	2268 Szmytowna (1942 VW)	Koronis	11.7	0.39±0.10	11.257±0.009	84	24	76
0140	2279 Barto (1968 DL)	Nysa-Polana	13.0	0.24±0.10	6.628±0.003	83	78	22
0141	2282 Andres Bello (1974 FE)	Flora	13.2	0.41±0.14	3.424±0.002	83	28	72
0142	2293 Guernica (1977 EH1)	Themis	11.2	0.20±0.12	6.410±0.015	55	84	16
0143	2297 Daghestan (1978 RE)	Themis	11.3	0.22±0.10	7.755±0.006	65	83	17
0144	2319 Aristides (7631 P-L)	Koronis	12.1	0.34±0.10	86.554±0.414	84	40	60
0145	2338 Bokhan (1977 QA3)	Koronis	11.9	0.39±0.08	54.582±0.154	52	17	83
0146	2372 Proskurin (1977 RA8)	Themis	11.8	0.29±0.10	15.285±0.010	83	63	37
0147	2399 Terradas (1971 MA)	Flora	13.4	0.43±0.14	15.236±0.014	87	20	80
0148	2439 Ulugbek (1977 QX2)	Themis	11.8	0.23±0.12	4.260±0.001	71	77	23
0149	2445 Blazhko (1935 TC)	Flora	12.2	0.41±0.09	3.566±0.001	89	15	85
0150	2461 Clavel (1981 EC1)	Themis	11.7	0.29±0.06	4.721±0.002	69	66	34
0151	2473 Heyerdahl (1977 RX7)	Flora	13.1	0.44±0.08	47.779±0.099	60	6	94
0152	2478 Tokai (1981 JC)	Flora	12.1	0.41±0.14	16.809±0.019	77	25	75
0153	2482 Perkin (1980 CO)	Koronis	12.8	0.45±0.10	51.013±0.217	80	11	89
0154	2492 Kutuzov (1977 NT)	Themis	11.6	0.18±0.13	15.099±0.021	61	87	13
0155	2499 Brunk (1978 VJ7)	Themis	12.4	0.25±0.09	5.546±0.003	82	79	21
0156	2506 Pirogov (1976 QG1)	Koronis	11.9	0.34±0.09	2.953±0.001	61	38	62
0157	2511 Patterson (1980 LM)	Vesta	12.7	0.43±0.10	4.141±0.001	90	13	87
0158	2527 Gregory (1981 RE)	Nysa-Polana	13.2	0.25±0.10	6.101±0.003	63	75	25
0159	2528 Mohler (1953 TF1)	Themis	12.2	0.30±0.09	6.491±0.002	77	61	39
0160	2532 Sutton (1980 TU5)	Flora	13.0	0.27±0.10	23.869±0.064	54	67	33
0161	2541 Edebono (1973 DE)	Koronis	11.9	0.36±0.08	3.084±0.001	78	30	70
0162	2575 Bulgaria (1970 PL)	Flora	12.7	0.41±0.07	8.618±0.007	92	9	91
0163	2587 Gardner (1980 OH)	Themis	11.5	0.24±0.08	11.627±0.005	80	84	16
0164	2590 Mourao (1980 KJ)	Vesta	12.4	0.44±0.15	15.577±0.015	86	20	80
0165	2591 Dworetzky (1949 PS)	Koronis	11.5	0.40±0.12	12.558±0.005	53	26	74
0166	2620 Santana (1980 TN)	Koronis	12.7	0.43±0.10	3.392±0.001	87	12	88
0167	2627 Churyumov (1978 PP3)	Themis	12.1	0.21±0.10	7.653±0.003	78	86	14
0168	2635 Huggins (1982 DS)	Flora	12.7	0.43±0.11	48.295±0.191	60	14	86
0169	2647 Sova (1980 SP)	Flora	12.7	0.43±0.07	9.382±0.005	76	6	94
0170	2659 Millis (1981 JX)	Themis	11.6	0.27±0.07	6.124±0.003	90	73	27
0171	2665 Schrutka (1938 DW1)	Flora	13.0	0.41±0.07	2.716±0.000	59	9	91
0172	2673 Lossignol (1980 KN)	Themis	12.5	0.30±0.10	4.094±0.001	55	59	41

Table 2 *continued*

Table 2 (continued)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
0173	2682 Soromundi (1979 MF4)	Flora	13.3	0.38±0.10	9.375±0.005	64	25	75
0174	2688 Halley (1982 HG1)	Themis	11.7	0.23±0.07	16.022±0.020	73	88	12
0175	2709 Sagan (1982 FH)	Flora	13.1	0.40±0.13	5.903±0.002	80	27	73
0176	2713 Luxembourg (1938 EA)	Koronis	11.4	0.37±0.08	3.332±0.001	86	27	73
0177	2718 Handley (1951 OM)	Themis	11.8	0.26±0.06	13.093±0.015	84	82	18
0178	2722 Abalakin (1976 GM2)	Themis	12.2	0.28±0.07	11.439±0.014	63	71	29
0179	2723 Gorshkov (1978 QL2)	Themis	13.1	0.31±0.09	42.484±0.119	85	52	48
0180	2746 Hissao (1979 SJ9)	Flora	13.2	0.30±0.12	3.185±0.001	65	54	46
0181	2750 Loviisa (1940 YK)	Flora	13.2	0.50±0.10	65.445±0.191	88	3	97
0182	2768 Gorky (1972 RX3)	Flora	12.3	0.45±0.09	48.226±0.186	66	8	92
0183	2781 Kleczek (1982 QH)	Themis	11.9	0.28±0.09	7.309±0.004	79	66	34
0184	2785 Sedov (1978 QN2)	Koronis	12.4	0.40±0.07	5.478±0.002	91	11	89
0185	2795 Lepage (1979 YM)	Vesta	12.9	0.46±0.15	40.362±0.081	84	17	83
0186	2811 Strenchovi (1980 JA)	Koronis	11.8	0.40±0.07	3.248±0.001	86	12	88
0187	2818 Juvenalis (2580 P-L)	Nysa-Polana	14.1	0.47±0.11	3.640±0.001	79	8	92
0188	2837 Griboedov (1971 TJ2)	Koronis	11.9	0.43±0.11	3.950±0.001	92	15	85
0189	2853 Harvill (1963 RG)	Flora	13.0	0.39±0.09	6.304±0.003	86	19	81
0190	2880 Nihondaira (1983 CA)	Flora	12.7	0.41±0.09	20.737±0.025	83	16	84
0191	2882 Tedesco (1981 OG)	Themis	11.6	0.22±0.10	19.795±0.028	78	82	18
0192	2884 Reddish (1981 ES22)	Themis	12.0	0.22±0.07	35.522±0.066	93	93	7
0193	2896 Preiss (1931 RN)	Flora	12.6	0.44±0.08	47.324±0.164	82	6	94
0194	2901 Bagehot (1973 DP)	Koronis	12.1	0.41±0.14	2.773±0.001	83	25	75
0195	2916 Voroneliya (1978 PW2)	Flora	13.6	0.45±0.12	42.417±0.105	82	12	88
0196	2919 Dali (1981 EX18)	Themis	12.0	0.29±0.12	8.049±0.004	85	58	42
0197	2961 Katsurahama (1982 XA)	Flora	13.0	0.40±0.10	3.130±0.000	67	20	80
0198	2969 Mikula (1978 RU1)	Koronis	12.6	0.43±0.08	4.713±0.001	57	8	92
0199	2985 Shakespeare (1983 TV1)	Koronis	12.1	0.39±0.10	6.058±0.002	88	25	75
0200	2990 Trimberger (1981 EN27)	Nysa-Polana	13.8	0.24±0.10	7.787±0.004	73	79	21
0201	2994 Flynn (1975 PA)	Nysa-Polana	13.9	0.38±0.10	14.034±0.015	59	27	73
0202	2998 Berendeya (1975 TR3)	Nysa-Polana	14.0	0.38±0.10	7.971±0.007	81	26	74
0203	3002 Delasalle (1982 FB3)	Flora	12.6	0.43±0.07	6.534±0.002	74	7	93
0204	3009 Coventry (1973 SM2)	Flora	13.8	0.26±0.12	78.964±0.381	61	70	30
0205	3010 Ushakov (1978 SB5)	Themis	12.7	0.26±0.09	3.562±0.002	78	74	26
0206	3016 Meuse (1981 EK)	Koronis	12.3	0.39±0.07	4.039±0.001	62	13	87
0207	3019 Kulin (1940 AC)	Koronis	11.9	0.36±0.10	92.650±0.426	87	34	66
0208	3029 Sanders (1981 EA8)	Flora	12.8	0.41±0.09	3.068±0.000	79	14	86
0209	3049 Kuzbass (1968 FH)	Themis	12.0	0.26±0.12	5.022±0.002	62	68	32
0210	3059 Pryor (1981 EF23)	Nysa-Polana	13.3	0.41±0.10	24.555±0.040	77	18	82
0211	3069 Heyrovsky (1982 UG2)	Nysa-Polana	13.6	0.48±0.07	6.846±0.006	61	1	99
0212	3112 Velimir (1977 QC5)	Nysa-Polana	13.3	0.36±0.14	3.653±0.002	60	37	63
0213	3116 Goodricke (1983 CF)	Flora	12.5	0.46±0.09	17.294±0.030	63	4	96
0214	3128 Obruchev (1979 FJ2)	Themis	12.1	0.26±0.10	12.642±0.011	77	71	29
0215	3130 Hillary (1981 YO)	Nysa-Polana	13.2	0.20±0.11	34.419±0.047	60	86	14
0216	3133 Sendai (A907 TC)	Flora	12.9	0.48±0.12	5.749±0.002	82	8	92
0217	3143 Genecampbell (1980 UA)	Koronis	12.5	0.36±0.10	3.193±0.001	59	32	68
0218	3148 Grechko (1979 SA12)	Themis	12.3	0.26±0.09	6.029±0.003	81	75	25
0219	3153 Lincoln (1984 SH3)	Vesta	12.9	0.47±0.12	15.997±0.027	57	10	90
0220	3165 Mikawa (1984 QE)	Flora	12.8	0.48±0.13	4.593±0.002	61	11	89
0221	3170 Dzhanibekov (1979 SS11)	Koronis	12.5	0.39±0.12	5.389±0.003	71	28	72
0222	3174 Alcock (1984 UV)	Themis	12.0	0.22±0.07	7.032±0.004	84	92	8
0223	3186 Manuilova (1973 SD3)	Themis	12.8	0.28±0.12	29.211±0.058	69	63	37
0224	3228 Pire (1935 CL)	Nysa-Polana	12.8	0.27±0.15	11.545±0.017	74	63	37
0225	3244 Petronius (4008 P-L)	Flora	13.9	0.35±0.09	41.130±0.106	81	37	63
0226	3274 Maillen (1981 QO2)	Themis	12.7	0.24±0.09	10.167±0.007	86	83	17
0227	3279 Solon (9103 P-L)	Flora	13.1	0.39±0.10	8.104±0.003	85	26	74
0228	3281 Maupertuis (1938 DZ)	Vesta	12.9	0.36±0.16	6.730±0.003	87	39	61
0229	3301 Jansje (1978 CT)	Flora	13.0	0.34±0.12	9.427±0.004	72	40	60
0230	3334 Somov (1981 YR)	Koronis	11.8	0.41±0.09	5.529±0.002	86	17	83
0231	3337 Milos (1971 UG1)	Koronis	12.5	0.41±0.12	7.220±0.003	83	24	76
0232	3377 Lodewijk (4122 P-L)	Koronis	12.6	0.38±0.09	6.760±0.003	59	25	75
0233	3409 Abramov (1977 RE6)	Koronis	12.0	0.43±0.10	8.503±0.004	82	14	86
0234	3411 Debetencourt (1980 LK)	Flora	13.5	0.36±0.12	9.941±0.017	70	36	64
0235	3459 Bodil (1986 GB)	Flora	12.9	0.49±0.12	52.572±0.231	79	7	93
0236	3467 Bernheim (1981 SF2)	Nysa-Polana	13.3	0.14±0.14	12.285±0.010	84	88	12
0237	3481 Xianglupeak (1982 DS6)	Flora	13.1	0.44±0.07	4.788±0.002	67	4	96
0238	3486 Fulchignoni (1984 CR)	Nysa-Polana	13.6	0.42±0.10	2.808±0.001	66	16	84

Table 2 continued

Table 2 (*continued*)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
0239	3494 Purple Mountain (1980 XW)	Vesta	12.7	0.41±0.09	5.857±0.001	62	16	84
0240	3499 Hoppe (1981 VW1)	Themis	12.6	0.24±0.09	3.527±0.001	62	81	19
0241	3502 Huangpu (1964 TR1)	Themis	11.8	0.29±0.10	7.363±0.003	55	62	38
0242	3504 Kholoshevnikov (1981 RV3)	Themis	12.0	0.22±0.11	4.719±0.002	75	83	17
0243	3507 Vilas (1982 UX)	Themis	11.4	0.25±0.08	4.755±0.001	55	81	19
0244	3516 Rusheva (1982 UH7)	Koronis	12.3	0.40±0.09	3.531±0.001	84	18	82
0245	3527 McCord (1985 GE1)	Flora	12.7	0.35±0.12	56.182±0.252	85	39	61
0246	3541 Graham (1984 ML)	Nysa-Polana	12.9	0.28±0.12	3.528±0.001	56	64	36
0247	3543 Ningbo (1964 VA3)	Themis	12.0	0.34±0.09	6.786±0.002	60	41	59
0248	3589 Loyola (1984 AB1)	Flora	13.7	0.31±0.12	4.166±0.001	80	55	45
0249	3591 Vladimirkij (1978 QJ2)	Themis	12.2	0.15±0.10	4.900±0.002	83	95	5
0250	3601 Velikhov (1979 SP9)	Themis	12.7	0.27±0.12	12.124±0.010	57	65	35
0251	3623 Chaplin (1981 TG2)	Koronis	12.0	0.38±0.14	8.349±0.004	92	33	67
0252	3624 Mironov (1982 TH2)	Flora	14.0	0.31±0.14	27.703±0.119	68	53	47
0253	3633 Mira (1980 EE2)	Flora	13.6	0.25±0.09	31.998±0.058	70	78	22
0254	3640 Gostin (1985 TR3)	Flora	12.5	0.38±0.12	3.264±0.001	64	30	70
0255	3661 Dolmatovskij (1979 UY3)	Koronis	12.2	0.46±0.12	9.901±0.006	57	13	87
0256	3663 Tisserand (1985 GK1)	Themis	12.7	0.26±0.09	5.161±0.001	54	76	24
0257	3666 Holman (1979 HP)	Themis	12.2	0.25±0.14	35.531±0.164	62	68	32
0258	3690 Larson (1981 PM)	Flora	13.5	0.47±0.10	6.658±0.003	85	8	92
0259	3739 Rem (1977 RE2)	Flora	13.2	0.50±0.07	68.906±0.328	66	0	100
0260	3763 Qianxuesen (1980 TA6)	Flora	12.5	0.45±0.07	47.660±0.146	58	4	96
0261	3764 Holmesacourt (1980 TL15)	Flora	13.3	0.41±0.09	3.276±0.001	86	17	83
0262	3804 Drunina (1969 TB2)	Koronis	12.6	0.36±0.10	3.243±0.002	64	33	67
0263	3813 Fortov (1970 QA1)	Flora	13.5	0.47±0.10	11.713±0.009	90	7	93
0264	3825 Nurnberg (1967 UR)	Flora	12.9	0.40±0.10	4.029±0.001	89	18	82
0265	3831 Pettengill (1986 TP2)	Flora	13.3	0.46±0.08	5.431±0.005	92	4	96
0266	3842 Harlansmith (1985 FC1)	Flora	12.9	0.39±0.14	2.794±0.001	60	30	70
0267	3857 Cellino (1984 CD1)	Nysa-Polana	13.4	0.44±0.07	3.656±0.001	78	4	96
0268	3881 Doumergua (1925 VF)	Nysa-Polana	13.0	0.27±0.08	3.582±0.001	67	72	28
0269	3899 Wichterle (1982 SN1)	Themis	11.4	0.25±0.10	5.857±0.002	86	78	22
0270	3903 Kliment Ohridski (1987 SV2)	Koronis	12.1	0.43±0.12	28.335±0.060	81	17	83
0271	3933 Portugal (1986 EN4)	Themis	12.5	0.26±0.10	10.427±0.009	72	72	28
0272	3946 Shor (1983 EL2)	Themis	12.4	0.25±0.14	5.564±0.004	84	68	32
0273	3948 Bohr (1985 RF)	Nysa-Polana	13.4	0.45±0.11	24.896±0.024	88	11	89
0274	3952 Russellmark (1986 EM2)	Nysa-Polana	14.0	0.40±0.12	5.090±0.002	86	27	73
0275	3953 Perth (1986 VB6)	Flora	13.5	0.39±0.14	5.087±0.002	76	32	68
0276	3963 Paradzhanov (1969 TP2)	Nysa-Polana	13.5	0.41±0.14	68.206±0.303	86	24	76
0277	3975 Verdi (1982 UR3)	Koronis	12.3	0.39±0.07	8.158±0.004	93	16	84
0278	3984 Chacos (1984 SB6)	Nysa-Polana	14.5	0.33±0.09	32.352±0.058	87	48	52
0279	4005 Dyagilev (1972 TC2)	Vesta	12.8	0.52±0.14	6.409±0.007	76	7	93
0280	4009 Drobyshevskij (1977 EN1)	Themis	12.6	0.28±0.09	3.878±0.002	67	64	36
0281	4013 Ogiria (1979 OM15)	Themis	12.6	0.25±0.10	3.490±0.001	54	74	26
0282	4027 Mitton (1982 DN)	Nysa-Polana	13.2	0.40±0.12	2.946±0.001	65	24	76
0283	4033 Yatsugatake (1986 FA)	Flora	13.6	0.45±0.12	5.691±0.003	70	13	87
0284	4066 Haapavesi (1940 RG)	Flora	13.4	0.53±0.12	42.071±0.124	68	4	96
0285	4076 Dorffel (1982 UF4)	Koronis	12.2	0.42±0.12	48.983±0.169	72	17	83
0286	4080 Galinskij (1983 PW)	Flora	13.3	0.43±0.11	7.358±0.002	83	15	85
0287	4084 Hollis (1985 GM)	Koronis	12.2	0.44±0.10	4.671±0.001	84	14	86
0288	4090 Rishvezd (1986 RH1)	Nysa-Polana	13.1	0.42±0.10	5.038±0.001	70	15	85
0289	4113 Rascana (1982 BQ)	Flora	13.5	0.34±0.12	4.043±0.002	58	45	55
0290	4126 Mashu (1988 BU)	Themis	12.3	0.24±0.10	10.624±0.005	61	80	20
0291	4134 Schutz (1961 CR)	Flora	13.9	0.45±0.14	5.843±0.003	60	17	83
0292	4145 Maximova (1981 SJ7)	Flora	13.5	0.47±0.15	19.874±0.025	84	15	85
0293	4146 Rudolfinum (1982 DD2)	Flora	13.8	0.41±0.10	47.847±0.207	78	21	79
0294	4173 Thicksten (1982 KG1)	Nysa-Polana	13.7	0.22±0.12	4.966±0.001	64	80	20
0295	4174 Pikulia (1982 SB6)	Themis	12.0	0.27±0.06	19.930±0.027	71	78	22
0296	4195 Esambaev (1982 SK8)	Koronis	12.6	0.40±0.10	4.634±0.001	84	23	77
0297	4215 Kamo (1987 VE1)	Vesta	12.6	0.37±0.12	48.208±0.161	63	33	67
0298	4251 Kavasch (1985 JK1)	Nysa-Polana	14.0	0.42±0.12	3.166±0.001	77	20	80
0299	4269 Bogado (1974 FN)	Flora	13.5	0.33±0.10	12.648±0.013	75	44	56
0300	4278 Harvey (1982 SF)	Flora	13.7	0.59±0.13	9.647±0.006	79	2	98
0301	4323 Hortulus (1981 QN)	Flora	13.4	0.41±0.12	7.852±0.004	57	21	79
0302	4345 Rachmaninoff (1988 CM2)	Koronis	12.6	0.43±0.12	4.484±0.001	83	17	83
0303	4351 Nobuhisa (1989 UR1)	Koronis	12.6	0.39±0.09	3.105±0.001	60	19	81
0304	4361 Nezhdanova (1977 TG7)	Themis	12.4	0.27±0.10	21.279±0.031	67	68	32

Table 2 *continued*

Table 2 (continued)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
0305	4365 Ivanova (1978 VH8)	Koronis	12.6	0.37±0.10	9.917±0.007	81	29	71
0306	4385 Elsasser (2534 P-L)	Themis	13.0	0.23±0.10	5.577±0.002	79	83	17
0307	4425 Bilk (1967 UQ)	Nysa-Polana	14.0	0.39±0.12	5.250±0.002	76	26	74
0308	4444 Escher (1985 SA)	Vesta	13.7	0.40±0.07	47.307±0.235	56	12	88
0309	4463 Marschwarzschild (1954 UO2)	Themis	13.0	0.28±0.12	23.407±0.046	85	63	37
0310	4488 Tokitada (1987 UK)	Flora	13.7	0.35±0.10	78.640±0.380	82	38	62
0311	4506 Hendrie (1990 FJ)	Koronis	12.6	0.40±0.09	5.510±0.002	89	17	83
0312	4507 Petercollins (1990 FV)	Koronis	11.9	0.38±0.11	6.580±0.003	84	30	70
0313	4524 Barklajdetolli (1981 RV4)	Vesta	12.9	0.27±0.10	45.665±0.124	81	68	32
0314	4546 Franck (1990 EW2)	Vesta	13.4	0.41±0.09	24.057±0.036	63	16	84
0315	4594 Dashkova (1980 KR1)	Flora	14.1	0.45±0.10	38.888±0.093	59	10	90
0316	4614 Masamura (1990 QN)	Flora	13.4	0.41±0.10	63.704±0.222	81	20	80
0317	4627 Pinomogavero (1985 RT2)	Koronis	12.6	0.40±0.11	44.588±0.100	72	22	78
0318	4632 Udagawa (1987 YB)	Flora	13.6	0.44±0.11	3.570±0.001	86	14	86
0319	4637 Odorico (1989 CT)	Nysa-Polana	13.5	0.30±0.09	7.561±0.004	82	58	42
0320	4646 Kwee (4009 P-L)	Nysa-Polana	14.3	0.42±0.12	66.482±0.327	57	19	81
0321	4650 Mori (1950 TF)	Flora	13.5	0.43±0.08	31.733±0.077	65	7	93
0322	4669 Hoder (1987 UF1)	Flora	13.7	0.47±0.15	2.832±0.001	58	15	85
0323	4683 Veratar (1976 GJ1)	Themis	12.2	0.28±0.09	18.123±0.041	71	66	34
0324	4691 Toyen (1983 TU)	Flora	13.5	0.31±0.07	3.786±0.001	74	56	44
0325	4703 Kagoshima (1988 BL)	Flora	13.3	0.44±0.12	47.779±0.122	63	17	83
0326	4710 Wade (1989 AX2)	Flora	13.1	0.40±0.12	4.920±0.002	64	25	75
0327	4727 Ravel (1979 UD1)	Koronis	12.9	0.38±0.12	4.448±0.002	57	32	68
0328	4733 ORO (1982 HB2)	Flora	13.7	0.37±0.12	5.889±0.002	82	35	65
0329	4752 Myron (1309 T-2)	Themis	12.8	0.26±0.10	26.032±0.049	82	73	27
0330	4758 Hermitage (1978 SN4)	Themis	12.3	0.29±0.14	10.153±0.015	74	59	41
0331	4778 Fuss (1978 TV8)	Themis	13.1	0.29±0.10	7.225±0.003	68	61	39
0332	4779 Whitley (1978 XQ)	Themis	12.4	0.22±0.09	6.343±0.003	70	87	13
0333	4821 Bianucci (1986 EE5)	Themis	12.7	0.25±0.10	29.630±0.049	77	76	24
0334	4825 Ventura (1988 CS2)	Flora	14.0	0.44±0.09	5.265±0.002	76	8	92
0335	4903 Ichikawa (1989 UD)	Themis	12.6	0.23±0.13	20.403±0.029	56	74	26
0336	4912 Emilhaury (1953 VX1)	Flora	13.1	0.45±0.11	3.604±0.001	82	12	88
0337	4941 Yahagi (1986 UA)	Themis	12.6	0.23±0.12	4.690±0.002	57	77	23
0338	4971 Hoshinohiroba (1989 BY)	Nysa-Polana	13.1	0.43±0.10	8.370±0.004	89	12	88
0339	4993 Cossard (1983 GR)	Vesta	13.3	0.40±0.10	48.260±0.168	56	19	81
0340	5033 Mistral (1990 PF)	Koronis	12.4	0.38±0.10	5.150±0.002	63	25	75
0341	5062 Glennmiller (1989 CZ)	Nysa-Polana	13.8	0.34±0.14	9.243±0.011	79	45	55
0342	5063 Monteverdi (1989 CJ5)	Nysa-Polana	14.0	0.38±0.09	3.469±0.001	90	22	78
0343	5069 Tokeidai (1991 QB)	Flora	13.0	0.43±0.05	3.663±0.001	85	2	98
0344	5077 Favalaro (1974 MG)	Flora	13.8	0.46±0.10	4.589±0.002	85	6	94
0345	5088 Tancredi (1979 QZ1)	Themis	12.6	0.22±0.12	5.060±0.009	62	79	21
0346	5111 Jacliff (1987 SE4)	Vesta	12.7	0.38±0.09	2.840±0.001	59	26	74
0347	5138 Gyoda (1990 VD2)	Themis	12.6	0.24±0.12	8.415±0.004	88	75	25
0348	5139 Rumoi (1990 VH4)	Koronis	12.0	0.44±0.12	3.048±0.001	83	16	84
0349	5158 Ogarev (1976 YY)	Nysa-Polana	14.4	0.24±0.10	32.989±0.121	75	80	20
0350	5165 Videnom (1985 CG)	Nysa-Polana	13.4	0.44±0.14	3.375±0.001	56	18	82
0351	5193 Tanakawataru (1992 ET)	Themis	11.9	0.27±0.09	5.340±0.011	69	71	29
0352	5240 Kwasan (1990 XE)	Vesta	12.6	0.36±0.14	5.675±0.003	56	40	60
0353	5296 Friedrich (9546 P-L)	Themis	12.2	0.28±0.07	7.102±0.004	90	71	29
0354	5306 Fangfen (1980 BB)	Koronis	12.6	0.42±0.09	3.939±0.001	81	12	88
0355	5307 Paul-Andre (1980 YC)	Vesta	13.6	0.42±0.12	5.342±0.002	82	20	80
0356	5323 Fogh (1986 TL4)	Nysa-Polana	13.6	0.37±0.14	15.556±0.012	72	35	65
0357	5383 Leavitt (4293 T-2)	Koronis	13.1	0.38±0.09	6.180±0.003	86	25	75
0358	5387 Casleo (1980 NB)	Nysa-Polana	13.4	0.45±0.14	4.052±0.002	64	17	83
0359	5412 Rou (1973 SR3)	Nysa-Polana	14.0	0.38±0.12	7.782±0.003	73	31	69
0360	5414 Sokolov (1977 RW6)	Koronis	12.8	0.41±0.10	63.224±0.242	67	20	80
0361	5428 (1987 RA1)	Koronis	12.7	0.36±0.08	49.653±0.142	76	29	71
0362	5487 (1991 UM4)	Nysa-Polana	13.9	0.38±0.12	7.083±0.005	75	32	68
0363	5494 Johannmohr (1933 UM1)	Koronis	12.7	0.37±0.10	5.727±0.002	88	31	69
0364	5523 Luminet (1991 PH8)	Koronis	12.9	0.46±0.10	25.314±0.035	60	9	91
0365	5560 Amytis (1990 MX)	Flora	13.7	0.37±0.09	7.732±0.005	66	28	72
0366	5593 Jonsujatha (1991 JN1)	Flora	13.3	0.31±0.09	14.020±0.011	59	56	44
0367	5596 Morbidelli (1991 PQ10)	Flora	13.3	0.45±0.09	5.400±0.002	70	8	92
0368	5659 Vergara (1968 OA1)	Vesta	15.0	0.34±0.07	24.070±0.072	59	39	61
0369	5665 Begemann (1982 BD13)	Flora	14.0	0.36±0.10	51.661±0.187	65	35	65
0370	5667 Nakhimovskaya (1983 QH1)	Flora	13.8	0.42±0.12	42.457±0.195	69	20	80

Table 2 continued

Table 2 (*continued*)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
0371	5677 Aberdonia (1987 SQ1)	Koronis	12.6	0.41±0.09	5.055±0.001	72	16	84
0372	5681 Bakulev (1990 RS17)	Flora	13.8	0.41±0.14	5.775±0.002	75	24	76
0373	5702 Morando (1931 FC)	Flora	13.7	0.27±0.09	10.333±0.009	70	73	27
0374	5707 Shevchenko (1976 GY3)	Flora	13.4	0.43±0.10	3.008±0.000	73	14	86
0375	5714 Krasinsky (1982 PR)	Themis	12.1	0.28±0.11	18.190±0.030	86	64	36
0376	5719 Krizik (1983 RX)	Flora	13.5	0.44±0.12	22.096±0.047	55	14	86
0377	5741 Akanemaruta (1989 XC)	Koronis	12.8	0.39±0.14	4.573±0.002	88	30	70
0378	5752 (1992 CJ)	Flora	13.6	0.48±0.09	84.112±0.337	75	4	96
0379	5759 Zoshchenko (1980 BJ4)	Koronis	13.0	0.32±0.12	4.207±0.001	90	50	50
0380	5767 Moldun (1986 RV2)	Flora	14.2	0.43±0.12	25.648±0.043	69	17	83
0381	5787 (1992 FA1)	Flora	13.6	0.43±0.08	4.017±0.001	61	9	91
0382	5826 Bradstreet (1990 DB)	Themis	12.0	0.29±0.14	5.539±0.002	63	59	41
0383	5837 Hedin (2548 P-L)	Themis	13.1	0.34±0.10	7.729±0.005	58	43	57
0384	5854 (1992 UP)	Themis	12.4	0.24±0.09	7.130±0.002	60	82	18
0385	5881 Akashi (1992 SR12)	Koronis	12.6	0.40±0.10	4.283±0.001	73	21	79
0386	5895 (1982 UF2)	Vesta	13.9	0.51±0.11	28.680±0.072	78	4	96
0387	5934 Mats (1976 SJ)	Nysa-Polana	13.8	0.37±0.10	5.184±0.002	83	29	71
0388	5941 Valencia (1982 UQ6)	Koronis	13.0	0.40±0.09	11.355±0.010	69	19	81
0389	5952 Davemonet (1987 EV)	Flora	13.6	0.36±0.10	4.512±0.001	84	36	64
0390	6003 (1988 VO1)	Vesta	13.4	0.47±0.09	32.900±0.068	76	4	96
0391	6014 Chribrenmark (1991 PO10)	Vesta	12.9	0.46±0.12	9.538±0.007	66	13	87
0392	6027 (1993 SS2)	Flora	12.8	0.40±0.11	46.927±0.108	59	23	77
0393	6064 Holasovice (1987 HE1)	Flora	13.7	0.46±0.10	41.848±0.145	77	8	92
0394	6096 (1991 UB2)	Vesta	14.2	0.34±0.12	6.465±0.003	85	44	56
0395	6115 Martinduncan (1984 SR2)	Flora	13.9	0.37±0.11	5.894±0.003	71	34	66
0396	6131 Townen (1990 OO3)	Vesta	13.7	0.45±0.10	6.772±0.003	65	10	90
0397	6142 Tantawi (1993 FP)	Nysa-Polana	13.6	0.28±0.09	18.133±0.029	65	67	33
0398	6143 Pythagoras (1993 JV)	Koronis	12.7	0.41±0.09	13.840±0.021	80	16	84
0399	6145 Riemenschneider (2630 P-L)	Nysa-Polana	14.5	0.38±0.10	4.129±0.001	58	27	73
0400	6159 Andreseloy (1991 YH)	Vesta	13.5	0.34±0.14	10.662±0.015	88	44	56
0401	6167 Narmanskij (1979 QB10)	Nysa-Polana	14.1	0.39±0.10	5.412±0.002	68	25	75
0402	6175 Cori (1983 XW)	Themis	12.7	0.22±0.10	8.520±0.005	75	81	19
0403	6187 Kagura (1988 RD5)	Themis	12.8	0.29±0.11	40.979±0.148	72	58	42
0404	6209 Schwaben (1990 TF4)	Nysa-Polana	14.0	0.43±0.11	28.497±0.033	74	16	84
0405	6242 (1990 OJ2)	Flora	13.7	0.38±0.10	5.475±0.002	76	25	75
0406	6248 (1991 BM2)	Themis	13.2	0.28±0.12	16.644±0.020	59	62	38
0407	6253 (1992 FJ)	Flora	14.1	0.39±0.09	5.724±0.002	65	21	79
0408	6257 Thorvaldsen (4098 T-1)	Vesta	13.8	0.24±0.14	30.327±0.046	55	71	29
0409	6276 Kurohone (1994 AB)	Koronis	13.2	0.36±0.09	6.349±0.003	92	31	69
0410	6279 (1977 UO5)	Themis	12.6	0.18±0.12	9.026±0.004	68	86	14
0411	6288 (1984 ER1)	Themis	12.8	0.23±0.09	8.250±0.006	61	83	17
0412	6289 Lanusei (1984 HP1)	Themis	12.8	0.24±0.10	12.901±0.008	55	81	19
0413	6297 (1988 VZ1)	Themis	12.5	0.25±0.12	4.442±0.002	80	70	30
0414	6299 Reizoutoyoko (1988 XQ1)	Koronis	12.4	0.39±0.10	8.397±0.004	64	26	74
0415	6314 Reigber (1990 SQ16)	Flora	13.5	0.39±0.06	96.446±0.418	82	10	90
0416	6319 Beregovoj (1990 WJ3)	Flora	13.6	0.41±0.10	6.841±0.002	74	16	84
0417	6370 Malpais (1984 EY)	Vesta	13.3	0.42±0.12	5.020±0.003	67	17	83
0418	6418 Hanamigahara (1993 XJ)	Vesta	13.0	0.47±0.11	6.377±0.003	72	9	91
0419	6426 Vanysek (1995 ED)	Nysa-Polana	13.7	0.39±0.11	3.449±0.001	63	24	76
0420	6457 Kremsmunster (1992 RT)	Koronis	13.3	0.39±0.07	3.868±0.001	89	16	84
0421	6470 Aldrin (1982 RO1)	Flora	14.3	0.29±0.14	6.850±0.004	82	59	41
0422	6486 (1991 FO)	Vesta	14.2	0.35±0.10	67.081±0.310	54	36	64
0423	6531 Subashiri (1994 YY)	Themis	13.1	0.23±0.11	9.062±0.006	63	78	22
0424	6554 Takatsuguyoshida (1989 UO1)	Flora	14.4	0.39±0.10	32.213±0.121	80	23	77
0425	6624 (1980 SG)	Vesta	13.3	0.42±0.07	23.835±0.048	56	9	91
0426	6653 Feininger (1991 XR1)	Koronis	12.8	0.35±0.10	15.674±0.008	64	37	63
0427	6659 Pietsch (1992 YN)	Vesta	13.2	0.41±0.09	17.825±0.022	71	15	85
0428	6660 Matsumoto (1993 BC)	Nysa-Polana	14.4	0.40±0.10	7.555±0.004	67	21	79
0429	6686 Hernius (1979 QC2)	Koronis	12.7	0.41±0.10	4.288±0.001	60	17	83
0430	6805 Abstracta (4600 P-L)	Themis	13.0	0.26±0.11	69.912±0.295	73	72	28
0431	6811 Kashcheev (1976 QP)	Nysa-Polana	14.5	0.38±0.10	9.286±0.006	81	24	76
0432	6848 (1978 VG5)	Themis	13.1	0.21±0.12	6.041±0.003	54	80	20
0433	6849 (1979 MX6)	Vesta	13.7	0.38±0.10	6.256±0.003	74	29	71
0434	6854 Georgewest (1987 UG)	Nysa-Polana	13.7	0.40±0.09	3.630±0.001	93	17	83
0435	6876 Beppeforti (1994 RK1)	Vesta	13.9	0.46±0.07	47.492±0.226	56	3	97
0436	6877 Giada (1994 TB2)	Vesta	13.5	0.44±0.12	4.174±0.001	61	15	85

Table 2 *continued*

Table 2 (*continued*)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
0437	6878 Isamu (1994 TN2)	Nysa-Polana	13.8	0.20±0.14	4.755±0.002	71	79	21
0438	6883 Hiuchigatake (1996 AF)	Themis	13.0	0.24±0.12	6.210±0.003	66	75	25
0439	6897 Tabei (1987 VQ)	Nysa-Polana	14.2	0.38±0.15	5.867±0.002	85	34	66
0440	6922 Yasushi (1993 KY1)	Flora	13.8	0.31±0.09	3.434±0.001	57	54	46
0441	6930 (1994 VJ3)	Themis	13.0	0.26±0.10	83.225±0.408	60	75	25
0442	6948 Gounelle (1981 ET22)	Nysa-Polana	14.5	0.48±0.12	12.115±0.010	54	10	90
0443	6956 Holbach (1988 CX3)	Vesta	13.9	0.47±0.10	4.462±0.001	69	5	95
0444	6970 Saigusa (1992 AL1)	Vesta	13.5	0.29±0.12	56.704±0.193	63	59	41
0445	6971 Omogokei (1992 CT)	Koronis	13.2	0.37±0.14	4.421±0.002	76	36	64
0446	6980 Kyusakamoto (1993 SV1)	Koronis	12.4	0.36±0.10	3.253±0.001	87	34	66
0447	7004 Markthiemens (1979 OB9)	Flora	14.0	0.43±0.12	6.025±0.002	64	18	82
0448	7005 Henninghaack (1981 ET25)	Vesta	14.2	0.29±0.12	12.871±0.015	61	58	42
0449	7028 Tachikawa (1993 XC1)	Koronis	12.8	0.32±0.08	10.491±0.006	62	48	52
0450	7043 Godart (1934 RB)	Flora	13.2	0.46±0.12	7.186±0.004	79	13	87
0451	7073 Rudbelia (1972 RU1)	Flora	14.5	0.44±0.12	7.158±0.005	59	14	86
0452	7080 (1986 RS1)	Flora	14.7	0.28±0.10	2.826±0.001	86	66	34
0453	7090 (1992 HY4)	Flora	13.6	0.50±0.12	9.073±0.007	79	6	94
0454	7105 Yousyozen (1977 DB1)	Nysa-Polana	14.5	0.40±0.13	3.180±0.001	83	26	74
0455	7126 Cureau (1991 GJ4)	Koronis	13.6	0.43±0.11	81.407±0.407	83	17	83
0456	7142 Spinoza (1994 PC19)	Themis	12.9	0.20±0.10	12.412±0.018	85	86	14
0457	7157 Lofgren (1981 EC8)	Flora	14.4	0.51±0.07	34.191±0.106	66	1	99
0458	7172 Multatuli (1988 DE2)	Nysa-Polana	13.9	0.42±0.09	3.357±0.001	72	12	88
0459	7201 Kuritariku (1994 UF1)	Vesta	13.3	0.43±0.12	48.876±0.147	84	18	82
0460	7244 Villa-Lobos (1991 PQ1)	Koronis	12.8	0.38±0.10	34.994±0.094	81	24	76
0461	7281 (1988 RX4)	Nysa-Polana	13.9	0.47±0.14	18.980±0.035	75	15	85
0462	7288 (1991 FE1)	Flora	13.2	0.44±0.11	4.436±0.002	60	14	86
0463	7314 Pevsner (2146 T-1)	Themis	12.9	0.26±0.13	143.018±0.252	67	69	31
0464	7334 Scirus (1988 QV)	Vesta	13.6	0.39±0.07	4.067±0.001	64	16	84
0465	7360 Moberg (1996 BQ17)	Flora	12.8	0.52±0.12	4.585±0.002	81	5	95
0466	7396 Brusin (1986 EQ2)	Koronis	12.9	0.38±0.10	3.079±0.001	78	24	76
0467	7452 Izabelyuria (1978 QU2)	Themis	13.3	0.22±0.12	11.931±0.011	82	81	19
0468	7455 Podosek (1981 EQ26)	Koronis	13.5	0.41±0.09	52.346±0.155	81	17	83
0469	7473 (1992 EC4)	Koronis	13.1	0.41±0.10	31.591±0.108	65	19	81
0470	7519 Paulcook (1989 UN3)	Themis	13.5	0.24±0.14	41.004±0.167	77	71	29
0471	7521 (1990 QS2)	Koronis	12.9	0.39±0.10	5.040±0.001	81	24	76
0472	7544 Tipografianauka (1976 UB2)	Koronis	12.8	0.39±0.12	24.609±0.032	75	28	72
0473	7550 Woolum (1981 EV8)	Flora	14.5	0.41±0.09	3.143±0.001	73	15	85
0474	7553 Buie (1981 FG)	Nysa-Polana	14.4	0.38±0.10	4.242±0.001	69	28	72
0475	7590 Aterui (1992 UP4)	Flora	14.0	0.47±0.12	5.590±0.002	76	10	90
0476	7594 Shotaro (1993 BH2)	Nysa-Polana	13.6	0.38±0.08	9.662±0.007	71	23	77
0477	7629 Foros (1977 QK1)	Nysa-Polana	14.3	0.38±0.12	3.083±0.001	72	31	69
0478	7655 Adamries (1991 YM1)	Nysa-Polana	14.1	0.30±0.10	22.931±0.035	77	56	44
0479	7665 Putignano (1994 TK3)	Koronis	13.4	0.36±0.13	3.536±0.010	56	35	65
0480	7706 Mien (1993 FZ36)	Nysa-Polana	14.4	0.42±0.10	3.392±0.001	84	15	85
0481	7729 Golovanov (1977 QY3)	Flora	13.5	0.31±0.06	3.655±0.003	84	57	43
0482	7740 Petit (1983 RR2)	Vesta	13.4	0.39±0.12	6.901±0.004	79	25	75
0483	7795 (1996 AN15)	Vesta	15.0	0.42±0.10	14.884±0.015	60	16	84
0484	7862 Keikonakamura (1981 EE28)	Koronis	13.4	0.41±0.09	18.849±0.023	75	15	85
0485	7863 Turnbull (1981 VK)	Themis	13.3	0.33±0.11	8.905±0.009	68	45	55
0486	7867 Burian (1984 SB1)	Flora	14.6	0.43±0.13	53.239±0.187	84	20	80
0487	7896 Svejck (1995 EC)	Themis	12.6	0.24±0.09	16.208±0.016	84	81	19
0488	7902 Hanff (1996 HT17)	Koronis	13.1	0.40±0.07	7.427±0.004	84	13	87
0489	7923 Chyba (1983 WJ)	Koronis	13.1	0.30±0.09	5.118±0.002	67	60	40
0490	7932 Plimpton (1989 GP)	Nysa-Polana	14.3	0.43±0.12	3.806±0.001	59	18	82
0491	7966 Richardbaum (1996 DA)	Nysa-Polana	14.1	0.37±0.11	4.678±0.001	83	32	68
0492	7994 Bethellen (1983 CQ2)	Themis	12.8	0.27±0.10	164.598±0.304	62	71	29
0493	7998 Gonczy (1985 JK)	Flora	14.2	0.32±0.07	6.502±0.004	81	50	50
0494	8069 Benweiss (1981 EF30)	Vesta	14.0	0.29±0.10	40.891±0.143	81	63	37
0495	8115 Sakabe (1996 HB2)	Flora	13.9	0.43±0.12	6.062±0.004	89	17	83
0496	8142 Zolotov (1982 UR6)	Nysa-Polana	13.7	0.39±0.12	4.323±0.001	61	27	73
0497	8164 Andreasdoppler (1990 UO3)	Flora	14.2	0.38±0.11	6.177±0.004	60	28	72
0498	8212 Naoshigetani (1995 EF1)	Nysa-Polana	13.6	0.54±0.15	32.478±0.067	57	7	93
0499	8218 Hosty (1996 JH)	Flora	14.2	0.26±0.12	3.242±0.002	79	69	31
0500	8246 Kotov (1979 QT8)	Flora	14.0	0.41±0.11	46.633±0.152	77	21	79
0501	8304 Ryomichico (1995 DJ1)	Nysa-Polana	13.8	0.40±0.10	14.631±0.014	70	21	79
0502	8359 (1989 WD)	Vesta	13.3	0.35±0.10	2.891±0.001	82	39	61

Table 2 *continued*

Table 2 (*continued*)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
0503	8361 (1990 JN1)	Koronis	13.2	0.40±0.09	3.601±0.001	85	19	81
0504	8388 (1993 FO6)	Koronis	13.1	0.27±0.14	9.162±0.003	67	63	37
0505	8393 Tetsumasakamoto (1993 TJ1)	Flora	14.2	0.27±0.12	6.424±0.003	90	64	36
0506	8417 Lancetaylor (1996 VG8)	Flora	13.6	0.42±0.11	3.586±0.001	56	17	83
0507	8459 Larsbergknut (1981 EQ18)	Themis	13.8	0.24±0.11	11.759±0.011	76	75	25
0508	8474 Rettig (1985 GA1)	Flora	13.7	0.34±0.11	30.527±0.046	68	43	57
0509	8499 (1990 SC13)	Koronis	13.0	0.35±0.09	5.998±0.002	69	34	66
0510	8535 Pellesvanslos (1993 FH22)	Themis	13.4	0.24±0.10	5.701±0.003	87	79	21
0511	8539 Laban (1993 FT32)	Koronis	13.0	0.42±0.10	37.403±0.070	63	15	85
0512	8549 Alcide (1994 FS)	Nysa-Polana	14.2	0.38±0.07	3.332±0.001	72	20	80
0513	8571 Taniguchi (1996 UX)	Koronis	13.3	0.37±0.12	5.304±0.002	64	32	68
0514	8596 Alchata (1298 T-2)	Flora	14.5	0.39±0.09	38.126±0.079	62	21	79
0515	8610 Goldhaber (1977 UD)	Nysa-Polana	13.7	0.43±0.07	5.400±0.002	71	8	92
0516	8614 (1978 VP11)	Themis	13.0	0.29±0.11	4.607±0.001	62	60	40
0517	8650 (1989 TJ2)	Flora	14.7	0.38±0.10	3.986±0.002	77	27	73
0518	8664 Grigorijsrichters (1991 GR1)	Vesta	13.9	0.37±0.13	43.673±0.173	85	36	64
0519	8681 Burs (1992 EN9)	Themis	13.0	0.28±0.11	7.684±0.006	79	63	37
0520	8682 Kraklingbo (1992 ER9)	Themis	12.9	0.25±0.11	7.589±0.004	75	75	25
0521	8686 Akenside (1992 OX1)	Vesta	14.3	0.33±0.14	4.761±0.002	82	48	52
0522	8694 (1993 CO)	Koronis	12.6	0.34±0.10	5.707±0.002	59	42	58
0523	8700 Gevaert (1993 JL1)	Themis	12.8	0.26±0.10	4.912±0.018	76	73	27
0524	8702 Nakanishi (1993 VX3)	Flora	14.0	0.38±0.14	7.228±0.004	69	33	67
0525	8744 Cilla (1998 FE59)	Themis	13.4	0.24±0.10	5.367±0.003	81	77	23
0526	8770 Totanus (3076 T-2)	Themis	12.8	0.12±0.14	11.343±0.010	65	92	8
0527	8779 (1971 UH1)	Themis	13.3	0.29±0.08	6.330±0.003	74	62	38
0528	8782 Bakhrakh (1976 UG2)	Nysa-Polana	13.9	0.24±0.14	25.205±0.098	64	71	29
0529	8815 Deanregas (1984 DR)	Flora	13.9	0.36±0.10	5.565±0.001	82	32	68
0530	8847 Huch (1990 TO3)	Koronis	13.5	0.42±0.10	5.229±0.002	70	15	85
0531	8858 Cornus (1991 PT7)	Nysa-Polana	14.4	0.38±0.09	6.179±0.004	84	26	74
0532	8873 (1992 UM2)	Flora	14.7	0.30±0.08	5.936±0.003	90	60	40
0533	8876 (1992 WU3)	Nysa-Polana	14.0	0.40±0.14	3.627±0.003	81	29	71
0534	8886 Elaeagnus (1994 EG6)	Flora	14.9	0.21±0.12	12.933±0.012	64	81	19
0535	8918 (1996 OR1)	Flora	13.9	0.42±0.12	45.402±0.158	68	20	80
0536	8920 (1996 VZ29)	Nysa-Polana	14.8	0.38±0.12	3.927±0.002	65	30	70
0537	8931 Hirokimatsuo (1997 AC4)	Nysa-Polana	13.7	0.47±0.09	3.192±0.001	89	3	97
0538	8954 Baral (1998 FK62)	Flora	14.1	0.33±0.12	5.140±0.002	81	48	52
0539	8963 Collurio (4651 P-L)	Themis	13.3	0.16±0.14	8.819±0.010	59	88	12
0540	8986 Kineyayasuyo (1978 VN2)	Themis	13.1	0.27±0.11	4.464±0.002	70	69	31
0541	9007 James Bond (1983 TE1)	Vesta	13.9	0.33±0.14	47.762±0.201	66	46	54
0542	9026 Denevi (1988 ST2)	Themis	13.2	0.30±0.10	11.601±0.009	57	57	43
0543	9028 Konradbenes (1989 BE1)	Nysa-Polana	13.9	0.27±0.14	3.712±0.002	70	63	37
0544	9078 (1994 PB2)	Koronis	13.1	0.39±0.14	45.727±0.167	81	31	69
0545	9130 Galois (1998 HQ148)	Nysa-Polana	14.1	0.40±0.07	5.396±0.003	74	12	88
0546	9131 (1998 JV)	Nysa-Polana	14.2	0.40±0.13	26.855±0.075	92	28	72
0547	9132 Walteranderson (2821 P-L)	Themis	12.7	0.34±0.10	6.705±0.004	72	43	57
0548	9138 Murdoch (2280 T-2)	Flora	14.7	0.37±0.11	3.929±0.002	77	32	68
0549	9157 (1983 RB4)	Nysa-Polana	14.4	0.42±0.09	13.398±0.012	76	11	89
0550	9158 Plate (1984 MR)	Vesta	13.6	0.44±0.10	5.165±0.001	70	12	88
0551	9199 (1993 FO1)	Vesta	13.1	0.46±0.09	5.988±0.002	91	5	95
0552	9204 Morike (1994 PZ1)	Vesta	13.7	0.34±0.10	80.383±0.285	88	43	57
0553	9213 (1995 UX5)	Vesta	14.2	0.40±0.09	36.271±0.082	83	17	83
0554	9347 (1991 RY21)	Nysa-Polana	13.7	0.43±0.15	3.713±0.002	68	24	76
0555	9357 Venezuela (1992 AT3)	Koronis	13.6	0.30±0.13	42.471±0.185	67	55	45
0556	9375 Omodaka (1993 HK)	Nysa-Polana	14.0	0.36±0.11	4.276±0.001	66	34	66
0557	9379 Dijon (1993 QH3)	Koronis	13.4	0.40±0.09	3.273±0.001	78	16	84
0558	9392 Cavaillon (1994 PK7)	Vesta	14.2	0.35±0.14	4.951±0.002	70	41	59
0559	9413 Eichendorff (1995 SQ54)	Nysa-Polana	14.7	0.14±0.12	12.007±0.011	62	93	7
0560	9555 Frejakocha (1986 GC)	Vesta	14.1	0.36±0.14	6.713±0.003	63	39	61
0561	9578 Klyazma (1989 GA3)	Nysa-Polana	14.4	0.36±0.11	4.879±0.002	75	37	63
0562	9626 Stanley (1993 JF1)	Nysa-Polana	14.0	0.43±0.10	5.777±0.002	83	15	85
0563	9642 Takatahiro (1994 RU)	Nysa-Polana	14.5	0.48±0.12	5.863±0.002	72	8	92
0564	9648 Gotouhideo (1995 UB9)	Flora	14.1	0.43±0.12	6.892±0.002	81	15	85
0565	9650 Okadaira (1995 YG)	Nysa-Polana	14.4	0.36±0.14	57.042±0.228	91	39	61
0566	9667 Amastrinc (1997 HC16)	Nysa-Polana	14.1	0.29±0.10	4.349±0.002	55	61	39
0567	9684 Olieslagers (4113 P-L)	Nysa-Polana	14.2	0.40±0.09	4.982±0.002	82	21	79
0568	9698 Idzerda (2205 T-1)	Vesta	14.0	0.48±0.10	5.475±0.002	71	4	96

Table 2 *continued*

Table 2 (*continued*)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
0569	9724 Villanueva (1981 EW17)	Nysa-Polana	15.1	0.38±0.12	4.478±0.002	72	30	70
0570	9727 Skrutskie (1981 EW24)	Koronis	13.2	0.36±0.12	13.041±0.017	72	34	66
0571	9734 (1986 CB2)	Flora	14.1	0.45±0.12	9.292±0.007	59	13	87
0572	9745 Shinkenwada (1988 VY)	Koronis	13.9	0.40±0.14	3.104±0.002	59	28	72
0573	9748 van Ostaijen (1989 CS2)	Vesta	14.2	0.39±0.11	48.070±0.124	54	26	74
0574	9776 (1993 VL3)	Koronis	13.1	0.40±0.11	4.788±0.002	76	24	76
0575	9872 Solf (1992 DJ4)	Vesta	14.2	0.38±0.15	11.586±0.008	63	33	67
0576	9902 Kirkpatrick (1997 NY)	Flora	14.4	0.43±0.11	6.031±0.003	77	17	83
0577	9916 Kibirev (1978 TR2)	Koronis	13.2	0.32±0.12	18.508±0.024	76	49	51
0578	9977 Kentakunimoto (1994 AH)	Koronis	13.1	0.37±0.10	25.391±0.045	68	29	71
0579	10010 Rudruna (1978 PW3)	Vesta	14.3	0.34±0.12	10.951±0.007	54	45	55
0580	10025 Rauer (1980 FO1)	Koronis	12.8	0.36±0.07	4.449±0.002	91	30	70
0581	10045 (1985 RJ3)	Themis	12.9	0.27±0.13	4.204±0.011	63	63	37
0582	10056 Johnschoer (1988 BX3)	Vesta	14.4	0.43±0.15	11.114±0.009	56	24	76
0583	10093 Diesel (1990 WX1)	Vesta	14.6	0.40±0.09	47.728±0.129	56	20	80
0584	10114 Greifswald (1992 RZ)	Koronis	12.8	0.41±0.08	12.263±0.010	78	13	87
0585	10121 Arzamas (1993 BS4)	Themis	13.4	0.26±0.13	12.198±0.010	79	65	35
0586	10152 Ukichiro (1994 RJ11)	Vesta	13.7	0.44±0.10	5.182±0.002	74	10	90
0587	10156 (1994 VQ7)	Flora	14.6	0.47±0.09	24.044±0.118	56	5	95
0588	10157 Asagiri (1994 WE1)	Vesta	14.1	0.51±0.15	53.644±0.185	71	10	90
0589	10167 Yoshiwatiso (1995 BQ15)	Nysa-Polana	13.9	0.44±0.10	6.313±0.003	74	14	86
0590	10177 Ellison (1996 CK9)	Vesta	13.7	0.44±0.07	7.271±0.004	83	6	94
0591	10205 Pokorny (1997 PX1)	Flora	14.3	0.38±0.14	4.960±0.002	58	33	67
0592	10223 Zashikiwarashi (1997 UD11)	Themis	13.2	0.27±0.14	8.338±0.009	63	64	36
0593	10242 Wasserkuppe (2808 P-L)	Nysa-Polana	15.0	0.48±0.08	8.768±0.006	61	2	98
0594	10256 Vredevoogd (4157 T-3)	Flora	15.0	0.35±0.10	20.206±0.090	63	39	61
0595	10283 Cromer (1981 JE2)	Nysa-Polana	13.8	0.42±0.13	9.772±0.007	60	22	78
0596	10285 Renemichelsen (1982 QX1)	Vesta	13.9	0.45±0.09	21.436±0.038	65	6	94
0597	10338 (1991 RB11)	Themis	13.2	0.27±0.12	13.482±0.013	77	67	33
0598	10340 Jostjahn (1991 RT40)	Koronis	13.1	0.40±0.08	26.343±0.066	59	17	83
0599	10409 (1997 WP44)	Themis	13.1	0.23±0.11	66.980±0.271	73	79	21
0600	10418 (1998 WZ23)	Vesta	13.0	0.41±0.11	5.726±0.002	82	20	80
0601	10452 Zuev (1976 SQ7)	Flora	13.6	0.40±0.10	9.435±0.006	85	21	79
0602	10503 (1987 SG13)	Flora	14.1	0.44±0.10	5.957±0.002	65	10	90
0603	10507 (1988 ER1)	Vesta	13.5	0.38±0.07	3.729±0.002	86	18	82
0604	10526 Ginkogino (1990 UK1)	Flora	14.6	0.35±0.10	51.581±0.178	69	36	64
0605	10528 (1990 VX3)	Nysa-Polana	14.1	0.49±0.14	7.354±0.010	57	12	88
0606	10541 Malesherbes (1991 YX)	Flora	14.3	0.29±0.06	20.224±0.051	94	71	29
0607	10546 Nakanomakoto (1992 FS1)	Flora	14.0	0.47±0.09	4.219±0.001	76	4	96
0608	10559 Yukihisa (1993 SJ1)	Flora	14.7	0.49±0.12	5.798±0.003	66	7	93
0609	10704 (1981 RQ1)	Koronis	13.2	0.37±0.10	7.508±0.004	75	28	72
0610	10721 Tuterov (1986 QO4)	Flora	14.2	0.35±0.06	3.068±0.001	73	29	71
0611	10760 Ozeki (1990 TJ3)	Flora	14.1	0.43±0.12	7.319±0.003	82	16	84
0612	10816 (1993 FZ35)	Themis	13.7	0.27±0.10	28.461±0.067	62	69	31
0613	10821 Kimuratakeshi (1993 SZ)	Flora	14.3	0.35±0.09	5.681±0.002	79	36	64
0614	10848 (1995 BD1)	Flora	14.6	0.27±0.11	31.613±0.077	68	68	32
0615	10895 Aynrand (1997 TC18)	Flora	13.9	0.35±0.12	45.188±0.129	60	38	62
0616	10897 (1997 VW3)	Koronis	13.3	0.35±0.13	12.943±0.011	70	40	60
0617	10911 (1997 YC1)	Nysa-Polana	14.3	0.27±0.14	58.895±0.238	85	63	37
0618	10916 Okina-Ouna (1997 YB17)	Koronis	13.2	0.41±0.10	15.026±0.013	57	19	81
0619	10929 Chenfangyun (1998 CF1)	Themis	13.0	0.27±0.08	8.711±0.011	60	75	25
0620	10954 Spiegel (4545 P-L)	Koronis	13.8	0.39±0.12	5.016±0.002	70	27	73
0621	10994 Fouchard (1978 EU9)	Koronis	12.9	0.40±0.10	39.835±0.089	74	22	78
0622	11023 (1986 QZ)	Flora	14.0	0.38±0.13	22.176±0.027	59	31	69
0623	11037 Distler (1989 CD6)	Koronis	14.0	0.40±0.12	4.071±0.001	68	24	76
0624	11075 Donhoff (1992 SP26)	Nysa-Polana	14.8	0.23±0.09	42.741±0.197	62	83	17
0625	11134 Ceske Budejovice (1996 XO2)	Koronis	14.2	0.39±0.11	3.797±0.001	56	27	73
0626	11146 Kirigamine (1997 WD3)	Koronis	12.9	0.36±0.09	2.899±0.000	67	30	70
0627	11155 Kinpu (1997 YW13)	Flora	13.6	0.41±0.07	48.226±0.218	77	9	91
0628	11228 Botnick (1999 JW49)	Nysa-Polana	14.9	0.26±0.14	10.584±0.013	63	67	33
0629	11286 (1990 RO8)	Nysa-Polana	14.6	0.32±0.11	21.439±0.023	63	47	53
0630	11352 Koldewey (1997 WP22)	Themis	12.9	0.29±0.13	6.262±0.004	74	59	41
0631	11354 (1997 XY9)	Nysa-Polana	14.0	0.46±0.10	6.192±0.002	60	7	93
0632	11371 Camley (1998 QO38)	Nysa-Polana	15.2	0.16±0.14	51.463±0.189	67	88	12
0633	11401 Pierralba (1999 AF25)	Flora	13.8	0.42±0.07	48.312±0.208	63	10	90
0634	11472 (1981 SE9)	Nysa-Polana	14.7	0.40±0.11	2.580±0.001	72	23	77

Table 2 *continued*

Table 2 (*continued*)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
0635	11476 Stefanosimoni (1984 HH1)	Nysa-Polana	14.7	0.43±0.09	6.687±0.004	65	11	89
0636	11479 (1986 EP5)	Themis	12.7	0.26±0.12	6.883±0.004	55	70	30
0637	11493 (1988 VN5)	Nysa-Polana	14.5	0.41±0.12	9.123±0.006	68	22	78
0638	11502 (1989 WU2)	Themis	13.3	0.28±0.10	3.339±0.001	55	66	34
0639	11517 Esteracuna (1991 EA4)	Themis	13.4	0.26±0.10	19.197±0.029	76	71	29
0640	11521 Erikson (1991 GE9)	Themis	13.4	0.32±0.11	13.857±0.017	69	51	49
0641	11537 Guericke (1992 HY6)	Flora	14.7	0.36±0.13	3.980±0.001	76	38	62
0642	11539 (1992 PQ2)	Vesta	14.6	0.39±0.14	5.915±0.002	60	30	70
0643	11540 (1992 PV3)	Flora	14.3	0.47±0.10	37.508±0.079	69	6	94
0644	11582 Bleuler (1994 PC14)	Koronis	13.8	0.41±0.12	9.599±0.004	85	23	77
0645	11585 Orlandelassus (1994 RB17)	Koronis	13.0	0.37±0.13	3.692±0.001	61	36	64
0646	11594 (1995 HP)	Nysa-Polana	14.4	0.37±0.11	6.313±0.003	84	30	70
0647	11675 Billboyle (1998 CP2)	Nysa-Polana	14.4	0.31±0.11	3.332±0.001	69	52	48
0648	11736 Viktorfischl (1998 QS1)	Nysa-Polana	14.0	0.22±0.14	9.783±0.008	68	78	22
0649	11776 Milstein (3460 T-3)	Themis	13.7	0.28±0.09	3.826±0.001	71	70	30
0650	11781 Alexroberts (1966 PL)	Vesta	14.0	0.40±0.14	4.187±0.001	87	28	72
0651	11842 Kap'bos (1987 BR1)	Flora	14.0	0.37±0.10	24.027±0.032	58	32	68
0652	11855 Preller (1988 RS3)	Nysa-Polana	15.1	0.44±0.10	3.571±0.001	86	10	90
0653	11858 (1988 RC11)	Themis	13.4	0.28±0.12	4.596±0.002	59	64	36
0654	11922 (1992 UT3)	Flora	14.0	0.44±0.12	4.763±0.001	65	17	83
0655	12068 Khandrika (1998 FZ53)	Flora	14.6	0.43±0.08	22.209±0.037	73	7	93
0656	12088 Macalintal (1998 HZ31)	Vesta	14.0	0.35±0.11	3.124±0.001	57	37	63
0657	12105 (1998 KA10)	Flora	14.1	0.43±0.14	5.706±0.003	84	21	79
0658	12143 Harwit (4631 P-L)	Vesta	14.3	0.31±0.09	33.474±0.092	72	54	46
0659	12293 (1991 NV1)	Vesta	13.7	0.39±0.10	3.392±0.001	81	23	77
0660	12296 (1991 PL13)	Nysa-Polana	14.7	0.50±0.09	23.742±0.070	60	2	98
0661	12299 (1991 PV17)	Nysa-Polana	14.4	0.39±0.08	27.726±0.068	75	18	82
0662	12334 (1992 WD3)	Flora	14.0	0.29±0.12	15.034±0.014	60	62	38
0663	12341 Calevoet (1993 BN4)	Nysa-Polana	14.9	0.40±0.10	9.089±0.006	88	21	79
0664	12405 Nespoli (1995 RK)	Vesta	15.0	0.43±0.09	13.220±0.013	56	9	91
0665	12412 Muchisachie (1995 ST4)	Vesta	14.0	0.31±0.13	49.289±0.160	73	53	47
0666	12417 (1995 TC8)	Flora	14.0	0.42±0.14	4.617±0.001	66	21	79
0667	12425 (1995 VG2)	Vesta	14.1	0.34±0.13	8.319±0.004	59	44	56
0668	12429 (1995 WH7)	Nysa-Polana	14.3	0.23±0.10	31.891±0.042	54	81	19
0669	12454 (1996 YO1)	Nysa-Polana	14.8	0.15±0.10	9.733±0.013	82	94	6
0670	12518 (1998 HM52)	Flora	13.8	0.44±0.10	7.051±0.003	57	12	88
0671	12644 Robertwielinga (3285 T-2)	Nysa-Polana	14.4	0.40±0.10	3.185±0.001	79	21	79
0672	12730 (1991 RU8)	Nysa-Polana	14.5	0.41±0.09	5.297±0.002	83	13	87
0673	12791 (1995 UN4)	Vesta	13.9	0.39±0.10	18.754±0.034	67	23	77
0674	12802 Hagino (1995 XD1)	Nysa-Polana	15.0	0.44±0.10	23.370±0.059	56	12	88
0675	12835 Stropek (1997 CN13)	Vesta	14.2	0.31±0.09	4.487±0.002	64	55	45
0676	12884 (1998 QL34)	Themis	13.0	0.10±0.12	10.373±0.006	58	97	3
0677	12889 (1998 QW42)	Themis	13.0	0.40±0.10	5.363±0.002	80	20	80
0678	12911 Goodhue (1998 SQ59)	Themis	13.0	0.26±0.09	13.281±0.008	86	77	23
0679	12945 (9534 P-L)	Nysa-Polana	14.3	0.21±0.11	9.779±0.008	75	84	16
0680	12978 Ivashov (1978 SD7)	Flora	14.4	0.44±0.07	5.703±0.004	70	3	97
0681	12979 Evgalvasil'ev (1978 SB8)	Flora	14.7	0.44±0.13	4.065±0.001	63	18	82
0682	13054 (1990 ST15)	Vesta	13.6	0.40±0.13	4.368±0.001	75	27	73
0683	13087 Chastellux (1992 OV6)	Koronis	13.4	0.41±0.09	22.729±0.027	84	14	86
0684	13106 (1993 FV48)	Vesta	14.4	0.31±0.15	12.979±0.020	55	51	49
0685	13132 Ortelius (1994 PO32)	Vesta	14.1	0.29±0.09	26.716±0.067	89	63	37
0686	13147 Foglia (1995 DZ11)	Koronis	13.3	0.32±0.10	47.984±0.239	69	51	49
0687	13159 (1995 UW3)	Nysa-Polana	15.1	0.40±0.12	14.541±0.018	57	25	75
0688	13164 (1995 VF)	Vesta	14.7	0.51±0.14	8.991±0.004	62	9	91
0689	13197 Pontecorvo (1997 DC)	Nysa-Polana	14.3	0.44±0.11	6.237±0.003	56	13	87
0690	13236 (1998 HF96)	Flora	13.9	0.37±0.14	7.201±0.002	80	36	64
0691	13243 (1998 KZ47)	Vesta	13.9	0.46±0.10	87.399±0.384	83	8	92
0692	13269 Dahlstrom (1998 QV34)	Vesta	14.5	0.35±0.12	26.133±0.063	80	40	60
0693	13294 Rockox (1998 QO105)	Flora	14.2	0.33±0.10	3.137±0.001	78	46	54
0694	13369 (1998 UF37)	Themis	13.5	0.37±0.11	63.314±0.245	67	31	69
0695	13400 (1999 RC94)	Vesta	14.2	0.47±0.10	25.851±0.042	84	6	94
0696	13403 Sarahmousa (1999 RJ167)	Flora	14.0	0.46±0.12	4.300±0.002	54	11	89
0697	13436 Enid (1999 WF)	Themis	12.6	0.22±0.10	11.679±0.009	90	82	18
0698	13448 Edbryce (4526 P-L)	Nysa-Polana	13.8	0.29±0.07	12.229±0.010	67	64	36
0699	13526 Libbrecht (1991 PQ5)	Vesta	15.1	0.26±0.11	6.221±0.003	75	70	30
0700	13530 Ninnemann (1991 RS2)	Vesta	13.8	0.31±0.14	4.720±0.001	64	53	47

Table 2 *continued*

Table 2 (continued)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
0701	13657 Badinter (1997 EB54)	Nysa-Polana	14.0	0.39±0.10	4.545±0.001	79	24	76
0702	13724 Schwehm (1998 QF55)	Nysa-Polana	14.1	0.37±0.11	3.161±0.001	68	31	69
0703	13844 (1999 XW34)	Flora	14.0	0.44±0.10	12.359±0.007	57	9	91
0704	13854 (1999 XX104)	Nysa-Polana	15.2	0.19±0.10	39.788±0.092	61	89	11
0705	13894 (2039 T-2)	Vesta	14.0	0.39±0.12	5.478±0.002	75	28	72
0706	14021 (1994 PL20)	Nysa-Polana	15.6	0.30±0.11	10.261±0.009	66	56	44
0707	14047 Kohichiro (1995 WG5)	Vesta	14.3	0.42±0.08	48.312±0.159	61	11	89
0708	14071 Gadabird (1996 JK13)	Koronis	14.0	0.33±0.10	7.904±0.004	59	44	56
0709	14075 Kenwill (1996 OJ)	Themis	13.7	0.31±0.10	30.313±0.074	67	54	46
0710	14112 (1998 QZ25)	Nysa-Polana	14.3	0.49±0.11	5.655±0.003	78	6	94
0711	14119 Johnprince (1998 QU46)	Vesta	14.4	0.39±0.09	4.766±0.002	83	21	79
0712	14120 Espenak (1998 QJ54)	Vesta	13.6	0.38±0.15	7.243±0.004	80	35	65
0713	14246 (2000 AN50)	Koronis	13.1	0.37±0.12	5.772±0.003	83	34	66
0714	14257 (2000 AR97)	Flora	12.8	0.43±0.12	13.577±0.013	86	18	82
0715	14285 (2566 P-L)	Nysa-Polana	15.2	0.42±0.10	4.011±0.001	61	15	85
0716	14382 Woszczyk (1990 ES6)	Koronis	13.3	0.41±0.07	6.586±0.003	65	12	88
0717	14417 (1991 RN13)	Flora	15.1	0.21±0.14	25.971±0.092	70	78	22
0718	14505 Barentine (1996 AW4)	Nysa-Polana	14.8	0.39±0.14	2.728±0.001	58	30	70
0719	14510 (1996 ES2)	Flora	13.7	0.33±0.09	7.181±0.006	79	46	54
0720	14553 (1997 UD25)	Koronis	13.0	0.40±0.07	3.727±0.001	70	14	86
0721	14567 Nicovincenti (1998 MQ8)	Vesta	14.4	0.27±0.12	7.498±0.004	85	65	35
0722	14678 Pinney (1999 XN33)	Nysa-Polana	14.5	0.40±0.09	5.081±0.003	69	18	82
0723	14686 (1999 XA174)	Vesta	13.5	0.33±0.13	4.328±0.001	80	46	54
0724	14844 (1988 VT3)	Flora	14.4	0.37±0.11	5.659±0.003	88	32	68
0725	14872 Hoher List (1990 UR)	Nysa-Polana	14.3	0.31±0.11	6.146±0.004	77	54	46
0726	14876 Dampier (1990 WD2)	Vesta	13.9	0.38±0.12	60.352±0.216	75	32	68
0727	14948 Bartuska (1996 BA)	Flora	14.6	0.20±0.11	44.901±0.165	88	85	15
0728	14997 (1997 VD4)	Koronis	12.8	0.41±0.10	72.913±0.310	61	18	82
0729	15036 Giovannianselmi (1998 WO5)	Vesta	14.2	0.36±0.10	7.088±0.004	77	34	66
0730	15085 (1999 CB43)	Themis	12.9	0.25±0.10	5.530±0.004	62	76	24
0731	15263 Erwingroten (1990 TY7)	Nysa-Polana	14.6	0.39±0.14	95.350±0.468	55	33	67
0732	15339 Pierazzo (1994 AA9)	Koronis	13.6	0.38±0.08	5.607±0.002	63	22	78
0733	15362 (1996 ED)	Flora	13.7	0.43±0.13	31.362±0.107	77	20	80
0734	15377 (1997 KW)	Flora	15.4	0.27±0.10	37.996±0.102	86	69	31
0735	15424 (1998 QE100)	Nysa-Polana	14.2	0.29±0.12	10.904±0.009	73	59	41
0736	15564 (2000 GU48)	Koronis	13.8	0.37±0.10	6.967±0.003	57	27	73
0737	15632 Magee-Sauer (2000 HU70)	Flora	14.7	0.36±0.14	37.571±0.120	73	37	63
0738	15690 (1982 JD3)	Vesta	14.2	0.41±0.11	6.673±0.003	64	19	81
0739	15710 Bocklin (1989 AV6)	Flora	13.7	0.38±0.09	7.521±0.005	90	22	78
0740	15750 (1991 VJ4)	Vesta	13.6	0.36±0.09	21.692±0.034	63	34	66
0741	15781 (1993 OJ7)	Vesta	14.2	0.38±0.13	3.863±0.002	71	32	68
0742	15794 (1993 TG31)	Nysa-Polana	14.5	0.27±0.10	4.172±0.001	55	68	32
0743	15796 (1993 TZ38)	Vesta	13.6	0.36±0.11	6.213±0.002	82	36	64
0744	15920 (1997 UB25)	Flora	14.4	0.35±0.09	12.200±0.012	78	34	66
0745	15987 (1998 XV10)	Flora	14.9	0.40±0.12	9.570±0.020	61	24	76
0746	16004 (1999 BZ3)	Flora	14.3	0.48±0.12	54.361±0.173	55	8	92
0747	16033 (1999 FT32)	Koronis	12.9	0.32±0.13	3.948±0.001	61	51	49
0748	16086 (1999 TF90)	Themis	13.3	0.34±0.12	57.482±0.205	66	42	58
0749	16095 (1999 TA249)	Vesta	14.7	0.41±0.09	3.663±0.001	76	14	86
0750	16097 (1999 UE50)	Nysa-Polana	15.1	0.27±0.10	10.483±0.009	77	67	33
0751	16103 Lørsolomon (1999 VU81)	Nysa-Polana	14.5	0.42±0.10	5.281±0.004	62	16	84
0752	16227 (2000 DY73)	Koronis	13.8	0.38±0.07	3.557±0.001	75	21	79
0753	16238 Chappe (2000 GY104)	Nysa-Polana	14.8	0.38±0.10	3.717±0.001	62	27	73
0754	16252 Franfrost (2000 HQ51)	Nysa-Polana	13.9	0.40±0.10	4.388±0.002	73	20	80
0755	16291 (4315 P-L)	Koronis	14.7	0.19±0.14	36.697±0.143	72	81	19
0756	16311 (1102 T-1)	Vesta	14.9	0.35±0.09	9.771±0.008	60	37	63
0757	16356 Univbalttech (1976 GV2)	Themis	12.6	0.25±0.10	25.986±0.117	62	76	24
0758	16423 (1988 BZ3)	Flora	13.9	0.40±0.09	3.305±0.001	85	17	83
0759	16444 Godefroy (1989 GW1)	Flora	14.1	0.42±0.09	6.138±0.002	89	12	88
0760	16456 (1989 UO)	Nysa-Polana	14.6	0.39±0.06	6.958±0.006	79	13	87
0761	16476 (1990 QU4)	Flora	14.0	0.39±0.10	4.006±0.003	80	25	75
0762	16518 Akihikoito (1990 WF)	Flora	13.8	0.40±0.09	5.584±0.002	89	18	82
0763	16520 (1990 WO3)	Flora	14.2	0.49±0.09	48.070±0.162	62	2	98
0764	16652 (1993 TT12)	Nysa-Polana	14.5	0.20±0.08	6.508±0.005	91	93	7
0765	16696 Villamayor (1995 BE7)	Nysa-Polana	14.6	0.40±0.08	4.507±0.001	76	15	85
0766	16719 Mizokami (1995 UF45)	Themis	13.3	0.26±0.08	15.634±0.018	61	76	24

Table 2 continued

Table 2 (*continued*)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
0767	16803 (1997 SU10)	Flora	15.4	0.41±0.10	36.124±0.076	82	18	82
0768	16832 (1997 WR21)	Flora	15.0	0.29±0.14	5.174±0.003	59	59	41
0769	16839 (1997 WT41)	Koronis	13.3	0.41±0.10	14.850±0.013	76	17	83
0770	16852 Nuredduna (1997 YP2)	Flora	14.0	0.41±0.14	7.255±0.003	52	27	73
0771	16871 (1998 BD)	Flora	14.6	0.40±0.10	23.993±0.038	64	20	80
0772	16880 (1998 BW11)	Nysa-Polana	14.1	0.41±0.06	3.347±0.001	62	5	95
0773	16909 Miladejager (1998 DX33)	Koronis	13.1	0.31±0.14	5.947±0.002	59	51	49
0774	16923 (1998 FB61)	Themis	13.4	0.22±0.10	6.747±0.004	84	83	17
0775	16966 (1998 SM63)	Vesta	14.0	0.40±0.10	5.072±0.002	67	21	79
0776	16973 Gaspari (1998 WR19)	Flora	14.5	0.41±0.15	5.661±0.003	71	27	73
0777	16976 (1999 AC2)	Nysa-Polana	14.0	0.46±0.15	4.163±0.001	61	17	83
0778	16996 Dahir (1999 CM32)	Flora	14.8	0.30±0.09	7.938±0.005	59	57	43
0779	17000 Medvedev (1999 CV48)	Flora	14.2	0.26±0.14	6.878±0.004	65	66	34
0780	17023 Abbott (1999 EG)	Nysa-Polana	14.9	0.29±0.13	48.243±0.214	63	59	41
0781	17054 (1999 GL2)	Koronis	13.2	0.36±0.12	7.747±0.002	64	36	64
0782	17057 (1999 GS4)	Flora	13.9	0.37±0.06	47.408±0.221	69	18	82
0783	17079 Lavrovsky (1999 HD9)	Vesta	14.4	0.34±0.14	3.859±0.001	60	43	57
0784	17116 (1999 JO57)	Koronis	13.3	0.36±0.10	19.101±0.027	90	32	68
0785	17120 (1999 JP60)	Koronis	13.4	0.28±0.10	16.249±0.009	64	64	36
0786	17139 Malyshev (1999 JS86)	Vesta	14.5	0.43±0.07	4.203±0.002	93	7	93
0787	17215 Slivan (2000 AG238)	Flora	15.1	0.43±0.12	4.535±0.002	63	18	82
0788	17225 Alanschorn (2000 CS60)	Vesta	14.0	0.49±0.10	48.174±0.138	56	4	96
0789	17286 Bisei (2000 NB6)	Vesta	14.6	0.38±0.09	5.250±0.002	70	23	77
0790	17291 (2547 P-L)	Themis	14.1	0.20±0.13	5.716±0.003	65	82	18
0791	17328 (1176 T-2)	Nysa-Polana	14.9	0.39±0.09	20.537±0.039	84	19	81
0792	17332 (2120 T-2)	Flora	15.7	0.33±0.14	43.574±0.174	80	45	55
0793	17358 Lozino-Lozinskij (1978 SU4)	Vesta	14.1	0.36±0.10	9.099±0.009	94	36	64
0794	17396 (1981 EK45)	Vesta	15.5	0.45±0.10	10.360±0.008	81	10	90
0795	17405 (1986 VQ2)	Flora	14.5	0.45±0.14	5.678±0.002	61	16	84
0796	17627 Humptydumpty (1996 BM3)	Themis	13.0	0.27±0.09	40.619±0.098	61	72	28
0797	17637 Blaschke (1996 PA1)	Vesta	14.3	0.49±0.09	5.049±0.001	81	3	97
0798	17638 Sualan (1996 PB1)	Nysa-Polana	15.2	0.36±0.07	3.494±0.001	91	26	74
0799	17772 (1998 EP13)	Koronis	13.6	0.36±0.10	44.826±0.168	89	35	65
0800	17893 Arlot (1999 FO)	Flora	14.6	0.38±0.10	5.346±0.002	76	27	73
0801	17961 Mariagorodnitsky (1999 JB3)	Vesta	14.3	0.41±0.11	5.952±0.006	66	21	79
0802	17974 (1999 JL52)	Flora	14.1	0.43±0.07	6.834±0.003	77	6	94
0803	18015 Semenkovich (1999 JD121)	Vesta	14.7	0.41±0.10	23.907±0.059	57	20	80
0804	18056 (1999 TV15)	Flora	14.0	0.44±0.10	54.538±0.223	72	10	90
0805	18212 (4603 P-L)	Themis	13.4	0.22±0.10	6.132±0.004	75	83	17
0806	18243 Gunn (2272 T-2)	Flora	13.4	0.51±0.07	7.701±0.004	61	1	99
0807	18271 (2332 T-3)	Vesta	14.0	0.41±0.12	4.175±0.001	55	21	79
0808	18280 (4245 T-3)	Vesta	14.2	0.30±0.12	3.806±0.001	74	55	45
0809	18390 (1992 JD3)	Flora	14.1	0.34±0.12	5.225±0.002	60	44	56
0810	18422 (1993 UE6)	Flora	14.8	0.34±0.10	6.359±0.003	90	43	57
0811	18454 (1995 BF1)	Flora	14.2	0.29±0.10	16.196±0.020	61	62	38
0812	18498 Cesaro (1996 MN)	Vesta	15.3	0.40±0.13	16.005±0.021	72	27	73
0813	18577 (1997 XH)	Flora	14.4	0.47±0.10	7.035±0.004	81	5	95
0814	18602 Lagillespie (1998 BX12)	Nysa-Polana	14.9	0.34±0.14	5.725±0.002	84	44	56
0815	18679 Heatherenae (1998 FW102)	Flora	14.1	0.42±0.13	7.188±0.004	62	21	79
0816	18754 (1999 GL21)	Vesta	13.6	0.54±0.14	5.676±0.002	58	7	93
0817	18781 Indaram (1999 JH45)	Nysa-Polana	14.6	0.38±0.15	4.393±0.002	67	34	66
0818	18785 Betsywelsh (1999 JV48)	Flora	14.2	0.43±0.12	12.102±0.008	67	17	83
0819	18812 Aliadler (1999 KT13)	Vesta	13.7	0.44±0.14	8.229±0.012	64	20	80
0820	18885 (2000 AH80)	Flora	14.7	0.32±0.11	4.642±0.002	93	49	51
0821	18932 Robinhood (2000 QH35)	Nysa-Polana	14.7	0.41±0.15	13.742±0.021	68	27	73
0822	18939 Sariancel (2000 QZ48)	Themis	13.6	0.28±0.10	7.569±0.015	56	65	35
0823	18960 (2000 QE130)	Flora	13.9	0.40±0.09	47.358±0.145	92	19	81
0824	19084 Eilestam (1978 RQ9)	Vesta	13.9	0.44±0.11	43.293±0.120	61	14	86
0825	19087 (1978 VT4)	Themis	13.9	0.28±0.10	4.889±0.003	77	65	35
0826	19167 (1991 ED2)	Flora	14.1	0.42±0.13	28.240±0.049	68	23	77
0827	19302 (1996 TD)	Flora	15.0	0.48±0.10	10.838±0.008	66	4	96
0828	19444 Addicott (1998 FT109)	Flora	14.3	0.28±0.14	35.654±0.091	64	60	40
0829	19455 (1998 FJ145)	Vesta	13.6	0.35±0.07	3.551±0.001	81	34	66
0830	19484 Vanessaspini (1998 HF121)	Vesta	14.2	0.40±0.10	4.451±0.001	59	22	78
0831	19544 Avramkottke (1999 JN33)	Nysa-Polana	14.4	0.52±0.12	59.337±0.296	56	4	96
0832	19636 (1999 RD48)	Themis	13.4	0.27±0.10	8.448±0.005	54	68	32

Table 2 *continued*

Table 2 (continued)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
0833	19662 Stunzi (1999 RG132)	Vesta	14.3	0.44±0.10	5.913±0.002	70	14	86
0834	19796 (2000 RX50)	Nysa-Polana	15.0	0.38±0.09	5.141±0.002	86	24	76
0835	19798 (2000 RP51)	Themis	13.9	0.31±0.10	3.958±0.001	62	53	47
0836	19830 (2000 SC218)	Flora	14.0	0.41±0.10	23.700±0.037	54	19	81
0837	19954 Shigeyoshi (1982 VY3)	Flora	14.1	0.32±0.14	38.765±0.136	64	49	51
0838	20018 (1991 UJ2)	Flora	13.9	0.40±0.12	7.587±0.003	73	23	77
0839	20147 (1996 SV7)	Vesta	14.7	0.41±0.09	24.036±0.083	65	13	87
0840	20154 (1996 TO10)	Flora	13.9	0.38±0.12	7.091±0.003	61	29	71
0841	20268 Racollier (1998 FC28)	Vesta	14.7	0.39±0.07	5.909±0.005	77	17	83
0842	20289 Nettimi (1998 FQ64)	Vesta	14.2	0.56±0.12	3.831±0.001	55	2	98
0843	20295 (1998 FF75)	Vesta	13.4	0.43±0.14	71.667±0.328	83	20	80
0844	20308 (1998 FP109)	Vesta	14.0	0.36±0.14	6.864±0.003	81	38	62
0845	20364 Zdenekmiller (1998 KC5)	Koronis	12.8	0.36±0.12	53.537±0.180	71	36	64
0846	20397 (1998 MR35)	Koronis	13.4	0.35±0.10	3.746±0.001	80	38	62
0847	20441 Eljahmena (1999 JH50)	Flora	15.2	0.36±0.11	3.832±0.001	86	36	64
0848	20537 Sandraderosa (1999 RO82)	Vesta	14.6	0.44±0.10	23.144±0.032	55	13	87
0849	20570 Molchan (1999 RV133)	Vesta	14.1	0.45±0.10	4.132±0.001	80	10	90
0850	20631 Stefuller (1999 TW91)	Vesta	14.0	0.41±0.08	12.214±0.011	63	13	87
0851	20798 Verlinden (2000 SH172)	Vesta	14.7	0.43±0.11	8.986±0.007	78	16	84
0852	20855 Arifawan (2000 VV27)	Nysa-Polana	15.1	0.44±0.09	7.785±0.004	86	9	91
0853	20999 (1987 BF)	Flora	14.4	0.35±0.10	69.226±0.306	86	36	64
0854	21114 Bernson (1992 RS5)	Flora	15.4	0.37±0.10	3.804±0.001	60	31	69
0855	21117 Tashimaseizo (1992 SB13)	Nysa-Polana	14.0	0.42±0.10	3.803±0.001	54	16	84
0856	21199 (1994 PV8)	Flora	15.2	0.53±0.14	20.115±0.040	66	6	94
0857	21285 (1996 UZ)	Flora	14.6	0.46±0.09	48.487±0.154	69	6	94
0858	21295 (1996 VN14)	Vesta	15.5	0.39±0.14	12.305±0.014	60	30	70
0859	21310 (1996 XM5)	Flora	14.4	0.39±0.12	48.734±0.109	72	28	72
0860	21313 Xiuyanyu (1996 XY14)	Flora	14.3	0.40±0.10	4.432±0.002	72	20	80
0861	21341 (1997 CV19)	Vesta	14.0	0.42±0.14	3.775±0.001	65	22	78
0862	21392 Helibrochier (1998 FH32)	Vesta	15.0	0.53±0.10	13.736±0.015	67	1	99
0863	21397 Leontovich (1998 FJ54)	Vesta	15.0	0.41±0.12	5.837±0.002	87	23	77
0864	21479 Marymartha (1998 HN124)	Flora	14.3	0.28±0.13	5.986±0.004	66	61	39
0865	21481 Johnwarren (1998 HP125)	Vesta	15.0	0.40±0.14	26.266±0.101	57	29	71
0866	21484 Eppard (1998 HR134)	Vesta	14.9	0.40±0.15	5.032±0.004	67	29	71
0867	21485 Ash (1998 HV137)	Vesta	15.1	0.49±0.12	12.259±0.012	86	6	94
0868	21505 Bernert (1998 KG28)	Flora	14.8	0.49±0.10	5.576±0.002	84	4	96
0869	21586 Pourkaviani (1998 SU129)	Themis	12.6	0.29±0.10	27.044±0.032	80	63	37
0870	21612 Chelsagloria (1999 JS57)	Vesta	14.2	0.29±0.12	42.946±0.111	74	58	42
0871	21639 Davidkaufman (1999 ND39)	Flora	14.0	0.33±0.12	4.406±0.002	68	45	55
0872	21706 Robminehart (1999 RM87)	Themis	13.9	0.11±0.14	53.239±0.220	68	94	6
0873	21722 Rambhia (1999 RX120)	Vesta	14.6	0.35±0.10	48.105±0.183	53	40	60
0874	21758 Adrianveres (1999 RT196)	Vesta	14.4	0.26±0.12	11.154±0.010	65	71	29
0875	21774 O'Brien (1999 RR217)	Vesta	15.6	0.43±0.10	27.431±0.071	63	13	87
0876	21798 Mitchweegman (1999 SZ16)	Flora	14.5	0.33±0.14	50.666±0.119	77	47	53
0877	21803 (1999 TC7)	Vesta	13.8	0.36±0.12	7.509±0.003	77	35	65
0878	21855 (1999 TG150)	Themis	13.3	0.38±0.12	9.675±0.006	76	31	69
0879	21891 Andreabocelli (1999 VZ2)	Vesta	14.6	0.36±0.14	31.325±0.141	60	37	63
0880	21935 (1999 VZ77)	Flora	13.7	0.40±0.10	55.531±0.147	84	21	79
0881	21993 (1999 XH26)	Koronis	14.5	0.46±0.14	6.627±0.003	70	16	84
0882	22022 (1999 XR110)	Flora	14.3	0.36±0.10	70.648±0.286	80	34	66
0883	22238 (3854 T-3)	Themis	14.3	0.20±0.10	35.288±0.161	73	90	10
0884	22351 (1992 UT2)	Flora	14.4	0.30±0.12	3.646±0.001	60	58	42
0885	22467 Koharumi (1997 BC3)	Vesta	14.3	0.42±0.10	13.418±0.010	76	15	85
0886	22515 (1998 DJ15)	Vesta	15.0	0.43±0.12	5.770±0.002	58	19	81
0887	22565 (1998 HF30)	Nysa-Polana	15.5	0.42±0.14	29.268±0.092	64	23	77
0888	22568 (1998 HR34)	Nysa-Polana	14.9	0.43±0.10	4.597±0.002	64	12	88
0889	22578 (1998 HE59)	Nysa-Polana	14.5	0.29±0.10	32.360±0.161	61	59	41
0890	22734 Theojones (1998 SQ133)	Nysa-Polana	15.4	0.42±0.14	4.491±0.002	79	24	76
0891	22762 (1998 YM12)	Koronis	14.2	0.33±0.11	7.740±0.006	76	47	53
0892	22772 (1999 CU17)	Koronis	13.4	0.40±0.09	2.883±0.000	61	19	81
0893	22776 Matossian (1999 CS24)	Vesta	14.5	0.46±0.09	4.328±0.001	59	6	94
0894	22797 (1999 NO18)	Nysa-Polana	14.5	0.41±0.10	2.996±0.001	65	18	82
0895	22809 Kensiequade (1999 RL13)	Nysa-Polana	14.6	0.37±0.09	6.287±0.003	75	28	72
0896	22852 Kinney (1999 RN129)	Flora	15.1	0.38±0.14	41.117±0.136	59	33	67
0897	22908 Bayefsky-Anand (1999 TK27)	Vesta	14.0	0.37±0.15	16.358±0.017	62	37	63
0898	22940 Chyan (1999 TF178)	Nysa-Polana	15.4	0.36±0.12	43.057±0.170	63	38	62

Table 2 continued

Table 2 (*continued*)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
0899	22982 Emmacall (1999 VB31)	Koronis	14.2	0.52±0.14	43.532±0.209	60	8	92
0900	22984 (1999 VP36)	Themis	13.3	0.24±0.12	5.590±0.002	55	73	27
0901	23034 (1999 XJ15)	Nysa-Polana	14.7	0.41±0.12	4.856±0.003	76	21	79
0902	23056 (1999 XL44)	Koronis	14.0	0.36±0.13	6.649±0.004	63	39	61
0903	23162 Alexcrook (2000 FX48)	Nysa-Polana	14.8	0.37±0.12	47.643±0.208	54	34	66
0904	23177 (2000 JD58)	Vesta	13.6	0.40±0.12	4.384±0.001	84	23	77
0905	23266 (2000 YP50)	Nysa-Polana	14.7	0.41±0.04	11.114±0.020	96	1	99
0906	23271 Kellychacon (2000 YO67)	Vesta	15.4	0.30±0.11	6.401±0.004	77	55	45
0907	23346 (4695 P-L)	Vesta	15.2	0.35±0.14	6.668±0.003	59	41	59
0908	23359 (2301 T-1)	Flora	14.6	0.40±0.10	5.046±0.002	72	23	77
0909	23392 (2416 T-3)	Nysa-Polana	13.9	0.22±0.14	44.046±0.150	73	75	25
0910	23406 Kozlov (1977 QO3)	Nysa-Polana	14.4	0.39±0.14	51.542±0.174	75	30	70
0911	23492 (1991 RA20)	Vesta	14.4	0.25±0.13	27.375±0.068	81	71	29
0912	23543 (1993 UK)	Koronis	13.0	0.34±0.14	5.358±0.002	79	42	58
0913	23545 (1994 AC)	Flora	14.5	0.52±0.09	5.849±0.003	85	1	99
0914	23554 (1994 PJ11)	Nysa-Polana	14.6	0.37±0.10	3.964±0.001	84	30	70
0915	23597 (1995 WY4)	Nysa-Polana	15.2	0.47±0.10	4.993±0.002	75	5	95
0916	23676 (1997 GR25)	Nysa-Polana	14.6	0.43±0.10	4.535±0.001	64	15	85
0917	23750 Stepciechan (1998 KQ35)	Vesta	15.2	0.37±0.11	10.276±0.008	73	32	68
0918	23757 Jonmunoz (1998 KL48)	Vesta	14.8	0.34±0.12	48.122±0.206	60	43	57
0919	23790 (1998 QK19)	Vesta	13.9	0.45±0.10	4.873±0.002	77	8	92
0920	23872 (1998 RH76)	Koronis	13.4	0.34±0.11	3.060±0.001	58	43	57
0921	23912 (1998 SU128)	Koronis	13.7	0.41±0.11	3.739±0.001	56	21	79
0922	23932 (1998 TN2)	Vesta	15.5	0.44±0.14	44.162±0.153	73	19	81
0923	23992 Markhobbs (1999 RO11)	Flora	15.6	0.54±0.10	43.070±0.083	72	2	98
0924	24007 (1998 RE91)	Nysa-Polana	15.6	0.31±0.12	27.646±0.074	74	52	48
0925	24074 Thomasjohnson (1999 TE198)	Flora	14.3	0.51±0.14	5.299±0.001	75	9	91
0926	24116 (1999 VK24)	Nysa-Polana	15.0	0.36±0.09	4.729±0.002	83	31	69
0927	24177 (1999 XJ7)	Vesta	13.9	0.34±0.12	3.821±0.001	56	44	56
0928	24200 Peterbrooks (1999 XB40)	Vesta	14.2	0.42±0.14	4.928±0.002	69	24	76
0929	24261 Judilegault (1999 XA130)	Vesta	14.4	0.38±0.12	13.552±0.013	76	29	71
0930	24273 (1999 XO166)	Flora	14.6	0.42±0.14	5.392±0.004	61	22	78
0931	24331 Alyshaowen (2000 AL68)	Vesta	14.4	0.41±0.15	5.300±0.007	76	28	72
0932	24415 (2000 AA251)	Themis	13.8	0.22±0.10	6.657±0.003	79	85	15
0933	24422 Helentressa (2000 CF3)	Vesta	14.9	0.48±0.11	6.779±0.003	56	7	93
0934	24473 (2000 UK98)	Flora	13.3	0.49±0.09	80.722±0.358	63	2	98
0935	24570 (2153 T-1)	Koronis	13.9	0.32±0.13	47.984±0.214	58	48	52
0936	24601 Valjean (1971 UW)	Flora	14.9	0.40±0.13	5.898±0.003	83	28	72
0937	24684 (1990 EU4)	Flora	15.0	0.43±0.10	5.134±0.002	74	15	85
0938	24760 (1992 YY1)	Flora	14.7	0.54±0.14	23.865±0.036	73	5	95
0939	24773 (1993 FQ35)	Nysa-Polana	14.9	0.48±0.12	4.748±0.003	80	9	91
0940	24843 (1995 VZ)	Nysa-Polana	15.1	0.40±0.12	18.217±0.028	70	26	74
0941	24846 (1995 WM)	Vesta	14.5	0.39±0.14	19.096±0.029	57	29	71
0942	24893 (1997 AK5)	Vesta	15.2	0.50±0.10	95.690±0.468	56	3	97
0943	24898 Alanholmes (1997 AR17)	Nysa-Polana	15.3	0.50±0.12	7.992±0.004	61	7	93
0944	24900 (1997 AZ17)	Nysa-Polana	14.2	0.32±0.12	44.235±0.096	56	50	50
0945	24905 (1997 CO1)	Nysa-Polana	14.7	0.55±0.07	39.623±0.104	86	0	100
0946	24920 (1997 EE23)	Vesta	14.2	0.40±0.11	24.841±0.036	65	23	77
0947	24968 Chernyakhovsky (1998 BY12)	Flora	14.7	0.40±0.14	34.930±0.114	59	28	72
0948	25003 (1998 OZ8)	Flora	14.3	0.36±0.09	47.796±0.107	61	33	67
0949	25062 Rasmussen (1998 QH71)	Vesta	15.5	0.28±0.14	23.013±0.040	56	62	38
0950	25077 (1998 QJ99)	Nysa-Polana	15.0	0.30±0.10	58.357±0.254	54	58	42
0951	25155 van Belle (1998 SA55)	Koronis	14.3	0.42±0.10	44.946±0.182	58	17	83
0952	25173 (1998 SN71)	Koronis	14.1	0.36±0.14	4.940±0.003	60	39	61
0953	25232 Schatz (1998 TN33)	Koronis	13.9	0.34±0.12	11.455±0.013	57	43	57
0954	25289 (1998 WE12)	Koronis	13.2	0.33±0.12	5.617±0.003	75	45	55
0955	25333 Britwenger (1999 KW13)	Flora	14.9	0.41±0.08	48.070±0.132	60	13	87
0956	25419 (1999 VC72)	Flora	14.9	0.46±0.07	7.793±0.009	86	3	97
0957	25464 Maxrabinovich (1999 XA24)	Flora	14.7	0.41±0.14	7.162±0.003	61	25	75
0958	25468 Ramakrishna (1999 XS33)	Vesta	14.2	0.46±0.16	5.298±0.002	70	19	81
0959	25510 Donvincent (1999 XJ97)	Vesta	14.9	0.58±0.10	14.747±0.018	82	1	99
0960	25604 Karlin (2000 AM6)	Koronis	14.1	0.41±0.10	33.366±0.103	69	20	80
0961	25606 Chiangshenghao (2000 AT7)	Vesta	14.5	0.30±0.13	42.390±0.191	77	57	43
0962	25676 Jesseellison (2000 AG102)	Vesta	15.0	0.32±0.12	4.960±0.002	63	50	50
0963	25698 Snehakannan (2000 AQ126)	Flora	14.7	0.42±0.12	4.727±0.003	58	18	82
0964	25711 Lebovits (2000 AE152)	Nysa-Polana	15.1	0.44±0.14	7.603±0.005	57	20	80

Table 2 *continued*

Table 2 (continued)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
0965	25907 Capodilupo (2001 AR20)	Vesta	14.8	0.35±0.09	6.060±0.003	86	36	64
0966	25944 Charlesross (2001 EP10)	Nysa-Polana	14.6	0.40±0.10	39.115±0.127	83	22	78
0967	26036 (2166 T-1)	Flora	14.7	0.46±0.12	14.201±0.012	65	10	90
0968	26084 (1981 EK17)	Vesta	14.8	0.36±0.15	34.454±0.097	69	40	60
0969	26110 (1991 NK4)	Flora	14.0	0.48±0.10	7.714±0.006	78	6	94
0970	26111 (1991 OV)	Flora	15.1	0.28±0.13	39.001±0.137	76	63	37
0971	26183 Henrigodard (1996 HG15)	Koronis	14.3	0.42±0.10	5.665±0.002	72	14	86
0972	26232 Antink (1998 QW8)	Nysa-Polana	15.0	0.22±0.09	35.503±0.100	82	87	13
0973	26251 Kiranmanne (1998 QG52)	Flora	15.0	0.52±0.14	5.207±0.004	59	7	93
0974	26277 Ianrees (1998 SM4)	Nysa-Polana	14.9	0.48±0.13	8.688±0.009	63	11	89
0975	26287 (1998 SD67)	Flora	14.4	0.34±0.09	19.230±0.043	71	41	59
0976	26513 Newberry (2000 CP47)	Vesta	15.3	0.30±0.09	48.417±0.241	62	59	41
0977	26634 Balasubramanian (2000 HX51)	Themis	14.1	0.25±0.12	7.457±0.005	62	73	27
0978	26741 (2001 HZ35)	Vesta	14.8	0.42±0.12	7.324±0.004	78	21	79
0979	26931 (1997 CC22)	Flora	15.4	0.40±0.10	8.149±0.006	66	23	77
0980	27023 (1998 QE54)	Flora	14.0	0.34±0.10	8.181±0.003	62	42	58
0981	27243 (1999 UK24)	Vesta	14.3	0.36±0.11	3.193±0.001	57	36	64
0982	27296 Kathyhurd (2000 AO144)	Flora	14.7	0.17±0.13	5.312±0.002	59	88	12
0983	27316 (2000 BS3)	Nysa-Polana	14.9	0.48±0.10	3.852±0.001	58	6	94
0984	27343 Deannashea (2000 CT102)	Flora	14.9	0.35±0.14	96.516±0.475	57	40	60
0985	27371 (2000 ER40)	Themis	13.8	0.26±0.10	16.988±0.016	71	73	27
0986	27666 (1978 VU6)	Nysa-Polana	15.0	0.44±0.12	4.849±0.003	76	16	84
0987	27703 (1984 SA2)	Flora	14.2	0.32±0.13	9.568±0.007	61	50	50
0988	27725 (1990 QF4)	Vesta	13.4	0.47±0.12	41.016±0.125	86	10	90
0989	27727 (1990 QM7)	Vesta	14.6	0.43±0.11	14.263±0.011	62	16	84
0990	27753 (1991 PF5)	Flora	14.8	0.42±0.08	4.025±0.002	82	10	90
0991	27778 (1992 DF6)	Nysa-Polana	14.4	0.37±0.12	4.265±0.001	68	35	65
0992	27796 (1993 FK13)	Vesta	14.6	0.25±0.12	4.554±0.001	62	73	27
0993	27808 (1993 FT56)	Flora	15.0	0.29±0.10	59.337±0.284	66	59	41
0994	28020 (1998 BP5)	Vesta	14.8	0.37±0.15	5.723±0.005	65	38	62
0995	28044 (1998 FD116)	Vesta	14.1	0.37±0.12	5.992±0.006	59	33	67
0996	28103 Benmcpheon (1998 RK80)	Nysa-Polana	15.3	0.47±0.11	45.994±0.214	62	8	92
0997	28143 (1998 TK5)	Vesta	14.3	0.36±0.10	22.042±0.034	72	35	65
0998	28146 (1998 TC32)	Flora	14.3	0.20±0.09	11.049±0.012	59	91	9
0999	28147 (1998 TD32)	Flora	14.8	0.37±0.12	7.504±0.004	76	35	65
1000	28267 (1999 CH10)	Nysa-Polana	14.1	0.25±0.14	3.798±0.001	54	69	31
1001	28463 (2000 AG168)	Vesta	15.4	0.38±0.13	48.139±0.143	55	32	68
1002	28519 Sweetman (2000 DP15)	Flora	14.5	0.43±0.13	44.961±0.164	65	19	81
1003	28543 Solis-Gozar (2000 EF17)	Vesta	15.1	0.42±0.09	5.303±0.003	59	12	88
1004	28561 (2000 EP48)	Themis	14.1	0.29±0.13	44.647±0.213	72	59	41
1005	28735 (2000 GX125)	Vesta	14.2	0.43±0.11	5.189±0.001	56	15	85
1006	28834 (2000 JD37)	Koronis	14.0	0.27±0.12	4.342±0.002	58	66	34
1007	29004 (2767 P-L)	Themis	13.7	0.18±0.09	8.464±0.007	66	94	6
1008	29194 (1990 WJ4)	Vesta	14.4	0.46±0.11	6.021±0.002	67	10	90
1009	29211 (1991 RY15)	Koronis	13.3	0.36±0.11	53.751±0.210	78	33	67
1010	29253 (1993 DN)	Flora	14.8	0.38±0.10	47.694±0.171	59	27	73
1011	29282 (1993 FM39)	Vesta	15.4	0.37±0.04	13.719±0.052	71	6	94
1012	29328 Hanshintigers (1994 TU14)	Flora	14.6	0.43±0.09	7.437±0.005	72	9	91
1013	29450 Tomohirohno (1997 QZ2)	Flora	13.7	0.54±0.10	8.980±0.006	69	2	98
1014	29658 Henrylin (1998 WR17)	Flora	14.8	0.42±0.07	5.046±0.003	67	6	94
1015	29714 (1999 AL7)	Vesta	14.9	0.34±0.15	5.957±0.003	58	45	55
1016	29739 (1999 BM9)	Nysa-Polana	14.9	0.38±0.10	6.633±0.003	62	26	74
1017	29750 Chleborad (1999 CA3)	Vesta	13.9	0.43±0.16	41.796±0.109	59	23	77
1018	29834 Mariacallas (1999 FE1)	Koronis	13.8	0.37±0.09	4.092±0.001	61	29	71
1019	29857 (1999 FS28)	Koronis	13.9	0.26±0.12	4.136±0.001	58	69	31
1020	29866 (1999 FR46)	Koronis	13.7	0.43±0.11	58.382±0.216	61	16	84
1021	30081 Zarinrahman (2000 EY108)	Flora	14.6	0.44±0.14	11.943±0.011	64	20	80
1022	30184 Okasinski (2000 GM95)	Vesta	15.0	0.36±0.10	47.609±0.217	54	35	65
1023	30214 (2000 GS125)	Vesta	14.2	0.41±0.12	7.027±0.003	62	22	78
1024	30249 Zamora (2000 HF14)	Vesta	14.7	0.38±0.07	9.401±0.006	60	15	85
1025	30329 (2000 JR23)	Vesta	14.3	0.44±0.11	28.389±0.083	80	14	86
1026	30380 (2000 JE76)	Flora	15.3	0.34±0.11	12.309±0.017	78	42	58
1027	30716 (5107 T-3)	Flora	15.4	0.33±0.10	10.140±0.016	64	47	53
1028	30814 (1990 QW)	Vesta	14.5	0.29±0.12	5.557±0.004	93	58	42
1029	30821 Chernetenko (1990 RR17)	Flora	14.4	0.38±0.09	17.603±0.027	84	24	76
1030	30948 (1994 PU)	Flora	15.2	0.33±0.13	46.894±0.166	79	48	52

Table 2 continued

Table 2 (*continued*)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
1031	30967 (1994 XX4)	Vesta	14.5	0.45±0.10	4.527±0.001	76	10	90
1032	30982 (1995 SP5)	Themis	13.7	0.32±0.10	58.104±0.284	59	51	49
1033	31041 (1996 KD)	Nysa-Polana	14.6	0.17±0.10	4.076±0.001	69	92	8
1034	31052 (1996 RC5)	Koronis	14.1	0.45±0.11	3.566±0.001	57	12	88
1035	31093 (1997 CE28)	Themis	13.6	0.23±0.08	7.078±0.004	84	87	13
1036	31108 (1997 PW3)	Vesta	15.1	0.35±0.10	10.371±0.010	67	38	62
1037	31115 (1997 QF4)	Flora	14.5	0.38±0.09	48.156±0.187	62	23	77
1038	31271 Nallino (1998 FH16)	Themis	13.9	0.19±0.09	19.104±0.044	76	95	5
1039	31366 (1998 WF8)	Vesta	15.0	0.51±0.09	6.952±0.003	62	2	98
1040	31383 (1998 XJ94)	Flora	14.0	0.44±0.14	4.168±0.001	67	20	80
1041	31416 Peteworden (1999 AX24)	Nysa-Polana	15.3	0.27±0.12	2.476±0.000	55	67	33
1042	31449 (1999 CO9)	Vesta	14.2	0.46±0.14	7.582±0.006	67	16	84
1043	31474 Advaitanand (1999 CL37)	Flora	14.9	0.30±0.11	22.140±0.031	62	55	45
1044	31504 Jaisonjain (1999 CF73)	Vesta	15.1	0.46±0.12	94.878±0.415	58	13	87
1045	31643 Natashachugh (1999 GE41)	Flora	14.9	0.42±0.10	6.655±0.003	73	16	84
1046	31652 (1999 HS2)	Nysa-Polana	14.7	0.34±0.12	3.454±0.001	56	42	58
1047	31975 Johndean (2000 HA13)	Flora	14.4	0.23±0.09	5.771±0.002	68	85	15
1048	32215 (2000 OG16)	Themis	14.1	0.25±0.09	7.995±0.005	85	79	21
1049	32232 (2000 OU27)	Vesta	13.8	0.34±0.16	5.067±0.002	54	44	56
1050	32462 Janmitchener (2000 SU112)	Themis	14.1	0.27±0.14	30.971±0.081	59	63	37
1051	32734 Kryukov (1978 RM)	Themis	13.3	0.16±0.14	12.293±0.024	60	88	12
1052	32904 (1994 PU24)	Themis	14.1	0.27±0.11	33.906±0.093	59	68	32
1053	32914 (1995 AG1)	Flora	14.2	0.33±0.14	26.349±0.067	68	45	55
1054	33212 (1998 FG76)	Themis	13.8	0.26±0.13	13.199±0.013	65	68	32
1055	33364 (1999 BX5)	Vesta	15.4	0.29±0.10	13.638±0.019	60	59	41
1056	33395 Dylanli (1999 CU54)	Nysa-Polana	15.5	0.34±0.12	47.847±0.120	59	43	57
1057	33463 Bettinagregg (1999 FM32)	Vesta	14.6	0.29±0.14	6.090±0.002	57	58	42
1058	33476 Gilanareiss (1999 FV54)	Vesta	14.4	0.41±0.12	5.909±0.004	83	22	78
1059	33479 (1999 GO)	Themis	13.5	0.24±0.10	7.766±0.006	58	78	22
1060	33492 Christirogers (1999 GT17)	Vesta	14.4	0.44±0.10	10.291±0.014	64	12	88
1061	33535 Alshaikh (1999 HS9)	Nysa-Polana	15.0	0.26±0.14	5.720±0.002	70	66	34
1062	33599 Mckennaloop (1999 JP50)	Flora	14.5	0.41±0.10	7.947±0.004	58	16	84
1063	33600 Davidlu (1999 JA51)	Vesta	14.8	0.36±0.12	16.105±0.015	54	36	64
1064	33757 (1999 RB52)	Themis	13.7	0.29±0.07	41.067±0.171	86	65	35
1065	33777 (1999 RM158)	Themis	13.1	0.30±0.11	10.337±0.007	56	57	43
1066	33804 (1999 WL4)	Nysa-Polana	14.9	0.23±0.11	41.601±0.130	64	78	22
1067	34125 (2000 QZ)	Themis	14.8	0.35±0.12	41.731±0.152	62	41	59
1068	34242 (2000 QD100)	Flora	15.1	0.41±0.12	5.383±0.002	56	22	78
1069	34484 (2000 SR124)	Nysa-Polana	14.4	0.35±0.09	6.176±0.003	80	35	65
1070	34702 (2001 OW62)	Vesta	13.9	0.42±0.10	6.555±0.003	64	16	84
1071	34898 (2622 P-L)	Themis	14.0	0.31±0.10	8.457±0.004	58	53	47
1072	35077 (1990 OT2)	Flora	15.1	0.41±0.12	6.168±0.003	68	21	79
1073	35096 (1991 GV4)	Nysa-Polana	15.0	0.36±0.14	7.259±0.006	62	39	61
1074	35103 (1991 RZ14)	Koronis	13.2	0.35±0.10	8.457±0.004	59	37	63
1075	35173 (1993 TP9)	Flora	15.2	0.38±0.10	55.188±0.253	73	28	72
1076	35180 (1993 TC38)	Flora	15.0	0.41±0.13	38.798±0.174	77	25	75
1077	35229 Benckert (1995 FY20)	Vesta	14.3	0.36±0.10	5.149±0.002	73	34	66
1078	35400 (1997 YU2)	Nysa-Polana	15.1	0.20±0.13	13.643±0.029	64	82	18
1079	35695 (1999 CE57)	Flora	14.9	0.32±0.14	5.949±0.004	74	51	49
1080	35723 (1999 FT42)	Flora	14.3	0.45±0.08	11.055±0.009	54	6	94
1081	35727 (1999 GM1)	Flora	15.0	0.38±0.13	41.345±0.159	74	31	69
1082	35824 (1999 JF53)	Vesta	14.8	0.33±0.14	6.045±0.004	68	46	54
1083	35839 (1999 JV58)	Flora	14.1	0.42±0.12	7.206±0.004	58	19	81
1084	35871 (1999 JW70)	Vesta	15.1	0.47±0.08	4.861±0.002	86	3	97
1085	35880 (1999 JC76)	Vesta	14.1	0.31±0.12	52.224±0.198	79	53	47
1086	35954 (1999 KY15)	Flora	14.7	0.43±0.10	45.158±0.185	84	12	88
1087	35958 (1999 LF4)	Vesta	14.0	0.37±0.10	4.154±0.001	58	31	69
1088	35965 (1999 LH13)	Vesta	14.2	0.36±0.10	6.760±0.003	76	35	65
1089	36320 (2000 LD23)	Vesta	15.1	0.43±0.06	24.092±0.101	82	2	98
1090	36434 (2000 PA19)	Flora	15.7	0.44±0.07	23.963±0.068	64	5	95
1091	36458 (2000 QO8)	Flora	15.3	0.49±0.13	7.473±0.007	59	10	90
1092	36632 (2000 QB171)	Flora	15.2	0.40±0.09	6.289±0.003	77	18	82
1093	36696 (2000 RX16)	Vesta	14.6	0.38±0.15	5.849±0.004	65	34	66
1094	36698 (2000 RN17)	Vesta	15.7	0.21±0.16	19.123±0.053	82	74	26
1095	36712 (2000 RS33)	Vesta	14.5	0.31±0.09	5.621±0.003	67	56	44
1096	36757 (2000 RY71)	Vesta	14.0	0.43±0.11	5.477±0.002	85	16	84

Table 2 *continued*

Table 2 (*continued*)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
1097	36925 (2000 SC212)	Vesta	14.6	0.29±0.14	43.475±0.195	86	57	43
1098	36935 (2000 SB227)	Vesta	14.8	0.37±0.07	4.652±0.002	69	23	77
1099	36978 (2000 SL323)	Nysa-Polana	14.9	0.10±0.11	7.625±0.009	66	98	2
1100	37503 (2288 T-2)	Themis	14.5	0.29±0.10	69.155±0.308	80	62	38
1101	37636 (1993 UQ4)	Nysa-Polana	14.7	0.42±0.12	45.541±0.128	71	18	82
1102	37727 (1996 TE39)	Vesta	15.6	0.54±0.12	6.144±0.005	73	3	97
1103	38305 (1999 RM96)	Themis	13.9	0.29±0.11	8.141±0.007	60	58	42
1104	38345 (1999 RO141)	Vesta	14.8	0.31±0.08	23.963±0.065	62	54	46
1105	38706 (2000 QP83)	Vesta	14.8	0.41±0.10	7.828±0.005	85	17	83
1106	38720 (2000 QB128)	Vesta	15.1	0.37±0.07	34.794±0.151	81	24	76
1107	38757 (2000 RM1)	Nysa-Polana	15.5	0.33±0.07	2.783±0.001	63	41	59
1108	38869 (2000 SL113)	Flora	15.2	0.33±0.10	24.139±0.055	75	46	54
1109	38874 (2000 SZ119)	Flora	15.9	0.27±0.11	12.398±0.016	66	68	32
1110	38895 (2000 SE152)	Vesta	15.4	0.44±0.11	43.140±0.136	78	14	86
1111	39088 (2000 VO50)	Vesta	15.0	0.33±0.10	5.375±0.001	66	47	53
1112	39218 (2000 YY3)	Vesta	14.5	0.31±0.12	54.493±0.225	76	54	46
1113	39442 (2384 T-3)	Flora	15.8	0.40±0.08	42.297±0.172	86	15	85
1114	39684 (1996 PD8)	Koronis	14.2	0.41±0.10	4.840±0.001	79	19	81
1115	39713 (1996 TE57)	Vesta	15.6	0.45±0.10	21.515±0.034	68	10	90
1116	39719 (1996 VF4)	Nysa-Polana	15.6	0.20±0.14	31.816±0.133	74	80	20
1117	39845 (1998 BT35)	Flora	14.3	0.33±0.07	4.214±0.001	68	43	57
1118	39874 (1998 DC35)	Flora	14.2	0.28±0.14	46.343±0.162	73	59	41
1119	39887 (1998 ED13)	Nysa-Polana	14.4	0.53±0.15	44.946±0.194	60	8	92
1120	39949 (1998 FG115)	Vesta	14.4	0.43±0.10	48.001±0.191	68	14	86
1121	40370 (1999 NZ28)	Vesta	15.4	0.45±0.10	7.360±0.004	53	10	90
1122	40379 (1999 NG41)	Nysa-Polana	14.8	0.49±0.10	96.239±0.473	76	3	97
1123	40408 (1999 RO2)	Vesta	15.1	0.35±0.10	9.213±0.007	68	37	63
1124	40409 Taichikato (1999 RS2)	Nysa-Polana	15.7	0.47±0.14	6.588±0.003	63	13	87
1125	40453 (1999 RX38)	Vesta	14.8	0.33±0.13	38.410±0.110	68	46	55
1126	40594 (1999 RW146)	Vesta	15.1	0.54±0.11	10.385±0.009	57	3	97
1127	41083 (1999 VO50)	Koronis	13.1	0.35±0.12	26.052±0.085	82	37	63
1128	41467 (2000 OG29)	Vesta	15.3	0.26±0.13	13.650±0.013	56	67	33
1129	41496 (2000 QB118)	Flora	15.2	0.45±0.09	10.235±0.021	68	6	94
1130	41530 (2000 RD9)	Nysa-Polana	14.9	0.35±0.10	48.087±0.181	55	38	62
1131	41546 (2000 RZ45)	Flora	15.0	0.33±0.09	8.403±0.005	56	44	56
1132	41547 (2000 RA46)	Vesta	15.1	0.38±0.13	3.577±0.001	59	34	66
1133	41561 (2000 RQ66)	Flora	14.7	0.25±0.09	48.174±0.217	54	81	19
1134	41712 (2000 UZ68)	Flora	15.2	0.28±0.12	8.904±0.005	56	62	38
1135	41749 (2000 VD27)	Nysa-Polana	15.5	0.26±0.12	48.522±0.238	57	70	30
1136	41802 (2000 WD24)	Vesta	15.1	0.44±0.10	6.199±0.002	77	12	88
1137	41807 (2000 WS33)	Vesta	16.0	0.39±0.10	5.717±0.002	57	24	76
1138	41860 (2000 WW95)	Flora	15.3	0.38±0.10	5.395±0.002	64	26	74
1139	41922 (2000 WT158)	Flora	15.5	0.28±0.08	10.615±0.008	85	69	31
1140	41982 (2000 YE21)	Flora	15.3	0.42±0.09	19.965±0.033	83	12	88
1141	42061 (2000 YE116)	Nysa-Polana	15.1	0.39±0.07	6.950±0.007	60	17	83
1142	42109 (2001 AX44)	Nysa-Polana	15.1	0.28±0.07	7.150±0.006	85	72	28
1143	42258 (2001 OZ68)	Nysa-Polana	14.5	0.44±0.11	5.133±0.002	71	12	88
1144	42295 Teresateng (2001 UG17)	Flora	15.1	0.36±0.08	3.247±0.001	76	30	70
1145	42518 (1994 AH6)	Flora	15.1	0.33±0.11	4.416±0.002	61	47	53
1146	42564 (1996 XF23)	Vesta	15.5	0.33±0.11	5.084±0.003	81	47	53
1147	42567 (1996 XF33)	Vesta	14.5	0.40±0.12	18.996±0.026	68	23	77
1148	42655 (1998 FU108)	Vesta	14.5	0.38±0.12	5.169±0.002	84	32	68
1149	42671 (1998 HQ68)	Vesta	14.7	0.37±0.09	3.656±0.001	58	26	74
1150	42672 (1998 HL91)	Vesta	14.6	0.37±0.12	6.189±0.003	59	33	67
1151	42858 (1999 RL88)	Vesta	16.0	0.28±0.10	11.195±0.015	62	65	35
1152	42866 (1999 RJ104)	Vesta	14.8	0.37±0.14	42.257±0.157	73	35	65
1153	42923 (1999 SR18)	Flora	13.9	0.41±0.10	7.141±0.002	69	19	81
1154	42955 (1999 TK121)	Nysa-Polana	16.0	0.40±0.09	46.747±0.199	76	16	84
1155	43054 (1999 VU78)	Nysa-Polana	15.3	0.39±0.10	3.028±0.001	77	22	78
1156	43058 (1999 VT92)	Nysa-Polana	15.1	0.09±0.11	19.213±0.045	64	98	2
1157	43217 (2000 AE139)	Vesta	14.8	0.43±0.10	9.397±0.009	56	14	86
1158	43274 (2000 ER56)	Nysa-Polana	15.0	0.53±0.10	4.719±0.002	68	2	98
1159	43288 (2000 FB16)	Flora	14.7	0.30±0.10	42.538±0.180	80	58	42
1160	43315 (2000 JB18)	Nysa-Polana	15.2	0.40±0.12	7.478±0.004	70	26	74
1161	43365 (2000 VA36)	Flora	15.3	0.38±0.12	6.422±0.003	73	33	67
1162	43388 (2000 WA61)	Vesta	15.2	0.45±0.10	5.272±0.002	67	8	92

Table 2 *continued*

Table 2 (*continued*)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
1163	43454 (2000 YD102)	Vesta	15.3	0.44±0.12	15.174±0.020	77	16	84
1164	43456 (2000 YG117)	Flora	15.2	0.27±0.11	53.282±0.171	59	67	33
1165	43502 (2001 CY28)	Flora	15.3	0.46±0.14	7.919±0.004	69	17	83
1166	43513 (2001 DG4)	Vesta	15.3	0.39±0.10	6.184±0.004	68	23	77
1167	43862 (1994 EK1)	Vesta	14.4	0.39±0.10	8.255±0.004	68	24	76
1168	43896 (1995 UL4)	Vesta	13.9	0.40±0.11	35.960±0.095	83	24	76
1169	43902 (1995 VX4)	Nysa-Polana	15.8	0.24±0.12	6.625±0.006	76	73	27
1170	44018 (1997 WL36)	Flora	14.9	0.45±0.10	3.513±0.001	70	9	91
1171	44144 (1998 HG98)	Flora	15.0	0.27±0.10	3.469±0.001	70	68	32
1172	44147 (1998 HB103)	Vesta	14.6	0.43±0.14	43.916±0.105	62	23	77
1173	44603 (1999 RT12)	Flora	14.8	0.36±0.15	4.342±0.002	72	41	59
1174	44633 (1999 RB90)	Vesta	14.6	0.35±0.09	5.904±0.002	79	36	64
1175	44636 (1999 RQ103)	Vesta	15.0	0.47±0.12	7.630±0.004	55	11	89
1176	44665 (1999 RF174)	Nysa-Polana	15.6	0.28±0.10	9.183±0.011	67	65	35
1177	44676 (1999 RG187)	Flora	15.1	0.40±0.09	6.791±0.005	73	18	82
1178	44701 (1999 SD7)	Vesta	14.1	0.37±0.12	46.698±0.117	74	34	66
1179	44709 (1999 TV1)	Nysa-Polana	15.3	0.39±0.10	2.867±0.001	79	22	78
1180	44719 (1999 TP9)	Nysa-Polana	15.6	0.33±0.12	43.888±0.190	87	47	53
1181	44795 (1999 TU180)	Nysa-Polana	15.3	0.32±0.10	2.903±0.001	57	50	50
1182	44807 (1999 TP217)	Flora	15.5	0.30±0.10	49.180±0.220	83	56	44
1183	44881 (1999 UJ51)	Vesta	15.8	0.54±0.14	14.812±0.013	59	5	95
1184	44919 (1999 VC31)	Flora	13.7	0.41±0.09	32.973±0.062	89	17	83
1185	44940 (1999 VH53)	Vesta	14.3	0.31±0.12	62.957±0.248	67	51	49
1186	44954 (1999 VN72)	Vesta	15.1	0.41±0.09	5.697±0.002	68	16	84
1187	44960 (1999 VJ86)	Vesta	14.8	0.33±0.15	24.686±0.045	56	46	54
1188	44980 (1999 VW157)	Nysa-Polana	15.7	0.32±0.14	6.426±0.006	77	51	49
1189	45082 (1999 XF44)	Vesta	14.4	0.43±0.10	5.537±0.003	75	13	87
1190	45142 (1999 XJ102)	Nysa-Polana	15.7	0.32±0.12	6.610±0.003	85	48	52
1191	45185 (1999 XM157)	Flora	15.3	0.49±0.12	26.947±0.078	70	8	92
1192	45195 (1999 XT166)	Vesta	14.4	0.44±0.09	47.408±0.167	54	9	91
1193	45234 (1999 XA228)	Vesta	14.7	0.37±0.15	45.821±0.196	60	37	63
1194	45270 (2000 AT8)	Vesta	14.5	0.39±0.10	7.849±0.004	69	26	74
1195	45361 (2000 AZ102)	Vesta	15.0	0.38±0.10	5.603±0.002	80	25	75
1196	45413 (2000 AY147)	Vesta	14.9	0.35±0.14	6.561±0.004	74	42	58
1197	45783 (2000 OV16)	Nysa-Polana	14.6	0.39±0.10	23.053±0.040	74	24	76
1198	45801 (2000 PF28)	Vesta	14.9	0.45±0.10	4.519±0.001	65	11	89
1199	45815 (2000 QF67)	Vesta	15.1	0.52±0.15	18.043±0.033	64	10	90
1200	45869 (2000 VG34)	Flora	15.3	0.41±0.10	8.630±0.005	57	19	81
1201	45897 (2000 XB28)	Vesta	15.3	0.41±0.10	15.464±0.045	65	17	83
1202	46107 (2001 FP17)	Vesta	15.1	0.36±0.13	6.835±0.006	65	36	64
1203	46342 (2001 SC53)	Themis	13.9	0.19±0.09	5.454±0.003	68	93	7
1204	46371 (2001 VZ45)	Vesta	14.8	0.48±0.15	11.299±0.017	61	14	86
1205	46378 (2001 XD17)	Flora	14.8	0.28±0.11	5.749±0.003	86	63	37
1206	46383 (2001 XC114)	Vesta	15.1	0.34±0.09	46.216±0.187	86	41	59
1207	46501 (2616 T-3)	Vesta	15.0	0.37±0.12	30.375±0.066	56	34	66
1208	47063 (1998 XX52)	Koronis	13.5	0.36±0.10	5.463±0.002	77	35	65
1209	47244 (1999 VA53)	Nysa-Polana	15.4	0.49±0.12	5.696±0.002	54	7	93
1210	47269 (1999 VH135)	Flora	14.5	0.31±0.12	3.276±0.000	81	54	46
1211	47271 (1999 VY143)	Vesta	14.6	0.41±0.11	9.695±0.008	72	19	81
1212	47307 (1999 XR4)	Nysa-Polana	15.5	0.47±0.09	4.453±0.002	57	4	96
1213	47338 (1999 XG36)	Vesta	14.4	0.35±0.09	7.378±0.003	80	35	65
1214	47370 (1999 XL88)	Nysa-Polana	15.2	0.34±0.12	6.739±0.004	74	45	55
1215	47468 (1999 YS13)	Nysa-Polana	14.9	0.41±0.10	78.732±0.352	76	21	79
1216	47475 (2000 AR7)	Vesta	14.6	0.41±0.11	8.257±0.006	72	21	79
1217	47484 (2000 AC18)	Vesta	15.0	0.23±0.10	57.804±0.244	63	78	22
1218	47520 (2000 AO79)	Vesta	15.2	0.38±0.11	4.866±0.003	58	30	70
1219	47526 (2000 AM90)	Nysa-Polana	14.9	0.42±0.10	4.134±0.002	63	15	85
1220	47579 (2000 AW174)	Vesta	14.3	0.37±0.09	19.504±0.030	55	28	72
1221	47603 (2000 AV232)	Nysa-Polana	15.3	0.43±0.10	43.293±0.144	69	13	87
1222	47852 (2000 EQ140)	Vesta	14.8	0.29±0.12	7.073±0.004	64	60	40
1223	48027 (2001 DG29)	Vesta	15.6	0.49±0.10	15.921±0.040	56	4	96
1224	48043 (2001 DF74)	Vesta	15.2	0.44±0.15	44.089±0.210	64	21	79
1225	48287 (2002 GE167)	Vesta	15.5	0.37±0.09	12.708±0.021	66	29	71
1226	48364 (3096 T-2)	Vesta	15.0	0.45±0.10	31.770±0.111	66	10	90
1227	48376 (4044 T-3)	Vesta	14.5	0.33±0.13	51.661±0.197	73	46	54
1228	48646 (1995 UL8)	Nysa-Polana	15.3	0.35±0.09	11.382±0.013	64	36	64

Table 2 *continued*

Table 2 (continued)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
1229	48679 (1996 AL19)	Vesta	15.3	0.35±0.11	6.628±0.003	57	37	63
1230	48748 (1997 GV3)	Vesta	15.0	0.35±0.10	7.022±0.003	82	36	64
1231	48879 (1998 HR125)	Flora	16.1	0.30±0.10	5.671±0.003	66	58	42
1232	48891 (1998 KM45)	Flora	15.1	0.44±0.15	9.133±0.008	78	21	79
1233	48902 (1998 MP31)	Flora	14.6	0.33±0.12	4.884±0.003	68	45	55
1234	48964 (1998 QW33)	Nysa-Polana	15.8	0.37±0.12	29.961±0.052	53	35	65
1235	48968 (1998 QC38)	Vesta	14.4	0.49±0.12	9.234±0.005	81	6	94
1236	48984 (1998 QC47)	Nysa-Polana	15.4	0.45±0.10	5.670±0.003	56	9	91
1237	48997 (1998 QT51)	Vesta	14.1	0.39±0.12	6.554±0.002	77	28	72
1238	49081 (1998 RA64)	Nysa-Polana	14.2	0.22±0.13	42.471±0.143	83	77	23
1239	49114 (1998 ST7)	Nysa-Polana	15.2	0.40±0.14	50.305±0.183	66	27	73
1240	49149 (1998 SD49)	Nysa-Polana	15.8	0.14±0.13	22.966±0.035	62	92	8
1241	49255 (1998 TJ29)	Nysa-Polana	15.9	0.39±0.13	52.820±0.243	68	28	72
1242	49388 (1998 XR20)	Koronis	14.3	0.37±0.11	48.122±0.225	64	33	67
1243	49477 (1999 BA8)	Nysa-Polana	15.0	0.35±0.10	26.266±0.086	76	39	61
1244	49754 (1999 VL172)	Vesta	15.2	0.44±0.12	6.265±0.003	56	17	83
1245	49853 (1999 XG96)	Vesta	14.8	0.33±0.11	5.818±0.003	77	46	54
1246	49871 (1999 XY118)	Flora	14.2	0.38±0.12	5.592±0.002	67	29	71
1247	49948 (1999 XF205)	Vesta	14.9	0.46±0.12	4.933±0.002	76	12	88
1248	49953 (1999 XL215)	Flora	14.4	0.38±0.08	2.996±0.001	62	23	77
1249	50013 (2000 AE31)	Nysa-Polana	15.1	0.45±0.10	4.093±0.001	57	11	89
1250	50025 (2000 AR41)	Vesta	15.2	0.19±0.14	11.007±0.011	59	83	17
1251	50121 (2000 AS122)	Vesta	15.5	0.35±0.10	24.528±0.038	65	38	62
1252	50257 (2000 BQ26)	Nysa-Polana	15.7	0.43±0.10	5.116±0.002	70	12	88
1253	50648 (2000 EL89)	Koronis	14.5	0.32±0.12	48.469±0.165	59	50	50
1254	50745 (2000 ET165)	Koronis	14.1	0.37±0.12	3.699±0.001	76	35	65
1255	50915 (2000 GG56)	Koronis	13.8	0.39±0.10	3.687±0.001	70	27	73
1256	51431 Jayadee (2001 FH9)	Nysa-Polana	15.4	0.29±0.14	6.470±0.005	68	59	41
1257	51543 (2001 FJ150)	Flora	15.5	0.28±0.09	46.295±0.199	60	64	36
1258	51847 (2001 OV88)	Koronis	14.1	0.24±0.12	7.315±0.004	69	75	25
1259	52866 (1998 ST23)	Vesta	15.3	0.27±0.10	20.088±0.045	72	67	33
1260	53020 (1998 VH33)	Nysa-Polana	15.5	0.39±0.14	4.287±0.002	75	31	69
1261	53033 (1998 WN9)	Vesta	15.4	0.40±0.09	4.332±0.002	62	16	84
1262	53067 (1998 XY45)	Vesta	13.9	0.46±0.11	4.364±0.001	69	9	91
1263	53169 (1999 CA18)	Vesta	14.7	0.57±0.14	24.023±0.050	58	4	96
1264	53172 (1999 CQ21)	Vesta	14.2	0.58±0.11	50.324±0.180	60	1	99
1265	53214 (1999 CZ82)	Vesta	15.2	0.49±0.11	8.102±0.006	62	6	94
1266	53515 (2000 AT136)	Vesta	14.9	0.43±0.14	7.324±0.003	78	20	80
1267	53632 (2000 CP123)	Vesta	15.6	0.45±0.14	9.060±0.005	60	16	84
1268	53785 (2000 EL97)	Vesta	14.9	0.50±0.14	17.186±0.013	65	10	90
1269	53798 (2000 ER112)	Vesta	14.8	0.34±0.07	51.721±0.246	60	39	61
1270	53907 (2000 GL1)	Vesta	14.8	0.32±0.15	24.001±0.059	61	49	51
1271	54157 (2000 HG48)	Nysa-Polana	15.1	0.43±0.12	13.573±0.017	66	20	80
1272	54169 (2000 HF57)	Vesta	15.3	0.18±0.14	17.834±0.024	63	83	17
1273	54349 (2000 KX29)	Themis	13.7	0.27±0.09	3.595±0.002	57	71	29
1274	54705 (2001 GW3)	Flora	15.2	0.50±0.11	23.852±0.070	67	6	94
1275	55031 (2001 QJ47)	Nysa-Polana	15.5	0.36±0.12	4.105±0.001	69	37	63
1276	55075 (2001 QP96)	Vesta	15.0	0.33±0.12	18.435±0.040	71	48	52
1277	55438 (2001 TJ78)	Flora	15.1	0.49±0.14	20.344±0.057	71	12	88
1278	55631 (2002 TX281)	Vesta	15.0	0.37±0.15	5.309±0.002	70	38	62
1279	56120 (1999 CL19)	Vesta	15.2	0.39±0.15	4.527±0.002	63	31	69
1280	56370 (2000 EV7)	Vesta	15.0	0.43±0.14	6.835±0.003	74	21	79
1281	56379 (2000 EU42)	Flora	15.5	0.31±0.10	7.311±0.005	83	54	46
1282	56390 (2000 EH91)	Flora	15.2	0.44±0.12	6.751±0.004	66	16	84
1283	56481 (2000 GW114)	Flora	14.6	0.28±0.10	23.839±0.093	70	66	34
1284	56530 (2000 HK45)	Flora	15.3	0.42±0.12	48.174±0.172	56	20	80
1285	56943 (2000 RF76)	Themis	14.1	0.25±0.14	6.825±0.004	66	69	31
1286	57211 (2001 QL60)	Flora	15.4	0.36±0.05	31.688±0.108	69	17	83
1287	57434 (2001 SH46)	Nysa-Polana	15.2	0.49±0.12	51.981±0.133	57	9	91
1288	58060 (2751 P-L)	Themis	14.4	0.31±0.12	12.016±0.029	72	52	48
1289	58191 Dolomiten (1991 YN1)	Vesta	15.2	0.32±0.07	47.830±0.201	59	49	51
1290	58222 (1993 FA18)	Flora	15.3	0.37±0.10	6.929±0.004	83	30	70
1291	58449 (1996 HC26)	Nysa-Polana	15.2	0.43±0.10	4.983±0.002	78	12	88
1292	58572 Romanella (1997 RV6)	Vesta	15.2	0.28±0.16	6.024±0.007	76	59	41
1293	58589 (1997 SF25)	Vesta	14.8	0.62±0.15	47.274±0.220	67	2	98
1294	58595 Joepollock (1997 TX9)	Flora	15.6	0.28±0.13	2.699±0.001	59	60	40

Table 2 continued

Table 2 (*continued*)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
1295	59083 (1998 VZ25)	Nysa-Polana	15.3	0.39±0.12	33.341±0.101	56	30	70
1296	59285 (1999 CP50)	Flora	14.5	0.50±0.10	3.933±0.001	71	3	97
1297	59298 (1999 CQ66)	Vesta	15.0	0.45±0.09	4.180±0.003	59	6	94
1298	60281 (1999 XF95)	Nysa-Polana	15.9	0.40±0.10	4.783±0.002	82	22	78
1299	60679 (2000 GE24)	Koronis	14.7	0.37±0.10	5.538±0.003	72	30	70
1300	60891 (2000 JL18)	Flora	15.8	0.46±0.11	5.670±0.002	65	9	91
1301	60935 (2000 JN51)	Flora	15.6	0.42±0.12	6.222±0.004	75	21	79
1302	61014 (2000 KV41)	Nysa-Polana	16.0	0.53±0.15	47.643±0.221	55	8	92
1303	61091 (2000 LU27)	Nysa-Polana	15.1	0.33±0.14	13.698±0.029	67	46	54
1304	61145 (2000 NX8)	Flora	14.8	0.44±0.12	8.350±0.004	56	15	85
1305	61282 (2000 OE36)	Vesta	15.3	0.35±0.09	5.210±0.006	76	35	65
1306	61389 (2000 QD3)	Vesta	15.7	0.39±0.07	23.831±0.061	66	18	82
1307	61433 (2000 QY18)	Nysa-Polana	15.9	0.35±0.10	5.042±0.003	66	37	63
1308	61778 (2000 QA174)	Flora	15.9	0.25±0.14	44.871±0.141	60	69	31
1309	61818 (2000 QW190)	Flora	15.8	0.36±0.10	13.588±0.018	76	37	63
1310	61931 (2000 RS5)	Nysa-Polana	15.4	0.41±0.07	5.754±0.002	85	10	90
1311	62361 (2000 SX148)	Nysa-Polana	15.3	0.36±0.14	31.252±0.081	70	39	61
1312	63012 (2000 WU37)	Vesta	15.6	0.35±0.11	5.217±0.002	66	39	61
1313	63013 (2000 WO38)	Vesta	15.3	0.52±0.11	11.968±0.029	69	4	96
1314	63209 (2001 AP11)	Vesta	15.7	0.43±0.11	4.333±0.001	60	16	84
1315	63244 (2001 BO28)	Nysa-Polana	15.5	0.36±0.08	24.595±0.097	87	32	68
1316	63730 (2001 QB239)	Nysa-Polana	14.9	0.33±0.12	4.322±0.001	66	45	55
1317	63958 (2001 SV67)	Flora	15.7	0.29±0.09	5.428±0.004	59	61	39
1318	64210 (2001 TC104)	Vesta	15.7	0.45±0.12	4.452±0.002	62	14	86
1319	64492 (2001 VE62)	Flora	15.6	0.17±0.14	46.812±0.170	69	87	13
1320	64599 (2001 XD19)	Vesta	14.9	0.37±0.10	9.893±0.011	86	29	71
1321	64979 (2002 AZ22)	Vesta	15.2	0.27±0.14	15.927±0.027	71	64	36
1322	65177 (2002 CW219)	Koronis	14.5	0.28±0.13	4.462±0.002	59	62	38
1323	65270 (2002 GC38)	Flora	15.8	0.29±0.09	9.138±0.007	85	64	36
1324	65678 (1989 SU2)	Nysa-Polana	16.2	0.32±0.10	5.808±0.002	77	51	49
1325	65744 (1993 TR23)	Vesta	14.6	0.22±0.12	51.921±0.158	67	78	22
1326	65765 (1994 UR1)	Nysa-Polana	15.0	0.43±0.14	10.260±0.009	64	20	80
1327	65916 (1998 FJ36)	Vesta	15.2	0.41±0.11	23.971±0.080	76	20	80
1328	65934 (1998 FE65)	Flora	14.5	0.38±0.09	48.122±0.192	53	27	73
1329	66284 (1999 JU15)	Flora	13.8	0.54±0.09	32.321±0.058	84	1	99
1330	66324 (1999 JC55)	Flora	15.3	0.51±0.15	11.133±0.013	64	10	90
1331	66351 (1999 JU77)	Vesta	15.4	0.32±0.10	5.444±0.003	70	49	51
1332	66589 (1999 RE168)	Nysa-Polana	15.6	0.28±0.10	5.539±0.004	71	64	36
1333	67441 (2000 QU139)	Vesta	15.6	0.40±0.12	5.043±0.003	79	24	76
1334	67447 (2000 QJ151)	Flora	14.8	0.29±0.14	54.142±0.258	84	58	42
1335	67564 (2000 SS87)	Vesta	15.3	0.42±0.12	7.754±0.004	83	21	79
1336	67580 (2000 SN117)	Flora	16.2	0.35±0.10	10.628±0.010	58	39	61
1337	67600 (2000 ST146)	Flora	15.4	0.28±0.09	3.985±0.002	73	64	36
1338	67605 (2000 SE149)	Flora	15.1	0.44±0.10	6.052±0.003	75	12	88
1339	67722 (2000 UE15)	Flora	16.1	0.29±0.14	7.684±0.005	59	57	43
1340	67803 (2000 VX7)	Nysa-Polana	15.0	0.39±0.07	20.218±0.034	73	16	84
1341	67814 (2000 VL26)	Vesta	15.6	0.36±0.12	17.735±0.032	72	36	64
1342	67816 (2000 VZ28)	Vesta	15.5	0.47±0.09	4.024±0.002	81	3	97
1343	67909 (2000 WJ98)	Vesta	14.5	0.48±0.10	18.931±0.024	66	6	94
1344	67995 (2000 XU25)	Vesta	15.5	0.38±0.08	9.489±0.016	80	22	78
1345	68996 (2002 TN135)	Vesta	15.5	0.39±0.12	17.545±0.026	62	26	74
1346	69267 (1988 RO6)	Vesta	14.3	0.34±0.10	7.446±0.004	77	40	60
1347	69596 (1998 FT14)	Vesta	15.0	0.41±0.12	7.023±0.003	64	21	79
1348	69643 (1998 FY77)	Flora	15.4	0.26±0.09	6.477±0.003	81	74	26
1349	69690 (1998 HL30)	Flora	15.1	0.43±0.14	6.081±0.004	66	21	79
1350	69823 (1998 RQ68)	Koronis	14.6	0.27±0.14	4.338±0.002	67	63	37
1351	70072 (1999 JO52)	Vesta	15.8	0.35±0.10	5.213±0.002	53	37	63
1352	70085 (1999 JD68)	Vesta	15.4	0.42±0.12	4.483±0.002	61	20	80
1353	70148 (1999 NT26)	Nysa-Polana	16.2	0.21±0.14	49.162±0.206	70	76	24
1354	70152 (1999 NX33)	Vesta	15.3	0.41±0.12	6.138±0.002	57	22	78
1355	70175 (1999 PU4)	Flora	15.3	0.45±0.08	5.133±0.003	71	5	95
1356	70203 (1999 RE25)	Nysa-Polana	14.9	0.27±0.12	23.916±0.076	62	64	36
1357	70329 (1999 RY163)	Nysa-Polana	15.5	0.38±0.10	5.233±0.003	78	27	73
1358	70333 (1999 RA168)	Flora	14.6	0.39±0.10	9.440±0.009	75	25	75
1359	70414 (1999 SF6)	Vesta	15.1	0.38±0.12	4.311±0.001	57	31	69
1360	70416 (1999 ST11)	Vesta	14.8	0.41±0.10	27.589±0.076	56	19	81

Table 2 *continued*

Table 2 (continued)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
1361	70512 (1999 TM103)	Vesta	15.0	0.35±0.10	4.282±0.002	78	39	61
1362	70938 (1999 WZ3)	Koronis	14.0	0.23±0.12	7.188±0.009	78	76	24
1363	71314 (2000 AW76)	Koronis	14.3	0.32±0.10	6.409±0.005	70	51	49
1364	71569 (2000 DG40)	Nysa-Polana	16.2	0.41±0.10	2.592±0.001	62	16	84
1365	71626 (2000 ER66)	Koronis	14.0	0.35±0.13	44.856±0.135	61	41	59
1366	71868 (2000 VX30)	Flora	14.9	0.46±0.14	24.980±0.046	81	15	85
1367	71897 (2000 WQ14)	Flora	15.3	0.52±0.10	7.004±0.004	72	2	98
1368	71928 (2000 WB61)	Flora	15.2	0.36±0.10	4.342±0.002	64	34	66
1369	71946 (2000 WS87)	Vesta	16.0	0.32±0.14	39.495±0.129	61	51	49
1370	71950 (2000 WN98)	Vesta	15.1	0.28±0.11	66.548±0.263	64	66	34
1371	72005 (2000 XV6)	Vesta	15.5	0.38±0.12	5.724±0.002	59	30	70
1372	72127 (2000 YS71)	Vesta	15.6	0.32±0.09	5.696±0.002	79	48	52
1373	72423 (2001 CS38)	Vesta	15.1	0.36±0.11	6.869±0.005	63	36	64
1374	72719 (2001 FT90)	Koronis	14.7	0.51±0.14	31.891±0.118	80	8	92
1375	73135 (2002 GG75)	Nysa-Polana	15.9	0.39±0.07	15.714±0.027	81	18	82
1376	73136 (2002 GX75)	Vesta	15.9	0.38±0.10	5.738±0.003	74	27	73
1377	73213 (2002 JN22)	Vesta	15.3	0.44±0.10	7.229±0.004	69	11	89
1378	73215 (2002 JS22)	Flora	15.8	0.49±0.14	50.475±0.233	63	11	89
1379	73462 (2002 NA53)	Koronis	14.9	0.28±0.12	13.659±0.041	84	63	37
1380	74005 (1998 FH70)	Nysa-Polana	15.9	0.36±0.10	9.161±0.012	62	34	66
1381	74108 (1998 QP37)	Flora	14.7	0.41±0.14	8.720±0.007	66	25	75
1382	74698 (1999 RZ142)	Flora	15.7	0.40±0.12	5.247±0.003	71	26	74
1383	74856 (1999 TN88)	Nysa-Polana	16.2	0.36±0.12	6.402±0.004	81	37	63
1384	74999 (1999 TM278)	Vesta	15.0	0.35±0.13	5.934±0.004	63	40	60
1385	75016 (1999 UC5)	Nysa-Polana	15.5	0.46±0.07	18.468±0.055	58	1	99
1386	75043 (1999 UE39)	Vesta	15.1	0.41±0.15	65.032±0.292	86	26	74
1387	75047 (1999 UD44)	Flora	15.5	0.33±0.15	6.062±0.003	84	47	53
1388	75083 (1999 VV26)	Nysa-Polana	15.3	0.45±0.09	5.431±0.003	73	6	94
1389	75112 (1999 VN56)	Vesta	15.1	0.33±0.10	4.651±0.002	71	47	53
1390	75192 (1999 VG171)	Nysa-Polana	15.9	0.19±0.14	44.440±0.185	73	83	17
1391	75216 (1999 VV213)	Nysa-Polana	15.8	0.39±0.12	12.271±0.018	64	29	71
1392	75223 Wupatki (1999 WP1)	Nysa-Polana	14.8	0.39±0.10	6.604±0.003	83	23	77
1393	75260 (1999 XO10)	Vesta	15.2	0.44±0.10	9.354±0.008	65	11	89
1394	75478 (1999 XG167)	Flora	15.1	0.36±0.10	32.082±0.079	56	33	67
1395	75543 (1999 XY241)	Vesta	15.5	0.36±0.12	54.273±0.212	56	38	62
1396	75617 (2000 AA41)	Vesta	14.1	0.38±0.07	6.692±0.004	74	20	80
1397	76234 (2000 EQ79)	Koronis	14.8	0.38±0.13	8.817±0.008	64	31	69
1398	77086 (2001 DB36)	Flora	15.8	0.40±0.11	7.002±0.003	73	22	78
1399	77136 Mendillo (2001 DP106)	Vesta	15.9	0.31±0.12	48.947±0.209	59	52	48
1400	77292 (2001 FN71)	Flora	15.7	0.38±0.12	4.197±0.002	66	30	70
1401	77341 (2001 FO101)	Vesta	15.5	0.44±0.14	4.690±0.002	56	18	82
1402	77964 (2002 JT1)	Flora	15.9	0.43±0.10	8.937±0.006	59	14	86
1403	77994 (2002 JY39)	Vesta	16.0	0.47±0.12	48.505±0.236	66	9	91
1404	78001 (2002 JP49)	Vesta	15.7	0.36±0.14	40.779±0.102	76	39	61
1405	78282 (2002 PF40)	Koronis	15.1	0.37±0.10	7.265±0.006	70	29	71
1406	79027 (1337 T-2)	Themis	14.5	0.26±0.08	8.461±0.008	76	79	21
1407	79122 (1990 RV7)	Nysa-Polana	15.1	0.48±0.12	5.035±0.002	67	9	91
1408	79139 (1991 SP)	Flora	15.6	0.30±0.14	5.450±0.003	65	54	46
1409	79283 (1995 SN42)	Nysa-Polana	16.3	0.43±0.14	11.086±0.008	64	21	79
1410	79305 (1995 XK)	Flora	15.4	0.48±0.09	7.085±0.002	81	4	96
1411	79362 (1997 EO2)	Flora	15.0	0.35±0.12	13.358±0.017	60	39	61
1412	79559 (1998 QQ51)	Vesta	14.7	0.41±0.09	63.194±0.238	71	15	85
1413	79714 (1998 SY106)	Vesta	15.0	0.31±0.11	51.820±0.203	58	52	48
1414	79899 (1999 BF6)	Koronis	14.4	0.36±0.10	4.214±0.002	66	33	67
1415	80401 (1999 XO179)	Vesta	15.1	0.50±0.09	37.750±0.093	69	2	98
1416	80539 (2000 AT79)	Nysa-Polana	15.8	0.52±0.14	18.921±0.060	59	6	94
1417	80816 (2000 CR122)	Flora	15.2	0.39±0.10	5.280±0.002	85	26	74
1418	80998 (2000 EJ29)	Flora	15.8	0.16±0.12	15.957±0.025	61	91	9
1419	81015 (2000 EF38)	Nysa-Polana	15.9	0.23±0.10	23.780±0.081	64	79	21
1420	81103 (2000 ES112)	Vesta	14.3	0.41±0.14	48.312±0.238	86	28	72
1421	81645 (2000 HY81)	Koronis	14.8	0.39±0.10	4.098±0.002	67	24	76
1422	82248 (2001 KM1)	Flora	14.8	0.35±0.07	3.890±0.001	81	36	64
1423	82753 (2001 QO7)	Koronis	14.5	0.26±0.14	3.640±0.001	62	67	33
1424	83201 (2001 RA7)	Themis	14.2	0.34±0.10	7.061±0.007	63	41	59
1425	83656 (2001 TP12)	Themis	14.8	0.28±0.10	30.347±0.097	64	65	35
1426	84084 (2002 QT21)	Nysa-Polana	16.5	0.47±0.12	15.970±0.010	80	9	91

Table 2 continued

Table 2 (*continued*)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
1427	84303 (2002 TX39)	Vesta	15.6	0.42±0.15	6.962±0.004	60	25	75
1428	84668 (2002 VS82)	Vesta	15.1	0.41±0.09	6.679±0.003	58	13	87
1429	85520 (1997 WO2)	Flora	15.2	0.39±0.07	4.950±0.003	60	15	85
1430	85609 (1998 HZ8)	Flora	16.2	0.48±0.10	11.131±0.012	76	5	95
1431	85747 (1998 SL132)	Flora	16.0	0.52±0.14	16.792±0.021	76	9	91
1432	86469 (2000 CV70)	Flora	15.5	0.40±0.10	8.007±0.005	59	21	79
1433	86915 (2000 HV51)	Vesta	16.1	0.40±0.10	42.283±0.152	75	23	77
1434	86948 (2000 HK86)	Flora	15.8	0.36±0.14	48.243±0.206	56	40	60
1435	87013 (2000 JP57)	Vesta	15.4	0.41±0.11	4.886±0.002	58	20	80
1436	87046 (2000 KT12)	Vesta	16.0	0.42±0.08	8.698±0.008	80	11	89
1437	88286 (2001 MM24)	Flora	15.7	0.40±0.10	6.144±0.003	86	21	79
1438	88326 (2001 OA52)	Vesta	15.7	0.39±0.14	11.145±0.010	68	30	70
1439	88439 (2001 QA74)	Flora	16.1	0.38±0.10	23.831±0.049	67	26	74
1440	88748 (2001 SD54)	Flora	16.7	0.34±0.15	20.273±0.054	59	44	56
1441	88905 (2001 TN1)	Vesta	15.9	0.29±0.09	6.394±0.008	68	64	36
1442	89302 (2001 VR31)	Vesta	15.7	0.47±0.14	8.690±0.006	57	14	86
1443	89344 (2001 VY63)	Vesta	16.3	0.49±0.12	14.391±0.011	66	6	94
1444	89475 (2001 XH24)	Flora	15.2	0.53±0.14	16.202±0.030	66	7	93
1445	89487 (2001 XU31)	Flora	15.4	0.50±0.12	13.988±0.020	72	6	94
1446	89988 (2002 TJ49)	Koronis	15.3	0.43±0.13	32.166±0.128	60	20	80
1447	91256 (1999 CX80)	Flora	14.6	0.42±0.10	2.874±0.001	67	14	86
1448	91514 (1999 RJ166)	Koronis	14.8	0.52±0.12	6.293±0.003	62	5	95
1449	91698 (1999 TK138)	Koronis	14.7	0.51±0.12	3.741±0.002	62	6	94
1450	92478 (2000 LA8)	Flora	15.3	0.47±0.14	6.479±0.004	90	14	86
1451	92493 (2000 MX4)	Nysa-Polana	15.1	0.51±0.14	57.754±0.211	70	8	92
1452	92502 (2000 NP15)	Vesta	15.3	0.39±0.10	5.728±0.002	55	22	78
1453	92536 (2000 OE16)	Nysa-Polana	15.5	0.37±0.09	5.064±0.002	67	27	73
1454	92597 (2000 PE19)	Flora	15.3	0.32±0.12	10.008±0.011	67	51	49
1455	92642 (2000 QQ23)	Vesta	15.5	0.49±0.12	6.383±0.002	61	8	92
1456	94779 (2001 XC116)	Flora	15.7	0.46±0.10	7.236±0.008	65	9	91
1457	94932 (2001 YJ73)	Vesta	15.6	0.42±0.15	17.188±0.021	56	26	74
1458	96302 (1996 TL39)	Nysa-Polana	15.7	0.30±0.12	6.434±0.004	72	57	43
1459	96800 (1999 RY127)	Flora	16.1	0.25±0.14	5.031±0.002	78	69	31
1460	97809 (2000 OH30)	Flora	16.3	0.17±0.15	43.631±0.148	63	85	15
1461	97812 (2000 OH46)	Nysa-Polana	16.1	0.47±0.04	6.960±0.006	58	0	100
1462	97826 (2000 OB59)	Vesta	15.8	0.18±0.15	28.847±0.096	81	83	17
1463	97842 (2000 PS22)	Flora	15.3	0.39±0.12	50.685±0.160	80	26	74
1464	97872 (2000 QG35)	Flora	15.0	0.30±0.12	15.286±0.016	70	56	44
1465	97915 (2000 QX90)	Flora	15.9	0.38±0.12	7.389±0.005	58	31	69
1466	97970 (2000 QO150)	Flora	15.7	0.41±0.13	19.042±0.028	67	26	74
1467	97995 (2000 QX187)	Nysa-Polana	15.9	0.40±0.11	42.946±0.161	70	23	77
1468	98086 (2000 RW70)	Vesta	15.0	0.38±0.08	13.967±0.027	71	22	78
1469	98120 (2000 SK5)	Vesta	15.8	0.37±0.16	5.309±0.003	77	38	62
1470	98136 (2000 SP40)	Flora	16.2	0.41±0.14	8.127±0.005	72	26	74
1471	98234 (2000 SA152)	Flora	15.5	0.36±0.10	12.176±0.016	57	34	66
1472	98258 (2000 SG182)	Flora	15.7	0.42±0.10	5.693±0.003	57	17	83
1473	98381 (2000 TP37)	Flora	15.6	0.44±0.13	5.215±0.003	61	17	83
1474	98485 (2000 US105)	Vesta	15.6	0.38±0.12	15.897±0.024	70	32	68
1475	99333 (2001 VJ81)	Flora	15.7	0.38±0.10	32.407±0.057	69	29	71
1476	99362 (2001 XN197)	Flora	15.5	0.37±0.13	10.066±0.013	66	34	66
1477	99448 (2002 CF30)	Flora	16.0	0.29±0.12	4.420±0.002	63	60	40
1478	99805 (2002 LY16)	Nysa-Polana	16.1	0.12±0.14	6.750±0.006	59	94	6
1479	100854 (1998 HU35)	Nysa-Polana	15.9	0.49±0.10	12.972±0.013	66	5	95
1480	100972 (1998 QP22)	Nysa-Polana	15.8	0.44±0.10	2.978±0.001	58	12	88
1481	101524 (1998 XK65)	Nysa-Polana	15.6	0.35±0.10	7.061±0.005	64	39	61
1482	101667 (1999 CX94)	Vesta	14.9	0.51±0.13	6.689±0.003	65	7	93
1483	101887 (1999 NG42)	Nysa-Polana	16.1	0.24±0.12	23.285±0.039	62	75	25
1484	102140 (1999 RS184)	Flora	15.6	0.40±0.12	30.143±0.077	80	25	75
1485	102381 (1999 TU151)	Vesta	15.7	0.32±0.12	5.131±0.003	57	49	51
1486	102556 (1999 UW23)	Vesta	15.6	0.36±0.12	50.858±0.168	64	38	62
1487	102633 (1999 VY33)	Nysa-Polana	15.8	0.38±0.13	5.289±0.002	61	31	69
1488	102994 (1999 XG92)	Nysa-Polana	15.7	0.38±0.12	22.343±0.051	60	30	70
1489	103799 (2000 DN13)	Nysa-Polana	16.5	0.50±0.12	19.552±0.050	57	8	92
1490	105023 (2000 KD30)	Themis	14.7	0.12±0.10	16.014±0.034	56	98	2
1491	105815 (2000 SB141)	Vesta	15.8	0.45±0.12	4.448±0.003	58	14	86
1492	106074 (2000 SO339)	Vesta	15.4	0.35±0.12	4.858±0.003	61	40	60

Table 2 *continued*

Table 2 (*continued*)

No.	Target Name	Family	H^*	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
1493	106329 (2000 UL104)	Flora	15.3	0.36±0.10	6.449±0.004	56	35	65
1494	106332 (2000 UO106)	Flora	16.4	0.27±0.10	54.627±0.237	78	66	34
1495	106402 (2000 VD28)	Flora	16.3	0.43±0.14	10.453±0.011	70	21	79
1496	106510 (2000 WN41)	Vesta	15.9	0.34±0.14	7.736±0.007	56	44	56
1497	106835 (2000 YE8)	Nysa-Polana	15.5	0.42±0.06	15.867±0.062	92	4	96
1498	106998 (2000 YA109)	Vesta	15.7	0.44±0.14	5.101±0.002	70	18	82
1499	107361 (2001 CX28)	Flora	15.9	0.40±0.10	32.731±0.103	84	21	79
1500	107585 (2001 DM99)	Vesta	15.4	0.40±0.14	30.751±0.065	59	27	73
1501	107589 (2001 DW101)	Flora	15.8	0.34±0.10	40.891±0.148	71	39	61
1502	107732 (2001 FK28)	Nysa-Polana	15.8	0.35±0.12	4.596±0.002	60	38	62
1503	109069 (2001 QZ21)	Vesta	14.3	0.39±0.10	6.577±0.004	65	24	76
1504	109745 (2001 RJ67)	Vesta	15.0	0.27±0.14	6.168±0.003	58	63	37
1505	110704 (2001 TM218)	Flora	15.4	0.34±0.13	23.852±0.104	63	44	56
1506	111580 (2002 AY32)	Flora	15.7	0.42±0.09	5.752±0.003	63	12	88
1507	111930 (2002 GP25)	Vesta	15.6	0.43±0.09	6.698±0.004	55	12	88
1508	112080 (2002 JA25)	Vesta	15.8	0.49±0.11	5.343±0.002	69	6	94
1509	112240 (2002 LZ3)	Vesta	16.1	0.38±0.14	7.877±0.009	62	32	68
1510	113067 (2002 RN60)	Koronis	14.5	0.40±0.11	6.101±0.004	68	23	77
1511	113116 (2002 RC80)	Nysa-Polana	15.7	0.35±0.10	26.626±0.084	60	36	64
1512	113983 (2002 UZ22)	Nysa-Polana	16.0	0.41±0.12	9.755±0.010	61	19	81
1513	115202 (2003 ST111)	Vesta	16.4	0.40±0.10	15.989±0.056	71	19	81
1514	115322 (2003 SM219)	Nysa-Polana	16.5	0.42±0.10	22.056±0.050	63	13	87
1515	115407 (2003 ST294)	Flora	16.1	0.38±0.10	7.021±0.004	56	27	73
1516	116142 (2003 WA150)	Vesta	16.2	0.49±0.15	6.122±0.003	73	13	87
1517	117276 (2004 TQ118)	Nysa-Polana	16.4	0.35±0.10	3.613±0.001	62	40	60
1518	119234 (2001 QL255)	Vesta	15.9	0.12±0.14	7.511±0.006	67	93	7
1519	120010 (2003 AV5)	Nysa-Polana	15.6	0.35±0.12	3.831±0.001	86	39	61
1520	120865 (1998 QN106)	Flora	15.9	0.54±0.10	8.212±0.013	78	1	99
1521	121915 (2000 DN73)	Flora	15.9	0.31±0.10	5.704±0.004	61	53	47
1522	122039 (2000 GN76)	Nysa-Polana	16.0	0.26±0.14	28.062±0.078	60	66	34
1523	122043 (2000 GV79)	Flora	15.4	0.34±0.10	9.163±0.007	78	42	58
1524	123245 (2000 UC65)	Vesta	15.4	0.38±0.17	48.105±0.214	57	35	65
1525	125035 (2001 TH194)	Flora	15.9	0.36±0.10	5.835±0.003	81	35	65
1526	125219 (2001 UZ153)	Vesta	15.9	0.33±0.14	3.707±0.001	74	48	52
1527	125883 (2001 XQ205)	Vesta	15.9	0.38±0.15	3.198±0.001	68	36	64
1528	126131 (2001 YJ122)	Flora	16.1	0.36±0.10	15.117±0.050	69	34	66
1529	127785 (2003 FE63)	Vesta	15.9	0.29±0.12	23.810±0.078	56	59	41
1530	127919 (2003 GR43)	Vesta	16.0	0.53±0.14	8.231±0.005	72	7	93
1531	129458 (1992 EQ6)	Vesta	16.0	0.35±0.12	6.347±0.005	71	38	62
1532	130444 (2000 QJ29)	Flora	15.9	0.34±0.12	5.910±0.003	75	44	56
1533	130555 (2000 RR23)	Flora	16.0	0.33±0.12	4.995±0.003	86	46	54
1534	130682 (2000 SM122)	Vesta	15.4	0.45±0.15	5.048±0.002	64	20	80
1535	130811 (2000 UH6)	Flora	16.5	0.33±0.13	9.623±0.008	66	45	55
1536	130944 (2000 WK54)	Flora	15.9	0.45±0.12	5.314±0.002	77	14	86
1537	131050 (2000 YF48)	Nysa-Polana	15.9	0.41±0.14	4.881±0.002	70	27	73
1538	131558 (2001 VB36)	Flora	16.4	0.36±0.12	20.484±0.033	57	36	64
1539	131682 (2001 XX192)	Flora	16.2	0.27±0.13	19.366±0.047	72	64	36
1540	132027 (2002 CE115)	Nysa-Polana	16.5	0.57±0.09	19.017±0.078	68	0	100
1541	132259 (2002 EY114)	Vesta	15.9	0.46±0.14	4.683±0.002	72	15	85
1542	133127 (2003 PY3)	Nysa-Polana	16.4	0.32±0.10	4.475±0.003	67	50	50
1543	133223 (2003 QY87)	Nysa-Polana	16.7	0.23±0.09	6.901±0.007	70	82	18
1544	134549 (1999 RN154)	Vesta	15.7	0.48±0.13	52.572±0.257	60	10	90
1545	134602 (1999 TX151)	Vesta	16.0	0.35±0.10	4.838±0.002	54	37	63
1546	134683 (1999 XO28)	Nysa-Polana	16.6	0.26±0.12	13.255±0.027	74	69	31
1547	134867 (2000 QA18)	Themis	14.7	0.32±0.12	50.916±0.199	55	51	49
1548	135240 (2001 SJ10)	Themis	15.4	0.18±0.12	10.567±0.021	60	89	11
1549	135589 (2002 GO112)	Flora	16.1	0.49±0.09	4.918±0.003	64	2	98
1550	137515 (1999 VC38)	Nysa-Polana	16.4	0.40±0.11	8.217±0.005	65	22	78
1551	139774 (2001 QJ297)	Themis	15.0	0.29±0.09	34.393±0.152	60	63	37
1552	141972 (2002 PO125)	Vesta	15.8	0.33±0.12	5.575±0.002	62	48	52
1553	141998 (2002 PE157)	Nysa-Polana	16.3	0.33±0.14	11.254±0.015	58	47	53
1554	142191 (2002 RV50)	Nysa-Polana	16.6	0.41±0.11	4.069±0.002	70	20	80
1555	143921 (2003 YW85)	Vesta	16.5	0.38±0.14	32.105±0.153	55	34	66
1556	147302 (2003 AS62)	Nysa-Polana	16.1	0.50±0.12	42.687±0.139	58	6	94
1557	147886 (2006 RJ19)	Vesta	16.3	0.38±0.10	21.429±0.049	65	27	73
1558	149387 (2003 AZ4)	Nysa-Polana	16.2	0.43±0.15	7.071±0.003	61	22	78

Table 2 *continued*

Table 2 (*continued*)

No.	Target Name	Family	H^a	$c-o$	Rotation Period	Confidence	C-type	S-type
			(mag)	(mag)	(hours)	%	(prob. in %)	
1559	151632 (2002 XC4)	Flora	16.6	0.41±0.14	17.780±0.038	72	27	73
1560	152258 (2005 SZ129)	Flora	17.0	0.14±0.14	52.654±0.240	71	90	10
1561	155399 (1995 SB47)	Vesta	16.4	0.50±0.12	7.646±0.007	74	7	93
1562	155921 (2001 OJ105)	Flora	15.6	0.31±0.08	4.063±0.002	86	54	46
1563	156051 (2001 SL46)	Vesta	16.1	0.41±0.10	5.415±0.002	72	16	84
1564	157976 (2000 HC6)	Flora	16.6	0.22±0.14	11.938±0.013	66	74	26
1565	158195 (2001 RR141)	Flora	16.6	0.24±0.12	5.341±0.004	65	75	25
1566	161543 (2004 WH10)	Flora	16.4	0.33±0.10	6.106±0.003	70	46	54
1567	163068 (2002 AP5)	Flora	15.8	0.53±0.14	27.812±0.053	68	7	93
1568	163129 (2002 CH1)	Flora	16.7	0.29±0.10	7.841±0.005	63	63	37
1569	163704 (2003 FL100)	Flora	16.4	0.42±0.12	7.875±0.010	65	22	78
1570	163714 (2003 GT23)	Flora	16.4	0.45±0.10	5.753±0.004	60	9	91
1571	163764 (2003 OX27)	Vesta	15.9	0.43±0.13	19.202±0.047	62	19	81
1572	163792 (2003 QV45)	Nysa-Polana	16.3	0.56±0.12	4.990±0.003	60	2	98
1573	164296 (2004 XD131)	Flora	16.3	0.43±0.15	40.804±0.091	67	23	77
1574	164339 (2005 BO16)	Nysa-Polana	16.4	0.35±0.09	4.322±0.002	72	36	64
1575	165175 (2000 QN153)	Flora	16.7	0.44±0.12	6.095±0.004	70	14	86
1576	165493 (2001 BP32)	Nysa-Polana	15.7	0.34±0.10	29.914±0.060	56	43	57
1577	168447 (1999 AT1)	Flora	16.8	0.35±0.14	54.142±0.236	64	40	60
1578	168744 (2000 QB102)	Flora	16.8	0.43±0.12	57.754±0.250	61	18	82
1579	168839 (2000 TX48)	Flora	16.1	0.11±0.14	7.058±0.005	64	95	5
1580	169599 (2002 GD81)	Flora	15.8	0.37±0.14	26.097±0.065	59	34	66
1581	171729 (2000 WE31)	Vesta	16.2	0.44±0.14	8.011±0.005	70	17	83
1582	172113 (2002 GA93)	Flora	16.1	0.25±0.12	6.243±0.003	78	72	28
1583	174607 (2003 RE27)	Flora	16.3	0.32±0.09	60.707±0.283	69	51	49
1584	174622 (2003 SN67)	Flora	16.4	0.45±0.12	6.059±0.003	65	14	86
1585	174679 (2003 SD303)	Vesta	16.6	0.33±0.14	26.620±0.054	61	47	53
1586	176663 (2002 OO27)	Vesta	16.5	0.31±0.12	11.940±0.031	67	54	46
1587	178419 (1998 RR78)	Vesta	15.8	0.39±0.10	3.798±0.002	65	25	75
1588	178499 (1999 TK125)	Flora	15.9	0.37±0.13	5.456±0.002	73	34	66
1589	183209 (2002 TW28)	Vesta	15.9	0.35±0.12	24.031±0.058	53	38	62
1590	183635 Helmi (2003 UF413)	Nysa-Polana	16.4	0.39±0.15	3.045±0.002	62	33	67
1591	183977 (2004 EP28)	Nysa-Polana	16.5	0.32±0.12	4.680±0.003	65	50	50
1592	193868 (2001 QC149)	Flora	17.1	0.21±0.10	23.818±0.092	61	87	13
1593	194217 (2001 TW133)	Flora	16.4	0.29±0.10	6.749±0.003	74	62	38
1594	198954 (2005 UE350)	Flora	16.8	0.26±0.10	5.614±0.004	78	72	28
1595	200882 (2001 YT127)	Flora	16.6	0.40±0.10	7.677±0.007	80	21	79
1596	203096 (2000 RQ43)	Vesta	16.1	0.29±0.10	9.591±0.015	65	60	40
1597	203431 (2001 YW2)	Vesta	16.2	0.17±0.15	4.992±0.003	68	84	16
1598	205345 (2000 WC26)	Nysa-Polana	16.7	0.25±0.14	4.590±0.002	73	67	33
1599	206353 (2003 QL34)	Nysa-Polana	16.5	0.33±0.11	4.211±0.001	59	45	55
1600	207787 (2007 TW130)	Flora	16.8	0.60±0.10	17.541±0.047	61	0	100
1601	211032 (2002 AK159)	Flora	16.7	0.36±0.12	7.859±0.005	58	36	64
1602	213811 (2003 MA4)	Flora	16.2	0.24±0.10	7.697±0.005	62	80	20
1603	213822 (2003 QZ55)	Flora	16.5	0.34±0.13	6.114±0.004	56	43	57
1604	237492 (2000 OY39)	Vesta	16.5	0.38±0.14	10.453±0.012	64	31	69
1605	250336 (2003 SC119)	Vesta	16.6	0.44±0.13	15.940±0.013	60	17	83
1606	253543 (2003 SS233)	Flora	16.8	0.50±0.09	5.907±0.004	67	3	97
1607	253617 (2003 UC63)	Vesta	16.8	0.34±0.09	13.733±0.027	63	38	62
1608	259044 (2002 TL292)	Vesta	16.1	0.38±0.09	9.535±0.008	59	24	76
1609	348481 (2005 SR163)	Flora	17.1	0.20±0.15	4.530±0.003	68	80	20
1610	360661 (2004 RD76)	Flora	17.5	0.22±0.09	5.483±0.004	65	86	14
1611	361570 (2007 RM98)	Flora	17.2	0.35±0.12	9.296±0.011	73	39	61
1612	364229 (2006 SY63)	Nysa-Polana	17.1	0.27±0.11	36.991±0.131	63	67	33

^a H magnitude was obtained from <https://ssd.jpl.nasa.gov/horizons.cgi>