VMC J021140.41-735320.4 - AN EXTREMELY RED L DWARF CANDIDATE MEMBER OF THE AB DORADUS YOUNG MOVING GROUP

Ralf-Dieter Scholz, Lydia Pangsy, and Maria-Rosa L. Cioni

¹Leibniz Institute for Astrophysics Potsdam (AIP), An der Sternwarte 16, 14482 Potsdam, Germany ²University of Potsdam (UP), Am Neuen Palais 10, 14469 Potsdam, Germany

Free-floating young planetary mass objects and brown dwarfs can be directly imaged in deep optical and infrared sky surveys, and their kinematic membership in nearby young moving groups (YMGs) provides age determinations (e.g. Riedel et al. 2019). High proper motions ($\gtrsim 100\,\mathrm{mas/yr}$) and very red near- and mid-infrared colors are typical of nearby young low-mass brown dwarfs (Schneider et al. 2017). A new tool for discovering such objects is the Visible and Infrared Survey Telescope for Astronomy (VISTA; Emerson et al. 2006) survey of the Magellanic Clouds (VMC; Cioni et al. 2011) combined with mid-infrared data of the Wide-field Infrared Survey Explorer (WISE; Wright et al. 2010). A red (VMC photometry $Y=21.284\pm0.125\,\mathrm{mag},\ J=19.856\pm0.050\,\mathrm{mag},\ K_s=16.849\pm0.015\,\mathrm{mag}$) high proper motion object, VMC J021140.41-735320.4, was found in the Magellanic Bridge region as a result of a master thesis (Pangsy 2019, supervisor M.-R. Cioni), involving 16 VMC epochs (mainly 2011/2012, plus one 2014), one WISE (2010), and an early epoch (2004) from the South African InfraRed Survey Facility (IRSF; Kato et al. 2007).

With its VMC photometry (v1.3; González-Fernández et al. 2018) and WISE all-sky photometry ($W1 = 15.591 \pm 0.038$ mag, $W2 = 15.145 \pm 0.062$ mag) it is even redder in the near-infrared ($J - K_s = 3.0$ mag) than the two reddest L dwarfs ($J - K_s \gtrsim 2.8$ mag, marked in Figure 1a) spectroscopically classified as "L7 (sl.red)" in Schneider et al. (2017) but comparable with their mid-infrared color ($W1 - W2 \approx 0.45$ mag). Based on their photometric distances ($\approx 30\,\mathrm{pc}$) (Schneider et al. 2017) and JK_sW1W2 magnitudes, we estimated for VMC J021140.41-735320.4 a mean photometric distance of 74 pc. A similar value of 73 pc can be derived using WISEP J004701.06+680352.1 (L7.5p red), one of the few known peculiar (red) late-L dwarfs (Smart et al. 2017) with a trigonometric parallax (Liu et al. 2016). However, the latter and the recently discovered nearby young low-gravity L7 dwarf 2MASS J07555430-3259589 (Scholz & Bell 2018; Lodieu et al. 2019) have much smaller near-infrared ($J - K_s = 2.5 - 2.7$ mag) but larger mid-infrared color indices ($W1 - W2 \approx 0.60\,\mathrm{mag}$). Because we lack comparison objects whose colors exactly match those of VMC J021140.41-735320.4, its photometric distance remains uncertain.

In a preliminary proper motion and parallax determination using software of Gudehus (2001), we included additional positions from a 2019 VMC observation (under bad sky conditions), VISTA hemisphere survey (VHS; McMahon et al. 2013, epoch 2015), WISE post-cryo (2010), and NEOWISE data (10 epochs 2014-2018). Using all 31 positions, with different weights according to assumed errors of 40 mas (VMC), 80 mas (VMC-2019 and VHS), 100 mas (WISE), 200 mas (NEOWISE), and 250 mas (IRSF), we obtained solution A: $\mu_{\alpha} \cos \delta = +73.3 \pm 3.2 \,\text{mas/yr}$, $\mu_{\delta} = +22.0 \pm 3.2 \,\text{mas/yr}$, and $\pi = 20.4 \pm 7.4 \,\text{mas}$. Excluding the less precise IRSF and NEOWISE data, our prefered solution B from 20 positions (Figure 1b,c) was: $\mu_{\alpha} \cos \delta = +74.3 \pm 3.4 \,\text{mas/yr}$, $\mu_{\delta} = +22.3 \pm 3.4 \,\text{mas/yr}$, and $\pi = 21.0 \pm 7.1 \,\text{mas}$, consistent with solution A but yielding a slightly more significant parallax. Using BANYAN (http://www.exoplanetes.umontreal.ca/banyan/) of Gagné et al. (2018), we found 66.6% (solution A) and 67.8% (solution B) membership probabilities of VMC J021140.41-735320.4 in the AB Doradus YMG (Zuckerman et al. 2004) that may be coeval ($\approx 125 \,\text{Myr}$) with the Pleiades (Barenfeld et al. 2013). With its trigonometric distance of $\approx 48 \,\text{pc}$, VMC J021140.41-735320.4 has an absolute magnitude of $M_{K_s} \approx 13.4 \,\text{mag}$, in agreement with the planetary mass companion ($M_{K_s} = 13.35 \pm 0.18 \,\text{mag}$) of the AB Doradus YMG member candidate 2MASS J22362452+4751425 (Bowler et al. 2017). Spectroscopy and more accurate astrometry are needed to confirm VMC J021140.41-735320.4 as an AB Doradus YMG member.

Corresponding author: Ralf-Dieter Scholz rdscholz@aip.de, lydia.pangsy@arcor.de, mcioni@aip.de




Figure 1. a) color-color diagram showing VMC J021140.41-735320.4 and young L candidates (Schneider et al. 2017), b) astrometric solution B, with c) zooming in on 2011.

MRC acknowledges support from the European Research Council (grant No 682115).

REFERENCES

- Barenfeld, S. A., Bubar, E. J., Mamajek, E. E., et al. 2013, ApJ, 766, 6
- Bowler, B. P., Liu, M. C., Mawet, D., et al. 2017, AJ, 153, 18
- Cioni, M.-R. L., Clementini, G., Girardi, L., et al. 2011, A&A, 527, A116
- Emerson, J., McPherson, A., & Sutherland, W. 2006, The Messenger, 126, 41
- Gagné, J., Mamajek, E. E., Malo, L., et al. 2018, ApJ, 856,
- González-Fernández, C., Hodgkin, S. T., Irwin, M. J., et al. 2018, MNRAS, 474, 5459
- Gudehus, D. H. 2001, American Astronomical Society Meeting Abstracts #198 198, 47.09
- Kato, D., Nagashima, C., Nagayama, T., et al. 2007, PASJ, 59, 615
- Liu, M. C., Dupuy, T. J., & Allers, K. N. 2016, ApJ, 833, 96Lodieu, N., Chinchilla, P., Ruiz, M. T., et al. 2019, Research Notes of the American Astronomical Society, 3, 30

- McMahon, R. G., Banerji, M., Gonzalez, E., et al. 2013, The Messenger, 154, 35
- Pangsy, L. 2019, Master of Science (M. Sc.) thesis, University of Potsdam, 66 pp.
- Riedel, A. R., DiTomasso, V., Rice, E. L., et al. 2019, AJ, 157, 247
- Schneider, A. C., Windsor, J., Cushing, M. C., et al. 2017, AJ, 153, 196
- Scholz, R.-D., & Bell, C. P. M. 2018, Research Notes of the American Astronomical Society, 2, 33
- Smart, R. L., Marocco, F., Caballero, J. A., et al. 2017, MNRAS, 469, 401
- Wright, E. L., Eisenhardt, P. R. M., Mainzer, A. K., et al. 2010, AJ, 140, 1868
- Zuckerman, B., Song, I., & Bessell, M. S. 2004, ApJL, 613, L65