

Large-scale multiconfiguration Dirac-Hartree-Fock calculations for astrophysics: n=4 levels in P-like ions from Mn XI to Ni XIV

C. X. SONG,¹ K. WANG,^{1,2} G. DEL ZANNA,³ P. JÖNSSON,⁴ R. SI,⁵ M. GODEFROID,⁵ G. GAIGALAS,⁶ L. RADŽIŪTĖ,⁶
 P. RYNKUN,⁶ X. H. ZHAO,¹ J. YAN,⁷ AND C. Y. CHEN²

¹Hebei Key Lab of Optic-electronic Information and Materials, The College of Physics Science and Technology, Hebei University, Baoding 071002, China; wang_kai10@fudan.edu.cn

²Shanghai EBIT Lab, Key Laboratory of Nuclear Physics and Ion-beam Application, Institute of Modern Physics, Department of Nuclear Science and Technology, Fudan University, Shanghai 200433, China;

³DAMTP, Centre for Mathematical Sciences, University of Cambridge, Wilberforce Road, Cambridge CB3 0WA, UK

⁴Group for Materials Science and Applied Mathematics, Malmö University, SE-20506, Malmö, Sweden;

⁵Spectroscopy, Quantum Chemistry and Atmospheric Remote Sensing, CP160/09, Université libre de Bruxelles, 1050 Brussels, Belgium;

⁶Institute of Theoretical Physics and Astronomy, Vilnius University, Saulėtekio av. 3, LT-10222, Vilnius, Lithuania;

⁷Institute of Applied Physics and Computational Mathematics, Beijing 100088, China;

Submitted to ApJS

ABSTRACT

Using the multiconfiguration Dirac-Hartree-Fock and the relativistic configuration interaction methods, a consistent set of transition energies and radiative transition data for the lowest 546 (623, 701, 745) states of the $3p^43d$, $3s3p^23d^2$, $3s3p^34p$, $3s3p^4$, $3s^23d^3$, $3s^23p^23d$, $3s^23p^24d$, $3s^23p^24s$, $3p^33d^2$, $3p^5$, $3s3p3d^3$, $3s3p^33d$, $3s3p^34s$, $3s^23p3d^2$, $3s^23p^24p$, $3s^23p^3$ configurations in Mn XI (Fe XII, Co XIII, Ni XIV) is provided. The comparison between calculated excitation energies for the $n = 4$ states and available experimental values for Fe XII indicate that the calculations are highly accurate, with uncertainties of only a few hundred cm⁻¹. Lines from these states are prominent in the soft X-rays. With the present calculations, several recent new identifications are confirmed. Other identifications involving $3p^24d$ levels in Fe XII that were found questionable are discussed and a few new assignments are recommended. As some $n = 4$ states of the other ions also show large discrepancies between experimental and calculated energies, we reassess their identification. The present study provides highly accurate atomic data for the $n = 4$ states of P-like ions of astrophysical interest, for which experimental data are scarce.

Keywords: atomic data - atomic processes

1. INTRODUCTION

In the ultraviolet (UV) and extreme ultraviolet (EUV) spectral regions, P-like ions of the iron group elements are used for plasma diagnostics, especially to measure electron densities (see, e.g. the review by Del Zanna & Mason 2018). Fe XII is especially important for the solar corona. The most prominent lines in the UV/EUV region were observed by SOHO and Skylab, and were recently measured by the Hinode satellite, (Young et al. 2009; Del Zanna 2012a). In our recent work (Wang et al. 2018a), using the multiconfiguration Dirac-Hartree-Fock (MCDHF) and the relativistic configuration interaction (RCI) methods (Froese Fischer et al. 2016; Grant 2007), excitation

energies for the lowest 143 states of the $n = 3$ ($3s^23p^3$, $3s3p^4$, $3s^23p^23d$, $3s3p^33d$, $3p^5$, $3s^23p3d^2$) configurations from Cr X to Zn XVI were provided. Using these data, we reassessed the previous identifications of the important $3s^23p^23d$ levels in Fe XII, confirming most of the previous suggestions by Del Zanna & Mason (2005a). On the basis of our calculated energies, the atomic data from Del Zanna et al. (2012a), and Hinode EIS spectra, new identifications of a few $3s3p^33d$ levels were also suggested, which have been included in the CHIANTI atomic database version 9 (Dere et al. 2019; Dere et al. 1997).

The $n = 4 \rightarrow n = 3$ transitions in highly-ionized Fe ions, including Fe XII, are the dominant lines in the soft X-rays (50 Å– 150 Å). These transitions have re-

cently been reviewed by [Del Zanna \(2012b\)](#), where a series of large-scale scattering calculations (the first of the kind) for all the ions, provided by Del Zanna et al. in a series of papers, were used to assess the identifications in this spectral region. Most of the previous identifications of these $n = 4 \rightarrow n = 3$ transitions were due to [Fawcett et al. \(1972\)](#), although some of the original ones were due to Edlen in his seminal work in the 1930's (see, e.g. the review in [Del Zanna & Mason \(2018\)](#)). [Del Zanna \(2012b\)](#) pointed out that several of the strongest transitions were never identified, and proposed their identification, on the basis of solar and laboratory spectra (the same used by [Fawcett et al. \(1972\)](#)). A few problems with Fawcett's identifications were also noted, but the accuracy of the theoretical wavelengths did not allow firm identifications.

A significant fraction (about a third) of the spectral lines in the soft X-rays still awaits identification. One purpose of our work is to provide excitation energies and wavelengths involving the $n = 4$ states for P-like ions from Mn XI to Ni XIV with spectroscopic accuracy, to aid the identification process. Using the MCDHF and RCI method (in the following referred to as MCDHF), excitation energies, wavelengths, lifetimes, and radiative transition data including oscillator strengths, line strengths, and transition rates, are provided for the main $n = 3, 4$ levels of the $3p^43d$, $3s3p^23d^2$, $3s3p^34p$, $3s3p^4$, $3s^23d^3$, $3s^23p^23d$, $3s^23p^24d$, $3s^23p^24s$, $3p^33d^2$, $3p^5$, $3s3p3d^3$, $3s3p^33d$, $3s3p^34s$, $3s^23p3d^2$, $3s^23p^24p$, $3s^23p^3$ configurations. In Section 3, using accurate wavelengths for the $n = 4 \rightarrow n = 3$ transitions of Fe XII to Ni XIV we will review their identification and suggest some new lines. This provides a stringent accuracy assessment of our calculations.

The other purpose of our work is to provide a consistent accurate set of radiative transition data for P-like ions from Mn XI to Ni XIV for spectral line modeling. This work extends and complements our long-term theoretical efforts ([Wang et al. 2014, 2015, 2016a,b, 2017a,b,c,d, 2018a,b,c,d, 2019, 2020](#); [Chen et al. 2017, 2018](#); [Guo et al. 2015](#); [Guo et al. 2016](#); [Si et al. 2016, 2017, 2018](#); [Zhao et al. 2018](#)) to provide atomic data for L- and M-shells systems with high accuracy. For a review see [Jönsson et al. \(2017\)](#).

2. THEORY AND CALCULATIONS

The MCDHF method in the GRASP2K code ([Jönsson et al. 2013](#); [Jönsson et al. 2007](#)) is reviewed by [Froese Fischer et al. \(2016\)](#). This method is also described in our recent papers ([Wang et al. 2018a,b](#)). For this reason, in the sections below, only the computational procedures are described.

In our MCDHF calculations, the multireference (MR) sets for even and odd parities include

even configurations: $3p^43d$, $3s3p^23d^2$, $3s3p^34p$, $3s3p^4$, $3s^23d^3$, $3s^23p^23d$, $3s^23p^24d$, $3s^23p^24s$;

odd configurations: $3p^33d^2$, $3p^5$, $3s3p3d^3$, $3s3p^33d$, $3s3p^34s$, $3s^23p3d^2$, $3s^23p^24f$, $3s^23p^24p$, $3s^23p^3$.

By allowing single and double substitutions from the $n = 3, 4$ electrons of the MR sets to orbitals with $n \leq 8, l \leq 6$, and allowing single excitations of the $n = 2$ electrons to orbitals with $n \leq 6, l \leq 4$, configuration state function (CSF) expansions are generated. The $1s$ shell is defined as inactive closed shell in all CSFs of the expansions.

For both energy separations and transition probabilities, the neglected correlations from $n = 1, 2$ are comparatively unimportant ([Wang et al. 2018a](#)). In the following RCI calculation, the transverse electron interaction in the low-frequency limit and the leading quantum electrodynamic (QED) effects (vacuum polarization and self-energy) corrections are included. In the final CSF expansions for the different J symmetries, the number of CSFs is, respectively, about 5.9 millions for even parity and 8.1 millions for odd parity.

By using the jj - LSJ transformation approach ([Gaigalas et al. 2017](#); [Gaigalas et al. 2004](#)), the jj -coupled CSFs are transformed into LSJ -coupled CSFs, from which the LSJ labels used by experimentalists are obtained.

3. EVALUATION OF DATA

3.1. Energy Levels

In Table 1 excitation energies for the lowest 623 levels of the $3p^43d$, $3s3p^23d^2$, $3s3p^34p$, $3s3p^4$, $3s^23d^3$, $3s^23p^23d$, $3s^23p^24d$, $3s^23p^24s$, $3p^33d^2$, $3p^5$, $3s3p3d^3$, $3s3p^33d$, $3s3p^34s$, $3s^23p3d^2$, $3s^23p^24p$, $3s^23p^3$ configurations in Fe XII from the present MCDHF calculations (hereafter referred to as MCDHF1) are displayed. All these states are below the first $3s^23p^24f$ level. For comparison, experimental excitation energies compiled in the Atomic Spectra Database (ASD) of the National Institute of Standards and Technology (NIST) ([Kramida et al. 2018](#)), experimental (CHIANTI1) and calculated (CHIANTI2) values from the CHIANTI version 9 ([Dere et al. 2019](#); [Dere et al. 1997](#)) are also included along with excitation energies from our recently MCDHF calculations (MCDHF2) ([Wang et al. 2018a](#)). The previous calculations, such as [Tayal \(2011\)](#); [Storey et al. \(2005\)](#); [Vilkas & Ishikawa \(2004\)](#), were focused on the $n = 3$ levels, and their comparison with our recently MCDHF results for the $n = 3$ levels

was shown in our previous work (Wang et al. 2018a). Therefore, their results (Tayal 2011; Storey et al. 2005; Vilkas & Ishikawa 2004) are not included in Table 1.

The differences between the MCDHF1 and MCDHF2 results for the lowest 143 states are listed in Table 1, and are generally within a few hundreds cm^{-1} . The average absolute difference with the standard deviation (Wang et al. 2017d) between the two data sets is $1 \text{ cm}^{-1} \pm 313 \text{ cm}^{-1}$. When the present MCDHF1 excitation energies for the $n = 3$ levels are compared with the experimental values from the NIST and CHIANTI database, the agreement is also very good. The differences are generally within a few hundred cm^{-1} . There is a misprint for experimental excitation energies of the two levels ($3s^2 3p^2(^1_2D)$ $^1D 3d$ $^2P_{3/2}$ with the key (#37) and #38/ $3s^2 3p^2(^1_2D)$ $^1D 3d$ $^2S_{1/2}$) in the CHIANTI version 9. The experimental values should be $577\,680 \text{ cm}^{-1}$ for the #37/ $3s^2 3p^2(^1_2D)$ $^1D 3d$ $^2P_{3/2}$ level, and $579\,630 \text{ cm}^{-1}$ for the #38/ $3s^2 3p^2(^1_2D)$ $^1D 3d$ $^2S_{1/2}$ level, respectively (Del Zanna & Mason 2005b). After correcting this misprint, the average absolute differences with our MCDHF1 energy values are $-164 \pm 313 \text{ cm}^{-1}$ for NIST and $-113 \pm 313 \text{ cm}^{-1}$ for CHIANTI1, respectively, where the standard deviations are indicated after the values.

Looking at higher-lying levels (above #143) in Fe XII, the present MCDHF1 calculations, as well as the CHIANTI2 theoretical values reported by the AUTOSTRUCTURE calculations by Del Zanna et al. (2012b) provide a complete data set. The AUTOSTRUCTURE calculations were carried out to provide target states wave functions for the scattering calculations. They are therefore not very accurate, providing indeed excitation energies that depart substantially from the present MCDHF1 values. For almost all higher-lying states of Fe XII, experimental values (NIST and CHIANTI1) are scarce. Only some levels of the $3s^2 3p^2 4s$, $3s^2 3p^2 4p$, $3s^2 3p^2 4d$, and $3s 3p^3 4s$ were identified, based on the solar and laboratory spectra of Behring et al. (1972); Fawcett et al. (1972). The differences between our MCDHF1 excitation energies and the experimental values (NIST and CHIANTI1) are generally within a few hundreds of cm^{-1} . However, several discrepancies have been noted, as described below.

Our MCDHF excitation energies E_{MCDHF} (cm^{-1}), together with MCDHF radiative lifetimes τ_{MCDHF}^l (in s) in the length form and τ_{MCDHF}^v (in s) in the velocity form, are reported in Table 2 for the lowest 546 (623, 701, 745) states of the $3p^4 3d$, $3s 3p^2 3d^2$, $3s 3p^3 4p$, $3s 3p^4$, $3s^2 3d^3$, $3s^2 3p^2 3d$, $3s^2 3p^2 4d$, $3s^2 3p^2 4s$, $3p^3 3d^2$, $3p^5$, $3s 3p 3d^3$, $3s 3p^3 3d$, $3s 3p^3 4s$, $3s^2 3p 3d^2$, $3s^2 3p^2 4p$, $3s^2 3p^3$ configurations in Mn XI (Fe XII, Co XIII, Ni XIV). Observed val-

ues E_{NIST} (cm^{-1}) from the NIST ASD (Kramida et al. 2018), and energy differences ΔE (cm^{-1}) between the values of E_{MCDHF} and E_{NIST} are also listed in this table. As many levels are strongly mixed, their configuration label is not unique. Here, the parity, J value and energy are used to match the levels to the NIST ASD. For those levels, the NIST values are shown in blue color. The experimental excitation energies E_{NIST} agree well with our E_{MCDHF} values for a majority of the $n = 4$ states. However, there are 14 levels, including 4 levels in Mn XI, 4 levels in Fe XII, 4 levels in Co XIII, and 2 levels in Ni XIV, for which differences are over $2\,000 \text{ cm}^{-1}$. The $3s^2 3p^2(^3_2P)$ $^3P 4d$ $^2F_{7/2}$ state in Fe XII, where E_{NIST} and E_{MCDHF} differ by $3\,616 \text{ cm}^{-1}$, is discussed below in detail. For the same levels, large difference of about $3\,700 \text{ cm}^{-1}$ also occur for Mn XI and Co XIII. As an example, the energy differences ΔE between E_{MCDHF} and E_{NIST} as a function of the nuclear charge Z are displayed in Figure 1 for the $3s^2 3p^2(^3_2P)$ $^3P 4d$ $^2D_{3/2}$, and $3s^2 3p^2(^3_2P)$ $^3P 4d$ $^2D_{5/2}$ states. Two anomalies appear for the $3s^2 3p^2(^3_2P)$ $^3P 4d$ $^2D_{3/2}$ state in Co XIII and the $3s^2 3p^2(^3_2P)$ $^3P 4d$ $^2D_{5/2}$ state in Ni XIV. Since the same MCDHF computational processes are carried out for all the ions, the accuracy of our MCDHF excitation energies along the sequence should be systematic and consistency is expected. Therefore, the large differences indicate that the identifications involving these levels are questionable or the wavelengths are incorrect.

3.2. Fe XII Line Identifications

In this section we review the identifications of the main Fe XII transitions $n = 4 \rightarrow n = 3$ transitions. Whilst Del Zanna et al. (2012b) only considered the strongest transitions at low plasma density ($10^8 \text{ electrons cm}^{-3}$), here we consider the strongest transitions at high plasma density ($10^{19} \text{ electrons cm}^{-3}$), to review Fawcett's identifications based on the laboratory plates. We have also considered one of Fawcett's plates for the evaluation. Table 3 lists the strongest $n = 4 \rightarrow n = 3$ transitions in Fe XII, calculated with the atomic data described in Del Zanna et al. (2012b). In addition to Fawcett's wavelengths, we list the approximate AUTOSTRUCTURE values and our MCDHF wavelengths, with several comments. Spectral lines that are strongest in low plasma density are noted with an asterisk.

For the strongest lines of the $3s^2 3p^2 3d - 3s^2 3p^2 4p$ transition array, we find a good agreement (within 0.05 Å) between Fawcett's wavelengths and our predicted values. There are some important transitions visible at low densities, from the #392/ $3s^2 3p^2(^3_2P)$ $^3P 4p$ $^4S_{3/2}^\circ$ level. Our values are in excellent agreement (0.009 Å)




Figure 1. The energy differences ΔE (in cm^{-1}) between E_{MCDHF} and E_{NIST} are displayed as a function of the nuclear charge Z for the $3s^2 3p^2(^3P) ^3P 4d ^2D_{3/2}$ and $3s^2 3p^2(^3P) ^3P 4d ^2D_{5/2}$ states. The corresponding data are available in Table 2. The real differences for the $3s^2 3p^2(^3P) ^3P 4d ^2D_{3/2}$ state in Co XIII ($Z=27$) and $3s^2 3p^2(^3P) ^3P 4d ^2D_{5/2}$ state in Ni XIV ($Z=28$) are reduced by a factor of 100, as marked by the $(\times 100)$ label.

with the identifications proposed by Del Zanna (2012b). Generally, we confirm the CHIANTI1 experimental excitation energies for the $3s^2 3p^2 4p$ levels (#371, #380, #387, #392, #407, #408), proposed by Del Zanna (2012b), as the differences with our MCDHF1 are around a few hundreds cm^{-1} . However, for level #387/ $3s^2 3p^2(^3P) ^3P 4p ^4D_{7/2}^\circ$, the difference is larger ($-5\ 252 \text{ cm}^{-1}$). The original assignment by Fawcett et al. (1972) of the line at 108.44 Å value to the transition $3s^2 3p^2(^3P) ^3P 4p ^4D_{7/2}^\circ - 3s^2 3p^2(^3P) ^3P 3d ^4F_{9/2}$ is most likely correct. Using the CHIANTI1 experimental excitation energy $443\ 121 \text{ cm}^{-1}$ for the lower level, this results in an energy of $1\ 365\ 290 \text{ cm}^{-1}$ for the upper level, in good agreement with our MCDHF1 result ($1\ 365\ 552 \text{ cm}^{-1}$).

Regarding the $3s^2 3p^3 - 3s^2 3p^2 4s$ transition array, very good agreement with Fawcett's values is observed. The differences of our MCDHF1 excitation energies and experimental values (NIST and CHIANTI1) for the $3s^2 3p^2 4s$ levels are within 300 cm^{-1} .

We also confirm the identifications proposed by Del Zanna (2012b) of the decays from the #471/ $3s ^2S 3p^3(^4S) ^5S 4s ^4S_{3/2}^\circ$ level, which are the strongest Fe XII transitions at low astrophysical densities. In Del Zanna (2012b), the 83.336 Å and 83.631 Å lines observed by Behring et al. (1972) were tentatively assigned to the decays from level #471/ $3s ^2S 3p^3(^4S) ^5S 4s ^4S_{3/2}^\circ$ to the lower levels #7/ $3s ^2S 3p^4(^3P) ^4P_{3/2}$ and #8/ $3s ^2S 3p^4(^3P) ^4P_{1/2}$, respectively. Our MCDHF1 wavelengths (83.335 Å and 83.636 Å) for these two transitions show excellent agreement with the observations. The difference between the MCDHF1 excitation energy ($1\ 484\ 211 \text{ cm}^{-1}$) and the resulting CHIANTI1 experimental energy ($1\ 483\ 972 \text{ cm}^{-1}$) for the upper level is only -239 cm^{-1} .

The situation for the experimental energies of the $3s^2 3p^2 4d$ levels is more complex and Fawcett's identifications of several states are questionable, although we note that none of the transitions are strong in low-density astrophysical plasma. As pointed out by Del Zanna (2012b), the accuracy of previous theo-

retical wavelengths did not allow firm identifications for the $3s^2 3p^2 4d$ levels. We provide in Table 3 suggestions for several revised identifications. The experimental excitation energies due to Fawcett et al. (1972) for the $3s^2 3p^2 4d$ levels #498, #507, #552, #581, have large deviations from our MCDHF1 results, with differences between $-2\ 800$ and $-5\ 200\ \text{cm}^{-1}$.

As an example, we consider the transition $3s^2 3p^2(^3P)\ ^3P\ 4d\ ^2F_{7/2} - 3s^2 3p^3(^3D)\ ^2D_{5/2}^o$ between levels #507 and #3. This transition was assigned by Fawcett et al. (1972) to the $67.702\ \text{\AA}$ line, i.e. with a wavelength about $0.151\ \text{\AA}$ greater than our MCDHF1 value ($67.551\ \text{\AA}$). We have noted that the observed wavelength is very close to the MCDHF1 value ($67.706\ \text{\AA}$) associated with the $3s^2 3p^2(^3P)\ ^3P\ 4d\ ^2F_{5/2} - 3s^2 3p^3(^3D)\ ^2D_{3/2}^o$ transition between levels #498 and #2. The transition rate for this latter (#498–#2) transition is $1.252 \times 10^{11}\ \text{s}^{-1}$, about two times larger than the rate ($6.804 \times 10^{10}\ \text{s}^{-1}$) of the #507–#3 transition, although the two predicted intensities are very similar. Therefore, we suggest to assign the $67.702\ \text{\AA}$ line to the transition #498/ $3s^2 3p^2(^3P)\ ^3P\ 4d\ ^2F_{5/2} - \#2/3s^2 3p^3(^3D)\ ^2D_{3/2}^o$. As a consequence, the NIST (and CHIANTI1) energy for the upper level #498 should be changed to $1\ 518\ 627\ \text{cm}^{-1}$, which agrees with our MCDHF1 $1\ 518\ 836\ \text{cm}^{-1}$ to within $210\ \text{cm}^{-1}$. Similar discrepancies are noted in Table 3.

3.3. Transition rates and lifetimes

Wavelengths λ_{ij} and the present MCDHF radiative transition data, which include transition rates A_{ji} , weighted oscillator strengths gf_{ji} , line strength S_{ji} , and branching fractions ($\text{BF}_{ji} = A_{ji} / \sum_{k=1}^{j-1} A_{jk}$) for electric-dipole (E1), magnetic dipole (M1), electric quadrupole (E2), and magnetic quadrupole (M2) transitions among all the levels listed in Table 2 are reported in Table 4. E1 and E2 radiative transition data are given in both length (l) and velocity (v) forms. Using the uncertainty estimation approach (Kramida 2013, 2014), for E1 and E2 transitions we provide the estimated uncertainties of line strengths S adopting the NIST ASD (Kramida et al. 2018) terminology ($A^+ \leq 2\%$, $A \leq 3\%$, $B^+ \leq 7\%$, $B \leq 10\%$, $C^+ \leq 18\%$, $C \leq 25\%$, $D^+ \leq 40\%$, $D \leq 50\%$, and $E > 50\%$) in the last column of this table. The difference δS between line strengths S_l and S_v (in length and velocity forms respectively) is defined as $\delta S = |S_v - S_l|/\max(S_v, S_l)$. The averaged uncertainties δS_{av} for line strengths S for E1 transitions Fe XII in various ranges of S are assessed to 1 % for $S \geq 10^{-1}$; 1.5 % for $10^{-1} > S \geq 10^{-2}$; 2.7 % for $10^{-2} > S \geq 10^{-3}$; 6 % for $10^{-3} > S \geq 10^{-4}$; 12 % for $10^{-4} > S \geq 10^{-5}$,

and 23 % for $10^{-5} > S \geq 10^{-6}$. Then, the larger of δS_{av} and δS_{ji} is accepted as the uncertainty of each particular line strength. In Table 4, about 24 % of E1 S values in Fe XII have uncertainties of $\leq 2\%$ (A+), 27 % have uncertainties of $\leq 3\%$ (A), 29 % have uncertainties of $\leq 7\%$ (B+), 2.4 % have uncertainties of $\leq 10\%$ (B), 12 % have uncertainties of $\leq 18\%$ (C+), 3.6 % have uncertainties of $\leq 25\%$ (C), and 0.9 % have uncertainties of $\leq 40\%$ (D+), while only 0.3 % have uncertainties of $> 40\%$ (D and E).

In the spirit of the uncertainty estimation approach (Kramida 2013, 2014), the estimated uncertainties of line strengths S for E2 transitions in Fe XII are estimated, as well as those for E1 and E2 transitions in Mn XI, Co XIII, and Ni XIV. The estimated uncertainties for all E1 and E2 transitions with $\text{BF} \geq 10^{-5}$ in Mn XI, Fe XII, Co XIII, and Ni XIV, are listed in Table 4.

Our MCDHF radiative lifetimes τ_{MCDHF}^l (in s) in the length form and τ_{MCDHF}^v (in s) in the velocity form, for the lowest 546 (623, 701, 745) states of the $3p^4 3d$, $3s 3p^2 3d^2$, $3s 3p^3 4p$, $3s 3p^4$, $3s^2 3d^3$, $3s^2 3p^3 3d$, $3s^2 3p^2 4d$, $3s^2 3p^2 4s$, $3p^3 3d^2$, $3p^5$, $3s 3p 3d^3$, $3s 3p^3 3d$, $3s 3p^3 4s$, $3s^2 3p 3d^2$, $3s^2 3p^2 4p$, $3s^2 3p^3$ configurations in Mn XI (Fe XII, Co XIII, Ni XIV), which are calculated by considering all possible E1, E2, M1, and M2 transitions, are provided in Table 2. Our MCDHF radiative lifetimes τ_{MCDHF}^l and τ_{MCDHF}^v show good agreement. For example, the average deviation between τ_{MCDHF}^l and τ_{MCDHF}^v for all 623 levels in Fe XII is 1 %.

3.4. Summary

Using the MCDHF method combined with the RCI approach, including the transverse electron interaction in the low-frequency limit and the leading QED effects corrections, calculations have been performed for the lowest 546 (623, 701, 745) levels of the $3p^4 3d$, $3s 3p^2 3d^2$, $3s 3p^3 4p$, $3s 3p^4$, $3s^2 3d^3$, $3s^2 3p^3 3d$, $3s^2 3p^2 4d$, $3s^2 3p^2 4s$, $3p^3 3d^2$, $3p^5$, $3s 3p 3d^3$, $3s 3p^3 3d$, $3s 3p^3 4s$, $3s^2 3p 3d^2$, $3s^2 3p^2 4p$, $3s^2 3p^3$ configurations in Mn XI (Fe XII, Co XIII, Ni XIV). Excitation energies, radiative transition data, and lifetimes are reported.

Our detailed discussion of the excitation energies of the $n = 4$ levels for Fe XII, highlights that the identifications are questionable for a few $n = 4$ states. The comparison between experimental and predicted energies clearly shows that the present calculations reach spectroscopic accuracy for these high-lying states. On that basis, several identifications in the other isoelectronic ions are also uncertain. Our calculated excitation energies, as well as radiative transition data, can be used to reliably identify the remaining Fe XII and Ni XIV

levels, and especially to identify all the $n = 4$ states along the isoelectronic sequence of P-like ions, where very little experimental data are available. The present MCDHF study should therefore stimulate further experimental investigations for those ions. The resulting accurate and consistent MCDHF data set will be useful for astrophysical modeling, line identification work and also for benchmarking other calculations.

SCIENTIFIC SOFTWARE PACKAGES

Scientific software packages including

Software: GRASP2K ([Jönsson et al. 2007](#); [Jönsson et al. 2013](#)) and CHIANTI ([Dere et al. 2019](#); [Dere et al. 1997](#)) are used in the present work.

We acknowledge the support from the National Key Research and Development Program of China under Grant No. 2017YFA0403200, the Science Challenge Project of China Academy of Engineering Physics (CAEP) under Grant No. TZ2016005, the National Natural Science Foundation of China (Grant No. 11703004, No. 11674066, No. 11504421, and No. 11734013), the Natural Science Foundation of Hebei Province, China (A2019201300 and A2017201165), and the Natural Science Foundation of Educational Department of Hebei Province, China (BJ2018058). This work is also supported by the Fonds de la Recherche Scientifique - (FNRS) and the Fonds Wetenschappelijk Onderzoek - Vlaanderen (FWO) under EOS Project n° O022818F, and by the Swedish research council under contracts 2015-04842 and 2016-04185. GDZ acknowledges support form STFC (UK) via the consolidated grant to the solar/atomic astrophysics group, DAMTP, University of Cambridge. KW expresses his gratitude to the support from the visiting researcher program at the Fudan University.

REFERENCES

- Behring, W. E., Cohen, L., & Feldman, U. 1972, The Astrophysical Journal, 175, 493, doi: [10.1086/151575](https://doi.org/10.1086/151575)
- Chen, Z. B., Guo, X. L., & Wang, K. 2018, Journal of Quantitative Spectroscopy and Radiative Transfer, 206, 213, doi: [10.1016/j.jqsrt.2017.11.013](https://doi.org/10.1016/j.jqsrt.2017.11.013)
- Chen, Z. B., Ma, K., Wang, H. J., et al. 2017, Atomic Data and Nuclear Data Tables, 113, 258, doi: [10.1016/j.adt.2016.03.002](https://doi.org/10.1016/j.adt.2016.03.002)
- Del Zanna, G. 2012a, Astronomy and Astrophysics, 537, A38, doi: [10.1051/0004-6361/201117592](https://doi.org/10.1051/0004-6361/201117592)
- . 2012b, Astronomy and Astrophysics, 546, A97, doi: [10.1051/0004-6361/201219923](https://doi.org/10.1051/0004-6361/201219923)
- Del Zanna, G., & Mason, H. E. 2005a, Astronomy and Astrophysics, 433, 731
- . 2005b, Astronomy and Astrophysics, 433, 731, doi: [10.1051/0004-6361:20041848](https://doi.org/10.1051/0004-6361:20041848)
- Del Zanna, G., & Mason, H. E. 2018, Living Reviews in Solar Physics, 15, doi: [10.1007/s41116-018-0015-3](https://doi.org/10.1007/s41116-018-0015-3)
- Del Zanna, G., Storey, P. J., Badnell, N. R., & Mason, H. E. 2012a, Astronomy & Astrophysics, 541, A90, doi: [10.1051/0004-6361/201118720](https://doi.org/10.1051/0004-6361/201118720)
- Del Zanna, G., Storey, P. J., Badnell, N. R., & Mason, H. E. 2012b, Astronomy and Astrophysics, 543, A139, doi: [10.1051/0004-6361/201219023](https://doi.org/10.1051/0004-6361/201219023)
- Dere, K. P., Del Zanna, G., Young, P. R., Landi, E., & Sutherland, R. S. 2019, ApJS, 241, 22, doi: [10.3847/1538-4365/ab05cf](https://doi.org/10.3847/1538-4365/ab05cf)
- Dere, K. P., Landi, E., Mason, H. E., Monsignori Fossi, B. C., & Young, P. R. 1997, Astronomy and Astrophysics Supplement Series, 125, 149, doi: [10.1051/aas:1997368](https://doi.org/10.1051/aas:1997368)
- Fawcett, B. C., Kononov, E. Y., Hayes, R. W., & Cowan, R. D. 1972, Journal of Physics B Atomic Molecular Physics, 5, 1255, doi: [10.1088/0022-3700/5/6/028](https://doi.org/10.1088/0022-3700/5/6/028)
- Froese Fischer, C., Godefroid, M., Brage, T., Jönsson, P., & Gaigalas, G. 2016, J. Phys. B: At. Mol. Opt. Phys., 49, 182004, doi: [10.1088/0953-4075/49/18/182004](https://doi.org/10.1088/0953-4075/49/18/182004)
- Gaigalas, G., Froese Fischer, C., Rynkun, P., & Jönsson, P. 2017, Atoms, 5, 6, doi: [10.3390/atoms5010006](https://doi.org/10.3390/atoms5010006)
- Gaigalas, G., Zalandauskas, T., & Fritzsch, S. 2004, Computer Physics Communications, 157, 239, doi: [10.1016/S0010-4655\(03\)00518-6](https://doi.org/10.1016/S0010-4655(03)00518-6)
- Grant, I. P. 2007, Relativistic Quantum Theory of Atoms and Molecules, doi: [10.1007/978-0-387-35069-1](https://doi.org/10.1007/978-0-387-35069-1)
- Guo, X. L., Huang, M., Yan, J., et al. 2015, Journal of Physics B Atomic Molecular Physics, 48, 144020, doi: [10.1088/0953-4075/48/14/144020](https://doi.org/10.1088/0953-4075/48/14/144020)
- Guo, X. L., Si, R., Li, S., et al. 2016, Physical Review A, 93, 012513, doi: [10.1103/PhysRevA.93.012513](https://doi.org/10.1103/PhysRevA.93.012513)
- Jönsson, P., Gaigalas, G., Bieroń, J., Froese Fischer, C., & Grant, I. P. 2013, Computer Physics Communications, 184, 2197, doi: [10.1016/j.cpc.2013.02.016](https://doi.org/10.1016/j.cpc.2013.02.016)
- Jönsson, P., He, X., Froese Fischer, C., & Grant, I. 2007, Computer Physics Communications, 177, 597, doi: [10.1016/j.cpc.2007.06.002](https://doi.org/10.1016/j.cpc.2007.06.002)
- Jönsson, P., Gaigalas, G., Rynkun, P., et al. 2017, Atoms, 5, 16, doi: [10.3390/atoms5020016](https://doi.org/10.3390/atoms5020016)
- Kramida, A. 2013, Fusion Science and Technology, 63, 313, doi: [10.13182/fst13-a16437](https://doi.org/10.13182/fst13-a16437)
- Kramida, A. 2014, The Astrophysical Journal Supplement Series, 212, 11, doi: [10.1088/0067-0049/212/1/11](https://doi.org/10.1088/0067-0049/212/1/11)
- Kramida, A., Yu. Ralchenko, Reader, J., & and NIST ASD Team. 2018, NIST Atomic Spectra Database (ver. 5.6.1), [Online]. Available: <https://physics.nist.gov/asd> [2019, May 27]. National Institute of Standards and Technology, Gaithersburg, MD.
- Si, R., Zhang, C. Y., Cheng, Z. Y., et al. 2018, The Astrophysical Journal Supplement Series, 239, 3, doi: [10.3847/1538-4365/aae36e](https://doi.org/10.3847/1538-4365/aae36e)
- Si, R., Li, S., Guo, X. L., et al. 2016, The Astrophysical Journal Supplement Series, 227, 16, doi: [10.3847/0067-0049/227/2/16](https://doi.org/10.3847/0067-0049/227/2/16)
- Si, R., Zhang, C., Liu, Y., et al. 2017, Journal of Quantitative Spectroscopy and Radiative Transfer, 189, 249, doi: [10.1016/j.jqsrt.2016.12.006](https://doi.org/10.1016/j.jqsrt.2016.12.006)
- Storey, P. J., Del Zanna, G., Mason, H. E., & Zeippen, C. J. 2005, Astronomy and Astrophysics, 433, 717, doi: [10.1051/0004-6361:20041771](https://doi.org/10.1051/0004-6361:20041771)
- Tayal, S. S. 2011, Atomic Data and Nuclear Data Tables, 97, 481, doi: [10.1016/j.adt.2011.03.002](https://doi.org/10.1016/j.adt.2011.03.002)
- Vilkas, M. J., & Ishikawa, Y. 2004, Journal of Physics B Atomic Molecular Physics, 37, 4763, doi: [10.1088/0953-4075/37/24/004](https://doi.org/10.1088/0953-4075/37/24/004)
- Wang, K., Jönsson, P., Del Zanna, G., et al. 2020, The Astrophysical Journal Supplement Series, 246, 1, doi: [10.3847/1538-4365/ab5530](https://doi.org/10.3847/1538-4365/ab5530)
- Wang, K., Jönsson, P., Ekman, J., et al. 2017a, Physical Review Letters, 119, 189301, doi: [10.1103/physrevlett.119.189301](https://doi.org/10.1103/physrevlett.119.189301)
- . 2017b, Journal of Quantitative Spectroscopy and Radiative Transfer, 194, 108, doi: [10.1016/j.jqsrt.2017.03.014](https://doi.org/10.1016/j.jqsrt.2017.03.014)
- Wang, K., Jönsson, P., Gaigalas, G., et al. 2018a, The Astrophysical Journal Supplement Series, 235, 27, doi: [10.3847/1538-4365/aab35e](https://doi.org/10.3847/1538-4365/aab35e)
- Wang, K., Zheng, W., Zhao, X. H., et al. 2019, Journal of Quantitative Spectroscopy and Radiative Transfer, 236, 106586, doi: [10.1016/j.jqsrt.2019.106586](https://doi.org/10.1016/j.jqsrt.2019.106586)

- Wang, K., Li, D. F., Liu, H. T., et al. 2014, The Astrophysical Journal Supplement Series, 215, 26, doi: [10.1088/0067-0049/215/2/26](https://doi.org/10.1088/0067-0049/215/2/26)
- Wang, K., Guo, X. L., Liu, H. T., et al. 2015, The Astrophysical Journal Supplement Series, 218, 16, doi: [10.1088/0067-0049/218/2/16](https://doi.org/10.1088/0067-0049/218/2/16)
- Wang, K., Si, R., Dang, W., et al. 2016a, The Astrophysical Journal Supplement Series, 223, 3, doi: [10.3847/0067-0049/223/1/3](https://doi.org/10.3847/0067-0049/223/1/3)
- Wang, K., Chen, Z. B., Si, R., et al. 2016b, The Astrophysical Journal Supplement Series, 226, 14, doi: [10.3847/0067-0049/226/2/14](https://doi.org/10.3847/0067-0049/226/2/14)
- Wang, K., Li, S., Jönsson, P., et al. 2017c, Journal of Quantitative Spectroscopy and Radiative Transfer, 187, 375 , doi: [10.1016/j.jqsrt.2016.10.011](https://doi.org/10.1016/j.jqsrt.2016.10.011)
- Wang, K., Jönsson, P., Ekman, J., et al. 2017d, The Astrophysical Journal Supplement Series, 229, 37, doi: [10.3847/1538-4365/aa6847](https://doi.org/10.3847/1538-4365/aa6847)
- Wang, K., Song, C. X., Jönsson, P., et al. 2018b, The Astrophysical Journal Supplement Series, 239, 30, doi: [10.3847/1538-4365/aaedba](https://doi.org/10.3847/1538-4365/aaedba)
- Wang, K., Chen, Z. B., Zhang, C. Y., et al. 2018c, The Astrophysical Journal Supplement Series, 234, 40, doi: [10.3847/1538-4365/aaa300](https://doi.org/10.3847/1538-4365/aaa300)
- Wang, K., Zhang, C., Jönsson, P., et al. 2018d, Journal of Quantitative Spectroscopy and Radiative Transfer, 208, 134, doi: [10.1016/j.jqsrt.2018.01.014](https://doi.org/10.1016/j.jqsrt.2018.01.014)
- Young, P. R., Watanabe, T., Hara, H., & Mariska, J. T. 2009, A&A, 495, 587, doi: [10.1051/0004-6361:200810143](https://doi.org/10.1051/0004-6361:200810143)
- Zhao, Z., Wang, K., Li, S., et al. 2018, Atomic Data and Nuclear Data Tables, 119, 314, doi: <http://dx.doi.org/10.1016/j.adt.2017.01.002>

Table 1. Excitation energies E in cm^{-1} for 623 states of Fe XII from the present MCDHF calculations (hereafter referred to as MCDHF1). For comparison, excitation energies from our recent MCDHF calculations (Wang et al. 2018a) (MCDHF2), experimental excitation energies compiled in the NIST ASD (Kramida et al. 2018), experimental (CHIANTI1) and calculated (CHIANTI2) values from the CHIANTI version 9 (Dere et al. 2019; Dere et al. 1997) are also included, along with their differences ($\Delta E_x = E_x - E_{\text{MCDHF1}}$) in cm^{-1} with the present MCDHF values.

Key	Level	E_{MCDHF1}	E_{MCDHF2}	ΔE_{MCDHF2}	E_{NIST}	ΔE_{NIST}	E_{CHIANTI1}	$\Delta E_{\text{CHIANTI1}}$	E_{CHIANTI2}	$\Delta E_{\text{CHIANTI2}}$
1	$3s^2 3p^3 (\frac{3}{2}S) 4S_{3/2}$	0	0	0	0	0	0	0	0	0
2	$3s^2 3p^3 (\frac{3}{2}D) 2D_{3/2}$	41872	41771	-101	41566	-306	41555.602	-316.398	41556	-316
3	$3s^2 3p^3 (\frac{3}{2}D) 2D_{5/2}$	46386	46320	-66	46075	-311	46088	-298	46088	-298
4	$3s^2 3p^3 (\frac{3}{2}P) 2P_{1/2}$	74557	74373	-185	74109	-448	74107	-450	74107	-450
5	$3s^2 3p^3 (\frac{3}{2}P) 2P_{3/2}$	80926	80763	-163	80515	-411	80515	-411	80515	-411
6	$3s^2 S 3p^4 (\frac{3}{2}P) 4F_{5/2}$	274618	274499	-119	274373	-245	274373	-245	274373	-245
7	$3s^2 S 3p^4 (\frac{3}{2}P) 4F_{3/2}$	284240	284127	-114	284005	-235	284005	-235	277374	-6866
8	$3s^2 S 3p^4 (\frac{3}{2}P) 4P_{1/2}$	288550	288452	-98	288307	-243	288307	-243	288307	-243
9	$3s^2 S 3p^4 (\frac{1}{2}D) 2D_{3/2}$	340143	340105	-38	340020	-123	339725	-418	335258	-4885
10	$3s^2 S 3p^4 (\frac{1}{2}D) 2D_{5/2}$	342090	342051	-39	341703	-387	341716	-374	341716	-374
11	$3s^2 S 3p^4 (\frac{3}{2}P) 2P_{3/2}$	389908	390074	166	389706	-202	389719	-189	389719	-189
12	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 2P_{1/2}$	394654	394713	58	394120	-534	394360	-294	394360	-294
13	$3s^2 S 3p^4 (\frac{1}{2}S) 2S_{1/2}$	410811	410815	4			410401	-410	410401	-410
14	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 4F_{3/2}$	426775	427242	467			427034	259	427034	259
15	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 4F_{5/2}$	430547	431015	468			430743	196	430743	196
16	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 4F_{7/2}$	436076	436549	473			436088	12	436088	12
17	$3s^2 3p^2 (\frac{3}{2}D) 1D 3d 2F_{5/2}$	442645	443124	479					440878	-1767
18	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 4F_{9/2}$	442900	443380	481			443121	221	440659	-2241
19	$3s^2 3p^2 (\frac{1}{2}D) 1D 3d 2F_{7/2}$	446932	447413	481			447070	138	444791	-2141
20	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 4D_{1/2}$	447242	447701	459					444138	-3104
21	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 4D_{3/2}$	448289	448758	469			448502	213	447076	-1213
22	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 4D_{5/2}$	452560	453039	479			452755	195	452755	195
23	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 4D_{7/2}$	461897	462391	494			461474	-423	461474	-423
24	$3s^2 3p^2 (\frac{1}{2}D) 1D 3d 2G_{7/2}$	494290	494743	453			494518	228	494518	228
25	$3s^2 3p^2 (\frac{3}{2}D) 1D 3d 2G_{9/2}$	497334	497792	458			497256	-78	497256	-78
26	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 2P_{3/2}$	502031	502205	175	501800	-231	501800	-231	501800	-231
27	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 4P_{5/2}$	512330	512758	427	512510	180	512508	178	512508	178
28	$3s^2 S 3p^4 (\frac{3}{2}P) 2P_{1/2}$	514055	514275	219	513850	-205	513850	-205	513850	-205
29	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 4P_{3/2}$	516617	517038	421	516740	123	516772	155	516772	155
30	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 4P_{1/2}$	519641	520038	398	519770	129	519767	126	519768	127
31	$3s^2 3p^2 (\frac{1}{2}S) 1S 3d 2D_{3/2}$	526302	526717	415	526120	-182	526127	-175	526127	-175
32	$3s^2 3p^2 (\frac{1}{2}S) 1S 3d 2D_{5/2}$	537078	537485	407	538040	962	536939	-139	536939	-139
33	$3s^2 3p^2 (\frac{1}{2}D) 1D 3d 2D_{3/2}$	554046	554414	367	554030	-16	553906	-140	553906	-140
34	$3s^2 3p^2 (\frac{1}{2}D) 1D 3d 2D_{5/2}$	554772	555178	406	554610	-162	554632	-140	554632	-140
35	$3s^2 3p^2 (\frac{1}{2}D) 1D 3d 2P_{1/2}$	569880	570300	420	568940	-940	569794	-86	569794	-86
36	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 2F_{5/2}$	576848	577311	464	576740	-108	576733	-115	576733	-115
37	$3s^2 3p^2 (\frac{1}{2}D) 1D 3d 2P_{3/2}$	577759	578190	431	577740	-19	579630	1871	580345	2586
38	$3s^2 3p^2 (\frac{3}{2}D) 1D 3d 2S_{1/2}$	579837	580194	358	579630	-207	576153	-3684	579853	16
39	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 2F_{7/2}$	581261	581737	477	581180	-81	581171	-90	581171	-90
40	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 2D_{5/2}$	604088	604548	459	603930	-158	603940	-148	603940	-148
41	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 2D_{3/2}$	605721	606181	460	605480	-241	605540	-181	605540	-181
42	$3s^2 S 3p^3 (\frac{4}{3}S) 5S 3d 6D_{1/2}^o$	627027	626626	-400					613765	-13262
43	$3s^2 S 3p^3 (\frac{4}{3}S) 5S 3d 6D_{3/2}^o$	627274	626869	-405					614078	-13196
44	$3s^2 S 3p^3 (\frac{4}{3}S) 5S 3d 6D_{5/2}^o$	627767	627291	-386					614577	-13099
45	$3s^2 S 3p^3 (\frac{4}{3}S) 5S 3d 6D_{7/2}^o$	628249	627861	-388					615273	-12976
46	$3s^2 S 3p^3 (\frac{4}{3}S) 5S 3d 6D_{9/2}^o$	629125	628725	-401					616260	-12865
47	$3p^5 2P_{3/2}^o$	637128	636770	-358					627294	-9834
48	$3p^5 2P_{1/2}^o$	651909	651603	-306					641642	-10267
49	$3s^2 S 3p^3 (\frac{2}{3}D) 3D 3d 4D_{5/2}^o$	681292	680968	-324					671063	-10229
50	$3s^2 S 3p^3 (\frac{2}{3}D) 3D 3d 4D_{7/2}^o$	681927	681593	-334			681256	-671	671652	-10275
51	$3s^2 S 3p^3 (\frac{2}{3}D) 3D 3d 4D_{9/2}^o$	682276	681939	-337					671969	-10307

Table 1 continued

Table 1 (*continued*)

Key	Level	E_{MCDHF1}	E_{MCDHF2}	ΔE_{MCDHF2}	E_{NIST}	ΔE_{NIST}	E_{CHIANTI1}	$\Delta E_{\text{CHIANTI1}}$	E_{CHIANTI2}	$\Delta E_{\text{CHIANTI2}}$
52	$3s^2 S 3p^3(^2D) ^3D 3d^4 D_{1/2}^0$	683998	683673	-325					673495	-10503
53	$3s^2 S 3p^3(^2D) ^3D 3d^4 F_{3/2}^0$	691051	690716	-335					681077	-9974
54	$3s^2 S 3p^3(^2D) ^3D 3d^4 F_{5/2}^0$	693323	693008	-316					683420	-9903
55	$3s^2 S 3p^3(^2D) ^3D 3d^4 F_{7/2}^0$	696137	695830	-307					686355	-9782
56	$3s^2 S 3p^3(^2D) ^3D 3d^4 F_{9/2}^0$	699877	699589	-287					690188	-9689
57	$3s^2 S 3p^3(^2D) ^3D 3d^2 S_{1/2}^0$	723941	723741	-200					715091	-8850
58	$3s^2 S 3p^3(^2D) ^3D 3d^4 G_{5/2}^0$	728410	728058	-353					721201	-7209
59	$3s^2 S 3p^3(^2D) ^3D 3d^4 G_{7/2}^0$	729363	729030	-333					722212	-7151
60	$3s^2 S 3p^3(^2D) ^3D 3d^4 G_{9/2}^0$	730694	730383	-310					723629	-7065
61	$3s^2 S 3p^3(^2D) ^3D 3d^4 G_{11/2}^0$	732495	732385	-111					725569	-6926
62	$3s^2 S 3p^3(^2D) ^3D 3d^2 G_{7/2}^0$	757119	756749	-369					751470	-5649
63	$3s^2 S 3p^3(^2D) ^3D 3d^2 G_{9/2}^0$	757173	756809	-363					751570	-5603
64	$3s^2 S 3p^3(^1P) ^3P 3d^4 D_{1/2}^0$	761262	760729	-534					753742	-7520
65	$3s^2 S 3p^3(^1P) ^3P 3d^4 D_{3/2}^0$	762617	762126	-491					754888	-7729
66	$3s^2 S 3p^3(^1P) ^3P 3d^4 D_{5/2}^0$	764323	763922	-401					756775	-7548
67	$3s^2 S 3p^3(^1P) ^3P 3d^4 P_{1/2}^0$	765282	764826	-457					756687	-8595
68	$3s^2 S 3p^3(^1P) ^3P 3d^4 P_{3/2}^0$	766554	766071	-483					758580	-7974
69	$3s^2 S 3p^3(^1P) ^3P 3d^4 P_{5/2}^0$	771583	771203	-379					763630	-7953
70	$3s^2 S 3p^3(^1P) ^3P 3d^2 D_{3/2}^0$	772362	772022	-341					765853	-6509
71	$3s^2 S 3p^3(^1P) ^3P 3d^2 D_{5/2}^0$	773719	773320	-398					766983	-6736
72	$3s^2 S 3p^3(^4S) ^5S 3d^4 D_{7/2}^0$	776073	775584	-490					768699	-7374
73	$3s^2 S 3p^3(^1P) ^3P 3d^4 F_{9/2}^0$	777527	777122	-405					771432	-6095
74	$3s^2 S 3p^3(^1P) ^3P 3d^4 F_{7/2}^0$	778827	778391	-436					772442	-6385
75	$3s^2 S 3p^3(^2P) ^3P 3d^4 F_{5/2}^0$	779629	779214	-415					773364	-6265
76	$3s^2 S 3p^3(^1P) ^3P 3d^4 F_{3/2}^0$	780674	780241	-433					774317	-6357
77	$3s^2 S 3p^3(^2D) ^3D 3d^4 S_{3/2}^0$	788375	788074	-302					781907	-6468
78	$3s^2 S 3p^3(^2D) ^3D 3d^2 P_{5/2}^0$	790101	789867	-234					782831	-7270
79	$3s^2 S 3p^3(^2D) ^3D 3d^4 P_{3/2}^0$	790996	790861	-135					784839	-6157
80	$3s^2 S 3p^3(^2D) ^1D 3d^2 F_{7/2}^0$	792581	792346	-235					787182	-5399
81	$3s^2 S 3p^3(^2D) ^3D 3d^4 P_{1/2}^0$	793114	793069	-45					785515	-7599
82	$3s^2 S 3p^3(^2D) ^1D 3d^2 F_{5/2}^0$	793187	792950	-237					787732	-5455
83	$3s^2 S 3p^3(^2D) ^1D 3d^2 D_{5/2}^0$	807771	807708	-63					803238	-4533
84	$3s^2 S 3p^3(^1P) ^3P 3d^4 D_{7/2}^0$	810240	810022	-218			809132	-1108	804964	-5276
85	$3s^2 S 3p^3(^2D) ^3D 3d^2 D_{3/2}^0$	810373	810227	-146					805335	-5038
86	$3s^2 S 3p^3(^4S) ^5S 3d^4 D_{1/2}^0$	813479	813443	-36					808143	-5336
87	$3s^2 S 3p^3(^4S) ^5S 3d^4 D_{5/2}^0$	813955	813760	-195			812770	-1185	808588	-5367
88	$3s^2 S 3p^3(^4S) ^5S 3d^4 D_{3/2}^0$	814783	814618	-164					809384	-5399
89	$3s^2 S 3p^3(^2D) ^3D 3d^2 P_{3/2}^0$	819940	820057	116					814397	-5543
90	$3s^2 S 3p^3(^2D) ^3D 3d^2 P_{1/2}^0$	820017	820047	30					814316	-5701
91	$3s^2 S 3p^3(^2D) ^1D 3d^2 G_{7/2}^0$	823699	823510	-189					820798	-2901
92	$3s^2 S 3p^3(^1P) ^3P 3d^2 F_{5/2}^0$	827753	827269	-484					823124	-4629
93	$3s^2 S 3p^3(^2D) ^1D 3d^2 G_{9/2}^0$	831008	831087	79					829548	-1460
94	$3s^2 S 3p^3(^1P) ^3P 3d^2 F_{7/2}^0$	833846	833600	-246					830864	-2982
95	$3s^2 S 3p^3(^4S) ^3S 3d^4 D_{3/2}^0$	857426	857471	46					855285	-2141
96	$3s^2 S 3p^3(^4S) ^3S 3d^4 D_{5/2}^0$	857514	857687	173					855716	-1798
97	$3s^2 S 3p^3(^4S) ^3S 3d^4 D_{7/2}^0$	857718	858047	330					856214	-1504
98	$3s^2 S 3p^3(^4S) ^3S 3d^4 D_{1/2}^0$	858783	858980	197					856605	-2178
99	$3s^2 S 3p^3(^2D) ^1D 3d^2 D_{3/2}^0$	862367	862239	-128					860018	-2349
100	$3s^2 S 3p^3(^2D) ^3D 3d^2 D_{5/2}^0$	867449	867231	-217					864831	-2618
101	$3s^2 S 3p^3(^1P) ^3P 3d^2 P_{1/2}^0$	870179	870038	-141					866782	-3397
102	$3s^2 S 3p^3(^2D) ^3D 3d^2 F_{5/2}^0$	871308	871193	-115					869129	-2179
103	$3s^2 S 3p^3(^2D) ^3D 3d^2 F_{7/2}^0$	876026	875986	-41					873492	-2534
104	$3s^2 S 3p^3(^1P) ^3P 3d^2 P_{3/2}^0$	879495	879252	-243					875782	-3713
105	$3s^2 S 3p^2 P 3d^2 (^3F) ^4G_{5/2}^0$	884833	884704	-128					884958	125
106	$3s^2 S 3p^2 P 3d^2 (^3F) ^4G_{7/2}^0$	887953	887851	-102					888150	197
107	$3s^2 S 3p^3(^2P) ^1P 3d^2 D_{3/2}^0$	890447	890407	-40					889593	-854

Table 1 continued

Table 1 (*continued*)

Key	Level	$E_{\text{MCDHF}1}$	$E_{\text{MCDHF}2}$	ΔE_{MCDHF}	E_{NIST}	ΔE_{NIST}	$E_{\text{CHIANTI}1}$	$\Delta E_{\text{CHIANTI}1}$	$E_{\text{CHIANTI}2}$	$\Delta E_{\text{CHIANTI}2}$
108	$3s^2 3p \ ^2P \ 3d^2(^3_2F) \ ^4G^o_{9/2}$	892646	892596	-50					892834	188
109	$3s^2 3p \ ^2P \ 3d^2(^3_2F) \ ^2S^o_{1/2}$	892771	892670	-100					892154	-617
110	$3s \ ^2S \ 3p^3(^1_1P) \ ^1P \ 3d \ ^2D^o_{5/2}$	894669	894591	-78					894046	-623
111	$3s^2 3p \ ^2P \ 3d^2(^3_2F) \ ^4G^o_{11/2}$	899457	899639	182					899389	-68
112	$3s \ ^2S \ 3p^3(^1_1P) \ ^1P \ 3d \ ^2F^o_{5/2}$	901342	901176	-166					901637	295
113	$3s \ ^2S \ 3p^3(^3_2D) \ ^1D \ 3d \ ^2P^o_{3/2}$	901596	901709	113					901218	-378
114	$3s \ ^2S \ 3p^3(^1_1P) \ ^1P \ 3d \ ^2F^o_{7/2}$	902562	902443	-120					903141	579
115	$3s^2 3p \ ^2P \ 3d^2(^1_2D) \ ^2P^o_{1/2}$	911895	912069	174					911281	-614
116	$3s^2 3p \ ^2P \ 3d^2(^3_2P) \ ^4D^o_{1/2}$	933549	933511	-38					933978	429
117	$3s^2 3p \ ^2P \ 3d^2(^3_2P) \ ^4D^o_{3/2}$	935153	935077	-77					935697	544
118	$3s^2 3p \ ^2P \ 3d^2(^3_2P) \ ^4D^o_{5/2}$	937564	937497	-67					938432	868
119	$3s^2 3p \ ^2P \ 3d^2(^3_2P) \ ^4D^o_{7/2}$	942772	942750	-22					943564	792
120	$3s^2 3p \ ^2P \ 3d^2(^1_2D) \ ^2F^o_{5/2}$	943721	943796	75					946333	2612
121	$3s \ ^2S \ 3p^3(^1_1P) \ ^1P \ 3d \ ^2P^o_{3/2}$	946334	946196	-138					947923	1589
122	$3s \ ^2S \ 3p^3(^1_1P) \ ^1P \ 3d \ ^2P^o_{1/2}$	947632	947486	-146					948891	1259
123	$3s^2 3p \ ^2P \ 3d^2(^3_2F) \ ^4F^o_{3/2}$	949166	949241	75					950416	1250
124	$3s^2 3p \ ^2P \ 3d^2(^3_2F) \ ^4P^o_{1/2}$	951065	951071	6					951340	275
125	$3s^2 3p \ ^2P \ 3d^2(^1_2G) \ ^2H^o_{9/2}$	951243	951338	95					955124	3881
126	$3s^2 3p \ ^2P \ 3d^2(^3_2F) \ ^4F^o_{5/2}$	951316	951420	103					952569	1253
127	$3s^2 3p \ ^2P \ 3d^2(^1_2D) \ ^2F^o_{7/2}$	952992	953092	100					954959	1967
128	$3s^2 3p \ ^2P \ 3d^2(^3_2F) \ ^4F^o_{7/2}$	954131	954273	142					955735	1604
129	$3s^2 3p \ ^2P \ 3d^2(^3_2P) \ ^4P^o_{3/2}$	954669	954662	-7					954800	131
130	$3s^2 3p \ ^2P \ 3d^2(^3_2F) \ ^4F^o_{9/2}$	955524	955741	216					957386	1862
131	$3s^2 3p \ ^2P \ 3d^2(^3_2P) \ ^4P^o_{5/2}$	959337	959372	35					959981	644
132	$3s^2 3p \ ^2P \ 3d^2(^1_2D) \ ^2D^o_{3/2}$	961564	961710	146					964696	3132
133	$3s^2 3p \ ^2P \ 3d^2(^1_2D) \ ^2D^o_{5/2}$	962624	962689	66					965102	2478
134	$3s^2 3p \ ^2P \ 3d^2(^1_2G) \ ^2H^o_{11/2}$	965441	965831	390					968595	3154
135	$3s^2 3p \ ^2P \ 3d^2(^1_2G) \ ^2G^o_{7/2}$	973170	973480	310					976467	3297
136	$3s^2 3p \ ^2P \ 3d^2(^1_2G) \ ^2G^o_{9/2}$	977018	977416	398					980179	3161
137	$3s \ ^2S \ 3p^3(^4_3S) \ ^3S \ 3d \ ^2D^o_{5/2}$	985158	985879	721					989265	4107
138	$3s \ ^2S \ 3p^3(^4_3S) \ ^3S \ 3d \ ^2D^o_{3/2}$	987720	988396	676					991715	3995
139	$3s^2 3p \ ^2P \ 3d^2(^3_2F) \ ^4D^o_{7/2}$	992732	993059	327					996707	3975
140	$3s^2 3p \ ^2P \ 3d^2(^3_2F) \ ^4D^o_{5/2}$	994013	994347	334					997781	3768
141	$3s^2 3p \ ^2P \ 3d^2(^3_2F) \ ^4D^o_{3/2}$	995250	995534	284					998815	3565
142	$3s^2 3p \ ^2P \ 3d^2(^3_2F) \ ^4D^o_{1/2}$	996002	996342	340					999367	3365
143	$3s \ ^2S \ 3p^3(^3_2D) \ ^1D \ 3d \ ^2S^o_{1/2}$	996581	997100	519					999866	3285
144	$3s^2 3p \ ^2P \ 3d^2(^1_2G) \ ^2F^o_{7/2}$	1020186							1024818	4632
145	$3s^2 3p \ ^2P \ 3d^2(^1_2G) \ ^2F^o_{5/2}$	1022877							1027387	4510
146	$3s^2 3p \ ^2P \ 3d^2(^1_2D) \ ^2P^o_{3/2}$	1024466							1027609	3143
147	$3p^4(^3_2P) \ ^3P \ 3d \ ^4D_{5/2}$	1024932							1014093	-10839
148	$3p^4(^3_2P) \ ^3P \ 3d \ ^4D_{7/2}$	1025570							1014819	-10751
149	$3p^4(^3_2P) \ ^3P \ 3d \ ^4D_{3/2}$	1025980							1014997	-10983
150	$3p^4(^3_2P) \ ^3P \ 3d \ ^4D_{1/2}$	1027660							1016579	-11081
151	$3s^2 3p \ ^2P \ 3d^2(^1_0S) \ ^2P^o_{1/2}$	1028314							1031264	2950
152	$3s^2 3p \ ^2P \ 3d^2(^3_2F) \ ^4S^o_{3/2}$	1030114							1038353	8239
153	$3s \ ^2S \ 3p^3(^3_2D) \ ^1D \ 3d \ ^2P^o_{1/2}$	1037300							1041001	3701
154	$3s^2 3p \ ^2P \ 3d^2(^1_0S) \ ^2P^o_{3/2}$	1042565							1046462	3897
155	$3s^2 3p \ ^2P \ 3d^2(^3_2F) \ ^2D^o_{3/2}$	1044053							1049061	5008
156	$3s^2 3p \ ^2P \ 3d^2(^3_2F) \ ^2D^o_{5/2}$	1046338							1052135	5797
157	$3s \ ^2S \ 3p^2(^3_2P) \ ^4P \ 3d^2(^3_2F) \ ^6G_{3/2}$	1048434							1039152	-9282
158	$3s \ ^2S \ 3p^2(^3_2P) \ ^4P \ 3d^2(^3_2F) \ ^6G_{5/2}$	1050249							1040971	-9278
159	$3p^4(^1_2D) \ ^1D \ 3d \ ^2P_{1/2}$	1051560							1042355	-9205
160	$3s \ ^2S \ 3p^2(^3_2P) \ ^4P \ 3d^2(^3_2F) \ ^6G_{7/2}$	1052794							1043517	-9277
161	$3s^2 3p \ ^2P \ 3d^2(^3_2F) \ ^2G^o_{7/2}$	1054254							1062353	8099
162	$3p^4(^3_2P) \ ^3P \ 3d \ ^4F_{9/2}$	1055092							1047774	-7318
163	$3s \ ^2S \ 3p^2(^3_2P) \ ^4P \ 3d^2(^3_2F) \ ^6G_{9/2}$	1056371							1046598	-9773
164	$3s^2 3p \ ^2P \ 3d^2(^3_2F) \ ^2G^o_{9/2}$	1057156							1066201	9045

Table 1 continued

Table 1 (*continued*)

Key	Level	E_{MCDHF1}	E_{MCDHF2}	ΔE_{MCDHF2}	E_{NIST}	ΔE_{NIST}	E_{CHIANTI1}	$\Delta E_{\text{CHIANTI1}}$	E_{CHIANTI2}	$\Delta E_{\text{CHIANTI2}}$
165	$3p^4(\frac{1}{2}D) \ 1D \ 3d \ ^2D_{3/2}$	1057260							1046971	-10289
166	$3p^4(\frac{1}{2}D) \ 1D \ 3d \ ^2P_{3/2}$	1058296							1048641	-9655
167	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}F) \ ^6G_{11/2}$	1060250							1050917	-9333
168	$3p^4(\frac{3}{2}P) \ ^3P \ 3d \ ^4F_{7/2}$	1060423							1052323	-8100
169	$3p^4(\frac{3}{2}P) \ ^3P \ 3d \ ^4P_{1/2}$	1061038							1050471	-10567
170	$3s^2 \ 3p \ ^2P \ 3d^2(\frac{3}{2}F) \ ^2F_{5/2}^o$	1062787							1070184	7398
171	$3s^2 \ 3p \ ^2P \ 3d^2(\frac{3}{2}F) \ ^2F_{7/2}^o$	1063738							1072127	8389
172	$3p^4(\frac{3}{2}P) \ ^3P \ 3d \ ^4F_{5/2}$	1064434							1054461	-9973
173	$3p^4(\frac{1}{2}D) \ 1D \ 3d \ ^2D_{5/2}$	1064909							1056012	-8897
174	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}F) \ ^6G_{13/2}$	1065049							1055697	-9352
175	$3p^4(\frac{3}{2}P) \ ^3P \ 3d \ ^4F_{3/2}$	1065983							1056610	-9373
176	$3p^4(\frac{3}{2}P) \ ^3P \ 3d \ ^4P_{3/2}$	1066948							1057501	-9447
177	$3p^4(\frac{3}{2}P) \ ^3P \ 3d \ ^4P_{5/2}$	1068347							1057676	-10671
178	$3p^4(\frac{1}{2}D) \ 1D \ 3d \ ^2G_{7/2}$	1071384							1063729	-7655
179	$3p^4(\frac{1}{2}D) \ 1D \ 3d \ ^2G_{9/2}$	1076165							1068558	-7607
180	$3s^2 \ 3p \ ^2P \ 3d^2(\frac{3}{2}P) \ ^2D_{5/2}^o$	1084556							1094478	9922
181	$3s^2 \ 3p \ ^2P \ 3d^2(\frac{3}{2}P) \ ^2D_{3/2}^o$	1085938							1095685	9747
182	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}F) \ ^6F_{1/2}$	1087783							1079083	-8700
183	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}F) \ ^6F_{3/2}$	1088038							1079771	-8267
184	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}F) \ ^6F_{5/2}$	1088708							1080719	-7989
185	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}P) \ ^6D_{1/2}$	1089172							1080364	-8808
186	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}F) \ ^6F_{7/2}$	1089855							1082064	-7791
187	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}P) \ ^6D_{3/2}$	1090901							1081654	-9247
188	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}F) \ ^6F_{9/2}$	1091641							1083984	-7657
189	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}P) \ ^6D_{5/2}$	1093516							1083963	-9553
190	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}F) \ ^6F_{11/2}$	1094551							1086884	-7667
191	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}P) \ ^6D_{7/2}$	1096863							1087114	-9749
192	$3p^4(\frac{1}{2}D) \ 1D \ 3d \ ^2F_{7/2}$	1097769							1092002	-5767
193	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}P) \ ^6D_{9/2}$	1100508							1090628	-9880
194	$3p^4(\frac{1}{2}D) \ 1D \ 3d \ ^2F_{5/2}$	1101544							1095214	-6330
195	$3s^2 \ 3p \ ^2P \ 3d^2(\frac{3}{2}P) \ ^2P_{1/2}^o$	1108503							1120330	11827
196	$3s^2 \ 3p \ ^2P \ 3d^2(\frac{3}{2}P) \ ^2P_{3/2}^o$	1110884							1122712	11828
197	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}P) \ ^6S_{5/2}$	1112108							1101016	-11092
198	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{1}{2}D) \ ^4F_{3/2}$	1115522							1109532	-5990
199	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{1}{2}D) \ ^4F_{5/2}$	1117879							1111836	-6043
200	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{1}{2}D) \ ^4F_{7/2}$	1121061							1114942	-6119
201	$3p^4(\frac{3}{2}P) \ ^3P \ 3d \ ^2F_{5/2}$	1124186							1118860	-5326
202	$3p^4(\frac{3}{2}P) \ ^3P \ 3d \ ^2F_{7/2}$	1124328							1118421	-5907
203	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{1}{2}D) \ ^4F_{9/2}$	1125644							1119266	-6378
204	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}P) \ ^6P_{3/2}$	1134371							1128703	-5668
205	$3p^4(\frac{1}{2}D) \ 1D \ 3d \ ^2S_{1/2}$	1135441							1129658	-5783
206	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{1}{2}G) \ ^4H_{7/2}$	1137766							1134058	-3708
207	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}P) \ ^6P_{5/2}$	1137844							1132083	-5761
208	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}F) \ ^6D_{9/2}$	1138089							1135671	-2418
209	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}F) \ ^6D_{7/2}$	1138760							1135068	-3692
210	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{1}{2}G) \ ^4H_{9/2}$	1140463							1136670	-3793
211	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}F) \ ^6D_{5/2}$	1140813							1137296	-3517
212	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}F) \ ^6D_{3/2}$	1140974							1137515	-3459
213	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}F) \ ^6D_{1/2}$	1141296							1137691	-3605
214	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}P) \ ^6P_{7/2}$	1142964							1137691	-5273
215	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{1}{2}G) \ ^4H_{11/2}$	1143973							1140017	-3956
216	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{1}{2}G) \ ^4H_{13/2}$	1148105							1144044	-4061
217	$3s \ ^2S \ 3p^2(\frac{1}{2}D) \ ^2D \ 3d^2(\frac{3}{2}P) \ ^4P_{1/2}$	1152466							1145998	-6468
218	$3s \ ^2S \ 3p^2(\frac{1}{2}D) \ ^2D \ 3d^2(\frac{3}{2}P) \ ^4P_{3/2}$	1153415							1147062	-6353
219	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{3}{2}F) \ ^4G_{5/2}$	1153599							1149257	-4342
220	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{1}{2}D) \ ^4D_{5/2}$	1155297							1149773	-5524
221	$3s \ ^2S \ 3p^2(\frac{1}{2}D) \ ^2D \ 3d^2(\frac{3}{2}F) \ ^4G_{7/2}$	1156053							1152187	-3866
222	$3s \ ^2S \ 3p^2(\frac{1}{2}D) \ ^2D \ 3d^2(\frac{3}{2}F) \ ^4G_{9/2}$	1159655							1155742	-3913
223	$3s \ ^2S \ 3p^2(\frac{3}{2}P) \ ^4P \ 3d^2(\frac{1}{2}D) \ ^4D_{1/2}$	1160772							1154579	-6193

Table 1 continued

Table 1 (*continued*)

Key	Level	E_{MCDHF1}	E_{MCDHF2}	ΔE_{MCDHF2}	E_{NIST}	ΔE_{NIST}	E_{CHIANTI1}	$\Delta E_{\text{CHIANTI1}}$	E_{CHIANTI2}	$\Delta E_{\text{CHIANTI2}}$
224	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{1}{2}D) 4D_{3/2}$	1160837							1154810	-6027
225	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{1}{2}D) 4D_{7/2}$	1161001							1155029	-5972
226	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{3}{2}P) 4P_{5/2}$	1162154							1156126	-6028
227	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{3}{2}F) 4G_{11/2}$	1164857							1160659	-4198
228	$3p^4(\frac{1}{2}S) 1S 3d 2D_{3/2}$	1167371							1163150	-4221
229	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{3}{2}F) 2D_{5/2}$	1168060							1164017	-4043
230	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{1}{2}D) 2G_{7/2}$	1170836							1168318	-2518
231	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{1}{2}D) 2G_{9/2}$	1171653							1169054	-2599
232	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{3}{2}F) 2D_{3/2}$	1173025							1169021	-4004
233	$3p^4(\frac{1}{2}S) 1S 3d 2D_{5/2}$	1175252							1170063	-5189
234	$3p^4(\frac{3}{2}P) 3P 3d 2P_{1/2}$	1182953							1180620	-2333
235	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{3}{2}F) 4F_{3/2}$	1183535							1180400	-3135
236	$3p^4(\frac{3}{2}P) 3P 3d 2P_{3/2}$	1183831							1181004	-2827
237	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{3}{2}F) 4F_{5/2}$	1185425							1182123	-3302
238	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{3}{2}F) 4F_{7/2}$	1186757							1183418	-3339
239	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{3}{2}F) 4F_{9/2}$	1187512							1184142	-3370
240	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{3}{2}P) 4D_{1/2}$	1193424							1190134	-3290
241	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{3}{2}P) 4D_{3/2}$	1194964							1191725	-3239
242	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{1}{2}D) 4P_{5/2}$	1196213							1193788	-2425
243	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{3}{2}F) 4D_{5/2}$	1197469							1194995	-2474
244	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{1}{2}D) 4P_{3/2}$	1198727							1197036	-1691
245	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{1}{2}D) 4P_{1/2}$	1199729							1198134	-1595
246	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{3}{2}F) 4D_{7/2}$	1200238							1196993	-3245
247	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{1}{2}G) 4F_{7/2}$	1208615							1206957	-1658
248	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{1}{2}G) 4F_{9/2}$	1209461							1208208	-1253
249	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{1}{2}G) 4F_{5/2}$	1209786							1207034	-2752
250	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{1}{2}G) 4F_{3/2}$	1210924							1207571	-3353
251	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{3}{2}F) 4H_{7/2}$	1211548							1212433	885
252	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{1}{2}D) 2D_{5/2}$	1211946							1211961	15
253	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{3}{2}F) 2H_{9/2}$	1211948							1210808	-1140
254	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{3}{2}F) 4H_{11/2}$	1213123							1212861	-262
255	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{3}{2}F) 4H_{9/2}$	1213256							1214057	801
256	$3p^4(\frac{3}{2}P) 3P 3d 2D_{5/2}$	1213805							1210260	-3545
257	$3p^4(\frac{3}{2}P) 3P 3d 2D_{3/2}$	1215341							1212060	-3281
258	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{3}{2}F) 2H_{11/2}$	1215406							1216372	966
259	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{1}{2}G) 4G_{7/2}$	1215865							1216877	1012
260	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{1}{2}G) 4G_{9/2}$	1218826							1219697	871
261	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{3}{2}F) 4H_{13/2}$	1219014							1221936	2922
262	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{1}{2}G) 4G_{11/2}$	1220862							1221837	975
263	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{1}{2}S) 4P_{1/2}$	1226182							1223428	-2754
264	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{1}{2}D) 2F_{5/2}$	1231243							1231264	21
265	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{1}{2}S) 4P_{3/2}$	1232648							1229343	-3305
266	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{1}{2}G) 4G_{5/2}$	1233562							1233239	-323
267	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{1}{2}D) 2F_{7/2}$	1233818							1233963	145
268	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{3}{2}F) 4G_{7/2}$	1236352							1236070	-282
269	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{3}{2}F) 4G_{9/2}$	1239770							1239571	-199
270	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{1}{2}S) 4P_{5/2}$	1240890							1237134	-3756
271	$3s^2 S 3p^2(\frac{3}{2}P) 2P 3d^2(\frac{1}{2}D) 2P_{1/2}$	1241176							1239571	-1605
272	$3s^2 S 3p^2(\frac{3}{2}P) 3P 4s 4P_{1/2}$	1242245	1242000	-245	1242000	-245	1241579	-666		
273	$3s^2 S 3p^2(\frac{3}{2}P) 2P 3d^2(\frac{1}{2}D) 2P_{3/2}$	1243502					1241798	-1704		
274	$3s^2 S 3p^2(\frac{3}{2}P) 4P 3d^2(\frac{3}{2}F) 4G_{11/2}$	1244234					1244026	-208		
275	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{1}{2}G) 2I_{11/2}$	1244593					1246451	1858		
276	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{3}{2}F) 2F_{7/2}$	1245217					1245705	488		
277	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{3}{2}F) 2F_{5/2}$	1246107					1247208	1101		
278	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{1}{2}G) 2I_{13/2}$	1247404					1249085	1682		
279	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{3}{2}F) 2G_{9/2}$	1248023					1250402	2379		
280	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{3}{2}F) 2G_{7/2}$	1248339					1250544	2205		
281	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{1}{2}G) 2H_{9/2}$	1249141					1251159	2018		
282	$3s^2 S 3p^2(\frac{3}{2}P) 3P 4s 4P_{3/2}$	1249844	1249660	-184	1249660	-184	1248240	-1604		
283	$3s^2 S 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{3}{2}F) 4F_{5/2}$	1250694					1252893	2199		

Table 1 continued

Table 1 (*continued*)

Key	Level	$E_{\text{MCDHF}1}$	$E_{\text{MCDHF}2}$	$\Delta E_{\text{MCDHF}2}$	E_{NIST}	ΔE_{NIST}	$E_{\text{CHIANTI}1}$	$\Delta E_{\text{CHIANTI}1}$	$E_{\text{CHIANTI}2}$	$\Delta E_{\text{CHIANTI}2}$
284	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{3}{2}F)^4 F_{3/2}$	1250713							1251872	1159
285	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{1}{2}G)^2 H_{11/2}$	1251658							1253167	1509
286	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{3}{2}F)^4 F_{7/2}$	1252775							1255428	2653
287	$3s^2 S 3p^2(\frac{3}{2}P)^4 P 3d^2(\frac{3}{2}F)^4 D_{1/2}$	1253767							1251883	-1884
288	$3s^2 S 3p^2(\frac{3}{2}P)^4 P 3d^2(\frac{3}{2}F)^4 D_{3/2}$	1255188							1257129	1941
289	$3s^2 S 3p^2(\frac{3}{2}P)^4 P 3d^2(\frac{3}{2}F)^4 D_{5/2}$	1257066							1259038	1972
290	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{3}{2}F)^4 F_{9/2}$	1257148							1261079	3931
291	$3s^2 3p^2(\frac{3}{2}P)^3 P 4s^2 P_{1/2}$	1257717			1257730	13	1257730	13	1257732	15
292	$3s^2 3p^2(\frac{3}{2}P)^3 P 4s^2 P_{5/2}$	1258123			1258050	-73	1258050	-73	1256075	-2048
293	$3s^2 S 3p^2(\frac{3}{2}P)^4 P 3d^2(\frac{3}{2}F)^4 D_{7/2}$	1258462							1261419	2957
294	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{3}{2}P)^4 F_{3/2}$	1263683							1264097	414
295	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{3}{2}P)^2 D_{3/2}$	1264196							1265633	1437
296	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{3}{2}P)^4 F_{5/2}$	1264689							1266928	2239
297	$3s^2 3p^2(\frac{3}{2}P)^3 P 4s^2 P_{3/2}$	1266649			1266360	-289	1266360	-289	1266928	279
298	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{3}{2}P)^4 F_{7/2}$	1267969							1269452	1483
299	$3s^2 S 3p^2(\frac{3}{2}P)^2 P 3d^2(\frac{3}{2}F)^2 D_{5/2}$	1268455							1269463	1008
300	$3s^2 S 3p^2(\frac{3}{2}P)^4 P 3d^2(\frac{3}{2}P)^4 S_{3/2}$	1268563							1266434	-2129
301	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{3}{2}P)^4 F_{9/2}$	1269246							1270681	1435
302	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{3}{2}F)^4 P_{3/2}$	1269555							1273688	4133
303	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{3}{2}F)^4 P_{5/2}$	1270132							1273359	3227
304	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{3}{2}F)^4 P_{1/2}$	1270497							1274061	3564
305	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{3}{2}F)^4 D_{1/2}$	1274104							1276080	1976
306	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{1}{2}D)^2 P_{3/2}$	1274395							1275971	1576
307	$3s^2 S 3p^2(\frac{3}{2}P)^2 P 3d^2(\frac{3}{2}F)^4 G_{5/2}$	1274741							1277353	2612
308	$3s^2 S 3p^2(\frac{3}{2}P)^4 P 3d^2(\frac{3}{2}P)^4 D_{7/2}$	1275024							1277551	2527
309	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{1}{2}D)^2 P_{1/2}$	1275464							1279482	4018
310	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{3}{2}F)^4 G_{5/2}$	1275906							1279592	3686
311	$3s^2 S 3p^2(\frac{3}{2}P)^2 P 3d^2(\frac{3}{2}F)^4 G_{7/2}$	1276549							1280678	4129
312	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{3}{2}F)^4 D_{3/2}$	1276623							1279691	3068
313	$3s^2 S 3p^2(\frac{3}{2}P)^4 P 3d^2(\frac{3}{2}P)^4 D_{5/2}$	1277390							1279713	2323
314	$3s^2 S 3p^2(\frac{3}{2}P)^2 P 3d^2(\frac{3}{2}F)^4 G_{9/2}$	1277566							1281830	4264
315	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{3}{2}P)^4 D_{3/2}$	1278652							1281885	3233
316	$3s^2 S 3p^2(\frac{3}{2}P)^2 P 3d^2(\frac{3}{2}F)^4 G_{11/2}$	1279076							1283016	3940
317	$3s^2 S 3p^2(\frac{1}{2}S)^2 S 3d^2(\frac{3}{2}F)^4 F_{3/2}$	1279112							1283948	4836
318	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{3}{2}P)^4 D_{1/2}$	1279173							1284003	4830
319	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{3}{2}P)^4 D_{5/2}$	1279566							1284431	4865
320	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{3}{2}P)^4 D_{7/2}$	1280829							1284563	3734
321	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{1}{2}G)^2 G_{7/2}$	1281453							1285803	4350
322	$3s^2 S 3p^2(\frac{1}{2}S)^2 S 3d^2(\frac{3}{2}F)^4 F_{5/2}$	1281759							1285825	4066
323	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{1}{2}G)^2 D_{3/2}$	1282901							1284376	1475
324	$3s^2 S 3p^2(\frac{1}{2}S)^2 S 3d^2(\frac{3}{2}F)^4 F_{7/2}$	1285228							1289830	4602
325	$3s^2 S 3p^2(\frac{1}{2}S)^2 S 3d^2(\frac{3}{2}F)^4 F_{9/2}$	1286120							1290478	4358
326	$3s^2 S 3p^2(\frac{3}{2}P)^2 P 3d^1 D 4s^2 D_{5/2}$	1286663							1291114	4451
327	$3s^2 3p^2(\frac{1}{2}D)^1 D 4s^2 D_{5/2}$	1287928			1287700	-228	1287700	-228	1287702	-226
328	$3s^2 3p^2(\frac{1}{2}D)^1 D 4s^2 D_{3/2}$	1289213			1289060	-153	1289060	-153	1289062	-151
329	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{1}{2}G)^2 F_{7/2}$	1290524							1295076	4552
330	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{1}{2}G)^2 G_{9/2}$	1291734							1296426	4692
331	$3s^2 S 3p^2(\frac{3}{2}P)^2 P 3d^2(\frac{1}{2}G)^2 F_{7/2}$	1304725							1307772	3047
332	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{1}{2}D)^2 S_{1/2}$	1308775							1314752	5977
333	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{3}{2}P)^2 F_{5/2}$	1309026							1311196	2170
334	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{1}{2}G)^2 F_{5/2}$	1309606							1312217	2611
335	$3s^2 S 3p^2(\frac{1}{2}S)^2 S 3d^2(\frac{3}{2}P)^4 P_{3/2}$	1313410							1317715	4305
336	$3s^2 S 3p^2(\frac{3}{2}P)^4 P 3d^2(\frac{3}{2}P)^4 P_{1/2}$	1314478							1319284	4806
337	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{1}{2}G)^2 D_{5/2}$	1314494							1317396	2902
338	$3s^2 S 3p^2(\frac{3}{2}P)^4 P 3d^2(\frac{3}{2}P)^4 P_{3/2}$	1316345							1319416	3071
339	$3s^2 S 3p^2(\frac{3}{2}P)^4 P 3d^2(\frac{3}{2}P)^2 P_{1/2}$	1317133							1322850	5717
340	$3s^2 S 3p^2(\frac{3}{2}P)^4 P 3d^2(\frac{3}{2}F)^2 F_{7/2}$	1318379							1320074	1695
341	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{3}{2}F)^2 D_{3/2}$	1318794							1321720	2926
342	$3s^2 S 3p^2(\frac{1}{2}S)^2 S 3d^2(\frac{3}{2}P)^4 P_{5/2}$	1319518							1323180	3662
343	$3s^2 S 3p^2(\frac{1}{2}D)^2 D 3d^2(\frac{1}{2}D)^2 D_{3/2}$	1319684							1325747	6063

Table 1 continued

Table 1 (*continued*)

Key	Level	E_{MCDHF1}	E_{MCDHF2}	ΔE_{MCDHF2}	E_{NIST}	ΔE_{NIST}	E_{CHIANTI1}	$\Delta E_{\text{CHIANTI1}}$	E_{CHIANTI2}	$\Delta E_{\text{CHIANTI2}}$
344	$3s^2 S 3p^2(^3P) 4P 3d^2(^3P) 4P_{5/2}$	1320949							1328260	7311
345	$3s^2 S 3p^2(^1S) 2S 3d^2(^1G) 2G_{9/2}$	1322683							1328491	5808
346	$3s^2 S 3p^2(^3P) 2P 3d^2(^3P) 4D_{1/2}$	1323203							1328008	4805
347	$3s^2 S 3p^2(^3P) 4P 3d^2(^3P) 2P_{3/2}$	1324021							1328315	4294
348	$3s^2 S 3p^2(^1S) 2S 3d^2(^1G) 2G_{7/2}$	1325154							1329292	4138
349	$3s^2 S 3p^2(^1S) 2S 3d^2(^3P) 4P_{1/2}$	1326008							1332343	6335
350	$3s^2 S 3p^2(^1D) 2D 3d^2(^3F) 2D_{5/2}$	1326814							1331245	4431
351	$3s^2 S 3p^2(^3P) 2P 3d^2(^3P) 4D_{3/2}$	1328703							1333495	4792
352	$3s^2 S 3p^2(^3P) 2P 3d^2(^1G) 2H_{9/2}$	1330008							1335646	5638
353	$3s^2 S 3p^2(^1S) 1S 4s 2S_{1/2}$	1330572							1336282	5710
354	$3s^2 S 3p^2(^3P) 2P 3d^2(^3F) 4F_{9/2}$	1330675							1342603	11928
355	$3s^2 S 3p^2(^3P) 2P 3d^2(^3P) 4D_{7/2}$	1331848							1336666	4818
356	$3s^2 S 3p^2(^1D) 2D 3d^2(^3P) 2P_{3/2}$	1333045							1337709	4664
357	$3s^2 S 3p^2(^3P) 2P 3d^2(^3P) 4D_{5/2}$	1333078							1339157	6079
358	$3s^2 S 3p^2(^1D) 2D 3d^2(^3P) 2P_{1/2}$	1334104							1336974	2870
359	$3s^2 S 3p^2(^3P) 2P 3d^2(^3F) 4F_{7/2}$	1335023							1346598	11575
360	$3s^2 S 3p^2(^3P) 2P 3d^2(^3F) 4F_{5/2}$	1337292							1339157	1865
361	$3s^2 S 3p^2(^3P) 2P 3d^2(^3F) 4F_{3/2}$	1338395							1344205	5810
362	$3s^2 S 3p^2(^3P) 3P 4p 2S_{1/2}^o$	1338860							1335722	-3138
363	$3s^2 S 3p^2(^3P) 2P 3d^2(^1G) 2H_{11/2}$	1338878							1345028	6150
364	$3s^2 S 3p^2(^3P) 2P 3d^2(^3P) 4S_{3/2}$	1340240							1345160	4920
365	$3s^2 S 3p^2(^1S) 2S 3d^2(^1D) 2D_{3/2}$	1341460							1351953	10493
366	$3s^2 S 3p^2(^1S) 2S 3d^2(^1D) 2D_{5/2}$	1342499							1346751	4252
367	$3s^2 S 3p^2(^3P) 4P 3d^2(^3F) 2G_{7/2}$	1344989							1354828	9839
368	$3s^2 S 3p^2(^1S) 2S 3d^2(^3P) 2P_{1/2}$	1345099							1349143	4044
369	$3s^2 S 3p^2(^3P) 3P 4p 4D_{5/2}^o$	1346354							1342888	-3466
370	$3s^2 S 3p^2(^3P) 4P 3d^2(^3F) 2G_{9/2}$	1348544							1357802	9258
371	$3s^2 S 3p^2(^3P) 3P 4p 4D_{3/2}^o$	1349650			1349337	-313	1346411	-3239		
372	$3s^2 S 3p^2(^1S) 2S 3d^2(^3P) 2P_{3/2}$	1349665							1354169	4504
373	$3s^2 S 3p^2(^1D) 2D 3d^2(^3P) 2F_{7/2}$	1349815							1355333	5518
374	$3s^2 S 3p^2(^3P) 4P 3d^2(^3F) 2F_{5/2}$	1351129							1357154	6025
375	$3s^2 S 3p^2(^3P) 2P 3d^2(^3F) 4D_{5/2}$	1354974							1359349	4375
376	$3s^2 S 3p^2(^3P) 2P 3d^2(^3F) 4D_{3/2}$	1355698							1359590	3892
377	$3s^2 S 3p^2(^3P) 2P 3d^2(^3F) 4D_{1/2}$	1356276							1359700	3424
378	$3s^2 S 3p^2(^3P) 2P 3d^2(^3F) 4D_{7/2}$	1356391							1361632	5241
379	$3s^2 S 3p^2(^1S) 2S 3d^2(^1S) 2S_{1/2}$	1357269							1360238	2969
380	$3s^2 S 3p^2(^3P) 3P 4p 4D_{5/2}^o$	1357297			1356855	-442	1353390	-3907		
381	$3s^2 S 3p^2(^3P) 3P 4p 4P_{3/2}^o$	1359400							1356825	-2575
382	$3s^2 S 3p^2(^3P) 2P 3d^2(^3P) 4P_{5/2}$	1360384							1367766	7382
383	$3s^2 S 3p^2(^3P) 2P 3d^2(^3P) 4P_{3/2}$	1362898							1370959	8061
384	$3s^2 S 3p^2(^3P) 2P 3d^2(^3P) 4P_{1/2}$	1362989							1373099	10110
385	$3s^2 S 3p^2(^3P) 3P 4p 4P_{1/2}^o$	1363155							1358976	-4179
386	$3s^2 S 3p^2(^3P) 3P 4p 4P_{5/2}^o$	1364675							1361335	-3340
387	$3s^2 S 3p^2(^3P) 3P 4p 4D_{7/2}^o$	1365552			1360300	-5252	1361368	-4184		
388	$3s^2 S 3p^2(^3P) 3P 4p 2D_{3/2}^o$	1366300							1363629	-2671
389	$3s^2 S 3p^2(^1D) 2D 3d^2(^1S) 2D_{3/2}$	1368039							1373121	5082
390	$3s^2 S 3p^2(^3P) 2P 3d^2(^1G) 2G_{7/2}$	1369872							1377598	7726
391	$3s^2 S 3p^2(^1D) 2D 3d^2(^1S) 2D_{5/2}$	1371983							1376380	4397
392	$3s^2 S 3p^2(^3P) 3P 4p 4S_{3/2}^o$	1373358			1373225	-133	1374570	1212		
393	$3s^2 S 3p^2(^3P) 2P 3d^2(^1G) 2G_{9/2}$	1373473							1380912	7439
394	$3s^2 S 3p^2(^3P) 2P 3d^2(^1D) 2F_{5/2}$	1376381							1386893	10512
395	$3s^2 S 3p^2(^3P) 2P 3d^2(^3F) 2D_{3/2}$	1376798							1388111	11313
396	$3s^2 S 3p^2(^1S) 2S 3d^2(^3F) 2F_{5/2}$	1378026							1398756	20730
397	$3s^2 S 3p^2(^3P) 3P 4p 2D_{5/2}^o$	1379123							1375239	-3884
398	$3s^2 S 3p^2(^3P) 2P 3d^2(^1D) 2F_{7/2}$	1382120							1392468	10348
399	$3s^2 S 3p^2(^3P) 3P 4p 2P_{3/2}^o$	1382962							1380770	-2192
400	$3s^2 S 3p^2(^1D) 2D 3d^2(^3F) 2P_{1/2}$	1385007							1392160	7153
401	$3s^2 S 3p^2(^3P) 3P 4p 2P_{1/2}^o$	1385377							1382942	-2435
402	$3s^2 S 3p^2(^1D) 2D 3d^2(^3F) 2P_{3/2}$	1386326							1394882	8556

Table 1 continued

Table 1 (*continued*)

Key	Level	$E_{\text{MCDHF}1}$	$E_{\text{MCDHF}2}$	$\Delta E_{\text{MCDHF}2}$	E_{NIST}	ΔE_{NIST}	$E_{\text{CHIANTI}1}$	$\Delta E_{\text{CHIANTI}1}$	$E_{\text{CHIANTI}2}$	$\Delta E_{\text{CHIANTI}2}$
403	$3s^2 S 3p^2(^1S) 2S 3d^2(^3F) 2F_{7/2}$	1386372							1397548	11176
404	$3s^2 S 3p^2(^3P) 2P 3d^2(^1G) 2F_{5/2}$	1386832							1398756	11924
405	$3s^2 S 3p^2(^3P) 4P 3d^2(^3P) 2D_{3/2}$	1388392							1399271	10879
406	$3s^2 S 3p^2(^3P) 4P 3d^2(^3P) 2D_{5/2}$	1394003							1404660	10657
407	$3s^2 3p^2(^1D) 1D 4p 2F_{5/2}^o$	1397826					1397599	-227	1396341	-1485
408	$3s^2 3p^2(^1D) 1D 4p 2F_{7/2}^o$	1402092					1401489	-603	1401488	-604
409	$3s^2 3p^2(^1D) 1D 4p 2D_{3/2}^o$	1405804							1410004	4200
410	$3s^2 3p^2(^1D) 1D 4p 2D_{5/2}^o$	1407964							1411705	3741
411	$3s^2 S 3p^2(^3P) 2P 3d^2(^3F) 2G_{9/2}$	1411364							1425499	14135
412	$3s^2 S 3p^2(^3P) 2P 3d^2(^3F) 2G_{7/2}$	1412764							1426530	13766
413	$3s^2 S 3p^2(^3P) 4P 3d^2(^3P) 2S_{1/2}$	1412785							1425992	13207
414	$3s^2 3p^2(^1D) 1D 4p 2P_{1/2}^o$	1422863							1426728	3865
415	$3s^2 S 3p^2(^3P) 2P 3d^2(^1D) 2D_{5/2}$	1424889							1434618	9729
416	$3s^2 S 3p^2(^3P) 2P 3d^2(^1D) 2D_{3/2}$	1426621							1435474	8853
417	$3p^3(^3S) 4S 3d^2(^3F) 6F_{1/2}^o$	1429331							1420100	-9231
418	$3p^3(^3S) 4S 3d^2(^3F) 6F_{3/2}^o$	1429424							1420242	-9182
419	$3p^3(^3S) 4S 3d^2(^3F) 6F_{5/2}^o$	1429717							1420615	-9102
420	$3p^3(^3S) 4S 3d^2(^3F) 6F_{7/2}^o$	1430288							1421296	-8992
421	$3s^2 S 3p^2(^3P) 2P 3d^2(^1S) 2P_{1/2}$	1430733							1440335	9602
422	$3s^2 3p^2(^1D) 1D 4p 2P_{3/2}^o$	1430869							1434596	3727
423	$3p^3(^3S) 4S 3d^2(^3F) 6F_{9/2}^o$	1431187							1422316	-8871
424	$3p^3(^3S) 4S 3d^2(^3F) 6F_{11/2}^o$	1432346							1423633	-8713
425	$3s^2 S 3p^2(^3P) 2P 3d^2(^1S) 2P_{3/2}$	1433785							1442969	9184
426	$3s^2 3d^3(^3F) 4F_{3/2}$	1442603							1457696	15093
427	$3s^2 3d^3(^3F) 4F_{5/2}$	1443042							1458288	15246
428	$3s^2 3d^3(^3F) 4F_{7/2}$	1443717							1459122	15405
429	$3s^2 3d^3(^3F) 4F_{9/2}$	1444632							1460242	15610
430	$3s^2 3p^2(^1S) 1S 4p 2P_{1/2}^o$	1447363							1453515	6152
431	$3p^3(^3D) 2D 3d^2(^3F) 4G_{5/2}^o$	1447617							1438042	-9575
432	$3p^3(^3D) 2D 3d^2(^3P) 4F_{3/2}^o$	1448720							1438963	-9757
433	$3s^2 S 3p^3(^3S) 5S 4s 6S_{5/2}^o$	1449376							1444384	-4992
434	$3p^3(^3D) 2D 3d^2(^3F) 4G_{7/2}^o$	1449551							1439973	-9578
435	$3s^2 3p^2(^1S) 1S 4p 2P_{3/2}^o$	1450305							1455929	5624
436	$3p^3(^3D) 2D 3d^2(^3P) 4P_{1/2}^o$	1450692							1440752	-9940
437	$3p^3(^3D) 2D 3d^2(^3F) 4G_{9/2}^o$	1452300							1442716	-9584
438	$3p^3(^3D) 2D 3d^2(^3P) 4F_{5/2}^o$	1452597							1443024	-9573
439	$3p^3(^3D) 2D 3d^2(^3P) 4P_{3/2}^o$	1452991							1443122	-9869
440	$3p^3(^3D) 2D 3d^2(^3F) 4D_{7/2}^o$	1454023							1445657	-8366
441	$3s^2 S 3p^2(^3P) 2P 3d^2(^3F) 2F_{7/2}$	1454069							1470129	16060
442	$3p^3(^3D) 2D 3d^2(^3F) 4G_{11/2}^o$	1455600							1446096	-9504
443	$3p^3(^3S) 4S 3d^2(^3P) 6P_{5/2}^o$	1456102							1446250	-9852
444	$3p^3(^3S) 4S 3d^2(^3P) 6P_{3/2}^o$	1458595							1449937	-8658
445	$3p^3(^3S) 4S 3d^2(^1D) 4D_{5/2}^o$	1458664							1449827	-8837
446	$3p^3(^3D) 2D 3d^2(^3P) 4F_{7/2}^o$	1458850							1449344	-9506
447	$3s^2 S 3p^2(^3P) 2P 3d^2(^3F) 2F_{5/2}$	1459256							1475462	16206
448	$3p^3(^3D) 2D 3d^2(^3F) 4D_{1/2}^o$	1459709							1451331	-8378
449	$3p^3(^3D) 2D 3d^2(^3F) 4D_{3/2}^o$	1459737							1450903	-8834
450	$3p^3(^3D) 2D 3d^2(^3F) 4D_{5/2}^o$	1461308							1452626	-8682
451	$3p^3(^3D) 2D 3d^2(^3P) 4F_{9/2}^o$	1461465							1451276	-10189
452	$3p^3(^3D) 2D 3d^2(^3F) 2D_{3/2}^o$	1462222							1453174	-9048
453	$3p^3(^3S) 4S 3d^2(^3P) 6P_{7/2}^o$	1462460							1454173	-8287
454	$3s^2 S 3p^2(^3P) 2P 3d^2(^3P) 2D_{5/2}$	1465037							1483330	18293
455	$3p^3(^3D) 2D 3d^2(^3F) 2D_{5/2}^o$	1466186							1456894	-9292
456	$3s^2 S 3p^2(^3P) 2P 3d^2(^3P) 2D_{3/2}$	1466554							1484856	18302
457	$3p^3(^3D) 2D 3d^2(^3F) 4H_{7/2}^o$	1467496							1461185	-6311
458	$3p^3(^3D) 2D 3d^2(^3F) 4H_{9/2}^o$	1468898							1462656	-6242
459	$3s^2 3d^3(^3H) 2H_{9/2}$	1469311							1484834	15523

Table 1 continued

Table 1 (*continued*)

Key	Level	E_{MCDHF1}	E_{MCDHF2}	ΔE_{MCDHF2}	E_{NIST}	ΔE_{NIST}	E_{CHIANTI1}	$\Delta E_{\text{CHIANTI1}}$	E_{CHIANTI2}	$\Delta E_{\text{CHIANTI2}}$
460	$3s^2 3d^3 (\frac{2}{3}H) \ 2H_{11/2}$	1470500							1485766	15266
461	$3p^3 (\frac{2}{3}D) \ 2D \ 3d^2 (\frac{3}{2}F) \ 4H_{11/2}^o$	1470632							1464444	-6188
462	$3p^3 (\frac{2}{3}D) \ 2D \ 3d^2 (\frac{3}{2}F) \ 4H_{13/2}^o$	1472828							1466617	-6211
463	$3s^2 3d^3 (\frac{2}{3}G) \ 2G_{7/2}$	1475801							1494271	18470
464	$3s^2 3d^3 (\frac{2}{3}G) \ 2G_{9/2}$	1476031							1494622	18591
465	$3s^2 3d^3 (\frac{4}{3}P) \ 4P_{1/2}$	1476849							1502194	25345
466	$3s^2 3d^3 (\frac{4}{3}P) \ 4P_{3/2}$	1476861							1502260	25399
467	$3s^2 3d^3 (\frac{4}{3}P) \ 4P_{5/2}$	1477469							1502183	24714
468	$3s \ 2S \ 3p^2 (\frac{3}{2}P) \ 2P \ 3d^2 (\frac{3}{2}P) \ 2P_{3/2}$	1477959							1498836	20877
469	$3p^3 (\frac{2}{3}D) \ 2D \ 3d^2 (\frac{1}{2}G) \ 2F_{7/2}^o$	1478393							1472817	-5576
470	$3s \ 2S \ 3p^2 (\frac{3}{2}P) \ 2P \ 3d^2 (\frac{3}{2}P) \ 2P_{1/2}$	1478898							1499791	20893
471	$3s \ 2S \ 3p^3 (\frac{4}{3}S) \ 5S \ 4s \ 4S_{9/2}^o$	1484211				1483972	-239	1488192	3981	
472	$3p^3 (\frac{2}{3}D) \ 2D \ 3d^2 (\frac{1}{2}D) \ 2F_{5/2}^o$	1484381							1478754	-5627
473	$3p^3 (\frac{2}{3}D) \ 2D \ 3d^2 (\frac{1}{2}G) \ 2H_{9/2}^o$	1485936							1482924	-3012
474	$3p^3 (\frac{2}{3}D) \ 2D \ 3d^2 (\frac{1}{2}G) \ 2H_{11/2}^o$	1490299							1487226	-3073
475	$3p^3 (\frac{2}{3}D) \ 2D \ 3d^2 (\frac{1}{2}D) \ 2P_{3/2}^o$	1501240							1497025	-4215
476	$3s^2 3d^3 (\frac{2}{3}D) \ 2D_{3/2}$	1501920							1523692	21772
477	$3s \ 2S \ 3p^2 (\frac{3}{2}P) \ 2P \ 3d^2 (\frac{3}{2}P) \ 2S_{1/2}$	1502322							1537090	34768
478	$3s^2 3d^3 (\frac{2}{3}D) \ 2D_{5/2}$	1502827							1528827	26000
479	$3p^3 (\frac{2}{3}D) \ 2D \ 3d^2 (\frac{3}{2}F) \ 4F_{7/2}^o$	1503647							1500109	-3538
480	$3p^3 (\frac{2}{3}D) \ 2D \ 3d^2 (\frac{3}{2}F) \ 4F_{5/2}^o$	1503713							1499857	-3856
481	$3p^3 (\frac{2}{3}D) \ 2D \ 3d^2 (\frac{1}{2}D) \ 2P_{1/2}^o$	1504704							1501371	-3333
482	$3p^3 (\frac{2}{3}D) \ 2D \ 3d^2 (\frac{3}{2}F) \ 4F_{3/2}^o$	1505079							1500778	-4301
483	$3p^3 (\frac{2}{3}D) \ 2D \ 3d^2 (\frac{1}{2}D) \ 2G_{7/2}^o$	1505597							1504005	-1592
484	$3s^2 3d^3 (\frac{2}{3}P) \ 2P_{3/2}$	1505611							1529047	23436
485	$3p^3 (\frac{2}{3}D) \ 2D \ 3d^2 (\frac{2}{3}F) \ 4F_{9/2}^o$	1506176							1502348	-3828
486	$3s^2 3p^2 (\frac{3}{2}P) \ 3P \ 4d \ 4F_{3/2}$	1506468							1505322	-1146
487	$3p^3 (\frac{2}{3}D) \ 2D \ 3d^2 (\frac{1}{2}D) \ 2G_{9/2}^o$	1506497							1505135	-1362
488	$3s^2 3p^2 (\frac{3}{2}P) \ 3P \ 4d \ 4P_{5/2}$	1507751			1508360	609	1508360	609	1507044	-707
489	$3s^2 3d^3 (\frac{2}{3}P) \ 2P_{1/2}$	1508200							1525798	17598
490	$3s^2 3d^3 (\frac{2}{3}F) \ 2F_{7/2}$	1508349							1533041	24692
491	$3s^2 3d^3 (\frac{2}{3}F) \ 2F_{5/2}$	1508815							1532470	23655
492	$3s^2 3p^2 (\frac{3}{2}P) \ 3P \ 4d \ 2P_{3/2}$	1512801							1510644	-2157
493	$3s^2 3p^2 (\frac{2}{3}P) \ 3P \ 4d \ 4F_{5/2}$	1514177			1514070	-107	1514070	-107	1514068	-109
494	$3p^3 (\frac{2}{3}D) \ 2D \ 3d^2 (\frac{1}{2}D) \ 2S_{1/2}^o$	1516539							1508076	-8463
495	$3s^2 3p^2 (\frac{3}{2}P) \ 3P \ 4d \ 2P_{1/2}$	1517221							1514825	-2396
496	$3s^2 3p^2 (\frac{2}{3}P) \ 3P \ 4d \ 4P_{3/2}$	1517434			1517340	-94	1517340	-94	1515022	-2412
497	$3s^2 3p^2 (\frac{2}{3}P) \ 3P \ 4d \ 4F_{7/2}$	1517524							1515000	-2524
498	$3s^2 3p^2 (\frac{3}{2}P) \ 3P \ 4d \ 2F_{5/2}$	1518836			1516030	-2806	1516030	-2806	1516032	-2804
499	$3p^3 (\frac{1}{2}P) \ 2P \ 3d^2 (\frac{3}{2}F) \ 4G_{5/2}^o$	1519669							1518995	-674
500	$3p^3 (\frac{1}{2}P) \ 2P \ 3d^2 (\frac{3}{2}F) \ 4G_{7/2}^o$	1520581							1519642	-939
501	$3s^2 3p^2 (\frac{2}{3}P) \ 3P \ 4d \ 4P_{1/2}$	1521799							1519006	-2793
502	$3p^3 (\frac{1}{2}P) \ 2P \ 3d^2 (\frac{3}{2}F) \ 4G_{9/2}^o$	1522180							1521036	-1144
503	$3p^3 (\frac{1}{2}P) \ 2P \ 3d^2 (\frac{3}{2}F) \ 4D_{1/2}^o$	1522998							1517513	-5485
504	$3p^3 (\frac{1}{2}P) \ 2P \ 3d^2 (\frac{3}{2}F) \ 4G_{11/2}^o$	1524395							1523231	-1164
505	$3s^2 3p^2 (\frac{2}{3}P) \ 3P \ 4d \ 4F_{9/2}$	1524640							1521672	-2968
506	$3p^3 (\frac{1}{2}P) \ 2P \ 3d^2 (\frac{3}{2}F) \ 4D_{3/2}^o$	1524990							1520026	-4964
507	$3s^2 3p^2 (\frac{2}{3}P) \ 3P \ 4d \ 2F_{7/2}$	1526756			1523140	-3616	1523140	-3616	1524471	-2285
508	$3p^3 (\frac{2}{3}D) \ 2D \ 3d^2 (\frac{3}{2}P) \ 2D_{5/2}^o$	1527405							1523648	-3757
509	$3p^3 (\frac{2}{3}D) \ 2D \ 3d^2 (\frac{3}{2}P) \ 2D_{3/2}^o$	1527747							1524471	-3276
510	$3s \ 2S \ 3p^3 (\frac{2}{3}D) \ 3D \ 4s \ 4D_{1/2}^o$	1528339							1525030	-3309
511	$3s \ 2S \ 3p^3 (\frac{2}{3}D) \ 3D \ 4s \ 4D_{3/2}^o$	1528382							1525063	-3319
512	$3s \ 2S \ 3p^3 (\frac{2}{3}D) \ 3D \ 4s \ 4D_{5/2}^o$	1528644							1525382	-3262
513	$3s^2 3p^2 (\frac{2}{3}P) \ 3P \ 4d \ 4D_{1/2}$	1529334							1526402	-2932
514	$3s^2 3p^2 (\frac{2}{3}P) \ 3P \ 4d \ 4D_{3/2}$	1529388							1526611	-2777
515	$3p^3 (\frac{2}{3}D) \ 2D \ 3d^2 (\frac{1}{2}G) \ 2I_{11/2}^o$	1529727							1529727	0
516	$3p^3 (\frac{1}{2}P) \ 2P \ 3d^2 (\frac{3}{2}P) \ 2D_{5/2}^o$	1530185							1526424	-3761
517	$3s^2 3p^2 (\frac{2}{3}P) \ 3P \ 4d \ 4D_{5/2}$	1530471							1527884	-2587

Table 1 continued

Table 1 (*continued*)

Key	Level	E_{MCDHF1}	E_{MCDHF2}	ΔE_{MCDHF2}	E_{NIST}	ΔE_{NIST}	E_{CHIANTI1}	$\Delta E_{\text{CHIANTI1}}$	E_{CHIANTI2}	$\Delta E_{\text{CHIANTI2}}$
518	$3s^2 S 3p^3(^3D) ^3D 4s ^4D_{7/2}^o$	1530845							1527203	-3642
519	$3p^3(^3D) ^2D 3d^2(^1G) ^2I_{13/2}^o$	1531682							1531615	-67
520	$3s^2 3p^2(^3P) ^3P 4d ^4D_{7/2}$	1532429			1532160	-269	1532160	-269	1529870	-2559
521	$3p^3(^2P) ^2P 3d^2(^3F) ^2F_{5/2}^o$	1532522							1532196	-326
522	$3p^3(^2P) ^2P 3d^2(^3F) ^4D_{7/2}^o$	1533329							1529947	-3382
523	$3s^2 S 3p^3(^3P) ^3P 3d^3(^4F) ^6G_{3/2}^o$	1533352							1525766	-7586
524	$3s^2 S 3p^3(^3P) ^3P 3d^3(^4F) ^6G_{5/2}^o$	1534981							1527412	-7569
525	$3s^2 3p^2(^3P) ^3P 4d ^2D_{5/2}$	1535024			1534990	-34	1534990	-34	1534994	-30
526	$3p^3(^2D) ^2D 3d^2(^3F) ^4P_{1/2}^o$	1535621							1532043	-3578
527	$3p^3(^2D) ^2D 3d^2(^3F) ^4P_{3/2}^o$	1536314							1532822	-3492
528	$3s^2 3p^2(^3P) ^3P 4d ^2D_{3/2}$	1536959			1536480	-479	1536480	-479	1536476	-483
529	$3s^2 S 3p^3(^4F) ^6G_{7/2}^o$	1537305							1529738	-7567
530	$3p^3(^2P) ^2P 3d^2(^3F) ^2F_{7/2}^o$	1537915							1535938	-1977
531	$3p^3(^2D) ^2D 3d^2(^3F) ^4P_{5/2}^o$	1538461							1535049	-3412
532	$3p^3(^2D) ^2D 3d^2(^1G) ^2G_{9/2}^o$	1539742							1538111	-1631
533	$3s^2 S 3p^3(^3P) ^3P 3d^3(^4F) ^6G_{9/2}^o$	1540466							1532910	-7556
534	$3p^3(^2P) ^2P 3d^2(^3F) ^4F_{3/2}^o$	1541825							1537464	-4361
535	$3p^3(^2P) ^2P 3d^2(^3F) ^4F_{5/2}^o$	1542243							1539977	-2266
536	$3s^2 S 3p^3(^3P) ^3P 3d^3(^4F) ^6G_{11/2}^o$	1544553							1536948	-7605
537	$3p^3(^2D) ^2D 3d^2(^1G) ^2G_{7/2}^o$	1544615							1542731	-1884
538	$3s^2 S 3p^3(^3P) ^3P 3d^3(^3F) ^4F_{5/2}^o$	1546366							1543225	-3141
539	$3p^3(^2P) ^2P 3d^2(^3F) ^4F_{7/2}^o$	1546752							1544212	-2540
540	$3s^2 3p^3(^2D) ^2D_{5/2}$	1548065							1571010	22945
541	$3s^2 3p^3(^2D) ^2D_{3/2}$	1548892							1571449	22557
542	$3s^2 3p^2(^1D) ^1D 4d ^2F_{7/2}$	1549492			1549250	-242	1549250	-242	1548328	-1164
543	$3s^2 S 3p^3(^2D) ^3D 4s ^2D_{3/2}^o$	1549907							1553551	3644
544	$3s^2 S 3p^3(^3P) ^3P 3d^3(^4F) ^6G_{13/2}^o$	1549918							1542106	-7812
545	$3s^2 3p^2(^1D) ^1D 4d ^2F_{5/2}$	1550449			1551400	951	1551400	951	1549491	-958
546	$3p^3(^2P) ^2P 3d^2(^3F) ^4F_{9/2}^o$	1551151							1546967	-4184
547	$3s^2 S 3p^3(^2D) ^3D 4s ^2D_{5/2}^o$	1551502							1554374	2872
548	$3s^2 3p^2(^1D) ^1D 4d ^2D_{3/2}$	1551655							1551236	-419
549	$3p^3(^2D) ^2D 3d^2(^1D) ^2F_{7/2}^o$	1551889							1549436	-2453
550	$3p^3(^2D) ^2D 3d^2(^3P) ^4D_{1/2}^o$	1552467							1548745	-3722
551	$3p^3(^2D) ^2D 3d^2(^3P) ^4D_{3/2}^o$	1554219							1550434	-3785
552	$3s^2 3p^2(^1D) ^1D 4d ^2D_{5/2}$	1555381			1551640	-3741	1551640	-3741	1554341	-1040
553	$3p^3(^2P) ^2P 3d^2(^3P) ^4S_{3/2}^o$	1555762							1551795	-3967
554	$3p^3(^2D) ^2D 3d^2(^3F) ^2G_{7/2}^o$	1556562							1554978	-1584
555	$3p^3(^2D) ^2D 3d^2(^3P) ^4D_{5/2}^o$	1557769							1553628	-4141
556	$3s^2 S 3p^3(^4S) ^5S 4p ^6P_{3/2}$	1558338							1552157	-6181
557	$3p^3(^2P) ^2P 3d^2(^1D) ^2P_{3/2}^o$	1559858							1555658	-4200
558	$3s^2 S 3p^3(^4S) ^5S 4p ^6P_{5/2}$	1559907							1553869	-6038
559	$3p^3(^2P) ^2P 3d^2(^1D) ^2P_{1/2}^o$	1560128							1554330	-5798
560	$3p^3(^2D) ^2D 3d^2(^3P) ^4D_{7/2}^o$	1560254							1559126	-1128
561	$3s^2 3p^2(^2D) ^1D 4d ^2G_{7/2}$	1561573							1561310	-263
562	$3s^2 3p^2(^1D) ^1D 4d ^2G_{9/2}$	1562213							1561979	-234
563	$3s^2 S 3p^3(^4S) ^5S 4p ^6P_{7/2}$	1563278							1557216	-6062
564	$3p^3(^2P) ^2P 3d^2(^3F) ^4D_{5/2}^o$	1563389							1564305	916
565	$3p^3(^2P) ^2P 3d^2(^3P) ^4D_{7/2}^o$	1563710							1562890	-820
566	$3s^2 3p^2(^1D) ^1D 4d ^2P_{1/2}$	1564883							1564393	-490
567	$3p^3(^2P) ^2P 3d^2(^3P) ^4D_{3/2}^o$	1564964							1564986	22
568	$3p^3(^2D) ^2D 3d^2(^3F) ^2G_{9/2}^o$	1565201							1563120	-2081
569	$3p^3(^2P) ^2P 3d^2(^3P) ^4D_{1/2}^o$	1565963							1565381	-582
570	$3s^2 3p^2(^1D) ^1D 4d ^2P_{3/2}$	1566331			1565720	-611	1565720	-611	1565721	-610
571	$3p^3(^4S) ^4S 3d^2(^1G) ^4G_{11/2}^o$	1568723							1576058	7335
572	$3s^2 S 3p^3(^1P) ^3P 4s ^4P_{1/2}^o$	1569212							1568881	-331
573	$3p^3(^4S) ^4S 3d^2(^1G) ^4G_{9/2}^o$	1569566							1575367	5801
574	$3s^2 S 3p^3(^2P) ^3P 4s ^4P_{3/2}^o$	1570109							1569792	-317

Table 1 continued

Table 1 (*continued*)

Key	Level	E_{MCDHF1}	E_{MCDHF2}	ΔE_{MCDHF2}	E_{NIST}	ΔE_{NIST}	E_{CHIANTI1}	$\Delta E_{\text{CHIANTI1}}$	E_{CHIANTI2}	$\Delta E_{\text{CHIANTI2}}$
575	$3s\ 2S\ 3p^3(\frac{1}{2}P)\ 3P\ 4s\ 4P_{5/2}^o$	1571348							1570692	-656
576	$3p^3(\frac{1}{3}S)\ 4S\ 3d^2(\frac{1}{2}G)\ 4G_{7/2}^o$	1571730							1578352	6622
577	$3p^3(\frac{1}{3}S)\ 4S\ 3d^2(\frac{1}{2}G)\ 4G_{5/2}^o$	1572181							1573238	1057
578	$3s\ 2S\ 3p\ 3P\ 3d^3(\frac{4}{3}P)\ 6D_{1/2}^o$	1573673							1567334	-6339
579	$3p^3(\frac{2}{1}P)\ 2P\ 3d^2(\frac{3}{2}P)\ 4P_{5/2}^o$	1574047							1578747	4700
580	$3p^3(\frac{2}{1}P)\ 2P\ 3d^2(\frac{3}{2}P)\ 4P_{3/2}^o$	1574416							1574489	73
581	$3s^2\ 3p^2(\frac{1}{2}D)\ 1D\ 4d\ 2S_{1/2}$	1574583			1569410	-5173	1569410	-5173	1575235	652
582	$3s\ 2S\ 3p\ 3P\ 3d^3(\frac{4}{3}F)\ 6F_{1/2}^o$	1575211							1569584	-5627
583	$3s\ 2S\ 3p\ 3P\ 3d^3(\frac{4}{3}F)\ 6F_{3/2}^o$	1575602							1568772	-6830
584	$3s\ 2S\ 3p\ 3P\ 3d^3(\frac{4}{3}F)\ 6F_{5/2}^o$	1575739							1569222	-6517
585	$3s\ 2S\ 3p\ 3P\ 3d^3(\frac{4}{3}F)\ 6F_{7/2}^o$	1576980							1570330	-6650
586	$3p^3(\frac{2}{1}P)\ 2P\ 3d^2(\frac{3}{2}P)\ 4P_{1/2}^o$	1577080							1574741	-2339
587	$3p^3(\frac{2}{3}D)\ 2D\ 3d^2(\frac{3}{2}F)\ 2H_{9/2}^o$	1577387							1581534	4147
588	$3s\ 2S\ 3p\ 3P\ 3d^3(\frac{4}{3}P)\ 6D_{3/2}^o$	1577580							1569463	-8117
589	$3s\ 2S\ 3p\ 3P\ 3d^3(\frac{4}{3}F)\ 6F_{9/2}^o$	1578902							1572196	-6706
590	$3s\ 2S\ 3p\ 3P\ 3d^3(\frac{4}{3}P)\ 6D_{5/2}^o$	1579601							1571756	-7845
591	$3p^3(\frac{2}{3}D)\ 2D\ 3d^2(\frac{1}{2}G)\ 2D_{3/2}^o$	1580250							1580448	198
592	$3p^3(\frac{2}{3}D)\ 2D\ 3d^2(\frac{1}{2}G)\ 2D_{5/2}^o$	1580438							1580689	251
593	$3s\ 2S\ 3p^3(\frac{4}{3}S)\ 5S\ 4p\ 4P_{5/2}^o$	1581305							1577671	-3634
594	$3s\ 2S\ 3p\ 3P\ 3d^3(\frac{4}{3}F)\ 6F_{11/2}^o$	1581369							1574105	-7264
595	$3s\ 2S\ 3p^3(\frac{4}{3}S)\ 5S\ 4p\ 4P_{3/2}^o$	1581862							1578407	-3455
596	$3p^3(\frac{2}{3}D)\ 2D\ 3d^2(\frac{3}{2}F)\ 2H_{11/2}^o$	1582481							1584936	2455
597	$3s\ 2S\ 3p^3(\frac{4}{3}S)\ 5S\ 4p\ 4P_{1/2}^o$	1583093							1579690	-3403
598	$3s\ 2S\ 3p\ 3P\ 3d^3(\frac{4}{3}P)\ 6D_{7/2}^o$	1583142							1575191	-7951
599	$3s\ 2S\ 3p\ 3P\ 3d^3(\frac{4}{3}P)\ 6D_{9/2}^o$	1587461							1579153	-8308
600	$3s\ 2S\ 3p^3(\frac{2}{1}P)\ 3P\ 4s\ 2P_{3/2}^o$	1589999							1593989	3990
601	$3s\ 2S\ 3p^3(\frac{2}{1}P)\ 3P\ 4s\ 2P_{1/2}^o$	1590346							1596140	5794
602	$3p^3(\frac{2}{1}P)\ 2P\ 3d^2(\frac{1}{2}D)\ 2F_{7/2}^o$	1594645							1600156	5511
603	$3s\ 2S\ 3p\ 3P\ 3d^3(\frac{4}{3}P)\ 6S_{5/2}^o$	1595778							1588129	-7649
604	$3p^3(\frac{2}{3}D)\ 2D\ 3d^2(\frac{1}{2}D)\ 2D_{5/2}^o$	1596782							1600277	3495
605	$3p^3(\frac{2}{1}P)\ 2P\ 3d^2(\frac{3}{2}P)\ 4D_{5/2}^o$	1599055							1602505	3450
606	$3p^3(\frac{4}{3}S)\ 4S\ 3d^2(\frac{1}{2}D)\ 4D_{1/2}^o$	1599213							1602988	3775
607	$3p^3(\frac{4}{3}S)\ 4S\ 3d^2(\frac{1}{2}D)\ 4D_{3/2}^o$	1599375							1601649	2274
608	$3p^3(\frac{2}{3}D)\ 2D\ 3d^2(\frac{1}{2}D)\ 2D_{3/2}^o$	1599962							1603888	3926
609	$3p^3(\frac{4}{3}S)\ 4S\ 3d^2(\frac{1}{2}D)\ 4D_{7/2}^o$	1601018							1606060	5042
610	$3p^3(\frac{2}{1}P)\ 2P\ 3d^2(\frac{1}{2}D)\ 2F_{5/2}^o$	1601265							1606850	5585
611	$3p^3(\frac{4}{3}S)\ 4S\ 3d^2(\frac{3}{2}F)\ 4F_{9/2}^o$	1602024							1610856	8832
612	$3s^2\ 3p^2(\frac{1}{2}S)\ 1S\ 4d\ 2D_{3/2}^o$	1604123							1610285	6162
613	$3s^2\ 3p^2(\frac{1}{2}S)\ 1S\ 4d\ 2D_{5/2}^o$	1604574							1610911	6337
614	$3p^3(\frac{2}{3}D)\ 2D\ 3d^2(\frac{3}{2}P)\ 2P_{3/2}^o$	1606156							1608540	2384
615	$3p^3(\frac{4}{3}S)\ 4S\ 3d^2(\frac{3}{2}F)\ 4F_{7/2}^o$	1607000							1615278	8278
616	$3p^3(\frac{4}{3}S)\ 4S\ 3d^2(\frac{3}{2}P)\ 2P_{1/2}^o$	1607183							1610472	3289
617	$3p^3(\frac{4}{3}S)\ 4S\ 3d^2(\frac{3}{2}F)\ 4F_{5/2}^o$	1610023							1617901	7878
618	$3s\ 2S\ 3p^3(\frac{2}{3}D)\ 1D\ 4s\ 2D_{5/2}^o$	1610426							1607761	-2665
619	$3p^3(\frac{2}{1}P)\ 2P\ 3d^2(\frac{1}{2}G)\ 2H_{11/2}^o$	1610556							1618033	7477
620	$3s\ 2S\ 3p^3(\frac{2}{3}D)\ 1D\ 4s\ 2D_{3/2}^o$	1611021							1609956	-1065
621	$3p^3(\frac{4}{3}S)\ 4S\ 3d^2(\frac{3}{2}F)\ 4F_{3/2}^o$	1611873							1618472	6599
622	$3p^3(\frac{2}{1}P)\ 2P\ 3d^2(\frac{1}{2}G)\ 2H_{9/2}^o$	1613117							1620502	7385
623	$3s\ 2S\ 3p\ 3P\ 3d^3(\frac{2}{3}G)\ 4H_{7/2}^o$	1613187							1615717	2530

Table 2. Excitation energies in cm^{-1} for the 546 (623, 701, 745) lowest levels of Mn XI (Fe XII, Co XIII, Ni XIV), as well as radiative lifetimes (in s). E_{MCDHF} - our MCDHF excitation energies; E_{NIST} - observed values compiled in the NIST ASD (Kramida et al. 2018); ΔE : energy differences (in cm^{-1}) between the values of E_{MCDHF} and E_{NIST} . τ_{MCDHF}^l - our MCDHF lifetimes in length form; τ_{MCDHF}^v - our MCDHF lifetimes in velocity form; LS -composition - the LS eigenvector compositions. Many levels are strongly mixed, implying ambiguous configuration labels. In these cases, the parity, J , and energy, are used to match the theoretical levels with the atomic energy levels from NIST ASD. For those levels, the NIST values are shown in the blue color. Energy differences larger than $2\,000 \text{ cm}^{-1}$ are displayed in red color.

Z	Key	Level	$J\pi$	E_{MCDHF}	E_{NIST}	ΔE	τ_{MCDHF}^l	τ_{MCDHF}^v	LS-composition
25	1	$3s^2 3p^3 (\frac{1}{3}S) 4S_{3/2}^o$	3/2-	0	0	0			$0.95 + 0.02 3s^2 S 3p^3 (\frac{2}{3}D) 3D 3d 4S^o$
25	2	$3s^2 3p^3 (\frac{2}{3}D) 2D_{3/2}^o$	3/2-	39688	39384	304	3.65E-02	3.65E-02	$0.87 + 0.09 3s^2 3p^3 (\frac{2}{3}P) 2P^o$
25	3	$3s^2 3p^3 (\frac{2}{3}D) 2D_{5/2}^o$	5/2-	42986	42702	284	7.49E-01	7.49E-01	0.96
25	4	$3s^2 3p^3 (\frac{2}{3}P) 2P_{1/2}^o$	1/2-	69389	68945	444	6.34E-03	6.34E-03	0.95
25	5	$3s^2 3p^3 (\frac{2}{3}P) 2P_{3/2}^o$	3/2-	73967	73552	415	2.63E-03	2.63E-03	$0.84 + 0.10 3s^2 3p^3 (\frac{2}{3}D) 2D^o$
25	6	$3s^2 S 3p^4 (\frac{3}{2}P) 4P_{5/2}$	5/2+	254257	253974	283	7.05E-10	6.83E-10	$0.88 + 0.09 3s^2 3p^2 (\frac{3}{2}P) 3P 3d 4P$
25	7	$3s^2 S 3p^4 (\frac{3}{2}P) 4P_{3/2}$	3/2+	261964	261683	281	6.60E-10	6.43E-10	$0.88 + 0.10 3s^2 3p^2 (\frac{3}{2}P) 3P 3d 4P$
25	8	$3s^2 S 3p^4 (\frac{3}{2}P) 4P_{1/2}$	1/2+	265557	265144	413	6.30E-10	6.16E-10	$0.87 + 0.10 3s^2 3p^2 (\frac{3}{2}P) 3P 3d 4P$
25	9	$3s^2 S 3p^4 (\frac{1}{2}D) 2D_{3/2}$	3/2+	314904	314532	372	3.19E-10	3.10E-10	$0.76 + 0.17 3s^2 3p^2 (\frac{1}{2}D) 1D 3d 2D + 0.03 3s^2 3p^2 (\frac{1}{0}S) 1S 3d 2D$
25	10	$3s^2 S 3p^4 (\frac{1}{2}D) 2D_{5/2}$	5/2+	316295	315881	414	3.48E-10	3.37E-10	$0.76 + 0.17 3s^2 3p^2 (\frac{1}{2}D) 1D 3d 2D + 0.03 3s^2 3p^2 (\frac{1}{0}S) 1S 3d 2D$
25	11	$3s^2 S 3p^4 (\frac{3}{2}P) 2P_{3/2}$	3/2+	361638	361400	238	1.22E-10	1.19E-10	$0.46 + 0.45 3s^2 3p^2 (\frac{3}{2}P) 3P 3d 2P + 0.05 3s^2 3p^2 (\frac{1}{2}D) 1D 3d 2P$
25	12	$3s^2 3p^2 (\frac{2}{3}P) 3P 3d 2P_{1/2}$	1/2+	366070	365689	381	1.11E-10	1.09E-10	$0.31 + 0.35 3s^2 S 3p^4 (\frac{3}{2}P) 2P + 0.23 3s^2 S 3p^4 (\frac{1}{0}S) 2S$
25	13	$3s^2 S 3p^4 (\frac{1}{0}S) 2S_{1/2}$	1/2+	379642	379093	549	1.34E-10	1.31E-10	$0.57 + 0.14 3s^2 3p^2 (\frac{3}{2}P) 3P 3d 2P + 0.12 3s^2 S 3p^4 (\frac{3}{2}P) 2P$
25	26	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 2P_{3/2}$	3/2+	467541	467240	301	1.66E-11	1.64E-11	$0.24 + 0.42 3s^2 S 3p^4 (\frac{3}{2}P) 2P + 0.26 3s^2 3p^2 (\frac{1}{2}D) 1D 3d 2P$
25	27	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 4P_{5/2}$	5/2+	477149	477170	-21	1.28E-11	1.27E-11	$0.83 + 0.09 3s^2 S 3p^4 (\frac{3}{2}P) 4P$
25	28	$3s^2 S 3p^4 (\frac{3}{2}P) 2P_{1/2}$	1/2+	477269	476980	289	1.65E-11	1.63E-11	$0.39 + 0.30 3s^2 3p^2 (\frac{1}{2}P) 1D 3d 2P + 0.21 3s^2 3p^2 (\frac{3}{2}P) 3P 3d 2P$
25	29	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 4P_{3/2}$	3/2+	480737	480720	17	1.26E-11	1.25E-11	$0.82 + 0.09 3s^2 S 3p^4 (\frac{3}{2}P) 4P + 0.02 3s^2 3p^2 (\frac{1}{0}S) 1S 3d 2D$
25	30	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 4P_{1/2}$	1/2+	483070	483040	30	1.21E-11	1.21E-11	$0.82 + 0.09 3s^2 S 3p^4 (\frac{3}{2}P) 4P + 0.02 3s^2 S 3p^4 (\frac{3}{2}P) 2P$
25	33	$3s^2 3p^2 (\frac{1}{2}D) 1D 3d 2D_{3/2}$	3/2+	515486	515210	276	1.53E-11	1.52E-11	$0.76 + 0.14 3s^2 S 3p^4 (\frac{1}{2}D) 2D + 0.03 3s^2 3p^2 (\frac{1}{0}S) 1S 3d 2D$
25	34	$3s^2 3p^2 (\frac{1}{2}D) 1D 3d 2D_{5/2}$	5/2+	515724	515430	294	2.15E-11	2.13E-11	$0.68 + 0.17 3s^2 3p^2 (\frac{1}{0}S) 1S 3d 2D + 0.10 3s^2 S 3p^4 (\frac{1}{2}D) 2D$
25	35	$3s^2 3p^2 (\frac{1}{2}D) 1D 3d 2P_{1/2}$	1/2+	530912	530620	292	1.59E-11	1.58E-11	$0.56 + 0.23 3s^2 3p^2 (\frac{3}{2}P) 3P 3d 2P + 0.09 3s^2 3p^2 (\frac{1}{2}D) 1D 3d 2S$
25	36	$3s^2 3p^2 (\frac{1}{2}D) 1D 3d 2P_{3/2}$	3/2+	537094	536800	294	1.55E-11	1.54E-11	$0.61 + 0.27 3s^2 3p^2 (\frac{3}{2}P) 3P 3d 2P + 0.06 3s^2 S 3p^4 (\frac{3}{2}P) 2P$
25	39	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 2F_{7/2}$	7/2+	541095	541030	65	1.03E-11	1.03E-11	$0.59 + 0.36 3s^2 3p^2 (\frac{1}{2}D) 1D 3d 2F$
25	40	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 2D_{5/2}$	5/2+	561720	561400	320	1.15E-11	1.15E-11	$0.51 + 0.26 3s^2 3p^2 (\frac{1}{0}S) 1S 3d 2D + 0.07 3s^2 3p^2 (\frac{3}{2}P) 3P 3d 2F$
25	41	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d 2D_{3/2}$	3/2+	563354	563060	294	1.18E-11	1.17E-11	$0.56 + 0.36 3s^2 3p^2 (\frac{1}{0}S) 1S 3d 2D$
25	227	$3s^2 3p^2 (\frac{3}{2}P) 3P 4s 4P_{1/2}$	1/2+	1078017	1078200	-183	1.52E-11	1.52E-11	$0.87 + 0.03 3s^2 3p^2 (\frac{3}{2}P) 3P 4s 2P + 0.02 3s^2 3p^2 (\frac{1}{0}S) 1S 4s 2S$
25	231	$3s^2 3p^2 (\frac{3}{2}P) 3P 4s 4P_{3/2}$	3/2+	1084219	1084130	89	1.60E-11	1.60E-11	$0.91 + 0.02 3s^2 3p^2 (\frac{3}{2}P) 3P 4s 2P$
25	236	$3s^2 3p^2 (\frac{3}{2}P) 3P 4s 4P_{5/2}$	5/2+	1091274	1091160	114	1.62E-11	1.62E-11	$0.88 + 0.05 3s^2 3p^2 (\frac{1}{2}D) 1D 4s 2D$
25	244	$3s^2 3p^2 (\frac{3}{2}P) 3P 4s 2P_{3/2}$	3/2+	1103073	1102840	233	5.80E-12	5.81E-12	$0.79 + 0.12 3s^2 3p^2 (\frac{1}{2}D) 1D 4s 2D$
25	252	$3s^2 3p^2 (\frac{1}{2}D) 1D 4s 2D_{5/2}$	5/2+	1121369	1120870	499	1.06E-11	1.06E-11	$0.69 + 0.05 3s^2 S 3p^2 (\frac{1}{2}D) 2D 3d^2 (\frac{1}{2}D) 2D + 0.05 3p^4 (\frac{3}{2}P) 3P 3d 2D$
25	255	$3s^2 3p^2 (\frac{1}{2}D) 1D 4s 2D_{3/2}$	3/2+	1122276	1121880	396	9.98E-12	9.98E-12	$0.58 + 0.08 3s^2 3p^2 (\frac{3}{2}P) 3P 4s 2P + 0.05 3p^4 (\frac{3}{2}P) 3P 3d 2D$
25	422	$3s^2 3p^2 (\frac{3}{2}P) 3P 4d 4P_{5/2}$	5/2+	1325082	1324910	172	7.75E-12	7.68E-12	$0.46 + 0.23 3s^2 3p^2 (\frac{3}{2}P) 3P 4d 4F + 0.11 3s^2 3p^2 (\frac{3}{2}P) 3P 4d 4D$
25	432	$3s^2 3p^2 (\frac{3}{2}P) 3P 4d 4F_{5/2}$	5/2+	1329453	1329310	143	1.11E-11	1.10E-11	$0.54 + 0.35 3s^2 3p^2 (\frac{3}{2}P) 3P 4d 4P + 0.04 3s^2 3p^2 (\frac{3}{2}P) 3P 4d 2F$
25	433	$3s^2 3p^2 (\frac{3}{2}P) 3P 4d 4P_{3/2}$	3/2+	1331432	1332280	-848	6.44E-12	6.38E-12	$0.50 + 0.16 3s^2 S 3p^2 (\frac{3}{2}P) 2P 3d^2 (\frac{1}{0}S) 2P + 0.10 3s^2 S 3p^2 (\frac{1}{0}S) 2S 3d^2 (\frac{3}{2}P) 2P$
25	437	$3s^2 3p^2 (\frac{3}{2}P) 3P 4d 2F_{5/2}$	5/2+	1333831	1331340	2491	9.86E-12	9.76E-12	$0.73 + 0.11 3s^2 3p^2 (\frac{3}{2}P) 3P 4d 4F + 0.05 3s^2 3p^2 (\frac{1}{2}D) 1D 4d 2F$
25	440	$3s^2 3p^2 (\frac{3}{2}P) 3P 4d 2F_{7/2}$	7/2+	1340574	1336860	3714	1.53E-11	1.51E-11	$0.57 + 0.17 3s^2 3p^2 (\frac{3}{2}P) 3P 4d 4D + 0.09 3s^2 3p^2 (\frac{3}{2}P) 3P 4d 4F$
25	455	$3s^2 3p^2 (\frac{3}{2}P) 3P 4d 4D_{7/2}$	7/2+	1345585	1345410	175	8.68E-12	8.59E-12	$0.56 + 0.26 3s^2 3p^2 (\frac{3}{2}P) 3P 4d 2F + 0.09 3s^2 3p^2 (\frac{1}{2}D) 1D 4d 2F$
25	462	$3s^2 3p^2 (\frac{3}{2}P) 3P 4d 4D_{5/2}$	5/2+	1348983	1348630	353	6.22E-12	6.15E-12	$0.65 + 0.22 3s^2 3p^2 (\frac{3}{2}P) 3P 4d 4F + 0.05 3s^2 3p^2 (\frac{1}{2}D) 1D 4d 2D$
25	464	$3s^2 3p^2 (\frac{3}{2}P) 3P 4d 2D_{3/2}$	3/2+	1350549	1350080	469	6.15E-12	6.05E-12	$0.83 + 0.03 3s^2 3p^2 (\frac{3}{2}P) 3P 4d 2P + 0.03 3s^2 3p^2 (\frac{1}{2}D) 1D 4d 2D$
25	478	$3s^2 3p^2 (\frac{1}{2}D) 1D 4d 2F_{7/2}$	7/2+	1360953	1360590	363	8.94E-12	8.86E-12	$0.77 + 0.13 3s^2 3p^2 (\frac{3}{2}P) 3P 4d 4D + 0.02 3s^2 3p^2 (\frac{3}{2}P) 3P 4d 4F$
25	481	$3s^2 3p^2 (\frac{1}{2}D) 1D 4d 2F_{5/2}$	5/2+	1362080	1361630	450	6.22E-12	6.16E-12	$0.47 + 0.18 3s^2 3p^2 (\frac{1}{2}D) 1D 4d 2D + 0.08 3s^2 3p^2 (\frac{3}{2}P) 3P 4d 2D$
25	489	$3s^2 3p^2 (\frac{1}{2}D) 1D 4d 2D_{5/2}$	5/2+	1365951	1362940	3011	4.67E-12	4.61E-12	$0.50 + 0.16 3s^2 3p^2 (\frac{3}{2}P) 3P 4d 2D + 0.14 3s^2 3p^2 (\frac{1}{2}D) 1D 4d 2F$
25	511	$3s^2 3p^2 (\frac{1}{2}D) 1D 4d 2S_{1/2}$	1/2+	1384507	1374650	9857	9.66E-12	9.53E-12	0.9
26	1	$3s^2 3p^3 (\frac{4}{3}S) 4S_{3/2}^o$	3/2-	0	0	0			$0.94 + 0.02 3s^2 3p^3 (\frac{1}{1}P) 2P^o + 0.02 3s^2 S 3p^3 (\frac{2}{3}D) 3D 3d 4S^o$
26	2	$3s^2 3p^3 (\frac{2}{3}D) 2D_{3/2}^o$	3/2-	41872	41566	306	1.84E-02	1.84E-02	$0.85 + 0.11 3s^2 3p^3 (\frac{1}{1}P) 2P^o$
26	3	$3s^2 3p^3 (\frac{2}{3}D) 2D_{5/2}^o$	5/2-	46386	46075	311	3.28E-01	3.28E-01	0.96
26	4	$3s^2 3p^3 (\frac{2}{3}P) 2P_{1/2}^o$	1/2-	74557	74109	448	3.84E-03	3.84E-03	0.96
26	5	$3s^2 3p^3 (\frac{2}{1}P) 2P_{3/2}^o$	3/2-	80926	80515	411	1.60E-03	1.60E-03	$0.82 + 0.11 3s^2 3p^3 (\frac{2}{3}D) 2D^o$

Table 2 continued

Table 2 (*continued*)

Z	Key	Level	$J\pi$	E_{MCDHF}	E_{NIST}	ΔE	$\tau_{\text{MCDHF}}^{\text{N}}$	$\tau_{\text{MCDHF}}^{\text{e}}$	LS-composition
26	6	$3s^2 S 3p^4 (2P) 4P_{5/2}$	5/2+	274618	274373	245	6.13E-10	5.94E-10	$0.87 + 0.09 \ 3s^2 3p^2 (2P) ^3 P 3d \ ^4 P$
26	7	$3s^2 S 3p^4 (2P) 4P_{3/2}$	3/2+	284240	284005	235	5.68E-10	5.54E-10	$0.88 + 0.10 \ 3s^2 3p^2 (2P) ^3 P 3d \ ^4 P$
26	8	$3s^2 S 3p^4 (2P) 4P_{1/2}$	1/2+	288550	288307	243	5.37E-10	5.26E-10	$0.87 + 0.10 \ 3s^2 3p^2 (2P) ^3 P 3d \ ^4 P$
26	9	$3s^2 S 3p^4 (1D) 2D_{3/2}$	3/2+	340143	340020	123	2.73E-10	2.66E-10	$0.75 + 0.17 \ 3s^2 3p^2 (1D) ^1 D 3d \ ^2 D + 0.03 \ 3s^2 3p^2 (1S) ^1 S 3d \ ^2 D$
26	10	$3s^2 S 3p^4 (1D) 2D_{5/2}$	5/2+	342090	341703	387	3.03E-10	2.94E-10	$0.76 + 0.17 \ 3s^2 3p^2 (1D) ^1 D 3d \ ^2 D + 0.03 \ 3s^2 3p^2 (1S) ^1 S 3d \ ^2 D$
26	11	$3s^2 S 3p^4 (2P) 2P_{3/2}$	3/2+	389908	389706	202	1.08E-10	1.05E-10	$0.45 + 0.44 \ 3s^2 3p^2 (2P) ^3 P 3d \ ^2 P + 0.05 \ 3s^2 3p^2 (1D) ^1 D 3d \ ^2 P$
26	12	$3s^2 3p^2 (3P) ^3 P 3d \ ^2 P_{1/2}$	1/2+	394654	394120	534	9.66E-11	9.46E-11	$0.29 + 0.33 \ 3s^2 S 3p^4 (3P) ^2 P + 0.27 \ 3s^2 S 3p^4 (1S) ^1 S$
26	26	$3s^2 3p^2 (3P) ^3 P 3d \ ^2 P_{3/2}$	3/2+	502031	501800	231	1.51E-11	1.49E-11	$0.24 + 0.42 \ 3s^2 S 3p^4 (3P) ^2 P + 0.25 \ 3s^2 3p^2 (1D) ^1 D 3d \ ^2 P$
26	27	$3s^2 3p^2 (3P) ^3 P 3d \ ^4 P_{5/2}$	5/2+	512330	512510	-180	1.19E-11	1.18E-11	$0.83 + 0.08 \ 3s^2 S 3p^4 (3P) ^4 P$
26	28	$3s^2 S 3p^4 (3P) ^2 P_{1/2}$	1/2+	514055	513850	205	1.49E-11	1.48E-11	$0.37 + 0.30 \ 3s^2 3p^2 (1D) ^1 D 3d \ ^2 P + 0.20 \ 3s^2 3p^2 (3P) ^3 P 3d \ ^2 P$
26	29	$3s^2 3p^2 (3P) ^3 P 3d \ ^4 P_{3/2}$	3/2+	516617	516740	-123	1.17E-11	1.17E-11	$0.80 + 0.09 \ 3s^2 S 3p^4 (3P) ^4 P + 0.03 \ 3s^2 3p^2 (1S) ^1 S 3d \ ^2 D$
26	30	$3s^2 3p^2 (3P) ^3 P 3d \ ^4 P_{1/2}$	1/2+	519641	519770	-129	1.12E-11	1.12E-11	$0.78 + 0.09 \ 3s^2 S 3p^4 (3P) ^4 P + 0.04 \ 3s^2 S 3p^4 (3P) ^2 P$
26	31	$3s^2 3p^2 (0S) ^1 S 3d \ ^2 D_{3/2}$	3/2+	526302	526120	182	5.62E-11	5.58E-11	$0.47 + 0.36 \ 3s^2 3p^2 (3P) ^3 P 3d \ ^2 D + 0.05 \ 3s^2 3p^2 (2P) ^3 P 3d \ ^4 P$
26	32	$3s^2 3p^2 (0S) ^1 S 3d \ ^2 D_{5/2}$	5/2+	537078	538040	-962	2.92E-11	2.90E-11	$0.41 + 0.38 \ 3s^2 3p^2 (3P) ^3 P 3d \ ^2 D + 0.08 \ 3s^2 S 3p^4 (1D) ^2 D$
26	33	$3s^2 3p^2 (1D) ^1 D 3d \ ^2 D_{3/2}$	3/2+	554046	554030	16	1.39E-11	1.39E-11	$0.76 + 0.14 \ 3s^2 S 3p^4 (1D) ^2 D + 0.03 \ 3s^2 3p^2 (1S) ^1 S 3d \ ^2 D$
26	34	$3s^2 3p^2 (1D) ^1 D 3d \ ^2 D_{5/2}$	5/2+	554772	554610	162	2.16E-11	2.14E-11	$0.65 + 0.20 \ 3s^2 3p^2 (1S) ^1 S 3d \ ^2 D + 0.09 \ 3s^2 S 3p^4 (1D) ^2 D$
26	35	$3s^2 3p^2 (1D) ^1 D 3d \ ^2 P_{1/2}$	1/2+	569880	568940	940	1.47E-11	1.47E-11	$0.57 + 0.23 \ 3s^2 3p^2 (3P) ^3 P 3d \ ^2 P + 0.09 \ 3s^2 3p^2 (1D) ^1 D 3d \ ^2 S$
26	36	$3s^2 3p^2 (3P) ^3 P 3d \ ^2 F_{5/2}$	5/2+	576848	576740	108	9.62E-12	9.58E-12	$0.48 + 0.34 \ 3s^2 3p^2 (1D) ^1 D 3d \ ^2 F + 0.08 \ 3s^2 3p^2 (3P) ^3 P 3d \ ^2 D$
26	37	$3s^2 3p^2 (1D) ^1 D 3d \ ^2 P_{3/2}$	3/2+	577759	577740	19	1.44E-11	1.43E-11	$0.60 + 0.26 \ 3s^2 3p^2 (3P) ^3 P 3d \ ^2 P + 0.05 \ 3s^2 S 3p^4 (3P) ^2 P$
26	38	$3s^2 3p^2 (1D) ^1 D 3d \ ^2 S_{1/2}$	1/2+	579837	579630	207	1.48E-11	1.46E-11	$0.69 + 0.13 \ 3s^2 S 3p^4 (1S) ^2 S + 0.05 \ 3s^2 3p^2 (1D) ^1 D 3d \ ^2 P$
26	39	$3s^2 3p^2 (2P) ^3 P 3d \ ^2 F_{7/2}$	7/2+	581261	581180	81	9.63E-12	9.59E-12	$0.59 + 0.36 \ 3s^2 3p^2 (1D) ^1 D 3d \ ^2 F$
26	40	$3s^2 3p^2 (3P) ^3 P 3d \ ^2 D_{5/2}$	5/2+	604088	603930	158	1.07E-11	1.07E-11	$0.50 + 0.25 \ 3s^2 3p^2 (1S) ^1 S 3d \ ^2 D + 0.08 \ 3s^2 3p^2 (3P) ^3 P 3d \ ^2 F$
26	41	$3s^2 3p^2 (3P) ^3 P 3d \ ^2 D_{3/2}$	3/2+	605721	605480	241	1.10E-11	1.10E-11	$0.56 + 0.36 \ 3s^2 3p^2 (1S) ^1 S 3d \ ^2 D$
26	272	$3s^2 3p^2 (3P) ^3 P 4s \ ^4 P_{1/2}$	1/2+	1242245	1242000	245	1.27E-11	1.27E-11	$0.65 + 0.14 \ 3s^2 S 3p^2 (3P) ^4 P 3d^2 (1S) ^4 P + 0.06 \ 3s^2 3p^2 (3P) ^3 P 4s \ ^2 P$
26	282	$3s^2 3p^2 (3P) ^3 P 4s \ ^4 P_{3/2}$	3/2+	1249844	1249660	184	1.36E-11	1.36E-11	$0.72 + 0.11 \ 3s^2 S 3p^2 (3P) ^4 P 3d^2 (1S) ^4 P + 0.03 \ 3s^2 S 3p^2 (1S) ^2 S 3d^2 (3P) ^4 P$
26	291	$3s^2 3p^2 (3P) ^3 P 4s \ ^2 P_{1/2}$	1/2+	1257717	1257730	-13	4.34E-12	4.35E-12	$0.86 + 0.06 \ 3s^2 3p^2 (3P) ^3 P 4s \ ^4 P$
26	292	$3s^2 3p^2 (3P) ^3 P 4s \ ^4 P_{5/2}$	5/2+	1258123	1258050	73	1.39E-11	1.38E-11	$0.72 + 0.10 \ 3s^2 S 3p^2 (3P) ^4 P 3d^2 (1S) ^4 P + 0.06 \ 3s^2 3p^2 (1D) ^1 D 4s \ ^2 D$
26	297	$3s^2 3p^2 (3P) ^3 P 4s \ ^2 P_{3/2}$	3/2+	1266649	1266360	289	4.84E-12	4.85E-12	$0.69 + 0.14 \ 3s^2 3p^2 (1D) ^1 D 4s \ ^2 D + 0.06 \ 3s^2 S 3p^2 (3P) ^4 P 3d^2 (3P) ^4 S$
26	327	$3s^2 3p^2 (1D) ^1 D 4s \ ^2 D_{5/2}$	5/2+	1287928	1287700	228	8.68E-12	8.67E-12	$0.62 + 0.05 \ 3s^2 3p^2 (3P) ^3 P 4s \ ^4 P + 0.04 \ 3s^2 S 3p^2 (1D) ^2 D 3d^2 (1G) ^2 F$
26	328	$3s^2 3p^2 (1D) ^1 D 4s \ ^2 D_{3/2}$	3/2+	1289213	1289060	153	6.83E-12	6.84E-12	$0.71 + 0.12 \ 3s^2 3p^2 (3P) ^3 P 4s \ ^2 P + 0.03 \ 3s^2 S 3p^2 (3P) ^2 P 3d^2 (1D) ^2 D$
26	488	$3s^2 3p^2 (3P) ^3 P 4d \ ^4 F_{5/2}$	5/2+	1507751	1508360	-609	6.20E-12	6.16E-12	$0.21 + 0.30 \ 3s^2 3d^3 (3F) ^2 F + 0.14 \ 3s^2 3p^2 (3P) ^3 P 4d \ ^4 F$
26	493	$3s^2 3p^2 (3P) ^3 P 4d \ ^4 F_{5/2}$	5/2+	1514177	1514070	107	7.30E-12	7.23E-12	$0.52 + 0.37 \ 3s^2 3p^2 (3P) ^3 P 4d \ ^4 F + 0.04 \ 3s^2 3p^2 (3P) ^3 P 4d \ ^2 F$
26	496	$3s^2 3p^2 (3P) ^3 P 4d \ ^4 P_{3/2}$	3/2+	1517434	1517340	94	4.22E-12	4.17E-12	$0.67 + 0.16 \ 3s^2 3p^2 (3P) ^3 P 4d \ ^2 P + 0.06 \ 3s^2 3p^2 (3P) ^3 P 4d \ ^4 D$
26	498	$3s^2 3p^2 (3P) ^3 P 4d \ ^2 F_{5/2}$	5/2+	1518836	1516030	2806	7.13E-12	7.05E-12	$0.70 + 0.12 \ 3s^2 3p^2 (3P) ^3 P 4d \ ^4 F + 0.06 \ 3s^2 3p^2 (1D) ^1 D 4d \ ^2 F$
26	507	$3s^2 3p^2 (3P) ^3 P 4d \ ^2 F_{7/2}$	7/2+	1526756	1523140	3616	1.32E-11	1.31E-11	$0.52 + 0.18 \ 3s^2 3p^2 (3P) ^3 P 4d \ ^4 D + 0.10 \ 3s^2 3p^2 (3P) ^3 P 4d \ ^4 F$
26	520	$3s^2 3p^2 (3P) ^3 P 4d \ ^4 D_{7/2}$	7/2+	1532429	1532160	269	5.12E-12	5.07E-12	$0.50 + 0.30 \ 3s^2 3p^2 (3P) ^3 P 4d \ ^2 F + 0.11 \ 3s^2 3p^2 (1D) ^1 D 4d \ ^2 F$
26	525	$3s^2 3p^2 (3P) ^3 P 4d \ ^2 D_{5/2}$	5/2+	1535024	1534990	34	4.27E-12	4.22E-12	$0.63 + 0.24 \ 3s^2 3p^2 (1D) ^1 D 4d \ ^2 F + 0.05 \ 3s^2 3p^2 (1D) ^1 D 4d \ ^2 D$
26	528	$3s^2 3p^2 (3P) ^3 P 4d \ ^2 D_{3/2}$	3/2+	1536959	1536480	479	4.18E-12	4.12E-12	$0.78 + 0.05 \ 3s^2 3p^2 (1D) ^1 D 4d \ ^2 D + 0.03 \ 3s^2 3p^2 (3P) ^3 P 4d \ ^2 P$
26	542	$3s^2 3p^2 (1D) ^1 D 4d \ ^2 F_{7/2}$	7/2+	1549492	1549250	242	6.95E-12	6.90E-12	$0.73 + 0.16 \ 3s^2 3p^2 (3P) ^3 P 4d \ ^4 D + 0.03 \ 3s^2 3p^2 (3P) ^3 P 4d \ ^4 F$
26	545	$3s^2 3p^2 (1D) ^1 D 4d \ ^2 F_{5/2}$	5/2+	1550449	1551400	-951	4.48E-12	4.44E-12	$0.41 + 0.30 \ 3s^2 3p^2 (1D) ^1 D 4d \ ^2 D + 0.07 \ 3s^2 3p^2 (3P) ^3 P 4d \ ^4 D$
26	552	$3s^2 3p^2 (1D) ^1 D 4d \ ^2 D_{5/2}$	5/2+	1555381	1551640	3741	3.21E-12	3.17E-12	$0.40 + 0.21 \ 3s^2 3p^2 (3P) ^3 P 4d \ ^2 D + 0.16 \ 3s^2 3p^2 (1D) ^1 D 4d \ ^2 F$
26	570	$3s^2 3p^2 (1D) ^1 D 4d \ ^2 P_{3/2}$	3/2+	1566331	1565720	611	5.05E-12	4.96E-12	$0.87 + 0.02 \ 3s^2 3p^2 (3P) ^3 P 4d \ ^4 P$
26	581	$3s^2 3p^2 (1D) ^1 D 4d \ ^2 S_{1/2}$	1/2+	1574583	1569410	5173	6.67E-12	6.58E-12	0.89
27	1	$3s^2 3p^3 (4S) ^4 S_{3/2}$	3/2-	0	0	0	0.93 + 0.03	$3s^2 3p^3 (2P) ^2 P^\circ$	$+ 0.02 \ 3s^2 S 3p^3 (3D) ^3 D 3d \ ^4 S^\circ$
27	2	$3s^2 3p^3 (2D) ^2 D_{3/2}$	3/2-	43985	43650	335	9.84E-03	9.84E-03	$0.83 + 0.12 \ 3s^2 3p^3 (2P) ^2 P^\circ$
27	3	$3s^2 3p^3 (2D) ^2 D_{5/2}$	5/2-	49988	49690	298	1.50E-01	1.50E-01	0.97
27	4	$3s^2 3p^3 (1P) ^2 P_{1/2}$	1/2-	79931	79460	471	2.38E-03	2.39E-03	0.96
27	5	$3s^2 3p^3 (1P) ^2 P_{3/2}$	3/2-	88576	88170	406	9.94E-04	9.95E-04	$0.80 + 0.13 \ 3s^2 3p^3 (2D) ^2 D^\circ + 0.02 \ 3s^2 3p^3 (4S) ^4 S^\circ$
27	6	$3s^2 S 3p^4 (3P) ^4 P_{5/2}$	5/2+	295345	295160	185	5.39E-10	5.22E-10	$0.87 + 0.09 \ 3s^2 3p^2 (3P) ^3 P 3d \ ^4 P$
27	7	$3s^2 S 3p^4 (3P) ^4 P_{3/2}$	3/2+	307216	307030	186	4.93E-10	4.81E-10	$0.88 + 0.09 \ 3s^2 3p^2 (3P) ^3 P 3d \ ^4 P$
27	8	$3s^2 S 3p^4 (2P) ^4 P_{1/2}$	1/2+	312302	312110	192	4.62E-10	4.53E-10	$0.87 + 0.10 \ 3s^2 3p^2 (3P) ^3 P 3d \ ^4 P$
27	9	$3s^2 S 3p^4 (1D) ^2 D_{3/2}$	3/2+	365890	365530	360	2.37E-10	2.31E-10	$0.75 + 0.16 \ 3s^2 3p^2 (1D) ^1 D 3d \ ^2 D + 0.03 \ 3s^2 3p^2 (1S) ^1 S 3d \ ^2 D$
27	10	$3s^2 S 3p^4 (1D) ^2 D_{5/2}$	5/2+	368568	368250	318	2.67E-10	2.59E-10	$0.76 + 0.17 \ 3s^2 3p^2 (1D) ^1 D 3d \ ^2 D + 0.03 \ 3s^2 3p^2 (1S) ^1 S 3d \ ^2 D$
27	11	$3s^2 S 3p^4 (2P) ^2 P_{3/2}$	3/2+	418617	418480	137	9.67E-11	9.46E-11	$0.45 + 0.44 \ 3s^2 3p^2 (3P) ^3 P 3d \ ^2 P + 0.05 \ 3s^2 3p^2 (1D) ^1 D 3d \ ^2 P$
27	12	$3s^2 3p^2 (3P) ^3 P 3d \ ^2 P_{1/2}$	1/2+	423634	423290	344	8.49E-11	8.32E-11	$0.27 + 0.31 \ 3s^2 S 3p^4 (3P) ^2 P + 0.30 \ 3s^2 S 3p^4 (1S) ^2 S$
27	27	$3s^2 3p^2 (3P) ^3 P 3d \ ^4 P_{5/2}$	5/2+	547650	547890	-240	1.11E-11	1.10E-11	$0.82 + 0.08 \ 3s^2 S 3p^4 (3P) ^4 P + 0.02 \ 3s^2 3p^2 (1S) ^1 S 3d \ ^2 D$
27	29	$3s^2 3p^2 (3P) ^3 P 3d \ ^4 P_{3/2}$	3/2+	552688	552880	-192	1.10E-11	1.10E-11	$0.78 + 0.08 \ 3s^2 S 3p^4 (3P) ^4 P + 0.03 \ 3s^2 3p^2 (1S) ^1 S 3d \ ^2 D$
27	30	$3s^2 3p^2 (3P) ^3 P 3d \ ^4 P_{1/2}$	1/2+	556693	556820	-127	1.05E-11	1.04E-11	$0.72 + 0.08 \ 3s^2 S 3p^4 (3P) ^4 P + 0.07 \ 3s^2 S 3p^4 (1D) ^1 D 3d \ ^2 P$
27	33	$3s^2 3p^2 (1D) ^1 D 3d \ ^2 D_{3/2}$	3/2+	592920	592830	90	1.28E-11	1.27E-11	$0.76 + 0.14 \ 3s^2 S 3p^4 (1D) ^2 D + 0.03 \ 3s^2 3p^2 (1S) ^1 S 3d \ ^2 D$

Table 2 continued

Table 2 (*continued*)

Z	Key	Level	$J\pi$	E_{MCDHF}	E_{NIST}	ΔE	$\tau_{\text{MCDHF}}^{\text{N}}$	$\tau_{\text{MCDHF}}^{\text{C}}$	LS-composition
27	34	$3s^2 3p^2(\frac{1}{2}D) 1D 3d 2D_{5/2}$	5/2+	594302	594200	102	2.21E-11	2.19E-11	$0.62 + 0.24 3s^2 3p^2(\frac{1}{2}S) 1S 3d 2D + 0.08 3s^2 3p^4(\frac{1}{2}D) 2D$
27	35	$3s^2 3p^2(\frac{1}{2}D) 1D 3d 2P_{1/2}$	1/2+	608977	608870	107	1.38E-11	1.37E-11	$0.57 + 0.22 3s^2 3p^2(\frac{3}{2}P) 3P 3d 2P + 0.10 3s^2 3p^2(\frac{1}{2}D) 1D 3d 2S$
27	37	$3s^2 3p^2(\frac{1}{2}D) 1D 3d 2P_{3/2}$	3/2+	618896	618880	16	1.33E-11	1.33E-11	$0.60 + 0.26 3s^2 3p^2(\frac{3}{2}P) 3P 3d 2P + 0.05 3s^2 3p^4(\frac{3}{2}P) 2P$
27	39	$3s^2 3p^2(\frac{3}{2}P) 3P 3d 2F_{7/2}$	7/2+	621687	621710	-23	9.00E-12	8.97E-12	$0.60 + 0.36 3s^2 3p^2(\frac{1}{2}D) 1D 3d 2F$
27	40	$3s^2 3p^2(\frac{3}{2}P) 3P 3d 2D_{5/2}$	5/2+	646974	646890	84	1.00E-11	9.99E-12	$0.48 + 0.24 3s^2 3p^2(\frac{1}{0}S) 1S 3d 2D + 0.10 3s^2 3p^2(\frac{3}{2}P) 3P 3d 2F$
27	41	$3s^2 3p^2(\frac{3}{2}P) 3P 3d 2D_{3/2}$	3/2+	648502	648390	112	1.03E-11	1.03E-11	$0.56 + 0.37 3s^2 3p^2(\frac{1}{0}S) 1S 3d 2D$
27	354	$3s^2 3p^2(\frac{3}{2}P) 3P 4s 4P_{5/2}$	5/2+	1431966	1432000	-34	9.71E-12	9.67E-12	$0.44 + 0.13 3s^2 3p^2(\frac{1}{0}S) 2S 3d^2(\frac{3}{2}P) 4P + 0.07 3s^2 3p^2(\frac{3}{2}P) 2P 3d^2(\frac{3}{2}P) 4D$
27	355	$3s^2 3p^2(\frac{3}{2}P) 3P 4s 2P_{1/2}$	1/2+	1432716	1432200	516	4.83E-12	4.82E-12	$0.40 + 0.16 3s^2 3p^2(\frac{3}{2}P) 2P 3d^2(\frac{1}{2}D) 2P + 0.15 3s^2 3p^2(\frac{1}{2}D) 2D 3d^2(\frac{3}{2}P) 2P$
27	363	$3s^2 3p^2(\frac{3}{2}P) 3P 4s 2P_{3/2}$	3/2+	1441639	1441700	-61	4.16E-12	4.16E-12	$0.57 + 0.11 3s^2 3p^2(\frac{1}{2}D) 1D 4s 2D + 0.03 3s^2 3p^2(\frac{3}{2}P) 2P 3d^2(\frac{1}{2}D) 2P$
27	378	$3s^2 3p^2(\frac{1}{2}D) 1D 4s 2D_{5/2}$	5/2+	1464096	1464500	-404	6.30E-12	6.29E-12	$0.59 + 0.11 3s^2 3p^2(\frac{3}{2}P) 2P 3d^2(\frac{3}{2}P) 4P + 0.06 3s^2 3p^2(\frac{3}{2}P) 3P 4s 4P$
27	569	$3s^2 3p^2(\frac{3}{2}P) 3P 4d 2F_{5/2}$	5/2+	1714631	1710600	4031	5.16E-12	5.11E-12	$0.68 + 0.14 3s^2 3p^2(\frac{3}{2}P) 3P 4d 4F + 0.06 3s^2 3p^2(\frac{1}{2}D) 1D 4d 2F$
27	584	$3s^2 3p^2(\frac{3}{2}P) 3P 4d 2F_{7/2}$	7/2+	1723923	1720300	3623	1.15E-11	1.14E-11	$0.48 + 0.19 3s^2 3p^2(\frac{3}{2}P) 3P 4d 4D + 0.11 3s^2 3p^2(\frac{3}{2}P) 3P 4d 4F$
27	593	$3s^2 3p^2(\frac{3}{2}P) 3P 4d 4D_{7/2}$	7/2+	1730080	1729500	580	3.19E-12	3.15E-12	$0.44 + 0.33 3s^2 3p^2(\frac{3}{2}P) 3P 4d 2F + 0.14 3s^2 3p^2(\frac{1}{2}D) 1D 4d 2F$
27	601	$3s^2 3p^2(\frac{3}{2}P) 3P 4d 2D_{3/2}$	3/2+	1735374	1466300	269074	2.94E-12	2.90E-12	$0.78 + 0.07 3s^2 3p^2(\frac{1}{2}D) 1D 4d 2D + 0.03 3s^2 3p^2(\frac{3}{2}P) 3P 4d 2P$
27	641	$3s^2 3p^2(\frac{1}{2}D) 1D 4d 2D_{5/2}$	5/2+	1755567	1751800	3767	2.17E-12	2.14E-12	$0.38 + 0.24 3s^2 3p^2(\frac{3}{2}P) 3P 4d 2D + 0.20 3s^2 3p^2(\frac{1}{2}D) 1D 4d 2F$
28	1	$3s^2 3p^3(\frac{4}{3}S) 4S_{3/2}$	3/2-	0	0	0			$0.92 + 0.04 3s^2 3p^3(\frac{1}{2}P) 2P^o$
28	2	$3s^2 3p^3(\frac{2}{3}D) 2D_{3/2}^o$	3/2-	45966	45767.8	198.2	5.51E-03	5.51E-03	$0.81 + 0.14 3s^2 3p^3(\frac{1}{2}P) 2P^o + 0.02 3s^2 3p^3(\frac{4}{3}S) 4S^o$
28	3	$3s^2 3p^3(\frac{2}{3}D) 2D_{5/2}^o$	5/2-	53763	53569	194	7.20E-02	7.20E-02	0.97
28	4	$3s^2 3p^3(\frac{1}{2}P) 2P_{1/2}^o$	1/2-	85411	85126.7	284.3	1.51E-03	1.51E-03	0.96
28	5	$3s^2 3p^3(\frac{1}{2}P) 2P_{3/2}^o$	3/2-	96917	96630	287	6.31E-04	6.31E-04	$0.78 + 0.15 3s^2 3p^3(\frac{2}{3}D) 2D^o + 0.03 3s^2 3p^3(\frac{4}{3}S) 4S^o$
28	6	$3s^2 S 3p^4(\frac{3}{2}P) 4P_{5/2}$	5/2+	316289	316343	-54	4.79E-10	4.62E-10	$0.87 + 0.09 3s^2 3p^2(\frac{3}{2}P) 3P 3d 4P$
28	7	$3s^2 S 3p^4(\frac{3}{2}P) 4P_{3/2}$	3/2+	330776	330837	-61	4.32E-10	4.20E-10	$0.87 + 0.09 3s^2 3p^2(\frac{3}{2}P) 3P 3d 4P$
28	9	$3s^2 S 3p^4(\frac{1}{2}D) 2D_{3/2}$	3/2+	392010	391916	94	2.07E-10	2.02E-10	$0.74 + 0.16 3s^2 3p^2(\frac{1}{2}D) 1D 3d 2D + 0.03 3s^2 3p^2(\frac{1}{2}S) 1S 3d 2D$
28	10	$3s^2 S 3p^4(\frac{1}{2}D) 2D_{5/2}$	5/2+	395637	395567	70	2.38E-10	2.31E-10	$0.76 + 0.17 3s^2 3p^2(\frac{1}{2}D) 1D 3d 2D + 0.03 3s^2 3p^2(\frac{1}{2}S) 1S 3d 2D$
28	11	$3s^2 S 3p^4(\frac{3}{2}P) 2P_{3/2}$	3/2+	447660	447765	-105	8.83E-11	8.63E-11	$0.44 + 0.44 3s^2 3p^2(\frac{1}{2}P) 3P 3d 2P + 0.05 3s^2 3p^2(\frac{1}{2}D) 1D 3d 2P$
28	12	$3s^2 S 3p^4(\frac{3}{2}P) 2P_{1/2}$	1/2+	452920	452850	70	7.55E-11	7.38E-11	$0.30 + 0.32 3s^2 S 3p^4(\frac{1}{0}S) 2S + 0.25 3s^2 3p^2(\frac{3}{2}P) 3P 3d 2P$
28	27	$3s^2 3p^2(\frac{3}{2}P) 3P 3d 4P_{5/2}$	5/2+	583004	583530	-526	1.04E-11	1.03E-11	$0.81 + 0.08 3s^2 S 3p^4(\frac{3}{2}P) 4P + 0.02 3s^2 3p^2(\frac{1}{0}S) 1S 3d 2D$
28	29	$3s^2 3p^2(\frac{3}{2}P) 3P 3d 4P_{3/2}$	3/2+	588832	589310	-478	1.04E-11	1.04E-11	$0.76 + 0.08 3s^2 S 3p^4(\frac{3}{2}P) 4P + 0.04 3s^2 3p^2(\frac{1}{0}S) 1S 3d 2D$
28	30	$3s^2 3p^2(\frac{3}{2}P) 3P 3d 4P_{1/2}$	1/2+	594316	594810	-494	9.99E-12	9.91E-12	$0.60 + 0.13 3s^2 S 3p^4(\frac{3}{2}P) 2P + 0.09 3s^2 3p^2(\frac{3}{2}P) 3P 3d 2P$
28	33	$3s^2 3p^2(\frac{1}{2}D) 1D 3d 2D_{3/2}$	3/2+	632033	632280	-247	1.17E-11	1.16E-11	$0.75 + 0.14 3s^2 S 3p^4(\frac{1}{2}D) 2D + 0.02 3s^2 3p^2(\frac{1}{0}S) 1S 3d 2D$
28	34	$3s^2 3p^2(\frac{1}{2}D) 1D 3d 2D_{5/2}$	5/2+	634264	634430	-166	2.31E-11	2.30E-11	$0.59 + 0.28 3s^2 3p^2(\frac{1}{0}S) 1S 3d 2D + 0.06 3s^2 S 3p^4(\frac{1}{2}D) 2D$
28	35	$3s^2 3p^2(\frac{1}{2}D) 1D 3d 2P_{1/2}$	1/2+	648108	648320	-212	1.29E-11	1.29E-11	$0.57 + 0.22 3s^2 3p^2(\frac{3}{2}P) 3P 3d 2P + 0.10 3s^2 3p^2(\frac{1}{2}D) 1D 3d 2S$
28	37	$3s^2 3p^2(\frac{1}{2}D) 1D 3d 2P_{3/2}$	3/2+	660460	660710	-250	1.25E-11	1.24E-11	$0.59 + 0.26 3s^2 3p^2(\frac{3}{2}P) 3P 3d 2P + 0.05 3s^2 S 3p^4(\frac{3}{2}P) 2P$
28	38	$3s^2 3p^2(\frac{3}{2}P) 3P 3d 2F_{7/2}$	7/2+	662315	662780	-465	8.46E-12	8.43E-12	$0.60 + 0.35 3s^2 3p^2(\frac{1}{2}D) 1D 3d 2F$
28	40	$3s^2 3p^2(\frac{3}{2}P) 3P 3d 2D_{5/2}$	5/2+	690353	690560	-207	9.41E-12	9.37E-12	$0.47 + 0.24 3s^2 3p^2(\frac{1}{0}S) 1S 3d 2D + 0.11 3s^2 3p^2(\frac{3}{2}P) 3P 3d 2F$
28	41	$3s^2 3p^2(\frac{3}{2}P) 3P 3d 2D_{3/2}$	3/2+	691654	691930	-276	9.72E-12	9.68E-12	$0.56 + 0.37 3s^2 3p^2(\frac{1}{0}S) 1S 3d 2D$
28	638	$3s^2 3p^2(\frac{3}{2}P) 3P 4d 2P_{3/2}$	3/2+	1914451	1628400	286051	5.35E-12	5.31E-12	$0.42 + 0.40 3s^2 3p^2(\frac{3}{2}P) 3P 4d 4F + 0.10 3s^2 3p^2(\frac{3}{2}P) 3P 4d 4P$
28	674	$3s^2 3p^2(\frac{3}{2}P) 3P 4d 2D_{5/2}$	5/2+	1940510	1653100	287410	2.27E-12	2.25E-12	$0.56 + 0.28 3s^2 3p^2(\frac{1}{2}D) 1D 4d 2F + 0.08 3s^2 3p^2(\frac{1}{2}D) 1D 4d 2D$

NOTE— Table 2 is published in its entirety in the machine-readable format. The results for the levels, for which the NIST values are available, are shown here for guidance regarding its form and content.

Table 3. A list of the strongest lines from $n = 4$ levels for Fe XII. The relative intensities in column 3 $Int = N_j A_{ji}/N_e$ are normalised (photons) and are calculated at high density (10^{19} cm^{-3}), using the atomic data in Del Zanna et al. (2012b). Column 4 gives the experimental wavelength λ_{exp} (Å), as in NIST (due to Fawcett) or due to Del Zanna (2012b)^(D). We add a 'No' if we consider the previous identification incorrect. Column 5 gives the AUTOSTRUCTURE (AS) wavelength λ_{AS} , column 6 our present wavelength λ_{MCDHF} (with differences with the experimental ones in bracket), while the following column (λ_{rev}) reports the new experimental wavelengths that we propose. The last column indicates if a line is strong in low-density astrophysical plasma (*), if it is blended (sbl), if its identification is questionable (?) or new (N).

$i-j$	Transition	Int	λ_{exp}	λ_{AS}	λ_{MCDHF}	λ_{rev}	Notes
18-387	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d^4 F_{9/2} - 3s^2 3p^2 (\frac{3}{2}P) 3P 4p^4 D_{7/2}^o$	1.2	108.440	107.04	108.38 (-0.06)		
25-408	$3s^2 3p^2 (\frac{1}{2}D) 1D 3d^2 G_{9/2} - 3s^2 3p^2 (\frac{1}{2}D) 1D 4p^2 F_{7/2}^o$	1.1	110.591	109.20	110.527 (-0.06)		
16-380	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d^4 F_{7/2} - 3s^2 3p^2 (\frac{3}{2}P) 3P 4p^4 D_{5/2}^o$	0.85	108.605	107.16	108.552 (-0.05)		
24-407	$3s^2 3p^2 (\frac{1}{2}D) 1D 3d^2 G_{7/2} - 3s^2 3p^2 (\frac{1}{2}D) 1D 4p^2 F_{5/2}^o$	0.81	110.732	109.34	110.676 (-0.06)		
19-386	$3s^2 3p^2 (\frac{1}{2}D) 1D 3d^2 F_{7/2} - 3s^2 3p^2 (\frac{3}{2}P) 3P 4p^4 P_{5/2}^o$	0.65	-	107.53	108.963		
23-397	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d^4 D_{7/2} - 3s^2 3p^2 (\frac{3}{2}P) 3P 4p^2 D_{5/2}^o$	0.63	-	107.62	109.024		
39-410	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d^2 F_{7/2} - 3s^2 3p^2 (\frac{1}{2}D) 1D 4p^2 D_{5/2}^o$	0.59	-	119.13	120.962		
15-371	$3s^2 3p^2 (\frac{3}{2}P) 3P 3d^4 F_{5/2} - 3s^2 3p^2 (\frac{3}{2}P) 3P 4p^4 D_{3/2}^o$	0.54	108.862	107.33	108.802 (-0.06)		
6-392	$3s^2 2S 3p^4 (\frac{3}{2}P) 4P_{5/2} - 3s^2 3p^2 (\frac{3}{2}P) 3P 4p^4 S_{3/2}^o$	0.33	91.004 ^D	89.03	91.013 (0.009)	*	
7-392	$3s^2 2S 3p^4 (\frac{3}{2}P) 4P_{3/2} - 3s^2 3p^2 (\frac{3}{2}P) 3P 4p^4 S_{3/2}^o$	0.28	91.808 ^D	89.78	91.817 (0.009)	*	
1-593	$3s^2 3p^3 (\frac{4}{3}S) 4S_{3/2}^o - 3s^2 S 3p^3 (\frac{4}{3}S) 5S 4p^4 P_{5/2}$	0.28	-	62.40	63.24		
1-292	$3s^2 3p^3 (\frac{4}{3}S) 4S_{3/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4s^4 P_{5/2}$	1.0	79.488	78.29	79.483 (-0.005)		
3-327	$3s^2 3p^3 (\frac{2}{3}D) 2D_{5/2}^o - 3s^2 3p^2 (\frac{1}{2}D) 1D 4s^2 D_{5/2}$	0.83	80.540	79.32	80.545 (0.005)		
1-282	$3s^2 3p^3 (\frac{4}{3}S) 4S_{3/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4s^4 P_{3/2}$	0.66	80.022	78.78	80.010 (-0.01)		
6-471	$3s^2 2S 3p^4 (\frac{3}{2}P) 4P_{5/2} - 3s^2 2S 3p^3 (\frac{4}{3}S) 5S 4s^4 S_{3/2}^o$	0.65	82.672 ^D	80.76	82.672 (0.)	*	
3-297	$3s^2 3p^3 (\frac{2}{3}D) 2D_{5/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4s^2 P_{3/2}$	0.60	81.949	80.69	81.950 (0.)		
10-547	$3s^2 2S 3p^4 (\frac{1}{2}D) 2D_{5/2} - 3s^2 2S 3p^3 (\frac{3}{2}D) 3D 4s^2 D_{5/2}^o$	0.60	-	80.99	82.685		
9-543	$3s^2 2S 3p^4 (\frac{1}{2}D) 2D_{3/2} - 3s^2 2S 3p^3 (\frac{2}{3}D) 3D 4s^2 D_{3/2}^o$	0.59	-	80.92	82.661		
2-291	$3s^2 3p^3 (\frac{2}{3}D) 2D_{3/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4s^2 P_{1/2}$	0.58	82.225	81.01	82.247 (0.02)		
6-518	$3s^2 2S 3p^4 (\frac{2}{3}P) 4P_{5/2} - 3s^2 2S 3p^3 (\frac{3}{2}D) 3D 4s^4 D_{7/2}^o$	0.47	-	78.27	79.603		
5-328	$3s^2 3p^3 (\frac{1}{2}P) 2P_{3/2}^o - 3s^2 3p^2 (\frac{1}{2}D) 1D 4s^2 D_{3/2}$	0.43	82.744	81.47	82.762 (0.018)		
2-328	$3s^2 3p^3 (\frac{2}{3}D) 2D_{3/2}^o - 3s^2 3p^2 (\frac{1}{2}D) 1D 4s^2 D_{3/2}$	0.42	80.160	78.95	80.170 (0.010)		
7-471	$3s^2 2S 3p^4 (\frac{3}{2}P) 4P_{3/2} - 3s^2 2S 3p^3 (\frac{4}{3}S) 5S 4s^4 S_{3/2}^o$	0.38	83.336 ^D	81.39	83.335 (0.)	*	
1-272	$3s^2 3p^3 (\frac{4}{3}S) 4S_{3/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4s^4 P_{1/2}$	0.34	80.515	79.20	80.499 (-0.016)	*	
3-542	$3s^2 3p^3 (\frac{2}{3}D) 2D_{5/2}^o - 3s^2 3p^2 (\frac{1}{2}D) 1D 4d^2 F_{7/2}$	0.97	66.526	65.62	66.529 (0.003)		
3-507	$3s^2 3p^3 (\frac{2}{3}D) 2D_{5/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4d^2 F_{7/2}$	0.89	67.702 No	66.68	67.551 (-0.15)	?	
3-520	$3s^2 3p^3 (\frac{2}{3}D) 2D_{5/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4d^4 D_{7/2}$	0.83	67.291	66.44	67.293 (0.002)		
2-498	$3s^2 3p^3 (\frac{2}{3}D) 2D_{3/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4d^2 F_{5/2}$	0.81	67.821 No	66.81	67.706	67.702	N
1-488	$3s^2 3p^3 (\frac{4}{3}S) 4S_{3/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4d^4 P_{5/2}$	0.75	66.297	65.31	66.324	?	
1-493	$3s^2 3p^3 (\frac{4}{3}S) 4S_{3/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4d^4 F_{5/2}$	0.72	66.047	65.10	66.042 (-0.005)		
5-552	$3s^2 3p^3 (\frac{2}{3}P) 2P_{3/2}^o - 3s^2 3p^2 (\frac{1}{2}D) 1D 4d^2 D_{5/2}$	0.72	67.972 No	66.88	67.822 (-0.15)	67.821	N
3-497	$3s^2 3p^3 (\frac{2}{3}D) 2D_{3/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4d^4 F_{7/2}$	0.57	-	67.11	67.975	67.972	N
1-496	$3s^2 3p^3 (\frac{4}{3}S) 4S_{3/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4d^4 P_{3/2}$	0.48	65.905	64.97	65.901 (-0.005)		
3-545	$3s^2 3p^3 (\frac{2}{3}D) 2D_{5/2}^o - 3s^2 3p^2 (\frac{1}{2}D) 1D 4d^2 F_{5/2}$	0.46	66.431	65.57	66.486	?	
3-561	$3s^2 3p^3 (\frac{2}{3}D) 2D_{5/2}^o - 3s^2 3p^2 (\frac{1}{2}D) 1D 4d^2 G_{7/2}$	0.41	-	65.06	65.999	?	
4-528	$3s^2 3p^3 (\frac{2}{3}P) 2P_{1/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4d^2 D_{3/2}$	0.40	68.382	67.43	68.381 (-0.001)		
2-525	$3s^2 3p^3 (\frac{2}{3}D) 2D_{3/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4d^2 D_{5/2}$	0.38	66.960	66.03	66.972 (0.012)		
5-613	$3s^2 3p^3 (\frac{1}{2}P) 2P_{3/2}^o - 3s^2 3p^2 (\frac{1}{2}D) 1D 4d^2 F_{5/2}$	0.38	-	64.41	65.632	?	
5-570	$3s^2 3p^3 (\frac{1}{2}P) 2P_{3/2}^o - 3s^2 3p^2 (\frac{1}{2}D) 1D 4d^2 P_{3/2}$	0.34	67.331	66.36	67.321 (-0.02)		
2-548	$3s^2 3p^3 (\frac{2}{3}D) 2D_{3/2}^o - 3s^2 3p^2 (\frac{1}{2}D) 1D 4d^2 D_{3/2}$	0.33	-	65.30	66.235	66.224	?
2-545	$3s^2 3p^3 (\frac{2}{3}D) 2D_{3/2}^o - 3s^2 3p^2 (\frac{1}{2}D) 1D 4d^2 F_{5/2}$	0.31	66.232 No	65.38	66.288	66.297	sbl
1-514	$3s^2 3p^3 (\frac{4}{3}S) 4S_{3/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4d^4 D_{3/2}$	0.27	-	64.48	65.386	?	
4-612	$3s^2 3p^3 (\frac{2}{3}P) 2P_{1/2}^o - 3s^2 3p^2 (\frac{1}{2}S) 1S 4d^2 D_{3/2}$	0.25	-	64.19	65.378	?	
1-492	$3s^2 3p^3 (\frac{4}{3}S) 4S_{3/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4d^4 P_{3/2}$	0.25	-	65.16	66.103	?	
3-517	$3s^2 3p^3 (\frac{2}{3}D) 2D_{5/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4d^4 P_{5/2}$	0.22	-	66.53	67.382	?	
1-501	$3s^2 3p^3 (\frac{4}{3}S) 4S_{3/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4d^4 P_{1/2}$	0.21	-	64.80	65.712	?	
1-486	$3s^2 3p^3 (\frac{4}{3}S) 4S_{3/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4d^4 F_{3/2}$	0.20	-	65.39	66.380	?	
3-525	$3s^2 3p^3 (\frac{2}{3}D) 2D_{5/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4d^4 D_{5/2}$	0.20	67.164	66.23	67.175 (0.011)		
1-495	$3s^2 3p^3 (\frac{4}{3}S) 4S_{3/2}^o - 3s^2 3p^2 (\frac{3}{2}P) 3P 4d^4 P_{1/2}$	0.20	-	64.98	65.910	?	
5-581	$3s^2 3p^3 (\frac{1}{2}P) 2P_{3/2}^o - 3s^2 3p^2 (\frac{1}{2}D) 1D 4d^2 S_{1/2}$	0.15	67.164 No	65.94	66.950	?	
3-570	$3s^2 3p^3 (\frac{2}{3}D) 2D_{5/2}^o - 3s^2 3p^2 (\frac{1}{2}D) 1D 4d^2 P_{3/2}$	7.9×10^{-2}	65.805	64.87	65.792 (-0.013)		
2-552	$3s^2 3p^3 (\frac{2}{3}D) 2D_{3/2}^o - 3s^2 3p^2 (\frac{1}{2}D) 1D 4d^2 D_{5/2}$	4.9×10^{-2}	66.221 No	65.17	66.072	?	

Table 4. Transition wavelengths λ (in Å), transition rates A (in s^{-1}), weighted oscillator strengths gf , and line strengths S (in a.u.) between the states of Mn XI (Fe XII, Co XIII, Ni XIV) listed in Table 2. E1 and E2 transition data in both the length (l) and velocity (v) forms are provided. Type is the type of the multipole, BF is the branching fraction from the upper level. The last column (Acc.) represents the estimated accuracies of the S values using the terminologies of the NIST ASD. Only transitions with $BF \geq 10^{-5}$ are presented.

Z	i	j	λ	Type	BF	A^l	gf^l	S^l	A^v	gf^v	S^v	Acc.
26	1	2	2.388218E+03	M1	9.992E-01	5.417E+01	1.853E-07	1.094E-01				
26	1	2	2.388218E+03	E2	8.153E-04	4.420E-02	1.512E-10	1.227E-02	4.393E-02	1.502E-10	1.219E-02	B+
26	1	3	2.155836E+03	M1	6.796E-01	2.073E+00	8.667E-09	4.621E-03				
26	1	3	2.155836E+03	E2	3.473E-02	1.060E-01	4.430E-10	2.644E-02	1.055E-01	4.408E-10	2.631E-02	B+
26	1	4	1.341248E+03	M1	7.257E-01	1.889E+02	1.019E-07	3.380E-02				
26	1	4	1.341248E+03	E2	3.788E-04	9.862E-02	5.319E-11	7.644E-04	9.696E-02	5.230E-11	7.515E-04	B+
26	1	5	1.235704E+03	M1	5.511E-01	3.449E+02	3.159E-07	9.652E-02				
26	1	6	3.641427E+02	E1	9.769E-01	1.593E+09	1.900E-01	2.278E-01	1.644E+09	1.961E-01	2.351E-01	B+
26	1	7	3.518149E+02	E1	9.914E-01	1.747E+09	1.297E-01	1.502E-01	1.790E+09	1.329E-01	1.539E-01	A
26	1	8	3.465609E+02	E1	9.910E-01	1.845E+09	6.645E-02	7.581E-02	1.885E+09	6.787E-02	7.744E-02	A
26	1	9	2.939938E+02	E1	1.337E-03	4.892E+06	2.536E-04	2.454E-04	4.905E+06	2.543E-04	2.461E-04	B+
26	1	10	2.923208E+02	E1	2.489E-03	8.219E+06	6.318E-04	6.080E-04	8.329E+06	6.402E-04	6.161E-04	B+
26	1	11	2.564707E+02	E1	4.754E-03	4.416E+07	1.742E-03	1.471E-03	4.342E+07	1.713E-03	1.446E-03	A
26	1	12	2.533862E+02	E1	4.658E-03	4.823E+07	9.284E-04	7.745E-04	4.970E+07	9.569E-04	7.982E-04	B+
26	1	13	2.434208E+02	E1	9.275E-03	7.791E+07	1.384E-03	1.109E-03	7.846E+07	1.394E-03	1.117E-03	A
26	1	14	2.343153E+02	E1	8.934E-02	1.773E+07	5.839E-04	4.504E-04	1.790E+07	5.895E-04	4.547E-04	B+
26	1	15	2.322629E+02	E1	3.065E-01	3.467E+07	1.682E-03	1.287E-03	3.480E+07	1.689E-03	1.291E-03	A
26	1	17	2.259146E+02	E1	9.249E-01	9.726E+07	4.465E-03	3.321E-03	9.764E+07	4.483E-03	3.334E-03	A
26	1	20	2.235926E+02	E1	1.087E-01	7.350E+07	1.102E-03	8.110E-04	7.404E+07	1.110E-03	8.170E-04	B+
26	1	21	2.230702E+02	E1	4.464E-01	3.079E+08	9.189E-03	6.748E-03	3.100E+08	9.252E-03	6.794E-03	A
26	1	22	2.209654E+02	E1	7.735E-01	3.649E+08	1.603E-02	1.166E-02	3.666E+08	1.610E-02	1.171E-02	A+
26	1	23	2.164983E+02	M2	1.037E-05	5.189E+00	2.917E-10	1.324E+00				
26	1	26	1.991910E+02	E1	1.600E-03	1.060E+08	2.522E-03	1.654E-03	1.078E+08	2.565E-03	1.682E-03	A
26	1	27	1.951865E+02	E1	9.793E-01	8.262E+10	2.831E+00	1.819E+00	8.306E+10	2.846E+00	1.829E+00	A+
26	1	28	1.945316E+02	E1	1.044E-01	6.988E+09	7.930E-02	5.078E-02	7.032E+09	7.979E-02	5.110E-02	A+
26	1	29	1.935670E+02	E1	9.914E-01	8.446E+10	1.898E+00	1.209E+00	8.497E+10	1.909E+00	1.217E+00	A+
26	1	30	1.924406E+02	E1	9.250E-01	8.238E+10	9.147E-01	5.795E-01	8.290E+10	9.205E-01	5.832E-01	A+
26	1	31	1.900050E+02	E1	2.305E-01	4.104E+09	8.884E-02	5.557E-02	4.126E+09	8.933E-02	5.588E-02	A+
26	1	32	1.861927E+02	E1	7.855E-02	2.695E+09	8.403E-02	5.151E-02	2.707E+09	8.441E-02	5.174E-02	A+
26	1	34	1.802542E+02	E1	2.061E-03	9.564E+07	2.795E-03	1.659E-03	9.603E+07	2.807E-03	1.666E-03	A

NOTE— Table 4 is published in its entirety in the machine-readable format. Part of the values for Fe XII are shown here for guidance regarding its form and content.