

A Bayesian approach to recover the theoretical temperature-dependent hatch date distribution from biased samples: the case of the common dolphinfish (*Coryphaena hippurus*)[☆]

Vicenç Moltó^a, Andres Ospina-Alvarez^{a,*}, Mark Gatt^b, Miquel Palmer^a, Ignacio A. Catalán^a

^aMediterranean Institute for Advanced Studies IMEDEA (UIB-CSIC), C/ Miquel Marqués 21, CP 07190 Esporles, Balearic Islands, Spain.

^bDepartment of Fisheries and Aquaculture, Fort San Lucjan, Triq il-Qajjenza, Malta.

Abstract

Reproductive phenology, growth and mortality rates are key ecological parameters that determine population dynamics and are therefore of vital importance to stock assessment models for fisheries management. In many fish species, the spawning phenology is sensitive to environmental factors that modulate or trigger the spawning event, which differ between regions and seasons. In addition, climate change may also alter patterns of reproductive phenology at the community level. Usually, hatch-date distributions are determined back-calculating the age estimated on calcified structures from the capture date. However, these estimated distributions could be biased due to mortality processes or time spaced samplings derived from fishery. Here, we present a Bayesian approach that functions as a predictive model for the hatching date of individuals from a fishery-dependent sampling with temporal biases. We show that the shape and shift of the observed distribution is corrected. This model can be applied in fisheries with multiple cohorts, for species with a wide geographical distribution and living under contrasting environmental regimes and individuals with different life histories such as thermo-dependent growth, length-dependent mortality rates, etc.

1. Introduction

Reproductive phenology, growth and mortality rates are key ecological parameters that determine population dynamics and are therefore of vital importance to stock assessment models for fisheries management (Lee et al., 2011; Methot and Wetzel, 2013; Stawitz et al., 2019; Walker et al., 2019). These parameters are difficult to estimate and are not known for all fisheries, or even applied in the stock assessment models, especially in data-poor fisheries. This fact could lead to considerable sources of bias for the stock assessment models.

The spawning phenology is sensitive to environmental factors that modulate or trigger the spawning event, which differ among regions and seasons (Pörtner and Peck, 2010; Poloczanska et al., 2016), climate change can also alter the patterns of reproductive phenology at the community level (Pankhurst and Munday, 2011; Anderson et al., 2013). If optimal condition (food avail-

ability, lower depredation rates) are observed at the beginning of the spawning season, growth and condition is early promoted and survival to juvenile stages is increased (Lapolla and Buckley, 2005; Islam et al., 2015). On the contrary, when optimal environmental factors occur later in the spawning season, mortality rates are considerable (e.g., higher accumulated depredation pressure, stronger effects of advective or dispersive processes). In this situation, being born later in the spawning season could be advantageous (Yoklavich and Bailey, 1990; McGovern and Olney, 2011; Xie and Watanabe, 2005; Folkvord et al., 2015). One way to determine the hatching date distribution is back-calculating the age from hard structures of fish (e.g., otoliths captured in a fishery or scientific survey). However, the inferred distribution of observed birth-dates distribution could be incorrect due to sampling time bias. The earlier a fish is born, the more likelihood there is that it will die before the sampling date (Campana and Jones, 1992). Fishery-dependent sampling typically suffers from such a temporal bias in the observed hatch-day distribution because fish are vulnerable only after reaching a certain size/age threshold or simply due to the existence of a mandatory beginning of the fishing season. Ac-

[☆]© 2020. This manuscript version is made available under the CC-BY-NC-ND 4.0 license <http://creativecommons.org/licenses/by-nc-nd/4.0/>

*Corresponding author

Email address: aospina.co@me.com (Andres Ospina-Alvarez)

cordingly, the spawning probability can only be properly estimated from the observed birthday distribution after incorporating the effect of mortality rates.

We present here a Bayesian approach that functions as a predictive model for the hatching date of a population that is sampled with a temporal bias. Our model for predicting the hatching date can be applied in fisheries with multiple cohorts, for species with a wide geographical distribution and living under contrasting environmental regimes and individuals with different life histories (e.g. thermodependent growth, length-dependent mortality rates, etc.). Therefore, the work presented here is relevant to fisheries management, ecology and biology. The model can be incorporated into habitat prediction models, individual-based growth models, bioenergetic models, models projecting the impact of climate on fish growth, etc. In this example, we apply the model to the dolphinfish (*Coryphaena hippurus*) fishery in the NW Mediterranean (CopeMed, II, 2016). The fishery is based on age-0 individuals that are spawned in summer in the area and are fished between August and December (CopeMed, II, 2016) after an extremely fast growth (Massutí et al., 1999).

2. Methods

Three main data sources were required to assess the seasonal pattern of spawning probability of dolphinfish: DB1. A database of juveniles' daily otolith readings; DB2. A database of gonadosomatic index (GSI) estimations (indicative of average population spawning state) around the world; and DB3. Sea Surface Temperature (SST) estimations extracted from satellite imagery for each location and date sorted in DB2.

The rationale behind coupling these three databases respond to: 1) The hatch date distribution of the sampled fish should be related with the hatch date distribution of the cohort (Methot, 1983); 2) The seasonal pattern of GSI should be a proxy of the seasonal spawning pattern (McQuinn, 1989); 3) Fish maturity and GSI are strongly related with the thermal characteristics of their spawning habitat (Dobson and Dodd, 1977; Neuheimer and MacKenzie, 2014; Pankhurst and Munday, 2011).

Therefore, two sub-models can be built: The first one predicts the probability $Prob. birth_{i,j}$ that an individual i belonging to the cohort j was born on the date $hatch_{i,j}$; and the second one to predict the fraction of the population being at the spawning state $Prob. GSI_{i,j}$ at the month t . Both sub-models are related to the temporal location of the spawning peak (μ_j) and the spread of the distribution of the actual dates of birth (σ_j).

Box 1. Databases

DB1. Juveniles' otolith readings database

1074 individuals, with recorded capture date, corresponding to 13 Mediterranean cohorts (3 years from Balearic Islands and 8 years from Malta; Table A.1).

DB2. Monthly population-averaged GSI database

Population-averaged GSI and date for 7 populations along a wide latitudinal gradient (Taiwan, Malta, Balearic Islands, North Carolina, South West India, Japan and California; Table B.2)

DB3. Monthly averaged SST

SST from satellite imagery for the locations (averages of 100x100 km around the areas of capture) and dates from DB2 (Not shown here).

2.1. Prob. $birth_{i,j}$ sub-model

The hatch-date (birth) distribution sub-model is derived with the assumption of the hatch dates of a given cohort are normally distributed in time around a cohort-specific (j) peak date (μ_j ; Julian days from January 1st), and a cohort-specific spread (σ_j ; days). The fish i has been actually captured at a given date and has a known age and the probability can be approximated by:

$$Prob. birth_{i,j} = \frac{dnorm(hatch_{i,j}, mean = \hat{\mu}_j, sd = \sigma_j)}{pnorm(capture_{i,j} - age-min_{i,j}, mean = \hat{\mu}_j, sd = \sigma_j)} \quad (1)$$

where $dnorm$ denotes the probability density function and $pnorm$ denotes the cumulative probability function of the normal distribution; $hatch_{i,j}$ is the observed (inferred from the otolith) hatch date of the i fish from the j cohort; $capture_{i,j}$ is the capture date (Julian days); $age-min_{i,j}$ is the age from which the fish i reaches a threshold size after which it is considered vulnerable to fishing (20 cm; which is the approximate average length of the minimum size at catch in the available fishery-dependent data series (DB1)); and therefore, when the fishing mortality acts. This age is estimated using a growth model developed for this species (Moltó et al., submitted). Finally, $\hat{\mu}_j$ represents the apparent spawn-

ing peak after being distorted by natural and fishing mortality, which is given by:

$$\hat{\mu}_j = \mu_j + m\sigma_j^2 \quad (2)$$

where μ_j is the true peak location (Julian days) of the cohort j and m is the instantaneous natural mortality rate (1.703 day^{-1}), estimated from the HoenigNLS empirical prediction model using the maximum known life span (Tmax) for a given species as it was the best empirical estimator of natural mortality, according to a study of more than 200 species (Then et al., 2014). Here, Tmax was set as 3 for dolphinfish (Massutí et al., 1999).

At the between-cohort level, the spawning peak location (μ_j) and the spread (σ_j) are assumed to be a linear function of the sinusoidal temperature profile of a given year and region:

$$\mu_j = \beta_o + \beta_1 \text{Temp. Phase}_j + \epsilon_j \quad (3)$$

$$\sigma_j = \gamma_o + \gamma_1 \text{Temp. Mean}_j \quad (4)$$

where ϵ_j is either a normally distributed error with zero mean and standard deviations $sd.\mu$ (Eq. 3) or σ_j is assumed to be gamma distributed with a rate $sd.rate$ (Eq. 4). Temp.Mean_j , Temp.Amp_j and Temp.Phase_j are the mean, amplitude and phase of a sinusoidal function fitted to the temperature profile that has experienced the cohort j :

$$\begin{aligned} \text{Temp}_{t,j} &= \text{Temp. Mean}_j + \text{Temp. Amp}_j \\ &\quad \sin(2\pi t/365 + \text{Temp. Phase}_j) + \epsilon_j \end{aligned} \quad (5)$$

2.2. Prob. GSI_{t,j} sub-model

The spawning state (GSI) distribution sub-model is derived from the gonadosomatic index data. The observed $GSI_{t,j}$ (average GSI of a sample of fish from the population j at the month t , in Julian days) is modelled by:

$$GSI_{t,j} = GSI \max_j \text{Prob. GSI}_{t,j} + \epsilon_j \quad (6)$$

where $GSI \max_j$ is the maximum GSI value attainable at the population j (scale factor); $\text{Prob. GSI}_{t,j}$ is the fraction of the population being at the spawning state at the month t ; and ϵ_j is a normally distributed error with zero mean and standard deviations $sd. GSI$. In turn, $\text{Prob. GSI}_{t,j}$ is related with the spawning peak location

(μ_j) and the spread (σ_j) of the actual hatch dates distribution (common parameters shared with *Prob. birth_{i,j}* sub-model) by a super Gaussian distribution model Decker (1994), that only differs with the normal distribution by the exponent POW . When $POW < 1$, the resulting distribution has a pointed peak and long tails ("Christmas tree distribution").

$$\text{Prob. GSI}_{t,j} = \frac{1}{\sigma_j \sqrt{2\pi}} e^{\left(-\frac{(t-\mu_j)^2}{2\sigma_j^2}\right)^{POW}} \quad (7)$$

Therefore, eq. 7 effectively links the (unbiased) probability of spawning with the observed temperature profile, and the relationship between GSI and temperature. The parameters of the two sub-models above have been estimated using a Bayesian approach implemented in a custom R script (R Core Team, 2019) (Appendix 1) that runs JAGS (Plummer, 2003) for moving the MCMC chains. We use the "ones trick" (Kruschke, 2015) for sampling from the non-standard distribution described in Eq. 1. Three independent chains were run. The convergence of the MCMC chains was assessed by visual inspection of the chains and was tested using the Gelman-Rubin statistic (Plummer, 2008).

A threshold value of 1.1 or less was assumed to suggest convergence (Gelman et al., 2013). Posterior distribution was estimated by at least 3 000 valid iterations after appropriate burning and thinning (one out 10 iteration were kept). The first 10 000 iterations were not considered. Nearly uninformative priors have been assumed for all the parameters. Specifically, priors for β (Eq. 3) and γ (Eq. 4) parameters are assumed to be normally distributed with zero mean and tolerance = e^{-10} , $GSI.scale$ are assumed to be normally distributed with zero mean and tolerance = e^{-10} , but constrained to be positive, and all tolerances and rates ($sd. rate$ in Eq. 4) are assumed to be gamma distributed with parameters shape = 0.01 and scale = 0.01.

Finally, to encourage the reproducible results, we make our code public on a GitHub repository [doi:10.5281/zenodo.3725530](https://doi.org/10.5281/zenodo.3725530)

3. Results

The theoretical (corrected) hatch-date distribution has been estimated for the Mediterranean dolphinfish cohorts above mentioned (DB1). As an example, the corrected hatch-date distribution for the Balearic Islands 2004 cohort is shifted to the left (early in the spawning season) with respect to the observed hatch-date distribution, with a difference of 5 days in their median val-

ues (Fig. 1). Our model also shows an adequate reproducibility for the GSI patterns of the populations examined (DB2), which is shown in the Figure 2.

4. Discussion

Daily growth based on the analysis of the otolith microstructure, together with information from the gonads, has been widely used to obtain information on the reproductive biology of fish species. From ichthyoplankton studies, or based on later-stage individuals, hatching date distributions, determined by backward calculations of age from the date of capture in otolith readings, is an extended methodology to determine spawning behaviour and, therefore, environmental factors related to it (Campana and Jones, 1992). However, the hatching date distribution obtained from these observations could be biased due to the lack of individuals at certain stages, mainly due to advective or dispersive processes or to mortality rates that occur during the time between the birth of the individuals and their capture (Campana and Jones, 1992). The majority of studies that have determined hatching date distributions using this methodology are based on larvae or early juvenile (young of the year) stages, where the correction factors applied are based on the absence or survival of individuals between successive cohorts or age classes (most of which are arbitrarily set within the same spawning season). For example, Methot and Wetzel (2013) corrected the hatch-date distributions by the inverse of survival rates between age classes, whereas others studies, focused on larval stages, corrected the hatch distribution through the instantaneous mortality rate determined for the life period studied (Yoklavich and Bailey, 1990; Fortier and Quiñonez-Velazquez, 1998; Marteinsdottir et al., 2000; Quiñonez-Velazquez et al., 2000). Quiñonez-Velazquez et al. (2000) also applied a correction based on a mortality coefficient for juvenile pacific sardine. All these studies are conducted within the critical life period for fish species, when mortality rates are highly significant, with strong effects in the shape of the back-calculated distributions (Campana and Jones, 1992). These authors affirm that after the critical period, once juvenile have attained a determinate age, in which mortality rates have decreased to minimum values, the shape of the observed and expected hatch-distributions will be similar. This is the case of our study, because although we are sampling on young of the year individuals, they are already survivors of the critical early life period. Thus, we applied a constant natural mortality coefficient acting throughout the entire life period.

Moreover, once individuals attain a certain length (with is variable in age depending on the thermal history experienced according to the growth model used (Moltó et al. submitted), they will be available (vulnerable) to the fishery which is, in turn, legally established with a certain period in the Mediterranean Sea (Recommendation GFCM/30/2006/2 available online at: <http://www.fao.org/gfcm/data/reporting/dolphinfish/en/>). Once the fish is vulnerable to the fishery, the fishing mortality could act in a similar way to the natural mortality during the critical stage in terms of the theoretical hatch-date distribution determination.

The assumption behind the utilization of a constant mortality rate ignores an age or length-specific mortality, which is more likely to realistically occur than a fixed mortality coefficient (Campana and Jones, 1992). Despite fixed coefficients have been commonly used, as in this work, variable mortality rates along age or size would be a more accurate mathematical approach in order to better obtain the theoretical hatch-date distribution. Variable mortality values could be incorporated in our model as we are simulating the age and size along the entire life period of each individual when the birth date is back-calculated. However, these data are difficult to determinate and are not available yet for this species. This is the first time that a methodology is provided to estimate the theoretical hatch-date distribution from juveniles after the critical mortality stage and already incorporated and sampled from the fishery, accounting for a constant mortality rate. Moreover, our model incorporates the environmental factors with strong influence on the shape of the size distribution due to regional thermal regimes. The thermal regimes are incorporated together with the GSI information of different dolphinfish populations analysed around the globe, as well as the individual daily thermal histories, which are implicit in the growth model used to back-calculate the hatching-date distribution (Moltó et al. submitted).

This work provides a methodology to recover the theoretical hatch-date distribution from a certain cohort. Thus, it can be used to set-up the expected hatch dates distribution under a specific thermal regime; and, due to its coupling to a growth model, used to develop population-based simulations of expected length distribution at a given date, under a given temperature and management (fishing mortality rates) scenarios.

Acknowledgements

This work has received funding from the European Union's Horizon 2020 Research and Innovation program under Grant Agreement 678193 (CERES). AO




Figure 1: Shift in hatching date distribution for a dolphinfish cohort from Balearic Islands for the year 2004. The red shaded area corresponds to the distribution of observed hatching dates and the blue area represents the distribution of theoretical hatching dates estimated by the Bayesian method explained in this research. The vertical bars (red and blue) indicate the mean values of each distribution.




Figure 2: GSI patterns of the dolphinfish populations examined.

was supported by H2020 Marie Skłodowska-Curie Actions [746361]. The authors are grateful to Andreina Fenech, Marie Louise Pace and Roberta Mifsud from the Department of Fisheries and Aquaculture of Malta for the data collection.

References

- Anderson, J.J., Gurarie, E., Bracis, C., Burke, B.J., Laidre, K.L., 2013. Modeling climate change impacts on phenology and population dynamics of migratory marine species. *Ecological Modelling* 264, 83–97. URL: <https://linkinghub.elsevier.com/retrieve/pii/S030438001300166X>, doi:10.1016/j.ecolmodel.2013.03.009.
- Campana, S.E., Jones, C.M., 1992. Analysis of Otolith Microstructure, in: Stevenson, D.K., Campana, S.E. (Eds.), *Otolith Microstructure Examination and Analysis*. Can. Spec. Publ. Fish. Aquat. Sci., pp. 73–100. URL: https://www.researchgate.net/profile/David_Stevenson9/publication/318508425_Otolith_Microstructure_Examination_and_Analysis/links/596e7031aca272d552fe3b29/Otolith-Microstructure-Examination-and-Analysis.pdf.
- CopeMed, II, 2016. CopeMed II-MedSudMed Technical Workshop on *Coryphaena hippurus* Fisheries in the Western-Central Mediterranean Malta 16- 18 March 2016. CopeMed II Technical Documents No.42, GCP/INT/028/SPA; GCP/INT/006/EC, 1–31.
- Decker, F.J., 1994. Beam distributions beyond RMS. Technical Report. Stanford Linear Accelerator Center, Stanford, CA. URL: <https://ui.adsabs.harvard.edu/abs/1994STIN...9610487D>.
- Dobson, S., Dodd, J.M., 1977. The roles of temperature and photoperiod in the response of the testis of the dogfish, *Scyliorhinus canicula* L. to partial hypophysectomy (ventral lobectomy). *General and Comparative Endocrinology* 32, 114–115. URL: <http://www.sciencedirect.com/science/article/pii/0016648077900880>.
- Folkvord, A., Gundersen, G., Albretsen, J., Asplin, L., Kaartvedt, S., Giske, J., 2015. Impact of hatch date on early life growth and survival of Mueller's pearlside (*Maurollicus muelleri*) larvae and life-history consequences I. *Canadian Journal of Fisheries and Aquatic Sciences* URL: <https://www.nrcresearchpress.com/doi/abs/10.1139/cjfas-2015-0040>, doi:10.1139/cjfas-2015-0040.
- Fortier, L., Quiñonez-Velazquez, C., 1998. Dependence of survival on growth in larval pollock *Pollachius virens* and haddock *Melanogrammus aeglefinus*: A field study based on individual hatchdates. *Marine Ecology Progress Series* 174, 1–12. URL: <http://www.int-res.com/abstracts/meps/v174/p1-12/>, doi:10.3354/meps174001.
- Furukawa, S., Ohshimo, S., Tomoe, S., Shiraishi, T., Nakatsuka, N., Kawabe, R., 2012. Age, growth, and reproductive characteristics of dolphinfish *Coryphaena hippurus* in the waters off west Kyushu, northern East China Sea. *Fisheries Science* 78, 1153–1162. URL: <http://link.springer.com/10.1007/s12562-012-0557-6>, doi:10.1007/s12562-012-0557-6.
- Gatt, M., Dimech, M., Schembri, P.J., 2015. Age, Growth and Reproduction of *Coryphaena hippurus* (Linnaeus, 1758) in Maltese Waters, Central Mediterranean. *Mediterranean Marine Science* 16, 334–345. URL: <https://ejournals.epublishing.ekt.gr/index.php/hcmr-med-mar-sc/article/view/12631>, doi:10.12681/mms.706.
- Gelman, A., Carlin, J.B., Stern, H.S., Dunson, D.B., Vehtari, A., Rubin, D.B., 2013. *Bayesian Data Analysis*. 3rd ed., Chapman and Hall/CRC, Boca Raton, FL. URL: <https://www.crcpress.com/Bayesian-Data-Analysis/Gelman-Carlin-Stern-Dunson-Vehtari-Rubin/p/book/9781439840955>.
- Islam, M.S., Ueno, M., Yamashita, Y., 2015. Recruitment in Japanese sea bass, *Lateolabrax japonicus* (Cuvier, 1828): effects of timing on spawning and larval quality and quantity. *Journal of Applied Ichthyology* 31, 1064–1071. URL: <https://onlinelibrary.wiley.com/doi/full/10.1111/jai.12861>, doi:10.1111/jai.12861.
- Kruschke, J.K., 2015. Chapter 8 - JAGS, in: Kruschke, J.K. (Ed.), *Doing Bayesian data analysis: a tutorial with R, JAGS, and Stan*. Academic Press, Boston, pp. 193–219. URL: <http://www.sciencedirect.com/science/article/pii/B9780124058880000088>.
- Lapolla, A., Buckley, L.J., 2005. Hatch date distributions of young-of-year haddock *Melanogrammus aeglefinus* in the Gulf of Maine/ Georges Bank region: implications for recruitment. *Marine Ecology Progress Series* 290, 239–249. URL: <https://www.int-res.com/abstracts/meps/v290/p239-249/>, doi:10.3354/meps290239.
- Lee, H.H., Maunder, M.N., Piner, K.R., Methot, R.D., 2011. Estimating natural mortality within a fisheries stock assessment model: An evaluation using simulation analysis based on twelve stock assessments. *Fisheries Research* 109, 89–94. URL: <http://dx.doi.org/10.1016/j.fishres.2011.01.021>, doi:10.1016/j.fishres.2011.01.021.
- Marteinsdottir, G., Gunnarsson, B., Suthers, I.M., 2000. Spatial variation in hatch date distributions and origin of pelagic juvenile cod in Icelandic waters. *ICES Journal of Marine Science* 57, 1182–1195. URL: <https://doi.org/10.1006/jmsc.2000.0880>, doi:10.1006/jmsc.2000.0880.
- Massutí, E., Morales-Nin, B., 1995. Seasonality and reproduction of dolphin-fish (*Coryphaena hippurus*) in the western Mediterranean. *Scientia Marina* 59, 357–364. URL: <http://scimar.icm.csic.es/scimar/index.php/secId/6/IdArt/2782/>.
- Massutí, E., Morales-Nin, B., Moranta, J., 1999. Otolith microstructure, age, and growth patterns of dolphin, *Coryphaena hippurus*, in the western Mediterranean. *Fishery Bulletin* 97, 891–899. URL: <https://digital.csic.es/handle/10261/55916>, doi:10.1111/jfb.13002/pdf.
- McGovern, J.C., Olney, J.E., 2011. Factors affecting survival of early life stages and subsequent recruitment of striped bass on the Pamunkey River, Virginia. *Canadian Journal of Fisheries and Aquatic Sciences* 53, 1713–1726. URL: <http://www.nrcresearchpress.com/doi/10.1139/f96-100>, doi:10.1139/f96-100.
- McQuinn, I.H., 1989. Identification of Spring- and Autumn-Spawning Herring (*Clupea harengus harengus*) using Maturity Stages Assigned from a Gonadosomatic Index Model. *Canadian Journal of Fisheries and Aquatic Sciences* 46, 969–980. URL: <http://www.nrcresearchpress.com/doi/10.1139/f89-126>, doi:10.1139/f89-126.
- Methot, R.D., 1983. Seasonal variation in survival of larval *Engraulis mordax* estimated from the age distribution of juveniles. *Fishery Bulletin* 81, 741–750. URL: <http://www.tandfonline.com/doi/abs/10.2989/02577618909504547>, doi:10.2989/02577618909504547.
- Methot, R.D., Wetzel, C.R., 2013. Stock synthesis: A biological and statistical framework for fish stock assessment and fishery management. *Fisheries Research* 142, 86–99. URL: <http://www.sciencedirect.com/science/article/pii/S0165783612003293>, doi:10.1016/j.fishres.2013.03.009.

- doi:10.1016/j.fishres.2012.10.012.
- Neuheimer, A.B., MacKenzie, B.R., 2014. Explaining life history variation in a changing climate across a species' range. *Ecology* 95, 3364–3375. URL: <https://esajournals.onlinelibrary.wiley.com/doi/full/10.1890/13-2370.1>, doi:10.1890/13-2370.1.
- Pankhurst, N.W., Munday, P.L., 2011. Effects of climate change on fish reproduction and early life history stages. *Marine and Freshwater Research* 62, 1015–1026. URL: <https://www.publish.csiro.au/mf/MF10269>, doi:10.1071/MF10269.
- Plummer, M., 2003. JAGS: A program for analysis of Bayesian graphical models using Gibbs sampling, in: *Proceedings of the 3rd international workshop on distributed statistical computing*, Vienna, Austria. p. 10.
- Plummer, M., 2008. Penalized loss functions for Bayesian model comparison. *Biostatistics (Oxford, England)* 9, 523–539. URL: <https://academic.oup.com/biostatistics/article-lookup/doi/10.1093/biostatistics/kxm049>, doi:10.1093/biostatistics/kxm049.
- Poloczanska, E.S., Burrows, M.T., Brown, C.J., García Molinos, J., Halpern, B.S., Hoegh-Guldberg, O., Kappel, C.V., Moore, P.J., Richardson, A.J., Schoeman, D.S., Sydeman, W.J., 2016. Responses of Marine Organisms to Climate Change across Oceans. *Frontiers in Marine Science* 3, 515. URL: <http://journal.frontiersin.org/Article/10.3389/fmars.2016.00062/abstract>, doi:10.3389/fmars.2016.00062.
- Pörtner, H.O., Peck, M., 2010. Climate change effects on fishes and fisheries: towards a cause-and-effect understanding. *Journal of Fish Biology* 77, 1745–1779. URL: <https://www.onlinelibrary.wiley.com/doi/full/10.1111/j.1095-8649.2010.02783.x>, doi:10.1111/j.1095-8649.2010.02783.x.
- Quiñonez-Velazquez, C., Nevarez-Martínez, M.O., Gluyas-Millán, M.G., 2000. Growth and hatching dates of juvenile pacific sardine *Sardinops caeruleus* in the Gulf of California. *Fisheries Research* 48, 99–106. URL: <http://www.sciencedirect.com/science/article/pii/S016578360000179XKW->, doi:10.1016/S0165-7836(00)00179-X.
- R Core Team, 2019. R: A Language and Environment for Statistical Computing. R Foundation for Statistical Computing. Vienna, Austria. URL: <https://www.R-project.org/>.
- Rajesh, K.M., Rohit, P., Abdussamad, E.M., 2016. Fishery, diet composition and reproductive biology of the dolphinfish *Coryphaena hippurus* (Linnaeus, 1758) off Karnataka, southwest coast of India. *Indian Journal of Fisheries* 63, 1–6. URL: <http://epubs.icar.org.in/ejournal/index.php/IJF/article/view/60190>, doi:10.21077/ijf.2016.63.4.60190-06.
- Schwenke, K.L., Buckel, J.A., 2008. Age, growth, and reproduction of dolphinfish (*Coryphaena hippurus*) caught off the coast of North Carolina. *Fishery Bulletin* 106, 82–92. URL: <http://agris.fao.org/agris-search/search.do?recordID=AV2012089738>.
- Stawitz, C.C., Haltuch, M.A., Johnson, K.F., 2019. How does growth misspecification affect management advice derived from an integrated fisheries stock assessment model? *Fisheries Research* 213, 12–21. URL: <https://www.sciencedirect.com/science/article/pii/S0165783619300049>, doi:10.1016/j.fishres.2019.01.004.
- Then, A.Y., Hoenig, J.M., Hall, N.G., Hewitt, D.A., Jardim, H.e.E., 2014. Evaluating the predictive performance of empirical estimators of natural mortality rate using information on over 200 fish species. *ICES Journal of Marine Science* 72, 82–92. URL: <https://doi.org/10.1093/icesjms/fsu136>, doi:10.1093/icesjms/fsu136", "keywords": ["Alverson.
- Walker, N.D., García-Carreras, B., Le Quesne, W.J.F., Maxwell, D.L., Jennings, S., 2019. A data-limited approach for estimating fishing mortality rates and exploitation status of diverse target and non-target fish species impacted by mixed multispecies fisheries. *ICES Journal of Marine Science* 76, 824–836. URL: <https://doi.org/10.1093/icesjms/fsy205>, doi:10.1093/icesjms/fsy205", "keywords": ["data-limited", "exploitation.
- Wu, C.C., Su, W.C., Kawasaki, T., 2001. Reproductive biology of the dolphin fish *Corphaena hippurus* on the east coast of Taiwan. *Fisheries Science* 67, 784–793. URL: <http://www.blackwell-synergy.com/links/doi/10.1046%2Fj.1444-2906.2001.00324.x>, doi:10.1046/j.1444-2906.2001.00324.x.
- Xie, S., Watanabe, Y., 2005. Hatch date-dependent differences in early growth and development recorded in the otolith microstructure of *Trachurus japonicus*. *Journal of Fish Biology* 66, 1720–1734. URL: <https://onlinelibrary.wiley.com/doi/full/10.1111/j.0022-1112.2005.00764.x>, doi:10.1111/j.0022-1112.2005.00764.x.
- Yoklavich, M.M., Bailey, K.M., 1990. Hatching period, growth and survival of young walleye pollock *Theragra chalcogramma* as determined from otolith analysis. *Marine Ecology Progress Series* 64, 13–23. URL: <https://www.int-res.com/articles/meps/64/m064p013.pdf>.
- Zúñiga Flores, M.S., Ortega-García, S., Rodríguez-Jaramillo, M.D.C., López-Martínez, J., 2011. Reproductive dynamics of the common dolphinfish *Coryphaena hippurus* in the southern Gulf of California. *Marine Biology Research* 7, 677–689. URL: <http://www.tandfonline.com/doi/abs/10.1080/17451000.2011.554558>, doi:10.1080/17451000.2011.554558.

Appendix A. Dolphinfin juveniles' otolith readings database

Table A.1: Otolith readings of juvenile dolphinfin, including date of capture, for 13 Mediterranean cohorts (3 years from the Balearic Islands and 8 years from Malta).

Area	Catch Date	Age	FL (cm)	Birthdate
Balearic Islands	09/11/2004	97	37.5	04/08/2004
Balearic Islands	09/11/2004	97	40.4	04/08/2004
Balearic Islands	05/11/2004	95	42.6	02/08/2004
Balearic Islands	09/11/2004	170	44.9	23/05/2004
Balearic Islands	05/11/2004	139	44.6	19/06/2004
Balearic Islands	09/11/2004	112	43.1	20/07/2004
Balearic Islands	05/11/2004	135	45.0	23/06/2004
Balearic Islands	05/11/2004	131	46.6	27/06/2004
Balearic Islands	09/11/2004	98	45.3	03/08/2004
Balearic Islands	09/11/2004	102	43.1	30/07/2004
Balearic Islands	05/11/2004	143	45.0	15/06/2004
Balearic Islands	05/11/2004	119	46.5	09/07/2004
Balearic Islands	05/11/2004	93	48.0	04/08/2004
Balearic Islands	09/11/2004	141	47.2	21/06/2004
Balearic Islands	05/11/2004	122	48.8	06/07/2004
Balearic Islands	05/11/2004	110	47.0	18/07/2004
Balearic Islands	05/11/2004	120	45.8	08/07/2004
Balearic Islands	09/11/2004	162	46.8	31/05/2004
Balearic Islands	05/11/2004	138	47.9	20/06/2004
Balearic Islands	09/11/2004	147	49.8	15/06/2004
Balearic Islands	05/11/2004	111	49.8	17/07/2004
Balearic Islands	09/11/2004	125	52.0	07/07/2004
Balearic Islands	09/11/2004	118	52.5	14/07/2004
Balearic Islands	05/11/2004	110	51.7	18/07/2004
Balearic Islands	05/11/2004	142	53.0	16/06/2004
Balearic Islands	05/11/2004	134	53.2	24/06/2004
Balearic Islands	09/11/2004	127	51.4	05/07/2004
Balearic Islands	09/11/2004	106	54.1	26/07/2004
Balearic Islands	05/11/2004	127	56.0	01/07/2004
Balearic Islands	09/11/2004	172	54.4	21/05/2004
Balearic Islands	09/11/2004	140	59.2	22/06/2004
Balearic Islands	10/11/2004	103	36.4	30/07/2004
Balearic Islands	10/11/2004	81	38.3	21/08/2004
Balearic Islands	10/11/2004	103	38.5	30/07/2004
Balearic Islands	17/11/2004	104	39.0	05/08/2004
Balearic Islands	10/11/2004	115	40.8	18/07/2004
Balearic Islands	10/11/2004	98	40.0	04/08/2004
Balearic Islands	18/11/2004	91	40.9	19/08/2004
Balearic Islands	18/11/2004	89	40.9	21/08/2004
Balearic Islands	10/11/2004	128	42.9	05/07/2004
Balearic Islands	10/11/2004	99	42.3	03/08/2004
Balearic Islands	10/11/2004	106	43.8	27/07/2004
Balearic Islands	18/11/2004	101	43.0	09/08/2004
Balearic Islands	17/11/2004	95	43.4	14/08/2004

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Balearic Islands	18/11/2004	126	42.9	15/07/2004
Balearic Islands	10/11/2004	120	44.6	13/07/2004
Balearic Islands	18/11/2004	98	45.0	12/08/2004
Balearic Islands	18/11/2004	119	44.4	22/07/2004
Balearic Islands	18/11/2004	111	44.6	30/07/2004
Balearic Islands	17/11/2004	175	45.0	26/05/2004
Balearic Islands	18/11/2004	115	44.0	26/07/2004
Balearic Islands	18/11/2004	114	43.9	27/07/2004
Balearic Islands	17/11/2004	120	43.5	20/07/2004
Balearic Islands	10/11/2004	146	45.0	17/06/2004
Balearic Islands	17/11/2004	138	45.8	02/07/2004
Balearic Islands	10/11/2004	118	47.5	15/07/2004
Balearic Islands	18/11/2004	119	45.8	22/07/2004
Balearic Islands	18/11/2004	116	46.0	25/07/2004
Balearic Islands	18/11/2004	160	47.5	11/06/2004
Balearic Islands	10/11/2004	113	45.7	20/07/2004
Balearic Islands	18/11/2004	105	47.2	05/08/2004
Balearic Islands	18/11/2004	133	46.9	08/07/2004
Balearic Islands	18/11/2004	88	47.0	22/08/2004
Balearic Islands	17/11/2004	145	47.7	25/06/2004
Balearic Islands	18/11/2004	147	46.1	24/06/2004
Balearic Islands	18/11/2004	145	48.9	26/06/2004
Balearic Islands	17/11/2004	122	48.4	18/07/2004
Balearic Islands	10/11/2004	124	47.0	09/07/2004
Balearic Islands	18/11/2004	155	48.5	16/06/2004
Balearic Islands	10/11/2004	105	46.9	28/07/2004
Balearic Islands	17/11/2004	105	48.4	04/08/2004
Balearic Islands	18/11/2004	138	48.5	03/07/2004
Balearic Islands	17/11/2004	152	47.1	18/06/2004
Balearic Islands	17/11/2004	163	49.3	07/06/2004
Balearic Islands	18/11/2004	120	48.8	21/07/2004
Balearic Islands	18/11/2004	144	49.3	27/06/2004
Balearic Islands	10/11/2004	101	48.6	01/08/2004
Balearic Islands	18/11/2004	131	50.1	10/07/2004
Balearic Islands	17/11/2004	121	48.2	19/07/2004
Balearic Islands	18/11/2004	122	49.5	19/07/2004
Balearic Islands	18/11/2004	118	51.9	23/07/2004
Balearic Islands	18/11/2004	107	51.2	03/08/2004
Balearic Islands	10/11/2004	119	50.0	14/07/2004
Balearic Islands	10/11/2004	124	51.6	09/07/2004
Balearic Islands	18/11/2004	132	51.7	09/07/2004
Balearic Islands	18/11/2004	153	53.8	18/06/2004
Balearic Islands	18/11/2004	116	52.0	25/07/2004
Balearic Islands	17/11/2004	199	53.9	02/05/2004
Balearic Islands	18/11/2004	138	52.7	03/07/2004
Balearic Islands	17/11/2004	119	55.4	21/07/2004
Balearic Islands	17/11/2004	117	53.9	23/07/2004
Balearic Islands	17/11/2004	124	56.4	16/07/2004
Balearic Islands	18/11/2004	116	53.9	25/07/2004
Balearic Islands	17/11/2004	164	59.4	06/06/2004

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Balearic Islands	18/11/2004	172	55.2	30/05/2004
Balearic Islands	18/11/2004	104	58.1	06/08/2004
Balearic Islands	20/11/2004	96	38.5	16/08/2004
Balearic Islands	20/11/2004	115	38.0	28/07/2004
Balearic Islands	20/11/2004	105	40.2	07/08/2004
Balearic Islands	20/11/2004	122	44.2	21/07/2004
Balearic Islands	20/11/2004	121	43.9	22/07/2004
Balearic Islands	20/11/2004	112	43.8	31/07/2004
Balearic Islands	20/11/2004	116	47.7	27/07/2004
Balearic Islands	20/11/2004	132	46.6	11/07/2004
Balearic Islands	20/11/2004	132	49.8	11/07/2004
Balearic Islands	20/11/2004	123	51.2	20/07/2004
Balearic Islands	20/11/2004	145	51.0	28/06/2004
Balearic Islands	20/11/2004	132	50.1	11/07/2004
Balearic Islands	20/11/2004	129	54.0	14/07/2004
Balearic Islands	04/11/2004	150	41.6	07/06/2004
Balearic Islands	03/11/2004	109	43.0	17/07/2004
Balearic Islands	04/11/2004	108	43.2	19/07/2004
Balearic Islands	03/11/2004	136	44.3	20/06/2004
Balearic Islands	04/11/2004	120	43.8	07/07/2004
Balearic Islands	04/11/2004	124	43.8	03/07/2004
Balearic Islands	04/11/2004	141	43.7	16/06/2004
Balearic Islands	04/11/2004	117	42.8	10/07/2004
Balearic Islands	04/11/2004	150	43.5	07/06/2004
Balearic Islands	04/11/2004	182	45.0	06/05/2004
Balearic Islands	03/11/2004	113	45.1	13/07/2004
Balearic Islands	04/11/2004	191	44.7	27/04/2004
Balearic Islands	03/11/2004	146	44.8	10/06/2004
Balearic Islands	03/11/2004	103	47.4	23/07/2004
Balearic Islands	04/11/2004	131	44.9	26/06/2004
Balearic Islands	04/11/2004	165	46.7	23/05/2004
Balearic Islands	04/11/2004	167	46.0	21/05/2004
Balearic Islands	03/11/2004	149	46.5	07/06/2004
Balearic Islands	04/11/2004	139	46.0	18/06/2004
Balearic Islands	03/11/2004	102	47.4	24/07/2004
Balearic Islands	03/11/2004	145	48.8	11/06/2004
Balearic Islands	04/11/2004	147	47.7	10/06/2004
Balearic Islands	04/11/2004	165	48.8	23/05/2004
Balearic Islands	04/11/2004	139	47.4	18/06/2004
Balearic Islands	03/11/2004	98	48.0	28/07/2004
Balearic Islands	03/11/2004	196	50.0	21/04/2004
Balearic Islands	03/11/2004	119	51.2	07/07/2004
Balearic Islands	04/11/2004	118	50.8	09/07/2004
Balearic Islands	03/11/2004	119	50.7	07/07/2004
Balearic Islands	28/10/2004	103	50.6	17/07/2004
Balearic Islands	28/10/2004	113	52.5	07/07/2004
Balearic Islands	28/10/2004	132	52.9	18/06/2004
Balearic Islands	28/10/2004	118	50.2	02/07/2004
Balearic Islands	28/10/2004	100	52.3	20/07/2004
Balearic Islands	03/11/2004	159	52.5	28/05/2004

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Balearic Islands	28/10/2004	95	54.0	25/07/2004
Balearic Islands	03/11/2004	131	55.4	25/06/2004
Balearic Islands	28/10/2004	91	55.3	29/07/2004
Balearic Islands	03/11/2004	137	58.1	19/06/2004
Balearic Islands	07/08/1990	46	16.5	22/06/1990
Balearic Islands	29/08/1991	71	19.0	19/06/1991
Balearic Islands	29/08/1991	68	19.5	22/06/1991
Balearic Islands	29/08/1991	61	19.7	29/06/1991
Balearic Islands	29/08/1991	53	21.0	07/07/1991
Balearic Islands	29/08/1991	92	21.7	29/05/1991
Balearic Islands	29/08/1991	83	22.5	07/06/1991
Balearic Islands	29/08/1991	67	23.7	23/06/1991
Balearic Islands	30/08/1990	64	23.5	27/06/1990
Balearic Islands	02/09/1990	73	23.5	21/06/1990
Balearic Islands	05/09/1991	79	24.5	18/06/1991
Balearic Islands	05/09/1991	68	25.0	29/06/1991
Balearic Islands	29/08/1991	65	26.5	25/06/1991
Balearic Islands	30/08/1990	66	26.0	25/06/1990
Balearic Islands	30/08/1990	66	26.0	25/06/1990
Balearic Islands	30/08/1990	63	25.5	28/06/1990
Balearic Islands	30/08/1990	81	26.0	10/06/1990
Balearic Islands	22/09/1991	84	26.8	30/06/1991
Balearic Islands	05/09/1991	77	27.5	20/06/1991
Balearic Islands	05/09/1991	71	27.5	26/06/1991
Balearic Islands	05/09/1991	67	27.0	30/06/1991
Balearic Islands	05/09/1991	68	27.5	29/06/1991
Balearic Islands	05/09/1991	90	27.0	07/06/1991
Balearic Islands	30/08/1990	87	27.5	04/06/1990
Balearic Islands	29/08/1991	86	27.5	04/06/1991
Balearic Islands	06/09/1990	89	30.0	09/06/1990
Balearic Islands	05/09/1991	89	27.0	08/06/1991
Balearic Islands	05/09/1991	80	28.0	17/06/1991
Balearic Islands	29/08/1991	75	29.5	15/06/1991
Balearic Islands	05/09/1991	54	28.5	13/07/1991
Balearic Islands	30/08/1990	63	29.5	28/06/1990
Balearic Islands	28/09/1991	87	30.0	03/07/1991
Balearic Islands	30/08/1990	54	29.0	07/07/1990
Balearic Islands	05/09/1991	63	30.0	04/07/1991
Balearic Islands	30/08/1990	65	30.0	26/06/1990
Balearic Islands	05/09/1991	75	28.5	22/06/1991
Balearic Islands	30/08/1990	91	30.0	31/05/1990
Balearic Islands	29/08/1991	76	29.8	14/06/1991
Balearic Islands	05/09/1991	53	30.0	14/07/1991
Balearic Islands	30/08/1990	82	30.5	09/06/1990
Balearic Islands	12/09/1990	80	31.0	24/06/1990
Balearic Islands	05/09/1991	81	30.5	16/06/1991
Balearic Islands	05/09/1991	83	31.0	14/06/1991
Balearic Islands	01/10/1991	87	29.5	06/07/1991
Balearic Islands	12/09/1990	92	32.0	12/06/1990
Balearic Islands	21/10/1991	113	30.5	30/06/1991

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Balearic Islands	30/08/1990	71	30.5	20/06/1990
Balearic Islands	30/08/1990	89	30.0	02/06/1990
Balearic Islands	06/09/1990	108	32.5	21/05/1990
Balearic Islands	30/08/1990	73	32.0	18/06/1990
Balearic Islands	30/08/1990	83	31.5	08/06/1990
Balearic Islands	05/09/1991	98	31.5	30/05/1991
Balearic Islands	01/10/1991	83	31.0	10/07/1991
Balearic Islands	05/09/1991	87	32.0	10/06/1991
Balearic Islands	30/08/1990	54	33.0	07/07/1990
Balearic Islands	01/10/1991	88	31.5	05/07/1991
Balearic Islands	12/09/1990	96	35.5	08/06/1990
Balearic Islands	01/10/1991	85	32.5	08/07/1991
Balearic Islands	06/09/1990	81	35.0	17/06/1990
Balearic Islands	01/10/1991	99	32.0	24/06/1991
Balearic Islands	01/10/1991	90	37.5	03/07/1991
Balearic Islands	28/09/1991	120	36.0	31/05/1991
Balearic Islands	26/10/1991	133	36.0	15/06/1991
Balearic Islands	01/10/1991	101	34.0	22/06/1991
Balearic Islands	01/10/1991	94	35.0	29/06/1991
Balearic Islands	12/09/1990	82	36.0	22/06/1990
Balearic Islands	26/09/1990	55	38.5	02/08/1990
Balearic Islands	26/09/1990	62	37.5	26/07/1990
Balearic Islands	26/09/1990	103	37.5	15/06/1990
Balearic Islands	05/10/1991	93	37.5	04/07/1991
Balearic Islands	01/10/1991	78	35.0	15/07/1991
Balearic Islands	01/10/1991	93	35.0	30/06/1991
Balearic Islands	01/10/1991	100	37.0	23/06/1991
Balearic Islands	12/09/1990	108	38.0	27/05/1990
Balearic Islands	06/09/1990	80	39.0	18/06/1990
Balearic Islands	12/09/1990	104	39.0	31/05/1990
Balearic Islands	06/09/1990	96	40.5	02/06/1990
Balearic Islands	21/10/1991	81	40.0	01/08/1991
Balearic Islands	12/11/1991	114	38.5	21/07/1991
Balearic Islands	01/10/1991	105	39.5	18/06/1991
Balearic Islands	01/10/1991	117	40.0	06/06/1991
Balearic Islands	06/09/1990	68	41.0	30/06/1990
Balearic Islands	16/10/1991	120	40.5	18/06/1991
Balearic Islands	12/11/1991	99	42.5	05/08/1991
Balearic Islands	12/11/1991	136	43.0	29/06/1991
Balearic Islands	16/10/1991	163	45.5	06/05/1991
Balearic Islands	19/11/1991	143	43.0	29/06/1991
Balearic Islands	12/11/1991	121	43.5	14/07/1991
Balearic Islands	22/09/1991	112	44.5	02/06/1991
Balearic Islands	26/09/1990	69	44.0	19/07/1990
Balearic Islands	19/11/1991	147	47.0	25/06/1991
Balearic Islands	05/10/1991	108	44.0	19/06/1991
Balearic Islands	16/10/1991	114	44.0	24/06/1991
Balearic Islands	12/11/1991	121	45.0	14/07/1991
Balearic Islands	04/12/1990	167	43.5	20/06/1990
Balearic Islands	12/11/1991	142	55.0	23/06/1991

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Balearic Islands	04/12/1990	93	45.0	02/09/1990
Balearic Islands	04/12/1990	163	45.5	24/06/1990
Balearic Islands	11/11/1991	142	48.0	22/06/1991
Balearic Islands	19/11/1991	136	49.0	06/07/1991
Balearic Islands	12/11/1991	138	48.5	27/06/1991
Balearic Islands	16/10/1991	157	46.5	12/05/1991
Balearic Islands	12/11/1991	123	48.0	12/07/1991
Balearic Islands	12/11/1991	134	48.5	01/07/1991
Balearic Islands	26/09/1990	107	46.0	11/06/1990
Balearic Islands	16/10/1991	123	57.0	15/06/1991
Balearic Islands	04/12/1990	115	50.0	11/08/1990
Balearic Islands	04/12/1990	176	47.5	11/06/1990
Balearic Islands	20/11/1990	168	50.0	05/06/1990
Balearic Islands	16/10/1991	106	48.3	02/07/1991
Balearic Islands	20/11/1990	140	50.0	03/07/1990
Balearic Islands	04/12/1990	164	52.0	23/06/1990
Balearic Islands	16/10/1991	127	49.0	11/06/1991
Balearic Islands	04/12/1990	174	49.0	13/06/1990
Balearic Islands	12/11/1991	137	52.0	28/06/1991
Balearic Islands	02/11/1990	163	52.0	23/05/1990
Balearic Islands	04/12/1990	81	50.5	14/09/1990
Balearic Islands	16/10/1991	122	52.0	16/06/1991
Balearic Islands	20/11/1990	126	52.0	17/07/1990
Balearic Islands	04/12/1990	170	53.5	17/06/1990
Balearic Islands	19/11/1991	166	56.5	06/06/1991
Balearic Islands	04/12/1990	123	55.0	03/08/1990
Balearic Islands	16/10/1991	103	54.0	05/07/1991
Balearic Islands	12/11/1991	159	58.5	06/06/1991
Balearic Islands	11/11/1991	143	58.0	21/06/1991
Balearic Islands	04/07/1991	362	67.0	07/07/1990
Balearic Islands	04/07/1991	232	73.5	14/11/1990
Balearic Islands	16/07/1991	236	72.5	22/11/1990
Balearic Islands	12/06/1990	221	74.0	03/11/1989
Balearic Islands	19/06/1990	189	80.0	12/12/1989
Balearic Islands	06/08/1991	248	83.5	01/12/1990
Balearic Islands	29/08/1991	190	88.5	20/02/1991
Balearic Islands	05/11/1991	286	93.0	23/01/1991
Balearic Islands	03/09/1991	244	97.0	02/01/1991
Balearic Islands	06/11/1990	297	97.5	13/01/1990
Balearic Islands	01/08/1991	217	106.0	27/12/1990
Balearic Islands	29/05/1990	350	113.6	13/06/1989
Balearic Islands	09/05/1990	325	111.2	18/06/1989
Balearic Islands	02/07/1991	339	112.5	28/07/1990
Balearic Islands	28/06/1991	318	117.0	14/08/1990
Malta	29/07/2008	27	17.0	02/07/2008
Malta	29/07/2008	27	18.5	02/07/2008
Malta	29/07/2008	27	25.0	02/07/2008
Malta	29/07/2008	29	17.0	30/06/2008
Malta	29/07/2008	29	18.5	30/06/2008
Malta	29/07/2008	30	17.0	29/06/2008

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Malta	29/07/2008	30	18.5	29/06/2008
Malta	29/07/2008	30	19.5	29/06/2008
Malta	29/07/2008	30	20.5	29/06/2008
Malta	29/07/2008	31	17.0	28/06/2008
Malta	29/07/2008	31	17.0	28/06/2008
Malta	29/07/2008	31	18.0	28/06/2008
Malta	29/07/2008	31	18.5	28/06/2008
Malta	29/07/2008	31	18.5	28/06/2008
Malta	29/07/2008	31	19.0	28/06/2008
Malta	29/07/2008	32	17.0	27/06/2008
Malta	29/07/2008	32	18.0	27/06/2008
Malta	29/07/2008	32	18.0	27/06/2008
Malta	29/07/2008	32	18.5	27/06/2008
Malta	29/07/2008	32	19.0	27/06/2008
Malta	29/07/2008	32	19.0	27/06/2008
Malta	29/07/2008	32	19.0	27/06/2008
Malta	29/07/2008	32	19.0	27/06/2008
Malta	29/07/2008	32	19.0	27/06/2008
Malta	29/07/2008	33	16.5	26/06/2008
Malta	29/07/2008	33	17.0	26/06/2008
Malta	29/07/2008	33	17.5	26/06/2008
Malta	29/07/2008	33	18.5	26/06/2008
Malta	29/07/2008	33	18.5	26/06/2008
Malta	29/07/2008	33	18.5	26/06/2008
Malta	29/07/2008	33	19.0	26/06/2008
Malta	29/07/2008	33	20.5	26/06/2008
Malta	29/07/2008	33	20.5	26/06/2008
Malta	05/08/2008	33	22.0	03/07/2008
Malta	29/07/2008	34	15.0	25/06/2008
Malta	29/07/2008	34	17.0	25/06/2008
Malta	29/07/2008	34	17.5	25/06/2008
Malta	29/07/2008	34	17.5	25/06/2008
Malta	29/07/2008	34	17.5	25/06/2008
Malta	29/07/2008	34	18.0	25/06/2008
Malta	29/07/2008	34	18.0	25/06/2008
Malta	29/07/2008	34	18.5	25/06/2008
Malta	29/07/2008	34	19.0	25/06/2008
Malta	29/07/2008	34	19.0	25/06/2008
Malta	29/07/2008	34	19.5	25/06/2008
Malta	29/07/2008	34	19.5	25/06/2008
Malta	29/07/2008	34	20.0	25/06/2008
Malta	29/07/2008	34	20.0	25/06/2008
Malta	29/07/2008	34	20.5	25/06/2008
Malta	29/07/2008	34	20.5	25/06/2008
Malta	29/07/2008	34	21.0	25/06/2008
Malta	22/08/2011	34	21.5	19/07/2011
Malta	29/07/2008	35	15.5	24/06/2008
Malta	29/07/2008	35	16.0	24/06/2008
Malta	29/07/2008	35	17.5	24/06/2008
Malta	29/07/2008	35	17.5	24/06/2008
Malta	29/07/2008	35	18.0	24/06/2008

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Malta	29/07/2008	35	18.0	24/06/2008
Malta	29/07/2008	35	18.5	24/06/2008
Malta	29/07/2008	35	18.5	24/06/2008
Malta	29/07/2008	35	18.5	24/06/2008
Malta	29/07/2008	35	18.5	24/06/2008
Malta	29/07/2008	35	18.5	24/06/2008
Malta	29/07/2008	35	19.0	24/06/2008
Malta	29/07/2008	35	19.0	24/06/2008
Malta	29/07/2008	35	19.5	24/06/2008
Malta	29/07/2008	35	19.5	24/06/2008
Malta	29/07/2008	35	20.0	24/06/2008
Malta	29/07/2008	35	20.0	24/06/2008
Malta	29/07/2008	35	20.0	24/06/2008
Malta	29/07/2008	35	20.5	24/06/2008
Malta	29/07/2008	35	20.5	24/06/2008
Malta	29/07/2008	35	21.0	24/06/2008
Malta	29/07/2008	35	21.5	24/06/2008
Malta	12/09/2011	35	23.0	08/08/2011
Malta	29/07/2008	36	16.0	23/06/2008
Malta	29/07/2008	36	17.5	23/06/2008
Malta	29/07/2008	36	17.5	23/06/2008
Malta	29/07/2008	36	18.0	23/06/2008
Malta	29/07/2008	36	18.0	23/06/2008
Malta	29/07/2008	36	18.5	23/06/2008
Malta	29/07/2008	36	18.5	23/06/2008
Malta	29/07/2008	36	18.5	23/06/2008
Malta	29/07/2008	36	19.0	23/06/2008
Malta	29/07/2008	36	19.0	23/06/2008
Malta	29/07/2008	36	19.5	23/06/2008
Malta	29/07/2008	36	19.5	23/06/2008
Malta	29/07/2008	36	19.5	23/06/2008
Malta	29/07/2008	36	20.0	23/06/2008
Malta	29/07/2008	36	20.0	23/06/2008
Malta	29/07/2008	36	21.0	23/06/2008
Malta	29/07/2008	36	21.0	23/06/2008
Malta	29/07/2008	36	21.0	23/06/2008
Malta	29/07/2008	36	22.0	23/06/2008
Malta	29/07/2008	36	22.0	23/06/2008
Malta	29/07/2008	36	22.5	23/06/2008
Malta	05/08/2008	36.5	24.0	29/06/2008
Malta	29/07/2008	37	16.0	22/06/2008
Malta	29/07/2008	37	17.0	22/06/2008
Malta	29/07/2008	37	17.0	22/06/2008
Malta	29/07/2008	37	17.5	22/06/2008
Malta	29/07/2008	37	17.5	22/06/2008
Malta	29/07/2008	37	18.0	22/06/2008
Malta	29/07/2008	37	18.5	22/06/2008
Malta	29/07/2008	37	18.5	22/06/2008
Malta	29/07/2008	37	18.5	22/06/2008
Malta	29/07/2008	37	19.0	22/06/2008

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Malta	29/07/2008	37	20.0	22/06/2008
Malta	29/07/2008	37	20.0	22/06/2008
Malta	29/07/2008	37	20.5	22/06/2008
Malta	29/07/2008	37	20.5	22/06/2008
Malta	29/07/2008	37	20.5	22/06/2008
Malta	29/07/2008	37	21.0	22/06/2008
Malta	29/07/2008	37	21.5	22/06/2008
Malta	29/07/2008	37	21.5	22/06/2008
Malta	29/07/2008	37	22.5	22/06/2008
Malta	29/07/2008	37	23.0	22/06/2008
Malta	29/07/2008	37	23.0	22/06/2008
Malta	29/07/2008	37	23.0	22/06/2008
Malta	29/07/2008	37	23.5	22/06/2008
Malta	05/08/2008	37	24.5	29/06/2008
Malta	05/08/2008	37.5	28.0	28/06/2008
Malta	29/07/2008	38	16.5	21/06/2008
Malta	29/07/2008	38	18.0	21/06/2008
Malta	29/07/2008	38	18.0	21/06/2008
Malta	29/07/2008	38	18.0	21/06/2008
Malta	29/07/2008	38	18.0	21/06/2008
Malta	29/07/2008	38	19.0	21/06/2008
Malta	29/07/2008	38	19.5	21/06/2008
Malta	29/07/2008	38	19.5	21/06/2008
Malta	29/07/2008	38	20.0	21/06/2008
Malta	29/07/2008	38	20.5	21/06/2008
Malta	29/07/2008	38	21.0	21/06/2008
Malta	29/07/2008	38	21.0	21/06/2008
Malta	29/07/2008	38	21.5	21/06/2008
Malta	29/07/2008	38	21.5	21/06/2008
Malta	29/07/2008	38	22.5	21/06/2008
Malta	29/07/2008	38	23.0	21/06/2008
Malta	29/07/2008	38	23.5	21/06/2008
Malta	29/07/2008	38	24.0	21/06/2008
Malta	29/07/2008	38	24.0	21/06/2008
Malta	29/07/2008	38	24.5	21/06/2008
Malta	12/09/2011	38	23.5	05/08/2011
Malta	29/07/2008	39	18.0	20/06/2008
Malta	29/07/2008	39	19.5	20/06/2008
Malta	29/07/2008	39	20.0	20/06/2008
Malta	29/07/2008	39	20.5	20/06/2008
Malta	29/07/2008	39	21.0	20/06/2008
Malta	29/07/2008	39	21.0	20/06/2008
Malta	29/07/2008	39	21.0	20/06/2008
Malta	29/07/2008	39	22.0	20/06/2008
Malta	29/07/2008	39	23.5	20/06/2008
Malta	29/07/2008	39	24.0	20/06/2008
Malta	22/08/2011	39	24.0	14/07/2011
Malta	12/09/2011	39	22.5	04/08/2011
Malta	05/08/2008	39.5	27.0	26/06/2008
Malta	29/07/2008	40	10.5	19/06/2008

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Malta	29/07/2008	40	17.0	19/06/2008
Malta	29/07/2008	40	17.5	19/06/2008
Malta	29/07/2008	40	18.5	19/06/2008
Malta	29/07/2008	40	20.5	19/06/2008
Malta	29/07/2008	40	20.5	19/06/2008
Malta	29/07/2008	40	20.5	19/06/2008
Malta	29/07/2008	40	21.0	19/06/2008
Malta	29/07/2008	40	21.5	19/06/2008
Malta	29/07/2008	40	21.5	19/06/2008
Malta	12/09/2011	40	23.0	03/08/2011
Malta	05/08/2008	40.5	26.0	25/06/2008
Malta	29/07/2008	41	19.5	18/06/2008
Malta	29/07/2008	41	19.5	18/06/2008
Malta	29/07/2008	41	20.0	18/06/2008
Malta	29/07/2008	41	20.5	18/06/2008
Malta	29/07/2008	41	22.0	18/06/2008
Malta	29/07/2008	41	22.5	18/06/2008
Malta	29/07/2008	41	22.5	18/06/2008
Malta	29/07/2008	41	23.0	18/06/2008
Malta	29/07/2008	41	23.0	18/06/2008
Malta	29/07/2008	41	23.5	18/06/2008
Malta	29/07/2008	41	25.5	18/06/2008
Malta	05/08/2008	41	26.0	25/06/2008
Malta	05/08/2008	41	26.0	25/06/2008
Malta	05/08/2008	41	27.5	25/06/2008
Malta	05/08/2008	41	28.5	25/06/2008
Malta	24/08/2010	41	33.0	14/07/2010
Malta	19/08/2011	41	28.5	09/07/2011
Malta	27/08/2007	41.5	32.0	16/07/2007
Malta	05/08/2008	41.5	23.5	24/06/2008
Malta	05/08/2008	41.5	25.0	24/06/2008
Malta	05/08/2008	41.5	26.0	24/06/2008
Malta	05/08/2008	41.5	28.0	24/06/2008
Malta	05/08/2008	41.5	29.5	24/06/2008
Malta	05/08/2008	41.5	30.0	24/06/2008
Malta	29/07/2008	42	19.5	17/06/2008
Malta	29/07/2008	42	20.0	17/06/2008
Malta	29/07/2008	42	20.5	17/06/2008
Malta	29/07/2008	42	21.0	17/06/2008
Malta	29/07/2008	42	21.5	17/06/2008
Malta	29/07/2008	42	21.5	17/06/2008
Malta	29/07/2008	42	22.5	17/06/2008
Malta	29/07/2008	42	22.5	17/06/2008
Malta	29/07/2008	42	23.0	17/06/2008
Malta	29/07/2008	42	25.0	17/06/2008
Malta	05/08/2008	42	23.0	24/06/2008
Malta	19/08/2011	42	22.5	08/07/2011
Malta	19/08/2011	42	30.0	08/07/2011
Malta	12/09/2011	42	21.0	01/08/2011
Malta	05/08/2008	42.5	24.0	23/06/2008

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Malta	05/08/2008	42.5	27.0	23/06/2008
Malta	20/09/2010	42.5	28.0	08/08/2010
Malta	20/09/2010	42.5	35.0	08/08/2010
Malta	29/07/2008	43	22.5	16/06/2008
Malta	29/07/2008	43	23.0	16/06/2008
Malta	29/07/2008	43	23.5	16/06/2008
Malta	29/07/2008	43	24.0	16/06/2008
Malta	05/08/2008	43	24.5	23/06/2008
Malta	05/08/2008	43	25.5	23/06/2008
Malta	12/09/2011	43	24.0	31/07/2011
Malta	30/08/2012	43	25.5	18/07/2012
Malta	05/08/2008	43.5	26.0	22/06/2008
Malta	24/08/2010	43.5	29.5	11/07/2010
Malta	29/07/2008	44	22.0	15/06/2008
Malta	05/08/2008	44	29.0	22/06/2008
Malta	19/08/2011	44	27.0	06/07/2011
Malta	12/09/2011	44	22.0	30/07/2011
Malta	05/08/2008	44.5	23.5	21/06/2008
Malta	05/08/2008	44.5	24.0	21/06/2008
Malta	05/08/2008	44.5	24.5	21/06/2008
Malta	29/07/2008	45	22.0	14/06/2008
Malta	29/07/2008	45	22.5	14/06/2008
Malta	29/07/2008	45	23.5	14/06/2008
Malta	05/08/2008	45	26.0	21/06/2008
Malta	19/08/2011	45	24.0	05/07/2011
Malta	19/08/2011	45	27.5	05/07/2011
Malta	22/08/2011	45	24.0	08/07/2011
Malta	22/08/2011	45	26.5	08/07/2011
Malta	12/09/2011	45	22.5	29/07/2011
Malta	30/08/2012	45	27.0	16/07/2012
Malta	12/09/2013	45	29.0	29/07/2013
Malta	05/08/2008	45.5	27.5	20/06/2008
Malta	20/09/2010	46	27.5	05/08/2010
Malta	22/08/2011	46	25.0	07/07/2011
Malta	22/08/2011	46	26.5	07/07/2011
Malta	22/08/2011	46	27.5	07/07/2011
Malta	05/08/2008	46.5	23.5	19/06/2008
Malta	05/08/2008	46.5	25.5	19/06/2008
Malta	24/08/2010	46.5	26.5	08/07/2010
Malta	29/07/2008	47	22.0	12/06/2008
Malta	29/07/2008	47	22.0	12/06/2008
Malta	29/07/2008	47	22.5	12/06/2008
Malta	29/07/2008	47	22.5	12/06/2008
Malta	29/07/2008	47	23.5	12/06/2008
Malta	29/07/2008	47	25.0	12/06/2008
Malta	29/07/2008	47	27.5	12/06/2008
Malta	05/08/2008	47	29.0	19/06/2008
Malta	22/08/2011	47	25.0	06/07/2011
Malta	22/08/2011	47	27.0	06/07/2011
Malta	12/09/2011	47	28.0	27/07/2011

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Malta	30/08/2012	47	29.0	14/07/2012
Malta	05/08/2008	47.5	26.0	18/06/2008
Malta	05/08/2008	47.5	27.5	18/06/2008
Malta	05/08/2008	48	27.0	18/06/2008
Malta	05/08/2008	48	27.0	18/06/2008
Malta	22/08/2011	48	27.0	05/07/2011
Malta	22/08/2011	48	27.0	05/07/2011
Malta	30/08/2012	48	27.5	13/07/2012
Malta	05/08/2008	48.5	26.0	17/06/2008
Malta	27/08/2007	49	32.2	09/07/2007
Malta	29/07/2008	49	26.0	10/06/2008
Malta	05/08/2008	49	27.0	17/06/2008
Malta	24/08/2010	49	22.5	06/07/2010
Malta	19/08/2011	49	22.5	01/07/2011
Malta	19/08/2011	49	29.5	01/07/2011
Malta	22/08/2011	49	24.5	04/07/2011
Malta	22/08/2011	49	26.5	04/07/2011
Malta	12/09/2011	49	25.0	25/07/2011
Malta	05/08/2008	49.5	24.5	16/06/2008
Malta	05/08/2008	49.5	26.5	16/06/2008
Malta	05/08/2008	49.5	30.0	16/06/2008
Malta	05/08/2008	49.5	31.5	16/06/2008
Malta	24/08/2010	49.5	31.5	05/07/2010
Malta	29/07/2008	50	22.0	09/06/2008
Malta	29/07/2008	50	24.5	09/06/2008
Malta	19/08/2011	50	28.5	30/06/2011
Malta	19/08/2011	50	28.5	30/06/2011
Malta	22/08/2011	50	27.5	03/07/2011
Malta	12/09/2011	50	24.5	24/07/2011
Malta	05/08/2008	50.5	27.5	15/06/2008
Malta	05/08/2008	50.5	29.5	15/06/2008
Malta	05/08/2008	51	24.0	15/06/2008
Malta	05/08/2008	51	25.5	15/06/2008
Malta	05/08/2008	51	27.0	15/06/2008
Malta	05/08/2008	51	27.5	15/06/2008
Malta	19/08/2011	51	29.0	29/06/2011
Malta	19/08/2011	51	32.0	29/06/2011
Malta	19/08/2011	51	33.5	29/06/2011
Malta	22/08/2011	51	27.0	02/07/2011
Malta	05/08/2008	51.5	23.0	14/06/2008
Malta	20/09/2010	51.5	33.5	30/07/2010
Malta	21/08/2007	52	27.5	30/06/2007
Malta	19/08/2011	52	24.0	28/06/2011
Malta	19/08/2011	52	28.5	28/06/2011
Malta	22/08/2011	52	27.0	01/07/2011
Malta	30/08/2012	52	30.0	09/07/2012
Malta	05/08/2008	52.5	27.5	13/06/2008
Malta	05/08/2008	52.5	30.0	13/06/2008
Malta	29/07/2008	53	29.0	06/06/2008
Malta	24/08/2010	53	29.5	02/07/2010

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Malta	20/09/2010	53	31.0	29/07/2010
Malta	19/08/2011	53	31.0	27/06/2011
Malta	22/08/2011	53	29.5	30/06/2011
Malta	12/09/2013	53	31.0	21/07/2013
Malta	20/09/2010	53.5	29.0	28/07/2010
Malta	19/08/2011	54	29.0	26/06/2011
Malta	19/08/2011	54	29.5	26/06/2011
Malta	22/08/2011	54	29.0	29/06/2011
Malta	30/08/2012	54	28.5	07/07/2012
Malta	12/09/2013	54	30.0	20/07/2013
Malta	05/08/2008	54.5	29.0	11/06/2008
Malta	20/09/2010	54.5	30.0	27/07/2010
Malta	20/09/2010	55	31.0	27/07/2010
Malta	19/08/2011	55	29.0	25/06/2011
Malta	22/08/2011	55	27.0	28/06/2011
Malta	22/08/2011	55	27.5	28/06/2011
Malta	30/08/2012	55	30.0	06/07/2012
Malta	12/09/2013	55	30.5	19/07/2013
Malta	05/08/2008	55.5	23.5	10/06/2008
Malta	05/08/2008	56	28.5	10/06/2008
Malta	24/08/2010	56	30.5	29/06/2010
Malta	20/09/2010	56	31.0	26/07/2010
Malta	19/08/2011	56	25.0	24/06/2011
Malta	19/08/2011	56	30.5	24/06/2011
Malta	30/08/2012	56	28.5	05/07/2012
Malta	12/09/2013	56	31.5	18/07/2013
Malta	27/08/2007	56.5	32.1	01/07/2007
Malta	05/08/2008	56.5	33.0	09/06/2008
Malta	22/09/2006	57	25.3	27/07/2006
Malta	22/08/2011	57	28.0	26/06/2011
Malta	12/09/2011	57	23.0	17/07/2011
Malta	30/08/2012	57	28.0	04/07/2012
Malta	21/08/2006	58	32.8	24/06/2006
Malta	22/09/2006	58	28.7	26/07/2006
Malta	20/09/2010	58	32.0	24/07/2010
Malta	19/08/2011	58	29.5	22/06/2011
Malta	19/08/2011	58	32.5	22/06/2011
Malta	22/08/2011	58	27.0	25/06/2011
Malta	12/09/2013	58	32.0	16/07/2013
Malta	22/09/2006	59	28.0	25/07/2006
Malta	22/08/2011	59	27.0	24/06/2011
Malta	12/09/2013	59	31.5	15/07/2013
Malta	20/09/2010	59.5	30.5	22/07/2010
Malta	20/09/2010	59.5	31.5	22/07/2010
Malta	03/09/2006	60	31.4	05/07/2006
Malta	20/09/2010	60	29.5	22/07/2010
Malta	19/08/2011	60	30.0	20/06/2011
Malta	19/08/2011	60	32.5	20/06/2011
Malta	19/08/2011	60	33.5	20/06/2011
Malta	12/09/2013	60	30.5	14/07/2013

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Malta	20/09/2010	60.5	29.0	21/07/2010
Malta	20/09/2010	60.5	30.0	21/07/2010
Malta	03/09/2006	61	35.0	04/07/2006
Malta	22/09/2006	61	26.4	23/07/2006
Malta	19/08/2011	61	32.0	19/06/2011
Malta	30/08/2012	61	31.0	30/06/2012
Malta	12/09/2013	61	33.5	13/07/2013
Malta	12/09/2013	61	33.5	13/07/2013
Malta	03/09/2006	62	28.8	03/07/2006
Malta	20/09/2010	62	32.0	20/07/2010
Malta	20/09/2010	62	33.5	20/07/2010
Malta	20/09/2010	62	33.5	20/07/2010
Malta	19/08/2011	62	31.5	18/06/2011
Malta	19/08/2011	62	34.0	18/06/2011
Malta	12/09/2013	62	31.5	12/07/2013
Malta	12/09/2013	62	32.0	12/07/2013
Malta	12/09/2013	62	33.5	12/07/2013
Malta	03/09/2006	63	30.5	02/07/2006
Malta	22/09/2006	63	32.5	21/07/2006
Malta	20/09/2010	63	37.0	19/07/2010
Malta	18/08/2011	63	33.0	16/06/2011
Malta	22/08/2011	63	29.5	20/06/2011
Malta	03/09/2006	64	32.0	01/07/2006
Malta	03/09/2006	64	36.0	01/07/2006
Malta	19/08/2011	64	35.5	16/06/2011
Malta	21/08/2006	65	46.0	17/06/2006
Malta	22/09/2006	65	31.0	19/07/2006
Malta	24/10/2010	65	39.0	20/08/2010
Malta	12/09/2013	65	32.0	09/07/2013
Malta	20/09/2010	65.5	32.0	16/07/2010
Malta	24/10/2010	65.5	35.5	19/08/2010
Malta	21/08/2006	66	35.0	16/06/2006
Malta	03/09/2006	66	38.0	29/06/2006
Malta	19/08/2011	66	34.5	14/06/2011
Malta	19/08/2011	66	35.0	14/06/2011
Malta	20/09/2010	66.5	34.5	15/07/2010
Malta	03/09/2006	67	31.6	28/06/2006
Malta	03/09/2006	67	32.0	28/06/2006
Malta	03/09/2006	67	32.0	28/06/2006
Malta	03/09/2006	67	32.4	28/06/2006
Malta	03/09/2006	67	38.0	28/06/2006
Malta	15/12/2010	67	45.6	09/10/2010
Malta	12/09/2013	67	34.5	07/07/2013
Malta	21/08/2006	68	35.7	14/06/2006
Malta	21/08/2006	68	36.0	14/06/2006
Malta	21/08/2006	68	37.4	14/06/2006
Malta	03/09/2006	68	30.2	27/06/2006
Malta	03/09/2006	68	33.0	27/06/2006
Malta	22/09/2006	68	21.0	16/07/2006
Malta	22/09/2006	68	28.0	16/07/2006

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Malta	22/09/2006	68	32.1	16/07/2006
Malta	21/08/2006	69	35.4	13/06/2006
Malta	03/09/2006	69	33.0	26/06/2006
Malta	19/08/2011	69	36.0	11/06/2011
Malta	30/08/2012	69	31.5	22/06/2012
Malta	04/10/2013	69	32.0	27/07/2013
Malta	21/08/2006	70	34.9	12/06/2006
Malta	03/09/2006	70	40.4	25/06/2006
Malta	24/10/2010	70.5	35.5	14/08/2010
Malta	21/08/2006	71	37.0	11/06/2006
Malta	21/08/2006	71	40.0	11/06/2006
Malta	03/09/2006	71	30.5	24/06/2006
Malta	03/09/2006	71	39.5	24/06/2006
Malta	24/10/2010	71	39.0	14/08/2010
Malta	22/08/2005	72	40.0	11/06/2005
Malta	21/08/2006	72	34.8	10/06/2006
Malta	21/08/2006	72	35.5	10/06/2006
Malta	21/08/2006	72	38.0	10/06/2006
Malta	21/08/2006	72	40.0	10/06/2006
Malta	22/09/2006	72	28.2	12/07/2006
Malta	19/08/2011	72	35.0	08/06/2011
Malta	03/09/2006	73	36.5	22/06/2006
Malta	22/09/2006	73	30.0	11/07/2006
Malta	24/10/2010	73	39.5	12/08/2010
Malta	15/12/2010	73.5	43.5	02/10/2010
Malta	26/10/2006	74	35.4	13/08/2006
Malta	21/08/2006	75	38.2	07/06/2006
Malta	03/09/2006	75	38.7	20/06/2006
Malta	22/09/2006	75	34.5	09/07/2006
Malta	19/08/2011	75	36.5	05/06/2011
Malta	21/08/2006	76	37.9	06/06/2006
Malta	12/09/2013	76	39.0	28/06/2013
Malta	24/10/2010	77	40.0	08/08/2010
Malta	24/10/2010	77.7	43.0	07/08/2010
Malta	03/09/2006	78	39.0	17/06/2006
Malta	15/12/2010	78	38.5	28/09/2010
Malta	24/10/2010	79.5	40.0	05/08/2010
Malta	30/10/2005	80	36.0	11/08/2005
Malta	03/09/2006	80	36.5	15/06/2006
Malta	21/08/2006	81	41.6	01/06/2006
Malta	26/11/2012	81	45.5	06/09/2012
Malta	03/09/2006	82	37.5	13/06/2006
Malta	03/09/2006	82	43.0	13/06/2006
Malta	26/10/2006	82	44.8	05/08/2006
Malta	09/01/2009	82	47.5	19/10/2008
Malta	24/10/2010	82	43.5	03/08/2010
Malta	12/10/2006	83	39.7	21/07/2006
Malta	10/12/2008	83	58.0	18/09/2008
Malta	24/10/2010	83	39.5	02/08/2010
Malta	24/10/2010	83	46.0	02/08/2010

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Malta	24/10/2010	83.5	43.0	01/08/2010
Malta	15/12/2010	83.5	54.5	22/09/2010
Malta	03/09/2006	84	45.5	11/06/2006
Malta	12/10/2006	85	37.5	19/07/2006
Malta	12/10/2006	85	40.8	19/07/2006
Malta	24/10/2010	85	40.5	31/07/2010
Malta	30/08/2012	85	49.0	06/06/2012
Malta	12/10/2006	86	40.4	18/07/2006
Malta	24/10/2010	86.5	43.0	29/07/2010
Malta	24/10/2010	86.5	45.0	29/07/2010
Malta	16/10/2005	87	42.5	21/07/2005
Malta	30/10/2005	87	38.5	04/08/2005
Malta	12/10/2006	87	40.6	17/07/2006
Malta	07/01/2009	87	48.0	12/10/2008
Malta	26/11/2012	87	47.5	31/08/2012
Malta	30/10/2005	88	43.0	03/08/2005
Malta	12/10/2006	88	41.8	16/07/2006
Malta	12/10/2006	88	42.7	16/07/2006
Malta	12/10/2006	89	42.9	15/07/2006
Malta	14/12/2012	89	46.0	16/09/2012
Malta	04/10/2013	89	42.0	07/07/2013
Malta	24/10/2010	89.5	43.5	26/07/2010
Malta	12/10/2006	90	44.8	14/07/2006
Malta	10/12/2008	90	48.0	11/09/2008
Malta	24/10/2010	90.5	44.0	25/07/2010
Malta	12/10/2006	91	41.3	13/07/2006
Malta	09/01/2009	91	50.0	10/10/2008
Malta	04/10/2013	91	42.0	05/07/2013
Malta	16/10/2005	92	41.0	16/07/2005
Malta	30/10/2005	92	41.0	30/07/2005
Malta	12/10/2006	92	39.5	12/07/2006
Malta	12/10/2006	92	39.8	12/07/2006
Malta	12/10/2006	92	41.3	12/07/2006
Malta	12/10/2006	92	42.1	12/07/2006
Malta	12/10/2006	92	49.3	12/07/2006
Malta	10/12/2008	92	42.0	09/09/2008
Malta	10/12/2008	92	48.5	09/09/2008
Malta	10/12/2008	92	50.0	09/09/2008
Malta	18/12/2007	93	57.5	16/09/2007
Malta	10/12/2008	93	47.5	08/09/2008
Malta	24/10/2010	93.5	46.0	22/07/2010
Malta	12/10/2006	94	41.4	10/07/2006
Malta	26/10/2006	94	44.0	24/07/2006
Malta	24/10/2010	94	45.0	22/07/2010
Malta	04/10/2013	94	42.0	02/07/2013
Malta	16/10/2005	95	36.0	13/07/2005
Malta	12/10/2006	95	43.1	09/07/2006
Malta	09/01/2009	95	48.5	06/10/2008
Malta	09/01/2009	95	48.5	06/10/2008
Malta	12/10/2006	96	43.5	08/07/2006

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Malta	07/01/2009	96	46.5	03/10/2008
Malta	30/10/2005	97	43.5	25/07/2005
Malta	26/10/2006	97	46.7	21/07/2006
Malta	10/12/2008	97	45.5	04/09/2008
Malta	09/01/2009	97	46.5	04/10/2008
Malta	26/11/2012	97	48.0	21/08/2012
Malta	12/10/2006	98	43.7	06/07/2006
Malta	12/10/2006	98	45.0	06/07/2006
Malta	07/11/2006	98	42.2	01/08/2006
Malta	09/01/2009	98	47.5	03/10/2008
Malta	15/12/2010	98	49.0	08/09/2010
Malta	12/10/2006	99	44.0	05/07/2006
Malta	07/11/2006	99	39.5	31/07/2006
Malta	07/11/2006	99	40.6	31/07/2006
Malta	07/11/2006	99	49.7	31/07/2006
Malta	26/11/2006	99	46.8	19/08/2006
Malta	18/12/2007	99	57.0	10/09/2007
Malta	10/12/2008	99	46.0	02/09/2008
Malta	10/12/2008	99	51.0	02/09/2008
Malta	10/12/2008	99	52.0	02/09/2008
Malta	10/12/2008	99	80.5	02/09/2008
Malta	06/02/2009	99	47.0	30/10/2008
Malta	28/11/2010	99	51.0	21/08/2010
Malta	16/11/2011	99	49.5	09/08/2011
Malta	16/10/2005	100	44.0	08/07/2005
Malta	12/10/2006	100	45.4	04/07/2006
Malta	07/11/2006	100	50.0	30/07/2006
Malta	26/11/2006	100	47.6	18/08/2006
Malta	10/12/2008	100	46.0	01/09/2008
Malta	07/01/2009	100	51.0	29/09/2008
Malta	09/01/2009	100	46.0	01/10/2008
Malta	09/01/2009	100	49.5	01/10/2008
Malta	09/01/2009	100	55.0	01/10/2008
Malta	09/01/2009	100	56.5	01/10/2008
Malta	08/10/2009	100	88.0	30/06/2009
Malta	26/11/2012	100	51.0	18/08/2012
Malta	28/11/2010	100.5	46.5	19/08/2010
Malta	15/12/2010	100.5	46.5	05/09/2010
Malta	12/10/2006	101	44.6	03/07/2006
Malta	07/11/2006	101	45.6	29/07/2006
Malta	26/11/2006	101	42.5	17/08/2006
Malta	10/12/2008	101	46.0	31/08/2008
Malta	18/01/2011	101	50.5	09/10/2010
Malta	14/12/2012	101	54.0	04/09/2012
Malta	10/12/2008	102	47.0	30/08/2008
Malta	10/12/2008	102	50.5	30/08/2008
Malta	09/01/2009	102	48.0	29/09/2008
Malta	18/01/2011	102	50.5	08/10/2010
Malta	18/09/2005	103	36.0	07/06/2005
Malta	04/10/2005	103	47.0	23/06/2005

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Malta	26/10/2006	103	43.7	15/07/2006
Malta	10/12/2008	103	44.0	29/08/2008
Malta	10/12/2008	103	47.5	29/08/2008
Malta	10/12/2008	103	49.0	29/08/2008
Malta	09/01/2009	103	48.0	28/09/2008
Malta	06/02/2009	103	54.0	26/10/2008
Malta	16/11/2011	103	49.5	05/08/2011
Malta	15/12/2010	103.5	48.0	02/09/2010
Malta	15/12/2010	104.5	53.5	01/09/2010
Malta	12/10/2006	105	46.8	29/06/2006
Malta	12/10/2006	105	47.4	29/06/2006
Malta	26/10/2006	105	51.4	13/07/2006
Malta	26/10/2006	105	52.5	13/07/2006
Malta	07/11/2006	105	46.9	25/07/2006
Malta	07/11/2006	105	47.4	25/07/2006
Malta	10/12/2008	105	46.0	27/08/2008
Malta	10/12/2008	105	52.0	27/08/2008
Malta	10/12/2008	105	53.5	27/08/2008
Malta	09/01/2009	105	47.0	26/09/2008
Malta	06/02/2009	105	50.5	24/10/2008
Malta	18/01/2011	105	54.0	05/10/2010
Malta	16/11/2011	105	47.0	03/08/2011
Malta	28/11/2010	105.5	52.0	14/08/2010
Malta	30/10/2005	106	42.0	16/07/2005
Malta	12/10/2006	106	46.8	28/06/2006
Malta	07/11/2006	106	42.3	24/07/2006
Malta	26/11/2006	106	45.5	12/08/2006
Malta	09/01/2008	106	100.0	25/09/2007
Malta	10/12/2008	106	48.0	26/08/2008
Malta	10/12/2008	106	52.0	26/08/2008
Malta	09/01/2009	106	54.5	25/09/2008
Malta	15/12/2010	106	42.5	31/08/2010
Malta	29/10/2013	106	48.0	15/07/2013
Malta	28/11/2010	106.5	46.5	13/08/2010
Malta	26/10/2006	107	42.8	11/07/2006
Malta	07/11/2006	107	47.3	23/07/2006
Malta	26/11/2006	107	50.0	11/08/2006
Malta	10/12/2008	107	46.0	25/08/2008
Malta	10/12/2008	107	50.5	25/08/2008
Malta	07/01/2009	107	49.5	22/09/2008
Malta	14/12/2012	107	49.0	29/08/2012
Malta	12/10/2006	108	55.4	26/06/2006
Malta	26/10/2006	108	47.0	10/07/2006
Malta	07/11/2006	108	45.7	22/07/2006
Malta	07/11/2006	108	47.2	22/07/2006
Malta	26/11/2006	108	49.2	10/08/2006
Malta	09/01/2009	108	47.0	23/09/2008
Malta	06/02/2009	108	44.0	21/10/2008
Malta	28/11/2010	108	50.5	12/08/2010
Malta	07/11/2006	109	45.8	21/07/2006

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Malta	07/11/2006	109	47.2	21/07/2006
Malta	26/11/2006	109	49.5	09/08/2006
Malta	18/12/2007	109	49.0	31/08/2007
Malta	10/12/2008	109	48.0	23/08/2008
Malta	28/11/2010	109	55.5	11/08/2010
Malta	18/01/2011	109	49.0	01/10/2010
Malta	14/12/2012	109	51.0	27/08/2012
Malta	26/10/2006	110	47.8	08/07/2006
Malta	18/12/2007	110	58.0	30/08/2007
Malta	09/01/2009	110	48.0	21/09/2008
Malta	09/01/2009	110	50.5	21/09/2008
Malta	06/02/2009	110	51.0	19/10/2008
Malta	15/12/2010	110	55.0	27/08/2010
Malta	16/10/2005	111	51.5	27/06/2005
Malta	07/11/2006	111	49.0	19/07/2006
Malta	18/12/2007	111	55.0	29/08/2007
Malta	10/12/2008	111	52.5	21/08/2008
Malta	07/01/2009	111	53.5	18/09/2008
Malta	09/01/2009	111	49.5	20/09/2008
Malta	18/01/2011	111	54.0	29/09/2010
Malta	14/12/2012	111	49.5	25/08/2012
Malta	14/12/2012	111	55.5	25/08/2012
Malta	29/10/2013	111	53.0	10/07/2013
Malta	07/11/2006	112	42.0	18/07/2006
Malta	18/12/2007	112	58.5	28/08/2007
Malta	07/01/2009	112	47.0	17/09/2008
Malta	09/01/2009	112	51.5	19/09/2008
Malta	06/02/2009	112	53.0	17/10/2008
Malta	06/02/2009	112	53.0	17/10/2008
Malta	06/02/2009	112	55.0	17/10/2008
Malta	30/12/2010	112	51.0	09/09/2010
Malta	10/12/2008	113	53.0	19/08/2008
Malta	18/01/2011	113	51.5	27/09/2010
Malta	26/10/2006	114	42.3	04/07/2006
Malta	26/11/2006	114	47.5	04/08/2006
Malta	07/01/2009	114	46.5	15/09/2008
Malta	07/01/2009	114	51.5	15/09/2008
Malta	15/12/2010	114	49.0	23/08/2010
Malta	16/11/2011	114	47.5	25/07/2011
Malta	07/11/2006	115	41.3	15/07/2006
Malta	10/12/2008	115	53.0	17/08/2008
Malta	07/01/2009	115	50.0	14/09/2008
Malta	07/01/2009	115	54.5	14/09/2008
Malta	09/01/2009	115	52.5	16/09/2008
Malta	28/11/2010	115	49.5	05/08/2010
Malta	15/12/2010	115	48.5	22/08/2010
Malta	18/01/2011	115	54.5	25/09/2010
Malta	14/12/2012	115	47.0	21/08/2012
Malta	07/11/2006	116	51.7	14/07/2006
Malta	15/12/2010	116	54.5	21/08/2010

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Malta	14/12/2012	116	54.5	20/08/2012
Malta	29/10/2013	116	54.0	05/07/2013
Malta	26/10/2006	117	58.5	01/07/2006
Malta	07/11/2006	117	46.9	13/07/2006
Malta	10/12/2008	117	48.0	15/08/2008
Malta	07/01/2009	117	45.0	12/09/2008
Malta	09/01/2009	117	50.0	14/09/2008
Malta	15/12/2010	117.5	41.5	19/08/2010
Malta	07/11/2006	118	43.6	12/07/2006
Malta	26/11/2006	118	41.3	31/07/2006
Malta	07/01/2009	118	52.5	11/09/2008
Malta	09/01/2009	118	46.5	13/09/2008
Malta	15/12/2010	118	50.0	19/08/2010
Malta	18/01/2011	118	52.0	22/09/2010
Malta	16/11/2011	118	52.5	21/07/2011
Malta	15/12/2010	118.5	47.0	18/08/2010
Malta	26/10/2006	119	45.8	29/06/2006
Malta	26/10/2006	119	50.2	29/06/2006
Malta	18/12/2007	119	60.0	21/08/2007
Malta	09/01/2009	119	45.0	12/09/2008
Malta	06/02/2009	119	54.5	10/10/2008
Malta	18/01/2011	119	56.5	21/09/2010
Malta	16/11/2011	119	41.5	20/07/2011
Malta	14/12/2012	119	58.5	17/08/2012
Malta	15/12/2010	119.5	46.0	17/08/2010
Malta	10/12/2008	120	47.5	12/08/2008
Malta	16/11/2011	120	49.0	19/07/2011
Malta	26/11/2007	120.5	53.0	28/07/2007
Malta	30/10/2005	121	45.0	01/07/2005
Malta	12/10/2006	121	45.0	13/06/2006
Malta	06/02/2009	121	53.0	08/10/2008
Malta	15/12/2010	121	47.0	16/08/2010
Malta	16/11/2011	121	56.0	18/07/2011
Malta	14/12/2012	121	56.0	15/08/2012
Malta	18/12/2007	122	54.0	18/08/2007
Malta	07/01/2009	122	48.0	07/09/2008
Malta	09/01/2009	122	55.5	09/09/2008
Malta	06/02/2009	122	50.0	07/10/2008
Malta	15/12/2010	122.5	49.5	14/08/2010
Malta	07/01/2009	123	48.0	06/09/2008
Malta	09/01/2009	123	47.0	08/09/2008
Malta	06/02/2009	123	56.5	06/10/2008
Malta	06/02/2009	123	58.5	06/10/2008
Malta	18/01/2011	123	57.5	17/09/2010
Malta	14/12/2012	123	52.0	13/08/2012
Malta	26/11/2006	124	47.8	25/07/2006
Malta	09/01/2009	124	50.5	07/09/2008
Malta	09/01/2009	125	47.5	06/09/2008
Malta	06/02/2009	125	51.5	04/10/2008
Malta	14/12/2012	125	57.0	11/08/2012

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Malta	06/02/2009	126	51.0	03/10/2008
Malta	18/01/2011	126	56.5	14/09/2010
Malta	06/02/2009	127	46.0	02/10/2008
Malta	06/02/2009	127	54.5	02/10/2008
Malta	18/01/2011	127	58.0	13/09/2010
Malta	18/01/2011	129	51.5	11/09/2010
Malta	18/01/2011	129	51.5	11/09/2010
Malta	15/12/2010	129.5	51.5	07/08/2010
Malta	18/12/2007	130	59.5	10/08/2007
Malta	10/12/2008	130	77.0	02/08/2008
Malta	07/01/2009	130	50.0	30/08/2008
Malta	18/01/2011	131	58.0	09/09/2010
Malta	14/12/2012	131	58.0	05/08/2012
Malta	15/12/2010	132.5	52.0	04/08/2010
Malta	18/01/2011	134	57.5	06/09/2010
Malta	16/11/2011	134	55.5	05/07/2011
Malta	26/11/2006	135	47.3	14/07/2006
Malta	09/01/2009	135	48.5	27/08/2008
Malta	06/02/2009	136	54.5	23/09/2008
Malta	18/01/2011	136	56.0	04/09/2010
Malta	06/02/2009	137	46.5	22/09/2008
Malta	16/11/2011	137	52.5	02/07/2011
Malta	26/11/2007	137.5	54.0	11/07/2007
Malta	26/11/2006	138	62.1	11/07/2006
Malta	06/02/2009	139	51.5	20/09/2008
Malta	06/02/2009	140	54.5	19/09/2008
Malta	18/12/2007	141	51.5	30/07/2007
Malta	06/02/2009	141	49.5	18/09/2008
Malta	06/02/2009	141	52.5	18/09/2008
Malta	06/02/2009	142	51.5	17/09/2008
Malta	18/01/2011	146	62.0	25/08/2010
Malta	15/12/2010	148.5	53.5	19/07/2010
Malta	18/01/2011	149	65.0	22/08/2010
Malta	30/12/2010	149.5	56.5	02/08/2010
Malta	06/02/2009	151	56.5	08/09/2008
Malta	29/04/2010	303	75.0	30/06/2009
Malta	13/05/2010	317	90.0	30/06/2009
Malta	24/05/2010	328	72.0	30/06/2009
Malta	26/05/2010	330	83.0	30/06/2009
Malta	26/05/2010	330	92.0	30/06/2009
Malta	30/05/2010	334	95.0	30/06/2009
Malta	27/07/2009	387	91.0	05/07/2008
Malta	27/07/2009	387	94.0	05/07/2008
Malta	15/09/2009	442	93.0	30/06/2008
Malta	15/09/2009	442	111.0	30/06/2008
Malta	29/09/2009	456	101.5	30/06/2008
Malta	02/10/2009	459	103.0	30/06/2008
Malta	02/10/2009	459	109.0	30/06/2008
Malta	02/10/2009	459	109.0	30/06/2008
Malta	02/10/2009	459	120.0	30/06/2008

Table A.1 continued from previous page

Area	Catch Date	Age	FL (cm)	Birthdate
Malta	07/10/2009	464	92.0	30/06/2008
Malta	07/10/2009	464	104.0	30/06/2008
Malta	08/10/2009	465	100.0	30/06/2008
Malta	08/10/2009	465	101.0	30/06/2008
Malta	08/10/2009	465	105.5	30/06/2008
Malta	08/10/2009	465	106.0	30/06/2008
Malta	29/10/2009	486	76.0	30/06/2008
Malta	29/10/2009	486	107.0	30/06/2008
Malta	29/10/2009	486	110.0	30/06/2008
Malta	01/11/2009	489	98.0	30/06/2008
Malta	03/11/2009	491	102.5	30/06/2008
Malta	06/11/2009	494	110.0	30/06/2008
Malta	30/11/2009	518	110.0	30/06/2008
Malta	09/12/2009	527	106.0	30/06/2008
Malta	06/02/2010	586	108.0	30/06/2008
Malta	01/05/2010	670	104.0	30/06/2008
Malta	24/05/2010	693	104.0	30/06/2008
Malta	26/05/2010	695	121.0	30/06/2008
Malta	30/05/2010	699	108.0	30/06/2008
Malta	15/09/2009	808	104.0	30/06/2007
Malta	02/10/2009	825	131.0	30/06/2007
Malta	27/10/2009	850	105.0	30/06/2007
Malta	14/12/2009	898	116.0	30/06/2007
Malta	20/03/2010	994	113.0	30/06/2007
Malta	15/05/2010	1050	120.0	30/06/2007
Malta	24/05/2010	1059	125.0	30/06/2007
Malta	26/05/2010	1061	121.0	30/06/2007
Malta	26/05/2010	1061	122.0	30/06/2007
Malta	30/05/2010	1065	122.0	30/06/2007
Malta	30/05/2010	1065	122.0	30/06/2007
Malta	13/06/2010	1079	114.0	30/06/2007

Appendix B. IGS databases

Table B.2: Monthly population-averaged GSI for 7 populations around the world (code and source): Taiwan (TAIW, [Wu et al. 2001](#)), Malta (MAL, [Gatt et al. 2015](#)), Balearic Islands (BAL, [Massutí and Morales-Nin 1995](#) and this work), North Carolina (NCAROL, [Schwenke and Buckel 2008](#)), South West India (SWINDIA, [Rajesh et al. 2016](#)), Japan (JAP, [Furukawa et al. 2012](#)) and California (CALIF, [Zúñiga Flores et al. 2011](#)). The mean, standard deviation and delta Sea Surface Temperature (SST) are indicated.

Area	Month	Mean SST	SD SST	Delta SST	Mean Latitude	Mean IGS	N (IGS)
TAIW	1	22.752	0.502	0.063	23.350	3.713	NA
TAIW	2	23.242	0.614	0.490	23.350	5.090	NA
TAIW	3	24.515	0.546	1.273	23.350	5.150	NA
TAIW	4	26.445	0.404	1.930	23.350	4.132	NA
TAIW	5	27.714	0.480	1.269	23.350	3.952	NA
TAIW	6	28.717	0.340	1.003	23.350	4.012	NA
TAIW	7	28.759	0.387	0.042	23.350	2.814	NA
TAIW	8	28.281	0.309	-0.478	23.350	3.533	NA
TAIW	9	26.975	0.549	-1.305	23.350	1.796	NA
TAIW	10	25.710	0.638	-1.265	23.350	1.617	NA
TAIW	11	23.774	0.341	-1.936	23.350	2.275	NA
TAIW	12	22.688	0.307	-1.086	23.350	1.976	NA
MAL	1	15.186	0.667	-1.003	35.730	NA	NA
MAL	2	15.009	0.606	-0.177	35.730	NA	NA
MAL	3	15.927	0.535	0.918	35.730	NA	NA
MAL	4	18.538	0.453	2.612	35.730	NA	NA
MAL	5	21.830	0.748	3.291	35.730	8.656	NA
MAL	6	25.547	0.589	3.718	35.730	6.035	NA
MAL	7	26.472	0.631	0.925	35.730	6.436	NA
MAL	8	25.885	0.524	-0.587	35.730	NA	NA
MAL	9	23.757	0.211	-2.128	35.730	2.739	NA
MAL	10	21.009	0.921	-2.748	35.730	2.535	NA
MAL	11	18.184	0.597	-2.825	35.730	1.341	NA
MAL	12	16.189	0.675	-1.995	35.730	1.259	NA
BAL	1	13.669	0.377	-0.884	39.775	NA	NA
BAL	2	13.755	0.417	0.086	39.775	NA	NA
BAL	3	15.246	0.559	1.491	39.775	NA	NA
BAL	4	17.981	0.792	2.735	39.775	NA	NA
BAL	5	22.001	0.862	4.020	39.775	2.581	NA
BAL	6	25.317	0.712	3.316	39.775	13.410	NA
BAL	7	26.441	0.719	1.124	39.775	10.369	NA
BAL	8	25.059	0.386	-1.382	39.775	8.848	NA
BAL	9	22.831	0.646	-2.229	39.775	6.544	NA
BAL	10	19.207	0.893	-3.624	39.775	3.272	NA
BAL	11	16.152	0.634	-3.054	39.775	1.521	NA
BAL	12	14.553	0.517	-1.600	39.775	NA	NA
NCAROL	1	18.394	0.689	-0.850	35.103	2.559	4
NCAROL	2	18.659	1.007	0.265	35.103	NA	NA
NCAROL	3	19.760	0.728	1.101	35.103	1.681	6

Table B.2 continued from previous page

Area	Month	Mean SST	SD SST	Delta SST	Mean Latitude	Mean IGS	N (IGS)
NCAROL	4	21.772	1.307	2.012	35.103	2.829	28
NCAROL	5	25.090	0.330	3.318	35.103	4.026	47
NCAROL	6	27.268	0.317	2.178	35.103	3.472	28
NCAROL	7	27.713	0.656	0.445	35.103	2.967	29
NCAROL	8	26.237	0.457	-1.476	35.103	1.041	19
NCAROL	9	24.582	0.559	-1.655	35.103	0.957	27
NCAROL	10	22.370	0.528	-2.211	35.103	0.844	8
NCAROL	11	20.531	0.738	-1.840	35.103	0.788	3
NCAROL	12	19.244	0.473	-1.287	35.103	NA	NA
SWINDIA	1	28.397	0.124	0.163	14.435	2.312	NA
SWINDIA	2	28.920	0.280	0.523	14.435	4.043	NA
SWINDIA	3	29.472	0.279	0.553	14.435	1.652	NA
SWINDIA	4	29.905	0.553	0.433	14.435	2.942	NA
SWINDIA	5	28.555	0.802	-1.350	14.435	3.225	NA
SWINDIA	6	27.270	0.972	-1.285	14.435	NA	NA
SWINDIA	7	27.097	0.825	-0.173	14.435	NA	NA
SWINDIA	8	27.685	0.618	0.588	14.435	6.387	NA
SWINDIA	9	28.870	0.652	1.185	14.435	4.751	NA
SWINDIA	10	29.033	0.243	0.163	14.435	4.357	NA
SWINDIA	11	28.625	0.163	-0.408	14.435	3.524	NA
SWINDIA	12	28.234	0.220	-0.391	14.435	3.382	NA
JAP	1	14.558	0.469	-1.113	33.708	0.800	2
JAP	2	14.476	0.547	-0.081	33.708	0.850	11
JAP	3	15.692	0.461	1.216	33.708	1.450	4
JAP	4	17.809	0.482	2.117	33.708	1.806	6
JAP	5	20.508	0.493	2.699	33.708	2.119	28
JAP	6	25.198	0.948	4.690	33.708	6.813	41
JAP	7	27.333	0.460	2.135	33.708	9.750	5
JAP	8	26.266	0.524	-1.066	33.708	4.981	8
JAP	9	23.700	0.577	-2.566	33.708	0.825	15
JAP	10	20.555	0.565	-3.145	33.708	0.513	42
JAP	11	18.173	0.333	-2.382	33.708	0.588	29
JAP	12	15.670	0.618	-2.503	33.708	0.675	26
CALIF	1	20.195	0.655	-0.843	23.833	8.700	NA
CALIF	2	19.953	0.533	-0.242	23.833	NA	NA
CALIF	3	20.390	0.252	0.437	23.833	5.021	NA
CALIF	4	21.651	0.460	1.260	23.833	3.991	NA
CALIF	5	23.125	0.775	1.474	23.833	6.137	NA
CALIF	6	25.129	1.053	2.004	23.833	5.880	NA
CALIF	7	26.736	0.383	1.607	23.833	6.137	NA
CALIF	8	27.510	0.120	0.775	23.833	4.936	NA
CALIF	9	26.585	0.837	-0.925	23.833	4.421	NA
CALIF	10	24.965	1.337	-1.620	23.833	3.734	NA
CALIF	11	22.193	0.625	-2.773	23.833	5.236	NA
CALIF	12	21.038	0.485	-1.154	23.833	NA	NA