Metal-Poor Stars Observed with the Southern African Large Telescope

KAITLIN C. RASMUSSEN,^{1,2,3} JOSEPH ZEPEDA,^{1,2} TIMOTHY C. BEERS,^{1,2} VINICIUS M. PLACCO,^{1,2,4} ÉRIC DEPAGNE,⁵ ANNA FREBEL,^{6,2} SARAH DIETZ,^{1,2} AND TILMAN HARTWIG^{7,8,9}

¹Department of Physics, University of Notre Dame, Notre Dame, IN 46556, USA

²JINA Center for the Evolution of the Elements (JINA-CEE), USA

³Department of Astronomy, University of Michigan, 1085 S. University Ave., Ann Arbor, MI 48109, USA

⁴NSF's Optical-Infrared Astronomy Research Laboratory, Tucson, AZ 85719, USA

⁵South African Astronomical Observatory (SAAO), Observatory Road Observatory Cape Town, WC 7925, South Africa

⁶Department of Physics and Kavli Institute for Astrophysics and Space Research, Massachusetts Institute of Technology, Cambridge, MA

02139, USA

⁷ Institute for Physics of Intelligence, School of Science, The University of Tokyo, Bunkyo, Tokyo 113-0033, Japan

⁸Kavli IPMU (WPI), UTIAS, The University of Tokyo, Kashiwa, Chiba 277-8583, Japan

⁹Department of Physics, School of Science, The University of Tokyo, Bunkyo, Tokyo 113-0033, Japan

(Accepted October 8, 2020)

Submitted to ApJ

ABSTRACT

We present the first release of a large-scale study of relatively bright (V < 13.5) metal-poor stars observed with the Southern African Large Telescope (SALT), based on high-resolution spectra of 50 stars with a resolving power of $R \sim 40,000$ and S/N ~ 20 per pixel at 4300 Å. The elemental abundances of C, Sr, Ba, and Eu are reported, as well as several α -elements (Mg, Ca, Sc, Ti, V) and iron-peak elements (Mn, Co, Ni, Zn). We find a diverse array of abundance patterns, including several consistent with the signatures of carbon-enhanced metal-poor CEMP-*i* and CEMP-*r* stars. We find that 15 of 50 (30%) are carbon enhanced (with [C/Fe] > +0.70), and that a large fraction (26 of 50, 52%) are enhanced in *r*-process elements. Among the *r*-process-enhanced stars, five are strongly enhanced *r*-II ([Eu/Fe] > +1.0) stars (two of which are newly discovered) and 21 are newly discovered moderately enhanced *r*-I (+0.3 ≤ [Eu/Fe] ≤ +1.0) stars. There are eight stars in our sample that, on the basis of their abundances and kinematics, are possible members of the metal-weak thick-disk population. We also compare our measured abundances to progenitor-enrichment models, and find that the abundance patterns for the majority of our stars can be attributed to a single (rather than multiple) enrichment event.

Keywords: galaxy: halo — stars: abundances — stars: atmospheres — stars: Population II — techniques: imaging spectroscopy

1. INTRODUCTION

Metal-poor stars are the oldest survivors of the earliest era of star formation after the Big Bang; they preserve material in their photospheres that has (with the exception of mass-transfer binaries) remained essentially unaltered since their birth (Beers et al. 1992, and references therein). This allows for the direct examina-

Corresponding author: Timothy C. Beers tbeers@nd.edu

tion of star-formation environments that have not existed for billions of years. Their frequencies, elemental abundances, and kinematics provide insight into early star-formation channels, nucleosynthesis pathways, and Galactic assembly. As such, they are a valuable tool for studying many facets of the early Universe.

Metal-poor stars exhibit diverse elemental-abundance patterns; it is thus useful to define several sub-classes. Stars that are over-abundant in carbon relative to iron, compared to the Solar ratio ([C/Fe] $^1 > +0.70$), are referred to as carbon-enhanced metal-poor (CEMP) stars. Stars that are also over-abundant in the neutroncapture elements are referred to as CEMP-*s*, CEMP-*i*, or CEMP-*r*, depending on their overall heavy elementabundance patterns. The CEMP-no stars exhibit underabundances of neutron-capture elements relative to the Solar ratios. Quantitative abundance definitions can be found in Table 1, adapted from Beers & Christlieb (2005) and Frebel (2018).

At very low metallicities, the presence of large amounts of carbon relative to iron is significant because it a strong indicator that a star likely formed in the early Universe through cooling channels involving CII and/or OI (Bromm & Loeb 2003; Frebel et al. 2007). This is supported by the observed increase in the cumulative fraction of CEMP stars that have not been externally enriched by a mass-transfer event from a binary companion (i.e., CEMP-no and CEMP-*r*), as demonstrated in Lee et al. (2013a), Placco et al. (2014), and Yoon et al. (2018). According to the most recent work, this fraction grows steadily from ~30% at [Fe/H] < -2.5 to ~ 100% at [Fe/H] < -4.5. The search for CEMP-no stars is thus important, since these stars have the greatest potential to represent bona-fide second-generation stars.

The presence of the (predominantly) r-process element Eu in a very metal-poor star (along with [Ba/Eu] < 0, to exclude possible s- or i-process contributions) indicates that an explosive progenitor event, such as a neutron star merger (Lattimer & Schramm 1974; Arcones et al. 2007; Thielemann et al. 2017), likely enriched the star's natal cloud with significant amounts of heavy elements beyond the iron peak. Specifically, the r-process-element abundance patterns (strictly speaking, the residuals from the Solar pattern after subtracting the s-process contribution, e.g., Burris et al. 2000) of such stars encode unique information on the nature of the possible astrophysical sites and the various nucleosynthetic pathways involved in the operation of the r-process.

In addition to C and Eu, several other elemental abundances can be useful tests of first-star and Galactic chemical-evolution models (e.g., Côté et al. 2016, 2017, and references therein). Measurements of α -capture elements, such as Mg, can be used to between models for first-star nucleosynthesis mechanisms (Yoon et al. 2016, and references therein), as well as to separate stars with single supernova progenitors from those with multiple

Table 1. Metal-Poor Sub-class Definitions

Sub-Classes	Definition
	<i>r</i> -process-enhanced stars
r-I	$0.3 \le [Eu/Fe] \le +1.0, [Ba/Eu] < 0$
r-II	[Eu/Fe] > +1.0, [Ba/Eu] < 0
	Carbon-enhanced metal-poor stars
CEMP	[C/Fe] > +0.7
CEMP - <i>r</i>	[C/Fe] > +0.7, [Eu/Fe] > +1.0
CEMP-s	[C/Fe] > +0.7, $[Ba/Fe] > +1.0$, $[Ba/Eu] > +0.5$
CEMP-i	[C/Fe] > +0.7, 0.0 < [Ba/Eu] < +0.5 (-1.0 < [Ba/Pb] < -0.5)
CEMP-no	[C/Fe] > +0.7, [Ba/Fe] < 0

such progenitors (Hartwig et al. 2018). Other neutroncapture element abundances, such as Ba, can provide insight into the *s*-process operating in asymptotic giant branch (AGB) stars and the subsequent mass transfer across a binary system (Herwig 2005; Bisterzo et al. 2010; Abate et al. 2015), or in massive, rapidly rotating extremely low-metallicity stars (e.g., Pignatari et al. 2008, Meynet et al. 2010, Maeder et al. 2015, Choplin et al. 2016, Choplin et al. 2018), as well as the possible operation of the *i*-process, the astrophysical site(s) for which are still under investigation (Hampel et al. 2016; Denissenkov et al. 2017).

2. TARGET SELECTION AND OBSERVATIONS

2.1. Target Selection

The stars that comprise this sample are the first data release from a total of ~200 metal-poor stars, selected from candidates identified during the Radial Velocity Experiment (RAVE) survey (Steinmetz et al. 2006; Kunder et al. 2017). RAVE obtained moderate-resolution (R ~ 7500) spectroscopy of bright stars in the region of the Ca triplet, and derived stellar parameters ($T_{\rm eff}$, log g, and [Fe/H]) and abundance estimates for a limited number of elements. Their sample of nearly 500,000 stars was selected on apparent magnitude, effectively removing the biases typically associated with searches for metal-poor stars, such as selection on metallicity itself, kinematics, coverage of a limited range of evolutionary status, or membership in a specific Galactic population.

To arrive at the current sample, medium-resolution $(R \sim 2000)$ spectra of candidate metal-poor RAVE stars were obtained (see Figure 1), and processed by the non-SEGUE Stellar Parameter Pipeline (n-SSPP) (Lee et al. 2013b; Beers et al. 2017), which compares observed spectra to synthetic spectra to predict [C/Fe], along with their stellar atmospheric parameters ($T_{\rm eff}$, log g, and [Fe/H]), using a number of approaches (Placco et al. 2018). The estimates of [C/Fe] were then corrected for

¹ Relative abundance ratios used in this work correspond to $[A/B] = \log (N_A/N_B) - \log (N_A/N_B)_{\odot}$, where N indicates the number density of the given species.




Figure 1. Medium-resolution ($R \sim 2000$) spectra of several stars in our sample. Estimates of $T_{\rm eff}/\log g/[Fe/H]/[C/Fe]$ obtained by the n-SSPP are shown for each star: J153830.9–180424 (light green), J100709.2–180947 (orange), J061950.0–531212 (red), and J044208.2–342114 (dark red) were taken with the EFOSC2 spectrograph at the New Technology Telescope (NTT), while J222236.0–013827 (dark green) was taken with the RCSPEC spectrograph at the Mayall 4m Telescope. The gray region at the left indicates the wavelength range not covered by the high-resolution SALT spectra. The blue-shaded region indicates the location of the CH *G*-band used by the n-SSPP to estimate [C/Fe]. The values of [C/Fe] shown have been corrected for evolutionary effects, as discussed by Placco et al. (2014).

evolutionary effects, as discussed by Placco et al. (2014), in order to better approximate their natal C abundances.

The full sample of ~200 SALT stars were selected after this step on the basis of brightness and/or their high [C/Fe] abundances, to maximize the numbers of likely CEMP stars in the sample. The sample of 50 stars reported on here were picked from the full sample as a pilot study. This pilot sample covers the same apparent magnitude range as the full ~200 star sample (see Figure 2).

2.2. SALT Observations

A total of 55 hours of observing time was granted at the 11 m Southern African Large Telescope (SALT; Buckley et al. 2006) for the Long Term Proposal 2017-1-MLT-012, "Detailed Study of CEMP Stars Identified in the RAVE Survey". The observations were carried out in service mode during four consecutive semesters, beginning in 2017 April and ending in 2019 March. A total of 223 stars were observed with the High Resolution Spectrograph (HRS; Bramall et al. 2010, 2012; Crause et al. 2014) at a resolving power of $R \sim 40,000$. Exam-




Figure 2. Distribution of V magnitudes for the present sample, as well as for the complete set of ~ 200 stars observed with SALT on this program.

ples of several of the important absorption features are shown in Figure 3.

The HRS is a dual-beam, single-object, fiber-fed echelle spectrograph which utilizes a pair of fibers to




Figure 3. Comparison of high-resolution data with synthetic spectra for the elements carbon, europium, barium, and strontium, for the *r*-II star J153830.9-180424. The black dots indicate the observed spectra, while the blue-shaded region indicates the range around the best-fit values, as provided in the legend for each panel. Top left: The CH *G*-band at ~ λ 4310 Å. Top right: The Eu II line at λ 4129 Å. Bottom left: the Ba II line at λ 4934 Å. Bottom right: The Sr II line at λ 4215 Å.

simultaneously image a target and the nearby sky background. It employs Volume Phase Holographic (VPH) gratings composed of dichromated gelatin between two optical windows as cross-dispersers. HRS has three resolution settings ($R \sim 14,000, R \sim 40,000, \text{ and } R \sim 65,000$), which deliver light to one blue (370-550 nm) 2k by 4k CCD chip and one red (550-890 nm) 4k by 4k fringe-suppressing deep-depletion chip. Nominal exposure times were $\sim 2 h$, depending on the brightness of the target, leading to a typical signal-to-noise ratio (S/N) of ~ 20 per pixel at 4300 Å. The useful wavelength range of the spectra is 3990-5560 Å, as the signal is dominated by the noise blueward of 3990 Å, and issues within our own reduction pipeline made reduction of the red wing infeasible. Further observing details can be found in Table 2.

3. DATA ANALYSIS AND STELLAR PARAMETERS

3.1. Data Reduction

Reduction of the raw spectra from HRS was carried out with custom-made code designed for SALT spectra utilizing IRAF routines (Tody 1986, 1993). The packages noao, imred, cddred, and echelle were employed, specifically, using the tasks *ccdproc*, *imcombine*, *apflatten*, *apscatter*, and *apall*.

Spectra were normalized, stitched together, and radial-velocity corrected with the software Spectroscopy Made Hard (SMH; Casey 2014), which is a python wrapper of the FORTRAN-based MOOG routine (Sneden 1973; Sobeck et al. 2011). Atomic data for the absorption lines used for equivalent-width determination are listed in the Appendix.

3.2. Stellar Parameters

Effective-temperature estimates were determined by minimizing trends between the abundances of Fe I lines and their excitation potentials, and applying the temperature correction from the spectroscopic to the photometric scale suggested by Frebel et al. (2013). The microturbulent velocity was determined by minimizing the trend between the abundances of Fe I lines and their reduced equivalent widths (REW; log (Eq.Width)/ λ_o). The surface gravity was determined from the balance of the two ionization stages of iron, Fe I and Fe II. The location of stars in our sample along isochrones generated for [Fe/H] = -1.0, -2.0, and -3.0 for both 10 and 12 Gyr, based on their derived atmospheric parameters, is shown in Figure 4. There is little difference between the 10 and the 12 Gyr isochrones for post-main-sequence stars, but it is instructive to show that the sample matches what we expect to see for a population of old, metal-poor stars.




Figure 4. Comparison of the program sample to a set of isochrones. The three solid or dashed lines represent isochrones with a common age of either 10 or 12 Gyr, respectively, for metallicities of [Fe/H] = -1.0 (red), -2.0 (orange), and -3.0 (blue). Data used to generate the isochrones were taken from Placco et al. (2019).

3.3. Comparison with Prior Estimates

Temperature: Figure 5 shows a comparison of effective-temperature estimates for our stars. For stars with RAVE DR4 results (Kordopatis et al. 2013), there is only moderate agreement between the reported temperatures and the temperatures derived in this work (Figure 5). RAVE DR5 (Kunder et al. 2017) only issued corrections for stars above 6000 K, which does not affect the majority of our generally cooler stars. However, new

RAVE DR5 temperatures based on IR photometry exhibit far better agreement with our results, as do the temperatures derived from the n-SSPP.




Figure 5. Temperatures from RAVE DR4 (top left), RAVE DR5 (top right), RAVE DR5 IR (bottom left), and Placco et al. (2018) (bottom right), compared with the atmospheric parameters derived in this work. The blue-shaded region marks a ± 250 K margin of error.

Surface Gravity: Surface gravity (see Figure 6) is often difficult to accurately estimate, even with high-resolution spectra. For both RAVE DR4 and DR5, the scatter with respect to our results is quite large, and log g is frequently over-estimated by nearly a dex. Better agreement is achieved with the n-SSPP values, but the spread is still rather large.

Metallicity: Figure 7 shows a comparison of derived metallicities. The metallicities from RAVE DR4 exhibit a rather large scatter compared with our SALT determinations, and include a number of highly deviant stars at the lowest [Fe/H]; the scatter and deviant behavior is reduced for RAVE DR5. The scatter compared to the n-SSPP is generally good, but there remain a number of stars with significant deviations. Many of these outliers have either high carbon abundances (A(C) > 7.35), lower temperature ($T_{\rm eff} < 4750 \,\rm K$), or both. This is a known difficulty for medium-resolution spectra analyzed with the n-SSPP, due in part to the nascent saturation of the CH G-band, and depression of the continuum by molecular carbon veiling in the region of the CaII K line, which is a primary metallicity estimator for that routine. An improved methodology for dealing with both




Figure 6. Log g values derived from RAVE DR4 (left), RAVE DR5 (middle), and Placco et al. (2018) (right), compared with the atmospheric parameters derived in this work. The blue-shaded region marks a 0.30 dex margin of error.

of these challenges has been recently developed, and is reported on by Yoon et al. (2020).

4. CHEMICAL ABUNDANCES

The elements C, Mg, Ca, Sc, Ti, V, Cr, Mn, Fe, Co, Ni, Zn, Sr, Ba, and Eu have been measured (or had upper limits determined) for all 50 stars in our data set. Metallicity ranges from [Fe/H] = -2.92 to -0.94, with typical values around $[Fe/H] \sim -2.40$. Abundances of all elements, except for C, Sr, Ba, and Eu, were measured using the equivalent-width approach. Gaussian profiles were fit to all absorption lines in our line list to obtain the line measurements. We applied a REW cutoff of -4.5, as this is the point above which equivalent widths no longer linearly correlate with increasing abundance. Uncertainties for these element abundances are reported as the standard deviation resulting from multiple measurements. In the case of single-line measurements, we adopt a nominal value of $0.10 \,\mathrm{dex}$. In the case of any synthesized spectral features, the uncertainty is chosen to represent the difference between the best-fit abundances and a synthetic spectrum with an abundance that encapsulates all of the data points across the region of the line. Example spectra can be found in Figure 3.

The derived abundances of elements useful for classifying our program stars, as discussed above, are listed in Table 5. Comparison of these abundances (and the adopted atmospheric parameters) for nine of our stars with previous high-resolution spectroscopic analyses are listed in Table 3. We find that our carbon and barium values values are largely consistent between works when uncertainties and differing temperatures are taken into account, and that Sr and Eu are mostly consistent, with a few outliers. For Sr, inconsistencies are likely to come from the large depth of the line combined with its many blends; for Eu, inconsistencies beyond measurement uncertainty arise when the [Eu/Fe] ratio is high and the line begins to saturate.

Additional elemental abundances for our program stars are listed in Table 6 (α -elements), and Table 7 (iron-peak elements), and are described briefly below.

4.1. Carbon and the α -Elements

Carbon abundances were measured using spectral synthesis of the CH *G*-band at λ 4313 Å. The great majority of the stars in our sample are red giants, so we assume an equilibrium isotopic ratio value of ${}^{12}C/{}^{13}C \sim 5.0$. These giants have experienced a varying degree of internal carbon depletion due to CN processing. To correct for this depletion, the procedure from Placco et al. (2014) was applied. Corrected C abundances are reported in Table 5 as $[C/Fe]_{corr}$.

Mg I abundances were measured using lines redward of $\lambda 4000$ Å, including the Mg triplet, when a REW of less than -4.5 was reported. Ca I was measured in a similar fashion. No Ca II lines were available within our wavelength range. Sc I lines, at these metallicities and S/N, and within the available wavelength range, are too weak to measure; we instead report abundances based on as many as eight Sc II lines. We measure both Ti I

7




Figure 7. [Fe/H] values reported by RAVE DR4 (left), DR5 (middle), and Placco et al. (2018) (right), compared with the atmospheric parameters derived in this work. The blue-shaded region marks a 0.30 dex margin of error. Outliers in the Placco et al. (2018) comparison are generally stars which have either a very high A(C) value (A(C) > 7.35), a lower temperature ($T_{\text{eff}} < 4750 \text{ K}$), or both. See text for details.

and Ti II species, and report their abundances individually. The results for these elements are listed in Table 6.

4.2. Iron-Peak Elements

For our data, a reliable V I abundance is reported based on only a single line at $\lambda 4786.50$ Å. Both Cr I and Cr!II abundances are reported when the S/N is sufficiently high to measure the three weak Cr II lines at $\lambda 4558.59$ Å, $\lambda 4588.14$ Å, and $\lambda 4591.99$ Å. Between 60 and 80 lines were measured for Fe I, and 5 to 15 for Fe II, depending on the temperature, metallicity, and S/N of the stellar spectrum.

Mn I and Ni I abundances are measured from 7 and 18 lines, respectively. Because the majority of Co I lines lie blueward of $\lambda 4000$ Å, we derive its abundance from only the one line at $\lambda 4121.32$ Å. Zn I is measured from the two lines at $\lambda 4722.15$ Å and $\lambda 4810.53$ Å. The results for these elements are reported in Table 7.

4.3. Neutron-Capture Elements

Estimates of the elemental abundances for Sr, Ba, and Eu have been handled with extra care, as they are the elements by which our program metal-poor stars are classified. Details for each element are provided below.

Strontium: The Sr II abundance was measured from the $\lambda 4215$ Å line, as it is quite strong and does not easily over-saturate, unlike the line at $\lambda 4077$ Å. The $\lambda 4161$ Å line is weak and closer to the blue cutoff, so it was inaccessible in most cases. Barium: Ba II was measured from the $\lambda 4934$ Å line, as this feature is strong, accessible, and isolated from blends. It also does not over-saturate, as the 4554 Å is known to in cases of strong *s*-process enhancement.

Europium: Eu II was measured from the λ 4129 Å line, which is strong and accessible. It is blended with a Dy II line; however, these are both *r*-process elements and reliably scale with one another over a wide range of [Eu/Fe] values. Other Eu lines exist, however, they are largely too weak to be measured at the typical S/N of our spectra.

4.4. Comparisons with Prior Abundance Measurements

Nine of our stars have previous estimates of stellar atmospheric parameters and chemical abundances based on from high-resolution spectroscopy, the majority of which originate from the *R*-Process Alliance data releases (Hansen et al. (2018); Sakari et al. (2018a)). These are provided in Table 3. Comparing to the atmospheric parameters and abundances in the present work, we find very good agreement for several stars, while others exhibit moderate disagreements. In those cases, significant differences in v_{turb} can account for the differences, while for one case, our temperature estimate differs by ~400 K, with respect to that determined on a purely spectroscopic scale by Roederer et al. (2014); this results in large abundance differences. In addition, measurements based on relatively low- S/N spectra result in larger uncertainties for both our work and for several stars in the comparison sample.

5. METAL-POOR STAR SUB-CLASSIFICATIONS AND FREQUENCIES

5.1. Classifications

We have classified all of our program stars with astrophysically interesting chemical-abundance signatures, in order to assess their frequencies among Galactic halo stars. Over time, as ever larger samples of metal-poor stars with these signatures become available, this should eventually enable detailed assessments of the nucleosynthetic origins of these patterns.

Sub-classifications for our program stars have been performed, based on A(C), [C/Fe], [Ba/Fe], and [Eu/Fe], listed along with [Sr/Fe] in Table 5. This is adequate for all but two of our stars, those that are likely CEMP-*i* stars. Such stars are difficult to classify, because confident membership within the CEMP-*i* class depends on a Pb abundance, a measurement we cannot obtain from our data. With higher-S/N spectra, the detailed abundance patterns could be established to further verify and fill in the details of the relevant nucleosynthesis signatures.

The distribution of CEMP stars in the A(C)-[Fe/H] fall into at least three groups, as defined in the Yoon-Beers diagram presented by Yoon et al. (2016). Group I is primarily populated by relatively higher-metallicity CEMP-s stars that received their high C abundances through mass transfer from a binary AGB companion. Group II includes stars with a relatively low [Fe/H] and very low A(C) values, which can be classified as CEMPno stars on the basis of either their A(C) or, when available, low [Ba/Fe] ratios. Group III also contains CEMPno stars, with low [Ba/Fe], but at extremely- to ultralow metallicities, and with higher A(C) than Group II CEMP-no stars. As argued by Yoon et al. (2016), different progenitor scenarios are thought to be responsible for the production of the stars in Groups II and III. The availability of different cooling channels, as discussed in Chiaki et al. (2017), may also play an important role.

From inspection of the locations of our stars in the Yoon-Beers diagram, shown in Figure 8, five of our CEMP stars fall into Group I, seven into Group II, and three into the region shared by Groups I and II. No stars in our sample have metallicities sufficiently low to be uniquely associated with Group III.

5.2. Frequencies of CEMP and r-Process-Enhanced Stars

We find that 52% of our program stars are enhanced at the [C/Fe] > +0.50 level (using the corrected car-




Figure 8. Location of our program stars in the A(C)-[Fe/H] space with overlaid groupings, following Yoon et al. (2016). Five of the 15 CEMP stars clearly lie in Group I, seven in Group II, three in the Group I/II overlap region, and none in Group III. The rest of our sample lie below the adopted cutoff for CEMP stars, [C/Fe] = +0.70, shown as a gray line.

bon abundances), 30% of our sample is carbon-enhanced at the [C/Fe] > +0.70 level, and 14% of our sample at the [C/Fe] > +1.00 level. Of the 15 CEMP stars, six are CEMP-no, four are CEMP-s, two are likely CEMP-i, and three are CEMP-r stars. Of the CEMPr stars, one is an r-I, and two are r-II, adding to the small number of such stars that were previously known. RAVE J180242.3-440443 has $[C/Fe] = +0.78 \pm 0.25$ with $[Eu/Fe] = +1.20 \pm 0.30$. [Eu/Fe] has also been measured for this star by Hansen et al. (2018), who reports $[Eu/Fe] = +1.05 \pm 0.30$. RAVE J171633.4-700902 has $[C/Fe] = +0.73 \pm 0.25$, with $[Eu/Fe] = +1.09 \pm$ 0.30, bu no other previous measurements. A total of 10 CEMP-rII stars are now known, including the canonical r-II star CS 22892-052 (a compilation is provided in Guden et al., in prep.); it appears clear that r-process enrichment must at least occasionally take place in carbonenhanced gas, presumably provided by either massive first stars in some of the earliest star-forming regions, or by progenitors that have been suggested to be capable of producing both C during their lifetimes and rprocess elements when they explode, such as collapsars (see, e.g., Siegel et al. 2019).

Our sample was selected to be predominantly carbon rich. Accordingly, our CEMP fraction cannot be meaningfully compared to previous literature CEMP fractions. We believe that the reason a CEMP fraction greater than 30% was not actually achieved, as initially intended, is likely due to a temperature offset. This can be seen in the bottom right panel of Fig 5. On average, we arrived at temperatures 100-200 K lower than that obtained by Placco et al. (2018) for their mediumresolution spectra. This has naturally led to lower carbon abundances for the majority of the stars in our sample.

r-Process-Enhanced stars: Half (52%) of the program stars of our sample are enriched in r-process elements, with 21 stars (42%) being classified as r-I and five (10%) classified as *r*-II. Of the *r*-II stars, three were either known previously or discovered during the course of the observing campaign by the RPA: CS 31082-001 (Cayrel et al. 2001; Hill et al. 2002), RAVE J180242.3-440443 (Roederer et al. 2014)), and RAVE J153830.9-180424 (Sakari et al. 2018b). Two such stars stars, RAVE J040618.2-030525 and RAVE J171633.4–700902.8, are newly discovered, with $[Eu/Fe] = +1.17 \pm 0.20$ and $+1.09 \pm 0.30$, respectively. These frequencies are consistent with the RPA pilot surveys (Hansen et al. 2018; Sakari et al. 2018a; Ezzeddine et al. 2020), whose combined 374 stars contain 43% r-I and 7% r-II stars.

6. KINEMATICS

Kinematics for our program stars were computed using the galpy Galactic dynamics library (Bovy 2015). We adopt $R_{\odot} = 8$ kpc as the distance to the Galactic center, $v_{\rm LSR} = 220$ km s⁻¹ as the local standard of rest (LSR) velocity (Kerr & Lynden-Bell 1986), and (U, V, W)_{\odot} = (-9, 12, 7) km s⁻¹ as the motion of the Sun with respect to the LSR (Mihalas & Binney 1981). Orbital parameters were derived with the potential code employed by Chiba & Beers (2000), which utilizes the Stäckel potential described in Sommer-Larsen & Zhen (1990). Uncertainties in the orbital parameters were derived through a Markov chain Monte Carlo (MCMC) sampling method.

To better represent where our sample stars lie in the Lindblad diagram with respect to various Galactic populations, Figure 9 over-plots our stars with a reference sample from SDSS (Dietz et al. in prep.). The red filled dots indicate our program stars. The dashed line marks the $L_z = 0$ line, separating prograde and retrograde populations. The green, blue, and red ellipses indicate approximate locations of important reference populations. Green indicates the strongly bound, prograde disk system. Blue indicates the "plume" that marks the remnant of the large inner-halo progenitor referred to as Gaia Enceladus (Helmi et al. 2018) or the Gaia Sausage (Belokurov et al. 2018; Myeong et al. 2018). Red indicates high-energy, retrograde stars in the outer halo.




Figure 9. Stars in our sample (red filled circles) plotted in Energy-L_Z space on top of a reference sample of SDSS stars (gray dots) from Dietz et al. (in prep). The dashed line marks the $L_z = 0$ line, separating prograde and retrograde populations. The green ellipse indicates the strongly-bound, prograde disk population, blue indicates the "plume" that marks the remnant of the large inner-halo progenitor referred to as *Gaia*-Enceladus (Helmi et al. 2018) or the *Gaia*-Sausage (Belokurov et al. 2018; Myeong et al. 2018), and pink indicates high-energy, retrograde stars in the outer halo.

The stars in our sample, being relatively bright and (presently) close-by, are largely more strongly bound, and comprise members of the disk system and innerhalo population. No high-energy outer-halo stars are found in our sample, although the more energetic stars have higher uncertainties on their orbital-value determinations, so their membership is somewhat uncertain.

7. COMPARISON WITH *S*- AND *I*-PROCESS MODELS AND ORIGIN SCENARIOS

Finally, we compare our results with chemicalabundance models in order to investigate the ¹³C-pocket efficiencies (where the C-pocket refers to the thin layer of radiative carbon burning that occurs in the top layer of the He-shell after the third dredge-up episode of an AGB star) ultimately responsible for our three Ba-rich stars. We also consider the divergence of chemical displacement scheme to investigate origin scenarios of our program stars, by testing whether they formed from gas enriched by multiple vs. single supernovae.

7.1. The Ba-Rich Stars

Three of our program CEMP stars are highly enriched in Ba, likely due to mass transfer from an AGB companion – one CEMP-*s* star (RAVE J111912.3-160947) and two CEMP-*i* stars (RAVE 044208.2-342114, RAVE 201446.1-563530). All three are compared with theoretical predictions for a variety of AGB models, varying in mass and ¹³C-pocket efficiencies, taken from

1.53 1.0 0.5 2 0.0 [Ba/Fe] [Mg/C] -0.5-1.01.5 M_o and 1 SPE -1.5 0 1.5 M_{\odot} and 1/12 SPE 1.3 M_{\odot} and 1/12 SPE -2.0 1.5 M_{\odot} and 1 SPE **JINAbase stars** CEMP-s This work (non-CEMP) -2.5 CEMP-i This work (CEMP) -3.0 -2 -1.0 -3.5 -3.0 -2.5 -1.5 -4.0 -2.0-6 -5 -4 -3 -1 [Fe/H] [Fe/H]

Figure 10. (Left Panel) The three Ba-rich stars in our sample (the CEMP-s star RAVE J111912.3-160947, and the CEMP-i stars RAVE J044208.2–342114 and RAVE J201446.1–563530), are plotted in the [Ba/Fe]-[Fe/H] space, along with theoretical yield predictions for two AGB stars with different initial masses and ¹³C-pocket efficiencies, where the C-pocket refers to the thin layer of radiative carbon burning that occurs in the top layer of the He shell after the third dredge-up episode of an AGB star. The dashed gray and blue lines represent models with 1.5 M_{\odot} and 1/12 and 1 standard pocket efficiency (SPE), respectively. The solid black and dashed black lines represent models with 1.3 M_{\odot} and 1/12 SPE and 1 SPE, respectively. Data were taken from Tables B5 and B6 of Bisterzo et al. (2010). We find that our CEMP-*i* stars fall along the 1.3 M_{\odot} SPE track, while the CEMP-*s* star falls between the 1.3 M_{\bigcirc} 1/12 SPE and 1 SPE track. (Right Panel) Comparison of our newly identified stars with available C and Mg abundances to a diagnostic for mono-enrichment or multi-enrichment proposed by Hartwig et al. (2018). The contours illustrate the likelihood for a star to be mono-enriched, based on its chemical composition. The majority of stars appear consistent with mono-enrichment, with only a small fraction, located to the right of the purple contour, likely being enriched by more than one supernova.

Bisterzo et al. (2010). We find that a model of $1.3 \,\mathrm{M_{\odot}}$ with standard pocket efficiency fits our CEMP-*i* stars well, but that a lower efficiency may be required to fit the abundances of the CEMP-*s* star. The results are shown in the left panel of Figure 10. Similar tests for a larger sample of CEMP stars from our full ~200 star sample will be considered once their analysis is completed.

7.2. Origin Scenarios

We consider the origin scenarios for our program stars, contrasting the cases of enrichment by a single (mono-enriched) supernova with that from several supernovae (milti-enriched), using the divergence of the chemical displacement approach described by Hartwig et al. (2018), and shown in the right panel of Figure 10. Broadly, stars that are mono-enriched are expected to occupy a larger region in the [Mg/C] vs. [Fe/H] abundance space. For stars that form from gas enriched by multiple supernovae, this region shrinks, since the abundances of such stars are effectively weighted averages of mono-enriched stars, resulting in a more centrally concentrated space. This change in the occupation of abundance space can be expressed by a vector field of chemical displacement, and its divergence quantifies regions of mono- and multi-enrichment. The contours illustrate a positive divergence (from 0 to 160 in steps of 40; compare with Figure 14 in Hartwig et al. 2018), and highlight regions of the abundance space where we expect stars to be mono- vs. multi-enriched.

Only two out of nine newly discovered CEMP stars for which Mg abundances are available exhibit a mild tendency for multi-enrichment (the region to the right of the purple contour in Figure 10, right panel). Their location on the this diagram is driven by their relatively high [Fe/H] ([Fe/H] ~ -1.9). One is a strongly bound CEMPno star on a retrograde orbit (J111711.0-310951), and one is a CEMP-s star (J111912.3-160947) that lies very close to the inner-halo population in the Energy- L_z space shown in Figure 9. The other stars, which are more metal poor (down to $[Fe/H] \sim -2.9$), follow along the blue contour indicating mono-enrichment; they do not preferentially occupy any particular location in Figure 9. This implies that the majority of the CEMP stars in our sample are likely to have formed from gas enriched by only one progenitor supernova, rather than by many. These results are consistent with expectations based on yields from faint supernovae by Nomoto et al. (2013) and Ishigaki et al. (2014).

8. SUMMARY & OUTLOOK

We present a limited set of chemical-abundance measurements and kinematics for a new sample of 50 metalpoor (MP; [Fe/H] < -1.0) and very metal-poor (VMP; [Fe/H] < -2.0) stars in the metallicity range -2.92 < [Fe/H] < -0.94, based on high-resolution ($R \sim 40,000$ spectroscopic data collected with the HRS on the Southern African Large Telescope. Sub-classification of our program stars indicate that 15 (30%) of these are CEMP stars; nine of these are CEMP-no stars (eight of which are newly discovered), one is a CEMP-*s* star, and two are likely CEMP-i stars. Twenty-six of our program stars (52%) are *r*-process-enhanced stars (21 *r*-I, and newly discovered, and 5 *r*-II stars, two of which are newly discovered); both of these latter stars are newly discovered members of the sparsely populated CEMP-*r* sub-class.

We also find that there are eight stars in our sample that, on the basis of their abundances and kinematics, are possible members of the metal-weak thick disk. Further chemical-abundance analysis at higher resolution over an expanded wavelength range would prove useful in the study of the differing enrichment mechanisms which are responsible for the differences in the chemicalevolution histories of the halo and the thick disk.

We compare our stellar parameters with those obtained by RAVE DR4, RAVE DR5, and Placco et al. (2018), and find moderate to good agreement for most stars. We argue that a number of the stars with [Fe/H] and [C/Fe] estimates from SALT disagree with those reported by Placco et al. (2018), most likely due to their cooler temperatures and relatively strong molecular carbon bands. Application of a new procedure to the medium-resolution spectra for these stars, described by Yoon et al. (2020), results in improved agreement with our high-resolution SALT determinations. Comparison with previous stellar atmospheric parameters and a limited set of chemical abundances with previous high-resolution analyses for nine stars indicate reasonably good agreement.

We also compare our results with chemical-enrichment models to investigate the ¹³C-pocket efficiencies of AGB stars that are likely responsible for production of the heavy elements for our three Ba-rich stars, and show that most of our program stars are consistent with mono-, rather than multi-enrichment, scenarios.

Additional higher S/N high-resolution spectra for the four stars in this sample belonging to poorly populated sub-classes (two CEMP-rII stars and two CEMP-i stars), from which a larger number of neutron-capture elements cam be obtained, would be especially valuable. Analysis of the remaining ~150 stars from our SALT program, now underway (Zepeda et al., in prep.)

will improve our estimates of the frequencies of the various sub-classes found in the present sample, and identify additional astrophysically interesting stars. Longterm radial-velocity monitoring for many of these relative bright MP and VMP stars will also prove illuminating.

ACKNOWLEDGMENTS

The authors thank an anonymous referee for positive comments and suggestions that improved the final paper. K.C.R., J.Z., T.C.B., V.M.P., A.F., and S.D. acknowledge partial support from grant PHY 14-30152; Physics Frontier Center/JINA Center for the Evolution of the Elements (JINA-CEE), awarded by the US National Science Foundation. A.F. acknowledges partial support from NSF grant AST-1716251.

Facilities: Southern African Large Telescope (SALT) High Resolution Spectrograph (HRS), Mayall 4m Telescope, ESO New Technology Telescope.

REFERENCES

- Abate, C., Pols, O. R., Stancliffe, R. J., et al. 2015, A&A, 581, A62, doi: 10.1051/0004-6361/201526200
- Arcones, A., Janka, H. T., & Scheck, L. 2007, A&A, 467, 1227, doi: 10.1051/0004-6361:20066983
- Beers, T. C., & Christlieb, N. 2005, ARA&A, 43, 531, doi: 10.1146/annurev.astro.42.053102.134057
- Beers, T. C., Preston, G. W., & Shectman, S. A. 1992, AJ, 103
- Beers, T. C., Placco, V. M., Carollo, D., et al. 2017, ApJ, 835, 81, doi: 10.3847/1538-4357/835/1/81
- Belokurov, V., Erkal, D., Evans, N. W., Koposov, S. E., & Deason, A. J. 2018, MNRAS, 478, 611, doi: 10.1093/mnras/sty982
- Bisterzo, S., Gallino, R., Straniero, O., Cristallo, S., & Käppeler, F. 2010, MNRAS, 404, 1529, doi: 10.1111/j.1365-2966.2010.16369.x
- Bovy, J. 2015, ApJS, 216, 29, doi: 10.1088/0067-0049/216/2/29
- Bramall, D. G., Sharples, R., Tyas, L., et al. 2010, in Ground-based and Airborne Instrumentation for Astronomy III, Vol. 7735, 77354F, doi: 10.1117/12.856382
- Bramall, D. G., Schmoll, J., Tyas, L. M. G., et al. 2012, in Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series, Vol. 8446, Ground-based and Airborne Instrumentation for Astronomy IV, 84460A, doi: 10.1117/12.925935
- Bromm, V., & Loeb, A. 2003, Nature, 425, 1. https://arxiv.org/abs/0310622v1
- Buckley, D. A. H., Swart, G. P., & Meiring, J. G. 2006, in Proc. SPIE, Vol. 6267, Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series, 62670Z, doi: 10.1117/12.673750
- Burris, D. L., Pilachowski, C. A., Armand roff, T. E., et al. 2000, ApJ, 544, 302, doi: 10.1086/317172
- Casey, A. R. 2014, PhD thesis, Australian National University
- Cayrel, R., Hill, V., Beers, T. C., et al. 2001, Nature, 409, 691. https://arxiv.org/abs/astro-ph/0104357
- Chiaki, G., Tominaga, N., & Nozawa, T. 2017, MNRAS, 472, L115, doi: 10.1093/mnrasl/slx163
- Chiba, M., & Beers, T. C. 2000, AJ, 119, 2843, doi: 10.1086/301409
- Choplin, A., Hirschi, R., Meynet, G., et al. 2018, A&A, 618, A133, doi: 10.1051/0004-6361/201833283
- Choplin, A., Maeder, A., Meynet, G., & Chiappini, C. 2016, A&A, 593, A36, doi: 10.1051/0004-6361/201628083
- Côté, B., O'Shea, B. W., Ritter, C., Herwig, F., & Venn,
 K. A. 2017, ApJ, 835, 128,
 doi: 10.3847/1538-4357/835/2/128

- Côté, B., Ritter, C., O'Shea, B. W., et al. 2016, ApJ, 824, 82, doi: 10.3847/0004-637X/824/2/82
- Crause, L. A., Sharples, R. M., Bramall, D. G., et al. 2014, in Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series, Vol. 9147, Ground-based and Airborne Instrumentation for Astronomy V, 91476T, doi: 10.1117/12.2055635
- Denissenkov, P. A., Herwig, F., Battino, U., et al. 2017, ApJL, 834, L10, doi: 10.3847/2041-8213/834/2/L10
- Ezzeddine, R., Rasmussen, K., Frebel, A., et al. 2020, ApJ, 898, 150, doi: 10.3847/1538-4357/ab9d1a
- Frebel, A. 2018, Annual Review of Nuclear and Particle Science, 68, 237,
- doi: 10.1146/annurev-nucl-101917-021141
- Frebel, A., Casey, A. R., Jacobson, H. R., & Yu, Q. 2013, ApJ, 769, 57, doi: 10.1088/0004-637X/769/1/57
- Frebel, A., Johnson, J. L., & Bromm, V. 2007, MNRAS, 380, L40, doi: 10.1111/j.1745-3933.2007.00344.x
- Hampel, M., Stancliffe, R. J., Lugaro, M., & Meyer, B. S. 2016, ApJ, 831, 171, doi: 10.3847/0004-637X/831/2/171
- Hansen, T., Hansen, C. J., Christlieb, N., et al. 2015, ApJ, 807, 173, doi: 10.1088/0004-637X/807/2/173
- Hansen, T. T., Holmbeck, E. M., Beers, T. C., et al. 2018, ApJ, 858, 92, doi: 10.3847/1538-4357/aabacc
- Hartwig, T., Yoshida, N., Magg, M., et al. 2018, MNRAS, 478, 1795, doi: 10.1093/mnras/sty1176
- Helmi, A., Babusiaux, C., Koppelman, H. H., et al. 2018, Nature, 563, 85, doi: 10.1038/s41586-018-0625-x
- Herwig, F. 2005, ARA&A, 43, 435, doi: 10.1146/annurev.astro.43.072103.150600
- Hill, V., Plez, B., Cayrel, R., et al. 2002, A&A, 387, 560, doi: 10.1051/0004-6361:20020434
- Ishigaki, M. N., Tominaga, N., Kobayashi, C., & Nomoto, K. 2014, ApJL, 792, L32,
 - doi: 10.1088/2041-8205/792/2/L32
- Kerr, F. J., & Lynden-Bell, D. 1986, MNRAS, 221, 1023, doi: 10.1093/mnras/221.4.1023
- Kordopatis, G., Gilmore, G., Steinmetz, M., et al. 2013, AJ, 146, 134, doi: 10.1088/0004-6256/146/5/134
- Kunder, A., Kordopatis, G., Steinmetz, M., et al. 2017, AJ, 153, 75, doi: 10.3847/1538-3881/153/2/75
- Lattimer, J. M., & Schramm, D. N. 1974, ApJL, 192, L145, doi: 10.1086/181612
- Lee, Y. S., Beers, T. C., Masseron, T., et al. 2013a, AJ, 146, 132, doi: 10.1088/0004-6256/146/5/132
- -. 2013b, AJ, 146, 132, doi: 10.1088/0004-6256/146/5/132
- Maeder, A., Meynet, G., & Chiappini, C. 2015, A&A, 576, A56, doi: 10.1051/0004-6361/201424153

- Meynet, G., Hirschi, R., Ekstrom, S., et al. 2010, A&A, 521, A30, doi: 10.1051/0004-6361/200913377
- Mihalas, D., & Binney, J. 1981, Science, 214, 829
- Myeong, G. C., Evans, N. W., Belokurov, V., Sanders, J. L., & Koposov, S. E. 2018, ApJL, 863, L28, doi: 10.3847/2041-8213/aad7f7
- Nomoto, K., Kobayashi, C., & Tominaga, N. 2013, ARA&A, 51, 457,
 - doi: 10.1146/annurev-astro-082812-140956
- Pignatari, M., Gallino, R., Meynet, G., et al. 2008, ApJL, 687, L95, doi: 10.1086/593350
- Placco, V. M., Frebel, A., Beers, T. C., & Stancliffe, R. J. 2014, ApJ, 797, 21, doi: 10.1088/0004-637X/797/1/21
- Placco, V. M., Beers, T. C., Santucci, R. M., et al. 2018, AJ, 155, 256, doi: 10.3847/1538-3881/aac20c
- Placco, V. M., Santucci, R. M., Beers, T. C., et al. 2019, ApJ, 870, 122, doi: 10.3847/1538-4357/aaf3b9
- Roederer, I. U., Preston, G. W., Thompson, I. B., et al. 2014, AJ, 147, 136, doi: 10.1088/0004-6256/147/6/136
- Sakari, C. M., Placco, V. M., Farrell, E. M., et al. 2018a, ApJ, 868, 110, doi: 10.3847/1538-4357/aae9df
- Sakari, C. M., Placco, V. M., Hansen, T., et al. 2018b, ApJL, 854, L20, doi: 10.3847/2041-8213/aaa9b4
- Siegel, D. M., Barnes, J., & Metzger, B. D. 2019, Nature, 569, 241, doi: 10.1038/s41586-019-1136-0

- Sneden, C. A. 1973, PhD thesis, The University of Texas at Austin
- Sobeck, J. S., Kraft, R. P., Sneden, C., et al. 2011, AJ, 141, 175, doi: 10.1088/0004-6256/141/6/175
- Sommer-Larsen, J., & Zhen, C. 1990, MNRAS, 242, 10, doi: 10.1093/mnras/242.1.10
- Steinmetz, M., Zwitter, T., Siebert, A., et al. 2006, AJ, 132, 1645, doi: 10.1086/506564
- Thielemann, F. K., Eichler, M., Panov, I. V., & Wehmeyer, B. 2017, Annual Review of Nuclear and Particle Science, 67, 253, doi: 10.1146/annurev-nucl-101916-123246
- Tody, D. 1986, in Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series, Vol. 627, Instrumentation in astronomy VI, ed. D. L. Crawford, 733, doi: 10.1117/12.968154
- Tody, D. 1993, in Astronomical Data Analysis Software and Systems II, ed. R. J. Hanisch, R. J. V. Brissenden, & J. Barnes, Vol. 52, 173
- Yoon, J., Whitten, D. D., Beers, T. C., et al. 2020, ApJ, 894, 7, doi: 10.3847/1538-4357/ab7daf
- Yoon, J., Beers, T. C., Placco, V. M., et al. 2016, ApJ, 833, 20, doi: 10.3847/0004-637X/833/1/20
- Yoon, J., Beers, T. C., Dietz, S., et al. 2018, ApJ, 861, 146, doi: 10.3847/1538-4357/aaccea

RASMUSSEN ET AL.

 Table 2. Details of the Observations

Name	Obs. Date	Exp. Time (hrs)	S/N @ 4310 Å	V
RAVE J012931.1-160046 ^a	2017 Jun 11	2.65	23	11.64
RAVE J030639.1-692040	2018 Jul 21	1.75	15	12.36
RAVE J035550.9-721151	2017 Jun 13	1.95	20	13.35
RAVE J040618.2-030525	2017 Oct 28	1.80	19	12.17
RAVE J044208.2-342114 ^b	2017 Oct 26	2.25	18	11.65
RAVE J045322.6–221040 ^{c}	2017 Oct 26	1.60	25	10.66
RAVE J053817.0-751621	2017 Nov 05	2.20	21	11.21
RAVE J061950.0-531212	2017 Oct 26	1.90	18	11.37
RAVE J071234.0-481405	2017 Apr 09	2.90	21	11.57
RAVE J074824.3-483141	2017 Apr 21	2.25	28	11.29
RAVE J100709.2-180947	2017 Dec 05	1.70	14	12.36
RAVE J111711.0-310951	2017 Apr 22	1.60	14	11.56
RAVE J111912.3-160947	2017 Apr 10	2.00	26	12.37
RAVE J113508.3-111328	2017 Apr 14	1.50	15	12.70
RAVE J114444.8-112817	2017 Apr 10	1.55	42	9.80
RAVE J115941.7-382043	2017 Apr 16	1.25	20	12.26
RAVE J123550.1-313111	2017 Apr 17	2.00	10	10.70
RAVE J124154.7-085701	2018 Feb 07	2.80	16	12.06
RAVE J124753.3-390802	2018 Jan 14	2.45	10	12.23
RAVE J130524.5-393126	2017 Apr 17	1.70	14	12.82
RAVE J132141.8-432006	2017 May 06	2.35	17	11.42
RAVE J132414.3-180620	2017 May 03	2.30	22	11.41
RAVE J134319.3–235814	2017 May 11	2.50	22	11.56
RAVE J151558.3–203821	2017 Apr 19	2.30	26	11.64
RAVE J151608.7-212160	2017 May 03	2.75	14	10.85
RAVE J153539.5–173455	2017 Apr 16	2.25	15	12.14
RAVE J153830.9–180424 d	2017 May 12	1.85	25	10.86
RAVE J154230.9–210731	2017 Apr 17	2.30	16	12.53
RAVE J155829.6-122434	$2017~{\rm Apr}~17$	2.20	17	12.33
RAVE J160245.0–152102 ^{e}	$2017 { m Apr} 18$	1.50	30	10.35
RAVE J165300.5-005507	$2017 {\rm \ May\ } 17$	2.15	20	12.68
RAVE J171633.4-700902	$2019 {\rm \ Mar\ } 22$	2.85	12	10.48
RAVE J175159.8-475131	$2019 \ {\rm Feb} \ 22$	2.00	17	10.96
RAVE J180242.3–440443 e	$2018 \ {\rm Jun} \ 12$	2.30	14	12.62
RAVE J183108.2–491105	2018 Jul 22	2.10	14	12.86
RAVE J183623.2-642812	$2018 \ \mathrm{Jun}\ 24$	2.35	15	12.45
RAVE J191755.9-544015	$2017 \ {\rm Oct} \ 27$	2.05	25	10.76
RAVE J192632.8-584657	$2017~{\rm Apr}~16$	2.95	17	12.52
RAVE J192819.9-633935	$2017 {\rm \ May\ } 18$	1.85	18	12.76
RAVE J194550.6 -392631	$2017 {\rm \ May\ } 05$	1.90	21	12.93
RAVE J201446.1 -563530	$2018 \ \mathrm{Jun}\ 24$	1.75	13	12.20
RAVE J203706.4–122125	2018 Jul 18	2.63	22	11.69
RAVE J204450.7 -371400	$2018 \ \mathrm{Jun}\ 25$	3.30	22	12.35
RAVE J204954.4 -480045	$2017 \ {\rm Oct} \ 27$	1.65	28	11.86
RAVE J205149.7 -615801	$2017 {\rm \ May\ } 16$	1.55	21	12.31
RAVE J205609.1–133118 e	$2017 {\rm \ May\ } 06$	1.95	25	10.19
RAVE J210642.9–682827 e	$2018 \ \mathrm{Jun}\ 25$	1.55	22	12.80
RAVE J211413.5 -572636	$2017~{\rm Apr}~22$	2.65	16	10.54
RAVE J215118.3-135937	$2017~{\rm Nov}~05$	1.50	16	11.93
RAVE J222236.0 -013827^{i}	2018 Jul 07	2.25	16	11.87

NOTE— A handful of these stars have been previously observed in other programs since the beginning of the observing campaign or earlier and are noted as such: (a) Hansen et al. (2015), (b) Sakari et al. (2018b), (c) Sakari et al. (2018a) (d) Hansen et al. (2018), (e) Roederer et al. (2014). Their stellar atmospheric parameters and [C/Fe], [Sr/Fe], [Ba/Fe], and [Eu/Fe] values are compared in Table 3.

Table 3. Stellar Atmospheric Parameters and Abundances for Previously Observed Stars

Name	Other Name	Lit.		Literatu	re Values			This	8 Work	
			$T_{\rm eff}$ (K)	$\log g$ (cgs)	$[\mathrm{Fe}/\mathrm{H}]$	$v_{\rm turb}~({\rm km~s^{-1}})$	$T_{\rm eff}$ (K)	$\log g$ (cgs)	$[\mathrm{Fe}/\mathrm{H}]$	$v_{\rm turb}~({\rm km~s^{-1}})$
RAVE J012931.1-160046	BPS CS 31082-001	1	4800	1.50	-3.01	1.95	4959	1.70	-2.77	2.65
RAVE J044208.2–342114	HE 0440-3426	2	4800	1.60	-2.20	1.90	4837	1.40	-2.17	2.25
RAVE J045322.6-221040	TYC 5911-452-1	3	6225	4.54	-1.88	2.33	6115	3.90	-2.54	1.60
RAVE J153830.9–180424	TYC 6189-285-1	4	4752	1.63	-2.09	1.51	4995	2.00	-2.02	1.85
RAVE J160245.0-152102	BD -14 4336	5	5240	3.16	-1.80	1.65	5215	3.00	-1.90	1.50
RAVE J180242.3-440443	UCAC2 13007354	5	4701	1.60	-1.55	2.17	4711	1.30	-1.84	2.30
RAVE J205609.1–133118	HD 358059	5	4780	1.60	-2.30	1.80	4918	1.65	-2.24	1.95
RAVE J210642.9-682827	UCAC2 2203606	5	5186	2.70	-2.76	2.90	5026	2.00	-2.92	1.55
RAVE J222236.0 -013827	BPS CS $29502-092$	6	4820	1.50	-3.20	1.50	5205	2.40	-2.87	2.25
			[C/Fe]	[Sr/Fe]	$[\mathrm{Ba/Fe}]$	[Eu/Fe]	$_{\rm [C/Fe]}a$	[Sr/Fe]	$[\mathrm{Ba/Fe}]$	$[\mathrm{Eu}/\mathrm{Fe}]$
RAVE J012931.1-160046	BPS CS 31082-001	1	+0.20	+0.65	+1.17	+1.63	+0.44	+0.96	+1.20	+1.80
RAVE J044208.2–342114	HE 0440-3426	2	+1.51	+0.33	+0.46	<+0.62	+1.44		+0.49	+0.39
RAVE J045322.6-221040	TYC 5911-452-1	3	-0.38	-0.23	-0.68	< -0.21	< 0.00	-0.29	-0.73	
RAVE J153830.9–180424	TYC 6189-285-1	4	+0.26	+0.44	+0.62	+1.27	+0.12	+0.50	+0.72	+1.52
RAVE J160245.0-152102	BD -14:4336	5	-0.05	+0.35	+0.08	+0.55	+0.14	+0.11	0.00	+0.53
RAVE J180242.3-440443	UCAC2 13007354	5	+0.35	+0.68	+0.95	+1.05	+0.48	+0.15	+0.03	+1.20
RAVE J205609.1–133118	HD 358059	5	0.00	+0.13	-0.56	0.00	+0.24	+0.07	-0.20	+0.18
RAVE J210642.9-682827	UCAC2 2203606	5	+0.53	+0.90	+0.52	+1.32	+0.43		+0.62	+0.83
RAVE J222236.0-013827	BPS CS 29502-092	6	+1.06	-0.33	-1.36	< -0.11	+1.35		-1.23	

 a The [C/Fe] value reported is "as measured", not corrected for evolutionary effects, as in the rest of the paper.

NOTE—Literature citations are as follows: 1) Hill et al. (2002) 2) Hansen et al. (2015) 3) Sakari et al. (2018b) 4) Sakari et al. (2018a) 5) Hansen et al. (2018) 6) Roederer et al. (2014). Average Uncertainties for [X/Fe] measurements are as follows: Hill et al. (2002): ~0.05-0.20 dex; Hansen et al. (2015): ~0.2-0.3 dex; Sakari et al. (2018a): ~0.05-0.2 dex; Sakari et al. (2018b): ~0.1-0.2 dex; Hansen et al. (2018): ~0.3-0.4 dex; Roederer et al. (2014): ~0.2-0.3 dex.

	-			_
Name	$T_{\mathrm{eff}}\left(\mathrm{K}\right)$	$\logg({\rm cgs})$	$[\mathrm{Fe}/\mathrm{H}]$	$v_{\rm turb}~(km~s^{-1})$
RAVE J012931.1-160046	4959	1.70	-2.77	2.65
RAVE J030639.1-692040	4770	1.55	-2.81	1.75
RAVE J035550.9-721151	4990	2.05	-2.64	1.95
RAVE J040618.2-030525	5260	2.75	-1.34	1.80
RAVE J044208.2-342114	4837	1.40	-2.17	2.25
RAVE J045322.6-221040	6115	3.90	-2.54	1.60
RAVE J053817.0-751621	4900	1.65	-2.03	2.20
RAVE J061950.0-531212	5170	2.80	-2.15	1.90
RAVE J071234.0-481405	4612	0.80	-2.92	2.90
RAVE J074824.3-483141	5445	2.00	-2.01	2.25
RAVE J100709.2–180947	4806	1.70	-2.01	1.70
RAVE J111711.0-310951	6070	3.55	-1.90	1.60
RAVE J111912.3-160947	5346	2.25	-1.97	2.00
RAVE J113508.3-111328	6115	4.25	-1.21	1.50
RAVE J114444.8-112817	5125	2.45	-2.51	1.55
RAVE J115941.7-382043	5287	3.35	-0.94	1.25
RAVE J123550.1-313111	4860	1.45	-2.34	2.00
RAVE J123550.1-515111 RAVE J124154.7-085701	4300 6061	3.65	-2.34 -2.38	2.80
RAVE J124753.3-390802	4423		-2.33 -2.19	
RAVE J124755.5-590802 RAVE J130524.5-393126		1.05	-2.19 -2.11	2.45
RAVE J130324.3-393120 RAVE J132141.8-432006	5008 4054	2.20		1.70
	4954	1.25	-2.03 -2.52	2.35
RAVE J132414.3-180620	4837	1.55		2.30
RAVE J134319.3-235814	4896	1.75	-2.64	2.50
RAVE J151558.3-203821	4743	1.10	-2.65	2.30
RAVE J151608.7-212160	4360	0.60	-2.43	2.75
RAVE J153539.5-173455	4882	1.60	-2.58	2.25
RAVE J153830.9-180424	4995	2.00	-2.02	1.85
RAVE J154230.9-210731	4675	0.85	-2.18	2.30
RAVE J155829.6-122434	5067	1.40	-2.58	2.20
RAVE J160245.0-152102	5215	3.00	-1.90	1.50
RAVE J165300.5-005507	4702	1.30	-1.56	2.15
RAVE J171633.4-700902	4608	1.00	-2.65	2.85
RAVE J175159.8-475131	4716	1.65	-1.90	2.00
RAVE J180242.3-440443	4711	1.30	-1.84	2.30
RAVE J183108.2-491105	4545	1.15	-2.09	2.10
RAVE J183623.2-642812	5071	2.20	-2.50	2.35
RAVE J191755.9–544015	4887	1.50	-2.59	2.05
RAVE J192632.8-584657	4590	1.00	-2.49	2.95
RAVE J192819.9–633935	4927	1.70	-2.23	1.85
RAVE J194550.6-392631	4855	1.50	-2.79	1.90
RAVE J201446.1-563530	5044	2.05	-1.75	1.75
RAVE J203706.4–122125	4540	1.05	-2.63	2.90
RAVE J204450.7-371400	4558	0.90	-2.84	3.30
RAVE J204954.4-480045	5206	2.70	-1.79	1.65
RAVE J205149.7-615801	5310	3.15	-1.92	1.55
RAVE J205609.1–133118	4918	1.65	-2.24	1.95
RAVE J210642.9 -682827	5026	2.00	-2.92	1.55
RAVE J211413.5–572636	4828	1.30	-2.61	2.65
RAVE J215118.3–135937	5017	2.10	-1.94	1.50
RAVE J222236.0-013827	5202	2.40	-2.87	2.25

 ${\bf Table \ 4. \ Stellar \ Atmospheric \ Parameters \ for \ the \ Program \ Stars}$

 ${\bf Table \ 5.}\ {\rm Classification\ Abundances\ for\ the\ Program\ Stars}$

Name	Class	$A({\rm C})_{\rm corr}$	[C/Fe]	$[{\rm C/Fe}]_{\rm corr}$	[Sr/Fe]	$[\mathrm{Ba/Fe}]$	[Eu/Fe]
RAVE J012931.1-160046	r-II	6.35	$+0.44 \pm 0.25$	$+0.69 \pm 0.25$	$+0.96 \pm 0.30$	$+1.20 \pm 0.30$	$+1.80 \pm 0.30$
RAVE J030639.1-692040		6.08	$+0.08 \pm 0.25$	$+0.46 \pm 0.25$	-0.53 ± 0.30	-0.31 ± 0.20	<+0.35
RAVE J035550.9-721151	r-I	6.11	$+0.32 \pm 0.25$	$+0.32 \pm 0.25$	$+0.53 \pm 0.20$	-0.08 ± 0.2	$+0.60 \pm 0.20$
RAVE J040618.2-030525	<i>r</i> -II	7.66	$+0.54 \pm 0.25$	$+0.57 \pm 0.25$		$+0.98 \pm 0.30$	$+1.17 \pm 0.20$
RAVE J044208.2-342114	CEMP-i	7.84	$+1.44 \pm 0.25$	$+1.58 \pm 0.25$		$+0.49 \pm 0.30$	$+0.39 \pm 0.2$
RAVE J045322.6-221040		< 6.19	< 0.00	<+0.30	-0.29 ± 0.10	-0.73 ± 0.10	
RAVE J053817.0-751621		6.91	$+0.18 \pm 0.25$	$+0.51 \pm 0.25$	-0.63 ± 0.30	-0.24 ± 0.20	$+0.44 \pm 0.20$
RAVE J061950.0-531212		6.62	$+0.33 \pm 0.25$	$+0.34 \pm 0.20$	$+1.24 \pm 0.20$	-0.24 ± 0.20	$+0.51 \pm 0.20$
RAVE J071234.0-481405		5.92	-0.36 ± 0.25	$+0.41 \pm 0.25$	-1.73 ± 0.30	-1.60 ± 0.20	< 0.00
RAVE J074824.3-483141	r-I	6.48	$+0.00 \pm 0.25$	$+0.06 \pm 0.25$	$+0.66 \pm 0.20$	-0.20 ± 0.30	$+0.45 \pm 0.20$
RAVE J100709.2–180947	r-I	6.83	$+0.10 \pm 0.25$	$+0.41 \pm 0.30$	$+1.01 \pm 0.20$		$+0.62 \pm 0.20$
RAVE J111711.0-310951	CEMP-no	7.23	$+0.70 \pm 0.25$	$+0.70 \pm 0.25$	$+1.10 \pm 0.30$	-0.05 ± 0.20	< 0.00
RAVE J111912.3-160947	CEMP-s	7.71	$+1.23 \pm 0.25$	$+1.25 \pm 0.25$	$+0.98 \pm 0.20$	$+1.52 \pm 0.20$	$+0.75 \pm 0.20$
RAVE J113508.3-111328		7.32	$+0.01 \pm 0.25$	$+0.10 \pm 0.25$	$+0.31 \pm 0.20$	$+0.36 \pm 0.30$	< 0.00
RAVE J114444.8-112817	r-I	6.01	$+0.08 \pm 0.25$	$+0.09 \pm 0.25$	$+0.19 \pm 0.20$	-0.05 ± 0.20	$+0.42 \pm 0.20$
RAVE J115941.7-382043	r-I	7.67	$+0.18 \pm 0.25$	$+0.18 \pm 0.25$		-0.01 ± 0.20	$+0.70 \pm 0.20$
RAVE J123550.1-313111	CEMP-r	7.06	$+0.61 \pm 0.25$	$+0.97 \pm 0.25$		$+0.27 \pm 0.20$	$+0.59 \pm 0.20$
RAVE J124154.7-085701	CEMP-no	6.88	$+0.83 \pm 0.25$	$+0.83 \pm 0.30$	$+0.47 \pm 0.50$	-0.38 ± 0.20	
RAVE J124753.3-390802		6.72	-0.18 ± 0.25	$+0.48 \pm 0.25$		$+0.07 \pm 0.30$	
RAVE J130524.5-393126	<i>r</i> -I	6.50	$+0.17 \pm 0.25$	$+0.18 \pm 0.25$	$+0.43 \pm 0.30$	$+0.12 \pm 0.30$	$+0.76 \pm 0.30$
RAVE J132141.8-432006	r-I	6.74	-0.23 ± 0.25	$+0.34 \pm 0.25$	$+0.43 \pm 0.30$ $+0.67 \pm 0.30$	$+0.04 \pm 0.20$	$+0.66 \pm 0.20$
RAVE J132414.3-180620		6.54	$+0.23 \pm 0.25$ $+0.23 \pm 0.25$	$+0.63 \pm 0.25$ $+0.63 \pm 0.25$	$+0.07 \pm 0.30$ $+0.02 \pm 0.20$	-0.56 ± 0.20	< -0.04
RAVE J134319.3-235814		6.30			$+0.39 \pm 0.30$		< 0.00
	 T		$+0.32 \pm 0.25$	$+0.51 \pm 0.25$		-0.75 ± 0.20 -0.39 ± 0.20	
RAVE J151558.3-203821	r-I	6.32 7.18	-0.15 ± 0.25 +0.76 ± 0.25	$+0.54 \pm 0.25$ +1.18 ± 0.25	$+0.27 \pm 0.20$		$+0.36 \pm 0.20$
RAVE J151608.7-212160	CEMP-no	7.18				-0.50 ± 0.20	$+0.09 \pm 0.20$
RAVE J153539.5-173455	CEMP-no	6.66 6.50	$+0.48 \pm 0.25$	$+0.81 \pm 0.25$	$+0.55 \pm 0.30$	$+0.20 \pm 0.20$	< 0.00
RAVE J153830.9-180424	r-II	6.59	$+0.12 \pm 0.25$	$+0.18 \pm 0.25$	$+0.50 \pm 0.30$	$+0.72 \pm 0.20$	$+1.52 \pm 0.20$
RAVE J154230.9-210731	· · ·	6.68	-0.48 ± 0.25	$+0.43 \pm 0.25$	-1.11 ± 0.20	-1.50 ± 0.20	
RAVE J155829.6-122434	r-I	6.39	$+0.00 \pm 0.25$	$+0.54 \pm 0.25$	$+0.65 \pm 0.20$	$+0.23 \pm 0.20$	$+0.72 \pm 0.20$
RAVE J160245.0-152102	r-I	7.07	$+0.14 \pm 0.25$	$+0.54 \pm 0.25$	$+0.11 \pm 0.20$	$+0.00 \pm 0.20$	$+0.53 \pm 0.20$
RAVE J165300.5-005507	r-I	7.00	-0.36 ± 0.25	$+0.13 \pm 0.25$	-0.39 ± 0.30	-0.43 ± 0.20	$+0.68 \pm 0.20$
RAVE J171633.4-700902	CEMP-r	6.51	$+0.03 \pm 0.25$	$+0.73 \pm 0.25$		$+0.00 \pm 0.30$	$+1.09 \pm 0.30$
RAVE J175159.8-475131	r-I	6.64	-0.27 ± 0.25	$+0.11 \pm 0.25$	$+0.38 \pm 0.30$	-0.14 ± 0.30	$+0.68 \pm 0.20$
RAVE J180242.3-440443	CEMP-r	7.37	$+0.48 \pm 0.25$	$+0.78 \pm 0.25$	$+0.15 \pm 0.30$	$+0.03 \pm 0.30$	$+1.20 \pm 0.30$
RAVE J183108.2-491105		6.65	-0.32 ± 0.25	$+0.31 \pm 0.25$		-0.05 ± 0.30	$+0.32 \pm 0.20$
RAVE J183623.2–642812	<i>r</i> -I	6.41	$+0.47 \pm 0.25$	$+0.48 \pm 0.25$	$+0.66 \pm 0.30$	$+0.09 \pm 0.20$	$+0.72 \pm 0.30$
RAVE J191755.9–544015	CEMP-no	6.69	$+0.44 \pm 0.25$	$+0.85 \pm 0.25$	$+0.47 \pm 0.30$	-0.42 ± 0.20	<+0.17
RAVE J192632.8–584657	r-I	6.45	-0.22 ± 0.25	$+0.51 \pm 0.25$	$+0.38 \pm 0.30$	-0.35 ± 0.20	$+0.76 \pm 0.20$
RAVE J192819.9–633935	r-I	6.69	$+0.17 \pm 0.25$	$+0.49 \pm 0.25$		$+0.09 \pm 0.20$	$+0.45 \pm 0.30$
RAVE J194550.6-392631	r-I	6.23	$+0.17 \pm 0.25$	$+0.59 \pm 0.25$	$+0.20 \pm 0.30$	$+0.40 \pm 0.20$	$+0.90 \pm 0.20$
RAVE J201446.1-563530	CEMP-i	8.10	$+1.37 \pm 0.25$	$+1.42 \pm 0.25$		$+0.85 \pm 0.30$	$+0.78 \pm 0.30$
RAVE J203706.4–122125	CEMP-no	6.83	$+0.70 \pm 0.25$	$+1.30 \pm 0.25$	-0.13 ± 0.30	$+0.00 \pm 0.20$	$+0.20 \pm 0.30$
RAVE J204450.7-371400	CEMP-no	6.61	$+0.37 \pm 0.25$	$+1.02 \pm 0.25$	$+0.63 \pm 0.30$	-0.69 ± 0.30	<+0.10
RAVE J204954.4-480045		6.90	$+0.24 \pm 0.25$	$+0.26 \pm 0.25$	$+0.52 \pm 0.20$	$+0.11 \pm 0.20$	$+0.18 \pm 0.20$
RAVE J205149.7-615801	r-I	6.74	$+0.22 \pm 0.25$	$+0.23 \pm 0.25$	$+0.00 \pm 0.30$	-0.25 ± 0.20	$+0.60 \pm 0.20$
RAVE J205609.1–133118		6.80	$+0.24 \pm 0.25$	$+0.61 \pm 0.25$	$+0.07 \pm 0.20$	-0.20 ± 0.20	$+0.18 \pm 0.20$
RAVE J210642.9 -682827		5.98	$+0.43 \pm 0.25$	$+0.47 \pm 0.25$		$+0.62 \pm 0.20$	0.83 ± 0.30
RAVE J211413.5–572636	CEMP-no	6.76	$+0.43 \pm 0.25$	$+0.94 \pm 0.25$		-1.13 ± 0.20	< 0.00
RAVE J215118.3–135937	r-I	6.85	$+0.34 \pm 0.25$	$+0.36 \pm 0.25$	$+0.56 \pm 0.30$	-0.85 ± 0.30	$+0.37 \pm 0.30$
RAVE J222236.0-013827	CEMP-no	6.92	$+1.35 \pm 0.25$	$+1.36 \pm 0.25$		-1.23 ± 0.20	

 $\textbf{Table 6.} \quad \text{Abundance Ratios for the Elements Mg, Ca, Sc II, Ti I, and Ti II}$

Name	[Mg/Fe]	[Ca/Fe]	[Sc II/Fe]	[Ti I/Fe]	[Ti II/Fe]
RAVE J012931.1 -160046	$+0.47 \pm 0.19$	$+0.47 \pm 0.15$	$+0.03 \pm 0.01$	$+0.31 \pm 0.18$	$+0.33 \pm 0.12$
RAVE J030639.1 -692040	$+0.32 \pm 0.10$		-0.10 ± 0.10	$+0.14 \pm 0.10$	$+0.12 \pm 0.08$
RAVE J035550.9–721151	$+0.46 \pm 0.10$	$+0.42 \pm 0.14$	$+0.11 \pm 0.03$	$+0.22 \pm 0.07$	$+0.37 \pm 0.11$
RAVE J040618.2–030525		$+0.41 \pm 0.05$	$+0.47 \pm 0.10$	$+0.23 \pm 0.10$	$+0.27 \pm 0.15$
RAVE J044208.2–342114		$+0.48 \pm 0.04$	$+0.24 \pm 0.10$	$+0.26 \pm 0.11$	$+0.23 \pm 0.08$
RAVE J045322.6–221040	$+0.27 \pm 0.04$	$+0.44 \pm 0.10$	$+0.21 \pm 0.07$	$+0.43 \pm 0.06$	$+0.49 \pm 0.09$
RAVE J053817.0–751621		$+0.60 \pm 0.22$	$+0.05 \pm 0.09$	$+0.24 \pm 0.14$	$+0.31 \pm 0.15$
RAVE J061950.0-531212	$+0.41 \pm 0.03$	$+0.33 \pm 0.11$	$+0.04 \pm 0.05$	$+0.25 \pm 0.11$	$+0.33 \pm 0.12$
RAVE J071234.0-481405	$+0.48 \pm 0.14$	$+0.23 \pm 0.06$	$+0.07 \pm 0.03$	$+0.32 \pm 0.05$	$+0.39 \pm 0.14$
RAVE J074824.3-483141	$+0.32 \pm 0.10$	$+0.38 \pm 0.05$	$+0.08 \pm 0.05$	$+0.26 \pm 0.11$	$+0.32 \pm 0.13$
RAVE J100709.2–180947	$+0.39 \pm 0.10$	$+0.71 \pm 0.09$	$+0.13 \pm 0.03$	$+0.20 \pm 0.12$	$+0.37 \pm 0.19$
RAVE J111711.0-310951	$+0.24 \pm 0.08$	$+0.37 \pm 0.07$	-0.04 ± 0.01	$+0.29 \pm 0.09$	$+0.40 \pm 0.08$
RAVE J111912.3–160947	$+0.31 \pm 0.13$	$+0.38 \pm 0.12$	$+0.15 \pm 0.09$	$+0.32 \pm 0.08$	$+0.36 \pm 0.15$
RAVE J113508.3–111328	$+0.31 \pm 0.10$	$+0.38 \pm 0.14$	$+0.17 \pm 0.04$	$+0.23 \pm 0.07$	$+0.20 \pm 0.07$
RAVE J114444.8–112817	$+0.42 \pm 0.09$	$+0.42 \pm 0.08$	-0.01 ± 0.04	$+0.26 \pm 0.09$	$+0.31 \pm 0.11$
RAVE J115941.7-382043		$+0.24 \pm 0.10$	$+0.35 \pm 0.02$	$+0.35 \pm 0.07$	$+0.50 \pm 0.13$
RAVE J123550.1-313111	$+0.41 \pm 0.10$	$+0.46 \pm 0.06$	-0.10 ± 0.06	$+0.20 \pm 0.13$	$+0.26 \pm 0.14$
RAVE J124154.7-085701	$+0.45 \pm 0.12$	$+0.60 \pm 0.10$	$+0.20 \pm 0.01$	$+0.51 \pm 0.06$	$+0.37 \pm 0.12$
RAVE J124753.3-390802		$+0.22 \pm 0.10$	$+0.29 \pm 0.10$	$+0.29 \pm 0.06$	$+0.44 \pm 0.12$
RAVE J130524.5-393126		$+0.43 \pm 0.06$	$+0.10 \pm 0.04$	$+0.23 \pm 0.09$	$+0.42 \pm 0.12$
RAVE J132141.8-432006	$+0.30 \pm 0.10$	$+0.27 \pm 0.01$	-0.07 ± 0.02	$+0.18 \pm 0.10$	$+0.21 \pm 0.11$
RAVE J132414.3-180620	$+0.31 \pm 0.08$	$+0.27 \pm 0.07$	-0.18 ± 0.09	$+0.10 \pm 0.11$	$+0.24 \pm 0.12$
RAVE J134319.3-235814	$+0.40 \pm 0.10$		$+0.06 \pm 0.01$	$+0.17 \pm 0.11$	$+0.35 \pm 0.14$
RAVE J151558.3-203821	$+0.52 \pm 0.09$	$+0.37 \pm 0.08$	$+0.00 \pm 0.05$	$+0.19 \pm 0.06$	$+0.33 \pm 0.14$
RAVE J151608.7-212160		$+0.54 \pm 0.10$	$+0.07 \pm 0.04$	$+0.09 \pm 0.06$	$+0.41 \pm 0.16$
RAVE J153539.5-173455	$+0.31 \pm 0.08$	$+0.29 \pm 0.05$	$+0.06 \pm 0.02$	$+0.22 \pm 0.10$	$+0.32 \pm 0.05$
RAVE J153830.9-180424		$+0.35 \pm 0.04$	$+0.09 \pm 0.08$	$+0.19 \pm 0.09$	$+0.30 \pm 0.13$
RAVE J154230.9-210731	$+0.59 \pm 0.09$	$+0.47 \pm 0.07$	$+0.13 \pm 0.03$	$+0.18 \pm 0.13$	$+0.19 \pm 0.14$
RAVE J155829.6-122434	$+0.47 \pm 0.13$	$+0.37 \pm 0.06$	$+0.02 \pm 0.02$	$+0.35 \pm 0.07$	$+0.37 \pm 0.13$
RAVE J160245.0-152102	$+0.19 \pm 0.04$	$+0.24 \pm 0.12$	-0.08 ± 0.06	$+0.02 \pm 0.06$	$+0.22 \pm 0.10$
RAVE J165300.5-005507		$+0.39 \pm 0.10$	$+0.10 \pm 0.03$	$+0.17 \pm 0.10$	$+0.42 \pm 0.15$
RAVE J171633.4-700902		$+0.29 \pm 0.06$	$+0.02 \pm 0.07$	$+0.27 \pm 0.08$	$+0.43 \pm 0.14$
RAVE J175159.8-475131		$+0.32 \pm 0.10$	$+0.19 \pm 0.11$	$+0.30 \pm 0.09$	$+0.37 \pm 0.10$
RAVE J180242.3-440443			$+0.13 \pm 0.11$	$+0.24 \pm 0.12$	$+0.29 \pm 0.19$
RAVE J183108.2-491105		$+0.59 \pm 0.25$	$+0.02 \pm 0.07$	$+0.28 \pm 0.10$	$+0.46 \pm 0.07$
RAVE J183623.2-642812	$+0.40 \pm 0.12$	$+0.41 \pm 0.08$	$+0.07 \pm 0.05$	$+0.27 \pm 0.14$	$+0.46 \pm 0.12$
RAVE J191755.9-544015	$+0.31 \pm 0.13$	$+0.40 \pm 0.13$	-0.12 ± 0.02	$+0.16 \pm 0.08$	$+0.26 \pm 0.15$
RAVE J192632.8-584657	$+0.27 \pm 0.08$	$+0.40 \pm 0.14$	$+0.05 \pm 0.07$	$+0.25 \pm 0.07$	$+0.36 \pm 0.16$
RAVE J192819.9–633935	$+0.61 \pm 0.10$	$+0.38 \pm 0.07$	$+0.00 \pm 0.03$	$+0.27 \pm 0.09$	$+0.33 \pm 0.11$
RAVE J194550.6-392631	$+0.40 \pm 0.06$	$+0.33 \pm 0.05$	$+0.11 \pm 0.02$	$+0.29 \pm 0.09$	$+0.40 \pm 0.13$
RAVE J201446.1-563530	10.40 ± 0.00	$+0.39 \pm 0.00$ $+0.39 \pm 0.10$	$+0.37 \pm 0.02$ $+0.37 \pm 0.07$	$+0.20 \pm 0.03$ $+0.50 \pm 0.13$	$+0.57 \pm 0.17$
RAVE J203706.4-122125	$+0.42 \pm 0.05$	$+0.30 \pm 0.13$ $+0.30 \pm 0.13$	$+0.23 \pm 0.12$	$+0.21 \pm 0.04$	$+0.49 \pm 0.15$
RAVE J204450.7-371400	$+0.42 \pm 0.03$ $+0.48 \pm 0.07$	$+0.30 \pm 0.13$ $+0.25 \pm 0.04$	$+0.23 \pm 0.12$ $+0.04 \pm 0.35$	$+0.21 \pm 0.04$ $+0.24 \pm 0.13$	$+0.35 \pm 0.13$ $+0.35 \pm 0.18$
RAVE J204954.4-480045	$+0.40 \pm 0.01$ $+0.40 \pm 0.10$	$+0.26 \pm 0.04$ $+0.26 \pm 0.05$	$+0.15 \pm 0.06$	$+0.24 \pm 0.13$ $+0.25 \pm 0.06$	$+0.34 \pm 0.13$
RAVE J205149.7-615801	$+0.36 \pm 0.10$ $+0.36 \pm 0.10$	$+0.20 \pm 0.03$ $+0.30 \pm 0.04$	$+0.15 \pm 0.00$ $+0.01 \pm 0.04$	$+0.23 \pm 0.00$ $+0.23 \pm 0.10$	$+0.34 \pm 0.13$ $+0.37 \pm 0.10$
RAVE J205609.1-133118	$+0.50 \pm 0.10$ $+0.50 \pm 0.03$	$+0.30 \pm 0.04$ $+0.30 \pm 0.08$	-0.07 ± 0.03	$+0.23 \pm 0.10$ $+0.21 \pm 0.11$	$+0.27 \pm 0.11$
RAVE J210642.9-682827	$+0.50 \pm 0.03$ $+0.50 \pm 0.10$	$+0.52 \pm 0.08$ $+0.52 \pm 0.08$	-0.06 ± 0.08	$+0.21 \pm 0.01$ $+0.31 \pm 0.09$	$+0.27 \pm 0.11$ $+0.25 \pm 0.13$
RAVE J211042.9-082827 RAVE J211413.5-572636	$+0.30 \pm 0.10$ $+0.37 \pm 0.12$	$+0.32 \pm 0.08$ $+0.25 \pm 0.05$	-0.08 ± 0.08 -0.08 ± 0.05	$+0.31 \pm 0.09$ $+0.20 \pm 0.07$	$+0.25 \pm 0.13$ $+0.28 \pm 0.17$
RAVE J215118.3-135937	$+0.37 \pm 0.12$ +0.55 ± 0.10	$+0.25 \pm 0.03$ $+0.81 \pm 0.09$	$+0.06 \pm 0.03$	$+0.28 \pm 0.07$ $+0.28 \pm 0.06$	$+0.28 \pm 0.17$ +0.41 ± 0.10
RAVE J22236.0-013827	$+0.35 \pm 0.10$ $+0.19 \pm 0.01$	$+0.81 \pm 0.09$ $+0.48 \pm 0.14$	$+0.06 \pm 0.10$ $+0.28 \pm 0.04$	$+0.28 \pm 0.06$ $+0.17 \pm 0.06$	$+0.41 \pm 0.10$ $+0.23 \pm 0.14$
1011 1 0222200.0-010827	F0.13 ± 0.01	F0.40 ± 0.14	F0.20 ± 0.04	F0.17 ± 0.00	1-0.20 I 0.14

Note—Uncertainties are taken as the standard deviation of multiple measurements; in cases where only one line was measurable, a nominal uncertainty of $0.10 \,\mathrm{dex}$ has been assigned.

[Ni/Fe]

[Zn/Fe]

 $+0.15 \pm 0.10 +0.24 \pm 0.08$

 $+0.13 \pm 0.06 +0.25 \pm 0.01$

 -0.16 ± 0.10

 $+0.00 \pm 0.10$

 $+0.67 \pm 0.10 +0.12 \pm 0.08 +0.50 \pm 0.10$

1 (dillo	[• 1/10]	[01 1/10]	[01 11/1 0]	[1111/10]	[00/10]	[111/10]	[211/10]
RAVE J012931.1-160046		-0.21 ± 0.16		-0.44 ± 0.09	$+0.64 \pm 0.10$	$+0.01 \pm 0.12$	$+0.30 \pm 0.10$
RAVE J030639.1-692040		-0.32 ± 0.11		-0.47 ± 0.10	-0.09 ± 0.10	$+0.14 \pm 0.16$	
RAVE J035550.9-721151	$+0.13 \pm 0.10$	-0.23 ± 0.08	$+0.18 \pm 0.02$	-0.41 ± 0.10	$+0.48 \pm 0.02$	$+0.11 \pm 0.06$	$+0.26 \pm 0.01$
RAVE J040618.2-030525	$+0.29 \pm 0.10$	-0.03 ± 0.14	-0.09 ± 0.10	-0.23 ± 0.03		$+0.00 \pm 0.08$	-0.01 ± 0.13
RAVE J044208.2-342114		$+0.00 \pm 0.21$		-0.17 ± 0.11		$+0.00 \pm 0.06$	$+0.10 \pm 0.10$
RAVE J045322.6-221040		-0.17 ± 0.14		-0.44 ± 0.10	$+0.17 \pm 0.10$	$+0.25 \pm 0.10$	
RAVE J053817.0-751621	$+0.06 \pm 0.10$	-0.11 ± 0.10		-0.35 ± 0.05	-0.12 ± 0.10	$+0.05 \pm 0.11$	$+0.01 \pm 0.03$
RAVE J061950.0-531212		-0.20 ± 0.09		-0.49 ± 0.07	$+0.54 \pm 0.08$	$+0.11 \pm 0.05$	$+0.44 \pm 0.10$
RAVE J071234.0-481405	-0.13 ± 0.10	-0.20 ± 0.06		-0.59 ± 0.01		$+0.04 \pm 0.08$	$+0.13 \pm 0.10$
RAVE J074824.3-483141	$+0.10 \pm 0.10$	-0.11 ± 0.06	$+0.08 \pm 0.01$	-0.31 ± 0.07	$+0.27 \pm 0.09$	$+0.05 \pm 0.07$	$+0.14 \pm 0.13$
RAVE J100709.2–180947	$+0.21 \pm 0.10$	-0.10 ± 0.10	$+0.26 \pm 0.06$	-0.34 ± 0.07		$+0.03 \pm 0.07$	$+0.21 \pm 0.08$
RAVE J111711.0-310951		-0.21 ± 0.03	-0.19 ± 0.10			$+0.07 \pm 0.03$	$+0.30 \pm 0.10$
RAVE J111912.3-160947	$+0.06 \pm 0.10$	-0.10 ± 0.07	$+0.12 \pm 0.05$	-0.30 ± 0.10	$+0.00 \pm 0.10$	-0.03 ± 0.14	$+0.14 \pm 0.09$
RAVE J113508.3-111328	$+0.19 \pm 0.10$	-0.09 ± 0.09	$+0.03 \pm 0.10$	-0.22 ± 0.02		$+0.01 \pm 0.11$	$+0.07 \pm 0.05$
RAVE J114444.8-112817	$+0.01 \pm 0.10$	-0.18 ± 0.09	$+0.17 \pm 0.01$	-0.44 ± 0.04	$+0.25 \pm 0.01$	$+0.02 \pm 0.07$	$+0.21 \pm 0.03$
RAVE J115941.7-382043		$+0.08 \pm 0.09$	$+0.17 \pm 0.08$	$+0.20 \pm 0.10$		$+0.01 \pm 0.12$	$+0.20 \pm 0.07$
RAVE J123550.1-313111		-0.32 ± 0.11	$+0.08 \pm 0.07$	-0.34 ± 0.10		$+0.00 \pm 0.13$	$+0.06 \pm 0.05$
RAVE J124154.7-085701		-0.13 ± 0.03	$+0.33 \pm 0.10$	-0.13 ± 0.10		$+0.13 \pm 0.05$	$+0.37 \pm 0.10$
RAVE J124753.3-390802		-0.12 ± 0.13		-0.31 ± 0.09		-0.05 ± 0.12	$+0.23 \pm 0.02$
RAVE J130524.5-393126	-0.20 ± 0.10	-0.19 ± 0.10		-0.60 ± 0.09		-0.01 ± 0.11	
RAVE J132141.8-432006	-0.13 ± 0.10	-0.17 ± 0.06	$+0.15 \pm 0.07$	-0.36 ± 0.02		$+0.00 \pm 0.09$	$+0.14 \pm 0.08$
RAVE J132414.3-180620	-0.23 ± 0.10	-0.24 ± 0.05	-0.06 ± 0.10	-0.49 ± 0.05		-0.04 ± 0.05	$+0.13 \pm 0.03$
RAVE J134319.3-235814		-0.25 ± 0.04	$+0.12 \pm 0.10$	-0.41 ± 0.04	$+0.33 \pm 0.01$	$+0.06 \pm 0.08$	$+0.12 \pm 0.10$
RAVE J151558.3-203821	-0.26 ± 0.10	-0.23 ± 0.04	$+0.08 \pm 0.08$	-0.40 ± 0.03	$+0.19 \pm 0.10$	$+0.00 \pm 0.08$	$+0.17 \pm 0.10$
RAVE J151608.7-212160		-0.33 ± 0.06	$+0.20 \pm 0.01$	-0.46 ± 0.07		-0.04 ± 0.08	$+0.32 \pm 0.05$
RAVE J153539.5-173455	-0.10 ± 0.10	-0.20 ± 0.14		-0.32 ± 0.05		$+0.09 \pm 0.10$	$+0.34 \pm 0.08$
RAVE J153830.9-180424	-0.02 ± 0.10	-0.13 ± 0.10	$+0.08 \pm 0.04$	-0.26 ± 0.32	$+0.75 \pm 0.08$	$+0.00 \pm 0.06$	$+0.06 \pm 0.08$
RAVE J154230.9-210731	$+0.15 \pm 0.10$	-0.40 ± 0.08		-0.23 ± 0.10	$+0.41 \pm 0.04$	$+0.09 \pm 0.07$	$+0.14 \pm 0.10$
RAVE J155829.6-122434	-0.05 ± 0.10	-0.25 ± 0.12	$+0.16 \pm 0.10$	-0.45 ± 0.05	$+0.35 \pm 0.07$	$+0.08 \pm 0.06$	$+0.33 \pm 0.01$
RAVE J160245.0-152102	$+0.03 \pm 0.10$	-0.32 ± 0.08	$+0.05 \pm 0.04$	-0.56 ± 0.02	$+0.04 \pm 0.08$	-0.14 ± 0.03	$+0.02 \pm 0.05$
RAVE J165300.5-005507		-0.15 ± 0.10	$+0.03 \pm 0.10$			-0.04 ± 0.05	$+0.11 \pm 0.03$
RAVE J171633.4-700902	$+0.28 \pm 0.10$	-0.08 ± 0.08	$+0.09 \pm 0.10$	-0.14 ± 0.01		$+0.20 \pm 0.10$	$+0.37 \pm 0.04$
RAVE J175159.8-475131		-0.09 ± 0.14	$+0.04 \pm 0.10$	-0.22 ± 0.03		-0.07 ± 0.09	$+0.12 \pm 0.12$
RAVE J180242.3-440443		-0.04 ± 0.03	-0.02 ± 0.10	-0.21 ± 0.10		-0.06 ± 0.08	$+0.09 \pm 0.12$
RAVE J183108.2-491105	$+0.20 \pm 0.10$	-0.03 ± 0.08	-0.04 ± 0.10	-0.19 ± 0.05	-0.07 ± 0.10	$+0.00 \pm 0.07$	$+0.02 \pm 0.07$
RAVE J183623.2-642812		-0.20 ± 0.12		-0.36 ± 0.04		-0.03 ± 0.12	$+0.19 \pm 0.10$
RAVE J191755.9-544015		-0.21 ± 0.08	$+0.14 \pm 0.04$	-0.37 ± 0.05	$+0.41 \pm 0.10$	$+0.09 \pm 0.08$	$+0.17 \pm 0.02$
RAVE J192632.8-584657	-0.06 ± 0.10	-0.18 ± 0.10	-0.17 ± 0.10	-0.43 ± 0.02		$+0.08 \pm 0.08$	
RAVE J192819.9-633935	$+0.10 \pm 0.10$	-0.19 ± 0.05	$+0.13 \pm 0.03$	-0.46 ± 0.02	-0.07 ± 0.10	-0.01 ± 0.10	$+0.10 \pm 0.10$
RAVE J194550.6-392631	$+0.03 \pm 0.10$	-0.25 ± 0.08		-0.54 ± 0.10	$+0.37 \pm 0.10$	-0.01 ± 0.02	$+0.12 \pm 0.02$
RAVE J201446.1-563530	$+0.08 \pm 0.10$	-0.06 ± 0.08		-0.39 ± 0.10		-0.03 ± 0.04	-0.06 ± 0.10
RAVE J203706.4-122125	-0.12 ± 0.10	-0.18 ± 0.04		-0.31 ± 0.10		$+0.03 \pm 0.09$	$+0.19 \pm 0.10$
RAVE J204450.7-371400	-0.07 ± 0.10	-0.13 ± 0.02	$+0.02 \pm 0.02$	-0.32 ± 0.07		$+0.14 \pm 0.14$	$+0.34 \pm 0.06$
RAVE J204954.4-480045	$+0.46 \pm 0.10$	-0.13 ± 0.06	$+0.11 \pm 0.09$	-0.36 ± 0.02	$+0.33 \pm 0.22$	-0.09 ± 0.10	$+0.00 \pm 0.02$
RAVE J205149.7-615801	-0.09 ± 0.10	-0.12 ± 0.06	$+0.23 \pm 0.03$	-0.27 ± 0.03	$+0.08 \pm 0.10$	$+0.06 \pm 0.06$	$+0.20 \pm 0.01$
RAVE J205609.1-133118	-0.15 ± 0.10	-0.20 ± 0.04	$+0.07 \pm 0.03$	-0.53 ± 0.04	$+0.33 \pm 0.11$	-0.03 ± 0.07	$+0.05 \pm 0.03$
DAVE 1010640.0 000005	0.07 . 0.10	0.00 . 0.10	-	0.40 - 0.10		1015 1010	10.01 - 0.00

Table 7. Abundance Ratios for the Elements V I, Cr I, Cr II, Mn, Co, Ni, and Zn

[Mn/Fe]

[Co/Fe]

[Cr II/Fe]

[Cr I/Fe]

Name

RAVE J210642.9-682827

RAVE J211413.5-572636

RAVE J215118.3-135937

RAVE J222236.0-013827

[V I/Fe]

NOTE—Uncertainties are taken as the standard deviation of multiple measurements; in cases where only one line was measurable, a nominal uncertainty of 0.10 dex has been assigned.

 $+0.12 \pm 0.08 -0.27 \pm 0.01$

...

 -0.43 ± 0.12

 -0.12 ± 0.11

. . .

 $-0.40 \pm 0.09 + 0.29 \pm 0.10$

 -0.27 ± 0.10 -0.22 ± 0.13

 -0.25 ± 0.10

 $-0.11 \, \pm \, 0.03$

 $-0.21\,\pm\,0.12$

9. APPENDIX

Here we provide a table of the atomic data for lines used in the equivalent-width analysis of the SALT spectra.

Table 8. Line List for Abundance

	3		1
Ion	λ	X	$\log gf$
Mg I	4057.505	4.35	-0.890
Mg I	4167.271	4.35	-0.710
Mg I	4351.906	4.34	-0.525
Mg I	4571.096	0.00	-5.688
Mg I	4702.990	4.33	-0.380
Mg I	5172.684	2.71	-0.450
Mg I	5183.604	2.72	-0.239
Mg I	5528.405	4.34	-0.498
Ca I	4226.730	0.00	0.244
Ca I	4283.010	1.89	-0.224
Ca I	4318.650	1.89	-0.210
Ca I	4425.440	1.88	-0.358
Ca I	4434.960	1.89	-0.010
Ca I	4435.690	1.89	-0.519
Ca I	4454.780	1.90	0.260
Ca I	4455.890	1.90	-0.530
Ca I	5262.244	2.52	-0.471
Ca I	5265.556	2.52	-0.260
Ca I	5349.465	2.71	-0.310
Sc II	4246.820	0.32	0.240
Sc II	4314.083	0.62	-0.100
Sc II	4324.998	0.59	-0.440
Sc II	4400.389	0.61	-0.540
Sc II	4415.544	0.59	-0.670
Sc II	5031.010	1.36	-0.400
Sc II	5239.811	1.46	-0.770
Sc II	5318.374	1.36	-2.010
Ti I	4008.928	0.02	-1.016
Ti I	4512.730	0.84	-0.424
Ti I	4518.020	0.83	-0.269
Ti I	4533.249	0.85	0.532
Ti I	4534.780	0.84	0.336
Ti I	4535.567	0.83	0.120
Ti I	4544.687	0.82	-0.520
Ti I	4548.760	0.83	-0.298
Ti I	4555.490	0.85	-0.432
Ti I	4656.470	0.00	-1.289
Ti I	4681.910	0.05	-1.015
Ti I	4840.870	0.90	-0.453
Ti I	4981.730	0.84	0.560
Ti I	4991.070	0.84	0.436
Ti I	4999.500	0.83	0.306
Ti I	5007.206	0.82	0.168

 Table 8 continued

METAL-POOR STARS OBSERVED WITH SALT

Table 8 (continued)

Ion λ χ log gfTi I5009.6450.02-2.203Ti I5014.1870.00-1.220Ti I5014.2760.810.110Ti I5016.1600.85-0.518Ti I5020.0240.84-0.358Ti I5024.8430.82-0.546Ti I5035.9021.460.260Ti I5036.4631.440.186Ti I5038.3961.430.069Ti I5039.9600.02-1.130Ti I5173.7400.00-1.062Ti I5192.9700.02-0.950Ti I5210.3900.05-0.828Ti ITi II4025.1200.61Ti II4028.3381.89-0.960Ti II4028.3291.89-1.210Ti II4161.5271.08-2.510Ti II4163.6342.59-0.400Ti II4330.7231.18-2.060Ti II4330.7231.18-0.960Ti II4395.0311.08-0.540Ti II4395.0311.08-0.540Ti II4395.8391.24-1.930Ti II4495.201.23-2.370Ti II4495.201.23-2.370Ti II4499.5201.23-2.370Ti II4499.5201.23-2.370Ti II4447.7141.17-1.190Ti II4448.3011.08-0.720<	1		onunu	.ea)
Ti I5014.1870.00-1.220Ti I5014.2760.810.110Ti I5020.0240.84-0.358Ti I5024.8430.82-0.546Ti I5035.9021.460.260Ti I5036.4631.440.186Ti I5038.3961.430.069Ti I5039.9600.02-1.130Ti I5064.6500.05-0.935Ti I5173.7400.00-1.062Ti I5129.9700.02-0.950Ti I5210.3900.05-0.828Ti II4025.1200.61-1.980Ti II4028.3381.89-0.960Ti II4163.6342.59-0.400Ti II4163.6342.59-0.400Ti II4163.6342.59-0.400Ti II4330.7231.18-2.960Ti II4337.9141.08-0.960Ti II4337.9141.08-0.960Ti II4395.0311.08-0.540Ti II4395.391.24-1.930Ti II4395.431.24Ti II4395.631.24-1.930Ti II4493.521.23-2.370Ti II4493.521.24-1.970Ti II4493.541.12-2.240Ti II4493.541.12-2.240Ti II4444.5541.12-2.240Ti II4464.4481.66-1.810Ti II4463.517<	Ion	λ	X	$\log gf$
Ti I5014.2760.810.110Ti I5020.0240.84-0.358Ti I5024.8430.82-0.546Ti I5035.9021.460.260Ti I5036.4631.440.186Ti I5038.3961.430.069Ti I5039.9600.02-1.130Ti I5064.6500.05-0.935Ti I5173.7400.00-1.062Ti I5129.9700.02-0.950Ti I5210.3900.05-0.828Ti II4025.1200.61-1.980Ti II4028.3381.89-0.960Ti II4161.5271.08-2.160Ti II4163.6342.59-0.400Ti II4163.6342.59-0.400Ti II4300.491.18-0.960Ti II4330.7231.18-2.060Ti II4337.9141.08-0.960Ti II4337.9141.08-0.960Ti II4395.0311.08-0.540Ti II4395.111.24-1.930Ti II4395.331.24-1.930Ti II4395.431.24-1.930Ti II4493.521.23-2.370Ti II4493.521.24-1.970Ti II4493.541.12-2.240Ti II4441.7311.18-2.410Ti II4445.541.12-2.240Ti II4468.5171.13-0.600Ti II <td< td=""><td>Ti I</td><td>5009.645</td><td>0.02</td><td>-2.203</td></td<>	Ti I	5009.645	0.02	-2.203
Ti I5016.1600.85-0.518Ti I5020.0240.84-0.358Ti I5034.8430.82-0.546Ti I5035.9021.460.260Ti I5036.4631.440.186Ti I5039.9600.02-1.130Ti I5064.6500.05-0.935Ti I5173.7400.00-1.062Ti I5192.9700.02-0.950Ti I5210.3900.05-0.828Ti II4025.1200.61-1.980Ti II4028.3381.89-0.960Ti II4053.8291.89-1.210Ti II4161.5271.08-2.160Ti II4163.6342.59-0.400Ti II4330.7231.18-0.930Ti II4330.7231.18-0.900Ti II4337.9141.08-0.960Ti II4395.0311.08-0.540Ti II4395.8391.24-1.930Ti II4395.8391.24-1.930Ti II4395.8391.24-1.930Ti II4495.201.23-2.370Ti II4495.541.12-2.240Ti II4441.7311.18-2.410Ti II4443.8011.08-0.720Ti II4444.5541.12-2.240Ti II4468.5171.13-0.600Ti II4468.5171.13-0.600Ti II4468.5171.13-0.600Ti I	Ti I	5014.187	0.00	-1.220
Ti I5020.0240.84-0.358Ti I5024.8430.82-0.546Ti I5035.9021.460.260Ti I5036.4631.440.186Ti I5039.9600.02-1.130Ti I5039.9600.02-1.021Ti I5064.6500.05-0.935Ti I5173.7400.00-1.062Ti I5192.9700.02-0.950Ti I5210.3900.05-0.828Ti II4025.1200.61-1.980Ti II4028.3381.89-0.960Ti II4053.8291.89-1.210Ti II4161.5271.08-2.160Ti II4163.6342.59-0.400Ti II4300.491.18-0.930Ti II4330.7231.18-2.060Ti II4337.9141.08-0.960Ti II4394.0591.22-1.780Ti II4395.0311.08-0.540Ti II4395.0311.08-0.540Ti II4399.7651.24-1.900Ti II4495.201.23-2.370Ti II4495.201.23-2.370Ti II4441.7311.18-2.410Ti II4443.8011.08-0.720Ti II4444.5541.12-2.240Ti II4445.5471.13-0.600Ti II4468.5171.13-0.600Ti II4468.5171.13-0.620Ti II	Ti I	5014.276	0.81	0.110
Ti I5024.8430.82-0.546Ti I5035.9021.460.260Ti I5036.4631.440.186Ti I5039.9600.02-1.130Ti I5039.9600.02-1.021Ti I504.6500.05-0.935Ti I5173.7400.00-1.062Ti I5192.9700.02-0.950Ti I5210.3900.05-0.828Ti II4012.3960.57-1.750Ti II4025.1200.61-1.980Ti II4053.8291.89-1.210Ti II4161.5271.08-2.160Ti II4163.6342.59-0.400Ti II4184.3091.08-2.510Ti II4300.491.18-0.960Ti II4330.7231.18-2.600Ti II4337.9141.08-0.960Ti II4395.0311.08-0.540Ti II4395.0311.08-0.540Ti II4399.7651.24-1.930Ti II4399.7651.24-1.900Ti II4409.5201.23-2.370Ti II4441.7311.18-2.410Ti II4443.8011.08-0.720Ti II4443.8011.08-0.720Ti II4444.5541.12-2.240Ti II4445.5471.13-0.600Ti II4468.5171.13-0.600Ti II4468.5171.13-0.600Ti	Ti I	5016.160	0.85	-0.518
Ti I5035.9021.460.260Ti I5036.4631.440.186Ti I5038.3961.430.069Ti I5039.9600.02-1.130Ti I5064.6500.05-0.935Ti I5173.7400.00-1.062Ti I5192.9700.02-0.950Ti I5210.3900.05-0.828Ti II4012.3960.57-1.750Ti II4025.1200.61-1.980Ti II4028.3381.89-0.960Ti II4053.8291.89-1.210Ti II4161.5271.08-2.160Ti II4163.6342.59-0.400Ti II4330.7231.18-2.060Ti II4330.7231.18-0.930Ti II4330.7231.18-0.960Ti II4395.0311.08-0.960Ti II4395.0311.08-0.960Ti II4395.0311.08-0.540Ti II4395.0311.08-0.540Ti II4395.0311.08-0.720Ti II4493.5201.23-2.370Ti II4409.5201.23-2.370Ti II4441.7311.18-2.410Ti II4443.8011.08-0.720Ti II4443.8011.08-0.720Ti II4443.5171.13-0.600Ti II4464.4481.16-1.810Ti II4463.5171.13-0.600T	Ti I	5020.024	0.84	-0.358
Ti I5036.4631.440.186Ti I5038.3961.430.069Ti I5039.9600.02-1.130Ti I5064.6500.05-0.935Ti I5173.7400.00-1.062Ti I5192.9700.02-0.950Ti I5210.3900.05-0.828Ti II4012.3960.57-1.750Ti II4025.1200.61-1.980Ti II4028.3381.89-0.960Ti II4053.8291.89-1.210Ti II4161.5271.08-2.160Ti II4163.6342.59-0.400Ti II4183.091.08-2.510Ti II4300.491.18-0.900Ti II4330.7231.18-2.060Ti II4337.9141.08-0.960Ti II4395.0311.08-0.540Ti II4395.391.24-1.930Ti II4395.391.24-1.930Ti II4399.7651.24-1.190Ti II4409.5201.23-2.370Ti II4417.7141.17-1.190Ti II4443.8011.08-0.720Ti II4443.8011.08-0.720Ti II4444.5541.12-2.240Ti II4464.4481.16-1.810Ti II4463.5171.13-0.600Ti II4463.5171.13-0.600Ti II4463.5221.08-3.200Ti	Ti I	5024.843	0.82	-0.546
Ti I5038.3961.430.069Ti I5039.9600.02-1.130Ti I5064.6500.05-0.935Ti I5173.7400.00-1.062Ti I5192.9700.02-0.950Ti I5210.3900.05-0.828Ti II4012.3960.57-1.750Ti II4025.1200.61-1.980Ti II4028.3381.89-0.960Ti II4053.8291.89-1.210Ti II4161.5271.08-2.160Ti II4163.6342.59-0.400Ti II4183.091.08-2.510Ti II4300.491.18-0.900Ti II4330.7231.18-2.060Ti II4337.9141.08-0.960Ti II4395.0311.08-0.540Ti II4395.391.24-1.930Ti II4395.8391.24-1.930Ti II4399.7651.24-1.190Ti II4409.5201.23-2.370Ti II4417.7141.17-1.190Ti II4443.8011.08-0.720Ti II4444.5541.12-2.240Ti II4448.311.24-1.970Ti II4464.4481.16-1.810Ti II4465.5171.13-0.600Ti II4465.5171.13-0.600Ti II4468.5171.12-0.700Ti II4463.521.08-3.020Ti	Ti I	5035.902	1.46	0.260
Ti I5039.9600.02-1.130Ti I5164.6500.05-0.935Ti I5173.7400.00-1.062Ti I5192.9700.02-0.950Ti I5210.3900.05-0.828Ti II4012.3960.57-1.750Ti II4025.1200.61-1.980Ti II4028.3381.89-0.960Ti II4053.8291.89-1.210Ti II4161.5271.08-2.160Ti II4163.6342.59-0.400Ti II4184.3091.08-2.510Ti II4330.7231.18-0.900Ti II4330.7231.18-0.400Ti II4337.9141.08-0.960Ti II4397.9141.08-0.960Ti II4398.2921.21-2.650Ti II4398.7551.24-1.930Ti II4399.7651.24-1.970Ti II4409.5201.23-2.370Ti II4417.7141.17-1.190Ti II4441.7311.18-2.410Ti II4443.8011.08-0.720Ti II4444.5541.12-2.240Ti II4464.4481.16-1.810Ti II4463.5171.13-0.600Ti II4463.5171.13-0.600Ti II4463.5221.08-3.020Ti II4463.5221.08-3.020Ti II4463.5171.12-0.770 <tr< td=""><td>Ti I</td><td>5036.463</td><td>1.44</td><td>0.186</td></tr<>	Ti I	5036.463	1.44	0.186
Ti I5064.6500.05-0.935Ti I5173.7400.02-0.950Ti I5192.9700.02-0.828Ti I5210.3900.05-0.828Ti I4012.3960.57-1.750Ti II4025.1200.61-1.980Ti II4028.3381.89-0.960Ti II4053.8291.89-1.210Ti II4161.5271.08-2.160Ti II4163.6342.59-0.400Ti II4184.3091.08-2.510Ti II4300.0491.18-0.930Ti II4330.7231.18-2.060Ti II4337.9141.08-0.960Ti II4394.0591.22-1.780Ti II4398.2921.21-2.650Ti II4399.7651.24-1.930Ti II4399.7651.24-1.970Ti II4409.5201.23-2.370Ti II4417.7141.17-1.190Ti II4441.7311.18-2.410Ti II4443.8011.08-0.720Ti II4444.5541.12-2.240Ti II4464.481.16-1.810Ti II4468.5171.13-0.600Ti II4468.5171.13-0.600Ti II4468.5171.12-0.700Ti II4463.5221.08-3.020Ti II4463.5221.08-3.020Ti II4463.5171.12-0.700	Ti I	5038.396	1.43	0.069
Ti I 5173.740 0.00 -1.062 Ti I 5192.970 0.02 -0.950 Ti I 5210.390 0.05 -0.828 Ti I 4012.396 0.57 -1.750 Ti II 4025.120 0.61 -1.980 Ti II 4028.338 1.89 -0.960 Ti II 4053.829 1.89 -1.210 Ti II 4161.527 1.08 -2.160 Ti II 4163.634 2.59 -0.400 Ti II 4163.634 2.59 -0.400 Ti II 4300.049 1.18 -0.960 Ti II 4300.049 1.18 -0.400 Ti II 4307.23 1.18 -2.060 Ti II 4307.23 1.18 -2.060 Ti II 4397.014 1.08 -0.960 Ti II 4397.05 1.22 -1.780 Ti II 4398.292 1.21 -2.650 Ti II 4399.765 1.24 -1.900 Ti II 4409.520 1.23 -2.370 Ti II <td>Ti I</td> <td>5039.960</td> <td>0.02</td> <td>-1.130</td>	Ti I	5039.960	0.02	-1.130
Ti I 5192.970 0.02 -0.950 Ti I 5210.390 0.05 -0.828 Ti II 4012.396 0.57 -1.750 Ti II 4025.120 0.61 -1.980 Ti II 4028.338 1.89 -0.960 Ti II 4053.829 1.89 -1.210 Ti II 4161.527 1.08 -2.160 Ti II 4163.634 2.59 -0.400 Ti II 4163.634 2.59 -0.400 Ti II 4300.049 1.18 -0.930 Ti II 4300.049 1.18 -0.400 Ti II 4303.723 1.18 -2.060 Ti II 4337.914 1.08 -0.930 Ti II 4395.031 1.08 -0.540 Ti II 4395.031 1.08 -0.540 Ti II 4399.765 1.24 -1.190 Ti II 4399.765 1.24 -1.190 Ti II 4441.731 1.18 -2.410 Ti II 4443.801 1.08 -0.720 Ti	Ti I	5064.650	0.05	-0.935
Ti I5210.3900.05-0.828Ti II4012.3960.57-1.750Ti II4025.1200.61-1.980Ti II4028.3381.89-0.960Ti II4053.8291.89-1.210Ti II4161.5271.08-2.160Ti II4163.6342.59-0.400Ti II4163.6342.59-0.400Ti II4184.3091.08-2.510Ti II4300.491.18-0.930Ti II4300.7231.18-2.060Ti II4337.9141.08-0.960Ti II4395.0311.08-0.540Ti II4395.391.22-1.780Ti II4395.391.24-1.930Ti II4399.7651.24-1.930Ti II4399.7651.24-1.970Ti II4409.5201.23-2.370Ti II4417.7141.17-1.190Ti II4443.8011.08-0.720Ti II4443.8011.08-0.720Ti II4444.5541.12-2.240Ti II4464.4481.16-1.810Ti II4468.5171.13-0.600Ti II4468.5171.13-0.600Ti II4468.5171.13-0.620Ti II4468.5171.12-0.202Ti II4468.5171.12-0.700Ti II4468.5171.12-0.630Ti II4469.5221.08-3.020 <t< td=""><td>Ti I</td><td>5173.740</td><td>0.00</td><td>-1.062</td></t<>	Ti I	5173.740	0.00	-1.062
Ti III 4012.396 0.57 -1.750 Ti II 4025.120 0.61 -1.980 Ti II 4028.338 1.89 -0.960 Ti II 4053.829 1.89 -1.210 Ti II 4161.527 1.08 -2.160 Ti II 4163.634 2.59 -0.400 Ti II 4163.634 2.59 -0.400 Ti II 4290.219 1.16 -0.930 Ti II 4300.049 1.18 -0.400 Ti II 4300.723 1.18 -2.060 Ti II 4337.914 1.08 -0.930 Ti II 4395.031 1.08 -0.540 Ti II 4395.79 1.22 -1.780 Ti II 4395.79 1.24 -1.930 Ti II 4399.765 1.24 -1.190 Ti II 4399.765 1.24 -1.970 Ti II 4441.731 1.18 -2.410 Ti II 4443.801 1.08 -0.720 Ti II 4444.554 1.12 -2.240 Ti	Ti I	5192.970	0.02	-0.950
Ti II4025.1200.61-1.980Ti II4028.3381.89-0.960Ti II4163.8291.89-1.210Ti II4161.5271.08-2.160Ti II4163.6342.59-0.400Ti II4184.3091.08-2.510Ti II4290.2191.16-0.930Ti II4300.0491.18-0.490Ti II4330.7231.18-2.060Ti II4395.0311.08-0.540Ti II4395.3391.24-1.930Ti II4395.6311.08-0.540Ti II4395.751.24-1.930Ti II4399.7651.24-1.900Ti II4409.5201.23-2.370Ti II4417.7141.17-1.190Ti II4441.7311.18-2.410Ti II4445.541.12-2.240Ti II4445.541.12-2.240Ti II4445.541.12-2.240Ti II4464.481.66-1.810Ti II4468.5171.13-0.600Ti II4468.5171.13-0.600Ti II4468.5171.12-0.202Ti II4468.5171.13-0.600Ti II4468.5171.13-0.600Ti II4468.5171.13-0.600Ti II4468.5171.13-0.600Ti II4468.5171.13-0.600Ti II4468.5171.12-0.770 <tr< td=""><td>Ti I</td><td>5210.390</td><td>0.05</td><td>-0.828</td></tr<>	Ti I	5210.390	0.05	-0.828
Ti II 4028.338 1.89 -0.960 Ti II 4053.829 1.89 -1.210 Ti II 4161.527 1.08 -2.160 Ti II 4163.634 2.59 -0.400 Ti II 4184.309 1.08 -2.510 Ti II 4290.219 1.16 -0.930 Ti II 4300.049 1.18 -0.400 Ti II 4307.23 1.18 -2.660 Ti II 4337.914 1.08 -0.960 Ti II 4395.031 1.08 -0.540 Ti II 4395.839 1.24 -1.930 Ti II 4399.765 1.24 -1.190 Ti II 4399.765 1.24 -1.970 Ti II 4409.520 1.23 -2.370 Ti II 4417.714 1.17 -1.190 Ti II 4443.801 1.08 -0.720 Ti II 4444.554 1.12 -2.240 Ti II 4444.554 1.12 -2.240 Ti II 4464.448 1.66 -1.810 Ti	Ti II	4012.396	0.57	-1.750
Ti II 4028.338 1.89 -0.960 Ti II 4053.829 1.89 -1.210 Ti II 4161.527 1.08 -2.160 Ti II 4163.634 2.59 -0.400 Ti II 4184.309 1.08 -2.510 Ti II 4290.219 1.16 -0.930 Ti II 4300.049 1.18 -0.400 Ti II 4307.23 1.18 -2.660 Ti II 4337.914 1.08 -0.960 Ti II 4395.031 1.08 -0.540 Ti II 4395.839 1.24 -1.930 Ti II 4399.765 1.24 -1.190 Ti II 4399.765 1.24 -1.970 Ti II 4409.520 1.23 -2.370 Ti II 4417.714 1.17 -1.190 Ti II 4443.801 1.08 -0.720 Ti II 4444.554 1.12 -2.240 Ti II 4444.554 1.12 -2.240 Ti II 4464.448 1.66 -1.810 Ti	Ti II	4025.120	0.61	-1.980
Ti II4161.5271.08-2.160Ti II4163.6342.59-0.400Ti II4184.3091.08-2.510Ti II4290.2191.16-0.930Ti II4300.0491.18-0.490Ti II4330.7231.18-2.060Ti II4337.9141.08-0.960Ti II4395.0311.08-0.540Ti II4395.0311.08-0.540Ti II4395.751.24-1.930Ti II4399.7651.24-1.900Ti II4399.7651.24-1.900Ti II4409.5201.23-2.370Ti II4417.7141.17-1.190Ti II4441.7311.18-2.410Ti II4445.541.12-2.240Ti II4445.541.12-2.240Ti II4464.481.66-1.810Ti II4465.5171.13-0.600Ti II4468.5171.13-0.600Ti II4468.5171.13-0.600Ti II4468.5171.13-0.600Ti II4468.5171.13-0.600Ti II4468.5171.12-0.770Ti II4450.221.08-3.020Ti II4450.2701.12-0.770Ti II4533.9601.24-0.530Ti II4551.441.13-1.810Ti II4563.7701.22-0.960Ti II4563.7701.22-0.960	Ti II	4028.338		-0.960
Ti II4163.6342.59-0.400Ti II4184.3091.08-2.510Ti II4290.2191.16-0.930Ti II4300.0491.18-0.490Ti II4330.7231.18-2.060Ti II4337.9141.08-0.960Ti II4394.0591.22-1.780Ti II4395.0311.08-0.540Ti II4395.8391.24-1.930Ti II4399.7651.24-1.900Ti II4399.7651.24-1.190Ti II4409.5201.23-2.370Ti II4417.7141.17-1.190Ti II4441.7311.18-2.410Ti II4443.8011.08-0.720Ti II4444.5541.12-2.240Ti II4464.4821.08-1.520Ti II4465.4771.13-0.600Ti II4468.5171.13-0.600Ti II4468.5171.13-0.600Ti II4463.5221.08-3.020Ti II4463.5221.08-3.020Ti II4483.3423.12-0.820Ti II4501.2701.12-0.770Ti II4533.9601.24-0.530Ti II4563.7701.22-0.960Ti II4563.7701.22-0.960Ti II4571.9711.57-0.320	Ti II	4053.829	1.89	-1.210
Ti II4184.3091.08-2.510Ti II4290.2191.16-0.930Ti II4300.0491.18-0.490Ti II4330.7231.18-2.060Ti II4337.9141.08-0.960Ti II4394.0591.22-1.780Ti II4395.0311.08-0.540Ti II4395.8391.24-1.930Ti II4399.7651.24-1.900Ti II4399.7651.24-1.190Ti II4409.5201.23-2.370Ti II4417.7141.17-1.190Ti II4443.8011.08-0.720Ti II4444.5541.12-2.240Ti II4445.541.12-2.240Ti II4465.4821.08-1.520Ti II4468.5171.13-0.600Ti II4468.5171.13-0.600Ti II4468.5171.12-0.202Ti II4468.5171.13-0.600Ti II4463.5221.08-3.020Ti II4463.5221.08-3.020Ti II4450.2701.12-0.770Ti II4533.9601.24-0.530Ti II4533.9601.24-0.530Ti II4563.7701.22-0.960Ti II4563.7701.22-0.960Ti II4583.4091.16-2.920	Ti II	4161.527	1.08	-2.160
Ti II4290.2191.16-0.930Ti II4300.0491.18-0.490Ti II4330.7231.18-2.060Ti II4337.9141.08-0.960Ti II4394.0591.22-1.780Ti II4395.0311.08-0.540Ti II4395.8391.24-1.930Ti II4399.7651.24-1.970Ti II4399.7651.24-1.190Ti II4409.5201.23-2.370Ti II4417.7141.17-1.190Ti II4441.7311.18-2.410Ti II4443.8011.08-0.720Ti II4444.5541.12-2.240Ti II4464.4821.08-1.520Ti II4465.5171.13-0.600Ti II4468.5171.13-0.600Ti II4463.4223.12-0.820Ti II4493.5221.08-3.020Ti II4493.5221.08-3.020Ti II4501.2701.12-0.770Ti II4533.9601.24-0.530Ti II4553.1441.13-1.810Ti II4563.7701.22-0.960Ti II4563.7701.22-0.960Ti II4583.4091.16-2.920	Ti II	4163.634	2.59	-0.400
Ti II4300.0491.18-0.490Ti II4330.7231.18-2.060Ti II4337.9141.08-0.960Ti II4394.0591.22-1.780Ti II4395.0311.08-0.540Ti II4395.8391.24-1.930Ti II4399.7651.24-1.900Ti II4399.7651.24-1.190Ti II4409.5201.23-2.370Ti II4417.7141.17-1.190Ti II4441.7311.18-2.410Ti II4443.8011.08-0.720Ti II4444.5541.12-2.240Ti II4464.4821.08-1.520Ti II4465.5171.13-0.600Ti II4468.5171.13-0.600Ti II4488.3423.12-0.820Ti II4493.5221.08-3.020Ti II4493.5221.08-3.020Ti II4591.4701.12-0.770Ti II4533.9601.24-0.530Ti II4533.9601.24-0.530Ti II4563.7701.22-0.960Ti II4571.9711.57-0.320	Ti II	4184.309	1.08	-2.510
Ti II4330.7231.18-2.060Ti II4337.9141.08-0.960Ti II4394.0591.22-1.780Ti II4395.0311.08-0.540Ti II4395.8391.24-1.930Ti II4398.2921.21-2.650Ti II4399.7651.24-1.190Ti II4409.5201.23-2.370Ti II4417.7141.17-1.190Ti II4417.7141.17-1.970Ti II4443.8011.08-0.720Ti II4444.5541.12-2.240Ti II4445.5471.12-2.240Ti II4464.4881.66-1.810Ti II4465.5171.13-0.600Ti II4468.5171.13-0.600Ti II4493.5221.08-3.020Ti II4493.5221.08-3.020Ti II4501.2701.12-0.770Ti II4533.9601.24-0.530Ti II4553.1441.13-1.810Ti II4563.7701.22-0.960Ti II4563.7701.22-0.960Ti II4571.9711.57-0.320	Ti II	4290.219	1.16	-0.930
Ti II4337.9141.08-0.960Ti II4394.0591.22-1.780Ti II4395.0311.08-0.540Ti II4395.8391.24-1.930Ti II4398.2921.21-2.650Ti II4399.7651.24-1.190Ti II4399.7651.24-1.190Ti II4409.5201.23-2.370Ti II4417.7141.17-1.190Ti II4418.3311.24-1.970Ti II4441.7311.18-2.410Ti II4443.8011.08-0.720Ti II4444.5541.12-2.240Ti II4464.4821.08-1.520Ti II4465.5171.13-0.600Ti II4468.5171.13-0.600Ti II4488.3423.12-0.820Ti II4493.5221.08-3.020Ti II4501.2701.12-0.770Ti II4533.9601.24-0.530Ti II4553.1441.13-1.810Ti II4563.7701.22-0.960Ti II4563.7701.22-0.960Ti II4571.9711.57-0.320	Ti II	4300.049	1.18	-0.490
Ti II4394.0591.22-1.780Ti II4395.0311.08-0.540Ti II4395.8391.24-1.930Ti II4398.2921.21-2.650Ti II4399.7651.24-1.190Ti II4409.5201.23-2.370Ti II4417.7141.17-1.190Ti II4417.7141.17-1.970Ti II4441.7311.18-2.410Ti II4443.8011.08-0.720Ti II4444.5541.12-2.240Ti II4464.4821.08-1.520Ti II4465.4821.08-1.520Ti II4468.5171.13-0.600Ti II4463.5221.08-3.020Ti II4493.5221.08-3.020Ti II4501.2701.12-0.770Ti II4533.9601.24-0.530Ti II4553.1441.13-1.810Ti II4563.7701.22-0.960Ti II4571.9711.57-0.320	Ti II	4330.723	1.18	-2.060
Ti II4395.0311.08-0.540Ti II4395.8391.24-1.930Ti II4398.2921.21-2.650Ti II4399.7651.24-1.190Ti II4409.5201.23-2.370Ti II4417.7141.17-1.190Ti II4417.7141.17-1.970Ti II4441.7311.18-2.410Ti II4443.8011.08-0.720Ti II4444.5541.12-2.240Ti II4464.4821.08-1.520Ti II4465.4821.08-1.520Ti II4468.5171.13-0.600Ti II4468.5171.13-0.600Ti II4493.5221.08-3.020Ti II4493.5221.08-3.020Ti II4501.2701.12-0.770Ti II4533.9601.24-0.530Ti II4553.1441.13-1.810Ti II4563.7701.22-0.960Ti II4571.9711.57-0.320	Ti II	4337.914	1.08	-0.960
Ti II 4395.839 1.24 -1.930 Ti II 4398.292 1.21 -2.650 Ti II 4399.765 1.24 -1.190 Ti II 4409.520 1.23 -2.370 Ti II 4409.520 1.23 -2.370 Ti II 4417.714 1.17 -1.190 Ti II 4418.331 1.24 -1.970 Ti II 4441.731 1.18 -2.410 Ti II 4444.554 1.12 -2.240 Ti II 4445.482 1.08 -1.520 Ti II 4464.448 1.16 -1.810 Ti II 4468.517 1.13 -0.600 Ti II 4488.342 3.12 -0.820 Ti II 4493.522 1.08 -3.020 Ti II 4501.270 1.12 -0.770 Ti II 4529.480 1.57 -2.030 Ti II 4533.960 1.24 -0.530 Ti II 4563.770 1.22 -0.960 Ti II 4563.770 1.22 -0.960 T	Ti II	4394.059	1.22	-1.780
Ti II 4398.292 1.21 -2.650 Ti II 4399.765 1.24 -1.190 Ti II 4409.520 1.23 -2.370 Ti II 4417.714 1.17 -1.190 Ti II 4417.714 1.17 -1.970 Ti II 4418.331 1.24 -1.970 Ti II 4443.801 1.08 -0.720 Ti II 4444.554 1.12 -2.240 Ti II 4464.482 1.08 -1.520 Ti II 4466.517 1.13 -0.600 Ti II 4468.517 1.13 -0.600 Ti II 4493.522 1.08 -3.020 Ti II 4493.522 1.08 -3.020 Ti II 4501.270 1.12 -0.770 Ti II 4529.480 1.57 -2.030 Ti II 4533.960 1.24 -0.530 Ti II 4563.770 1.22 -0.960 Ti II 4563.770 1.22 -0.960 Ti II 4571.971 1.57 -0.320 T	Ti II	4395.031	1.08	-0.540
Ti II4399.7651.24-1.190Ti II4409.5201.23-2.370Ti II4417.7141.17-1.190Ti II4418.3311.24-1.970Ti II4441.7311.18-2.410Ti II4443.8011.08-0.720Ti II4444.5541.12-2.240Ti II4464.4821.08-1.520Ti II4465.4771.13-0.600Ti II4468.5171.13-0.600Ti II4468.3423.12-0.820Ti II4493.5221.08-3.020Ti II4501.2701.12-0.770Ti II4533.9601.24-0.530Ti II4563.7701.22-0.960Ti II4563.7701.22-0.960Ti II4583.4091.16-2.920	Ti II	4395.839	1.24	-1.930
Ti II4409.5201.23-2.370Ti II4417.7141.17-1.190Ti II4418.3311.24-1.970Ti II4441.7311.18-2.410Ti II4443.8011.08-0.720Ti II4444.5541.12-2.240Ti II4450.4821.08-1.520Ti II4466.4481.16-1.810Ti II4468.5171.13-0.600Ti II4468.5171.13-0.600Ti II4493.5221.08-3.020Ti II4501.2701.12-0.770Ti II4529.4801.57-2.030Ti II4533.9601.24-0.530Ti II4563.7701.22-0.960Ti II4563.7701.22-0.920	Ti II	4398.292	1.21	-2.650
Ti II 4417.714 1.17 -1.190 Ti II 4418.331 1.24 -1.970 Ti II 4441.731 1.18 -2.410 Ti II 4443.801 1.08 -0.720 Ti II 4444.554 1.12 -2.240 Ti II 4445.482 1.08 -1.520 Ti II 4464.448 1.16 -1.810 Ti II 4468.517 1.13 -0.600 Ti II 4463.522 1.08 -3.020 Ti II 4493.522 1.08 -3.020 Ti II 4501.270 1.12 -0.770 Ti II 4529.480 1.57 -2.030 Ti II 4533.960 1.24 -0.530 Ti II 4533.960 1.24 -0.530 Ti II 4563.770 1.22 -0.960 Ti II 4563.770 1.22 -0.960 Ti II 4571.971 1.57 -0.320 Ti II 4583.409 1.16 -2.920	Ti II	4399.765	1.24	-1.190
Ti II 4418.331 1.24 -1.970 Ti II 4441.731 1.18 -2.410 Ti II 4443.801 1.08 -0.720 Ti II 4443.801 1.08 -0.720 Ti II 4445.54 1.12 -2.240 Ti II 4450.482 1.08 -1.520 Ti II 4464.448 1.16 -1.810 Ti II 4468.517 1.13 -0.600 Ti II 4468.342 3.12 -0.820 Ti II 4493.522 1.08 -3.020 Ti II 4501.270 1.12 -0.770 Ti II 4529.480 1.57 -2.030 Ti II 4533.960 1.24 -0.530 Ti II 4533.700 1.22 -0.960 Ti II 4563.770 1.22 -0.960 Ti II 4571.971 1.57 -0.320 Ti II 4583.409 1.16 -2.920	Ti II	4409.520	1.23	-2.370
Ti II4441.7311.18-2.410Ti II4443.8011.08-0.720Ti II4443.8011.08-0.720Ti II4445.541.12-2.240Ti II4450.4821.08-1.520Ti II4464.4481.16-1.810Ti II4468.5171.13-0.600Ti II4468.5171.13-0.600Ti II4468.5171.13-0.600Ti II4493.5221.08-3.020Ti II4493.5221.08-3.020Ti II4529.4801.57-2.030Ti II4529.4801.57-2.030Ti II4533.9601.24-0.530Ti II4563.7701.22-0.960Ti II4571.9711.57-0.320Ti II4583.4091.16-2.920	Ti II	4417.714	1.17	-1.190
Ti II 4443.801 1.08 -0.720 Ti II 4444.554 1.12 -2.240 Ti II 4450.482 1.08 -1.520 Ti II 4464.448 1.16 -1.810 Ti II 4468.517 1.13 -0.600 Ti II 4468.517 1.13 -0.820 Ti II 4470.853 1.17 -2.202 Ti II 4488.342 3.12 -0.820 Ti II 4493.522 1.08 -3.020 Ti II 4501.270 1.12 -0.770 Ti II 4529.480 1.57 -2.030 Ti II 4533.960 1.24 -0.530 Ti II 4563.770 1.22 -0.960 Ti II 4563.770 1.22 -0.960 Ti II 4571.971 1.57 -0.320 Ti II 4583.409 1.16 -2.920	Ti II	4418.331	1.24	-1.970
Ti II 4444.554 1.12 -2.240 Ti II 4450.482 1.08 -1.520 Ti II 4464.448 1.16 -1.810 Ti II 4468.517 1.13 -0.600 Ti II 4468.517 1.13 -0.600 Ti II 4468.517 1.13 -0.600 Ti II 4470.853 1.17 -2.020 Ti II 4493.522 1.08 -3.020 Ti II 4501.270 1.12 -0.770 Ti II 4529.480 1.57 -2.030 Ti II 4533.960 1.24 -0.530 Ti II 4563.770 1.22 -0.960 Ti II 4563.770 1.52 -0.320 Ti II 4571.971 1.57 -0.320 Ti II 4583.409 1.16 -2.920	Ti II	4441.731	1.18	-2.410
Ti II 4450.482 1.08 -1.520 Ti II 4464.448 1.16 -1.810 Ti II 4468.517 1.13 -0.600 Ti II 4468.517 1.13 -2.020 Ti II 4470.853 1.17 -2.020 Ti II 4488.342 3.12 -0.820 Ti II 4493.522 1.08 -3.020 Ti II 4529.480 1.57 -2.030 Ti II 4529.480 1.57 -2.030 Ti II 4533.960 1.24 -0.530 Ti II 4563.770 1.22 -0.960 Ti II 4571.971 1.57 -0.320 Ti II 4583.409 1.16 -2.920	Ti II	4443.801	1.08	-0.720
Ti II 4464.448 1.16 -1.810 Ti II 4468.517 1.13 -0.600 Ti II 4470.853 1.17 -2.020 Ti II 4488.342 3.12 -0.820 Ti II 4493.522 1.08 -3.020 Ti II 4493.522 1.08 -3.020 Ti II 4529.480 1.57 -2.030 Ti II 4533.960 1.24 -0.530 Ti II 4563.770 1.22 -0.960 Ti II 4571.971 1.57 -0.320 Ti II 4583.409 1.16 -2.920	Ti II	4444.554	1.12	-2.240
Ti II 4468.517 1.13 -0.600 Ti II 4470.853 1.17 -2.020 Ti II 4488.342 3.12 -0.820 Ti II 4493.522 1.08 -3.020 Ti II 4501.270 1.12 -0.770 Ti II 4529.480 1.57 -2.030 Ti II 4533.960 1.24 -0.530 Ti II 4563.770 1.22 -0.960 Ti II 4571.971 1.57 -0.320 Ti II 4583.409 1.16 -2.920	Ti II	4450.482	1.08	-1.520
Ti II 4470.853 1.17 -2.020 Ti II 4488.342 3.12 -0.820 Ti II 4493.522 1.08 -3.020 Ti II 4501.270 1.12 -0.770 Ti II 4529.480 1.57 -2.030 Ti II 4533.960 1.24 -0.530 Ti II 4563.770 1.22 -0.960 Ti II 4571.971 1.57 -0.320 Ti II 4583.409 1.16 -2.920	Ti II	4464.448	1.16	-1.810
Ti II 4488.342 3.12 -0.820 Ti II 4493.522 1.08 -3.020 Ti II 4501.270 1.12 -0.770 Ti II 4529.480 1.57 -2.030 Ti II 4533.960 1.24 -0.530 Ti II 4545.144 1.13 -1.810 Ti II 4563.770 1.22 -0.960 Ti II 4571.971 1.57 -0.320 Ti II 4583.409 1.16 -2.920	Ti II	4468.517	1.13	-0.600
Ti II 4493.522 1.08 -3.020 Ti II 4501.270 1.12 -0.770 Ti II 4529.480 1.57 -2.030 Ti II 4533.960 1.24 -0.530 Ti II 4545.144 1.13 -1.810 Ti II 4563.770 1.22 -0.960 Ti II 4571.971 1.57 -0.320 Ti II 4583.409 1.16 -2.920	Ti II	4470.853	1.17	-2.020
Ti II 4501.270 1.12 -0.770 Ti II 4529.480 1.57 -2.030 Ti II 4533.960 1.24 -0.530 Ti II 4545.144 1.13 -1.810 Ti II 4563.770 1.22 -0.960 Ti II 4571.971 1.57 -0.320 Ti II 4583.409 1.16 -2.920	Ti II	4488.342	3.12	-0.820
Ti II 4529.480 1.57 -2.030 Ti II 4533.960 1.24 -0.530 Ti II 4545.144 1.13 -1.810 Ti II 4563.770 1.22 -0.960 Ti II 4571.971 1.57 -0.320 Ti II 4583.409 1.16 -2.920	Ti II	4493.522	1.08	-3.020
Ti II 4533.960 1.24 -0.530 Ti II 4545.144 1.13 -1.810 Ti II 4563.770 1.22 -0.960 Ti II 4571.971 1.57 -0.320 Ti II 4583.409 1.16 -2.920	Ti II	4501.270	1.12	-0.770
Ti II 4545.144 1.13 -1.810 Ti II 4563.770 1.22 -0.960 Ti II 4571.971 1.57 -0.320 Ti II 4583.409 1.16 -2.920	Ti II	4529.480	1.57	-2.030
Ti II 4563.770 1.22 -0.960 Ti II 4571.971 1.57 -0.320 Ti II 4583.409 1.16 -2.920	Ti II	4533.960	1.24	-0.530
Ti II 4571.971 1.57 -0.320 Ti II 4583.409 1.16 -2.920	Ti II	4545.144	1.13	-1.810
Ti II 4583.409 1.16 -2.920	Ti II	4563.770	1.22	-0.960
	Ti II	4571.971	1.57	-0.320
	Ti II	4583.409	1.16	-2.920
1.1.1.	Ti II	4589.915	1.24	-1.790
Ti II 4636.320 1.16 -3.020	Ti II	4636.320	1.16	-3.020
Ti II 4657.200 1.24 -2.240	Ti II	4657.200	1.24	-2.240
Ti II 4708.662 1.24 -2.340	Ti II	4708.662	1.24	-2.340

RASMUSSEN ET AL.

Table 8 (continued)

1		onunu	.ea)
Ion	λ	χ	$\log gf$
Ti II	4779.979	2.05	-1.370
Ti II	4798.532	1.08	-2.680
Ti II	4805.089	2.06	-1.100
Ti II	4865.610	1.12	-2.810
Ti II	4911.175	3.12	-0.340
Ti II	5005.159	1.57	-2.730
Ti II	5129.156	1.89	-1.240
Ti II	5185.902	1.89	-1.490
Ti II	5188.687	1.58	-1.050
Ti II	5226.538	1.57	-1.260
Ti II	5268.607	2.60	-1.620
Ti II	5336.786	1.58	-1.590
Ti II	5381.021	1.57	-1.920
Ti II	5418.768	1.58	-2.000
VI	4379.230	0.30	0.550
VΙ	4786.499	2.07	0.110
VΙ	5195.395	2.28	-0.120
VΙ	6008.648	1.18	-2.340
Cr I	3578.680	0.00	0.420
$\operatorname{Cr}\operatorname{I}$	3908.762	1.00	-1.000
Cr I	4254.332	0.00	-0.114
Cr I	4274.800	0.00	-0.220
$\operatorname{Cr}\mathrm{I}$	4289.720	0.00	-0.370
Cr I	4337.566	0.97	-1.112
Cr I	4545.950	0.94	-1.370
$\operatorname{Cr}\mathrm{I}$	4580.056	0.94	-1.650
$\operatorname{Cr}\mathrm{I}$	4600.752	1.00	-1.260
$\operatorname{Cr}\operatorname{I}$	4616.137	0.98	-1.190
$\operatorname{Cr}\operatorname{I}$	4626.188	0.97	-1.320
$\operatorname{Cr}\operatorname{I}$	4646.150	1.03	-0.740
$\operatorname{Cr}\mathrm{I}$	4651.280	0.98	-1.460
$\operatorname{Cr}\mathrm{I}$	4652.158	1.00	-1.030
$\operatorname{Cr}\mathrm{I}$	4789.340	2.54	-0.330
$\operatorname{Cr}\mathrm{I}$	5206.040	0.94	0.020
Cr I	5208.419	0.94	0.160
Cr I	5247.564	0.96	-1.640
$\operatorname{Cr}\operatorname{I}$	5296.690	0.98	-1.360
$\operatorname{Cr}\operatorname{I}$	5298.280	0.98	-1.140
$\operatorname{Cr}\operatorname{I}$	5300.740	0.98	-2.000
Cr I	5345.800	1.00	-0.950
$\operatorname{Cr}\operatorname{I}$	5348.310	1.00	-1.210
Cr I	5409.770	1.03	-0.670
Cr II	4558.594	4.07	-0.656
$\operatorname{Cr}\operatorname{II}$	4588.142	4.07	-0.826
Cr II	4591.992	4.07	-1.419
Fe I	4001.661	2.18	-1.900
Fe I	4005.242	1.56	-0.583
Fe I	4007.272	2.76	-1.280
Fe I	4014.531	3.05	-0.590
Fe I	4021.866	2.76	-0.730

METAL-POOR STARS OBSERVED WITH SALT

Table 8 (continued)

Fe I 4044.609 2.83 -1.	<i>gf</i> 380 220
Fe I 4044.609 2.83 -1.	
	220
Fe I 4045.812 1.49 0.	
	284
Fe I 4058.217 3.21 -1.	110
Fe I 4062.441 2.85 -0.	860
Fe I 4063.594 1.56 0.	062
Fe I 4067.271 2.56 -1.	419
Fe I 4067.978 3.21 -0.	470
Fe I 4070.769 3.24 -0.	790
Fe I 4071.738 1.61 -0.	008
Fe I 4073.763 3.27 -0.	900
Fe I 4076.629 3.21 -0.	370
Fe I 4079.838 2.86 -1.	360
Fe I 4095.970 2.59 -1.	480
Fe I 4098.176 3.24 -0.	880
Fe I 4109.057 3.29 -1.	560
Fe I 4109.802 2.85 -0.	940
Fe I 4114.445 2.83 -1.	303
Fe I 4120.207 2.99 -1.	270
Fe I 4121.802 2.83 -1.	450
Fe I 4132.058 1.61 -0.	675
Fe I 4132.899 2.85 -1.	010
Fe I 4134.678 2.83 -0.	649
Fe I 4136.998 3.42 -0.	450
Fe I 4139.927 0.99 -3.	629
Fe I 4143.414 3.05 -0.	200
Fe I 4143.868 1.56 -0.	511
Fe I 4147.669 1.48 -2.	071
Fe I 4152.169 0.96 -3.	232
Fe I 4153.899 3.40 -0.	320
Fe I 4154.498 2.83 -0.	688
Fe I 4154.805 3.37 -0.	400
Fe I 4156.799 2.83 -0.	808
Fe I 4157.780 3.42 -0.	403
Fe I 4158.793 3.43 -0.	670
Fe I 4174.913 0.91 -2.	938
Fe I 4175.636 2.85 -0.	827
Fe I 4181.755 2.83 -0.	371
Fe I 4182.382 3.02 -1.	180
Fe I 4184.892 2.83 -0.	869
Fe I 4187.039 2.45 -0.	514
Fe I 4187.795 2.42 -0.	510
Fe I 4191.430 2.47 -0.	666
Fe I 4195.329 3.33 -0.	492
Fe I 4196.208 3.40 -0.	700
Fe I 4199.095 3.05 0.	156
Fe I 4202.029 1.49 -0.	689
Fe I 4216.184 0.00 -3.	357
Fe I 4217.545 3.43 -0.	484
Fe I 4227.427 3.33 0.	266
Fe I 4233.603 2.48 -0.	579
Fe I 4238.810 3.40 -0.	233
Fe I 4247.426 3.37 -0.	240
Fe I 4250.119 2.47 -0.	380

RASMUSSEN ET AL.

Table 8 (continued)

Ion	λ	Χ	$\log gf$	
Fe I	4250.787	1.56	-0.713	
Fe I	4260.474	2.40	0.077	
Fe I	4271.154	2.45	-0.337	
Fe I	4271.760	1.49	-0.173	
Fe I	4282.403	2.18	-0.779	
Fe I	4325.762	1.61	0.006	
Fe I	4337.046	1.56	-1.695	
Fe I	4352.735	2.22	-1.290	
Fe I	4375.930	0.00	-3.005	
Fe I	4383.545	1.48	0.200	
Fe I	4388.407	3.60	-0.681	
Fe I	4404.750	1.56	-0.147	
Fe I	4407.709	2.18	-1.970	
Fe I	4415.122	1.61	-0.621	
Fe I	4422.568	2.85	-1.110	
Fe I	4427.310	0.05	-2.924	
Fe I	4430.614	2.22	-1.659	
Fe I	4442.339	2.20	-1.228	
Fe I	4443.194	2.86	-1.043	
Fe I	4447.717	2.22	-1.339	
Fe I	4454.381	2.83	-1.300	
Fe I	4459.118	2.18	-1.279	
Fe I	4461.653	0.09	-3.194	
Fe I	4466.552	2.83	-0.600	
Fe I	4476.019	2.85	-0.820	
Fe I	4484.220	3.60	-0.860	
Fe I	4489.739	0.12	-3.899	
Fe I	4490.083	3.02	-1.580	
Fe I	4494.563	2.20	-1.143	
Fe I	4528.614	2.18	-0.822	
Fe I	4531.148	1.48	-2.101	
Fe I	4592.651	1.56	-2.462	
Fe I	4595.359	3.29	-1.758	
Fe I	4602.941	1.49	-2.208	
Fe I	4611.185	2.85	-2.720	
Fe I	4630.120	2.28	-2.587	
Fe I	4632.912	1.61	-2.913	
Fe I	4643.463	3.64	-1.147	
Fe I	4647.434	2.95	-1.351	
Fe I	4661.968	2.98	-2.502	
Fe I	4678.846	3.60	-0.830	
Fe I	4691.411	2.99	-1.520	
Fe I	4707.274	3.24	-1.080	
Fe I	4710.283	3.02	-1.610	
Fe I	4733.591	1.49	-2.988	
Fe I	4736.772	3.21	-0.752	
Fe I	4786.806	3.00	-1.606	
Fe I	4789.650	3.53	-0.957	
Fe I	4800.648	4.12	-1.028	
Fe I	4859.741	2.88	-0.760	
Fe I	4871.318	2.87	-0.362	
Fe I	4872.137	2.88	-0.567	
Fe I	4890.755	2.88	-0.394	
Fe I	4891.492	2.85	-0.111	

METAL-POOR STARS OBSERVED WITH SALT

Table 8 (continued)

Ion λ χ log gf Fe I4903.3102.88-0.926Fe I4918.9942.85-0.342Fe I4920.5032.830.068Fe I4924.7702.28-2.114Fe I4938.8142.88-1.077Fe I4939.6870.86-3.252Fe I4946.3883.37-1.170Fe I4966.0893.33-0.871Fe I4966.0893.33-0.871Fe I4973.1023.96-0.950Fe I5001.8703.880.050Fe I5006.1192.83-0.615Fe I5012.0680.86-2.642Fe I5012.0263.98-0.300Fe I5027.2253.64-1.890Fe I5028.1273.56-1.122Fe I5041.0720.96-3.090Fe I5049.8202.28-1.355Fe I5049.8202.28-1.355Fe I5051.6340.92-2.764Fe I5060.8000.00-5.460Fe I5079.2242.20-2.105Fe I5079.7044.22-0.200Fe I508.9503.27-3.090Fe I5090.7704.26-0.360Fe I5090.7704.26-0.360Fe I5125.1174.22-0.140Fe I5137.3824.180.140Fe I5137.3824.180.400Fe I5137.389 <td< th=""><th colspan="5">Table 8 (continuea)</th></td<>	Table 8 (continuea)				
Fe I4918.9942.85-0.342Fe I4920.5032.830.068Fe I4938.8142.88-1.077Fe I4939.6870.86-3.252Fe I4946.3883.37-1.170Fe I4966.0893.33-0.871Fe I4973.1023.96-0.950Fe I4994.1300.92-2.969Fe I5001.8703.880.050Fe I5012.0680.86-2.642Fe I5012.0683.98-0.300Fe I5022.2363.98-0.300Fe I5028.1273.56-1.122Fe I5041.0720.96-3.090Fe I5041.7561.49-2.200Fe I5041.7561.49-2.200Fe I5044.2122.85-2.017Fe I5060.8000.00-5.460Fe I5068.7662.94-1.041Fe I5079.2242.20-2.105Fe I5079.7400.99-3.245Fe I5090.7704.26-0.360Fe I5090.7704.26-0.360Fe I5123.7201.01-3.058Fe I5131.4682.22-2.515Fe I5137.3824.180.400Fe I5137.3824.180.400Fe I5142.7390.99-3.037Fe I5141.7392.42-2.238Fe I5137.3824.180.400Fe I5137.382 <th>Ion</th> <th>λ</th> <th>X</th> <th>$\log gf$</th>	Ion	λ	X	$\log gf$	
Fe I4920.5032.830.068Fe I4934.7702.28-2.114Fe I4938.8142.88-1.077Fe I4939.6870.86-3.252Fe I4946.3883.37-1.170Fe I4966.0893.33-0.871Fe I4973.1023.96-0.950Fe I4994.1300.92-2.969Fe I5001.8703.880.050Fe I5012.0680.86-2.642Fe I5012.0683.98-0.300Fe I5022.2363.98-0.300Fe I5027.2253.64-1.890Fe I5028.1273.56-1.122Fe I5041.0720.96-3.090Fe I5041.7561.49-2.200Fe I5044.2122.85-2.017Fe I5044.2122.85-2.017Fe I5060.800.00-5.460Fe I5060.800.00-5.460Fe I5079.7400.99-3.245Fe I5079.7400.99-3.245Fe I5090.7704.26-0.360Fe I5090.7704.26-0.360Fe I5123.7201.01-3.058Fe I5131.4682.22-2.515Fe I5137.3824.180.400Fe I5137.3824.180.400Fe I5141.7392.42-2.238Fe I5142.9290.96-3.080Fe I5150.839	Fe I	4903.310	2.88	-0.926	
Fe I 4924.770 2.28 -2.114 Fe I 4938.814 2.88 -1.077 Fe I 4939.687 0.86 -3.252 Fe I 4946.388 3.37 -1.170 Fe I 4966.089 3.33 -0.871 Fe I 4994.130 0.92 -2.969 Fe I 4994.130 0.92 -2.969 Fe I 5001.870 3.88 0.050 Fe I 5012.068 0.86 -2.642 Fe I 5012.068 0.86 -2.642 Fe I 5022.236 3.98 -0.300 Fe I 5027.225 3.64 -1.890 Fe I 5028.127 3.56 -1.122 Fe I 5041.072 0.96 -3.090 Fe I 5044.212 2.85 -2.017 Fe I 5044.212 2.85 -2.017 Fe I 5060.800 0.00 -5.460 Fe I 5060.800 0.00 -5.460 Fe I 5079.740 0.99 -3.245 Fe I 5	Fe I	4918.994	2.85	-0.342	
Fe I4938.8142.88-1.077Fe I4939.6870.86-3.252Fe I4946.3883.37-1.170Fe I4966.0893.33-0.871Fe I4997.1023.96-0.950Fe I4994.1300.92-2.969Fe I5001.8703.880.050Fe I5006.1192.83-0.615Fe I5012.0680.86-2.642Fe I5012.0683.98-0.300Fe I5022.2363.98-0.530Fe I5027.2253.64-1.890Fe I5041.0720.96-3.090Fe I5041.7561.49-2.200Fe I5044.2122.85-2.017Fe I5044.2122.85-2.017Fe I5060.8000.00-5.460Fe I5068.7662.94-1.041Fe I5068.7662.94-1.041Fe I5079.7400.99-3.245Fe I5079.7400.99-3.245Fe I5090.7704.26-0.360Fe I5123.7201.01-3.058Fe I5123.7201.01-3.058Fe I5131.4682.22-2.515Fe I5133.6894.180.140Fe I5137.3824.18-0.400Fe I5142.9290.96-3.080Fe I5141.7392.42-2.238Fe I513.6390.99-3.037Fe I5137.382 </td <td>Fe I</td> <td>4920.503</td> <td>2.83</td> <td>0.068</td>	Fe I	4920.503	2.83	0.068	
Fe I4939.6870.86-3.252Fe I4946.3883.37-1.170Fe I4966.0893.33-0.871Fe I4973.1023.96-0.950Fe I4994.1300.92-2.969Fe I5001.8703.880.050Fe I5006.1192.83-0.615Fe I5012.0680.86-2.642Fe I5012.0683.98-0.300Fe I5022.2363.98-0.530Fe I5027.2253.64-1.890Fe I5041.0720.96-3.090Fe I5041.7561.49-2.200Fe I5041.7561.49-2.200Fe I5044.2122.85-2.017Fe I5060.8000.00-5.460Fe I5060.8000.00-5.460Fe I5069.7662.94-1.041Fe I5079.7400.99-3.245Fe I5079.7400.99-3.245Fe I5090.7704.26-0.360Fe I5123.7201.01-3.058Fe I5123.7201.01-3.058Fe I5127.3600.92-3.249Fe I5131.4682.22-2.515Fe I5133.6894.180.140Fe I5137.3824.18-0.400Fe I5137.3824.180.400Fe I5141.7392.42-2.238Fe I5142.9290.96-3.080Fe I5150.839 </td <td>Fe I</td> <td>4924.770</td> <td>2.28</td> <td>-2.114</td>	Fe I	4924.770	2.28	-2.114	
Fe I 4946.388 3.37 -1.170 Fe I 4966.089 3.33 -0.871 Fe I 4973.102 3.96 -0.950 Fe I 5001.870 3.88 0.050 Fe I 5006.119 2.83 -0.615 Fe I 5012.068 0.86 -2.642 Fe I 5012.026 3.98 -0.300 Fe I 5022.236 3.98 -0.530 Fe I 5027.225 3.64 -1.890 Fe I 5041.072 0.96 -3.090 Fe I 5041.756 1.49 -2.200 Fe I 5041.722 2.85 -2.017 Fe I 5044.212 2.85 -2.017 Fe I 5060.080 0.00 -5.460 Fe I 5060.080 0.00 -5.460 Fe I 5068.766 2.94 -1.041 Fe I 5079.740 0.99 -3.245 Fe I 5090.770 4.26 -0.360 Fe I 5098.697 2.18 -2.030 Fe I 5	Fe I	4938.814	2.88	-1.077	
Fe I 4966.089 3.33 -0.871 Fe I 4994.130 0.92 -2.969 Fe I 5001.870 3.88 0.050 Fe I 5006.119 2.83 -0.615 Fe I 5012.068 0.86 -2.642 Fe I 5014.942 3.94 -0.300 Fe I 5022.236 3.98 -0.530 Fe I 5027.225 3.64 -1.890 Fe I 5041.072 0.96 -3.090 Fe I 5041.756 1.49 -2.200 Fe I 5041.756 1.49 -2.200 Fe I 5044.212 2.85 -2.017 Fe I 5060.080 0.00 -5.460 Fe I 5068.766 2.94 -1.041 Fe I 5079.749 4.22 -0.200 Fe I 5079.740 0.99 -3.245 Fe I 5090.770 4.26 -0.360 Fe I 5098.697 2.18 -2.030 Fe I 5125.117 4.22 -0.140 Fe I 5	Fe I	4939.687	0.86	-3.252	
Fe I 4973.102 3.96 -0.950 Fe I 4994.130 0.92 -2.969 Fe I 5001.870 3.88 0.050 Fe I 5012.068 0.86 -2.642 Fe I 5012.068 3.98 -0.300 Fe I 5022.236 3.98 -0.530 Fe I 5027.225 3.64 -1.890 Fe I 5028.127 3.56 -1.122 Fe I 5041.072 0.96 -3.090 Fe I 5041.212 2.85 -2.017 Fe I 5044.212 2.85 -2.042 Fe I 5060.080 0.00 -5.460 Fe I 5068.766 2.94 -1.041 Fe I 5079.740 0.99 -3.245 Fe I 5079.740 0.99 -3.245 Fe I 5090.770 4.26 -0.360 Fe I 5098.697 2.18 -2.030 Fe I 5123.720 1.01 -3.058 Fe I 5131.468 2.22 -2.515 Fe I 5	Fe I	4946.388	3.37	-1.170	
Fe I 4994.130 0.92 -2.969 Fe I 5001.870 3.88 0.050 Fe I 5012.068 0.86 -2.642 Fe I 5012.028 3.94 -0.300 Fe I 5022.236 3.98 -0.530 Fe I 5027.225 3.64 -1.890 Fe I 5028.127 3.56 -1.122 Fe I 5041.072 0.96 -3.090 Fe I 5041.212 2.85 -2.017 Fe I 5044.212 2.85 -2.017 Fe I 5060.880 0.00 -5.460 Fe I 5060.800 0.00 -5.460 Fe I 5079.224 2.20 -2.105 Fe I 5079.740 0.99 -3.245 Fe I 5079.740 0.99 -3.245 Fe I 5090.770 4.26 -0.360 Fe I 5098.697 2.18 -2.030 Fe I 5123.720 1.01 -3.058 Fe I 5131.468 2.22 -2.515 Fe I 5	Fe I	4966.089	3.33	-0.871	
Fe I 5001.870 3.88 0.050 Fe I 5006.119 2.83 -0.615 Fe I 5012.068 0.86 -2.642 Fe I 5022.236 3.98 -0.300 Fe I 5027.225 3.64 -1.890 Fe I 5027.225 3.64 -1.890 Fe I 5028.127 3.56 -1.122 Fe I 5041.072 0.96 -3.090 Fe I 5044.212 2.85 -2.017 Fe I 5044.212 2.85 -2.017 Fe I 5060.080 0.00 -5.460 Fe I 5068.766 2.94 -1.041 Fe I 5079.224 2.20 -2.105 Fe I 5079.740 0.99 -3.245 Fe I 5080.950 3.27 -3.090 Fe I 5090.770 4.26 -0.360 Fe I 5102.117 4.22 -0.140 Fe I 5125.117 4.22 -0.140	Fe I	4973.102	3.96	-0.950	
Fe I 5006.119 2.83 -0.615 Fe I 5012.068 0.86 -2.642 Fe I 5022.236 3.98 -0.530 Fe I 5022.236 3.98 -0.530 Fe I 5027.225 3.64 -1.890 Fe I 5028.127 3.56 -1.122 Fe I 5041.072 0.96 -3.090 Fe I 5044.212 2.85 -2.017 Fe I 5044.212 2.85 -2.017 Fe I 5049.820 2.28 -1.355 Fe I 5060.080 0.00 -5.460 Fe I 5068.766 2.94 -1.041 Fe I 5079.724 2.20 -2.105 Fe I 5079.740 0.99 -3.245 Fe I 5083.339 0.96 -2.842 Fe I 5090.770 4.26 -0.360 Fe I 5123.171 4.22 -0.140 Fe I 5123.720 1.01 -3.058 Fe I 5131.468 2.22 -2.515 Fe I	Fe I	4994.130	0.92	-2.969	
Fe I 5012.068 0.86 -2.642 Fe I 5022.236 3.94 -0.300 Fe I 5022.236 3.98 -0.530 Fe I 5027.225 3.64 -1.890 Fe I 5028.127 3.56 -1.122 Fe I 5041.072 0.96 -3.090 Fe I 5041.212 2.85 -2.017 Fe I 5044.212 2.85 -2.044 Fe I 5051.634 0.92 -2.764 Fe I 5060.080 0.00 -5.460 Fe I 5067.4749 4.22 -0.200 Fe I 5079.740 0.99 -3.245 Fe I 5079.740 0.99 -3.245 Fe I 5080.950 3.27 -3.090 Fe I 5098.697 2.18 -2.030 Fe I 5098.697 2.18 -2.030 Fe I 5125.117 4.22 -0.140 Fe I 5137.382 4.18 0.400 Fe I 5137.382 4.18 0.400 Fe I 5	Fe I	5001.870	3.88	0.050	
Fe I 5014.942 3.94 -0.300 Fe I 5022.236 3.98 -0.530 Fe I 5027.225 3.64 -1.890 Fe I 5028.127 3.56 -1.122 Fe I 5041.072 0.96 -3.090 Fe I 5041.756 1.49 -2.200 Fe I 5044.212 2.85 -2.017 Fe I 5049.820 2.28 -1.355 Fe I 5060.080 0.00 -5.460 Fe I 5068.766 2.94 -1.041 Fe I 5079.224 2.20 -2.105 Fe I 5079.740 0.99 -3.245 Fe I 5079.740 0.99 -3.245 Fe I 5080.950 3.27 -3.090 Fe I 5083.339 0.96 -2.842 Fe I 5098.697 2.18 -2.030 Fe I 5125.117 4.22 -0.140 Fe I 5137.382 4.18 0.140 Fe I 5137.382 4.18 0.400 Fe I 51	Fe I	5006.119	2.83	-0.615	
Fe I 5022.236 3.98 -0.530 Fe I 5027.225 3.64 -1.890 Fe I 5028.127 3.56 -1.122 Fe I 5041.072 0.96 -3.090 Fe I 5041.756 1.49 -2.200 Fe I 5044.212 2.85 -2.017 Fe I 5049.820 2.28 -1.355 Fe I 5060.080 0.00 -5.460 Fe I 5068.766 2.94 -1.041 Fe I 5079.224 2.20 -2.105 Fe I 5079.740 0.99 -3.245 Fe I 5079.740 0.99 -3.245 Fe I 5090.700 4.26 -0.360 Fe I 5098.697 2.18 -2.030 Fe I 5123.720 1.01 -3.058 Fe I 5127.360 0.92 -3.249 Fe I 5137.382 4.18 0.400 Fe I 5137.382 4.18 0.400 Fe I 5137.382 4.18 0.400 Fe I 514	Fe I	5012.068	0.86	-2.642	
Fe I 5027.225 3.64 -1.890 Fe I 5028.127 3.56 -1.122 Fe I 5041.072 0.96 -3.090 Fe I 5041.756 1.49 -2.200 Fe I 5044.212 2.85 -2.017 Fe I 5049.820 2.28 -1.355 Fe I 5051.634 0.92 -2.764 Fe I 5060.080 0.00 -5.460 Fe I 5068.766 2.94 -1.041 Fe I 5079.224 2.20 -2.105 Fe I 5079.740 0.99 -3.245 Fe I 5080.950 3.27 -3.090 Fe I 5090.770 4.26 -0.360 Fe I 5098.697 2.18 -2.030 Fe I 5123.720 1.01 -3.058 Fe I 5125.117 4.22 -0.140 Fe I 5137.382 4.18 0.140 Fe I 5133.689 4.18 0.140 Fe I 5137.382 4.18 -0.400 Fe I 51	Fe I	5014.942	3.94	-0.300	
Fe I 5028.127 3.56 -1.122 Fe I 5041.072 0.96 -3.090 Fe I 5041.756 1.49 -2.200 Fe I 5044.212 2.85 -2.017 Fe I 5049.820 2.28 -1.355 Fe I 5051.634 0.92 -2.764 Fe I 5060.080 0.00 -5.460 Fe I 5068.766 2.94 -1.041 Fe I 5079.224 2.20 -2.105 Fe I 5079.740 0.99 -3.245 Fe I 5080.950 3.27 -3.090 Fe I 5090.770 4.26 -0.360 Fe I 5090.770 4.26 -0.360 Fe I 5123.720 1.01 -3.058 Fe I 5127.360 0.92 -3.249 Fe I 5131.468 2.22 -2.515 Fe I 5137.382 4.18 0.400 Fe I 5137.382 4.18 0.400 Fe I	Fe I	5022.236	3.98	-0.530	
Fe I 5041.072 0.96 -3.090 Fe I 5041.756 1.49 -2.200 Fe I 5044.212 2.85 -2.017 Fe I 5049.820 2.28 -1.355 Fe I 5051.634 0.92 -2.764 Fe I 5060.080 0.00 -5.460 Fe I 5068.766 2.94 -1.041 Fe I 5079.224 2.20 -2.105 Fe I 5079.740 0.99 -3.245 Fe I 5080.950 3.27 -3.090 Fe I 5090.770 4.26 -0.360 Fe I 5090.770 4.26 -0.360 Fe I 5123.720 1.01 -3.058 Fe I 5125.117 4.22 -0.140 Fe I 5137.360 0.92 -3.249 Fe I 5137.360 0.92 -3.249 Fe I 5137.382 4.18 0.140 Fe I 5137.382 4.18 0.400 Fe I 5141.739 2.42 -2.238 Fe I 51	Fe I	5027.225	3.64	-1.890	
Fe I 5041.756 1.49 -2.200 Fe I 5044.212 2.85 -2.017 Fe I 5051.634 0.92 -2.764 Fe I 5060.080 0.00 -5.460 Fe I 5068.766 2.94 -1.041 Fe I 5074.749 4.22 -0.200 Fe I 5079.224 2.20 -2.165 Fe I 5079.740 0.99 -3.245 Fe I 5080.950 3.27 -3.090 Fe I 5090.770 4.26 -0.360 Fe I 5090.770 4.26 -0.360 Fe I 5123.720 1.01 -3.058 Fe I 5125.117 4.22 -0.140 Fe I 5127.360 0.92 -3.249 Fe I 5137.689 4.18 0.140 Fe I 5137.730 1.01 -3.058 Fe I 5137.382 4.18 0.400 Fe I 5137.382 4.18 0.400 Fe I 5141.739 2.42 -2.238 Fe I 514	Fe I	5028.127	3.56	-1.122	
Fe I 5044.212 2.85 -2.017 Fe I 5051.634 0.92 -2.764 Fe I 5051.634 0.92 -2.764 Fe I 5060.080 0.00 -5.460 Fe I 5068.766 2.94 -1.041 Fe I 5079.224 2.20 -2.105 Fe I 5079.740 0.99 -3.245 Fe I 5080.950 3.27 -3.090 Fe I 5090.770 4.26 -0.360 Fe I 5090.770 4.26 -0.360 Fe I 5123.720 1.01 -3.058 Fe I 5125.117 4.22 -0.140 Fe I 5127.360 0.92 -3.249 Fe I 5137.689 4.18 0.140 Fe I 5137.732 1.01 -3.058 Fe I 5137.382 4.18 0.400 Fe I 5137.382 4.18 0.400 Fe I 5141.739 2.42 -2.238 Fe I 5142.929 0.96 -3.080 Fe I 515	Fe I	5041.072	0.96	-3.090	
Fe I 5049.820 2.28 -1.355 Fe I 5051.634 0.92 -2.764 Fe I 5060.800 0.00 -5.460 Fe I 5068.766 2.94 -1.041 Fe I 5074.749 4.22 -0.200 Fe I 5079.224 2.20 -2.165 Fe I 5079.740 0.99 -3.245 Fe I 5080.950 3.27 -3.090 Fe I 5090.770 4.26 -0.360 Fe I 5098.697 2.18 -2.030 Fe I 5123.720 1.01 -3.058 Fe I 5125.117 4.22 -0.140 Fe I 5127.360 0.92 -3.249 Fe I 5131.468 2.22 -2.515 Fe I 5137.382 4.18 0.140 Fe I 5137.382 4.18 0.400 Fe I 5141.739 2.42 -2.238 Fe I 5142.929 0.96 -3.030 Fe I 5150.839 0.99 -3.037 Fe I 51	Fe I	5041.756	1.49	-2.200	
Fe I 5051.634 0.92 -2.764 Fe I 5060.080 0.00 -5.460 Fe I 5068.766 2.94 -1.041 Fe I 5074.749 4.22 -0.200 Fe I 5079.224 2.20 -2.105 Fe I 5079.740 0.99 -3.245 Fe I 5080.950 3.27 -3.090 Fe I 5090.770 4.26 -0.360 Fe I 5098.697 2.18 -2.030 Fe I 5123.720 1.01 -3.058 Fe I 5125.117 4.22 -0.140 Fe I 5127.360 0.92 -3.249 Fe I 5131.468 2.22 -2.515 Fe I 5137.382 4.18 0.140 Fe I 5137.382 4.18 0.400 Fe I 5141.739 2.42 -2.238 Fe I 5142.929 0.96 -3.030 Fe I 5150.839 0.99 -3.037 Fe I 5151.911 1.01 -3.321 Fe I 51	Fe I	5044.212	2.85	-2.017	
Fe I 5060.080 0.00 -5.460 Fe I 5068.766 2.94 -1.041 Fe I 5074.749 4.22 -0.200 Fe I 5079.224 2.20 -2.105 Fe I 5079.740 0.99 -3.245 Fe I 5080.950 3.27 -3.090 Fe I 5083.339 0.96 -2.842 Fe I 5090.770 4.26 -0.360 Fe I 5098.697 2.18 -2.030 Fe I 5123.720 1.01 -3.058 Fe I 5125.117 4.22 -0.140 Fe I 5127.360 0.92 -3.249 Fe I 5131.468 2.22 -2.515 Fe I 5137.382 4.18 0.140 Fe I 5137.382 4.18 0.400 Fe I 5141.739 2.42 -2.238 Fe I 5142.929 0.96 -3.080 Fe I 5150.839 0.99 -3.037 Fe I 5151.911 1.01 -3.321 Fe I 51	Fe I	5049.820	2.28	-1.355	
Fe I 5068.766 2.94 -1.041 Fe I 5074.749 4.22 -0.200 Fe I 5079.224 2.20 -2.105 Fe I 5079.740 0.99 -3.245 Fe I 5080.950 3.27 -3.090 Fe I 5083.339 0.96 -2.842 Fe I 5090.770 4.26 -0.360 Fe I 5098.697 2.18 -2.030 Fe I 5123.720 1.01 -3.058 Fe I 5125.117 4.22 -0.140 Fe I 5127.360 0.92 -3.249 Fe I 5131.468 2.22 -2.515 Fe I 5133.689 4.18 0.140 Fe I 5137.382 4.18 -0.400 Fe I 5141.739 2.42 -2.238 Fe I 5142.929 0.96 -3.080 Fe I 5150.839 0.99 -3.037 Fe I 5150.839 0.99 -3.037 Fe I 5151.911 1.01 -3.321 Fe I 5	Fe I	5051.634	0.92	-2.764	
Fe I 5074.749 4.22 -0.200 Fe I 5079.224 2.20 -2.105 Fe I 5079.740 0.99 -3.245 Fe I 5080.950 3.27 -3.090 Fe I 5083.339 0.96 -2.842 Fe I 5090.770 4.26 -0.360 Fe I 5098.697 2.18 -2.030 Fe I 5123.720 1.01 -3.058 Fe I 5125.117 4.22 -0.140 Fe I 5127.360 0.92 -3.249 Fe I 5131.468 2.22 -2.515 Fe I 5133.689 4.18 0.140 Fe I 5137.382 4.18 -0.400 Fe I 5141.739 2.42 -2.238 Fe I 5142.929 0.96 -3.080 Fe I 5150.839 0.99 -3.037 Fe I 5150.839 0.99 -3.037 Fe I 5151.911 1.01 -3.321 Fe I 5162.273 4.18 0.020 Fe I 51	Fe I	5060.080	0.00	-5.460	
Fe I 5079.224 2.20 -2.105 Fe I 5079.740 0.99 -3.245 Fe I 5080.950 3.27 -3.090 Fe I 5083.339 0.96 -2.842 Fe I 5090.770 4.26 -0.360 Fe I 5098.697 2.18 -2.030 Fe I 5109.700 4.26 -0.360 Fe I 5123.720 1.01 -3.058 Fe I 5125.117 4.22 -0.140 Fe I 5127.360 0.92 -3.249 Fe I 5131.468 2.22 -2.515 Fe I 5133.689 4.18 0.140 Fe I 5137.382 4.18 -0.400 Fe I 5141.739 2.42 -2.238 Fe I 5150.839 0.99 -3.037 Fe I 5162.273 4.18 0.020 Fe I 51	Fe I	5068.766	2.94	-1.041	
Fe I 5079.740 0.99 -3.245 Fe I 5080.950 3.27 -3.090 Fe I 5083.339 0.96 -2.842 Fe I 5090.770 4.26 -0.360 Fe I 5098.697 2.18 -2.030 Fe I 51098.697 2.18 -2.030 Fe I 5110.413 0.00 -3.760 Fe I 5123.720 1.01 -3.058 Fe I 5125.117 4.22 -0.140 Fe I 5127.360 0.92 -3.249 Fe I 5131.468 2.22 -2.515 Fe I 5133.689 4.18 0.140 Fe I 5137.382 4.18 -0.400 Fe I 5141.739 2.42 -2.238 Fe I 5142.929 0.96 -3.080 Fe I 5150.839 0.99 -3.037 Fe I 5151.911 1.01 -3.321 Fe I 5162.273 4.18 0.020 Fe I 5161.222 0.00 -4.123 Fe I 5	Fe I	5074.749	4.22	-0.200	
Fe I 5080.950 3.27 -3.090 Fe I 5093.339 0.96 -2.842 Fe I 5090.770 4.26 -0.360 Fe I 5098.697 2.18 -2.030 Fe I 5110.413 0.00 -3.760 Fe I 5123.720 1.01 -3.058 Fe I 5125.117 4.22 -0.140 Fe I 5127.360 0.92 -3.249 Fe I 5131.468 2.22 -2.515 Fe I 5133.689 4.18 0.140 Fe I 5137.382 4.18 -0.400 Fe I 5141.739 2.42 -2.238 Fe I 5150.839 0.99 -3.037 Fe I 5151.911 1.01 -3.321 Fe I 5162.273 4.18 0.020 Fe I 5162.273 4.18 0.020 Fe I 5166.282 0.00 -4.123 Fe I 5171.596 1.49 -1.721 Fe I 5191.455 3.04 -0.551 Fe I 519	Fe I	5079.224	2.20	-2.105	
Fe I 5083.339 0.96 -2.842 Fe I 5090.770 4.26 -0.360 Fe I 5098.697 2.18 -2.030 Fe I 5110.413 0.00 -3.760 Fe I 5123.720 1.01 -3.058 Fe I 5125.117 4.22 -0.140 Fe I 5127.360 0.92 -3.249 Fe I 5131.468 2.22 -2.515 Fe I 5133.689 4.18 0.140 Fe I 5137.382 4.18 -0.400 Fe I 5141.739 2.42 -2.238 Fe I 5150.839 0.99 -3.037 Fe I 5151.911 1.01 -3.321 Fe I 5162.273 4.18 0.020 Fe I 5166.282 0.00 -4.123 Fe I 5191.455 3.04 -0.551 Fe I 5191.455 3.04 -0.551 Fe I 5192.344 3.00 -0.421 Fe I 5194.942 1.56 -2.021 Fe I 51	Fe I	5079.740	0.99	-3.245	
Fe I 5090.770 4.26 -0.360 Fe I 5098.697 2.18 -2.030 Fe I 5110.413 0.00 -3.760 Fe I 5123.720 1.01 -3.058 Fe I 5125.117 4.22 -0.140 Fe I 5127.360 0.92 -3.249 Fe I 5131.468 2.22 -2.515 Fe I 5133.689 4.18 0.140 Fe I 5137.382 4.18 -0.400 Fe I 5141.739 2.42 -2.238 Fe I 5150.839 0.99 -3.037 Fe I 5151.911 1.01 -3.321 Fe I 5162.273 4.18 0.020 Fe I 5171.596 1.49 -1.721 Fe I 5191.455 3.04 -0.551 Fe I 5192.344 3.00 -0.421 Fe I 5194.	Fe I	5080.950	3.27	-3.090	
Fe I 5098.697 2.18 -2.030 Fe I 5110.413 0.00 -3.760 Fe I 5123.720 1.01 -3.058 Fe I 5125.117 4.22 -0.140 Fe I 5125.117 4.22 -2.515 Fe I 5131.468 2.22 -2.515 Fe I 5133.689 4.18 0.140 Fe I 5137.382 4.18 -0.400 Fe I 5141.739 2.42 -2.238 Fe I 5142.929 0.96 -3.080 Fe I 5150.839 0.99 -3.037 Fe I 5162.273 4.18 0.020 Fe I 5162.273 4.18 0.020 Fe I 5166.282 0.00 -4.123 Fe I 5171.596 1.49 -1.721 Fe I 5191.455 3.04 -0.551 Fe I 5192.344 3.00 -0.421 Fe I 5194.942 1.56 -2.021 Fe I 5194.942 1.56 -2.021 Fe I 519	Fe I	5083.339	0.96	-2.842	
Fe I 5110.413 0.00 -3.760 Fe I 5123.720 1.01 -3.058 Fe I 5125.117 4.22 -0.140 Fe I 5125.117 4.22 -2.49 Fe I 5131.468 2.22 -2.515 Fe I 5133.689 4.18 0.140 Fe I 5137.382 4.18 -0.400 Fe I 5141.739 2.42 -2.238 Fe I 5142.929 0.96 -3.080 Fe I 5150.839 0.99 -3.037 Fe I 5162.273 4.18 0.020 Fe I 5162.273 4.18 0.020 Fe I 5166.282 0.00 -4.123 Fe I 5171.596 1.49 -1.721 Fe I 5191.455 3.04 -0.551 Fe I 5192.344 3.00 -0.421 Fe I 5194.942 1.56 -2.021 Fe I 5194.942 1.56 -2.021 Fe I 5198.711 2.22 -2.091	Fe I	5090.770	4.26	-0.360	
Fe I 5123.720 1.01 -3.058 Fe I 5125.117 4.22 -0.140 Fe I 5127.360 0.92 -3.249 Fe I 5131.468 2.22 -2.515 Fe I 5133.689 4.18 0.140 Fe I 5137.382 4.18 -0.400 Fe I 5141.739 2.42 -2.238 Fe I 5142.929 0.96 -3.080 Fe I 5150.839 0.99 -3.037 Fe I 5162.273 4.18 0.020 Fe I 5166.282 0.00 -4.123 Fe I 5171.596 1.49 -1.721 Fe I 5191.455 3.04 -0.551 Fe I 5192.344 3.00 -0.421 Fe I 5194.942 1.56 -2.021 Fe I 5194.942 1.56 -2.021 Fe I 5198.711 2.22 -2.091	Fe I	5098.697	2.18	-2.030	
Fe I 5125.117 4.22 -0.140 Fe I 5127.360 0.92 -3.249 Fe I 5131.468 2.22 -2.515 Fe I 5133.689 4.18 0.140 Fe I 5137.382 4.18 -0.400 Fe I 5141.739 2.42 -2.238 Fe I 5142.929 0.96 -3.080 Fe I 5150.839 0.99 -3.037 Fe I 5162.273 4.18 0.020 Fe I 5166.282 0.00 -4.123 Fe I 5171.596 1.49 -1.721 Fe I 5191.455 3.04 -0.551 Fe I 5192.344 3.00 -0.421 Fe I 5194.942 1.56 -2.021 Fe I 5198.711 2.22 -2.091	Fe I	5110.413	0.00	-3.760	
Fe I 5127.360 0.92 -3.249 Fe I 5131.468 2.22 -2.515 Fe I 5133.689 4.18 0.140 Fe I 5137.382 4.18 -0.400 Fe I 5141.739 2.42 -2.238 Fe I 5142.929 0.96 -3.080 Fe I 5150.839 0.99 -3.037 Fe I 5162.273 4.18 0.020 Fe I 5166.282 0.00 -4.123 Fe I 5171.596 1.49 -1.721 Fe I 5191.455 3.04 -0.551 Fe I 5192.344 3.00 -0.421 Fe I 5194.942 1.56 -2.021 Fe I 5194.942 1.56 -2.021 Fe I 5198.711 2.22 -2.091	Fe I	5123.720	1.01	-3.058	
Fe I 5131.468 2.22 -2.515 Fe I 5133.689 4.18 0.140 Fe I 5137.382 4.18 -0.400 Fe I 5137.382 4.18 -0.400 Fe I 5141.739 2.42 -2.238 Fe I 5142.929 0.96 -3.080 Fe I 5150.839 0.99 -3.037 Fe I 5162.273 4.18 0.020 Fe I 5166.282 0.00 -4.123 Fe I 5161.596 1.49 -1.721 Fe I 5191.455 3.04 -0.551 Fe I 5192.344 3.00 -0.421 Fe I 5194.942 1.56 -2.021 Fe I 5198.711 2.22 -2.091	Fe I	5125.117	4.22	-0.140	
Fe I 5133.689 4.18 0.140 Fe I 5137.382 4.18 -0.400 Fe I 5137.382 4.18 -0.400 Fe I 5141.739 2.42 -2.238 Fe I 5142.929 0.96 -3.080 Fe I 5150.839 0.99 -3.037 Fe I 5162.273 4.18 0.020 Fe I 5166.282 0.00 -4.123 Fe I 5171.596 1.49 -1.721 Fe I 5191.455 3.04 -0.551 Fe I 5192.344 3.00 -0.421 Fe I 5194.942 1.56 -2.021 Fe I 5198.711 2.22 -2.091	Fe I	5127.360	0.92	-3.249	
Fe I 5137.382 4.18 -0.400 Fe I 5141.739 2.42 -2.238 Fe I 5142.929 0.96 -3.080 Fe I 5150.839 0.99 -3.037 Fe I 5151.911 1.01 -3.321 Fe I 5162.273 4.18 0.020 Fe I 5166.282 0.00 -4.123 Fe I 5171.596 1.49 -1.721 Fe I 5191.455 3.04 -0.551 Fe I 5192.344 3.00 -0.421 Fe I 5194.942 1.56 -2.021 Fe I 5198.711 2.22 -2.091	Fe I	5131.468	2.22	-2.515	
Fe I 5141.739 2.42 -2.238 Fe I 5142.929 0.96 -3.080 Fe I 5150.839 0.99 -3.037 Fe I 5151.911 1.01 -3.321 Fe I 5162.273 4.18 0.020 Fe I 5166.282 0.00 -4.123 Fe I 5171.596 1.49 -1.721 Fe I 5191.455 3.04 -0.551 Fe I 5192.344 3.00 -0.421 Fe I 5194.942 1.56 -2.021 Fe I 5198.711 2.22 -2.091	Fe I	5133.689	4.18	0.140	
Fe I 5142.929 0.96 -3.080 Fe I 5150.839 0.99 -3.037 Fe I 5151.911 1.01 -3.321 Fe I 5162.273 4.18 0.020 Fe I 5166.282 0.00 -4.123 Fe I 5171.596 1.49 -1.721 Fe I 5191.455 3.04 -0.551 Fe I 5192.344 3.00 -0.421 Fe I 5194.942 1.56 -2.021 Fe I 5198.711 2.22 -2.091	Fe I	5137.382	4.18	-0.400	
Fe I 5150.839 0.99 -3.037 Fe I 5151.911 1.01 -3.321 Fe I 5162.273 4.18 0.020 Fe I 5166.282 0.00 -4.123 Fe I 5171.596 1.49 -1.721 Fe I 5191.455 3.04 -0.551 Fe I 5192.344 3.00 -0.421 Fe I 5194.942 1.56 -2.021 Fe I 5198.711 2.22 -2.091	Fe I	5141.739	2.42	-2.238	
Fe I 5151.911 1.01 -3.321 Fe I 5162.273 4.18 0.020 Fe I 5166.282 0.00 -4.123 Fe I 5171.596 1.49 -1.721 Fe I 5191.455 3.04 -0.551 Fe I 5192.344 3.00 -0.421 Fe I 5194.942 1.56 -2.021 Fe I 5198.711 2.22 -2.091	Fe I	5142.929	0.96	-3.080	
Fe I 5162.273 4.18 0.020 Fe I 5166.282 0.00 -4.123 Fe I 5171.596 1.49 -1.721 Fe I 5191.455 3.04 -0.551 Fe I 5192.344 3.00 -0.421 Fe I 5194.942 1.56 -2.021 Fe I 5198.711 2.22 -2.091	Fe I	5150.839	0.99	-3.037	
Fe I 5166.282 0.00 -4.123 Fe I 5171.596 1.49 -1.721 Fe I 5191.455 3.04 -0.551 Fe I 5192.344 3.00 -0.421 Fe I 5194.942 1.56 -2.021 Fe I 5198.711 2.22 -2.091	Fe I	5151.911	1.01	-3.321	
Fe I 5171.596 1.49 -1.721 Fe I 5191.455 3.04 -0.551 Fe I 5192.344 3.00 -0.421 Fe I 5194.942 1.56 -2.021 Fe I 5198.711 2.22 -2.091	Fe I	5162.273	4.18	0.020	
Fe I 5191.455 3.04 -0.551 Fe I 5192.344 3.00 -0.421 Fe I 5194.942 1.56 -2.021 Fe I 5198.711 2.22 -2.091	Fe I	5166.282	0.00	-4.123	
Fe I 5192.344 3.00 -0.421 Fe I 5194.942 1.56 -2.021 Fe I 5198.711 2.22 -2.091	Fe I	5171.596	1.49	-1.721	
Fe I 5194.942 1.56 -2.021 Fe I 5198.711 2.22 -2.091	Fe I	5191.455	3.04	-0.551	
Fe I 5198.711 2.22 -2.091	Fe I	5192.344	3.00	-0.421	
	Fe I	5194.942	1.56	-2.021	
Fe I 5202.336 2.18 -1.871	Fe I	5198.711	2.22	-2.091	
	Fe I	5202.336	2.18	-1.871	
Fe I 5204.583 0.09 -4.332	Fe I	5204.583	0.09	-4.332	
Fe I 5216.274 1.61 –2.082	Fe I	5216.274	1.61	-2.082	
Fe I 5217.390 3.21 -1.162	Fe I	5217.390	3.21	-1.162	
Fe I 5225.526 0.11 -4.755	Fe I	5225.526	0.11	-4.755	

RASMUSSEN ET AL.

Table 8 (continued)

Ion	λ	X	$\log gf$	
Fe I	5232.940	2.94	-0.057	
Fe I	5242.491	3.63	-0.967	
Fe I	5247.050	0.09	-4.946	
Fe I	5250.210	0.12	-4.938	
Fe I	5250.646	2.20	-2.180	
Fe I	5254.956	0.11	-4.764	
Fe I	5263.305	3.27	-0.879	
Fe I	5266.555	3.00	-0.385	
Fe I	5269.537	0.86	-1.333	
Fe I	5281.790	3.04	-0.833	
Fe I	5283.621	3.24	-0.524	
Fe I	5288.527	3.68	-1.508	
Fe I	5302.300	3.28	-0.720	
Fe I	5307.361	1.61	-2.912	
Fe I	5322.040	2.28	-2.802	
Fe I	5324.179	3.21	-0.103	
Fe I	5328.039	0.92	-1.466	
Fe I	5328.531	1.56	-1.850	
Fe I	5332.900	1.55	-2.776	
Fe I	5339.930	3.27	-0.720	
Fe I	5364.871	4.45	0.228	
Fe I	5365.400	3.56	-1.020	
Fe I	5367.467	4.42	0.443	
Fe I	5369.962	4.37	0.536	
Fe I	5371.489	0.96	-1.644	
Fe I	5379.573	3.69	-1.514	
Fe I	5383.369	4.31	0.645	
Fe I	5389.479	4.42	-0.410	
Fe I	5393.168	3.24	-0.910	
Fe I	5397.128	0.92	-1.982	
Fe I	5405.775	0.99	-1.852	
Fe I	5410.910	4.47	0.398	
Fe I	5415.199	4.39	0.643	
Fe I	5424.068	4.32	0.520	
Fe I	5429.696	0.96	-1.881	
Fe I	5434.524	1.01	-2.126	
Fe I	5446.917	0.99	-1.910	
Fe I	5455.609	1.01	-2.090	
Fe I	5497.516	1.01	-2.825	
Fe I	5615.644	3.33	0.050	
Fe I	5624.542	3.42	-0.755	
Fe I	5662.516	4.18	-0.573	
Fe I	5686.529	4.55	-0.450	
Fe I	5753.122	4.26	-0.688	
Fe I	6297.792	2.22	-2.640	
Fe II	4122.668	2.58	-3.380	
Fe II	4128.748	2.58	-3.470	
Fe II	4178.860	2.58	-2.510	
Fe II	4233.170	2.58	-1.970	
Fe II	4416.817	2.78	-2.600	
Fe II	4489.185	2.83	-2.970	
Fe II	4491.410	2.86	-2.710	
Fe II	4508.283	2.86	-2.580	

METAL-POOR STARS OBSERVED WITH SALT

Table 8 (continued)

1	Table 8 (continued)				
Ion	λ	Χ	$\log gf$		
Fe II	4515.340	2.84	-2.600		
Fe II	4520.224	2.81	-2.600		
Fe II	4522.630	2.84	-2.250		
Fe II	4541.523	2.86	-3.050		
Fe II	4555.890	2.83	-2.400		
Fe II	4576.340	2.84	-2.950		
Fe II	4583.840	2.81	-1.930		
Fe II	4620.520	2.83	-3.210		
Fe II	4731.439	2.89	-3.360		
Fe II	4923.930	2.89	-1.320		
Fe II	4993.350	2.81	-3.670		
Fe II	5018.450	2.89	-1.220		
Fe II	5197.580	3.23	-2.220		
Fe II	5234.630	3.22	-2.180		
Fe II	5276.000	3.20	-2.010		
Fe II	5284.080	2.89	-3.190		
Fe II	5325.550	3.22	-3.160		
Fe II	5414.070	3.22	-3.580		
Fe II	5534.834	3.25	-2.930		
Mn I	4030.753	0.00	-0.480		
Mn I	4033.062	0.00	-0.618		
Mn I	4034.483	0.00	-0.811		
Mn I	4041.357	2.11	0.285		
Mn I	4754.048	2.28	-0.086		
Mn I	4783.432	2.30	0.042		
Mn I	4823.528	2.32	0.144		
Co I	4020.898	0.43	-2.070		
Co I	4110.532	1.05	-1.080		
Co I	4118.767	1.05	-0.490		
Co I	4121.318	0.92	-0.320		
Ni I	4605.000	3.48	-0.290		
Ni I	4648.659	3.42	-0.160		
Ni I	4686.220	3.60	-0.640		
Ni I	4714.421	3.38	0.230		
Ni I	4855.414	3.54	0.000		
Ni I	4904.410	3.54	-0.170		
Ni I	4980.161	3.61	-0.110		
Ni I	5017.591	3.54	-0.080		
Ni I	5035.374	3.63	0.290		
Ni I	5080.523	3.65	0.130		
Ni I	5081.110	3.85	0.300		
Ni I	5084.080	3.68	0.030		
Ni I	5115.400	3.83	-0.110		
Ni I	5137.075	1.68	-1.990		
Ni I	5155.760	3.90	-0.090		
Ni I	5476.900	1.83	-0.890		
Ni I	5578.734	1.68	-2.640		
Ni I	5754.675	1.94	-2.330		
Zn I	4722.150	4.03	-0.390		
Zn I	4810.528	4.08	-0.137		