

The Third Data Release of the KODIAQ Survey

JOHN M. O'MEARA,¹ NICOLAS LEHNER,² J. CHRISTOPHER HOWK,² AND J. XAVIER PROCHASKA³

¹*W.M. Keck Observatory 65-1120 Mamalahoa Highway Kamuela, HI 96743*

²*Department of Physics, University of Notre Dame, Notre Dame, IN 46556*

³*UCO/Lick Observatory, Department of Astronomy & Astrophysics, University of California Santa Cruz, 1156 High Street, Santa Cruz, CA 95064*

ABSTRACT

We present and make publicly available the third data release (DR3) of the Keck Observatory Database of Ionized Absorption toward Quasars (KODIAQ) survey. KODIAQ DR3 consists of a fully-reduced sample of 727 quasars at $0.1 < z_{\text{em}} < 6.4$ observed with ESI at moderate resolution ($4000 \leq R \leq 10000$). DR3 contains 872 spectra available in flux calibrated form, representing a sum total exposure time of ~ 2.8 megaseconds. These co-added spectra arise from a total of 2753 individual exposures of quasars taken from the Keck Observatory Archive (KOA) in raw form and uniformly processed using a data reduction package made available through the XIDL distribution. DR3 is publicly available to the community, housed as a higher level science product at the KOA and in the *igmspec* database.

Keywords: Quasars – absorption lines – intergalactic medium – Lyman limit systems – damped Lyman alpha systems

1. INTRODUCTION

Studies of absorption lines towards quasars have impacted a wide range of fields within astrophysics and cosmology. From studies of individual systems to determine the primordial D/H ratio (e.g., [Cooke et al. 2018](#)), to studies of tens of high resolution, high signal-to-noise spectra to constrain the temperature-density relation in the IGM ([Hiss et al. 2019](#)), to a determination of the mean free path of ionizing radiation from a stack of thousands of lines of sight ([Prochaska & Wolfe 2009](#)), quasar lines of sight have become one of the most valuable tools available to understand the universe at cosmological distances.

Large quasar and galaxy surveys such as SDSS ([Ross et al. 2020](#)) provide spectra in bulk in a ready-for-analysis state. By contrast, quasar spectra from larger ground-based facilities are often not available to the community in a science-ready format, if at all, and with little information on the provenance of the data. To help remedy the situation, a number of groups have provided the community with pipeline-reduced data from large aperture telescopes (e.g., [Murphy 2018](#)). As a part of these endeavours, a primary goal of the Keck Observatory Database of Ionized Absorption toward Quasars (KODIAQ, [Lehner et al. 2014](#)) is to uniformly reduce and make publicly available spectra of quasars obtained with instruments on the Keck telescopes over the last

two-plus decades. In the first ([O'Meara et al. 2015](#)) and second ([O'Meara et al. 2017](#)) data releases (DR1 and DR2, respectively), KODIAQ has provided spectra from Keck's high-resolution echelle spectrograph HIRES. The DR2 sample encompasses DR1 and adds additional spectra, bringing the sample to a total of 300 unique quasar sightlines. In this work, we significantly increase the number of quasars with the third data release (DR3) from KODIAQ, this time adding 727 quasar spectra obtained with the Echelle Spectrograph and Imager (ESI, [Sheinis et al. 2002](#)) instrument on the Keck II telescope. Although lower resolution than HIRES, ESI spectra are of significant resolution to both serve statistical studies of the Lyman- α forest as well as metal line absorption, along with studies of individual absorbers such as damped Lyman Alpha (DLA) systems (e.g. [Rafelski et al. 2012](#)).

2. THE DATA

The ESI data in DR3 were obtained by individual PIs between December, 1999 (shortly after instrument commissioning) and January, 2015. ESI is an echelle system, with ten echelle orders spanning the range $3930 < \lambda < 10930$ Å. Cosmetic defects in the ESI CCD impact some pixels in the wavelength regions $4460 < \lambda < 4565$ Å. Depending on seeing conditions, slit width, and desired wavelength, ESI has a resolution




Figure 1. Examples of QSO spectra from the DR3 with increasing QSO redshift from the top to bottom panels.

of $4000 < R < 10000$. Observations in DR3 are made using the full range of ESI slit widths, ranging between 0.3 and 6.0 arcseconds, with the majority of observations made with the 0.5, 0.75, and 1.0 arcsecond slits. The observations are summarized in Table 1. The coordinates and quasar emission redshifts presented in Table 1 were obtained by passing the coordinates from the raw data file first through the Simbad¹ databases and then, if not found, the NED² database, selecting the quasar closest on the sky. If an object was not found within thirty arcseconds of a quasar in either database, the coordinates were taken directly from the data header. We caution that in the case of close quasar pairs, the coordinates, chosen to correspond to the nearest object, may be inaccurate and refer to the other pair member.

2.1. Data Reduction

Once the data were downloaded and reviewed for calibrations, they were uniformly reduced using the ESIRedux³ code. ESIRedux is a suite of IDL routines within the XIDL⁴ package of astronomical utilities. ESIRedux is functionally very similar to HIRedux, which is described in O’Meara et al. (2015), but with a few important differences which we outline below. The workflow of ESIRedux is as follows: First, the raw data is grouped into setups. Unlike for HIRES, ESI is essentially fixed in wavelength coverage and echelle order placement on the detector, so setups are governed only by slit width and detector binning. Next, for each setup, a bias level and gain is determined, and a flat field image is constructed from a combination of internal lamps, dome flats, and if present, twilight sky flats. The flat field images serve the traditional role of removing pixel-to-pixel variations, but also provide the location of the slit edges for each

¹ <http://simbad.u-strasbg.fr/simbad/>

² <https://ned.ipac.caltech.edu>

³ <https://www2.keck.hawaii.edu/inst/esi/ESIRedux/>

⁴ <https://github.com/profxj/xidl>

echelle order. Twilight flats are used primarily in the bluest orders, where the internal and dome flats have lower flux. A two-dimensional wavelength image for the detector is then created using a combination of CuAr, HgNe, and Xe lamps. The wavelength solutions are compared to archived databases, and the residuals to the fit are most commonly found to be sub-pixel. Cosmic ray rejection is then performed using standard frame comparison techniques. As with HIReflux, sky subtraction and object definition and extraction is performed using the methods outlined in [Bochanski et al. \(2009\)](#) on an order-by-order basis, resulting in a spectrum of each order with counts as a function of wavelength. Finally, for objects with multiple exposures, the individual orders are weighted mean combined.

A key difference between the ESI data in KODIAQ DR3 and the HIRES data from DR2 is that the data in DR3 have been flux calibrated instead of continuum normalized. For expediency, all exposures in DR3 were flux calibrated using a single archival sensitivity function derived from a median of sensitivity functions from multiple flux standard stars. Examples of DR3 ESI QSO spectra are shown in Fig. 1.

2.1.1. Issues of note

A number of issues should be noted before using data from DR3 for precision analysis. First, the reddest echelle order, with a central wavelength of approximately $\lambda = 9800 \text{ \AA}$ was often poorly extracted. In these cases, that order has been rejected, and the data trimmed. The rightmost column in Table 1 indicates the wavelength range of the spectra in DR3. Second, the detector defects at $\lambda \approx 4500 \text{ \AA}$ are present in the reduced data, and caution should be used near those wavelengths. Finally, some spectra suffer discontinuities at the regions in wavelength where the echelle orders overlap. These discontinuities are the result of order-to-order differences in flux calibration. Users that intend an analysis of the intrinsic quasar spectra should first inspect the data for these occurrences. We note that all intermediate data reduction steps for the data in DR3 are provided in the Keck Observatory Archive (KOA),⁵ so that users may adjust specific steps, such as flux calibration, to match their needs. Finally, Table 1 shows that a number of quasars were observed on multiple dates, and often by multiple PIs. We did not attempt to combine the data across these observations, given frequent differences in slit width and potential inaccuracies in flux calibration.

2.2. KODIAQ at the KOA and igmspec

As with DR2, the data products of DR3 are available for community download from the KOA. As DR3 stems from a different instrument, KOA hosts DR3 as a separate contributed data set from DR2. Nevertheless, a number of quasars have data in both DR3 and DR2. Table 2 lists those quasars. Note that in a few cases, the HIRES DR2 name does not exactly match the ESI DR3 name. Those cases are highlighted in Table 2. As with DR2, within DR3 at KOA, users can search for and download individual quasar data, or the full DR3 data set at once. DR3 will make available all intermediate data reduction products available, grouped by observing run. Spectra from DR3 will also be ingested into the *igmspec* database⁶.




Figure 2. Redshift distribution of KODIAQ DR3 QSOs.

3. PROPERTIES OF KODIAQ DR3

The KODIAQ DR3 consists of ESI spectra for 727 quasars. As in previous data releases, quasars are named according to their J2000 R.A./decl. coordinates as resolved by SIMBAD or NED, unless the quasar is not listed in these databases, in which case we use the position on the sky as provided by the raw data headers. In Table 1 we list the quasar redshift as provided by SIMBAD or NED. If the quasar is unlisted, a crude estimate is made for the redshift by using the Lyman- α and other emission lines. The full DR3 is comprised of 2753 individual exposures, grouped into 872 spectral co-adds. The aggregate exposure time of the DR3 is ~ 2.8 megaseconds.

⁵ <https://koa.ipac.caltech.edu/Datasets/KODIAQ/>

⁶ <https://github.com/specdb/igmspec>




Figure 3. Distribution on the Sky of the KODIAQ DR3 QSOs.

3.1. General Properties

Fig. 2 shows the quasar redshift distribution for the DR3. The median redshift for the sample is $\bar{z} = 3.21$ and the sample spans the range in redshift of $0.10 < z < 6.44$. The distribution of DR3 quasars on the sky is shown in Figure 3.




Figure 4. Signal to noise (per pixel) distribution of the spectra in the DR3 sample.

In Fig. 4, we show median signal to noise per pixel, derived from the pipeline optimal extraction values of the flux and $1-\sigma$ errors, within $\pm 5 \text{ \AA}$ for the 872 in DR3 at 3 rest wavelengths λ_r where $\lambda_r = \lambda_{\text{obs}}/(1 + z_{\text{em}})$ and λ_{obs} is the observed wavelength in the spectrum. The three values of λ_r are chosen as markers for typical wavelengths of interest for IGM/CGM studies, namely $\lambda_r = 1450 \text{ \AA}$ for studies of heavy element absorption free of Lyman- α forest contamination, $\lambda_r = 1170 \text{ \AA}$ for stud-

ies of the forest itself, and $\lambda_r = 1450 \text{ \AA}$ for determination of the H I column density (N_{HI}) in Lyman limit systems from the shape of the Lyman break.

3.2. Cosmological Properties

Given the large number of quasars in DR3, and with a significant fraction of the spectra having moderate to high signal to noise, the sample can lend itself well to a variety of statistical analysis in cosmology and elsewhere. Here, we highlight a number of statistical properties of DR3 with respect to its ability to be used for studied of neutral hydrogen and heavy element absorption.




Figure 5. QSO redshift rest wavelength coverage of the DR2 sample. The vertical lines correspond to the rest wavelengths of various commonly studied ions.

In Fig. 5 we show the rest wavelength coverage provided by the quasars in DR3 in the quasar rest frame.

Vertical lines denote the rest frame wavelengths of commonly studied lines. Fig. 5 illustrates that the number of quasars that can be used for statistical studies of H I and heavy element absorption numbers well into the hundreds. Fig. 6 shows this large sample in a different way, namely showing as a function of redshift how many quasars can be used for specific ions. We can further subdivide the DR3 sample by exploring how many quasars provide coverage for specific ions as a function of redshift and signal to noise. Fig. 7 provides this summary for four ions: H I Lyman- α , C IV, O VI, and Mg II.




Figure 6. Redshift coverage of various ions in the DR3 sample.

Finally, Fig. 8 provides the redshift sensitivity function $g(z)$ for the DR3 sample. The function $g(z)$ is calculated in the same manner as in O’Meara et al. (2015) and O’Meara et al. (2017). $g(z)$ is presented in Fig. 8 for 4 values of the signal-to-noise ratio, and for H I Lyman- α and C IV as representative ions. In all the above metrics, DR3 represents a significant sample for statistical studies of hydrogen and heavy element absorption, even at moderate to high signal-to-noise, which is a requirement for studies of weak absorption.

4. SUMMARY AND FUTURE

We present here a summary of and make publicly available the 727 quasar sample in the KODIAQ DR3. As with KODIAQ DR1 and DR2, all spectra and in-

termediate data reduction products are made available at the KOA. Unlike DR1 and DR2, the data are roughly uniform in wavelength coverage (and nearly always larger per quasar in wavelength coverage than the HIRES spectra in previous releases), but like DR1 and DR2, they sample a large range of quasar redshift, and provide a wide range of signal-to-noise.

When using data products from DR3, we ask that publications provide the standard KOA acknowledgement, acknowledgment of the original PIs that obtained the data, and the following text: “Some or all of the data presented in this work were obtained from the Keck Observatory Database of Ionized Absorbers toward QSOs (KODIAQ), which was funded through NASA ADAP grants NNX10AE84G and NNX16AF52G, along with a citation to this paper.

ACKNOWLEDGEMENTS

Support for this research was made by NASA through the Astrophysics Data Analysis Program (ADAP) grants NNX10AE84G and NNX16AF52G, along with NSF grant award number 1516777. This research has made use of the Keck Observatory Archive (KOA), which is operated by the W. M. Keck Observatory and the NASA Exoplanet Science Institute (NExScI), under contract with the National Aeronautics and Space Administration. The data presented herein were obtained at the W.M. Keck Observatory, which is operated as a scientific partnership among the California Institute of Technology, the University of California and the National Aeronautics and Space Administration. The Observatory was made possible by the generous financial support of the W.M. Keck Foundation.

The authors wish to recognize and acknowledge the very significant cultural role and reverence that the summit of Maunakea has always had within the indigenous Hawaiian community. We are most fortunate to have the opportunity to conduct observations from this mountain. The authors wish to recognize and sincerely appreciate the work of the entire WMKO staff over the last two-plus decades, and to the efforts of the team at the NASA Exoplanet Science Institute (NExScI) who are responsible for maintaining the KOA.

Software: XIDL; ESIRedux

Facilities: Keck(LRIS); Keck(HIRES)

REFERENCES

- Bochanski, J. J., Hennawi, J. F., Simcoe, R. A., et al. 2009, PASP, 121, 1409, doi: [10.1086/648597](https://doi.org/10.1086/648597)
- Cooke, R. J., Pettini, M., & Steidel, C. C. 2018, ApJ, 855, 102, doi: [10.3847/1538-4357/aaab53](https://doi.org/10.3847/1538-4357/aaab53)




Figure 7. Signal-to-noise distribution versus redshift for key ions in the DR3 sample.

Hiss, H., Walther, M., Oñorbe, J., & Hennawi, J. F. 2019, *ApJ*, 876, 71, doi: [10.3847/1538-4357/ab1418](https://doi.org/10.3847/1538-4357/ab1418)

Lehner, N., O'Meara, J. M., Fox, A. J., et al. 2014, *ApJ*, 788, 119, doi: [10.1088/0004-637X/788/2/119](https://doi.org/10.1088/0004-637X/788/2/119)

Murphy, M. 2018, Mtmurphy77/Uves.Popler: Uves.Popler: Post-Pipeline Echelle Reduction Software, v1.00, Zenodo, doi: [10.5281/zenodo.1297190](https://doi.org/10.5281/zenodo.1297190)

O'Meara, J. M., Lehner, N., Howk, J. C., et al. 2017, *AJ*, 154, 114, doi: [10.3847/1538-3881/aa82b8](https://doi.org/10.3847/1538-3881/aa82b8)

—. 2015, *AJ*, 150, 111, doi: [10.1088/0004-6256/150/4/111](https://doi.org/10.1088/0004-6256/150/4/111)

Prochaska, J. X., & Wolfe, A. M. 2009, *ApJ*, 696, 1543, doi: [10.1088/0004-637X/696/2/1543](https://doi.org/10.1088/0004-637X/696/2/1543)

Rafelski, M., Wolfe, A. M., Prochaska, J. X., Neeleman, M., & Mendez, A. J. 2012, *ApJ*, 755, 89, doi: [10.1088/0004-637X/755/2/89](https://doi.org/10.1088/0004-637X/755/2/89)

Ross, A. J., Bautista, J., Tojeiro, R., et al. 2020, *MNRAS*, doi: [10.1093/mnras/staa2416](https://doi.org/10.1093/mnras/staa2416)

Sheinis, A. I., Bolte, M., Epps, H. W., et al. 2002, *PASP*, 114, 851, doi: [10.1086/341706](https://doi.org/10.1086/341706)




Figure 8. Redshift sensitivity function $g(z)$ for Ly α and C IV in the DR3.

Table 1. The KODIAQ DR3 Sample

Object	R.A. ^a	Dec. ^a	z_{em}^a	Observation	PI	Program	Slit	Total Exp,	Wavelength
	(J2000)	(J2000)		Date		ID ^b	"	Time (s)	Coverage (Å)
J000211−052908	00:02:11.7696	−05:29:08.484	2.8	Oct 2011	Martin	U047E	1.00	16200.0	4000.0–10130.6
J000216−053007	00:02:16.668	−05:30:07.632	3.1592	Oct 2011	Martin	U047E	1.00	2400.0	4000.0–10130.6
J000221+002149	00:02:21.1176	+00:21:49.356	3.0570	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10134.9
J000239+255034	00:02:39.3888	+25:50:34.8	5.82	Aug 2005	Cowie	H31aE	0.75	16800.0	4000.0–10135.6
J000552−000655	00:05:52.3392	−00:06:55.8	5.85	Dec 2002	Becker	XXX	1.00	1200.0	4000.0–10134.9
...	...	...	...	Oct 2010	Sargent	C197E	0.75	15000.0	4000.0–10130.9
J000738+241724	00:07:38.7	+24:17:24	4.05	Sep 2000	Djorgovski	C123E	1.00	3600.0	4000.0–9340.51
J000749+004119	00:07:49.1664	+00:41:19.644	4.7842	Aug 2013	Wolfe	U052E	0.75	3600.0	4000.0–10131.9
J000815−095854	00:08:15.3312	−09:58:54.372	1.9584	Dec 2003	Prochaska	U57E	0.75	900.0	4000.0–10134.9
J000838−005156	00:08:38.2968	−00:51:56.88	2.8892	Oct 2011	Martin	U047E	1.00	8880.0	4000.0–10130.9
J000839−005336	00:08:39.312	−00:53:36.888	2.6252	Oct 2011	Martin	U047E	1.00	5280.0	4000.0–10130.6
J001328+135827	00:13:28.2096	+13:58:27.984	3.5754	Sep 2004	Prochaska	U12E	0.50	2400.0	4000.0–10136.3
J001342−002412	00:13:42.4488	−00:24:12.636	1.6504	Jan 2002	Chaffee	K03E	1.00	900.0	4000.0–10134.9
J001410−084429	00:14:10.992	−08:44:29.184	1.7609	Sep 2004	Wolfe	U45aE	0.50	2400.0	4000.0–10136.6
J001443+303203	00:14:43.0008	+30:32:03.3	4.47	Sep 2000	Djorgovski	C123E	1.00	3600.0	4000.0–9340.83
J001602−001225	00:16:02.4024	−00:12:25.056	2.0903	Sep 2004	Prochaska	U12E	0.50	600.0	4000.0–10136.3
J001813+142455	00:18:13.8912	+14:24:55.656	4.2315	Jul 2008	Djorgovski	C193E	1.00	1200.0	4000.0–10135.3
J002028+153435	00:20:28.968	+15:34:35.868	1.7640	Sep 2004	Prochaska	U12E	0.50	1800.0	4000.0–10136.3
J002801−104933	00:28:01.1832	−10:49:33.96	2.6489	Jul 2008	Djorgovski	C193E	1.00	5100.0	4000.0–10135.3
J003311−012524	00:33:11.4	−01:25:24.888	6.13	Oct 2007	Willott	A288E	1.00	5080.0	4000.0–10130.9
J003501−091817	00:35:01.884	−09:18:17.676	2.4226	Sep 2004	Wolfe	XXX	0.50	1800.0	4000.0–10136.6

Table 1 continued

Table 1 (*continued*)

Object	R.A. ^a	Dec. ^a	z_{em}^a	Observation	PI	Program	Slit	Total Exp,	Wavelength
	(J2000)	(J2000)		Date		ID ^b	"	Time (s)	Coverage (Å)
...	...	...	...	Dec 2006	Wolfe	U131E	0.50	2700.0	4000.0–10134.9
J003545+011441	00:35:45.1368	+01:14:41.28	1.5476	Sep 2004	Wolfe	U45aE	0.50	2100.0	4000.0–10136.6
J003821+074201	00:38:21.1776	+07:42:01.728	3.3	Jan 2000	Tytler	U68E	0.50	1800.0	4000.0–9450.44
J004054–091526	00:40:54.6528	–09:15:26.784	4.9768	Jan 2002	Chaffee	XXX	1.00	900.0	4000.0–10134.9
...	...	...	...	Jan 2010	Wolfe	XXX	0.50	2280.0	4000.0–10130.2
J004219–102009	00:42:19.7472	–10:20:09.492	3.8816	Dec 2010	Prochaska	U025E	0.50	1800.0	4000.0–10129.9
J004323–001552	00:43:23.4312	–00:15:52.416	2.7962	Jan 2005	Becker	U38E	1.00	600.0	4000.0–10136.0
J004439+001822	00:44:39.3288	+00:18:22.896	1.8744	Dec 2003	Prochaska	U57E	0.75	600.0	4000.0–10134.9
J004717–015623	00:47:17.8008	–01:56:23.856	2.479	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10134.9
J004800–105146	00:48:00.7704	–10:51:48.564	1.56	Dec 2002	Becker	U11E	1.00	900.0	4000.0–10134.9
J005006+344522	00:50:06.6696	+34:45:22.608	6.25	Oct 2010	Sargent	C197E	0.75	6000.0	4000.0–10131.6
J005130+004150	00:51:30.4872	+00:41:50.028	1.1903	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10134.9
J005206+240539	00:52:06.7992	+24:05:39.012	2.4512	Dec 1999	Djorgovski	C117E	1.00	2400.0	4000.0–8849.22
J005421–010921	00:54:21.4296	–01:09:21.6	5.0888	Jan 2013	Wolfe	U067E	0.75	4148.0	4000.0–10129.9
J005814+011530	00:58:14.3184	+01:15:30.276	2.5077	Dec 2003	Prochaska	U57E	0.50	900.0	4000.0–10134.9
J005917+014206	00:59:17.616	+01:42:06.3	3.149	Jan 2000	Tytler	U68E	0.50	1800.0	4000.0–9450.44
J010249–085344	01:02:49.656	–08:53:44.412	1.6837	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10134.9
J010311+131617	01:03:11.2992	+13:16:17.976	2.681	Aug 2000	Tytler	U78E	0.75	900.0	4000.0–10136.0
J010600+260102	01:06:00.7992	+26:01:02.496	4.309	Jan 2001	Wolfe	U22E	0.75	1200.0	4000.0–10134.6
J010619+004823	01:06:19.2408	+00:48:23.328	4.4492	Jan 2015	Cooksey	XXX	0.75	2700.0	4000.0–10130.2
...	...	...	...	Jan 2015	Cowie	H266E	0.75	4350.0	4000.0–10129.9
J011351–093551	01:13:51.9648	–09:35:51.18	3.6481	Jan 2015	Cooksey	XXX	0.75	1800.0	4000.0–10130.2
J011731+155216	01:17:31.1688	+15:52:16.284	4.24	Sep 2000	Djorgovski	C123E	1.00	3000.0	4000.0–9340.83
J011852+032050	01:18:52.66	+03:20:50.0	4.23	Sep 2000	Djorgovski	C123E	1.00	3600.0	4000.0–9340.83
J012020+132433	01:20:20.3712	+13:24:33.552	2.5660	Dec 2003	Prochaska	U57E	0.75	900.0	4000.0–10134.9
J012126+034706	01:21:26.1552	+03:47:06.54	4.13	Dec 1999	Djorgovski	C117E	1.00	2700.0	4000.0–8849.51
J012147+002718	01:21:47.7408	+00:27:18.684	2.2098	Dec 2003	Prochaska	U57E	0.75	2700.0	4000.0–10134.9
J012403+004432	01:24:03.7704	+00:44:32.784	3.8399	Jan 2000	Tytler	U68E	0.50	1800.0	4000.0–9450.44
J012517–001828	01:25:17.1456	–00:18:28.872	2.2790	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10134.9
J012700–004559	01:27:00.6888	–00:45:59.184	4.0942	Sep 2000	Djorgovski	C123E	1.00	3709.0	4000.0–9340.83
...	...	...	...	Jan 2001	Wolfe	U22E	0.75	1800.0	4000.0–10134.6
...	...	...	...	Jul 2001	Wolfe	U10E	0.50	1800.0	4000.0–10137.0
J012747+140543	01:27:47.8056	+14:05:43.296	2.4951	Sep 2004	Prochaska	U12E	0.50	1800.0	4000.0–10136.6
J013012+153158	01:30:12.36	+15:31:58.044	2.3493	Dec 2003	Prochaska	U57E	0.75	600.0	4000.0–10134.9
J013112+063339	01:31:12.1992	+06:33:39.996	4.417	Sep 2000	Djorgovski	C123E	1.00	3600.0	4000.0–9340.83
J013340+040059	01:33:40.32	+04:00:59.832	4.154	Dec 1999	Djorgovski	XXX	1.00	2400.0	4000.0–8852.17
...	...	...	...	Jan 2001	Wolfe	U22E	0.75	1800.0	4000.0–10134.6
J013421+330756	01:34:21.4992	+33:07:56.172	4.532	Sep 2000	Djorgovski	C123E	1.00	3600.0	4000.0–9340.83
J013515–021349	01:35:15.2208	–02:13:49.008	1.82	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10135.3
J013724+084338	01:37:24.48	+08:43:38.1	2.333	Aug 2013	Wolfe	U052E	0.75	3600.0	4000.0–10131.9
J013901–082444	01:39:01.4064	–08:24:44.028	3.0176	Sep 2004	Prochaska	U12E	0.50	1800.0	4000.0–10136.3
J014123–002422	01:41:23.04	–00:24:22.068	2.5979	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10135.3
J014214+002324	01:42:14.7528	+00:23:24.216	3.3726	Sep 2004	Wolfe	U45aE	0.50	1200.0	4000.0–10137.0
J014847–081936	01:48:47.6136	–08:19:36.336	1.6786	Jan 2005	Becker	U38E	1.00	600.0	4000.0–10136.0
J015153–002850	01:51:53.304	–00:28:50.268	1.9957	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10135.3
J015211+073550	01:52:11.1	+07:35:50.208	4.051	Jul 2001	Wolfe	U10E	0.50	1200.0	4000.0–10137.0
J015339–001105	01:53:39.612	–00:11:05.028	4.2022	Aug 2000	Tytler	U78E	0.50	4200.0	4000.0–10136.0
J015741–010629	01:57:41.568	–01:06:29.664	3.5716	Jan 2015	Cooksey	XXX	0.75	1100.0	4000.0–10130.2
J020332+001229	02:03:32.3808	+00:12:29.196	5.72	Oct 2010	Sargent	C197E	1.00	6600.0	4000.0–10131.2
J020651+121624	02:06:51.3744	+12:16:24.384	4.81	Jan 2003	Cowie	H25aE	0.75	10800.0	4000.0–10134.9
J020703+094059	02:07:03.4992	+09:40:59.016	4.136	Sep 2000	Djorgovski	C123E	1.00	4500.0	4000.0–9340.83
J020803–050259	02:08:03.0072	–05:02:59.316	1.85	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10135.3
J020944+051713	02:09:44.6112	+05:17:13.632	4.174	Sep 2007	Cowie	H183E	0.75	15900.0	4000.0–10131.9

Table 1 continued

Table 1 (*continued*)

Object	R.A. ^a	Dec. ^a	z_{em}^a	Observation	PI	Program	Slit	Total Exp,	Wavelength
	(J2000)	(J2000)		Date		ID ^b	"	Time (s)	Coverage (Å)
...	...	...	...	Dec 1999	Djorgovski	C117E	1.00	2100.0	4000.0–8856.59
...	...	...	...	Nov 2013	Kulkarni	A319E	0.75	1800.0	4000.0–10130.6
...	...	...	...	Jan 2001	Wolfe	U22E	0.50	1200.0	4000.0–10134.6
J021013–045620	02:10:13.1904	−04:56:20.904	6.438	Oct 2010	Sargent	C197E	0.75	6000.0	4000.0–10131.6
J021039–015213	02:10:39.8808	−01:52:13.8	2.372	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10135.3
J021043–001818	02:10:43.1616	−00:18:18.468	4.7749	Dec 2003	Djorgovski	XXX	1.00	3474.0	4000.0–9355.16
...	...	...	...	Jan 2010	Wolfe	U135E	0.50	2880.0	4000.0–10130.2
J021102–000910	02:11:02.7192	−00:09:10.296	4.9	Nov 2000	Cowie	H18aE	0.75	23400.0	4000.0–10136.0
...	...	...	...	Dec 2003	Djorgovski	C33E	1.00	3600.0	4000.0–9355.78
...	...	...	...	Nov 2004	Djorgovski	C11E	1.00	3600.0	4000.0–9354.54
J021120+110716	02:11:20.0304	+11:07:16.212	3.98	Dec 1999	Djorgovski	C117E	1.00	4200.0	4000.0–8853.35
J021750+004853	02:17:50.22	+00:48:53.7	3.298	Aug 2013	Wolfe	U052E	0.75	3600.0	4000.0–10131.9
J021817–022500	02:18:17.1192	−02:25:00.264	2.599	Oct 2011	Martin	U047E	1.00	3600.0	4000.0–10131.2
J022224+422138	02:22:24.40	+42:21:38.0	1.181	Jan 2012	Prochaska	U073E	0.50	600.0	4000.0–10130.2
J022513+004742	02:25:13.4136	+00:47:42.288	2.6998	Nov 2006	Martin	U086E	1.00	2711.0	4000.0–10134.9
J022517+004821	02:25:17.6808	+00:48:21.924	2.7211	Jan 2008	Djorgovski	C228E	1.00	11460.0	4000.0–10130.2
J022554+005451	02:25:54.852	+00:54:51.912	2.9801	Dec 2003	Prochaska	XXX	0.50	1800.0	4000.0–10135.3
...	...	...	...	Sep 2004	Prochaska	U12E	0.50	1800.0	4000.0–10136.6
...	...	...	...	Sep 2004	Wolfe	U45aE	0.50	900.0	4000.0–10137.3
J023011–033450	02:30:11.2992	−03:34:50.088	2.872	Nov 2013	Kulkarni	A319E	0.75	2100.0	4000.0–10130.9
J023137–072854	02:31:37.6512	−07:28:54.48	5.4135	Jan 2003	Cowie	XXX	0.75	4800.0	4000.0–10135.3
...	...	...	...	Jan 2002	Madau	U63E	0.75	9000.0	4000.0–10134.9
...	...	...	...	Feb 2002	Madau	U37E	0.75	1800.0	4000.0–10134.9
...	...	...	...	Jan 2013	Wolfe	U067E	0.75	5400.0	4000.0–10130.2
J023408–075107	02:34:08.976	−07:51:07.596	2.5480	Sep 2004	Prochaska	U12E	0.50	1800.0	4000.0–10136.6
J023903–003850	02:39:03.432	−00:38:50.856	3.0817	Dec 2006	Wolfe	U131E	0.50	3600.0	4000.0–10136.0
J023946–010644	02:39:46.4448	−01:06:44.172	3.1356	Jan 2004	Becker	U51E	1.00	1800.0	4000.0–10135.3
J024401–013403	02:44:01.836	−01:34:03.936	4.053	Aug 2000	Tytler	U78E	0.50	2700.0	4000.0–10136.0
J024457–010809	02:44:57.1824	−01:08:09.888	3.9965	Sep 2000	Djorgovski	C123E	1.00	2400.0	4000.0–9340.83
J024512–011313	02:45:12.12	−01:13:13.98	2.4712	Jan 2004	Becker	XXX	1.00	1200.0	4000.0–10135.3
...	...	...	...	Nov 2006	Martin	U086E	1.00	12400.0	4000.0–10135.3
J024634–082536	02:46:34.1088	−08:25:36.12	1.6895	Dec 2002	Becker	U11E	1.00	900.0	4000.0–10135.3
J024756–055558	02:47:56.4528	−05:55:58.332	4.238	Aug 2000	Tytler	U78E	0.50	3000.0	4000.0–10136.0
J024854+180249	02:48:54.3	+18:02:49.992	4.422	Dec 1999	Djorgovski	XXX	1.00	3600.0	4000.0–8851.58
...	...	...	...	Jan 2000	Tytler	XXX	0.50	1800.0	4000.0–9450.44
J025518+004847	02:55:18.5784	+00:48:47.448	4.0151	Dec 2010	Prochaska	U025E	0.50	2400.0	4000.0–10130.2
J025758–010321	02:57:58.94	−01:03:21.5	2.627	Oct 2011	Martin	U047E	1.00	6255.0	4000.0–10131.2
J025753–010452	02:57:53.4312	−01:04:52.356	2.5623	Oct 2011	Martin	U047E	1.00	3600.0	4000.0–10131.2
J030331–001912	03:03:31.3992	−00:19:12.9	6.07	Oct 2010	Sargent	C197E	1.00	6000.0	4000.0–10131.6
J031609+004043	03:16:09.744	+00:40:40.62	2.9207	Dec 2003	Prochaska	U57E	0.50	1200.0	4000.0–10135.3
J031722+004801	03:17:22.0632	+00:48:01.764	0.1572	Jan 2005	Becker	U38E	1.00	600.0	4000.0–10136.3
J031856–060037	03:18:56.6256	−06:00:37.728	1.9668	Sep 2004	Prochaska	XXX	0.50	900.0	4000.0–10137.0
...	...	...	...	Sep 2004	Wolfe	XXX	0.50	900.0	4000.0–10137.3
J032042+020816	03:20:42.7008	+02:08:16.008	3.84	Dec 1999	Djorgovski	C117E	1.00	3390.0	4000.0–8848.33
J032723+002529	03:27:23.2416	+00:25:29.568	3.0318	Jan 2008	Djorgovski	C228E	1.00	3600.0	4000.0–10130.2
J033119–074143	03:31:19.6656	−07:41:43.116	4.7085	Jan 2010	Wolfe	U135E	0.75	4320.0	4000.0–10130.2
J033413–161205	03:34:13.4496	−16:12:05.184	4.363	Jan 2004	Cowie	H45aE	0.75	10800.0	4000.0–10135.3
...	...	...	...	Jan 2000	Tytler	U68E	0.50	2700.0	4000.0–9450.44
J033829+002156	03:38:29.3064	+00:21:56.268	5.0709	Nov 2000	Cowie	H18aE	0.75	26100.0	4000.0–10136.0
...	...	...	...	Dec 2003	Djorgovski	C33E	1.00	4500.0	4000.0–9356.1
...	...	...	...	Nov 2004	Djorgovski	C11E	1.00	3600.0	4000.0–9354.22
...	...	...	...	Mar 2000	Sargent	C12E	0.75	10200.0	4000.0–10133.9
J034300–062229	03:43:00.8808	−06:22:29.964	3.6208	Jan 2012	Prochaska	U073E	0.75	3600.0	4000.0–10129.9

Table 1 *continued*

Table 1 (*continued*)

Object	R.A. ^a	Dec. ^a	z_{em}^a	Observation	PI	Program	Slit	Total Exp,	Wavelength
	(J2000)	(J2000)		Date		ID ^b	"	Time (s)	Coverage (Å)
J034402−065300	03:44:02.8512	−06:53:00.6	3.9571	Jan 2015	Cooksey	XXX	0.75	1950.0	4000.0–10130.2
J035349+010404	03:53:49.7208	+01:04:04.404	6.049	Jan 2006	Becker	XXX	1.00	3600.0	4000.0–10136.6
...	...	...	...	Oct 2010	Sargent	C197E	1.00	13200.0	4000.0–10131.6
J035504−381142	03:55:04.8888	−38:11:42.576	4.545	Jan 2003	Cowie	H25aE	0.75	9000.0	4000.0–10135.6
J042610−220217	04:26:10.3296	−22:02:17.304	4.32	Jan 2004	Cowie	H45aE	0.75	10800.0	4000.0–10135.3
...	...	...	...	Jan 2001	Wolfe	U22E	0.50	1800.0	4000.0–10134.9
J043742−004517	04:37:42.8112	−00:45:17.604	2.8183	Dec 2000	Becker	U56E	0.75	1800.0	4000.0–10135.6
J043923−020701	04:39:23.2008	−02:07:01.2	4.4	Mar 2000	Sargent	C12E	0.75	2400.0	4000.0–10133.9
J044652−310215	04:46:52.00	−31:02:15.0	1.915	Dec 2000	Becker	U56E	0.75	3600.0	4000.0–10135.6
J045251+035557	04:52:51.4992	+03:55:57	4.42	Dec 1999	Djorgovski	XXX	1.00	3600.0	4000.0–9450.44
...	...	...	...	Mar 2000	Sargent	XXX	0.75	3000.0	4000.0–10133.9
J050756+673724	05:07:56.2512	+67:37:24.384	0.314	Jan 2012	Prochaska	U073E	0.50	600.0	4000.0–10130.6
J063505+824554	06:35:05.184	+82:45:54.576	2.6409	Mar 2013	Ge	A288E	0.75	1200.0	4000.0–10130.6
J071424+353439	07:14:24.8184	+35:34:39.792	1.62	Mar 2001	Becker	U55E	1.00	900.0	4000.0–10134.9
J072330+355426	07:23:30.00	+35:54:26.0	4.65	Dec 2000	Becker	U56E	0.75	1200.0	4000.0–10136.3
J072910+333633	07:29:10.3992	+33:36:33.984	0.95	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10136.3
J073149+285448	07:31:49.5144	+28:54:48.78	3.6713	Dec 2010	Prochaska	U025E	0.50	1800.0	4000.0–10131.6
J073735+280927	07:37:35.5032	+28:09:27.612	3.0069	Dec 2006	Wolfe	U131E	0.50	5700.0	4000.0–10136.3
J073820+275045	07:38:20.1	+27:50:45.312	1.9593	Jan 2006	Becker	U19E	1.00	1200.0	4000.0–10137.3
J073849+315611	07:38:49.7592	+31:56:11.904	0.2973	Dec 2002	Becker	U11E	1.00	900.0	4000.0–10136.6
J073912+412737	07:39:12.9552	+41:27:37.404	3.0936	Oct 2011	Martin	XXX	1.00	6660.0	4000.0–10132.2
...	...	...	...	Feb 2012	Martin	U078E	1.00	4400.0	4000.0–10130.6
J073952+221307	07:39:52.956	+22:13:07.428	3.7391	Feb 2008	Tytler	U039E	1.00	2280.0	4000.0–10130.2
J074344+142134	07:43:44.26	+14:21:34.9	2.281	Nov 2013	Kulkarni	A319E	0.75	4900.0	4000.0–10131.9
J074417+320805	07:44:17.2632	+32:08:05.784	1.0530	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10136.3
J074521+473436	07:45:21.7872	+47:34:36.228	3.2208	Mar 2000	Tytler	U2E	0.50	1800.0	4000.0–9374.51
J074528+455406	07:45:28.09	+45:54:06.3	2.2	Mar 2013	Ge	A288E	0.75	3600.0	4000.0–10130.2
J074711+273903	07:47:11.1528	+27:39:03.348	4.17	Mar 2000	Becker	XXX	0.75	900.0	4000.0–10134.3
...	...	...	...	Jan 2003	Cowie	H25aE	0.75	5400.0	4000.0–10136.3
J074749+443417	07:47:49.7496	+44:34:17.112	4.4324	Jan 2003	Cowie	XXX	0.75	5400.0	4000.0–10136.3
...	...	...	...	Dec 1999	Djorgovski	XXX	1.00	5400.0	4000.0–8852.76
...	...	...	...	Mar 2000	Sargent	C12E	0.75	1800.0	4000.0–10134.3
...	...	...	...	Mar 2009	Wolfe	U143E	0.75	3600.0	4000.0–10130.2
J074809+300630	07:48:09.468	+30:06:30.528	1.6981	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10136.3
J075103+424211	07:51:03.9528	+42:42:11.628	4.1773	Jan 2015	Cooksey	XXX	0.75	3000.0	4000.0–10131.2
J075155+451619	07:51:55.1016	+45:16:19.704	3.3399	Dec 2010	Prochaska	U025E	0.50	2400.0	4000.0–10131.6
J075159+353338	07:51:59.292	+35:33:38.412	2.2353	Dec 2003	Prochaska	U57E	0.75	2100.0	4000.0–10136.3
J075618+410408	07:56:18.1416	+41:04:08.652	5.1069	Mar 2003	Cowie	H46aE	0.75	10800.0	4000.0–10135.3
...	...	...	...	Mar 2004	Cowie	H53bE	0.75	10800.0	4000.0–10135.6
...	...	...	...	Mar 2001	Djorgovski	C43E	1.00	9000.0	4000.0–9450.44
...	...	...	...	Nov 2004	Djorgovski	C11E	1.00	5400.0	4000.0–9355.78
...	...	...	...	Jan 2013	Wolfe	U067E	0.75	1800.0	4000.0–10131.2
J075852+133530	07:58:52.68	+13:35:30.84	3.3801	Feb 2008	Tytler	U039E	1.00	2100.0	4000.0–10130.6
J075907+180054	07:59:07.5792	+18:00:54.72	4.8618	Jan 2010	Wolfe	U135E	0.75	4320.0	4000.0–10130.9
J075951+312941	07:59:51.8376	+31:29:41.172	3.1629	May 2008	Sargent	XXX	0.75	1200.0	4000.0–10129.9
...	...	...	...	Dec 2006	Wolfe	U131E	0.50	3600.0	4000.0–10136.3
J080036+501044	08:00:36.0144	+50:10:44.292	1.6224	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10136.3
J080137+472528	08:01:37.6824	+47:25:28.236	3.2667	Dec 2003	Prochaska	U57E	0.75	1200.0	4000.0–10136.3
J080505+355049	08:05:05.6208	+35:50:49.416	1.6690	Jan 2006	Becker	U19E	1.00	3600.0	4000.0–10138.0
J080620+504124	08:06:20.4744	+50:41:24.504	2.4641	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10136.3
J080623+200631	08:06:23.7048	+20:06:31.896	1.5403	Apr 2005	Becker	U42E	1.00	900.0	4000.0–10135.3
J080849+521515	08:08:49.4328	+52:15:15.372	4.4552	Apr 2000	Djorgovski	XXX	1.00	4200.0	4000.0–9352.35
...	...	...	...	Mar 2000	Sargent	C12E	0.75	2000.0	4000.0–10134.3

Table 1 continued

Table 1 (*continued*)

Object	R.A. ^a	Dec. ^a	z_{em}^a	Observation	PI	Program	Slit	Total Exp,	Wavelength
	(J2000)	(J2000)		Date		ID ^b	"	Time (s)	Coverage (Å)
...	...	...	...	Apr 2000	Wolfe	U32E	0.75	2400.0	4000.0–10134.3
J080919+472311	08:09:19.32	+47:23:11.724	1.0797	Mar 2001	Becker	U55E	1.00	900.0	4000.0–10134.9
J080956+502000	08:09:56.028	+50:20:00.96	3.2879	Feb 2008	Tytler	U039E	1.00	660.0	4000.0–10130.6
J081039+345730	08:10:39.7944	+34:57:30.996	3.772	Jan 2015	Cooksey	XXX	0.75	2300.0	4000.0–10131.2
J081054+460357	08:10:54.8928	+46:03:57.852	4.0740	Mar 2001	Djorgovski	XXX	1.00	3600.0	4000.0–9450.44
...	...	...	...	Dec 2003	Prochaska	XXX	0.75	900.0	4000.0–10136.3
J081058+413402	08:10:58.9944	+41:34:02.82	0.5064	Dec 2002	Becker	U11E	1.00	600.0	4000.0–10136.6
J081114+393633	08:11:14.3304	+39:36:33.3	3.0919	Jan 2012	Prochaska	U073E	0.75	3600.0	4000.0–10130.9
J081240+320808	08:12:40.68	+32:08:08.52	2.7031	Jan 2001	Wolfe	U22E	0.50	1200.0	4000.0–10135.6
J081333+350810	08:13:33.3288	+35:08:10.824	4.9230	Mar 2010	Wolfe	U018E	0.75	1400.0	4000.0–10130.2
J081435+502946	08:14:35.1768	+50:29:46.464	3.8846	Mar 2006	Wolfe	U146E	0.50	3600.0	4000.0–10136.6
J081552+271018	08:15:52.7664	+27:10:18.804	3.1922	Feb 2008	Tytler	U039E	1.00	1620.0	4000.0–10130.6
J081618+482328	08:16:18.9936	+48:23:28.428	3.5741	Dec 2010	Prochaska	XXX	0.50	2400.0	4000.0–10131.6
...	...	...	...	Feb 2004	Wolfe	U56bE	0.50	2400.0	4000.0–10135.6
J081739+435420	08:17:39.5856	+43:54:20.304	0.1860	Dec 2002	Becker	U11E	1.00	600.0	4000.0–10136.6
J081740+135134	08:17:40.5264	+13:51:34.596	4.3787	Jan 2010	Wolfe	U135E	0.75	3600.0	4000.0–10131.2
J081806+071920	08:18:06.8784	+07:19:20.28	4.6159	Nov 2006	Martin	U086E	1.00	1800.0	4000.0–10136.3
J081813+072054	08:18:13.1472	+07:20:54.924	4.1590	Mar 2008	Djorgovski	XXX	1.00	3600.0	4000.0–10130.6
...	...	...	...	Jan 2012	Prochaska	U073E	0.75	3600.0	4000.0–10130.9
J081813+263136	08:18:13.056	+26:31:36.912	4.1800	Jan 2013	Wolfe	U067E	0.75	3600.0	4000.0–10131.2
J081827+172251	08:18:27.4008	+17:22:51.816	6.02	Apr 2005	Becker	U42E	1.00	2400.0	4000.0–10135.3
J081855+095848	08:18:55.7808	+09:58:48.036	3.674	Jan 2015	Cooksey	XXX	0.75	1500.0	4000.0–10131.2
J081948+420929	08:19:48.9096	+42:09:29.988	1.9258	Mar 2001	Becker	U55E	1.00	1200.0	4000.0–10986.4
J082020+364004	08:20:20.1888	+36:40:04.476	0.393	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10136.3
J082107+310751	08:21:07.6128	+31:07:51.132	2.6133	Mar 2000	Tytler	XXX	0.50	1800.0	4000.0–9374.51
...	...	...	...	Jan 2001	Wolfe	XXX	0.50	1200.0	4000.0–10135.6
J082138+121730	08:21:38.9424	+12:17:30.048	3.115	Apr 2001	Sargent	C16E	0.75	10800.0	4000.0–10134.9
J082239+173122	08:22:39.9096	+17:31:22.584	2.7127	Feb 2008	Tytler	U039E	1.00	1500.0	4000.0–10130.6
J082340+342753	08:23:40.476	+34:27:53.064	4.2403	Jan 2015	Cooksey	XXX	0.75	2700.0	4000.0–10131.2
J082454+130217	08:24:54.024	+13:02:17.016	5.1877	Mar 2012	Wolfe	U049E	0.75	7200.0	4000.0–10130.6
J082455+391641	08:24:55.4832	+39:16:41.916	1.2159	Mar 2001	Becker	U55E	1.00	900.0	4000.0–10134.9
J082502+471652	08:25:02.04	+47:16:52.176	0.803	Dec 2000	Becker	XXX	0.75	1200.0	4000.0–10136.3
...	...	...	...	Jan 2005	Becker	XXX	1.00	900.0	4000.0–10137.3
J082535+512706	08:25:35.1888	+51:27:06.372	3.5061	Feb 2008	Tytler	XXX	1.00	780.0	4000.0–10130.6
...	...	...	...	Mar 2008	Wolfe	U048E	0.75	2700.0	4000.0–10130.6
J082540+354414	08:25:40.128	+35:44:14.28	3.8459	Mar 2008	Wolfe	U048E	0.75	2700.0	4000.0–10130.2
J082619+314848	08:26:19.7088	+31:48:48.024	3.0975	Mar 2006	Wolfe	U146E	0.50	3300.0	4000.0–10136.6
J082628+152308	08:26:28.176	+15:23:08.124	3.5205	Feb 2008	Tytler	U039E	1.00	1020.0	4000.0–10130.6
J082638+515233	08:26:38.5872	+51:52:33.168	2.8269	Feb 2004	Wolfe	U56bE	0.50	1202.0	4000.0–10135.6
J082837+454411	08:28:37.368	+45:44:11.832	2.0254	Dec 2003	Prochaska	U57E	0.75	1200.0	4000.0–10136.3
J082857+205243	08:28:57.48	+20:52:43.752	2.6408	May 2008	Sargent	C161E	0.75	900.0	4000.0–10129.9
J083011+375951	08:30:11.1432	+37:59:51.828	0.41	Dec 2000	Becker	U56E	0.75	600.0	4000.0–10136.3
J083122+404623	08:31:22.5768	+40:46:23.412	4.8850	Mar 2010	Wolfe	U018E	0.75	2458.0	4000.0–10130.2
J083141+524517	08:31:41.6904	+52:45:17.532	3.9122	Jan 2000	Tytler	U68E	0.50	4500.0	4000.0–9450.44
J083211+050900	08:32:11.65	+05:09:00.9	1.07	Jan 2006	Becker	U19E	1.00	1200.0	4000.0–10137.6
J083406+350602	08:34:06.9336	+35:06:02.88	0.4702	Dec 2002	Becker	XXX	1.00	900.0	4000.0–10136.6
...	...	...	...	Jan 2006	Becker	XXX	1.00	1200.0	4000.0–10137.6
J083429+214024	08:34:29.4408	+21:40:24.744	4.5204	Mar 2010	Wolfe	U018E	0.75	3600.0	4000.0–10130.2
J083643+005453	08:36:42.6648	+00:54:43.992	5.774	Feb 2002	Cowie	XXX	0.75	10800.0	4000.0–10135.6
...	...	...	...	Mar 2002	Cowie	XXX	0.75	2740.0	4000.0–10134.6
...	...	...	...	Jan 2003	Cowie	H25aE	0.75	5400.0	4000.0–10136.6
...	...	...	...	Jan 2004	Cowie	H45aE	0.75	10800.0	4000.0–10136.3
...	...	...	...	Jan 2002	Madau	U63E	0.75	18900.0	4000.0–10136.3

Table 1 *continued*

Table 1 (*continued*)

Object	R.A. ^a	Dec. ^a	z_{em}^a	Observation	PI	Program	Slit	Total Exp,	Wavelength
	(J2000)	(J2000)		Date		ID ^b	"	Time (s)	Coverage (Å)
...	...	...	...	Feb 2002	Madau	U37E	0.75	18900.0	4000.0–10135.6
J083920+352459	08:39:20.5272	+35:24:59.364	4.7765	Mar 2010	Wolfe	U018E	0.75	4200.0	4000.0–10130.2
J084032+494252	08:40:32.9616	+49:42:52.992	2.0724	Dec 2003	Prochaska	U57E	0.75	1800.0	4000.0–10136.3
J084035+562419	08:40:35.0904	+56:24:19.908	5.8441	Mar 2006	Becker	XXX	1.00	1200.0	4000.0–10135.3
...	...	...	...	Apr 2004	Djorgovski	XXX	1.00	1800.0	4000.0–9355.47
J084104+360450	08:41:04.9776	+36:04:50.052	0.553	Jan 2002	Chaffee	K03E	1.00	900.0	4000.0–10136.0
J084107+333921	08:41:07.2408	+33:39:21.78	3.0663	Apr 2012	Martin	U048E	1.00	3600.0	4000.0–10130.2
J084119+290504	08:41:19.5192	+29:05:04.416	5.98	Mar 2006	Becker	U085E	1.00	2400.0	4000.0–10135.3
J084229+121848	08:42:29.2296	+12:18:48.204	6.08	Mar 2006	Becker	U085E	1.00	2400.0	4000.0–10135.3
J084407+515311	08:44:07.2984	+51:53:11.22	3.2001	Dec 2003	Prochaska	U57E	0.75	1800.0	4000.0–10136.3
J084424+124546	08:44:24.2448	+12:45:46.584	2.4894	Dec 2003	Prochaska	XXX	0.50	900.0	4000.0–10136.6
...	...	...	...	Jan 2013	Wolfe	XXX	0.75	960.0	4000.0–10131.6
J084512+543421	08:45:12.7416	+54:34:21.54	1.2922	Mar 2004	Becker	U12E	1.00	1200.0	4000.0–10135.3
J084908+152931	08:49:08.1024	+15:29:31.56	2.928	Jan 2000	Tytler	U68E	0.50	2100.0	4000.0–9450.44
J085042+515911	08:50:42.2496	+51:59:11.688	1.8959	Mar 2013	Ge	A288E	0.75	2400.0	4000.0–10130.2
J085143+233208	08:51:43.728	+23:32:08.988	4.4994	Dec 2010	Prochaska	U025E	0.50	3600.0	4000.0–10131.2
J085726+331317	08:57:26.952	+33:13:17.148	2.34	Jan 2005	Becker	U38E	1.00	900.0	4000.0–10137.3
J090033+421547	09:00:33.5256	+42:15:47.304	3.2942	Jan 2000	Tytler	U68E	0.50	1800.0	4000.0–9450.44
J090122+204446	09:01:22.68	+20:44:46.536	2.1033	Mar 2013	Ge	A288E	0.75	5400.0	4000.0–10130.2
J090208+514352	09:02:08.628	+51:43:52.644	1.9784	Dec 2003	Prochaska	U57E	0.75	1200.0	4000.0–10136.3
J090450–014524	09:04:50.5008	–01:45:24.588	1.0	Dec 2002	Becker	U11E	1.00	900.0	4000.0–10137.0
J090940+330347	09:09:40.6704	+33:03:47.664	3.7813	Dec 2006	Wolfe	U131E	0.50	3600.0	4000.0–10136.6
...	...	...	...	Mar 2008	Wolfe	U048E	0.75	2700.0	4000.0–10130.6
J091044+261253	09:10:44.904	+26:12:53.712	2.9424	Dec 2000	Becker	U56E	0.75	3600.0	4000.0–10136.6
J091210+054742	09:12:10.3488	+05:47:42.072	3.2473	Dec 2006	Wolfe	U131E	0.50	2700.0	4000.0–10136.6
J091223+562128	09:12:23.016	+56:21:28.584	3.0043	Dec 2003	Prochaska	U57E	0.75	900.0	4000.0–10136.3
J091247–004717	09:12:47.5992	–00:47:17.412	2.8704	Dec 2003	Prochaska	U57E	0.50	900.0	4000.0–10137.0
J091316+591921	09:13:16.5576	+59:19:21.612	5.1224	Dec 2003	Djorgovski	XXX	1.00	5400.0	4000.0–9357.03
...	...	...	...	Nov 2004	Djorgovski	C11E	1.00	5400.0	4000.0–9355.16
J091322+163116	09:13:22.3104	+16:31:16.176	3.7003	Feb 2008	Tytler	U039E	1.00	1980.0	4000.0–10130.6
J091501+241812	09:15:01.7184	+24:18:12.132	0.8444	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10136.6
J091552+293324	09:15:52.4016	+29:33:24.048	0.101	Feb 2011	Prochaska	U041E	0.75	3127.0	4000.0–10130.9
J091608–031939	09:16:08.5704	–03:19:39.9	1.56	Mar 2001	Becker	U55E	1.00	900.0	4000.0–10135.3
J091613+070224	09:16:13.9632	+07:02:24.468	2.774	Jan 2000	Tytler	U68E	0.50	1800.0	4000.0–9450.44
J092112+452904	09:21:12.83	+45:29:03.9	1.658	Apr 2001	Sargent	C16E	0.75	9000.0	4000.0–10134.9
J092455+021925	09:24:55.812	+02:19:25.176	1.5246	Jan 2002	Chaffee	K03E	1.00	1200.0	4000.0–10136.6
J092459+095103	09:24:59.9136	+09:51:03.456	3.4305	May 2008	Sargent	C161E	0.75	2400.0	4000.0–10129.9
J092636+305504	09:26:36.3192	+30:55:04.98	4.19	Jan 2004	Cowie	H45aE	0.75	10800.0	4000.0–10136.3
...	...	...	...	Dec 1999	Djorgovski	C117E	1.00	2400.0	4000.0–8856.59
J092705+562114	09:27:05.9088	+56:21:14.148	2.2788	Dec 2003	Prochaska	U57E	0.75	900.0	4000.0–10136.3
J092708+582319	09:27:08.8824	+58:23:19.392	1.9150	Dec 2003	Prochaska	U57E	0.75	900.0	4000.0–10136.3
J092721+200123	09:27:21.8208	+20:01:23.7	5.7722	Mar 2006	Becker	U085E	1.00	1200.0	4000.0–10135.3
J092744+393038	09:27:44.3784	+39:30:38.412	1.17	Mar 2004	Becker	U12E	1.00	1200.0	4000.0–10135.3
J092814+093955	09:28:14.9328	+09:39:55.332	3.6545	May 2008	Sargent	C161E	0.75	1800.0	4000.0–10129.9
J092837+404845	09:28:37.428	+40:48:45.144	0.8303	Dec 2000	Becker	U56E	0.75	600.0	4000.0–10136.6
J092914+282529	09:29:14.4936	+28:25:29.136	3.4062	Dec 2006	Wolfe	U131E	0.50	1800.0	4000.0–10136.6
J092953+160604	09:29:53.616	+16:06:04.068	4.2001	Mar 2008	Djorgovski	C193E	1.00	3600.0	4000.0–10130.9
J093255+284036	09:32:55.4544	+28:40:36.768	0.5471	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10136.6
J093337+284532	09:33:37.2984	+28:45:32.256	3.4214	Jan 2001	Wolfe	U22E	0.50	1200.0	4000.0–10136.0
J094054+054903	09:40:54.564	+05:49:03.54	3.2482	May 2008	Sargent	C161E	0.75	1100.0	4000.0–10129.9
J094056+584830	09:40:56.016	+58:48:30.276	4.6587	Dec 2000	Becker	U56E	0.75	1200.0	4000.0–10136.3
J094108+594725	09:41:08.3592	+59:47:25.836	4.7903	Dec 2000	Becker	U56E	0.75	1200.0	4000.0–10136.3
J094257–004705	09:42:57.816	–00:47:05.28	1.3628	Dec 2002	Becker	U11E	1.00	720.0	4000.0–10137.0

Table 1 continued

Table 1 (continued)

Object	R.A. ^a	Dec. ^a	z_{em}^a	Observation	PI	Program	Slit	Total Exp,	Wavelength
	(J2000)	(J2000)		Date		ID ^b	"	Time (s)	Coverage (Å)
J094317+541705	09:43:17.6064	+54:17:05.136	2.2304	Apr 2005	Becker	U42E	1.00	1200.0	4000.0–10135.6
J094320+365445	09:43:20.5056	+36:54:45.504	0.555	Feb 2003	Becker	U2E	1.00	900.0	4000.0–10136.0
J094453+504300	09:44:53.8152	+50:43:00.876	3.7889	Jan 2008	Djorgovski	C228E	1.00	2400.0	4000.0–10131.6
J094604+183539	09:46:04.7952	+18:35:39.732	4.8464	Jan 2015	Cowie	H266E	0.75	16500.0	4000.0–10131.2
J094835+432302	09:48:35.9616	+43:23:02.616	1.8941	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10136.6
J094902+414050	09:49:02.8272	+41:40:50.232	2.7909	Feb 2008	Tytler	U039E	1.00	1200.0	4000.0–10130.6
J094927+111518	09:49:27.8832	+11:15:18.288	3.8237	Jan 2012	Prochaska	U073E	0.75	2400.0	4000.0–10131.2
J094939+393642	09:49:39.9312	+39:36:42.912	0.6541	Jan 2005	Becker	U38E	1.00	900.0	4000.0–10137.6
J095014+580136	09:50:14.052	+58:01:36.516	3.9889	Dec 1999	Djorgovski	C117E	1.00	2400.0	4000.0–8853.05
J095151+594556	09:51:51.1824	+59:45:56.196	4.8592	Dec 2000	Becker	U56E	0.75	1200.0	4000.0–10136.3
J095232+025728	09:52:32.2128	+02:57:28.368	1.3583	Jan 2005	Becker	U38E	1.00	900.0	4000.0–10137.6
J095256+332939	09:52:56.4144	+33:29:39.084	3.4066	Dec 2006	Wolfe	U131E	0.50	3600.0	4000.0–10136.6
J095317+243022	09:53:17.2296	+24:30:22.464	3.6870	Feb 2008	Tytler	U039E	1.00	2100.0	4000.0–10130.9
J095327+322551	09:53:27.9576	+32:25:51.528	1.5756	Mar 2013	Ge	A288E	0.75	1200.0	4000.0–10130.6
J095500–013006	09:55:00.0936	–01:30:06.516	4.4336	Nov 2000	Cowie	H18aE	0.75	9900.0	4000.0–10137.3
...	...	...	...	Mar 2000	Sargent	C12E	0.75	3000.0	4000.0–10134.6
J095511+594030	09:55:11.3256	+59:40:30.756	4.3364	Dec 1999	Djorgovski	C117E	1.00	3483.0	4000.0–8858.96
J095524+604550	09:55:24.4008	+60:45:50.652	0.7181	Feb 2003	Becker	U2E	1.00	1200.0	4000.0–10135.6
J095525+604533	09:55:25.392	+60:45:33.516	0.719	Feb 2003	Becker	U2E	1.00	1200.0	4000.0–10135.6
J095537+333503	09:55:37.9392	+33:35:03.948	2.5079	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10136.6
J095542+411655	09:55:42.1224	+41:16:55.272	3.4203	May 2008	Sargent	C161E	0.75	1800.0	4000.0–10129.9
J095543–012351	09:55:43.66	–01:23:51.5	2.844	Feb 2014	Prochaska	U057E	0.75	17100.0	4000.0–10131.2
J095604+344415	09:56:04.4352	+34:44:15.576	3.4241	Dec 2010	Prochaska	U025E	0.50	2400.0	4000.0–10131.9
J095605+144854	09:56:05.0952	+14:48:54.756	3.435	Dec 2010	Prochaska	U025E	0.50	1800.0	4000.0–10131.9
J095625+264321	09:56:25.9344	+26:43:21.612	3.085	Apr 2007	Djorgovski	C267E	1.00	3940.0	4000.0–10128.5
J095625+473442	09:56:25.1712	+47:34:42.564	4.457	Mar 2000	Sargent	XXX	0.75	3611.0	4000.0–10134.6
...	...	...	...	Jan 2001	Wolfe	U22E	0.50	4800.0	4000.0–10135.6
J095627+264324	09:56:27.1368	+26:43:24.528	3.0923	Apr 2007	Martin	U047E	1.00	13200.0	4000.0–10127.5
J095727+051905	09:57:27.86	+05:19:05.2	5.185	Jan 2013	Wolfe	U067E	0.75	5400.0	4000.0–10131.6
J095744+330820	09:57:44.4648	+33:08:20.796	4.2270	Dec 1999	Djorgovski	XXX	1.00	3300.0	4000.0–8853.94
...	...	...	...	Apr 2000	Wolfe	XXX	0.75	1200.0	4000.0–10134.3
J095903+103245	09:59:03.8352	+10:32:45.276	4.024	Mar 2006	Martin	U100E	1.00	4645.0	4000.0–10135.6
J095905+103325	09:59:05.1312	+10:33:25.056	4.0195	Nov 2006	Martin	U086E	1.00	6917.0	4000.0–10136.3
J100151+034301	10:01:51.456	+03:43:01.488	3.2016	May 2008	Sargent	C161E	0.75	1222.0	4000.0–10129.9
J100311+505705	10:03:11.5608	+50:57:05.184	1.8409	Dec 2000	Becker	U56E	0.75	1200.0	4000.0–10136.6
J100321+552059	10:03:21.12	+55:20:59.496	3.0678	May 2008	Sargent	C161E	0.75	2000.0	4000.0–10130.2
J100353+515457	10:03:53.6784	+51:54:57.132	1.5835	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10136.6
J100412+292121	10:04:12.4272	+29:21:21.564	3.6939	Jan 2015	Cooksey	XXX	0.75	2300.0	4000.0–10131.6
J100416+434739	10:04:16.1256	+43:47:39.084	4.8729	Mar 2010	Wolfe	U018E	0.75	4200.0	4000.0–10130.6
J100424+122922	10:04:24.8904	+12:29:22.272	2.6813	Dec 2000	Becker	U56E	0.75	1673.0	4000.0–10137.0
J100428+001825	10:04:28.4328	+00:18:25.668	3.0546	Feb 2008	Tytler	XXX	1.00	2040.0	4000.0–10130.9
...	...	...	...	Feb 2004	Wolfe	U56bE	0.50	2462.0	4000.0–10136.0
J100449+404554	10:04:49.5888	+40:45:54	4.8863	Jan 2013	Wolfe	U067E	0.75	3301.0	4000.0–10131.6
J100517+615417	10:05:17.6088	+61:54:17.28	2.7405	Feb 2008	Tytler	U039E	1.00	600.0	4000.0–10130.6
J100532+004155	10:05:32.5608	+00:41:55.968	1.7144	Jan 2002	Chaffee	K03E	1.00	900.0	4000.0–10136.6
J100606+260328	10:06:06.4344	+26:03:28.944	3.7931	Feb 2008	Tytler	U039E	1.00	1800.0	4000.0–10130.9
J100630+153843	10:06:30.36	+15:38:43.8	2.195	Mar 2013	Ge	A288E	0.75	5400.0	4000.0–10130.6
J100632+534852	10:06:32.3736	+53:48:52.524	1.04	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10136.6
J100636+511350	10:06:36.13	+51:13:50.3	2.472	Jan 2004	Becker	U51E	1.00	1200.0	4000.0–10136.3
J100800+062121	10:08:00.816	+06:21:21.204	1.72	Jan 2005	Becker	U38E	1.00	900.0	4000.0–10138.0
J100841+362319	10:08:41.2464	+36:23:19.248	3.1290	Jan 2000	Tytler	U68E	0.50	1800.0	4000.0–9450.44
J101004+041621	10:10:04.3656	+04:16:21.648	1.51	Feb 2003	Becker	U2E	1.00	1200.0	4000.0–10136.0
J101004+041636	10:10:04.98	+04:16:36.156	1.5098	Feb 2003	Becker	U2E	1.00	1200.0	4000.0–10136.0

Table 1 continued

Table 1 (*continued*)

Object	R.A. ^a	Dec. ^a	z_{em}^a	Observation	PI	Program	Slit	Total Exp,	Wavelength
	(J2000)	(J2000)		Date		ID ^b	"	Time (s)	Coverage (Å)
J101046−013104	10:10:46.368	−01:31:04.368	5.09	Jan 2015	Cowie	H266E	0.75	1800.0	4000.0–10131.6
J101119+520537	10:11:19.2744	+52:05:37.176	0.901	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10136.6
J101155+294141	10:11:55.5984	+29:41:41.604	2.62	Feb 2008	Tytler	U039E	1.00	600.0	4000.0–10130.9
J101316+511118	10:13:16.8408	+51:11:18.888	1.16	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10136.6
J101332+263149	10:13:32.3304	+26:31:49.836	3.7026	Jan 2015	Cooksey	XXX	0.75	2500.0	4000.0–10131.6
J101336+424026	10:13:36.3384	+42:40:26.508	5.0386	Mar 2010	Wolfe	U018E	0.75	5400.0	4000.0–10130.6
J101347+065015	10:13:47.2968	+06:50:15.684	3.7921	Jan 2015	Cooksey	XXX	0.75	2500.0	4000.0–10131.9
J101559+195256	10:15:59.6328	+19:52:56.604	2.5529	Feb 2008	Tytler	U039E	1.00	660.0	4000.0–10130.9
J101614+520915	10:16:14.2584	+52:09:15.444	2.455	Apr 2000	Davis	U61E	1.00	1800.0	4000.0–10134.6
J101725+611627	10:17:25.8864	+61:16:27.48	2.8005	Dec 2003	Prochaska	XXX	0.50	1235.0	4000.0–10136.6
...	...	...	...	Jan 2000	Tytler	XXX	0.50	1800.0	4000.0–9450.44
...	...	...	...	Dec 2006	Wolfe	XXX	0.50	1800.0	4000.0–10136.3
...	...	...	...	Mar 2008	Wolfe	U048E	0.75	1800.0	4000.0–10130.6
J101742+535635	10:17:42.636	+53:56:35.088	1.3992	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10136.6
J101806+310627	10:18:06.2808	+31:06:27.288	3.6424	Dec 2010	Prochaska	U025E	0.50	1800.0	4000.0–10131.9
J101827+053029	10:18:27.8472	+05:30:29.952	1.9452	Jan 2004	Becker	U51E	1.00	900.0	4000.0–10136.6
J101829+213530	10:18:29.7264	+21:35:30.012	0.2427	Feb 2003	Becker	U2E	1.00	900.0	4000.0–10136.0
J101948+354146	10:19:48.0024	+35:41:46.464	2.6837	Mar 2000	Tytler	U2E	0.50	1800.0	4000.0–9374.83
J101954+082515	10:19:54.54	+08:25:15.096	2.9948	Mar 2006	Tytler	U074E	1.00	3000.0	4000.0–10142.0
J102036+602338	10:20:36.1032	+60:23:38.976	0.994	Mar 2013	Ge	A288E	0.75	1200.0	4000.0–10130.6
J102116+111227	10:21:16.4712	+11:12:27.936	3.805	Apr 2007	Martin	U047E	1.00	21600.0	4000.0–10127.8
J102144+233738	10:21:44.0568	+23:37:38.64	0.1968	Dec 2000	Becker	U56E	0.75	600.0	4000.0–10137.0
J102156+300140	10:21:56.5632	+30:01:40.476	3.1283	Jan 2001	Wolfe	U22E	0.50	1800.0	4000.0–10136.0
J102229+192938	10:22:29.3688	+19:29:38.904	0.406	Feb 2003	Becker	U2E	1.00	900.0	4000.0–10136.0
J102332+633508	10:23:32.0736	+63:35:08.052	4.8814	Dec 2000	Becker	U56E	0.75	1200.0	4000.0–10136.3
J102616+461420	10:26:16.11	+46:14:20.8	3.421	Jan 2008	Djorgovski	C228E	1.00	3600.0	4000.0–10131.6
J102618+461445	10:26:18.804	+46:14:45.24	3.3354	Jan 2008	Djorgovski	C228E	1.00	3600.0	4000.0–10131.6
J102633+062909	10:26:33.21	+06:29:09.4	3.117	Jun 2008	Djorgovski	C194E	1.00	4500.0	4000.0–10129.9
J102656+382843	10:26:56.5968	+38:28:43.896	4.1565	Apr 2000	Djorgovski	C9E	1.00	6615.0	4000.0–9352.98
...	...	...	...	Mar 2001	Djorgovski	C43E	1.00	1500.0	4000.0–9450.44
J102714+354317	10:27:14.7792	+35:43:17.436	3.1181	Feb 2008	Tytler	U039E	1.00	420.0	4000.0–10130.9
J103018+164633	10:30:18.4368	+16:46:33.06	3.988	Jan 2015	Cooksey	XXX	0.75	3600.0	4000.0–10131.9
J103027+052455	10:30:27.1008	+05:24:55.008	6.311	Jan 2002	Chaffee	K03E	1.00	14400.0	4000.0–10136.6
...	...	...	...	Feb 2002	Cowie	H11aE	0.75	16200.0	4000.0–10136.0
...	...	...	...	Jan 2003	Cowie	H25aE	0.75	5400.0	4000.0–10137.0
...	...	...	...	Jan 2002	Madau	U63E	0.75	5400.0	4000.0–10136.6
...	...	...	...	Feb 2002	Madau	U37E	0.75	7339.0	4000.0–10136.0
J103049+262926	10:30:49.1304	+26:29:26.808	3.1471	Feb 2008	Tytler	U039E	1.00	3120.0	4000.0–10130.9
J103126+405532	10:31:26.136	+40:55:32.556	3.0144	May 2008	Sargent	C161E	0.75	2000.0	4000.0–10130.2
J103514+544040	10:35:14.2248	+54:40:40.116	2.9963	Mar 2006	Wolfe	U146E	0.50	2700.0	4000.0–10137.0
J103633+282821	10:36:33.5496	+28:28:21.036	1.7705	Dec 2000	Becker	U56E	0.75	600.0	4000.0–10137.0
J103857+502707	10:38:57.3744	+50:27:07.488	3.1332	Jan 2008	Djorgovski	C228E	1.00	2000.0	4000.0–10131.6
J103900+502652	10:39:00.0168	+50:26:52.368	3.234	Jan 2008	Djorgovski	C228E	1.00	3600.0	4000.0–10131.6
J103909−231325	10:39:09.5112	−23:13:25.716	3.13	Jan 2001	Wolfe	U22E	0.50	1800.0	4000.0–10136.3
J103919+344504	10:39:19.284	+34:45:04.572	4.4188	Apr 2001	Djorgovski	C43E	1.00	9000.0	4000.0–9361.09
J104057+514505	10:40:57.6792	+51:45:05.904	4.0451	Jan 2015	Cooksey	XXX	0.75	1950.0	4000.0–10131.6
J104242+310713	10:42:42.4128	+31:07:13.26	4.6877	Mar 2010	Wolfe	U018E	0.75	3300.0	4000.0–10130.6
J104252+011736	10:42:52.3248	+01:17:36.528	2.4375	Dec 2003	Prochaska	U57E	0.50	600.0	4000.0–10137.0
J104349+615108	10:43:49.3656	+61:51:08.316	3.0548	May 2008	Sargent	C161E	0.75	1931.0	4000.0–10130.2
J104433−012502	10:44:33.0408	−01:25:02.208	5.7824	Nov 2000	Cowie	H18aE	0.75	20700.0	4000.0–10137.3
...	...	...	...	Apr 2000	Davis	U61E	1.00	2400.0	4000.0–10134.6
...	...	...	...	Apr 2000	Djorgovski	C9E	6.00	6360.0	4000.0–9352.35
...	...	...	...	Mar 2001	Djorgovski	C43E	1.00	7260.0	4000.0–9450.44

Table 1 continued

Table 1 (continued)

Object	R.A. ^a	Dec. ^a	z_{em}^a	Observation	PI	Program	Slit	Total Exp,	Wavelength
	(J2000)	(J2000)		Date		ID ^b	"	Time (s)	Coverage (Å)
J104609−000243	10:46:09.3216	−00:02:43.728	3.927	Apr 2000	Davis	U61E	1.00	1200.0	4000.0–10134.6
J104642+160416	10:46:42.5976	+16:04:16.86	1.44	Feb 2003	Becker	U2E	1.00	900.0	4000.0–10136.3
J104700+342337	10:47:00.9648	+34:23:37.32	1.6734	Mar 2013	Ge	A288E	0.75	3000.0	4000.0–10130.6
J104826+391110	10:48:26.0352	+39:11:10.428	2.7986	May 2008	Sargent	C161E	0.75	1200.0	4000.0–10130.2
J104845+463718	10:48:45.0504	+46:37:18.3	6.2284	Dec 2002	Becker	XXX	1.00	3600.0	4000.0–10136.6
...	...	...	...	Jan 2003	Cowie	H25aE	0.75	18012.0	4000.0–10137.0
...	...	...	...	Mar 2003	Cowie	H46aE	0.75	6000.0	4000.0–10135.6
J104846+440710	10:48:46.6392	+44:07:10.668	4.4080	Apr 2000	Djorgovski	C9E	1.00	1200.0	4000.0–9352.35
J104915−011038	10:49:15.4368	−01:10:38.172	2.1283	Dec 2003	Prochaska	U57E	0.50	600.0	4000.0–10137.0
J105023−010555	10:50:23.6904	−01:05:55.572	1.5364	Feb 2003	Becker	U2E	1.00	1800.0	4000.0–10136.3
J105121+612038	10:51:21.3648	+61:20:38.04	3.6893	Feb 2008	Tytler	XXX	1.00	2500.0	4000.0–10130.9
...	...	...	...	Mar 2008	Wolfe	XXX	0.75	1620.0	4000.0–10130.2
J105122+310749	10:51:22.464	+31:07:49.332	4.2741	Jan 2010	Wolfe	U135E	0.75	2400.0	4000.0–10131.6
J105123+354534	10:51:23.0376	+35:45:34.308	4.9123	Mar 2009	Wolfe	U143E	0.75	4800.0	4000.0–10130.6
J105257+160348	10:52:57.8832	+16:03:48.672	2.9896	Feb 2008	Tytler	U039E	1.00	3600.0	4000.0–10130.9
J105320+500147	10:53:20.0352	+50:01:47.64	3.085	Mar 2008	Djorgovski	C193E	1.00	7200.0	4000.0–10130.9
J105434+021551	10:54:34.1736	+02:15:51.948	3.9725	Apr 2007	Djorgovski	C267E	1.00	4800.0	4000.0–10128.9
J105445+163337	10:54:45.432	+16:33:37.368	5.1635	May 2013	Wolfe	U014E	0.75	3600.0	4000.0–10130.2
J105714+440323	10:57:14.8224	+44:03:23.832	3.3294	Mar 2006	Tytler	U074E	1.00	2500.0	4000.0–10137.6
J105756+455553	10:57:56.2848	+45:55:53.076	4.1371	Dec 1999	Djorgovski	C117E	1.00	2400.0	4000.0–8853.94
J105830+333859	10:58:30.0312	+33:38:59.352	3.8334	Jan 2015	Cooksey	XXX	0.75	2700.0	4000.0–10131.6
J110045+112239	11:00:45.2352	+11:22:39.144	4.7067	Mar 2009	Wolfe	U143E	0.75	3600.0	4000.0–10130.9
J110134+053133	11:01:34.3608	+05:31:33.852	4.9864	Mar 2010	Wolfe	U018E	0.75	2700.0	4000.0–10130.9
J110236+460101	11:02:36.7896	+46:01:01.344	3.8458	Jan 2015	Cooksey	XXX	0.75	3250.0	4000.0–10131.6
J110349+371527	11:03:49.7424	+37:15:27.072	1.2548	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10137.0
J110557+361448	11:05:57.0744	+36:14:48.372	2.9920	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10137.0
J110607+281247	11:06:07.2624	+28:12:47.052	0.8435	Dec 2000	Becker	U56E	0.75	600.0	4000.0–10137.0
J110801+313334	11:08:01.3008	+31:33:34.236	2.2487	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10137.0
J110819−005823	11:08:19.152	−00:58:23.988	4.5660	Mar 2008	Djorgovski	C193E	1.00	3600.0	4000.0–10131.2
J110948+412958	11:09:48.61	+41:29:58.2	3.626	Jan 2006	Becker	U19E	1.00	1200.0	4000.0–10138.0
J111040+301909	11:10:40.2264	+30:19:09.804	1.5196	Mar 2001	Becker	U55E	1.00	900.0	4000.0–10135.6
J111123+274207	11:11:23.4888	+27:42:07.992	1.1842	Mar 2013	Ge	A288E	0.75	1200.0	4000.0–10130.9
J111126+350921	11:11:26.6568	+35:09:21.492	4.1227	Mar 2010	Wolfe	U018E	0.75	4200.0	4000.0–10130.9
J111151+133235	11:11:51.6096	+13:32:35.952	2.4315	May 2008	Sargent	C161E	0.75	300.0	4000.0–10129.9
J111246+004957	11:12:46.3008	+00:49:57.432	3.9444	Jan 2000	Tytler	U68E	1.00	1800.0	4000.0–9354.54
J111354+124439	11:13:54.6648	+12:44:39.12	0.6816	Dec 2002	Becker	U11E	1.00	600.0	4000.0–10137.0
J111401−005321	11:14:01.4736	−00:53:21.228	4.6164	Mar 2000	Sargent	C12E	0.75	3000.0	4000.0–10134.9
J111610+411814	11:16:10.6824	+41:18:14.472	3.006	Mar 2006	Martin	U100E	1.00	3291.0	4000.0–10135.3
J111727−083858	11:17:27.0552	−08:38:58.02	4.495	Mar 2000	Sargent	C12E	0.75	3000.0	4000.0–10135.3
J111811−003341	11:18:11.0424	−00:33:41.076	0.686	Mar 2001	Becker	U55E	1.00	900.0	4000.0–10135.6
J111856+370255	11:18:56.1576	+37:02:55.932	4.0426	Mar 2001	Djorgovski	C43E	1.00	3600.0	4000.0–9450.44
J111957+281354	11:19:57.1008	+28:13:54.192	4.1330	Jan 2015	Cooksey	XXX	0.75	2300.0	4000.0–10131.9
J112144+011421	11:21:44.7648	+01:14:21.984	1.2964	Apr 2005	Becker	U42E	1.00	720.0	4000.0–10135.6
J112242−022905	11:22:42.9792	−02:29:05.1	4.795	Apr 2000	Davis	U61E	1.00	1200.0	4000.0–10134.9
J112253+005329	11:22:53.5008	+00:53:29.868	4.57	Mar 2000	Sargent	XXX	0.75	3000.0	4000.0–10134.9
...	...	...	...	Mar 2000	Tytler	XXX	0.50	2700.0	4000.0–9375.45
J112311−004418	11:23:11.1	−00:44:18.816	5.0	Apr 2000	Davis	U61E	1.00	1200.0	4000.0–10134.6
J112320+013747	11:23:20.7312	+01:37:47.532	1.472	Mar 2004	Becker	XXX	1.00	3600.0	4000.0–10136.0
...	...	...	...	Jan 2005	Becker	XXX	1.00	1200.0	4000.0–10138.0
J112634−012436	11:26:34.2864	−01:24:36.9	3.7413	Feb 2008	Tytler	U039E	1.00	3360.0	4000.0–10131.2
J112721+242417	11:27:21.0984	+24:24:17.136	2.0737	Mar 2013	Ge	A288E	0.75	1200.0	4000.0–10130.9
J112824+222420	11:28:24.0816	+22:24:20.412	1.645	Mar 2001	Becker	U55E	1.00	900.0	4000.0–10135.6
J112953+651559	11:29:53.028	+65:15:59.796	3.0997	Feb 2008	Tytler	U039E	1.00	1020.0	4000.0–10130.9

Table 1 continued

Table 1 (*continued*)

Object	R.A. ^a	Dec. ^a	z_{em}^a	Observation	PI	Program	Slit	Total Exp,	Wavelength
	(J2000)	(J2000)		Date		ID ^b	"	Time (s)	Coverage (Å)
J113130+604420	11:31:30.4128	+60:44:20.76	2.9058	Mar 2006	Wolfe	U146E	0.75	3600.0	4000.0–10135.3
J113246+120901	11:32:46.5072	+12:09:01.692	5.1679	Mar 2012	Wolfe	U049E	0.75	7200.0	4000.0–10131.2
J113508+222715	11:35:08.0928	+22:27:15.624	2.88	Jan 2001	Wolfe	U22E	0.50	1200.0	4000.0–10136.3
J113608+250322	11:36:08.5392	+25:03:22.14	3.625	Jan 2015	Cooksey	XXX	0.75	2700.0	4000.0–10131.9
J113709+390723	11:37:09.4992	+39:07:23.448	1.0280	Mar 2001	Becker	U55E	1.00	900.0	4000.0–10135.6
J113717+354956	11:37:17.7288	+35:49:56.892	6.01	Jan 2005	Becker	U38E	1.00	2400.0	4000.0–10137.6
J113836+524511	11:38:36.9336	+52:45:11.412	1.6243	Mar 2013	Ge	A288E	0.75	2400.0	4000.0–10130.6
J114111–014306	11:41:11.616	–01:43:06.708	1.2657	Jan 2005	Becker	U38E	1.00	600.0	4000.0–10138.0
J114241+585929	11:42:41.9352	+58:59:29.796	3.2634	Mar 2009	Wolfe	U143E	0.75	1800.0	4000.0–10130.6
J114436+095904	11:44:36.6528	+09:59:04.956	3.1479	Apr 2007	Martin	U047E	1.00	13200.0	4000.0–10127.8
J114635–074005	11:46:35.592	–07:40:05.196	4.147	Apr 2000	Wolfe	U32E	0.75	2400.0	4000.0–10134.6
J114657+403708	11:46:57.8016	+40:37:08.796	5.0059	Jan 2010	Wolfe	XXX	0.75	2996.0	4000.0–10131.6
...	...	...	...	Jan 2013	Wolfe	U067E	0.75	5400.0	4000.0–10131.6
J114658+395834	11:46:58.2984	+39:58:34.32	1.0900	Feb 2003	Becker	U2E	1.00	600.0	4000.0–10136.3
J114713+362702	11:47:13.0176	+36:27:02.412	3.7938	Jan 2015	Cooksey	XXX	0.75	2500.0	4000.0–10131.9
J114751–072441	11:47:51.5544	–07:24:41.148	1.342	Mar 2004	Becker	XXX	1.00	3600.0	4000.0–10136.0
...	...	...	...	Jan 2005	Becker	XXX	1.00	1200.0	4000.0–10138.0
J114816+525150	11:48:16.644	+52:51:50.22	6.4189	May 2002	Becker	U43E	1.00	8100.0	4000.0–10135.3
...	...	...	...	Dec 2002	Becker	U11E	1.00	22800.0	4000.0–10136.6
...	...	...	...	Feb 2003	Becker	U2E	1.00	16800.0	4000.0–10136.0
...	...	...	...	Jan 2003	Cowie	H25aE	0.75	16200.0	4000.0–10136.6
...	...	...	...	Jan 2004	Cowie	H45aE	0.75	11700.0	4000.0–10136.3
J115023+281907	11:50:23.58	+28:19:07.5	3.1169	Dec 2000	Becker	U56E	0.75	2400.0	4000.0–10137.0
J115122+020426	11:51:22.1424	+02:04:26.328	2.4090	Dec 2003	Prochaska	U57E	0.50	600.0	4000.0–10137.0
J115124+535957	11:51:24.0936	+53:59:57.3	0.78	Dec 2000	Becker	U56E	0.75	1200.0	4000.0–10136.6
J115130+353625	11:51:30.4872	+35:36:25.02	3.5815	Dec 2010	Prochaska	U025E	0.50	2400.0	4000.0–10131.9
J115526+351052	11:55:26.3472	+35:10:52.68	2.8336	Mar 2008	Wolfe	U048E	0.75	2700.0	4000.0–10130.9
J115538+053050	11:55:38.6064	+05:30:50.616	3.4757	Feb 2011	Prochaska	U041E	0.75	3532.0	4000.0–10131.6
J115659+551308	11:56:59.592	+55:13:08.256	3.1007	May 2008	Sargent	C161E	0.75	1200.0	4000.0–10130.2
J115906+133737	11:59:06.5256	+13:37:37.776	4.0084	Feb 2000	Djorgovski	XXX	1.00	3300.0	4000.0–9354.54
...	...	...	...	Jan 2000	Tytler	XXX	1.00	2340.0	4000.0–9354.54
...	...	...	...	Jan 2001	Wolfe	U22E	0.50	678.0	4000.0–10136.3
J120036+461850	12:00:36.7344	+46:18:50.292	4.7545	Mar 2000	Sargent	XXX	0.75	3000.0	4000.0–10134.9
...	...	...	...	Mar 2010	Wolfe	U018E	0.75	3600.0	4000.0–10130.9
J120039+401556	12:00:39.8184	+40:15:56.196	3.3492	Mar 2008	Wolfe	U048E	0.75	2700.0	4000.0–10130.9
J120110+211758	12:01:10.3152	+21:17:58.524	4.579	Jan 2010	Wolfe	U135E	0.75	2400.0	4000.0–10131.9
J120144+011611	12:01:44.3688	+01:16:11.64	3.2356	Feb 2008	Tytler	U039E	1.00	1800.0	4000.0–10131.6
J120207+323538	12:02:07.7832	+32:35:38.832	5.2924	Mar 2009	Wolfe	U143E	0.75	3600.0	4000.0–10130.9
J120441–002149	12:04:41.7168	–00:21:49.572	5.1093	Apr 2004	Djorgovski	XXX	1.00	5400.0	4000.0–9354.54
...	...	...	...	Mar 2000	Sargent	C12E	0.75	4800.0	4000.0–10135.3
...	...	...	...	Mar 2010	Wolfe	U018E	0.75	1898.0	4000.0–10131.2
J120802+630328	12:08:02.652	+63:03:28.764	2.5647	Mar 2006	Wolfe	U146E	0.75	3600.0	4000.0–10135.6
J120823+001027	12:08:23.8224	+00:10:27.768	5.273	Apr 2000	Davis	XXX	1.00	1800.0	4000.0–10134.9
...	...	...	...	Mar 2001	Djorgovski	C43E	1.00	7200.0	4000.0–9450.44
...	...	...	...	Apr 2001	Sargent	C16E	0.75	6003.0	4000.0–10135.3
J121117+042222	12:11:17.5968	+04:22:22.332	2.5483	Mar 2006	Wolfe	U146E	0.75	900.0	4000.0–10136.0
J121134+090220	12:11:34.9536	+09:02:20.94	3.2917	Jan 2001	Wolfe	U22E	0.50	1800.0	4000.0–10136.3
J121143+083349	12:11:43.42	+08:33:49.6	2.493	Mar 2013	Ge	A288E	0.75	5100.0	4000.0–10131.2
J121219+293622	12:12:19.872	+29:36:22.896	1.3946	Mar 2013	Ge	A288E	0.75	1500.0	4000.0–10130.9
J121532–030839	12:15:32.83	–03:08:39.3	3.686	Apr 2007	Djorgovski	C267E	1.00	3600.0	4000.0–10129.2
J121533–030925	12:15:33.54	–03:09:25.2	4.001	Apr 2007	Djorgovski	C267E	1.00	7200.0	4000.0–10129.2
J121841+501535	12:18:41.0088	+50:15:34.92	1.4595	Mar 2004	Becker	XXX	1.00	3698.0	4000.0–10135.6
...	...	...	...	Jan 2005	Becker	U38E	1.00	600.0	4000.0–10137.6

Table 1 continued

Table 1 (continued)

Object	R.A. ^a	Dec. ^a	z_{em}^a	Observation	PI	Program	Slit	Total Exp,	Wavelength
	(J2000)	(J2000)		Date		ID ^b	"	Time (s)	Coverage (Å)
J121922+002905	12:19:22.1976	+00:29:05.496	2.6295	Apr 2012	Martin	U048E	1.00	2580.0	4000.0–10130.6
J121924+002641	12:19:24.2064	+00:26:41.46	2.5639	Apr 2012	Martin	U048E	1.00	4680.0	4000.0–10130.6
J121928+160357	12:19:28.9248	+16:03:57.132	3.1482	May 2008	Sargent	C161E	0.75	1800.0	4000.0–10130.2
J122000+254230	12:20:00.8352	+25:42:30.708	4.034	Jan 2015	Cooksey	XXX	0.75	1100.0	4000.0–10131.9
J122027+261903	12:20:27.96	+26:19:03.576	3.7126	Jan 2015	Cooksey	XXX	0.75	1100.0	4000.0–10131.9
J122042+444218	12:20:42	+44:42:18.288	4.6585	Mar 2010	Wolfe	U018E	0.75	2679.0	4000.0–10130.9
J122146+444528	12:21:46.4208	+44:45:28.044	5.2055	Mar 2012	Wolfe	U049E	0.75	5400.0	4000.0–10131.2
J122454+212246	12:24:54.4584	+21:22:46.38	0.432	May 2002	Becker	U43E	1.00	107.0	4000.0–10135.3
J122600+005923	12:26:00.684	+00:59:23.64	4.2743	Mar 2000	Tytler	U2E	0.50	2700.0	4000.0–9373.58
J122817+023148	12:28:17.6184	+02:31:48.936	3.095	Jun 2008	Djorgovski	C194E	1.00	2400.0	4000.0–10130.2
J122819+023229	12:28:19.2528	+02:32:29.4	3.1478	Jan 2008	Djorgovski	C228E	1.00	3600.0	4000.0–10132.2
J123015+030254	12:30:15.5184	+03:02:54.708	0.1378	Jan 2005	Becker	U38E	1.00	600.0	4000.0–10138.0
J123333+062234	12:33:33.48	+06:22:34.248	5.2900	Mar 2012	Wolfe	U049E	0.75	7200.0	4000.0–10131.6
J123559+001716	12:35:59.2968	+00:17:16.476	2.2647	Dec 2003	Prochaska	U57E	0.50	600.0	4000.0–10137.0
J123840+343703	12:38:40.9368	+34:37:03.396	2.5772	Mar 2008	Wolfe	U048E	0.75	1800.0	4000.0–10131.2
J124020+145535	12:40:20.9136	+14:55:35.688	3.1111	Jan 2012	Prochaska	U073E	0.75	1137.0	4000.0–10131.6
J124025+432916	12:40:25.14	+43:29:16.5	3.264	Feb 2014	Prochaska	U057E	0.75	5657.0	4000.0–10131.6
J124138+461717	12:41:38.3304	+46:17:17.016	2.7716	Mar 2008	Wolfe	U048E	0.75	1800.0	4000.0–10131.2
J124306+530522	12:43:06.5592	+53:05:22.092	3.5664	Mar 2006	Tytler	U074E	1.00	3600.0	4000.0–10142.4
J124610+303131	12:46:10.9392	+30:31:31.152	2.56	Jan 2000	Tytler	U68E	1.00	1367.0	4000.0–9354.54
J124818+582028	12:48:18.7848	+58:20:28.716	0.8473	Feb 2011	Prochaska	U041E	0.75	1500.0	4000.0–10131.6
J124820+311043	12:48:20.2152	+31:10:43.248	4.3540	Apr 2000	Wolfe	XXX	0.75	2614.0	4000.0–10134.6
...	...	...	...	Mar 2010	Wolfe	U018E	0.75	3300.0	4000.0–10131.2
J124842+195639	12:48:42.2424	+19:56:39.912	3.864	Jun 2008	Djorgovski	C194E	1.00	5400.0	4000.0–10130.2
J124846+195716	12:48:46.0176	+19:57:16.884	3.872	Mar 2008	Djorgovski	C193E	1.00	2400.0	4000.0–10131.2
J124924+023339	12:49:24.8664	+02:33:39.78	2.1207	Dec 2003	Prochaska	U57E	0.50	900.0	4000.0–10137.0
J124942+334953	12:49:42.1248	+33:49:53.796	4.897	Mar 2001	Djorgovski	XXX	1.00	3600.0	4000.0–9450.44
...	...	...	...	Mar 2000	Sargent	XXX	0.75	3000.0	4000.0–10135.3
J125051+313021	12:50:51.9288	+31:30:21.888	6.13	Jan 2005	Becker	U38E	1.00	4800.0	4000.0–10138.0
J125125+412000	12:51:25.3632	+41:20:00.492	3.1744	May 2008	Sargent	C161E	0.75	1300.0	4000.0–10130.2
J125336+022807	12:53:36.3528	+02:28:07.788	4.007	Apr 2000	Djorgovski	XXX	1.00	2015.0	4000.0–9352.67
...	...	...	...	Mar 2001	Djorgovski	XXX	1.00	1500.0	4000.0–9450.44
...	...	...	...	Jan 2001	Wolfe	U22E	0.50	2506.0	4000.0–10136.6
J125353+104603	12:53:53.352	+10:46:03.18	4.908	Jan 2010	Wolfe	U135E	0.75	2400.0	4000.0–10131.9
J125615+020023	12:56:15.2904	+02:00:23.58	0.835	Apr 2005	Becker	U42E	1.00	900.0	4000.0–10136.0
J125653+322931	12:56:53.8464	+32:29:31.236	3.0498	Feb 2008	Tytler	U039E	1.00	2700.0	4000.0–10131.2
J125707+232514	12:57:07.5744	+23:25:14.592	2.6582	Apr 2012	Martin	U048E	1.00	5400.0	4000.0–10130.6
J125712+232601	12:57:12.7728	+23:26:01.14	2.712	Apr 2012	Martin	U048E	1.00	3000.0	4000.0–10130.6
J125759+011130	12:57:59.22	+01:11:30.372	4.1117	Feb 2004	Wolfe	XXX	0.50	2400.0	4000.0–10136.6
...	...	...	...	Jan 2010	Wolfe	U135E	0.75	2400.0	4000.0–10131.9
J130215+550553	13:02:15.7272	+55:05:53.484	4.4363	Mar 2009	Wolfe	U143E	0.75	3600.0	4000.0–10130.9
J130216+003032	13:02:16.1304	+00:30:32.112	4.4684	Jan 2002	Chaffee	K03E	1.00	1800.0	4000.0–10137.0
J130303+243355	13:03:03.2136	+24:33:55.692	0.993	Dec 2000	Becker	U56E	0.75	900.0	4000.0–10137.0
J130348+283324	13:03:48.9168	+28:33:24.588	2.6880	Feb 2008	Tytler	U039E	1.00	1500.0	4000.0–10131.2
J130426+120245	13:04:26.1504	+12:02:45.6	2.9847	Mar 2008	Wolfe	U048E	0.75	1800.0	4000.0–10131.6
J130548+290228	13:05:48.9288	+29:02:28.14	2.5987	May 2008	Sargent	C161E	0.75	971.0	4000.0–10130.2
J130608+035626	13:06:08.2632	+03:56:26.34	6.016	Feb 2002	Cowie	H11aE	0.75	4500.0	4000.0–10136.6
...	...	...	...	Mar 2002	Cowie	H11aE	0.75	10800.0	4000.0–10136.0
...	...	...	...	Mar 2003	Cowie	H46aE	0.75	9300.0	4000.0–10136.6
...	...	...	...	Mar 2004	Cowie	H53bE	0.75	12600.0	4000.0–10136.6
...	...	...	...	Jul 2001	Djorgovski	C6E	1.00	10920.0	4000.0–9354.85
...	...	...	...	Feb 2002	Madau	U37E	0.75	3000.0	4000.0–10136.6
J130756+042215	13:07:56.1816	+04:22:15.492	3.0347	Apr 2007	Martin	U047E	1.00	3600.0	4000.0–10128.2

Table 1 continued

Table 1 (*continued*)

Object	R.A. ^a	Dec. ^a	z_{em}^a	Observation	PI	Program	Slit	Total Exp,	Wavelength
	(J2000)	(J2000)		Date		ID ^b	"	Time (s)	Coverage (Å)
J131052−005533	13:10:52.5096	−00:55:33.204	4.1545	Mar 2001	Djorgovski	XXX	1.00	3000.0	4000.0–9450.44
...	...	...	...	Mar 2000	Tytler	XXX	0.50	2700.0	4000.0–9375.76
J131215+423900	13:12:15.2688	+42:39:00.864	2.5727	Jan 2003	Cowie	XXX	0.75	1800.0	4000.0–10136.6
...	...	...	...	Jan 2004	Cowie	H45aE	0.75	12000.0	4000.0–10136.6
J131222+423814	13:12:22.344	+42:38:14.136	2.5408	Jan 2003	Cowie	H25aE	0.75	5400.0	4000.0–10136.6
J131234+230716	13:12:34.0848	+23:07:16.356	4.996	Mar 2010	Wolfe	U018E	0.75	2224.0	4000.0–10131.2
J131428+281840	13:14:28.9752	+28:18:40.284	4.8341	Jul 2008	Djorgovski	C193E	1.00	3300.0	4000.0–10133.3
J131512+015021	13:15:12.4632	+01:50:21.624	2.3067	May 2002	Becker	U43E	1.00	900.0	4000.0–10135.6
J131539+292440	13:15:39.1224	+29:24:38.952	4.18	Mar 2001	Djorgovski	XXX	1.00	1500.0	4000.0–9450.44
...	...	...	...	Mar 2007	Djorgovski	C267E	1.00	5700.0	4000.0–10129.2
...	...	...	...	Apr 2000	Wolfe	U32E	0.75	1200.0	4000.0–10134.9
J131743+353131	13:17:43.1304	+35:31:31.872	4.3804	Mar 2001	Djorgovski	C43E	1.00	3300.0	4000.0–9450.44
J131911+095051	13:19:11.29	+09:50:51.3	6.13	Mar 2008	Steidel	C170E	1.00	2400.0	4000.0–10131.6
J132140+213549	13:21:40.49	+21:35:49.0	2.409	Mar 2013	Ge	A288E	0.75	4200.0	4000.0–10131.2
J132512+112329	13:25:12.4944	+11:23:29.76	4.4094	Apr 2001	Djorgovski	C43E	1.00	9000.0	4000.0–9361.4
J132554+125546	13:25:54.12	+12:55:46.524	4.1403	May 2008	Sargent	C161E	0.75	1430.0	4000.0–10130.6
J132611+074358	13:26:11.868	+07:43:58.404	4.1349	Dec 1999	Djorgovski	C117E	1.00	3600.0	4000.0–8854.82
J132729+484500	13:27:29.748	+48:45:00.936	3.1409	May 2008	Sargent	C161E	0.75	1800.0	4000.0–10130.6
J132707+654737	13:27:07.60	+65:47:37.1	0.923	Dec 2000	Becker	U56E	0.75	1200.0	4000.0–10136.3
J132853−022441	13:28:53.664	−02:24:41.688	4.6945	Apr 2000	Davis	U61E	1.00	1200.0	4000.0–10135.3
J133146+483826	13:31:46.2096	+48:38:26.304	3.7439	May 2008	Sargent	C161E	0.75	1800.0	4000.0–10130.6
J133412+122020	13:34:12.564	+12:20:20.724	5.1351	May 2013	Wolfe	U014E	0.75	1800.0	4000.0–10130.9
J133550+353315	13:35:50.8056	+35:33:15.804	5.9012	Mar 2006	Becker	U085E	1.00	1200.0	4000.0–10136.0
J134002+110630	13:40:02.544	+11:06:30.204	2.9262	Jan 2001	Wolfe	U22E	0.50	2400.0	4000.0–10136.6
J134015+392630	13:40:15.036	+39:26:30.768	5.0519	Mar 2012	Wolfe	U049E	0.75	3600.0	4000.0–10131.6
J134040+281328	13:40:40.2432	+28:13:28.164	5.3383	Mar 2012	Wolfe	U049E	0.75	8100.0	4000.0–10131.6
J134108+330110	13:41:08.1096	+33:01:10.344	1.72	Feb 2003	Becker	U2E	1.00	900.0	4000.0–10136.6
J134148+410009	13:41:48.1152	+41:00:09.9	3.7411	Mar 2006	Tytler	U074E	1.00	3600.0	4000.0–10142.7
J134154+351005	13:41:54.0216	+35:10:05.7	5.2664	Jan 2013	Wolfe	U067E	0.75	2637.0	4000.0–10131.9
J134408+283931	13:44:08.3136	+28:39:31.932	1.78	Feb 2003	Becker	U2E	1.00	900.0	4000.0–10136.6
J134526+232949	13:45:26.6232	+23:29:49.344	5.1195	Aug 2013	Wolfe	U052E	0.75	1200.0	4000.0–10130.2
J134543+262506	13:45:43.6416	+26:25:06.96	2.03	Mar 2000	Sargent	C12E	0.75	3600.0	4000.0–10135.3
J134544+262505	13:45:44.3184	+26:25:05.376	2.03	Mar 2004	Becker	XXX	1.00	3494.0	4000.0–10136.0
...	...	...	...	Jan 2005	Becker	XXX	1.00	900.0	4000.0–10138.0
J134743+495621	13:47:43.2984	+49:56:21.3	4.5380	Mar 2008	Cowie	XXX	0.75	4320.0	4000.0–10131.2
...	...	...	...	Feb 2000	Djorgovski	C9E	1.00	3000.0	4000.0–9354.22
J134916−033715	13:49:16.7208	−03:37:15.06	3.992	Jan 2000	Tytler	XXX	0.50	2400.0	4000.0–9450.44
...	...	...	...	Mar 2000	Tytler	XXX	0.50	2700.0	4000.0–9375.76
J134939+124230	13:49:39.78	+12:42:30.708	4.1847	May 2008	Sargent	C161E	0.75	2200.0	4000.0–10130.6
J134953+110115	13:49:53.3328	+11:01:15.852	2.697	Dec 2003	Prochaska	U57E	0.50	900.0	4000.0–10137.0
J135029−000623	13:50:29.65	−00:06:23.8	4.058	Apr 2000	Davis	U61E	1.00	1200.0	4000.0–10135.3
J135044+595205	13:50:44.2128	+59:52:05.376	2.9644	May 2008	Sargent	C161E	0.75	1800.0	4000.0–10130.6
J135306+113804	13:53:06.348	+11:38:04.704	1.6300	Apr 2005	Becker	U42E	1.00	1200.0	4000.0–10136.3
J135308+365751	13:53:08.652	+36:57:51.156	1.311	May 2002	Becker	U43E	1.00	900.0	4000.0–10135.6
J135317+532825	13:53:17.1096	+53:28:25.5	2.9120	Mar 2008	Wolfe	U048E	0.75	1800.0	4000.0–10131.2
J135329+485308	13:53:29.9544	+48:53:08.484	3.845	Jul 2008	Djorgovski	C193E	1.00	6000.0	4000.0–10133.6
J135706−174401	13:57:06.0744	−17:44:01.896	3.147	Jul 2001	Wolfe	U10E	0.50	1800.0	4000.0–10135.3
J135803+034936	13:58:03.9768	+03:49:36.048	2.8917	May 2008	Sargent	XXX	0.75	930.0	4000.0–10130.6
...	...	...	...	Mar 2006	Tytler	XXX	1.00	3600.0	4000.0–10143.1
J135842+652236	13:58:42.9264	+65:22:36.696	3.1871	May 2008	Sargent	C161E	0.75	1000.0	4000.0–10130.6
J135941+315743	13:59:41.2248	+31:57:43.236	1.724	May 2002	Becker	U43E	1.00	1800.0	4000.0–10135.6
J140012+313452	14:00:12.7728	+31:34:54.12	3.3161	Mar 2008	Djorgovski	C193E	1.00	2700.0	4000.0–10131.6
J140013+385418	14:00:13.8504	+38:54:18	3.2863	Mar 2000	Tytler	U2E	0.50	1800.0	4000.0–9375.45

Table 1 continued

Table 1 (*continued*)

Object	R.A. ^a	Dec. ^a	z_{em}^a	Observation	PI	Program	Slit	Total Exp,	Wavelength
	(J2000)	(J2000)		Date		ID ^b	"	Time (s)	Coverage (Å)
J140107+362510	14:01:07.6656	+36:25:10.812	3.2184	Mar 2008	Wolfe	U048E	0.75	1500.0	4000.0–10131.2
J140132+411150	14:01:32.7672	+41:11:50.46	4.0248	Apr 2000	Djorgovski	C9E	1.00	2800.0	4000.0–9352.67
J140243+590959	14:02:43.98	+59:09:59.004	4.1289	May 2008	Sargent	C161E	0.75	2500.0	4000.0–10130.6
J140248+014634	14:02:48.0792	+01:46:34.068	4.1606	Jan 2015	Cooksey	XXX	0.75	2650.0	4000.0–10132.2
J140419+400537	14:04:19.644	+40:05:37.788	3.997	Apr 2007	Djorgovski	C267E	1.00	7200.0	4000.0–10129.2
J140423+400511	14:04:23.0424	+40:05:11.04	3.9715	Apr 2007	Djorgovski	C267E	1.00	2556.0	4000.0–10129.2
J140739+603036	14:07:39.3816	+60:30:36.072	4.7722	Mar 2012	Wolfe	U049E	0.75	8400.0	4000.0–10131.2
J140806+305448	14:08:06.2088	+30:54:48.456	0.8447	Jan 2005	Becker	U38E	1.00	1200.0	4000.0–10138.0
J140855+240934	14:08:55.9608	+24:09:34.416	3.3555	Feb 2012	Martin	U078E	1.00	4548.0	4000.0–10131.9
J140857+240720	14:08:57.6792	+24:07:20.568	3.1425	Feb 2012	Martin	U078E	1.00	3720.0	4000.0–10131.9
J141030+511113	14:10:30.6072	+51:11:13.56	3.2057	Mar 2006	Wolfe	U146E	0.75	5400.0	4000.0–10136.0
J141111+121737	14:11:11.2896	+12:17:37.392	5.927	Jan 2005	Becker	XXX	1.00	3600.0	4000.0–10138.0
...	...	...	...	Mar 2008	Cowie	H229E	0.75	9001.0	4000.0–10131.6
...	...	...	...	May 2008	Cowie	H229E	0.75	12600.0	4000.0–10130.9
...	...	...	...	Apr 2004	Djorgovski	C26E	1.00	8400.0	4000.0–9356.1
J141209+062406	14:12:09.9696	+06:24:06.876	4.4674	Mar 2010	Wolfe	U018E	0.75	4500.0	4000.0–10131.6
J141334+421201	14:13:34.3968	+42:12:01.8	2.8073	Mar 2001	Becker	U55E	1.00	1254.0	4000.0–10136.0
J141404+395543	14:14:04.1592	+39:55:43.572	3.2211	Jan 2008	Djorgovski	C228E	1.00	300.0	4000.0–10131.9
J141406+395536	14:14:06.7584	+39:55:36.264	3.191	Jul 2008	Djorgovski	C193E	1.00	900.0	4000.0–10133.6
J141839+314244	14:18:39.9936	+31:42:44.064	4.935	May 2013	Wolfe	U014E	0.75	1800.0	4000.0–10130.9
J141906+592312	14:19:06.3216	+59:23:12.336	2.3293	Mar 2006	Wolfe	U146E	0.75	3095.0	4000.0–10135.6
J141950+082948	14:19:50.5488	+08:29:48.228	3.0320	Feb 2008	Tytler	U039E	1.00	1500.0	4000.0–10131.9
J142004+022708	14:20:04.116	+02:27:08.748	4.1812	Jun 2008	Djorgovski	C194E	1.00	4500.0	4000.0–10130.2
J142023+283106	14:20:23.7744	+28:31:06.564	4.2887	Mar 2008	Djorgovski	C193E	1.00	7200.0	4000.0–10131.6
...	...	...	...	Jun 2008	Djorgovski	C194E	1.00	3600.0	4000.0–10130.6
J142103+343332	14:21:03.8304	+34:33:32.04	4.9087	Jan 2013	Wolfe	U067E	0.75	2722.0	4000.0–10131.6
J142438+225600	14:24:38.0928	+22:56:00.6	3.62	Mar 2000	Sargent	C12E	1.00	1200.0	4000.0–10135.6
J142440+225541	14:24:40.6464	+22:55:41.952	3.63	Mar 2000	Sargent	C12E	1.00	15494.0	4000.0–10135.6
...	...	...	...	Apr 2001	Sargent	C16E	0.75	6000.0	4000.0–10136.0
J142543+540619	14:25:43.3248	+54:06:19.368	3.2625	Mar 2006	Tytler	U074E	1.00	1500.0	4000.0–10142.4
J142735+263214	14:27:35.6088	+26:32:14.532	0.3638	Mar 2001	Becker	U55E	1.00	900.0	4000.0–10136.3
J142738+331241	14:27:38.6064	+33:12:41.976	6.12	Mar 2006	Becker	U085E	1.00	2400.0	4000.0–10136.3
J142744+372337	14:27:44.3352	+37:23:37.032	2.168	May 2002	Becker	XXX	1.00	900.0	4000.0–10135.6
...	...	...	...	Feb 2003	Becker	XXX	1.00	900.0	4000.0–10136.6
J142903–014519	14:29:03.0336	–01:45:19.332	3.4253	Aug 2000	Tytler	U78E	0.50	1800.0	4000.0–10133.9
J143023+420436	14:30:23.7408	+42:04:36.48	4.715	Mar 2000	Sargent	C12E	0.75	4960.0	4000.0–10135.3
J143031+282831	14:30:31.6224	+28:28:31.548	4.3181	Mar 2001	Djorgovski	C43E	1.00	3300.0	4000.0–9450.44
J143120+395241	14:31:20.5392	+39:52:41.52	1.2170	Mar 2001	Becker	U55E	1.00	900.0	4000.0–10136.0
J143224+394024	14:32:24.7704	+39:40:24.492	4.2925	Apr 2000	Wolfe	U32E	0.75	3600.0	4000.0–10134.9
J143229–010611	14:32:29.1504	–01:06:11.556	1.2	Apr 2001	Sargent	C16E	0.75	9000.0	4000.0–10136.0
J143229–010616	14:32:29.256	–01:06:16.2	2.0871	Jan 2005	Becker	U38E	1.00	1200.0	4000.0–10138.0
J143404+093528	14:34:04.62	+09:35:28.896	0.77	Apr 2005	Becker	U42E	1.00	900.0	4000.0–10136.3
J143433+402758	14:34:33.7752	+40:27:58.428	3.0158	Feb 2008	Tytler	U039E	1.00	2700.0	4000.0–10131.6
J143512+042036	14:35:12.948	+04:20:36.96	1.9500	Dec 2003	Prochaska	U57E	0.50	600.0	4000.0–10137.0
J143523+305722	14:35:23.4264	+30:57:22.032	4.3479	Apr 2001	Djorgovski	C43E	1.00	4203.0	4000.0–9361.71
J143649+011143	14:36:49.9296	+01:11:43.224	3.9306	Apr 2000	Davis	U61E	1.00	1200.0	4000.0–10135.6
J143751+232313	14:37:51.8256	+23:23:13.38	5.3177	May 2013	Wolfe	U014E	0.75	4800.0	4000.0–10130.9
J143835+431459	14:38:35.9592	+43:14:59.316	4.6739	Mar 2009	Wolfe	U143E	0.75	900.0	4000.0–10131.2
J143912+295448	14:39:12.3456	+29:54:48.096	3.0036	Jan 2001	Wolfe	U22E	0.50	900.0	4000.0–10136.3
J143943+491214	14:39:43.0608	+49:12:14.508	3.0732	Feb 2008	Tytler	U039E	1.00	600.0	4000.0–10131.2
J143951–003429	14:39:51.6	–00:34:29.208	4.258	Apr 2001	Sargent	C16E	0.75	12000.0	4000.0–10136.0
...	...	...	...	Jun 2002	Sargent	C77E	0.75	18800.0	4000.0–10135.3
J144051+063709	14:40:51.8952	+06:37:09.66	3.4062	May 2008	Sargent	C161E	0.75	1800.0	4000.0–10130.9

Table 1 continued

Table 1 (*continued*)

Object	R.A. ^a	Dec. ^a	z_{em}^a	Observation	PI	Program	Slit	Total Exp,	Wavelength
	(J2000)	(J2000)		Date		ID ^b	"	Time (s)	Coverage (Å)
J144144+472003	14:41:44.7648	+47:20:03.264	3.6266	Jan 2015	Cooksey	XXX	0.75	1800.0	4000.0–10131.6
J144213+391856	14:42:13.0968	+39:18:56.052	3.6455	Jan 2015	Cooksey	XXX	0.75	1400.0	4000.0–10132.2
J144331+272436	14:43:31.1712	+27:24:36.72	4.42	Feb 2000	Djorgovski	XXX	1.00	3215.0	4000.0–9354.54
...	...	...	...	Apr 2000	Djorgovski	XXX	1.00	1800.0	4000.0–9353.6
...	...	...	...	Mar 2010	Wolfe	U018E	0.75	2400.0	4000.0–10131.6
J144340+585653	14:43:40.704	+58:56:53.196	4.2777	Apr 2000	Djorgovski	C9E	1.00	2400.0	4000.0–9352.67
J144350+362315	14:43:50.6688	+36:23:15.144	5.2726	Aug 2013	Wolfe	U052E	0.75	2400.0	4000.0–10130.6
J144352+060533	14:43:52.9464	+06:05:33.144	4.8978	May 2013	Wolfe	U014E	0.75	1800.0	4000.0–10130.9
J144413+004836	14:44:13.26	+00:48:36.684	4.78	Apr 2000	Davis	U61E	1.00	1200.0	4000.0–10135.6
J144432+602939	14:44:32.3688	+60:29:39.552	1.1246	May 2002	Becker	U43E	1.00	900.0	4000.0–10135.6
J144453+291905	14:44:53.5416	+29:19:05.772	2.638	Mar 2012	Wolfe	U049E	0.75	1620.0	4000.0–10131.6
J144542+490248	14:45:42.7608	+49:02:48.912	3.8805	Jan 2015	Cooksey	XXX	0.75	750.0	4000.0–10131.6
J144617–010131	14:46:17.3568	–01:01:31.152	4.1607	Jan 2010	Wolfe	U135E	0.75	1800.0	4000.0–10131.9
J144752+582420	14:47:52.4616	+58:24:20.34	2.9760	Mar 2006	Tytler	XXX	1.00	2600.0	4000.0–10142.4
...	...	...	...	Feb 2004	Wolfe	U56bE	0.50	2700.0	4000.0–10136.3
J145118–010446	14:51:18.7752	–01:04:46.236	4.672	Apr 2000	Davis	U61E	1.00	1200.0	4000.0–10135.6
J145307+331950	14:53:07.0632	+33:19:50.556	1.1928	Mar 2006	Becker	U085E	1.00	900.0	4000.0–10136.3
J145329+002357	14:53:29.5344	+00:23:57.336	2.5452	Feb 2004	Wolfe	U56bE	0.50	3420.0	4000.0–10137.0
J145333+002943	14:53:33.0144	+00:29:43.62	1.2968	Apr 2000	Davis	U61E	1.00	1200.0	4000.0–10136.0
J145624+040741	14:56:24.6648	+04:07:41.088	2.9045	May 2008	Sargent	C161E	0.75	1600.0	4000.0–10130.9
J145833+681322	14:58:33.33	+68:13:22.0	4.3	Apr 2000	Djorgovski	C9E	1.00	3600.0	4000.0–9352.98
J145907+002401	14:59:07.1904	+00:24:01.296	3.0385	Dec 2003	Prochaska	XXX	0.50	900.0	4000.0–10136.6
...	...	...	...	Feb 2004	Wolfe	XXX	0.50	1800.0	4000.0–10137.0
J145941+083012	14:59:41.1	+08:30:12.06	3.1531	Aug 2000	Tytler	U78E	0.50	1800.0	4000.0–10133.9
J150007+582937	15:00:07.668	+58:29:37.464	4.22	Apr 2000	Djorgovski	C9E	1.00	700.0	4000.0–9353.29
J150137+321437	15:01:37.6392	+32:14:37.284	3.5175	Aug 2013	Wolfe	U052E	0.75	2400.0	4000.0–10130.6
J150226+483711	15:02:26.8896	+48:37:11.496	3.2085	Jul 2001	Wolfe	U10E	0.50	1800.0	4000.0–10135.6
J150245+081305	15:02:45.372	+08:13:05.196	3.943	Mar 2000	Tytler	U2E	0.50	2400.0	4000.0–9376.08
J150452+001921	15:04:52.00	+00:19:21.0	4.2	Apr 2000	Davis	U61E	1.00	1200.0	4000.0–10135.6
J150654+522004	15:06:54.5496	+52:20:04.704	4.0656	Feb 2000	Djorgovski	XXX	1.00	3000.0	4000.0–9353.91
...	...	...	...	Jan 2001	Wolfe	U22E	0.50	1200.0	4000.0–10136.0
J150726+440649	15:07:26.3232	+44:06:49.248	3.1217	Mar 2008	Wolfe	U048E	0.75	1800.0	4000.0–10131.6
J150941–174926	15:09:41.7792	–17:49:26.796	6.118	Mar 2008	Steidel	C170E	1.00	1300.0	4000.0–10131.9
J151002+570243	15:10:02.9232	+57:02:43.368	4.3087	Mar 2001	Djorgovski	C43E	1.00	900.0	4000.0–9450.44
J151005+595853	15:10:05.8848	+59:58:53.328	1.7164	Feb 2004	Wolfe	U56bE	0.50	900.0	4000.0–10136.3
J151304–013100	15:13:04.1304	–01:31:00.192	3.1913	Apr 2007	Martin	U047E	1.00	11400.0	4000.0–10128.9
J151320+105807	15:13:20.8968	+10:58:07.32	4.6191	Mar 2010	Wolfe	U018E	0.75	1600.0	4000.0–10131.9
J151823+260353	15:18:23.1744	+26:03:53.352	3.6571	Mar 2008	Wolfe	U048E	0.75	1020.0	4000.0–10131.6
J152046+525923	15:20:46.464	+52:59:23.28	3.3744	May 2008	Sargent	C161E	0.75	1800.0	4000.0–10130.6
J152047+025741	15:20:47.9112	+02:57:41.832	1.9016	Feb 2004	Wolfe	U56bE	0.50	900.0	4000.0–10137.0
J152345+334759	15:23:45.69	+33:47:59.4	5.33	May 2013	Wolfe	U014E	0.75	1800.0	4000.0–10131.2
J152443+011358	15:24:43.1808	+01:13:58.872	4.0959	Apr 2000	Davis	U61E	1.00	1200.0	4000.0–10136.0
J152623–005725	15:26:23.22	–00:57:25.0	4.291	Apr 2000	Davis	U61E	1.00	1200.0	4000.0–10135.6
J152701+245249	15:27:01.7928	+24:52:49.404	0.9949	Mar 2001	Becker	U55E	1.00	900.0	4000.0–10136.3
J153129+451707	15:31:29.9088	+45:17:07.62	4.1829	Apr 2001	Djorgovski	C43E	1.00	7723.0	4000.0–9361.71
J153131+240333	15:31:31.52	+24:03:33.1	2.525	Mar 2013	Ge	A288E	0.75	1500.0	4000.0–10131.6
J153233+241525	15:32:33.1632	+24:15:25.992	0.562	May 2002	Becker	U43E	1.00	900.0	4000.0–10136.0
J153459+132701	15:34:59.7624	+13:27:01.404	5.0589	May 2013	Wolfe	U014E	0.75	1800.0	4000.0–10131.2
J153553+294313	15:35:53.8032	+29:43:13.728	3.9637	Sep 2000	Djorgovski	C123E	1.00	1800.0	4000.0–9340.2
J153627+143717	15:36:27.0912	+14:37:17.184	4.881	May 2013	Wolfe	U014E	0.75	1800.0	4000.0–10131.2
J153636+044127	15:36:36.2232	+04:41:27.06	0.389	Mar 2009	Wolfe	U143E	0.75	1200.0	4000.0–10131.9
J153648+432154	15:36:48.7224	+43:21:54.18	2.7811	May 2008	Sargent	C161E	0.75	1550.0	4000.0–10130.9
J153731+335836	15:37:31.0176	+33:58:36.768	1.0251	Mar 2001	Becker	U55E	1.00	900.0	4000.0–10136.3

Table 1 continued

Table 1 (*continued*)

Object	R.A. ^a	Dec. ^a	z_{em}^a	Observation	PI	Program	Slit	Total Exp,	Wavelength
	(J2000)	(J2000)		Date		ID ^b	"	Time (s)	Coverage (Å)
J153741+122741	15:37:41.6304	+12:27:41.688	1.212	Dec 2000	Becker	U56E	0.75	1800.0	4000.0–10137.0
J154059+473643	15:40:59.1912	+47:36:43.704	3.1368	Feb 2008	Tytler	U039E	1.00	780.0	4000.0–10131.2
J154110+270231	15:41:10.404	+27:02:31.236	3.636	Mar 2008	Djorgovski	XXX	1.00	1940.0	4000.0–10131.6
...	...	...	...	Jun 2008	Djorgovski	C194E	1.00	11982.0	4000.0–10130.6
J154225+173323	15:42:25.8192	+17:33:23.004	3.2596	Jun 2008	Djorgovski	C194E	1.00	4200.0	4000.0–10130.6
J154340+341744	15:43:40.3848	+34:17:44.448	4.4007	Apr 2000	Djorgovski	C9E	1.00	2790.0	4000.0–9352.98
J154842+091332	15:48:42.024	+09:13:32.7	1.5322	Apr 2005	Becker	U42E	1.00	1200.0	4000.0–10136.6
J155102+084401	15:51:02.7912	+08:44:01.212	2.5113	Apr 2005	Becker	U42E	1.00	900.0	4000.0–10136.6
J155409+183550	15:54:09.8424	+18:35:50.496	3.99	Sep 2000	Djorgovski	C123E	1.00	1800.0	4000.0–9339.89
J155656+231920	15:56:55.99	+23:19:20.7	2.82	Apr 2012	Martin	U048E	1.00	5400.0	4000.0–10131.2
J155702+231927	15:57:02.49	+23:19:27.1	2.804	Apr 2012	Martin	U048E	1.00	3600.0	4000.0–10131.2
J155738+232057	15:57:38.3976	+23:20:57.516	4.1317	May 2008	Sargent	C161E	0.75	1800.0	4000.0–10130.9
J155810–003120	15:58:10.1592	–00:31:20.028	2.8420	Feb 2008	Tytler	U039E	1.00	1200.0	4000.0–10131.9
J155814+405337	15:58:14.5104	+40:53:37.068	2.6378	Feb 2008	Tytler	U039E	1.00	1320.0	4000.0–10131.6
J155952+192310	15:59:52.6752	+19:23:10.536	3.951	Jul 2008	Djorgovski	C193E	1.00	2500.0	4000.0–10133.6
J160103+341025	16:01:03.8544	+34:10:25.068	2.9780	Feb 2008	Tytler	U039E	1.00	720.0	4000.0–10131.6
J160254+422822	16:02:54.18	+42:28:22.908	6.07	Aug 2005	Cowie	XXX	0.75	3600.0	4000.0–10134.3
...	...	...	...	Apr 2004	Djorgovski	C26E	1.00	1800.0	4000.0–9356.72
J160325+521222	16:03:25.5288	+52:12:22.464	0.8125	Mar 2001	Becker	U55E	1.00	900.0	4000.0–10136.0
J160501–011220	16:05:01.2096	–01:12:20.016	4.9217	Mar 2000	Sargent	C12E	0.75	4800.0	4000.0–10136.0
J160734+160417	16:07:34.2288	+16:04:17.472	4.7980	Mar 2010	Wolfe	U018E	0.75	3600.0	4000.0–10131.9
J161009+472444	16:10:09.4272	+47:24:44.496	3.2200	Sep 2004	Prochaska	U12E	0.50	1800.0	4000.0–10135.6
J161253+525543	16:12:53.08	+52:55:43.5	4.95	Apr 2001	Sargent	C16E	0.75	10500.0	4000.0–10136.0
J161425+464028	16:14:25.1376	+46:40:28.992	5.3131	May 2013	Wolfe	U014E	0.75	5400.0	4000.0–10131.2
J161434+470420	16:14:34.6728	+47:04:20.028	1.8625	Mar 2001	Becker	XXX	1.00	900.0	4000.0–10136.0
...	...	...	...	May 2002	Becker	XXX	1.00	2400.0	4000.0–10136.0
J161447+205902	16:14:47.0376	+20:59:02.976	5.0921	Aug 2013	Wolfe	U052E	0.75	1200.0	4000.0–10130.2
J161522+180356	16:15:22.8576	+18:03:56.34	4.01	Apr 2000	Djorgovski	XXX	1.00	3600.0	4000.0–9353.29
...	...	...	...	Sep 2000	Djorgovski	XXX	1.00	1800.0	4000.0–9339.89
J161717+002827	16:17:17.8368	+00:28:27.228	1.9392	Sep 2004	Prochaska	U12E	0.50	850.0	4000.0–10135.3
J162210+070215	16:22:10.1088	+07:02:15.36	3.264	Jul 2008	Djorgovski	C193E	1.00	3000.0	4000.0–10133.6
J162331+311200	16:23:31.8096	+31:12:00.504	6.247	Jan 2004	Becker	U51E	1.00	5400.0	4000.0–10136.6
J162548+264658	16:25:48.7992	+26:46:58.764	2.5314	Mar 2010	Wolfe	U018E	0.75	320.0	4000.0–10131.6
J162625+432920	16:26:25.4424	+43:29:20.184	3.7429	Mar 2006	Tytler	U074E	1.00	1900.0	4000.0–10137.6
J162626+275132	16:26:26.5032	+27:51:32.508	5.2144	Mar 2009	Wolfe	U143E	0.75	5400.0	4000.0–10131.6
J162629+285857	16:26:29.1936	+28:58:57.576	5.0224	Mar 2012	Wolfe	U049E	0.75	5400.0	4000.0–10131.9
J162737+221509	16:27:37.9104	+22:15:09.324	3.7053	Jun 2008	Djorgovski	C194E	1.00	3000.0	4000.0–10130.9
J162738+460538	16:27:38.63	+46:05:38.4	3.82	Apr 2007	Martin	U047E	1.00	9600.0	4000.0–10128.5
J163033+401209	16:30:33.9	+40:12:09.612	6.065	Mar 2003	Cowie	XXX	0.75	1800.0	4000.0–10136.3
...	...	...	...	Mar 2004	Cowie	XXX	0.75	1800.0	4000.0–10136.6
...	...	...	...	Oct 2010	Sargent	C197E	0.75	2330.0	4000.0–10130.9
J163238+423313	16:32:38.7768	+42:33:13.824	1.7140	May 2002	Becker	U43E	1.00	900.0	4000.0–10136.0
J163434+392022	16:34:34.4544	+39:20:22.056	2.796	Aug 2000	Tytler	U78E	0.50	2400.0	4000.0–10134.6
J163500+301321	16:35:00.0672	+30:13:21.72	2.9343	Jul 2008	Djorgovski	C193E	1.00	1200.0	4000.0–10133.9
J163701+263606	16:37:00.9312	+26:36:09.864	1.961	Jun 2002	Sargent	C77E	0.75	7300.0	4000.0–10135.6
J163747+290135	16:37:47.5824	+29:01:35.292	3.6426	May 2008	Sargent	C161E	0.75	2107.0	4000.0–10130.9
J163755+250930	16:37:55.2216	+25:09:30.312	1.1100	Mar 2001	Becker	U55E	1.00	900.0	4000.0–10136.3
J163842+270705	16:38:42.9888	+27:07:05.196	1.692	Apr 2005	Becker	U42E	1.00	1200.0	4000.0–10136.6
J163909+282447	16:39:09.1128	+28:24:47.16	3.8192	Jan 2015	Cooksey	XXX	0.75	750.0	4000.0–10131.9
J164121+375520	16:41:21.6408	+37:55:20.496	6.04	Oct 2007	Willott	A288E	1.00	5280.0	4000.0–10130.9
J164152+305851	16:41:52.3032	+30:58:51.744	2.0110	Mar 2000	Becker	U4E	0.75	3600.0	4000.0–10135.3
J164311+315618	16:43:11.3424	+31:56:18.384	0.5868	Mar 2004	Becker	U12E	1.00	2056.0	4000.0–10136.6
J164656+551444	16:46:56.2992	+55:14:44.988	4.037	Apr 2000	Djorgovski	XXX	1.00	3600.0	4000.0–9353.29

Table 1 continued

Table 1 (*continued*)

Object	R.A. ^a	Dec. ^a	z_{em}^a	Observation	PI	Program	Slit	Total Exp,	Wavelength
	(J2000)	(J2000)		Date		ID ^b	"	Time (s)	Coverage (Å)
...	...	...	...	Aug 2000	Tytler	XXX	0.50	1800.0	4000.0–10134.6
J165001+343003	16:50:01.2288	+34:30:03.708	3.8711	Feb 2008	Tytler	U039E	1.00	2580.0	4000.0–10131.6
J165043+425149	16:50:43.4448	+42:51:49.32	1.5467	Apr 2005	Becker	U42E	1.00	900.0	4000.0–10136.6
J165408+350955	16:54:08.1792	+35:09:55.008	2.8547	May 2008	Sargent	C161E	0.75	1200.0	4000.0–10131.2
J165436+222733	16:54:36.8544	+22:27:33.804	4.7072	Mar 2009	Wolfe	U143E	0.75	3600.0	4000.0–10131.9
J165647+382136	16:56:47.1144	+38:21:36.972	0.732	Apr 2000	Davis	U61E	1.00	1200.0	4000.0–10135.6
J165816+342809	16:58:16.4784	+34:28:09.876	1.6983	Sep 2004	Wolfe	U45aE	0.50	1200.0	4000.0–10136.0
J165902+270935	16:59:02.1144	+27:09:35.1	5.3056	Mar 2010	Wolfe	U018E	0.75	2982.0	4000.0–10131.9
J170634+361507	17:06:34.1592	+36:15:07.992	0.918	Mar 2001	Becker	U55E	1.00	1700.0	4000.0–10136.3
J170802+222724	17:08:02.5368	+22:27:24.228	0.3772	Mar 2001	Becker	U55E	1.00	1200.0	4000.0–10136.6
J170909+325803	17:09:09.288	+32:58:03.432	1.8942	Sep 2004	Wolfe	U45aE	0.50	1800.0	4000.0–10136.0
J170931+341731	17:09:31.02	+34:17:31.2	3.3115	May 2008	Sargent	C161E	0.75	1611.0	4000.0–10131.2
J171356+421808	17:13:56.148	+42:18:08.496	4.23	Apr 2001	Djorgovski	XXX	1.00	5400.0	4000.0–9362.02
...	...	...	...	Jul 2001	Djorgovski	C6E	1.00	5460.0	4000.0–9355.47
J171532+460639	17:15:32.51	+46:06:39.3	0.65	Mar 2001	Becker	U55E	1.00	900.0	4000.0–10136.3
J171539+380909	17:15:39.4584	+38:09:09.972	4.52	Sep 2000	Djorgovski	C123E	1.00	3600.0	4000.0–9339.89
J171719+580218	17:17:19.4592	+58:02:18.024	3.1672	May 2008	Sargent	C161E	0.75	2100.0	4000.0–10130.9
J171945+254951	17:19:45.8712	+25:49:51.24	2.17	Feb 2003	Becker	U2E	1.00	900.0	4000.0–10136.3
J171946+254941	17:19:46.6632	+25:49:41.124	2.1776	Feb 2003	Becker	U2E	1.00	900.0	4000.0–10136.6
J172027+615657	17:20:27.5952	+61:56:57.372	0.727	Apr 2005	Becker	U42E	1.00	1200.0	4000.0–10136.3
J172323+224358	17:23:23.2008	+22:43:58.008	4.52	Jan 2015	Cowie	XXX	0.75	4800.0	4000.0–10131.6
...	...	...	...	Mar 2001	Djorgovski	C43E	1.00	2400.0	4000.0–9450.44
...	...	...	...	Jul 2001	Wolfe	U10E	0.50	1800.0	4000.0–10135.3
J173352+540030	17:33:52.2504	+54:00:30.672	3.4354	Feb 2008	Tytler	U039E	1.00	300.0	4000.0–10131.2
J173704+440603	17:37:04.8648	+44:06:03.42	1.9514	Mar 2013	Ge	A288E	0.75	1200.0	4000.0–10131.2
J173719+534133	17:37:19.7376	+53:41:33.72	2.4080	May 2002	Becker	U43E	1.00	900.0	4000.0–10136.0
J173744+582829	17:37:44.8848	+58:28:29.64	4.9186	Jun 2001	Cowie	H12aE	0.75	10800.0	4000.0–10136.0
...	...	...	...	Mar 2001	Djorgovski	C43E	1.00	5400.0	4000.0–9450.44
...	...	...	...	Jul 2001	Djorgovski	C6E	1.00	7260.0	4000.0–9355.16
...	...	...	...	Apr 2001	Sargent	C16E	0.75	7000.0	4000.0–10136.0
...	...	...	...	Mar 2012	Wolfe	U049E	0.75	3300.0	4000.0–10131.6
J175603+574847	17:56:03.6216	+57:48:47.988	2.11	Aug 2002	Prochaska	U4E	0.50	3600.0	4000.0–10136.0
J175746+753916	17:57:46.3584	+75:39:16.164	3.05	Aug 2000	Tytler	U78E	0.50	1800.0	4000.0–10134.9
J180248+561650	18:02:48.9	+56:16:50.988	4.158	Sep 2000	Djorgovski	C123E	1.00	5400.0	4000.0–9340.2
J185230+401906	18:52:30.372	+40:19:06.6	2.12	Aug 2002	Prochaska	U4E	0.50	2400.0	4000.0–10135.6
J193957–100241	19:39:57.2568	–10:02:41.532	3.787	Sep 2007	Cowie	XXX	0.75	5400.0	4000.0–10130.6
...	...	...	...	Feb 2008	Tytler	U039E	1.00	1200.0	4000.0–10131.9
J200324–325145	20:03:24.1152	–32:51:45.144	3.773	Aug 2000	Tytler	U78E	0.50	2400.0	4000.0–10134.6
J203642–055300	20:36:42.2928	–05:53:00.24	2.5861	Sep 2004	Prochaska	U12E	0.50	1800.0	4000.0–10135.3
J204431–054239	20:44:31.128	–05:42:39.708	1.9117	Sep 2004	Prochaska	U12E	0.50	1200.0	4000.0–10135.6
J205406–000514	20:54:06.4896	–00:05:14.784	6.0379	Oct 2010	Sargent	C197E	1.00	12000.0	4000.0–10130.2
J205922–052842	20:59:22.4256	–05:28:42.78	2.5376	Sep 2004	Wolfe	U45aE	0.50	1200.0	4000.0–10136.0
J210025–064145	21:00:25.0296	–06:41:45.996	3.1445	Sep 2004	Prochaska	U12E	0.50	1200.0	4000.0–10135.3
J211443–005532	21:14:43.9488	–00:55:32.772	3.4341	Dec 2010	Prochaska	U025E	0.50	1800.0	4000.0–10129.9
J211450–063257	21:14:50.3376	–06:32:57.084	4.2363	May 2008	Sargent	C161E	0.75	2400.0	4000.0–10131.9
J212207–001445	21:22:07.3608	–00:14:45.708	4.0721	Sep 2000	Djorgovski	C123E	1.00	3600.0	4000.0–9339.89
J212357–005350	21:23:57.5688	–00:53:50.1	3.5851	Dec 2010	Prochaska	U025E	0.50	1800.0	4000.0–10129.9
J213216+001447	21:32:16.1616	+00:14:47.724	1.5	Oct 2010	Sargent	C197E	0.75	300.0	4000.0–10130.6
J214129+111958	21:41:29.388	+11:19:58.332	2.5049	Sep 2004	Prochaska	U12E	0.50	1800.0	4000.0–10135.6
J215117–070753	21:51:17.0016	–07:07:53.4	2.5346	Sep 2004	Wolfe	U45aE	0.50	2700.0	4000.0–10136.0
J215502+135826	21:55:02.1	+13:58:26.004	4.256	Oct 2000	Wolfe	U22E	0.75	1800.0	4000.0–10135.3
J215727+001558	21:57:27.2616	+00:15:58.428	2.5518	Nov 2006	Martin	U086E	1.00	4257.0	4000.0–10134.3
J215728+001545	21:57:28.356	+00:15:45.54	2.5566	Nov 2006	Martin	U086E	1.00	2953.0	4000.0–10134.3

Table 1 continued

Table 1 (*continued*)

Object	R.A. ^a	Dec. ^a	z_{em}^a	Observation	PI	Program	Slit	Total Exp,	Wavelength
	(J2000)	(J2000)		Date		ID ^b	"	Time (s)	Coverage (Å)
J220008+001744	22:00:08.664	+00:17:44.988	4.7894	Jun 2001	Cowie	H12aE	0.75	12600.0	4000.0–10137.0
...	...	...	...	Jul 2001	Djorgovski	C6E	1.00	5460.0	4000.0–9356.72
J220343+182813	22:03:43.3992	+18:28:13.116	4.38	Sep 2000	Djorgovski	C123E	1.00	3600.0	4000.0–9340.2
J220639–181845	22:06:39.6144	–18:18:45.9	2.728	Aug 2000	Tytler	U78E	0.50	4000.0	4000.0–10135.3
J220755+130009	22:07:55.3752	+13:00:09	2.84	Jun 2008	Djorgovski	C194E	1.00	5400.0	4000.0–10131.9
J220758+125944	22:07:58.3056	+12:59:44.268	3.1102	Jun 2008	Djorgovski	C194E	1.00	4800.0	4000.0–10131.9
J221122+133451	22:11:22.524	+13:34:51.24	3.145	Nov 2013	Kulkarni	A319E	0.75	2400.0	4000.0–10130.2
J221527–161133	22:15:27.2928	–16:11:33.036	3.99	Aug 2000	Tytler	U78E	0.50	2700.0	4000.0–10135.3
J221644+001348	22:16:44.0112	+00:13:48.18	4.99	Sep 2007	Cowie	H183E	0.75	7200.0	4000.0–10130.9
...	...	...	...	Jul 2001	Djorgovski	C6E	1.00	14520.0	4000.0–9357.34
...	...	...	...	Aug 2013	Wolfe	U052E	0.75	1200.0	4000.0–10131.2
J222018–010146	22:20:18.48	–01:01:46.812	5.62	Aug 2013	Wolfe	U052E	0.75	3600.0	4000.0–10131.2
J222252–020257	22:22:52.7808	–02:02:57.408	2.252	Dec 2002	Becker	U11E	1.00	900.0	4000.0–10134.9
J222256–094636	22:22:56.112	–09:46:36.264	2.9268	Sep 2004	Prochaska	U12E	0.50	600.0	4000.0–10135.6
J222845–075755	22:28:45.1488	–07:57:55.368	5.1417	Aug 2013	Wolfe	U052E	0.75	1200.0	4000.0–10131.2
J223157–085212	22:31:57.54	–08:52:12.324	2.5579	Sep 2004	Prochaska	U12E	0.50	1800.0	4000.0–10135.6
J223408+000001	22:34:08.9976	+00:00:01.692	3.0293	Aug 2000	Tytler	U78E	0.50	1800.0	4000.0–10135.3
J223438+005730	22:34:38.5248	+00:57:30.024	2.8230	Sep 2004	Wolfe	U45aE	0.50	2700.0	4000.0–10136.3
J223841+260345	22:38:41.5992	+26:03:45.288	4.03	Sep 2000	Djorgovski	C123E	1.00	3600.0	4000.0–9340.51
J223843+001647	22:38:43.5672	+00:16:47.928	3.4667	Sep 2004	Wolfe	U45aE	0.50	1800.0	4000.0–10136.3
J223953–055218	22:39:53.5992	–05:52:18.984	4.558	Nov 2000	Cowie	H18aE	0.75	18240.0	4000.0–10134.9
...	...	...	...	Aug 2000	Tytler	U78E	0.50	2700.0	4000.0–10135.3
J224147+135202	22:41:47.7552	+13:52:02.748	4.4707	Sep 2000	Djorgovski	XXX	1.00	3600.0	4000.0–9340.51
...	...	...	...	Jul 2001	Wolfe	U10E	0.50	2700.0	4000.0–10137.0
...	...	...	...	Aug 2010	Wolfe	U163E	0.75	4800.0	4000.0–10131.6
J224206–005151	22:42:06.8952	–00:51:51.876	4.0107	Jul 2008	Djorgovski	C193E	1.00	3600.0	4000.0–10134.9
J224405+104737	22:44:05.3904	+10:47:37.896	4.0552	Sep 2000	Djorgovski	C123E	1.00	4800.0	4000.0–9340.2
J224452+142915	22:44:52.224	+14:29:15.144	1.9607	Sep 2004	Wolfe	U45aE	0.50	1800.0	4000.0–10136.6
J225118–122703	22:51:18.06	–12:27:03.06	4.161	Aug 2000	Tytler	U78E	0.50	3600.0	4000.0–10135.3
J225246+142525	22:52:46.4376	+14:25:25.896	4.9048	Aug 2010	Wolfe	U163E	0.75	9000.0	4000.0–10131.6
J230107–015804	23:01:07.9776	–01:58:04.584	0.778	Dec 2002	Becker	U11E	1.00	600.0	4000.0–10134.9
J231216+010051	23:12:16.4352	+01:00:51.624	5.068	Aug 2013	Wolfe	U052E	0.75	2400.0	4000.0–10131.6
J231543+145606	23:15:43.5648	+14:56:06.432	3.3904	Sep 2004	Wolfe	U45aE	0.50	1200.0	4000.0–10136.6
J231546–002358	23:15:46.5696	–00:23:58.092	6.117	Jan 2006	Becker	XXX	1.00	2400.0	4000.0–10136.3
...	...	...	...	Oct 2010	Sargent	C197E	0.75	27000.0	4000.0–10130.6
J231559+092143	23:15:59.2008	+09:21:43.992	4.412	Sep 2000	Djorgovski	C123E	1.00	5400.0	4000.0–9340.51
J232115+142131	23:21:15.4872	+14:21:31.464	2.5376	Dec 2006	Wolfe	U131E	0.50	4346.0	4000.0–10134.9
J232207+194422	23:22:07.1616	+19:44:22.92	4.1179	Sep 2000	Djorgovski	C123E	1.00	4535.0	4000.0–9340.51
J232340+275800	23:23:40.9008	+27:58:00.408	4.18	Sep 2000	Djorgovski	XXX	1.00	5220.0	4000.0–9340.51
...	...	...	...	Jul 2001	Wolfe	U10E	0.50	3600.0	4000.0–10137.0
J232549–105243	23:25:49.8816	–10:52:43.896	0.564	Dec 2002	Becker	U11E	1.00	900.0	4000.0–10134.9
J232908–030158	23:29:08.28	–03:01:58.8	6.427	Oct 2007	Willott	A288E	1.00	4015.0	4000.0–10130.9
J233635–010733	23:36:35.7504	–01:07:33.708	1.3040	Jan 2002	Chaffee	K03E	1.00	1200.0	4000.0–10134.9
J233903–091221	23:39:03.8232	–09:12:21.24	0.6604	Dec 2002	Becker	U11E	1.00	600.0	4000.0–10134.9
J234349–104742	23:43:49.4112	–10:47:42.108	3.6161	Dec 2010	Prochaska	U025E	0.50	3600.0	4000.0–10129.9
J234352+141014	23:43:52.6296	+14:10:14.664	2.9166	Sep 2004	Prochaska	U12E	0.50	1200.0	4000.0–10136.3
J234403+034225	23:44:03.1992	+03:42:25.992	4.239	Dec 1999	Djorgovski	XXX	1.00	2700.0	4000.0–8853.35
...	...	...	...	Jul 2001	Wolfe	U10E	0.50	1800.0	4000.0–10137.0
J234451+343348	23:44:51.2544	+34:33:48.636	3.053	Jul 2001	Wolfe	U10E	0.50	1800.0	4000.0–10137.0
J234819+005721	23:48:19.584	+00:57:21.492	2.1653	Jun 2002	Sargent	C77E	0.75	2400.0	4000.0–10137.0
J235050–002848	23:50:50.7336	–00:28:48.54	0.4412	Dec 2002	Becker	U11E	1.00	600.0	4000.0–10134.9
J235057–005209	23:50:57.876	–00:52:09.912	3.0324	Aug 2000	Tytler	XXX	0.50	2400.0	4000.0–10135.6
...	...	...	...	Jul 2001	Wolfe	U10E	0.50	2700.0	4000.0–10137.0

Table 1 *continued*

Table 1 (*continued*)

Object	R.A. ^a	Dec. ^a	z_{em} ^a	Observation	PI	Program	Slit	Total Exp,	Wavelength
	(J2000)	(J2000)		Date		ID ^b	"	Time (s)	Coverage (Å)
J235108+134322	23:51:08.664	+13:43:22.656	1.2224	Dec 2002	Becker	U11E	1.00	761.0	4000.0–10134.9
J235152+160048	23:51:52.8072	+16:00:48.924	4.7033	Dec 2010	Prochaska	U025E	0.50	3600.0	4000.0–10129.9
J235200–090041	23:52:00.3264	–09:00:41.76	1.6605	Sep 2004	Wolfe	U45aE	0.50	2400.0	4000.0–10136.6
J235854+014953	23:58:54.4296	+01:49:53.76	3.21	Nov 2013	Kulkarni	A319E	0.75	2100.0	4000.0–10130.2

NOTE—^aJ2000 coordinates and quasar redshifts are determined by passing the quasar coordinates from the raw data header through SIMBAD or NED and choosing the appropriate match.

NOTE—^bKeck Program ID information taken from the data header. Data without a Program ID in the header are assigned the value XXX.

Table 2 (*continued*)**Table 2.** Overlap between DR2 (HIRES) and DR3 (ESI)

ESI DR3 Name	Alternate HIRES DR2 Name	z_{em}
J001602–001225	J001602–001224	2.090
J003501–091817		2.423
J004054–091526		4.977
J005814+011530		2.508
J010311+131617		2.681
J013340+040059		4.154
J013421+330756		4.532
J013515–021349		1.820
J015741–010629		3.572
J020944+051714		4.174
J022554+005451		2.980
J024401–013403		4.053
J024854+180249		4.422
J025518+004847		4.015
J073149+285448		3.671
J074521+473436		3.221
J074711+273903		4.170
J074749+443417		4.432
J081240+320808		2.703
J081435+502946		3.885
J081740+135134		4.379
J082107+310751		2.613
J082540+354414		3.846
J082619+314848		3.098
J083141+524517		3.912
J084424+124546	J084424+124548	2.489
J090033+421547	J090033+421546	3.294
J092708+582319		1.915
J092914+282529		3.406
J093337+284532		3.421
J095500–013006	J095500–013000	4.434
J100841+362319		3.129
J101155+294141		2.620
J102156+300140		3.128
J103514+544040		2.996
J105123+354534		4.912
J105756+455553		4.137

ESI DR3 Name	Alternate HIRES DR2 Name	z_{em}
J110045+112239		4.707
J113130+604420		2.906
J113508+222715		2.880
J115538+053050		3.476
J120207+323538		5.292
J121117+042222		2.548
J121134+090220		3.292
J124610+303131		2.560
J124924–023339		2.121
J130426+120245		2.985
J131215+423900		2.573
J134002+110630		2.926
J134543+262506	J134544+262506	2.030
J134916–033715		3.992
J135317+532825		2.912
J141906+592312		2.329
J142438+225600		3.620
J143912+295448		3.004
J144331+272436		4.420
J144453+291905		2.638
J155810–003120		2.842
J155814+405337		2.638
J161009+472444		3.220
J162548+264658		2.531
J164656+551444	J164656+551446	4.037
J173352+540030		3.435
J175603+574847	J175603+574848	2.110
J175746+753916		3.050
J185230+401906		2.120
J193957–100241		3.787
J200324–325145		3.773
J203642–055300		2.586
J210025–064145	J210025–064146	3.145
J215502+135826		4.256
J220639–181845	J220639–181846	2.728
J221527–161133	J221527–161132	3.990
J222256–094636		2.927
J223408+000001		3.029
J223953–055218	J223953–055219	4.558
J231543+145606		3.390
J234352+141014		2.917
J234451+343348		3.053
J235057–005209		3.032

Table 2 continued

