

One star, two star, red star, blue star: an updated planetary nebula central star distance catalogue from *Gaia* EDR3

N. Chornay and N. A. Walton

Institute of Astronomy, University of Cambridge, Madingley Road, Cambridge, CB3 0HA, United Kingdom
e-mail: njc89@ast.cam.ac.uk, e-mail: naw@ast.cam.ac.uk

September 2021

ABSTRACT

Context. Planetary nebulae (PNe) are a brief but important phase of stellar evolution. The study of Galactic PNe has historically been hampered by uncertain distances, but the parallaxes of PN central stars (CSPNe) measured by *Gaia* are improving the situation.

Aims. *Gaia*'s Early Data Release 3 (EDR3) offers higher astrometric precision and greater completeness compared to previous releases. Taking advantage of these improvements requires that the CSPNe in the catalogue be accurately identified.

Methods. We applied our automated technique based on the likelihood ratio method to cross-match known PNe with sources in *Gaia* EDR3, using an empirically derived position and colour distribution to score candidate matches.

Results. We present a catalogue of over 2000 sources in *Gaia* EDR3 that our method has identified as likely CSPNe or compact nebula detections. We show how the more precise parallaxes of these sources compare to previous PN statistical distances and introduce an approach to combining them to produce tighter distance constraints. We also discuss *Gaia*'s handling of close companions and bright nebulae.

Conclusions. *Gaia* is unlocking new avenues for the study of PNe. The catalogue presented here will remain valid for the upcoming *Gaia* Data Release 3 (DR3) and thus provide a valuable resource for years to come.

Key words. planetary nebulae: general – parallaxes – Methods: statistical

1. Introduction

Planetary nebulae (PNe) are a brief but enigmatic stage in the evolution of low- and intermediate-mass stars towards the ends of their lives. Central stars of PNe (CSPNe) are some of the rarest objects observed by *Gaia* (Gaia Collaboration et al. 2016), a European Space Agency (ESA) mission conducting precision astrometry and photometry for nearly two billion sources in the Milky Way and beyond. *Gaia* shows great potential for the study of PNe: parallaxes inform distance estimates and in turn CSPN absolute magnitudes and evolutionary phase; proper motions add more dimensions to dynamics and relate PNe to their parent stellar populations, constraining ages and masses; and repeated photometric observations enable the study of variability and binarity.

Unlocking *Gaia*'s potential requires a complete and accurate cross-match of *Gaia* sources with CSPNe. Chornay & Walton (2020, hereinafter CW20) used an automated approach to generate an extensive catalogue of candidate CSPNe in *Gaia* Data Release 2 (DR2, Gaia Collaboration et al. 2018). The nature of *Gaia*'s iterative release process necessitates updates to catalogues based on *Gaia* data, as the set of sources and their identifications changes between releases (Torra et al. 2021). Moreover, when the *Gaia* data is itself used for cross-matching, better data translates into improved accuracy. In this work we present a new catalogue of candidate CSPNe and compact PNe in *Gaia* Early Data Release 3 (EDR3, Gaia Collaboration et al. 2021) based on the same methodology as CW20. With a completely new *Gaia* catalogue not expected for some time, this will provide a valuable resource for the study of Galactic PNe for years to come.

2. Methods

2.1. Input catalogues

Our PN positions come from the Hong Kong/AAO/Strasbourg H α (HASH) PN catalogue (Parker et al. 2016, as of 5 July 2021), which now contains 2670 "true" PNe (those with spectroscopic confirmation; an 8% increase since CW20) and 3800 PNe in total (including likely and possible identifications). We saw in CW20 that three very extended PNe had CSPNe more than 60'' away from the HASH positions, outside of our search radius. To address this we adopt positions for Sh 2-188 from Weidmann & Gamen (2011) and for FP J1824-0319 and FP J0905-3033 from Parker et al. (2006). *Gaia* EDR3 is likewise larger than DR2. The longer survey duration (12 more months, for 34 months in total), along with improved calibration, results in higher completeness (7% more sources overall) and greater astrometric precision. The set of sources in EDR3 is distinct from that of DR2 not only in that more sources are present; some may have disappeared or changed identifiers (Torra et al. 2021). *Gaia* Data Release 3 (DR3) will include the same sources as EDR3 but with additional data products.

2.2. Cross-matching

We use the same method employed in CW20, and here provide a brief review, pointing the reader to that work for a more detailed background. The aim is to automatically match CSPNe or compact/stellar-like nebulae to *Gaia* sources. The expectation is that these sources will be close to the catalogued position of the PN, but the possibility of non-detections, background inter-

lopers, and positional inaccuracies necessitates a more nuanced approach than simple nearest-neighbour matching.

The likelihood ratio method of Sutherland & Saunders (1992) is well-suited to this aim. Given a candidate match at angular separation r , the approach compares the probability of finding a genuine match at r to finding a background object. Our implementation assumes a uniform background density in each field, and a radially symmetric positional distribution of genuine CSPNe parameterised by the radius of the PN (allowing larger PNe to have more offset CSPNe, albeit with lower probability). We also employ the colour distributions of true CSPNe and background sources, parameterised based on the photometric excess factor (Evans et al. 2018), with the effect of down-weighting colours for sources whose colour is potentially contaminated by nearby sources or background. Distributions are derived iteratively, using sources with secure identifications based on colour to empirically determine the positional distribution of genuine CSPNe, and in turn using the positionally secure sources to update the colour distribution. This works because CSPNe are often much bluer than typical *Gaia* sources and therefore can be selected purely based on colour with relatively high confidence.

We made a few small changes to the algorithm's treatment of the $G_{BP}-G_{RP}$ colours. In deriving the initial and final colour distributions, we only considered sources with G brighter than 19, which have relatively precise colours. Then in computing the likelihood ratios for individual sources we convolved the densities with the photometric uncertainties, after accounting for the smoothing already applied by the kernel density estimation. This lessens the impact of faint sources with extreme and likely spurious colours. We also adopted the prescription of Riello et al. (2021) for describing a locus of photometric excess values of well-behaved sources. The photometric excess is no longer used by *Gaia* as a filter for published photometry, though for large excess values the photometry is still not very discriminative, as it likely dominated by the background.

We retrieved all *Gaia* EDR3 sources within a $60''$ radius of the PN positions from HASH. All of these were used in calculating the background density and colour distribution (the latter only for $G < 19$), while only the subset of sources within half each PN angular size (taken from HASH) plus $2''$ were considered as candidates. For each PN, the set of candidate likelihood ratios were used to calculate reliabilities (the probability that a given candidate is the correct match).

3. Catalogue

The improved method applied to EDR3 produces a bimodal distribution of top match reliabilities similar to that from CW20 for *Gaia* DR2 (Fig 1, lower left; for clarity only "true" PNe are shown). Most sources have reliabilities close to their values from CW20; these are near the diagonal (region C) in upper left of Fig. 1. Points in regions A and E represent the most significant changes, typically due to removed or new sources respectively. Counts of PNe in these regions are in Table 1, including "likely" and "possible" PNe. In addition there are 207 new PNe in HASH since CW20 (included in Fig. 1; lower left); of these 107 have candidates with reliability > 0.2 . There are also 22 objects published in CW20 that are no longer listed as PNe in HASH (not shown).

As with the previous iteration, the method retrieves blue CSPNe even out to large separations (Fig. 1, right; the largest PN in the cluster at the upper left has an angular radius of nearly $600''$). The few sources with unphysically blue colours are scored lower due to their large photometric uncertainties.




Fig. 1: Matching results for "true" PNe. The top left panel shows the reliability of the CW20 *Gaia* DR2 matches versus the EDR3 matches from this work for PNe present in both. Red points are PNe where the location of the best candidate match has changed by more than 0.1 . All of these points are contained in the histogram in the lower left panel, which also includes PNe that were not in CW20. The upper right panel shows the separation versus colour distribution of highest-ranked candidates, colour-coded by reliability with the non-linear scale shown at the bottom right. Rings around markers indicate PN angular sizes.

Table 1: Counts of PNe occupying different regions of the scatter plot in the upper left corner of Fig. 1, representing different changes in reliability relative to the CW20 *Gaia* DR2 matches.

PN status	match location	region				
		A	B	C	D	E
true	same	53	105	1238	47	15
	changed	16	14	10	14	157
other	same	36	58	303	7	3
	changed	3	3	2	4	30

The complete catalogue of the 2117 highest ranked candidates with reliability > 0.2 is in Table A.1. The catalogue includes the *Gaia* source identifier corresponding to the best match for each PN, the reliability of that match, and its angular separation from the PN position from HASH. Copied into the catalogue are relevant data from HASH (name, PN G identifier, PN coordinates, angular size, and confirmation status) and *Gaia* EDR3 (source coordinates, photometry, and astrometry). We additionally include the image parameter determination (IPD, Lindegren et al. 2021b) goodness-of-fit harmonic amplitude from *Gaia* (see Sect. 3.3) and combined statistical and parallax distance derived in this work (see Sect. 4.2).

3.1. Individual objects

Fig. 2 shows wide- and narrow-band imagery from the VPHAS+ survey (Drew et al. 2014) overlaid with *Gaia* EDR3 (and DR2) sources for four PNe chosen to exemplify significant changes encountered in *Gaia* EDR3. Data from VPHAS+ were not used as part of the matching, but the images, which capture stellar colours and nebula emission, provide good examples of some of the changes encountered in the updated *Gaia* data.




Fig. 2: VPHAS+ images of select PNe centred on their coordinates from HASH. North is up and east is to the left. The left two columns are colour images in different sets of filters, while the right two columns are quotient ($r' - H\alpha$) images overlayed with *Gaia* sources coloured according to their $G_{BP}-G_{RP}$ colours, with the best match highlighted.

KFL 16 and BMP J0713-0432 both have new detections in EDR3. The CSPN of KFL 16 has no *Gaia* colour but is sufficiently central that it is selected; its blue colour is evident in the VPHAS+ imagery. The CSPN of BMP J0713-0432 does exhibit a blue $G_{BP}-G_{RP}$ colour and as such is correctly identified despite not being the closest source to the PN position from HASH.

NGC 2440 had a clear CSPN detection in DR2. In EDR3 the central region of the PN now contains many nebula detections. The true CSPN is still selected based on its position (it is overwhelmed by the bright nebula in VPHAS+ but clear in space-based imagery), but with reduced confidence on account of the many new nearby sources. In the case of MaC 1-12, the lone detection from DR2 has disappeared, and no matching EDR3 source is found.

3.2. Visual binaries

Visual binaries are astrophysically interesting because, among other reasons, characterisation of the companion can provide an estimate of the distance to the pair and thus to the PN. However close companions - whether genuine or merely a chance alignment - can provide a challenge for our matching. Of the 53 PNe with two potential matches (two candidates with reliability > 0.2), about half are pairs with separation less than $1''$. These likely include some genuine binary systems, though their blended colour photometry and degraded astrometry makes it difficult to characterise the companion star and secure its relation through astrometry (e.g. González-Santamaría et al. 2020).

Some CSPNe are visual binaries in *Hubble* Space Telescope (HST) imagery: ten are presented in Ciardullo et al. (1999) ("probable associations") as well as additional pairs in Benetti

Table 2: *Gaia* detections of known close visual binaries.

PN	Sep. ^a ($''$)	ΔV^b (mag)	Rel. ^c	G (mag)	Mul. ^d (%)	RUWE
Abell 31	0.26	>6.8	1.00	15.5	0	1.03
Abell 33	1.80 ^e	1.0	0.93	15.9	0	1.09
EGB 6	0.17	...	0.07	16.7	0	0.98
K 1-14	0.36	2.4	0.96	16.0	0	2.09
K 1-22	0.35 ^e	0.3	1.00	16.1	70	2.41
			0.83	16.7	88	3.47
			0.17	16.7	79	2.94
K 1-27	0.56	5.1	1.00	16.0	0	0.90
Mz 2	0.28	-1.3	0.98	16.8	0	0.97
NGC 1535	1.04	5.5	1.00	12.1	17	1.01
NGC 3132	1.70 ^e	-5.7 ^f	0.81	10.0	0	1.84
			0.19	16.1	16	2.07
NGC 6818	0.09	0.7	1.00	16.3	0	3.80
NGC 7008	0.42	-1.5	1.00	13.7	93	6.07
Sp 3	0.31	-3.7	1.00	13.1	45	3.02

Notes. Rows with first columns blank indicate the *Gaia*-detected companion of the (assumed PN progenitor) in the row above. Single rows indicate that *Gaia* has not resolved the pair. ^(a) Literature separation, except where noted. Most values are from Ciardullo et al. (1999), except for EGB 6 (Liebert et al. 2013) and NGC 6818 (Benetti et al. 2003). ^(b) Difference in HST V magnitude between ionising star and companion (a positive difference indicates companion is fainter). ^(c) Reliability. ^(d) IPD multipeak fraction. ^(e) *Gaia* value, within $0''.02$ of literature HST value. ^(f) The ionising star of NGC 3132 is thought to be the fainter of the pair, so highest reliability match here is not correct in that sense.

et al. (2003) and Liebert et al. (2013). Typical separations of known pairs are fractions of an arcsecond; these appear blended from the ground. With the improved resolution of *Gaia* EDR3, we expect that more of these will be resolved: the source separation limit has decreased to $0''.18$ from $0''.4$ in DR2. however incompleteness starts to set in below $1''.5$ and is quite severe below $0''.7$ (Fabricius et al. 2021).

The detections for these PNe are listed in Table 2. Even sources that not separated by *Gaia* can show signs of binarity if they have a nonzero IPD multipeak fraction, which indicates that some detections show multiple peaks. These can indicate a close visual binary, though depending on the separation it may only be resolved in some scan directions.

Abell 33 and NGC 3132 have companions at wide separations detectable from the ground (though the catalogue position of NGC 3132 is actually closer to that of the companion star, leading to ambiguity in our matching results). Of the closer pairs, only K 1-22 is resolved into separate sources by *Gaia*, possibly on account of their similar magnitudes. Another four PNe have a notable fraction of multi-peak detections, while the remaining PNe seem to have companions that are either too faint (e.g. Abell 31 and K 1-27) or too close (e.g. NGC 6818). The re-normalised unit weight error (RUWE, indicative of excess astrometric error; Lindegren 2018) values range from normal to significant, and none are labelled as duplicated sources.

3.3. Nebula detections

It is expected that for compact PNe *Gaia* may not detect the CSPN but rather the bright central region of the nebula. *Gaia* can also detect features in extended PNe; this was seen early on




Fig. 3: Nebula detections for bright PNe. The upper images are HST narrowband images of NGC 6543 (left) and the central region of NGC 5189 (right) overlaid with *Gaia* EDR3 sources (coloured points and crosses). Error bars have been rotated to reflect the direction of the principle component of the error covariance matrices, and scaled by a factor of 100 for visibility. The lower plots show the distribution of IPD goodness-of-fit harmonic amplitudes. The left plot shows the distribution for the best matches versus PN angular radius on a linear colourmap for all best matches in our catalogue, with locations of the CSPNe of the PNe above (and NGC 2440 from Fig. 2) highlighted. The right plot shows all sources in the vicinity of these PNe, plotted against angular separation on a log scale. Vertical lines indicate the PN radii; the lack of points past 60'' is a result of our selection cutoff. (Images credit: *Hubble* Legacy Archive/ESA/NASA.)

in *Gaia*'s mission for NGC 6543 (Fabricius et al. 2016).¹ These detections were filtered out in the first two data releases, leaving only the 11th magnitude CSPN. Now in EDR3 some have returned (Fig. 3, upper left; c.f. Fig. 14 in Fabricius et al. 2016).

A strong indicator that these sources are non-stellar is the large values of IPD goodness-of-fit harmonic amplitude (which we abbreviate to HA). This is newly included in *Gaia* EDR3, and measures how the astrometric goodness-of-fit varies with scan angle. A large HA suggests an elongated source, such as a galaxy or a partially resolved binary.²

The lower left panel of Fig. 3 shows the HA distribution for all of our high-confidence matches ("true" PN with reliability > 0.8), parameterised by the angular size of the PN. Many compact PNe have larger HA values indicating likely nebular detections (compared to the values for extended PNe, whose detections we expect to be stellar). The lower right panel shows the distribution of all candidate matches for a few select objects. There is a clear separation between the stellar CSPN, nearby nebula detections (sources within the radius of the PN having high HA), and (usually more distant) field stars.

¹ Also featured as *Gaia*'s image of the week: https://www.cosmos.esa.int/web/gaia/iow_20141205.

² HA values for the close visual binaries in the previous section are smaller than those of typical nebula detections; the largest is 0.26 for NGC 6818, the closest pair in the sample.

Nebula detections of extended PN appear rare, and to keep our approach simple, we do not use the HA in our matching. We do however include it in our catalogue as an approximate way to check how stellar-like a source is. Large values should be treated with caution, particularly in conjunction with a high photometric excess factor, but do not necessarily indicate a nebula detection.

We note that so far these detections are not useful for studies of nebular evolution. NGC 6543 for example has a measured expansion rate of 3.13 ± 0.16 mas yr⁻¹ (similar to other PNe; Schönberner et al. 2018), large enough for *Gaia* to detect as proper motion. However the nebula detections have only two-parameter solutions (positions only) with uncertainties much larger than any change due to expansion over *Gaia*'s mission duration.

4. Distances

Distances to Galactic PNe have long been a key challenge in the study of PNe, with most distances reliant on statistical relations such as the H α surface brightness to physical radius relation of Frew et al. (2016, hereinafter FPB16). The precision of the parallaxes in *Gaia* EDR3 should translate into improved precision in distance determinations, however leveraging these parallaxes is not entirely straightforward.

4.1. Parallaxes compared to statistical distances

Following Smith (2015), parallaxes can be used to evaluate the accuracy of a statistical distance scale using distance ratios, that is, the per-object product of statistical distance and parallax. An accurate statistical relation should yield a distance ratio distribution centred on unity. We use this method to compare *Gaia* parallaxes to the statistical distance scale of FPB16. Parallaxes are corrected for the zero point bias following Lindegren et al. (2021a). We use the sub-trend relations where applicable, and the same quality cuts as in CW20, with the aim of selecting high quality measurements without biasing the sample ("true" PNe, reliability > 0.98, visibility_periods_used > 8, RUWE < 1.4, parallax error < 0.2 mas).

We find a median ratio of 1.03 ± 0.02 and a mean ratio of 1.11 ± 0.04 (uncertainties calculated via bootstrap). The overall distance scale is matched well (with some suggestion of the distances being slightly high), now with nearly twice as many objects being considered (294 compared to 160 in CW20). There is no statistically significant trend versus the PN surface brightness, implying the slope of the relation is reasonably accurate.

The effect of the parallax zero point correction (typically on the order of the median quasar parallax, -0.017 mas) is to make most parallaxes larger (implying smaller distances). Without the correction the distance ratios would have a smaller median value of 0.97, and exhibit a small but significant trend with surface brightness, even after accounting for outliers. This demonstrates the need for caution interpreting parallaxes, particularly as a population in which systematics can have noticeable effects.

4.2. Statistical distances as a prior

Estimating distances from parallaxes is well known to require a proper prior (Luri et al. 2018). Bailer-Jones et al. (2021, hereinafter BJ21) adopted two different priors for their catalogue covering most of *Gaia* EDR3: one based on a galaxy model and another that additionally incorporates *Gaia*'s photometry. Naturally, the effect of the adopted prior is greatest for stars with relatively large parallax uncertainties, which tends to result in




Fig. 4: Improvement over statistical distances of combined distances for "true" PNe with high-reliability matches. The left panel shows the distribution of statistical and combined distances and relative uncertainties, with lines connecting pairs of points corresponding to the same object. The right panel shows the cumulative distribution of relative uncertainties for parallaxes, statistical distances, and combined distances. The dotted lines for parallaxes and statistical distances are counts including objects with only parallaxes (not in FPB16) and all "true" PNe from FPB16 (not necessarily having parallaxes or *Gaia* matches) respectively.

distant, faint stars having their distances underestimated. The photometry prior aims to mitigate such effects. The rapid evolution of CSPNe makes such photometric distances less useful. However the relation between $H\alpha$ surface brightness and physical size of the PN used in FPB16 can perform a similar function.

For each PN, we use the statistical distance of FPB16 and its uncertainty as a prior $P(d)$, having shown in the previous section that the FPB16 scale remains broadly consistent with the *Gaia* parallaxes. The *Gaia* parallax ω and its uncertainty σ_ω provide the likelihood $P(\omega|d, \sigma_\omega)$. We compute the posterior distance distribution on a fixed grid of 1pc steps between 0 and 60kpc (twice the largest prior distance), by simply applying Bayes' theorem, that is, taking at each distance d the posterior probability to be the product $P(d)P(\omega|d, \sigma_\omega)$, normalised by the sum of these values over the domain of the prior.

Following the catalogue format adopted by BJ21, we summarise the posterior by its median and 16th and 84th percentiles. We publish these values in our catalogue for all 733 sources with both parallaxes and statistical distances, regardless of reliability and excess astrometric noise. Both of those should be considered when adopting the distances. There are an additional 131 sources in our catalogue that lack statistical distances but have relative parallax errors better than 20%; we do not publish distances for these but expect the distances from BJ21 to not be overly influenced by their choice of prior.

Treating the width of the distributions as the difference between the 16th and 84th percentiles, the median precision improvement (relative to the median distance) over the statistical distance prior is 1.4, with one third of the sample having its relative uncertainties improved by a factor of two or more (Fig. 4, left). A small fraction of sources have less concentrated posteriors, typically in the case where the prior and posterior modes have a large separation. The parallaxes dominate the uncertainties below relative errors of about 0.15 (Fig. 4, right).

The advantage of our adopted distances is that they leverage the *Gaia* parallaxes while smoothly transitioning to statistical distances in cases where parallaxes are unavailable or extremely uncertain. For simplicity we have only considered the mean relation of FPB16; a similar approach could be taken incorporating the sub-trends in FPB16 or even the Galactic model of BJ21. The most appropriate prior will of course depend on the application.

5. Conclusions

In this work we have presented a new version of our catalogue of candidate CSPNe and compact nebula detections, updated for *Gaia* EDR3 and including newly identified PNe from HASH. While we have made small improvements to the matching algorithm, the minimal changes required demonstrate the robustness of our original method. We have also discussed the effects of close companions and nebula detections, and introduced a novel approach to combining PN statistical distances and *Gaia* parallaxes.

The next *Gaia* data release, *Gaia* DR3, is expected in 2022. It is based on the exact same astrometric and photometric data as *Gaia* EDR3. Hence the astrometry from this *Gaia* EDR3 release will remain the best available for studying PNe based on their distances and kinematics until the full nominal mission *Gaia* data release in several years to come.³

Acknowledgements. We would like to thank the referee, W. A. Weidmann, for his comments, which have helped improve the contents and clarity of this paper. This research has made use of data from the European Space Agency (ESA) mission *Gaia* (<https://www.cosmos.esa.int/gaia>), processed by the *Gaia* Data Processing and Analysis Consortium (DPAC; <https://www.cosmos.esa.int/web/gaia/dpac/consortium>). Funding for the DPAC has been provided by national institutions, in particular the institutions participating in the *Gaia* Multilateral Agreement. This research has also made use of the HASH PN database (<http://hashpn.space>), and of Astropy (<http://www.astropy.org>), a community-developed core Python package for Astronomy (Astropy Collaboration et al. 2013; Price-Whelan et al. 2018). Parts of this research were based on data products from observations made with ESO Telescopes at the La Silla Paranal Observatory under programme ID 177.D-3023, as part of the VST Photometric $H\alpha$ Survey of the southern Galactic plane and bulge (VPHAS+, www.vphas.eu). This research was supported through the Cancer Research UK grant A24042.

References

- Astropy Collaboration, Robitaille, T. P., Tollerud, E. J., et al. 2013, *A&A*, 558, A33
- Bailer-Jones, C. A. L., Rybizki, J., Fouesneau, M., Demleitner, M., & Andrae, R. 2021, *AJ*, 161, 147
- Benetti, S., Cappellaro, E., Ragazzoni, R., Sabbadin, F., & Turatto, M. 2003, *A&A*, 400, 161
- Chornay, N. & Walton, N. A. 2020, *A&A*, 638, A103
- Ciardullo, R., Bond, H. E., Sipior, M. S., et al. 1999, *AJ*, 118, 488
- Drew, J. E., Gonzalez-Solares, E., Greimel, R., et al. 2014, *MNRAS*, 440, 2036
- Evans, D. W., Riello, M., De Angeli, F., et al. 2018, *A&A*, 616, A4
- Fabrizius, C., Bastian, U., Portell, J., et al. 2016, *A&A*, 595, A3
- Fabrizius, C., Luri, X., Arenou, F., et al. 2021, *A&A*, 649, A5
- Frew, D. J., Parker, Q. A., & Bojić, I. S. 2016, *MNRAS*, 455, 1459
- Gaia* Collaboration, Brown, A. G. A., Vallenari, A., et al. 2018, *A&A*, 616, A1
- Gaia* Collaboration, Brown, A. G. A., Vallenari, A., et al. 2021, *A&A*, 649, A1
- Gaia* Collaboration, Prusti, T., de Bruijne, J. H. J., et al. 2016, *A&A*, 595, A1
- González-Santamaría, I., Manteiga, M., Manchado, A., et al. 2020, *A&A*, 644, A173
- Liebert, J., Bond, H. E., Dufour, P., et al. 2013, *ApJ*, 769, 32
- Lindgren, L. 2018, *GAIA-C3-TN-LU-LL-124*
- Lindgren, L., Bastian, U., Biermann, M., et al. 2021a, *A&A*, 649, A4
- Lindgren, L., Klioner, S. A., Hernández, J., et al. 2021b, *A&A*, 649, A2
- Luri, X., Brown, A. G. A., Sarro, L. M., et al. 2018, *A&A*, 616, A9
- Parker, Q. A., Acker, A., Frew, D. J., et al. 2006, *Monthly Notices of the Royal Astronomical Society*, 373, 79
- Parker, Q. A., Bojić, I. S., & Frew, D. J. 2016, in *Journal of Physics Conference Series*, Vol. 728, *Journal of Physics Conference Series*, 032008
- Price-Whelan, A. M., Sipőcz, B. M., Günther, H. M., et al. 2018, *AJ*, 156, 123
- Riello, M., De Angeli, F., Evans, D. W., et al. 2021, *A&A*, 649, A3
- Schönberner, D., Balick, B., & Jacob, R. 2018, *A&A*, 609, A126
- Smith, H. 2015, *MNRAS*, 449, 2980
- Sutherland, W. & Saunders, W. 1992, *MNRAS*, 259, 413
- Torra, F., Castañeda, J., Fabrizio, C., et al. 2021, *A&A*, 649, A10
- Weidmann, W. A. & Gamen, R. 2011, *A&A*, 526, A6

³ See <https://www.cosmos.esa.int/web/gaia/release> for the official release schedule.

Appendix A: Best matches table

Table A.1: Best matches.⁴

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω^5 (mas)	σ_ω^6 (mas)	distance ⁷ (kpc)
000.0+02.0	K 6-4	4060525376634471808	0.65	264.42892	-27.81947	19.5	...	...	...
000.0-01.0	JaSt 69	4057224264723323264	0.26	267.54157	-29.31827	19.7	-0.817	0.396	...
000.0-06.8	H 1-62	4045771305065496832	0.98	273.32482	-32.32860	14.4	0.047	0.034	8.95 ^{+1.73} _{-1.47}
000.1+04.3	H 1-16	4109679250049965312	0.98	262.34731	-26.43461	18.7	...	...	...
000.1+17.2	PC 12	4130784921205604736	1.00	250.97408	-18.95333	15.2	0.069	0.066	9.86 ^{+3.01} _{-2.58}
000.1-05.6	H 2-40	4049045783774253696	0.57	272.12813	-31.60981	18.5	0.340	0.268	5.94 ^{+2.01} _{-1.94}
000.1-08.0	SB 1	4045583322840954496	1.00	274.70193	-32.79860	20.0	-0.228	0.616	...
000.2+01.4	PBOZ 26	4060650446035698944	0.75	265.16073	-28.01722	21.1	...	...	...
000.2+01.7	JaSt 19	4060845334555887616	0.88	264.91380	-27.78946	20.8	...	...	...
000.2-01.9	M 2-19	4056495151130724224	0.42	268.44019	-29.72971	16.9	-0.164	0.112	6.41 ^{+1.27} _{-1.16}
000.3+01.5	JaSt 23	4060841383089804544	0.97	265.09603	-27.81998	21.1	...	...	...
000.3+02.5	MPA1736-2715	4061311767987964672	0.65	264.12350	-27.25573	17.4	-0.114	0.144	...
000.3+02.7	CTIOJ173557.97-271214.2	4061324584115092736	0.61	263.99148	-27.20386	19.8	...	...	...
000.3+03.2	PHR J1733-2655	4061390245613519232	0.66	263.46913	-26.92419	20.4	-0.645	1.101	...
000.3+03.4	PHR J1733-2647	4061581663670658048	0.66	263.36382	-26.80004	20.4	...	...	...
000.3+04.2	PPA J1730-2621	4061648012333306752	0.31	262.55146	-26.35036	18.5	0.208	0.240	...
000.3+12.2	IC 4634	4126115570219432448	0.99	255.38992	-21.82586	13.9	0.370	0.043	2.50 ^{+0.29} _{-0.24}
000.3-01.7	CTIOJ175310.09-293108.6	4056550298602369408	0.85	268.29201	-29.51913	20.4	...	...	...
000.3-03.0	Pa 201	4056234017106233600	0.66	269.66975	-30.16738	15.3	0.129	0.039	...
000.3-03.4	MPA J1800-3023	4044204947649634432	0.50	270.04623	-30.39709	18.1	0.326	0.219	...
000.3-04.2	MPA J1803-3043	4049954873646647040	0.55	270.84046	-30.72654	15.4	0.153	0.045	...
000.3-04.2a	MPA J1803-3046	4049951270196738816	0.57	270.85747	-30.77349	20.3	...	...	...
000.3-04.6	M 2-28	4049886772877581696	0.57	271.26114	-30.97130	19.6	...	...	...
000.4+02.2	PM 1-165	4060929374082309888	0.48	264.53102	-27.33750	17.5	0.051	0.305	...
000.4+03.3	CTIO J173348.40-264623.4	4061581526220991232	0.91	263.45167	-26.77320	19.8	-0.392	0.818	...
000.4+04.4	K 5-1	4109691718340733568	0.90	262.46816	-26.18713	19.2	-0.164	0.395	7.03 ^{+2.19} _{-2.10}
000.4-01.9	M 2-20	4056503259966429696	0.99	268.60570	-29.60244	17.2	...	...	...
000.4-02.9	M 3-19	4056250956464755712	0.48	269.58079	-30.01094	18.3	0.367	0.189	4.57 ^{+1.51} _{-1.39}
000.5-03.1	KFL 1	4056241095169816448	0.87	269.81499	-30.04636	19.1	-3.626	0.733	7.14 ^{+1.97} _{-1.87}
000.5-03.1a	MPA J1759-3007	4056239308511338240	0.64	269.85494	-30.12166	19.1	...	...	...
000.6-01.0	JaSt 77	4057342599736948992	0.91	267.79797	-28.94061	16.1	0.336	0.088	...
000.6-01.3	Bl 3-15	4056579538679085952	0.96	268.15023	-29.11101	19.3	-0.268	0.474	9.11 ^{+3.45} _{-3.24}
000.6-02.3	H 2-32	4056324962986093184	0.37	269.10134	-29.63524	15.1	0.111	0.036	...
000.6-03.2	MPA J1759-3004	4044231610846145408	0.23	269.98615	-30.07469	19.5	...	...	...
000.6-04.5	PN PM 1-206	4049944565824708608	0.93	271.30196	-30.70368	18.3	-0.699	0.345	...
000.7+03.2	M 4-5	4061777617281328896	0.82	263.72799	-26.59926	20.9	...	...	...
000.7+04.7	H 2-11	4109783360108033024	0.85	262.35817	-25.81867	19.1	...	...	...
000.7+08.0	MPA J1717-2356	4114088875802922880	0.94	259.28771	-23.94158	18.9	0.062	0.254	...
000.7-01.5	JaSt 2-11	4056576446240230656	0.57	268.36253	-29.13790	19.4	...	...	...
000.7-03.7	M 3-22	4050168629923554944	0.77	270.58023	-30.24053	18.4	1.391	0.299	0.94 ^{+1.53} _{-0.26}
000.7-06.1	SB 3	4048968994096810880	1.00	273.06065	-31.33348	19.0	-0.357	0.259	4.19 ^{+0.96} _{-0.89}
000.7-07.4	M 2-35	4045842051660175488	0.96	274.40498	-31.94639	19.9	...	...	...
000.8+05.2	PBOZ 5	410999173694500992	0.62	261.91057	-25.37405	19.7	4.818	1.503	...
000.8-01.5	Sa 3-90	4056603178196321792	0.38	268.45721	-28.98657	16.5	0.045	0.072	10.99 ^{+2.86} _{-2.64}
000.8-07.6	H 2-46	4045845625148544640	0.96	274.65605	-31.91259	18.9	...	...	...
000.9-00.7	JaSt 76	4057408497334644864	0.32	267.73495	-28.52350	17.7	0.119	0.119	...
000.9-01.0	MPA J1751-2838	4057379398969699328	0.53	267.93021	-28.64963	20.7	...	...	...
000.9-01.4	JaSt 2-13	4056607713616891648	0.27	268.39898	-28.87314	18.9	-0.727	0.401	...
000.9-01.9a	MPA1755-2906	4056544903986265856	0.36	268.94630	-29.11119	19.5	...	...	...
000.9-02.0	Bl 3-13	4056540677880158208	0.65	269.01160	-29.18796	18.0	0.167	0.183	7.40 ^{+3.08} _{-2.68}
000.9-04.2	PHR J1804-3016	4049992845542438912	0.85	271.20063	-30.28038	19.4	3.308	0.693	...
000.9-04.8	M 3-23	4049925328633027712	0.98	271.77560	-30.57141	19.2	0.253	0.383	4.37 ^{+1.25} _{-1.21}
000.9-05.4	PN PM 1-214	4049234869657862656	0.95	272.40835	-30.81458	17.5	0.428	0.114	...
001.0+01.3	JaSt 41	4060698034329272832	0.77	265.70770	-27.35538	21.0	...	...	...
001.0+01.4	JaSt 2-4	4060890513224820352	0.44	265.61691	-27.22550	16.0	0.708	0.064	...
001.0+01.9	K 1-4	4060952605654047232	0.93	265.11420	-27.01727	20.2	...	...	...
001.0+02.2	PPA J1739-2652	4061719789876312704	0.72	264.79697	-26.87232	20.0	...	...	...
001.0-01.5	MPA1754-2847	4056614001551704192	0.37	268.53925	-28.78968	20.2	...	...	...
001.1+02.2	MPA J1739-2648	4060976176417193856	0.34	264.95709	-26.81264	19.6	0.392	0.524	...
001.1-01.2	JaSt 2-10	4057371186977715968	0.85	268.32247	-28.60203	20.2	...	...	...
001.1-01.6	Sa 3-92	4056611390167199232	0.57	268.71713	-28.81534	19.3	-2.150	0.899	10.09 ^{+2.83} _{-2.78}
001.1-02.6	MPA1758-2915	4062332454138572416	0.25	269.71511	-29.26625	18.6	0.500	0.311	...

⁴ Only the most important columns are shown due to space considerations. The complete set of columns will be published on CDS, and missing columns may also be obtained by joining the table against *Gaia* EDR3 and HASH.⁵ Parallax, not corrected for zero point.⁶ Parallax error.⁷ Median value of the posterior; upper and lower bounds are 84th and 16th percentiles. See Sect. 4.2.

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
001.1–11.5	PPA1835-3324	6735044388453345408	0.73	278.93112	−33.41245	17.8	0.043	0.124	...
001.2+00.7	JaSt 56	4060726690316450432	0.42	266.44534	−27.51165	21.0	...	...	...
001.2+00.9	St 66	4057436539233503104	0.48	268.03558	−28.39386	17.9	0.255	0.135	...
001.2+01.0	K 5-33	4060777439619558528	0.51	266.12477	−27.34456	18.6	0.279	0.336	...
001.2+02.1	Hen 2-262	4060978306741619968	0.90	265.05347	−26.73938	18.7	−0.116	0.404	5.91 ^{+1.79} _{−1.71}
001.2+02.8	PPA J1737-2621	4061796583872776576	0.48	264.37631	−26.36209	17.0	0.140	0.085	...
001.2−01.2a	JaSt 95	4057385514989465216	0.53	268.39701	−28.48084	18.2	0.638	0.247	6.13 ^{+2.91} _{−3.01}
001.2−03.0	H 1-47	4062301564840251520	0.49	270.15676	−29.36410	15.7	0.091	0.052	8.05 ^{+2.13} _{−1.76}
001.2−03.8	PHR J1803-2947	4050258102727839488	0.51	270.87408	−29.78246	19.6	...	...	...
001.2−05.6	PHR J1811-3042	4049240298544263936	1.00	272.76129	−30.70329	18.6	0.667	0.422	6.35 ^{+1.92} _{−1.94}
001.3+04.0	IRAS17301-2538	4062070460993016064	0.93	263.30497	−25.67286	19.5	...	...	...
001.3−01.2	Bl M	4063378574972871680	0.69	268.44655	−28.45503	18.0	0.751	0.297	4.52 ^{+3.88} _{−2.70}
001.3−05.6	SB 5	4049264242907686016	1.00	272.81422	−30.63056	15.5	−0.014	0.046	...
001.4+00.5	[GKF2010] MN66	4060739369060593152	0.65	266.77174	−27.42611	17.9	0.543	0.123	...
001.4+05.3	H 1-15	4110404068789630592	0.68	262.15676	−24.85202	15.8	0.150	0.045	...
001.4+06.3	Bica 1	4110871567379348480	0.72	261.22407	−24.32237	20.7	...	...	...
001.4−00.7	JaSt 82	4057456261747292672	0.23	268.02203	−28.09646	20.6	...	...	...
001.4−03.4	ShWi 2-1	4050281914036492544	0.53	270.61021	−29.41821	19.8	...	...	...
001.5+01.5	JaSt 46	4061009264777169920	0.78	265.87646	−26.79241	20.0	...	...	...
001.5+03.6	K 5-5	4062080223477010048	0.99	263.84212	−25.71305	19.7	−1.279	0.807	...
001.5−01.0	JaSt 2-12	4063398469194112256	0.29	268.36500	−28.19704	19.7	...	...	...
001.5−01.8	JaSt 2-19	4062615891871616000	0.38	269.14080	−28.50814	19.3	...	...	...
001.5−02.8	PPA J1800-2904	4062356711999251328	0.78	270.09344	−29.07756	18.1	0.382	0.199	...
001.5−06.7	SwSt 1	4049331244394134912	0.97	274.05115	−30.86887	11.8	0.343	0.110	3.11 ^{+0.81} _{−0.66}
001.6+01.5	K 6-10	4061013383646090624	0.91	265.82060	−26.73819	19.3	1.054	0.374	6.13 ^{+2.74} _{−3.17}
001.6−01.0	JaSt 90	4063447294418877056	0.55	268.32395	−28.07589	19.5	−0.256	1.184	...
001.6−03.7	MPA J1804-2926	4050361456844630656	0.22	271.04368	−29.44047	19.2	...	...	...
001.7+00.7	PBOZ 14	4060813345574048000	0.21	266.68372	−27.05634	21.0	...	...	...
001.7+01.3	JaSt 52	4061018988593063040	0.82	266.15509	−26.79042	18.1	0.233	0.225	6.79 ^{+2.61} _{−2.41}
001.7+05.7	H 1-14	4110479900747426944	0.89	262.00726	−24.42318	19.6	−0.293	0.530	...
001.7−00.3	MC1	4063675339961746304	0.22	267.76894	−27.61627	20.8	...	...	...
001.7−01.6	H 2-31	4062657913789180672	0.91	269.00998	−28.23675	17.7	0.067	0.183	...
001.7−04.4	H 1-55	4050131349653595392	0.94	271.81065	−29.69017	16.6	0.036	0.860	9.68 ^{+3.32} _{−3.29}
001.7−04.6	H 1-56	4050126711087206016	0.98	271.97450	−29.74291	16.0	0.092	0.062	8.98 ^{+2.36} _{−2.09}
001.8−00.4	MB 4515	4063669086488636928	0.99	267.97728	−27.60295	20.0	−0.679	0.507	...
001.8−00.5	JaSt 81	4063668399280242560	0.26	268.01784	−27.61056	19.3	−0.404	0.401	...
001.8−01.5	JaSt 2-18	4063411732140228096	0.22	268.97680	−28.09676	20.6	...	...	...
001.8−01.5a	PNG001.82-01.5	4063410082883861376	0.30	268.93672	−28.13914	21.3	...	...	...
001.8−03.7	PHR J1804-2913	4050381621840757760	0.95	271.11879	−29.23260	16.2	−0.204	0.099	18.53 ^{+4.55} _{−4.30}
001.8−05.0	PHR J1809-2952	4050066203563096704	0.51	272.44551	−29.88147	18.2	...	...	...
001.9+02.3	K 5-10	4061866089277230848	0.72	265.35216	−26.06482	20.4	−0.553	1.073	...
001.9+08.2	PM 1-139	4114675327843171456	0.83	259.85934	−22.80317	19.7	−0.088	0.482	...
001.9−02.5	PPA J1759-2834	4062669458655947648	0.99	269.96952	−28.57989	19.4	...	...	...
002.0+02.1	[GKF2010] MN60	4061870010605672832	0.54	265.53128	−26.03686	20.3	...	...	...
002.0+06.6	PHR J1725-2338	4111350267272130560	0.53	261.42410	−23.64201	19.0	0.961	0.541	...
002.0−01.3	JaSt 98	4063434753111065472	0.98	268.94279	−27.89395	20.6	...	...	...
002.0−03.4	PPA J1803-2855	4062403170636645376	0.96	270.90805	−28.92820	18.5	0.073	0.269	...
002.0−06.2	M 2-33	4049596604655713664	0.97	273.77735	−30.25927	14.7	0.241	0.042	4.05 ^{+0.91} _{−0.63}
002.0−13.4	IC 4776	6735622632789070976	0.98	281.46131	−33.34285	13.0	...	...	...
002.1+01.7	JaFu 1	4061102036129908480	0.20	265.98826	−26.19801	20.2	−2.261	2.033	7.21 ^{+2.33} _{−2.30}
002.1+03.3	PBOZ 24	4062163301005727616	0.22	264.46309	−25.34599	19.8	−0.565	0.467	...
002.1−00.9	K 5-35	4063498834054665600	0.47	268.57850	−27.60994	15.9	0.167	0.215	...
002.1−01.1	MPA J1755-2741	4063488045115810048	0.86	268.79332	−27.69439	19.5	1.573	0.565	...
002.1−02.2	M 3-20	4062693716586525952	0.86	269.83054	−28.23008	17.7	...	...	...
002.1−02.4	PPA J1800-2818	4062682755878853248	0.76	270.07846	−28.30969	19.2	...	...	...
002.1−04.2	H 1-54	4050346677743390080	0.57	271.78030	−29.21834	15.0	0.349	0.142	6.61 ^{+2.73} _{−2.54}
002.1−08.3	PPA J1824-3107	4046186679873669504	1.00	276.09064	−31.11937	17.9	0.275	0.154	...
002.2+01.7	PPA J1744-2605	4067108221452898816	0.84	266.00695	−26.09598	19.8	...	...	...
002.2−01.7	PN PM 1-195	4062764085412604672	0.61	269.49290	−27.88901	19.7	2.559	1.001	...
002.2−02.5	KFL 2	4062681793803938688	0.89	270.24907	−28.27195	19.5	...	...	...
002.2−02.7	M 2-23	4062488485983362944	0.93	270.42767	−28.42892	14.2	...	...	...
002.2−04.3	K 6-40	4050710792186748288	0.21	272.02732	−29.21972	19.9	−0.271	1.237	...
002.2−06.3	H 1-63	4049624646596477312	0.99	274.08059	−30.12671	13.4	0.430	0.598	8.24 ^{+2.55} _{−1.23}
002.2−09.4	Cn 1-5	4046842607233523840	1.00	277.29853	−31.49978	15.2	0.276	0.086	4.21 ^{+1.23} _{−0.98}
002.3+02.4	PPA J1741-2538	4061894715268479872	0.67	265.45168	−25.63846	19.7	2.309	1.169	...
002.3+03.6	PPA J1737-2501	4062219616618683776	0.92	264.34986	−25.02557	19.9	2.550	0.610	...
002.3+06.2	PPA J1727-2338	4111387680667596288	0.96	261.92383	−23.64812	19.7	−0.546	0.611	...
002.3+06.5	PPA J1726-2325	4111359780579498368	0.29	261.64101	−23.42078	20.1	...	...	...
002.3+06.5a	PHR J1726-2326	4111359406964059392	0.62	261.65176	−23.44401	20.6	...	...	...
002.3−03.4	H 2-37	4062437324328722304	0.89	271.12005	−28.62731	18.9	...	...	...
002.3−05.9	PPA J1814-2951	4049688658764663552	1.00	273.61125	−29.86300	18.0	0.373	0.169	...
002.3−07.8	M 2-41	4046378407157239040	0.61	275.64371	−30.72481	18.8	−0.423	0.210	7.35 ^{+1.67} _{−1.58}

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
002.4+05.8	NGC 6369	4111368477921050368	0.78	262.33523	-23.75966	15.5	0.918	0.049	$1.04^{+0.06}_{-0.05}$
002.4+07.0	PHR J1724-2302	4111575014353546240	0.50	261.22175	-23.04298	16.2	0.189	0.056	...
002.4-01.7	PBOZ 32	4063524496437676288	0.25	269.55023	-27.68933	20.2	...	...	...
002.4-03.1	PPA J1803-2826	4062496349974862464	0.92	270.85296	-28.44061	16.5	0.109	0.080	...
002.4-03.4	PHR J1804-2833	4062438694311477632	0.77	271.23076	-28.55249	13.9	0.211	0.031	...
002.4-03.7	M 1-38	4050798924999155456	0.98	271.52394	-28.67502	14.1	0.120	0.026	$6.52^{+1.13}_{-0.89}$
002.4-05.0	K 6-41	4050459652633253376	0.54	272.80225	-29.36675	18.5	-2.029	0.509	...
002.5+01.9	PHR J1744-2545	4067134609739799552	0.24	266.00100	-25.76004	20.0	1.128	0.808	...
002.5+04.9	PHR J1732-2408	4110559855799571200	0.73	263.24253	-24.14594	19.7	0.078	0.542	...
002.5-01.7	Pe 2-11	4063525217993978496	0.38	269.63008	-27.61795	19.6	...	...	...
002.6+02.3	PHR J1742-2525	4067908184848743936	0.44	265.71725	-25.42856	19.8	-0.643	0.465	...
002.6+04.2	Th 3-27	4110306865077121664	0.90	263.99364	-24.42485	19.4	...	...	...
002.6+04.8	PHR J1733-2407	4110558859449807488	0.81	263.40743	-24.12952	16.0	0.007	0.051	...
002.6+05.5	K 5-3	4110623760607130624	0.58	262.67188	-23.75011	19.2	0.200	0.337	$5.54^{+1.64}_{-1.59}$
002.6+08.1	H 1-11	4114722469423030272	0.96	260.32383	-22.30988	16.8	0.214	0.074	$5.82^{+1.88}_{-1.49}$
002.6-01.7	PHR J1758-2729	4063550678552452096	0.24	269.62060	-27.49472	17.9	0.762	0.154	...
002.6-03.4	M 1-37	4062817927079802240	0.96	271.35751	-28.36789	14.8	0.237	0.043	$4.05^{+1.00}_{-0.65}$
002.7-04.8	M 1-42	4050550916418916864	0.73	272.77079	-28.98309	18.3	-1.359	0.524	$4.31^{+1.10}_{-1.03}$
002.7-11.3	CGMW 4-2085	6736781926089349760	1.00	279.53227	-31.88254	19.8	-0.122	0.529	...
002.7-52.4	IC 5148/50	6574225217863069056	1.00	329.89623	-39.38566	16.1	0.857	0.053	$1.18^{+0.08}_{-0.07}$
002.8+01.7	H 2-20	4067157424631394944	0.44	266.41582	-25.66681	17.8	-0.148	0.160	$11.66^{+3.62}_{-3.34}$
002.8-10.7	PHR J1835-3135	4046697815310010752	0.98	278.89035	-31.59580	19.4	0.726	0.311	...
002.9+06.5	PM 1-149	4111493787901120768	0.91	261.97369	-22.95520	15.6	0.195	0.039	...
002.9-03.9	H 2-39	4050818097742912640	0.99	272.02404	-28.43634	17.8	-0.554	0.216	$10.27^{+2.52}_{-2.39}$
002.9-07.0	PPA J1820-2948	4049507239329506560	0.46	275.14754	-29.81377	18.8	0.738	0.562	$20.29^{+6.00}_{-6.05}$
002.9-10.2	PHR J1833-3115	4046908436166480768	0.87	278.42825	-31.26194	17.6	-0.361	0.185	...
003.0+01.1	Kn J1748.1-2544	4067190478657457920	0.88	267.02592	-25.73627	19.2	...	...	...
003.0-05.0	PHR J1812-2848	4050641243893555200	0.90	273.09751	-28.80269	19.0	...	...	...
003.1+01.9	PPA J1745-2514	4067924437022290176	0.50	266.41638	-25.23500	19.6	0.190	0.669	...
003.1+02.9	Hb 4	4068200586367730944	1.00	265.47000	-24.70233	17.5	0.165	0.132	$3.39^{+0.70}_{-0.63}$
003.1+03.4	H 2-17	4068268859125380224	0.93	265.03092	-24.42853	16.5	0.083	0.062	$7.47^{+1.75}_{-1.53}$
003.1+03.7	PHR J1738-2419	4068263155407067904	0.91	264.71536	-24.32890	16.6	0.109	0.114	...
003.1+04.1	K 5-7	4116324247383734656	0.98	264.33404	-24.05816	20.8	...	...	...
003.1+05.2	PHR J1733-2327	4116647267584326528	0.80	263.27925	-23.46682	19.3	-2.952	1.038	...
003.1-02.1	PHR J1801-2718	4063170320596559488	0.95	270.35359	-27.30307	19.4	0.879	1.137	$3.91^{+1.42}_{-1.40}$
003.2-04.4	KFL 12	4050866781253323264	0.99	272.62839	-28.32308	17.6	0.211	0.115	$15.77^{+5.63}_{-5.69}$
003.2-06.2	M 2-36	4049788611227556864	0.76	274.42265	-29.13886	17.0	...	...	...
003.3+66.1	SkAc 1	1227151802340968832	1.00	214.09141	+13.87335	18.5	1.504	0.231	$0.73^{+0.16}_{-0.11}$
003.3-04.4	PPA J1810-2813	4050871767612742400	0.38	272.65051	-28.22945	20.1	...	...	...
003.3-04.6	Ap 1-12	4050854450293755136	0.99	272.89623	-28.37689	13.3	0.112	0.024	$6.28^{+0.85}_{-0.71}$
003.3-07.5	KFL 19	4050998383326315264	0.99	275.78719	-29.72386	17.7	0.070	0.111	...
003.5+02.7	PHR J1743-2431	4068113170792152448	0.82	265.91340	-24.53172	19.6	1.202	0.616	...
003.5+04.3	PPA J1737-2341	4116403961961160192	0.24	264.36853	-23.69195	18.6	1.124	0.186	...
003.5-02.4	IC 4673	4063199904342190208	0.71	270.82691	-27.10632	18.0	0.426	0.173	$2.82^{+0.76}_{-0.66}$
003.5-02.4c	IC4673a	4063200729000157056	0.26	270.80096	-27.08789	20.0	2.859	1.762	...
003.5-02.9	MPA J1805-2721	4063136059789043968	0.21	271.30462	-27.35236	16.6	0.096	0.065	...
003.5-04.6	NGC 6565	4050864449067582848	0.88	272.96868	-28.17847	18.5	-0.180	0.840	$3.26^{+0.90}_{-0.88}$
003.6+01.0	Kn 116	4067229442572424448	0.52	267.47417	-25.24957	20.9	-2.430	1.801	...
003.6+03.1	M 2-14	4068369945446105728	0.64	265.48858	-24.18785	17.6	-0.450	0.581	$8.41^{+2.36}_{-2.32}$
003.6+04.9	K 5-6	4116632733407368832	0.24	263.88016	-23.19682	20.4	...	...	...
003.6-01.3	PHR J1759-2630	4064023026181980032	0.41	269.80029	-26.50687	18.9	0.512	0.273	$5.75^{+2.61}_{-2.47}$
003.7-04.6	M 2-30	4050902790361481856	0.97	273.14330	-27.96963	16.9	...	...	...
003.8+00.3	PM 1-186	4067385946881204608	0.62	268.24725	-25.45773	18.7	-0.006	0.296	...
003.8+05.3	H 2-15	4116705060703628160	0.30	263.61155	-22.88906	19.3	0.919	0.413	...
003.8-04.3	H 1-59	4050956223827379840	0.32	272.87211	-27.77116	19.3	...	...	...
003.8-04.5	H 2-41	4050910078792722816	0.54	273.09903	-27.87069	18.3	0.329	0.280	$6.80^{+2.07}_{-2.04}$
003.8-17.1	Hb 8	6756677421471688064	1.00	286.39974	-33.19389	14.9	...	...	...
003.9+02.6	K 5-14	4068334275660862976	0.88	266.13575	-24.22426	18.0	...	...	...
003.9-02.3	M 1-35	4063320541318246656	0.91	270.91374	-26.72611	18.5	...	...	...
003.9-03.1	KFL 7	4063052672857512448	0.91	271.70847	-27.10543	19.4	...	...	...
003.9-14.9	Hb 7	6759935304494857984	0.99	283.90749	-32.26352	13.9	0.198	0.057	$5.65^{+1.84}_{-1.34}$
004.0+00.9	PN PM 1-182	4067603001648428800	0.95	267.84518	-25.03149	20.9	...	...	...
004.0-02.5	PHR J1804-2643	4063311637847832576	0.26	271.24560	-26.70976	17.7	0.131	0.127	...
004.0-02.6	PHR J1804-2645	4063311229824729984	0.26	271.24766	-26.75472	17.1	0.321	0.168	$5.56^{+2.06}_{-1.89}$
004.0-03.0	M 2-29	4063244773875284224	0.75	271.67043	-26.91567	14.4	0.053	0.038	$8.77^{+1.89}_{-1.51}$
004.0-04.6	Pa J1812.9-2741	4050916023029043968	0.48	273.24088	-27.69907	19.4	0.650	0.415	...
004.0-05.8	Pe 1-12	4052126172891146496	0.34	274.42632	-28.28753	19.3	1.605	0.565	$8.86^{+2.84}_{-3.07}$
004.0-11.1	M 3-29	4047152806963235584	0.99	279.85756	-30.67704	15.4	0.169	0.058	$5.97^{+1.61}_{-1.29}$
004.1+03.6	PPA J1741-2332	4116467566158377856	0.93	265.37005	-23.53868	18.5	-0.496	0.209	...
004.1+07.8	PHR J1726-2117	4120900483473337216	0.96	261.55122	-21.29866	18.1	-0.317	0.174	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
004.1–03.0	PHR J1806-2652	4063268348965374976	0.29	271.73353	–26.88170	18.8	...	...	...
004.1–03.8	KFL 11	4063000583418467968	0.64	272.55119	–27.27644	19.8	...	...	...
004.2+01.5	K 6-29	4067690206718112512	0.83	267.41547	–24.53705	20.9	...	...	...
004.2+02.0a	MPA J1747-2414	4068463438357715456	0.47	266.90869	–24.24058	20.9	...	...	...
004.2–03.2	KFL 10	4063077854365355776	0.59	272.00578	–26.90061	17.2	–0.104	0.109	14.26 ^{+3.62} _{–3.43}
004.2–04.3	H 1-60	4052470178293245312	0.44	273.10463	–27.48700	16.4	0.283	0.082	5.59 ^{+3.17} _{–1.91}
004.2–05.9	M 2-37	4052151663642866048	1.00	274.65977	–28.13295	17.3	0.286	0.151	...
004.3+01.8	H 2-24	4068460101018255744	0.41	267.15226	–24.27618	16.2	–0.024	0.142	5.58 ^{+1.30} _{–1.19}
004.3+02.1	K 5-17	4068510339301899264	0.31	266.88317	–24.21879	19.7	...	...	...
004.3+06.4	G 4.4+6.4	4117845078118914048	1.00	262.96577	–21.82180	19.3	1.262	0.377	...
004.3–01.4	PPA J1801-2553	4064173590585927296	0.99	270.32875	–25.88918	18.7	0.057	0.307	...
004.3–02.6	H 1-53	4063339885864851072	0.34	271.48932	–26.49504	18.9	...	...	...
004.4+05.3	K 6-27	4117568654071497216	0.95	263.97380	–22.33401	19.6	0.128	0.469	...
004.6+01.6	PHR1750-2406	4068481197909425536	0.23	267.53755	–24.10447	19.3	0.335	0.286	...
004.6+06.0	H 1-24	4117684244606678400	0.94	263.40657	–21.77358	17.6	0.048	0.150	6.34 ^{+1.66} _{–1.53}
004.6–09.9	SB 9	4047457234247111936	0.99	278.92633	–29.63972	19.4	...	...	...
004.7–05.5	SB 10	4052326176685965056	0.63	274.53691	–27.53219	19.2	0.255	0.629	7.07 ^{+2.04} _{–2.03}
004.7–11.8	Hen 2-418	6737374120482481024	1.00	281.06080	–30.32708	15.6	0.102	0.047	8.74 ^{+2.17} _{–1.85}
004.7–14.7	Fr 2-26	6760041750949057536	0.60	284.09536	–31.51318	17.6	–6.967	0.692	...
004.8+02.0	H 2-25	4068552253876044416	0.50	267.25212	–23.71524	16.1	0.169	0.052	6.96 ^{+3.38} _{–1.98}
004.8+05.7	PHR J1735-2146	4117672390472672128	0.38	263.82100	–21.77507	20.8	...	...	...
004.8–05.0	M 3-26	4052445920552115200	0.80	274.04766	–27.24941	17.8	–0.194	0.151	7.52 ^{+1.79} _{–1.66}
004.8–22.7	Hen 2-436	6744366945682210560	1.00	293.02795	–34.21598	14.9	–0.521	0.460	33.27 ^{+9.51} _{–9.48}
004.9+03.4	PHR J1744-2254	4116889606820861312	0.47	266.07087	–22.91592	20.7	...	...	...
004.9+04.9	M 1-25	4117211214062566528	0.95	264.62629	–22.14418	16.6	–0.515	0.157	7.43 ^{+1.58} _{–1.46}
004.9–04.9	M 1-44	4052553741216415232	0.98	274.07229	–27.07633	15.0	0.058	0.040	8.20 ^{+1.58} _{–1.37}
004.9–08.6	PPA J1831-2849	4048484315507463296	1.00	277.79654	–28.82046	17.9	–0.145	0.152	32.29 ^{+8.92} _{–8.77}
005.0+03.0	Pe 1-9	4068846235848254208	0.20	266.40315	–23.04064	19.0	...	...	...
005.0+04.4	H 1-27	4117160975714894848	0.56	265.07477	–22.32173	17.0	...	...	...
005.0–03.9	H 2-42	4064555739648988160	0.89	273.09576	–26.54848	19.0	...	...	...
005.0–10.1	PPA J1837-2922	4047559656289337344	1.00	279.39606	–29.37846	16.3	–0.007	0.066	...
005.0–14.6	Fr 2-27	6760328998365142400	1.00	284.11574	–31.18873	17.4	0.061	0.090	...
005.1+02.0	K 5-19	4068656505640715136	0.24	267.46392	–23.46245	20.6	...	...	...
005.1+03.2	PHR J1745-2254	4068851428434055040	0.59	266.32076	–22.91619	18.4	–0.098	0.175	...
005.1–03.0	H 1-58	4064833739880077952	0.88	272.30763	–26.04138	15.4	–0.245	0.300	5.46 ^{+1.48} _{–1.40}
005.1–08.9	Hf 2-2	4048497024309080064	0.99	278.12875	–28.72233	17.2	0.284	0.086	4.00 ^{+1.01} _{–0.83}
005.2+04.2	M 3-13	4117171700355196672	0.58	265.40250	–22.21750	16.8	0.143	0.143	...
005.2+05.6	M 3-12	4118053199384406144	0.94	264.09431	–21.52011	18.7	–0.103	0.263	...
005.2–02.4	PHR J1806-2536	4065636417718490240	0.81	271.70502	–25.61261	17.6	0.715	0.130	...
005.2–10.8	PPA J1840-2931	4047506471715127168	0.97	280.21118	–29.52309	19.4	–0.056	0.368	...
005.3+02.5	MPA J1748-2259	4068882725801334144	0.44	267.05248	–22.99410	18.6	–0.014	0.252	...
005.3–02.0	PHR J1805-2520	4065659099458368384	0.81	271.36712	–25.34069	20.4	0.543	0.933	...
005.4+04.0	PHR J1742-2214	4116986535735379200	0.72	265.72805	–22.23781	20.0	6.184	1.429	...
005.4+05.4	PHR J1737-2126	4118012895473955968	0.30	264.42300	–21.44134	19.2	0.643	0.586	...
005.4–01.9	PBOZ 34	4065731289318917632	0.96	271.35576	–25.22663	20.4	–0.530	1.154	...
005.4–06.1	SB 12	4052306870817579520	0.96	275.47987	–27.16296	18.3	–0.429	0.252	...
005.5+02.7	H 1-34	4068940935522394240	0.98	267.03194	–22.77989	17.5	–1.001	0.624	...
005.5+06.1	M 3-11	4118277495405157632	0.85	263.83928	–20.95652	16.6	0.014	0.095	...
005.5–02.5	M 3-24	4065669098214601600	0.42	271.97463	–25.40098	19.0	0.675	0.442	...
005.5–04.0	H 2-44	4064670501058277504	0.21	273.41916	–26.14434	19.3	0.608	0.429	...
005.6–04.7	KFL 16	4052648539844689920	0.63	274.22507	–26.38934	19.5	...	...	...
005.7+04.5	PTB 5	4117204612583552256	0.93	265.41204	–21.74268	19.1	0.272	0.272	...
005.7–03.6	KFL 13	4064742892758691456	0.41	273.18613	–25.73898	20.0	...	...	...
005.7–05.3	M 2-38	4052583840315474560	0.92	274.85489	–26.58878	18.8	0.302	0.290	...
005.8+02.2a	MPA J1750-2248a	4068900524147714688	0.20	267.58638	–22.80679	17.5	–0.158	0.122	...
005.8+02.2b	MPA J1750-2248b	4068900631529845120	0.38	267.60978	–22.81433	19.7	1.576	0.522	...
005.8–09.2	PPA J1835-2811	4048631478276339840	1.00	278.83758	–28.19793	18.6	0.694	0.201	...
005.9+02.6	MGE 005.9143+02.6666	4068970931672721536	0.33	267.26817	–22.49729	20.9	...	...	...
005.9–04.2	Pa J1815.7-2551	4064703173079013632	0.93	273.94833	–25.85449	19.1	0.561	0.476	...
005.9–09.8	CGMW 4-2031	4048380549113958272	0.86	279.47782	–28.45915	20.3	–1.543	0.836	...
006.0+01.2	PHR J1754-2309	4070131259908465152	0.88	268.68663	–23.15189	20.5	–0.778	1.388	...
006.0+02.8	Th 4-3	4068994601118701312	0.32	267.15589	–22.28033	16.1	0.064	0.065	...
006.0+02.9	MPA J1748-2211	4068998380797204224	0.23	267.10383	–22.19774	19.2	–0.100	0.360	...
006.0+05.6	PHR J1738-2052	4118196406426023168	0.35	264.60733	–20.87156	20.2	–2.209	1.396	...
006.0–02.2	StDr102	4065796160446079104	0.72	272.01522	–24.84988	18.0	–0.047	0.145	...
006.0–03.6	M 2-31	4064771067972273920	0.77	273.31688	–25.50148	17.6	...	...	...
006.0–41.9	PRMG 1	6776041195616496256	1.00	316.47322	–37.14457	17.0	0.093	0.088	21.04 ^{+6.34} _{–6.24}
006.1+00.8	PPA J1756-2311	4069371359961206912	0.63	269.13818	–23.19645	20.2	0.669	1.205	...
006.1+03.5	PHR J1746-2150	4117103221360980608	0.40	266.55593	–21.84711	20.0	1.512	0.694	...
006.1+08.3	M 1-20	4121750616461170432	0.95	262.24006	–19.26504	16.7	0.707	0.482	7.59 ^{+2.37} _{–2.42}
006.2+01.0	HaTr 8	4069412793495388416	0.43	268.98296	–22.98365	20.3	0.956	1.322	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
006.2+06.9	PHR J1734-2000	4121407981117238400	0.98	263.55712	-20.01407	19.8	-0.208	0.436	...
006.2-03.7	KFL 15	4064778734326138752	0.78	273.58114	-25.34709	19.1	0.258	0.321	...
006.2-09.1	CGMW 4-1723	4048647245087934336	0.99	278.93592	-27.85561	17.1	0.306	0.096	...
006.3+02.2	MPA J1751-2223	4070418060644515072	0.37	267.91668	-22.38827	19.4	...	...	...
006.3+03.3	H 2-22	4117062676912301184	0.84	266.89142	-21.78981	18.5	-0.022	0.246	...
006.3+04.4	H 2-18	4117385040014126592	0.86	265.86981	-21.16436	18.1	0.018	0.177	...
006.3-04.6	PPA J1818-2541	4053063021354262912	0.57	274.50625	-25.68436	19.7	...	...	...
006.4+02.0	M 1-31	4070421084305148928	0.95	268.17269	-22.36588	17.6	...	...	...
006.4-04.6	Pe 2-13	4053063678434561664	0.24	274.55540	-25.63570	19.9	...	...	...
006.4-05.5	PHR J1821-2601	4053003445792400512	0.42	275.44230	-26.02933	19.1	0.404	0.362	...
006.5+03.4	PN PBOZ 29	4118615290369205176	0.95	266.95436	-21.53958	19.2	...	...	...
006.5+08.7	PHR J1728-1844	4122534632633972992	0.48	262.05849	-18.74203	18.2	2.092	0.771	...
006.6-01.1	MB 4475	4066158445235426048	0.97	271.31182	-23.78590	20.3	1.543	1.955	...
006.6-04.7	PHR J1818-2531	4053089242038392320	0.46	274.71148	-25.52673	19.7	...	...	...
006.7+03.2	MPA J1749-2127	4118575536092050176	0.23	267.26005	-21.46871	20.5	...	...	...
006.8+02.0	Pe 2-10	4070460529411078272	0.98	268.40458	-21.97865	18.3	-0.428	0.290	...
006.8+04.1	M 3-15	4118854193637373184	0.97	266.38213	-20.96710	17.5	0.156	0.151	5.63 ^{+1.59} _{-1.45}
006.8-03.4	H 2-45	4065373776184045824	0.99	273.61977	-24.72722	17.3	0.173	0.101	...
006.8-07.5	PPA J1830-2637	4052020448007206144	0.73	277.61768	-26.62201	18.5	0.436	0.234	...
006.8-08.6	Al 1	4072763456463216384	0.72	278.73020	-27.10533	17.4	-0.041	0.103	9.41 ^{+2.24} _{-2.08}
006.9+01.5	MPA J1755-2212	4070344221607303296	0.43	268.90285	-22.21332	21.2	...	...	...
006.9+08.1	Kn J1731.5-1845	4121885822044187008	0.98	262.89834	-18.75831	20.4	-1.176	1.120	...
006.9-05.1	MPA J1820-2524	4053176240876540544	0.89	275.24073	-25.40625	18.1	0.187	0.189	...
006.9-30.2	Fr 2-29	6697958587097381248	1.00	302.40728	-34.52542	12.5	2.877	0.040	...
007.0+06.3	M 1-24	4120037195044273920	0.97	264.54833	-19.62716	15.7	0.177	0.041	...
007.0-06.0	H 1-66	4052929568083406464	0.86	276.23895	-25.69852	19.7	1.269	0.874	...
007.0-06.8	Vy 2-1	4052110122599119360	0.93	276.99843	-26.11338	16.1	0.092	0.093	7.09 ^{+1.73} _{-1.57}
007.1+06.3	Kn 120	4120037985319136384	0.48	264.61871	-19.54652	18.3	0.359	0.145	...
007.1+07.4	PTB 7	4121634308764755328	1.00	263.62635	-19.01695	19.8	1.392	1.550	...
007.2+03.4	PHR J1749-2101	4118662431936461824	0.85	267.30740	-21.02886	20.2	-1.439	0.759	...
007.2+04.9	PHR J1743-2013	4119698137463144448	0.28	265.89147	-20.23196	20.1	-2.180	1.075	...
007.2-08.1	PHR J1833-2632	4075841161280532352	0.62	278.33941	-26.54100	19.3	0.854	0.341	...
007.3+03.5	PTB 10	4118664974555608576	0.53	267.36150	-20.90897	19.7	1.428	0.567	...
007.3+07.8	PHR J1733-1836	4121848266820444032	0.49	263.31627	-18.60429	20.9	...	...	...
007.3-10.1	PHR J1841-2716	4072602962097674112	0.95	280.47848	-27.27855	18.4	-0.328	0.294	...
007.4+01.7	PHR J1755-2140	4070585839290632704	0.70	268.92682	-21.67191	20.8	...	...	...
007.4+02.5	Th 4-8	4070651775691846784	0.71	268.17793	-21.26005	16.6	0.001	0.070	...
007.4+03.1	Pa 80	4118707992955560448	0.22	267.67697	-20.99284	21.0	...	...	...
007.4-01.8	PPA1809-2327	4066510117147168512	0.24	272.34146	-23.46482	16.6	0.707	0.065	...
007.5+07.4	M 1-22	4123340304074178432	0.81	263.79258	-18.57242	19.3	0.886	0.335	...
007.5-18.5	Kn 76	6758177189689878144	0.99	289.30990	-30.46991	19.6	0.286	0.452	...
007.6+06.9	M 1-23	4123152145849693696	0.96	264.34163	-18.77827	18.6	-0.119	0.257	...
007.7+03.9	PHR J1748-2016	4118995686969542144	0.40	267.11395	-20.27521	20.5	...	...	...
007.7-05.3	SB 14	4077240663477110912	0.99	275.92721	-24.79114	16.5	-0.119	0.087	...
007.8+00.5	...	4069944927061605632	0.30	270.28069	-21.93451	21.0	...	...	...
007.8-03.8	Sa 3-128	4065537362954637824	0.93	274.44795	-24.04407	17.2	...	...	...
007.8-04.4	H 1-65	4065322923848085760	0.93	275.03684	-24.25149	14.5	0.033	0.032	8.97 ^{+1.46} _{-1.29}
007.9+03.8	PHR J1748-2009	4118998057791972480	0.37	267.24271	-20.15839	20.2	-0.417	1.189	...
007.9+04.3	PHR J1747-1957	4119065918329454080	0.88	266.81451	-19.95778	19.6	0.375	0.486	...
007.9-12.5	PHR J1852-2749	4071869484740939520	1.00	283.21232	-27.81904	19.0	0.124	0.269	...
008.0+03.9	NGC 6445	4119025030204237568	0.73	267.31262	-20.00950	18.3	0.617	0.238	1.12 ^{+0.18} _{-0.16}
008.1-04.7	M 2-39	40892995959252528832	0.99	275.50484	-24.17777	14.4	0.051	0.040	9.93 ^{+2.26} _{-1.94}
008.2+06.8	Hen 2-260	4123264059923436672	1.00	264.73904	-18.29328	13.6	0.050	0.029	12.07 ^{+3.38} _{-2.63}
008.2-04.8	M 2-42	4089296950179444864	0.97	275.63368	-24.15770	17.2	0.055	0.134	...
008.3+09.6	PTB 26	4124562102059801216	1.00	262.30532	-16.79546	16.6	0.055	0.062	...
008.3+14.8	Kn 41	4139832699312612608	0.98	257.79189	-13.95931	20.1	-0.977	0.680	8.35 ^{+2.27} _{-2.22}
008.3-01.1	M 1-40	4069732858757201280	0.44	272.10812	-22.28133	19.7	...	...	...
008.3-05.3	PHR J1824-2416	4077291962704579584	1.00	276.18042	-24.27525	18.6	0.175	0.196	...
008.4+08.8	IRAS 17292-1704	4124306804890009728	0.97	263.02432	-17.11431	15.2	0.215	0.041	...
008.4-02.8	PHR J1815-2300	4066445039812849408	0.45	273.80423	-23.01804	19.9	-0.232	0.962	...
008.4-03.6	H 1-64	4089627525283072128	0.23	274.59929	-23.41600	17.7	0.231	0.114	...
008.6-02.2	PPA J1813-2233	4066661922835580288	0.31	273.29460	-22.55767	19.3	-0.119	0.523	...
008.6-02.6	MaC 1-11	4090483254575155968	0.93	273.71210	-22.73209	17.9	0.089	0.188	...
008.8+01.6	PN PM 1-197	4071135492030995968	0.47	269.77093	-20.45697	18.5	1.898	0.659	...
008.8+06.2	CBF 1	4123237018804802176	0.92	265.63518	-18.16221	15.0	0.032	0.040	...
008.9+03.7	PN PM 1-183	4119492494479957760	0.93	267.93718	-19.39546	17.4	-0.840	0.491	...
008.9-05.3	Pa 103	4089418132675267456	0.33	276.52550	-23.77796	15.7	0.098	0.050	...
009.0+04.1	Th 4-5	4120268165526590976	0.91	267.61814	-19.05264	19.9	0.521	0.632	...
009.0-02.4	PHR J1814-2220	409068834350723040	0.83	273.73404	-22.34339	19.7	-0.227	0.469	...
009.1-02.7	PHR J1816-2222	4090520805520222208	0.26	274.08244	-22.38043	18.8	0.010	0.228	...
009.3+02.5	Pre 14	4119279979437056000	0.67	269.21746	-19.55022	20.9	...	...	...
009.3+02.8	Th 4-9	4119330243430068480	0.90	269.00250	-19.49078	17.1	-0.087	0.154	...
009.3+04.1	Th 4-6	4120281909424954240	0.93	267.73847	-18.78010	18.0	1.176	0.396	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
009.4+03.9	PTB 14	4119617048507979136	0.97	268.07425	-18.86738	18.6	-0.378	0.314	...
009.4-01.2	PHR J1811-2123	4093854116675316096	0.58	272.79436	-21.38733	20.1	...	...	...
009.4-03.6	Pre 35	4090538053989041024	0.38	275.05983	-22.50408	16.2	0.035	0.066	...
009.4-05.5	NGC 6629	4089517157442187008	1.00	276.42689	-23.20291	12.7	0.486	0.023	1.92 ^{+0.09} _{-0.08}
009.4-05.6	SB 16	4077444897868090496	0.65	277.08855	-23.42388	19.9	...	...	...
009.4-06.6	PPA J1831-2356	4077538635493652224	1.00	277.98482	-23.93550	18.4	0.308	0.242	...
009.4-09.8	M 3-32	4073399588285893888	0.95	281.17979	-25.35942	17.5	-0.089	0.146	8.08 ^{+1.91} _{-1.80}
009.6+10.5	Abell 41	4136835641106850432	0.97	262.25843	-15.21793	16.2	0.012	0.050	6.82 ^{+0.95} _{-1.05}
009.6+14.8	NGC 6309	4141505881131938560	1.00	258.51794	-12.91051	16.1	0.383	0.064	2.58 ^{+0.42} _{-0.34}
009.6-10.6	M 3-33	4073217997070348032	1.00	282.05056	-25.48125	15.8	0.164	0.054	6.41 ^{+1.84} _{-1.45}
009.7-03.9	PPA J1822-2223	4089816327689711104	0.97	275.53527	-22.38545	15.7	0.018	0.040	...
009.8-04.6	H 1-67	4090114299627717504	0.94	276.27067	-22.58125	18.7	3.371	0.551	0.32 ^{+0.08} _{-0.05}
010.0-02.0	MPA J1815-2113	4090916943199396864	0.91	273.90406	-21.22260	19.5	0.604	0.407	...
010.1+00.7	NGC 6537	4095023378533856256	0.44	271.30464	-19.84325	16.8	...	...	...
010.1+04.4	PTB 30	4120480332598055296	0.72	267.94361	-18.06927	18.4	0.281	0.185	...
010.1+07.4	Sab 21	4124119475566179840	1.00	265.26954	-16.41368	18.3	0.557	0.203	...
010.4+00.9	IRAS 18021-1928	4095226925624354816	0.26	271.28812	-19.46980	19.8	-0.462	0.695	...
010.4+04.5	M 2-17	4144530534542446976	0.75	268.02011	-17.60170	18.7	-0.781	0.337	...
010.5+02.8	Pa J1758.5-1823	4143630382478662144	0.99	269.64786	-18.39606	20.2	...	...	...
010.6+02.4	MPA J1800-1834	4143424838162995328	0.74	270.03437	-18.57609	19.5	-0.160	0.440	...
010.6+03.2	Th 4-10	4143700407610635904	0.80	269.27702	-18.11139	17.4	0.320	0.165	...
010.7+06.0	Pa 79	4123866283004347520	0.38	266.79525	-16.66479	19.7	-0.383	0.545	...
010.7+07.4	Sa 2-230	4124912429604974592	0.99	265.50840	-15.93534	18.8	0.192	0.228	...
010.7-06.4	IC 4732	4077927519021635328	0.87	278.47764	-22.64483	15.2	...	...	...
010.7-06.7	Pe 1-13	4077923838119276288	0.88	278.71543	-22.72145	18.3	-0.038	0.190	...
010.8-01.8	NGC 6578	4094354493205707392	0.98	274.06877	-20.45079	15.4	0.371	0.040	2.47 ^{+0.25} _{-0.21}
011.0+05.8	NGC 6439	4147847387468711040	0.80	267.08258	-16.47905	18.4	...	...	...
011.0+06.2	M 2-15	4147907448379074304	0.96	266.72691	-16.29027	18.4	0.105	0.259	7.19 ^{+2.00} _{-1.94}
011.0-02.9	PTB 31	4091282148480443648	0.99	275.22432	-20.80343	19.4	0.680	0.363	...
011.0-05.1	M 1-47	4090264623539239936	0.97	277.29641	-21.78171	15.4	0.163	0.048	6.23 ^{+1.74} _{-1.32}
011.1+11.5	M 2-13	4138416975017165440	0.95	262.14247	-13.43910	18.2	-0.820	0.378	10.46 ^{+2.75} _{-2.66}
011.1-07.9	SB 17	4079151550306831488	0.97	280.08303	-22.90816	17.3	0.885	0.137	1.18 ^{+0.25} _{-0.17}
011.3+02.6	PN PM 1-199	4143751363058950144	0.97	270.17997	-17.75533	19.3	...	...	...
011.3+02.8	Th 4-11	414376747777335296	0.49	270.03660	-17.67872	14.8	0.244	0.043	...
011.3-09.1	PTB 32	4078149826461265920	1.00	281.29199	-23.35920	18.4	...	...	...
011.3-09.4	My 121	4078224382749921024	0.99	281.64635	-23.44676	13.2	0.212	0.039	4.36 ^{+0.85} _{-0.63}
011.4+17.9	DeHt 10	4335587859735196672	0.68	256.73139	-9.78400	17.2	0.255	0.095	...
011.4-07.3	SB 18	4079260195784967040	1.00	279.67933	-22.40405	17.5	-0.220	0.153	...
011.7+00.0	M 1-43	4095521422947121792	0.87	272.95371	-18.77279	16.5	0.393	0.102	2.80 ^{+0.87} _{-0.60}
011.7-00.6	NGC 6567	4094749870714268544	1.00	273.43817	-19.07615	14.2	0.350	0.035	2.63 ^{+0.26} _{-0.22}
011.7-06.6	M 1-55	4079529404360162176	0.98	279.14105	-21.81744	13.9	0.093	0.036	7.76 ^{+1.63} _{-1.35}
011.7-07.0	Kn 77	4079460719236666624	0.87	279.50691	-22.04692	14.5	0.123	0.037	...
011.7-41.3	Fr 2-46	6780966389233959168	1.00	316.44838	-32.83117	13.4	2.312	0.046	...
011.8+03.7	PHR J1757-1649	4144686669576773888	0.99	269.41507	-16.82213	15.6	0.563	0.034	...
011.8-05.0	PTB 34	4091824315157913856	0.97	277.53314	-21.08492	18.6	0.112	0.241	...
011.9+04.2	M 1-32	4144898115027496320	0.97	269.08326	-16.48449	15.6	-0.013	0.049	5.82 ^{+0.76} _{-0.69}
011.9-07.4	Kn 78	4079369008737614336	0.92	279.97521	-22.05289	18.8	0.665	0.276	...
012.0+07.4	PHR J1745-1453	4149099868648020864	0.99	266.28076	-14.88976	19.7	0.595	0.405	...
012.0-11.9	Kn 79	4075259652729340800	1.00	284.44326	-23.82767	15.4	0.097	0.063	...
012.1+01.1	[UHP2009] VLA G012.1175+01.1965	4095872442038835072	0.96	271.92305	-17.85802	20.7	...	...	...
012.1-02.1	PHR J1820-1926	4094535397244099840	0.80	275.07336	-19.44323	20.3	...	...	...
012.1-11.2	CGMW 4-3783	4075514915539028224	1.00	283.77030	-23.47025	15.3	0.152	0.034	...
012.3-00.1	FBP2	4095675285854761472	0.21	273.30031	-18.33547	20.0	...	...	...
012.4+02.4	MPA J1803-1657	4144211955433838592	0.97	270.97953	-16.95618	20.4	...	...	...
012.4+03.9	Pa 84	4145101906971129088	0.66	269.58410	-16.20609	20.0	...	...	...
012.4+17.8	Pa 12	4335757356324800512	1.00	257.41095	-9.01153	17.1	0.045	0.081	...
012.5+04.3	Sab 10	4145310023878030336	0.28	269.29378	-15.93818	20.0	1.554	0.936	5.27 ^{+1.72} _{-1.76}
012.5-09.8	M 1-62	4078679481810532224	0.95	282.60852	-22.57301	17.1	0.089	0.124	8.57 ^{+2.27} _{-2.14}
012.6-02.7	M 1-45	4096032936429271296	0.93	275.78326	-19.28485	16.1	0.107	0.059	...
012.8+09.6	Kn 42	4161759920423904640	1.00	264.68630	-12.95559	19.1	0.142	0.275	...
012.8-04.7	MPA J1831-2002	4092038406321878784	0.94	277.84562	-20.03561	16.6	0.148	0.071	...
012.9+02.4	MPA J1804-1633	4144322280166446976	0.71	271.22049	-16.56423	20.3	...	...	...
012.9+02.6	MPA J1804-1627	4144373854134248960	0.68	271.04379	-16.46242	18.3	1.237	0.378	...
012.9+03.3	PHR J1801-1602	4145164441661090944	0.47	270.39503	-16.03876	21.0	...	...	...
012.9+06.6	BMP J1749-1429	4148751048613304192	0.83	267.41539	-14.48836	20.4	-1.497	0.901	...
013.0-04.3	Pe 2-14	4092859608471896064	0.82	277.49779	-19.67720	19.5	...	...	...
013.2-05.0	PHR J1832-1949	4092070227797242752	0.75	278.19129	-19.82482	19.6	0.401	0.432	...
013.3+32.7	Sn 1	4407638066429175424	1.00	245.26831	-0.26965	14.7	-0.109	0.051	11.56 ^{+1.98} _{-1.83}
013.4+08.8	PHR J1742-1256	4161909453988004224	0.45	265.74159	-12.94645	21.0	...	...	...
013.4-03.9	M 1-48	4093104043570072192	0.31	277.37523	-19.09554	19.0	0.532	0.506	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
013.4–04.2	V-V 3-4	4092899019087172608	0.90	277.64203	−19.24602	19.4	...	...	...
013.7–04.7	PTB 37	4092855824530810496	0.99	278.14434	−19.23536	18.8	0.617	0.265	...
013.7–10.6	Y-C 2-32	4084782767771399040	1.00	283.87778	−21.82776	16.0	0.084	0.067	...
013.8–02.8	SaWe 3	4096221021593115264	0.99	276.51532	−18.20958	16.5	0.539	0.073	1.79 ^{+0.24} _{−0.20}
013.8–07.9	PC 21	4080123484141978752	1.00	281.39704	−20.58324	17.7	0.370	0.131	...
014.0+04.8	PTB 19	4148581650775253120	0.80	269.60850	−14.42324	18.5	0.154	0.198	4.83 ^{+1.34} _{−1.24}
014.0–02.5	Tan 2	4096278711670069248	0.83	276.32128	−17.94130	16.1	0.238	0.057	...
014.0–05.5	V-V 3-5	4092472408529260672	1.00	279.13475	−19.32422	17.1	0.405	0.118	...
014.1+02.7	Pa J1806.3-1520	4146705269757414272	0.93	271.58492	−15.33544	19.1	0.102	0.319	...
014.2+00.2	MSX6C	4097646121790662784	0.81	273.89353	−16.47453	20.8	...	...	...
	G014.2361+00.2138								
014.2+03.8	PM 1-205	4146998736319570816	0.71	270.65964	−14.70066	17.6	−0.196	0.117	...
014.2+04.2	Sa 3-111	4147061236690945280	0.97	270.27752	−14.50599	18.4	0.375	0.230	6.28 ^{+2.13} _{−2.08}
014.2–03.4	PTB 39	4093582365563693824	0.92	277.25165	−18.17968	18.4	0.100	0.210	...
014.2–07.3	M 3-31	4080221267663409408	1.00	281.00739	−19.91465	14.7	...	...	...
014.3–07.2	PTB 40	4080225974947722752	1.00	280.91593	−19.80906	17.3	0.024	0.100	...
014.4+06.9	Pa 81	4149764008058852352	0.58	267.97691	−12.97115	20.1	−0.031	0.709	...
014.4–06.1	SB 19	4092512742510443136	1.00	279.91691	−19.23682	16.0	0.149	0.052	8.23 ^{+3.14} _{−2.32}
014.5–07.3	PN PM 1-254	4080250924463314944	0.97	281.12221	−19.71255	17.4	−0.061	0.093	...
014.7–11.8	SaWe 4	4081863633097152512	0.94	285.57341	−21.44757	19.2	0.150	0.294	4.84 ^{+1.32} _{−1.26}
014.8–02.7	PTB 41	4096709995088279040	0.38	276.86088	−17.40299	20.6	...	...	...
014.8–08.4	SB 20	4085994773196437888	1.00	282.35076	−19.87038	15.0	0.360	0.052	...
014.8–25.6	HaWe 14	6754240246564390784	1.00	299.55446	−26.47115	18.5	1.528	0.233	...
014.9–03.1	SaSt 3-166	4096653198454533888	0.95	277.29693	−17.45365	17.4	0.103	0.111	...
015.1+02.8	MPA J1807-1425	4146916238566202368	0.82	271.91318	−14.42486	19.9	0.195	0.631	...
015.3–11.0	Kn 80	4084972983264857344	1.00	284.96750	−20.58020	19.0	0.427	0.241	...
015.4+05.6	Pa 44	4150564551275781120	0.98	269.56681	−12.79908	15.0	0.068	0.030	...
015.4–04.5	M 1-53	4093677434572665216	0.99	278.95146	−17.60241	15.4	0.186	0.044	5.01 ^{+1.10} _{−0.84}
015.5+02.8	BMP J1808-1406	4146962654265880064	1.00	272.14622	−14.11193	19.1	0.993	0.316	1.14 ^{+0.28} _{−0.24}
015.5–00.0	PHR J1818-1526	4098119397120573824	0.26	274.74713	−15.43925	17.3	...	...	...
015.8+02.7	PM 1-215	4147350232111461248	0.28	272.40249	−13.80944	17.6	0.226	0.131	...
015.9+03.3	M 1-39	4147559379838377344	0.97	271.87795	−13.47995	16.5	0.279	0.074	...
016.0+13.5	Abell 42	4167707586821183360	1.00	262.87111	−8.31945	19.8	0.289	0.385	2.71 ^{+0.72} _{−0.68}
016.0–04.3	M 1-54	4099764713235026688	1.00	279.03483	−16.99918	19.6	...	...	...
016.0–07.6	SB 21	4098431349179300224	1.00	282.04611	−18.49354	18.1	0.280	0.136	5.95 ^{+2.09} _{−1.85}
016.1+07.7	PTB 20	4163729038353275520	1.00	268.06256	−11.17688	19.6	...	...	...
016.1–04.7	M 1-56	4099723653388696320	0.91	279.44282	−17.09631	16.2	−0.307	0.221	...
016.3–02.3	PHR J1828-1549	4103148941329438208	0.68	277.23240	−15.82155	18.8	0.159	0.223	...
016.4+01.0	...	4146563226597613440	0.41	274.24909	−14.16912	20.0	0.063	0.752	...
016.4–01.9	M 1-46	4103910524954236928	0.96	276.98466	−15.54846	12.8	0.417	0.016	2.24 ^{+0.08} _{−0.08}
016.6–04.0	PTB 43	4102825336944868480	0.21	278.98311	−16.35601	17.3	0.354	0.101	...
016.6–10.5	Kn 55	4085678319975164928	0.38	285.14292	−19.23700	19.7	−0.141	0.398	...
016.7–07.3	SB 22	4098926576110700160	0.93	282.12683	−17.73206	19.5	−0.224	0.476	...
016.8+07.0	PHR J1756-1057	4152110709452698240	0.67	269.08945	−10.96016	20.9	...	...	...
016.8–01.7	BMP J1827-1504	4103988212315867008	0.83	276.96149	−15.07340	19.2	0.347	0.340	...
016.9–02.0	Sa 3-134	4103960690161695232	0.94	277.33256	−15.12776	18.1	...	...	...
016.9–09.7	PTB 44	4086522779285431680	1.00	284.41671	−18.60463	16.3	0.334	0.055	3.14 ^{+0.71} _{−0.49}
017.0+11.1	GLMP 621	4165254065284620032	0.98	265.56022	−8.72183	14.7	0.277	0.038	3.29 ^{+0.44} _{−0.35}
017.2–01.7	MPA J1828-1441	4104039335228566528	0.57	277.12742	−14.68955	18.8	−0.353	0.227	...
017.3–21.9	Abell 65	6864617817991978624	1.00	296.64254	−23.13696	15.5	0.655	0.038	1.45 ^{+0.08} _{−0.08}
017.5+01.0	MPA J1819-1307	4152688193573412096	0.40	274.75948	−13.11782	20.9	...	...	...
017.5–07.4	SB 23	4099164787867999104	0.64	282.55475	−17.03928	18.2	...	...	...
017.5–09.2	SB 24	4086888981052416768	1.00	284.31887	−17.84695	18.5	0.341	0.165	...
017.6–10.2	Abell 51	4086643583803222400	1.00	285.25584	−18.20429	15.3	0.552	0.031	1.74 ^{+0.10} _{−0.09}
017.7–02.9	M 1-52	4103314314784098688	0.75	278.49388	−14.87376	19.8	...	...	...
017.9–04.8	M 3-30	4100345805124045696	0.98	280.31204	−15.56157	17.8	0.249	0.136	4.53 ^{+1.34} _{−1.16}
018.0+00.8	IRAS 18179-1249	4152816355413325440	0.99	275.18481	−12.79799	18.3	−0.040	0.219	...
018.0+20.1	Na 1	4366642333006411264	1.00	258.21616	−3.26665	16.6	0.204	0.063	5.14 ^{+1.24} _{−1.01}
018.2+01.6	DeGaPe 28	4153656760260335744	0.53	274.58319	−12.24684	20.9	...	...	...
018.6–02.2	M 3-54	4104555933892707456	0.94	278.26565	−13.73894	18.4	0.158	0.176	8.11 ^{+2.69} _{−2.52}
018.8–01.6	MPA J1831-1319	4104803809373495296	0.25	277.83658	−13.32734	18.5	0.239	0.199	...
018.8–01.9	PTB 25	4104789412629934848	1.00	278.01896	−13.43757	18.0	0.153	0.167	4.31 ^{+1.09} _{−0.99}
018.9+03.6	M 4-8	4157058752294046848	0.92	273.04001	−10.71626	16.1	0.141	0.062	...
019.2–01.6	MPA J1831-1256	4104867439280324864	0.64	277.97089	−12.93723	19.9	0.452	0.626	...
019.2–04.4	PM 1-251	4103595858442901888	0.65	280.60333	−14.25308	17.2	0.289	0.089	...
019.4–01.6	Mul 14	4104964814776705280	0.82	278.15204	−12.76724	18.5	−0.209	0.231	...
019.4–13.6	DeHt 3	4084551148755614720	1.00	289.26713	−18.02660	20.4	0.692	0.732	4.94 ^{+1.45} _{−1.45}
019.4–19.6	K 2-7	6868431267910764160	1.00	295.12304	−20.45202	19.2	0.463	0.253	2.78 ^{+0.77} _{−0.70}
019.5–04.9	PHR J1844-1410	4105051680551805568	0.64	281.18233	−14.18116	18.7	0.159	0.251	...
019.6+00.7	MPA J1824-1126	4154057188649467776	0.53	276.01665	−11.43775	19.0	−0.312	0.296	9.31 ^{+2.62} _{−2.52}

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
019.6+01.1	MSX6C	4154115428412694656	0.88	275.62519	-11.27890	20.2	...	...	...
	G019.6095+01.1873								
019.7-04.5	M 1-60	4105129677124985216	0.73	280.90872	-13.74702	17.4	...	...	...
019.7-10.7	MPA J1906-1634	4088731114003376512	1.00	286.63663	-16.56675	18.4	0.580	0.160	2.04 ^{+0.48} _{-0.40}
019.8+05.6	CTS 1	4158432626439950464	0.99	271.74918	-8.92583	19.9	...	...	...
019.8-23.7	Abell 66	6864496115795567488	1.00	299.38126	-21.61287	18.1	0.871	0.181	1.16 ^{+0.20} _{-0.17}
020.3-06.9	Pa 120	4101903087213994496	1.00	283.43106	-14.33282	14.3	0.185	0.021	...
020.4+02.0	MPA J1820-1009	4154521904099495296	0.98	275.21196	-10.16191	20.6	-2.879	1.690	...
020.4-02.9	Pa 111	4106270248674345216	0.88	279.80578	-12.42771	21.0	...	...	...
020.4-07.0	MPA J1854-1420	4101861447517419392	1.00	283.56140	-14.33873	20.6	...	...	...
020.7-05.9	Sa 1-8	4102207686291028864	0.99	282.68477	-13.51734	14.3	0.251	0.026	3.55 ^{+0.37} _{-0.31}
020.7-08.0	MPA J1858-1430	4101453112078146432	1.00	284.58031	-14.50719	16.4	0.725	0.063	1.37 ^{+0.13} _{-0.11}
020.9-01.1	M 1-51	4154696829542155392	1.00	278.37083	-11.12401	18.0	0.339	0.156	2.54 ^{+0.60} _{-0.51}
020.9-11.3	PHR J1911-1546	4088900713689049728	1.00	287.76863	-15.76875	17.5	0.535	0.130	2.05 ^{+0.42} _{-0.35}
021.0+03.4	MPA J1817-0856	4157866790265313152	0.93	274.27166	-8.94718	18.0	0.669	0.622	...
021.0-04.1	PHR J1844-1226	4105553298336857600	1.00	281.03174	-12.44726	18.1	0.186	0.136	11.78 ^{+3.75} _{-3.69}
021.1+00.4	GLMP 781	4155731538695389312	0.91	277.00548	-10.23585	21.2	...	...	...
021.2+02.9	MPA J1819-0901	4157853420013987072	0.71	274.77778	-9.03074	18.7	-0.005	0.293	...
021.3+02.2	MPA J1822-0914	4159096181688213760	0.94	275.52381	-9.23594	20.8	...	...	...
021.4+02.5	Pa J1820.9-0901	4159153218883234176	0.94	275.24726	-9.02807	15.5	0.096	0.033	...
022.0-03.1	M 1-58	4107013823419786624	0.85	280.73753	-11.11482	18.7	0.469	0.292	...
022.0-04.3	AS 321	4106005536895223040	0.83	281.76660	-11.68668	15.4	0.112	0.051	8.06 ^{+2.22} _{-1.83}
022.1-02.4	M 1-57	4107103777208876928	0.97	280.08438	-10.66314	15.5	0.220	0.083	4.20 ^{+1.03} _{-0.85}
022.2+00.9	IRAS 18257-0908	4156149211359545984	0.81	277.12103	-9.10333	20.3	-1.713	1.121	...
022.5+01.0	MaC 1-13	4156237687681900288	0.76	277.14698	-8.72301	18.5	0.571	0.315	2.95 ^{+1.31} _{-1.09}
022.5+04.8	MA 2	4160551209235451904	0.89	273.80567	-6.95350	18.5	0.215	0.269	...
022.9+22.7	Alves 5	4387775530611235200	1.00	258.17347	+1.92590	17.3	1.130	0.124	...
023.0+04.3	MA 3	4160638521643128448	0.95	274.45584	-6.80599	16.8	0.018	0.064	...
023.1-02.5	Pre 48	4155290114832089728	0.88	280.69469	-9.84667	19.8	-0.147	0.534	...
023.2-02.6	MPA J1842-0949	4155290565857226112	0.98	280.74037	-9.83066	18.6	0.220	0.216	...
023.8-01.7	K 3-11	4155606331827457408	0.39	280.28058	-8.93316	16.3	0.200	0.064	...
023.8-06.2	BMP J1857-1054	4202075953819742080	1.00	284.29092	-10.91419	19.0	0.722	0.240	1.91 ^{+0.58} _{-0.48}
023.9+01.2	MA 13	4159799662991309696	0.99	277.62663	-7.46064	18.4	0.107	0.198	...
023.9-06.5	MPA J1858-1054	4202078904419339904	1.00	284.63659	-10.90818	18.2	0.040	0.273	...
024.0+05.7	Pa 97	4173439448308706944	0.99	273.64104	-5.17117	20.3	0.083	1.255	...
024.1+03.8	M 2-40	4161093027951979776	0.98	275.34941	-6.03218	16.1	0.128	0.053	5.97 ^{+1.24} _{-1.05}
024.2+05.9	M 4-9	4173456868697818880	0.85	273.57642	-4.98916	19.7	...	...	...
024.2-05.2	M 4-11	4202377048194457344	0.89	283.57360	-10.08686	18.0	0.347	0.159	3.57 ^{+0.98} _{-0.86}
024.3-03.3	Pe 1-17	4203399937651147520	0.30	281.95312	-9.15219	20.7	...	...	...
024.4+00.9	MPA J1832-0706	4159840031367633024	0.47	278.09532	-7.11601	19.3	0.662	0.432	...
024.7+03.9	PHR J1822-0529	4161218617089810816	0.60	275.61315	-5.48766	20.6	-0.179	1.768	...
024.8-01.4	Sab 8	4252568654478440064	0.20	280.44218	-7.85822	19.5	0.777	0.393	...
024.8-02.7	M 2-46	4251616408769092352	0.93	281.64423	-8.46726	16.7	0.117	0.078	...
025.0-11.6	Abell 60	4186077574260953984	1.00	289.82413	-12.24337	18.5	0.264	0.218	3.81 ^{+1.01} _{-0.93}
025.1-04.6	Pa 121	4203637225993816576	1.00	283.51906	-9.02994	15.3	0.011	0.030	...
025.1-08.4	MPA J1907-1043	4199466808402502656	1.00	286.88527	-10.72920	18.3	0.032	0.180	...
025.3+04.8	IC 4593	4457218245479455744	1.00	242.93557	+12.07140	11.2	0.376	0.045	2.38 ^{+0.27} _{-0.23}
025.3-04.6	K 4-8	4203838127400757248	0.99	283.58342	-8.79257	16.2	...	...	...
025.4-04.7	IC 1295	4203649492421426816	0.98	283.65478	-8.82707	16.8	0.649	0.064	1.54 ^{+0.15} _{-0.13}
025.4-16.4	Kn 56	4183190948217334400	1.00	294.43240	-13.85566	20.3	1.203	0.633	...
025.5-06.8	MPA J1902-0940	4202650994066662656	1.00	285.65616	-9.66832	17.4	0.178	0.091	...
025.6+02.8	MPA J1827-0510	4257140836167961984	0.93	276.98914	-5.17308	18.7	0.122	0.280	...
025.6-03.6	PM 1-259	4251974334170636416	0.79	282.76557	-8.12223	14.5	-0.000	0.033	...
025.8-17.9	NGC 6818	4182562817846811904	1.00	295.99048	-14.15328	16.3	0.349	0.255	2.06 ^{+0.46} _{-0.41}
025.9+02.7	Pa J1828.6-0457	4257162242283481088	0.92	277.17151	-4.95999	19.6	-0.709	0.435	...
025.9+10.3	MCS 1	4178943603525569280	1.00	270.46702	-1.43850	16.5	0.124	0.081	8.13 ^{+2.21} _{-2.00}
025.9-02.1	Pe 1-15	4252321092669536000	0.96	281.60246	-7.24293	17.7	0.211	0.125	...
026.0+46.6	WPS 4	1192780832638095872	1.00	237.72804	+14.99269	14.9	0.315	0.038	...
026.0-09.4	PHR J1913-1021	4200764064607279616	0.42	288.27322	-10.35289	20.3	...	...	...
026.1-17.6	Pa 161	4183333506776770688	1.00	295.86910	-13.74983	13.3	0.975	0.015	...
026.2-03.4	PHR J1851-0732	4252076348209607296	0.75	282.88030	-7.54148	18.3	0.225	0.205	...
026.3-02.2	Pe 1-16	4252368268565393920	0.71	281.88435	-6.90114	19.3	...	...	...
026.4-01.7	PN PM 1-256	4253146413602687872	0.33	281.44335	-6.54912	19.9	...	...	...
026.5+02.0	Mul 13	4257218175601609984	0.98	278.13293	-4.76982	18.0	0.225	0.145	...
026.5-03.0	Pe 1-19	4252307211263954688	0.99	282.43605	-7.02649	15.9	0.229	0.064	...
026.6-01.5	K 4-5	4253203278927003648	0.99	281.40255	-6.30961	18.5	0.484	0.234	...
026.8-08.5	Kn 65	4201133736742954880	1.00	287.71413	-9.28030	18.6	0.203	0.210	...
026.9+04.4	FP J1824-0319	4269678120544342144	1.00	276.17028	-3.33329	14.8	5.122	0.053	0.19 ^{+0.00} _{-0.00}
026.9-17.7	Kn J1945.0-1307	4183488121298349056	0.99	296.27049	-13.12921	19.9	-1.314	0.566	...
027.3-01.1	Tan 1	4253538625585673344	0.25	281.36694	-5.51719	17.9	0.139	0.129	...
027.4-03.5	Vy 1-4	4253934209252777344	0.96	283.50786	-6.43899	15.7	0.173	0.047	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
027.5+01.0	PHR J1838-0417	4256963986573979136	0.86	279.50881	-4.29007	20.7	...	...	...
027.6+04.2	M 2-43	4270080782317422208	1.00	276.66686	-2.71597	16.3	0.147	0.224	6.24 ^{+2.14} _{-1.98}
027.6+08.4	PN PM 1-217	4274355099417395072	1.00	272.91645	-0.81726	17.3	0.025	0.110	...
027.6+10.5	Pre 21	4275388365469550720	0.98	271.08165	+0.13460	20.0	...	...	...
027.6+16.9	DeHt 2	4376331092036268032	0.99	265.42040	+3.11594	15.0	0.573	0.042	1.73 ^{+0.14} _{-0.12}
027.6-00.8	PHR J1844-0503	4253635490089186176	0.89	281.18983	-5.06520	19.5	...	...	...
027.6-09.6	IC 4846	4201385082534035200	0.99	289.11759	-9.04355	15.2	-0.185	0.135	8.17 ^{+1.79} _{-1.68}
027.7+00.7	M 2-45	4256918322511326336	0.98	279.84101	-4.33085	19.7	-0.073	0.702	3.00 ^{+0.92} _{-0.87}
027.8+02.3	MPA J1833-0325	4258017864153209856	0.97	278.40966	-3.43220	17.5	0.076	0.102	...
027.8-00.7	MPA J1844-0454	4253646519540446208	0.81	281.20681	-4.90002	20.8	...	...	...
027.8-13.7	Kn 57	4188025535210308864	0.48	292.90467	-10.67821	20.1	-0.169	0.822	...
027.9-01.4	PHR J1847-0507	4255077121584499072	0.94	281.86880	-5.12334	13.8	0.255	0.019	...
028.0+10.2	WeSb 3	4275480995019447552	1.00	271.50320	+0.37740	17.4	0.185	0.089	5.11 ^{+1.26} _{-1.09}
028.2-04.0	Pe 1-20	4253881230894735616	0.82	284.32238	-5.99783	20.4	0.201	1.280	...
028.5+01.6	M 2-44	4259355871048895232	0.21	279.40397	-3.09920	18.7	-0.058	0.300	3.68 ^{+0.99} _{-0.91}
028.5+05.1	K 3-2	4271262276290004864	0.99	276.25234	-1.51460	17.1	0.127	0.086	7.58 ^{+2.15} _{-1.92}
028.7+02.7	K 3-7	4259650192241859840	0.95	278.55667	-2.46024	19.0	0.824	0.282	...
028.7-03.9	Pe 1-21	4254114494800691328	1.00	284.45713	-5.46125	18.2	0.098	0.171	7.80 ^{+2.28} _{-2.15}
028.8-00.2	PHR J1845-0343	4258289069890784384	0.89	281.27570	-3.72676	19.4	0.599	0.396	...
029.0+00.4	Abell 48	4258557110213184896	0.94	280.69550	-3.22148	16.8	0.276	0.068	2.32 ^{+0.26} _{-0.23}
029.0+02.2	MPA J1836-0227	4259642190765140992	0.96	279.04459	-2.45387	20.1	...	...	...
029.2-05.9	NGC 6751	4206136209740612352	1.00	286.48141	-5.99232	13.7	0.291	0.045	2.96 ^{+0.36} _{-0.31}
029.3-01.2	PHR J1849-0347	4258331057475279616	0.25	282.31305	-3.78312	16.6	0.745	0.058	...
029.4-02.3	MPA J1853-0414	4255056711905102976	0.44	283.37791	-4.23553	20.1	2.161	1.817	...
029.5-00.2	IPHAS J184616.33-030626.0	4258616312027640448	0.70	281.56805	-3.10724	20.2	...	...	...
029.9+03.7	IPHASX J183249.6-005638	4272105636060191232	0.99	278.20701	-0.94402	19.3	-1.241	0.589	...
029.9+05.8	Pa 34	4273177483801926272	0.90	276.31368	+0.03478	19.2	0.401	0.290	...
030.0-04.2	PHR J1901-0429	4254656180365848448	0.98	285.31104	-4.49257	19.9	0.175	0.571	...
030.5+01.5	IRAS 18390-0128	4260148618930827008	1.00	280.41847	-1.42159	20.7	...	...	...
030.5-18.4	Fr 2-42	4190499986125543296	1.00	298.40011	-10.32486	16.4	7.663	0.061	...
030.6-16.4	Fe 4	4193856211011004672	1.00	296.62850	-9.35559	16.1	0.158	0.051	9.21 ^{+3.23} _{-2.60}
030.8+03.4a	IPHAS J183531.31-001550.0	4272532521447280384	0.98	278.88046	-0.26395	17.7	1.872	0.220	...
031.0+04.1	K 3-6	4273359521695801472	0.99	278.32290	+0.19633	18.3	...	...	...
031.0-10.8	M 3-34	4207957000957467392	1.00	291.75790	-6.58466	16.0	0.225	0.062	4.95 ^{+1.36} _{-1.05}
031.2+05.9	K 3-3	4276358851977975168	0.98	276.78884	+1.24076	19.9	-0.315	0.629	4.50 ^{+1.43} _{-1.36}
032.0+01.7	PHR J1843+0002	4272429678461294464	0.40	280.93832	+0.03951	...	0.450	0.926	...
032.0-03.0	K 3-18	4261880968243745152	0.76	285.14510	-2.19946	16.9	0.100	0.412	...
032.1+07.0	PC 19	4277099858391308800	0.99	276.18551	+2.49109	16.9	0.033	0.140	8.71 ^{+2.33} _{-2.20}
032.1-06.2	FP J1912-0331	4260597185313614976	1.00	288.13102	-3.52566	14.0	8.034	0.036	...
032.3-04.5	IPHASX J190631.5-023236	4261710097262261248	0.26	286.63167	-2.54307	19.6	0.540	0.537	...
032.5-00.4	MPA J1852-0033	4266084985277747200	0.82	283.10643	-0.55734	19.8	-0.424	0.667	...
032.5-03.2	K 3-20	4262011019866089856	0.98	285.54231	-1.81264	15.7	-0.062	0.057	...
032.5-05.2	MPA J1909-0242	4261269291843584000	1.00	287.38185	-2.70823	19.3	0.577	0.402	...
032.6+00.7	PM 1-258	4266422531037747200	0.23	282.00490	+0.08011	19.7	0.633	0.706	...
032.9+07.8	K 3-1	4278089212706036736	0.97	275.84048	+3.60772	18.5	-0.277	0.263	...
033.0-05.3	Abell 55	4261355470375324672	1.00	287.60737	-2.33964	19.7	0.687	0.690	2.99 ^{+0.91} _{-0.90}
033.1-06.3	NGC 6772	4261038467432411776	0.97	288.65144	-2.70676	18.4	1.110	0.184	1.00 ^{+0.21} _{-0.15}
033.2-01.9	Sa 3-151	4265754375870414592	0.99	284.71561	-0.54931	18.9	...	...	...
033.2-04.0	PHR J1906-0133	4262198413530027520	1.00	286.56370	-1.55599	19.4	0.239	0.380	...
033.3-05.0	Pa 36	4261389417811016064	0.97	287.53789	-1.87491	19.3	0.554	0.372	...
033.4-06.9	PHR J1917-0240	4261120724620894720	0.98	289.31903	-2.67389	20.4	0.565	0.885	...
033.6+06.6	Pa 17	4283305879985226240	1.00	277.29236	+3.66387	19.5	-0.150	0.356	...
033.7-02.0	CBSS 1	4265789624653994624	0.89	285.06730	-0.24249	19.5	-0.174	0.645	10.63 ^{+4.29} _{-4.11}
033.7-02.0a	PHR J1900-0014	4265769356705057792	0.39	285.01404	-0.23392	20.2	-0.688	1.063	...
033.8+01.5	PHR J1847+0132	4278692805923570048	0.76	281.93923	+1.54642	19.0	0.507	0.305	...
033.9+01.2	IPHAS J184853.00+012852.2	4278677447120276096	0.98	282.22080	+1.48114	19.9	0.295	0.577	...
033.9-07.3	Pa 37	4214612997681357568	0.35	289.87223	-2.49996	18.8	-0.509	0.341	...
034.1-10.5	HaWe 13	4213334746695221888	0.99	292.78011	-3.70899	16.7	0.526	0.069	1.97 ^{+0.32} _{-0.24}
034.3+06.2	K 3-5	4283434037501295744	0.99	277.94095	+4.08589	17.7	0.352	0.103	4.46 ^{+2.54} _{-1.54}
034.5+07.7	Pa 16	4284399924112532608	1.00	276.64571	+4.98488	19.6	-1.093	0.375	...
034.5-06.7	NGC 6778	4262769064373735296	1.00	289.60396	-1.59645	16.7	0.161	0.080	3.65 ^{+0.58} _{-0.52}
034.5-11.7	PM 1-308	4210278482327706496	1.00	294.07299	-3.89032	13.1	0.106	0.016	7.36 ^{+1.04} _{-0.81}
034.6+11.8	NGC 6572	4472051344537031808	0.98	273.02632	+6.85361	12.6	0.537	0.058	1.73 ^{+0.17} _{-0.15}
034.7-06.2	PHR J1917-0112	4262994116345873024	0.91	289.28121	-1.20716	14.8	0.170	0.026	...
035.1+03.4	Pa J1843.0+0334	4280446153312965376	0.72	280.76552	+3.57461	19.1	0.696	0.416	...
035.2+05.2	Pa 10	4283781551897715072	1.00	279.29429	+4.47182	18.6	0.066	0.230	6.32 ^{+1.69} _{-1.62}

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
035.7+19.2	Pa 157	4489876627044035456	1.00	266.78544	+11.00581	16.3	0.308	0.054	...
035.7−05.0	K 3-26	4264027902125405056	0.96	288.66317	+0.22667	19.5	0.802	0.643	...
035.9−01.1	Sh 2-71	4268419317167114240	1.00	285.49981	+2.15448	19.9	0.826	0.698	1.35 ^{+0.44} _{−0.39}
035.9−02.9	Pa 50	4267584719119811968	0.68	286.88096	+1.30600	20.4	1.314	0.883	...
036.0+17.6	Abell 43	4488953930631143168	1.00	268.38446	+10.62340	14.7	0.458	0.033	2.14 ^{+0.16} _{−0.14}
036.1−57.1	NGC 7293	6628874205642084224	1.00	337.41079	−20.83717	13.5	5.012	0.044	0.20 ^{+0.00} _{−0.00}
037.3−07.1	MPA J1924+0038	4263701961311861760	1.00	291.24049	+0.64418	19.1	0.002	0.437	...
037.5−05.1	Abell 58	4264850714784262272	0.66	289.58558	+1.78301	21.0	...	...	...
037.6−04.7	BMP J1917+0200	4264872636281775488	0.62	289.28052	+2.00283	20.6	...	...	...
037.7−05.9	PHR J1921+0136	4264623145896445184	1.00	290.33705	+1.60386	17.7	0.077	0.104	...
037.7−06.0	MPA J1921+0132	4264619130140417664	0.99	290.43543	+1.54450	19.0	0.162	0.270	...
037.7−34.5	NGC 7009	6889338034837425920	1.00	316.04510	−11.36349	12.8	0.812	0.056	1.19 ^{+0.08} _{−0.07}
037.8−02.5	Pa 52	4269008140031070208	0.99	287.39542	+3.16781	19.1	−1.076	0.491	...
037.9−03.4	Abell 56	4268179207028750592	1.00	288.27536	+2.87979	19.4	0.661	0.319	1.69 ^{+0.45} _{−0.39}
038.1−25.4	Abell 70	6907822573352460032	1.00	307.88832	−7.08838	17.7	0.254	0.121	5.45 ^{+2.03} _{−1.68}
038.2+12.0	Cn 3-1	4482121324862387968	1.00	274.39207	+10.15087	12.6	0.138	0.035	5.63 ^{+0.95} _{−0.78}
038.3−02.5	IPHASX J191027.4+034046	4269096822545006848	0.93	287.61423	+3.67977	20.8	...	...	...
038.4−03.3	K 4-19	4268281088010981248	0.76	288.34417	+3.41671	14.5	0.176	0.023	...
039.0−04.0	IPHASX J191716.4+033447	4292267621344388864	0.84	289.31829	+3.57980	14.3	0.246	0.019	...
039.1−02.2	PM 1-285	4293351602342300160	0.57	287.72234	+4.45786	20.9	...	...	...
039.5−02.7	M 2-47	4293191412929039232	0.92	288.39393	+4.63444	16.1	0.201	0.051	4.64 ^{+1.01} _{−0.79}
039.7+06.0	Pa 18	4287278827831316864	0.99	280.50488	+8.77357	20.8	...	...	...
039.8−06.9	PHR J1928+0253	4289193352436323072	0.22	292.21383	+2.89818	20.3	0.409	0.751	...
040.1+03.2	IPHAS XJ185309.4+075241	4310230750781889920	0.97	283.28925	+7.87799	20.0	0.228	0.487	...
040.4−02.0	Pa 129	4293609094235062528	0.90	288.17879	+5.76284	17.7	0.251	0.124	...
040.4−03.1	K 3-30	4293331879884359680	0.97	289.11540	+5.22204	17.9	−0.032	0.180	8.50 ^{+2.31} _{−2.19}
040.7+03.4	IPHASX J185322.1+083018	4310333898714839936	0.34	283.34223	+8.50516	19.7	−0.593	0.405	...
040.8−09.7	WHTZ 1	4289684146940013184	1.00	295.18265	+2.50883	16.9	0.555	0.071	1.91 ^{+0.29} _{−0.23}
040.9+08.3	Kn 1	4480747347648736384	1.00	278.96424	+10.95539	20.0	0.111	0.513	...
041.2−00.6	HaTr 14	4306360401133813888	0.35	287.30710	+7.09562	20.4	−1.583	1.597	12.12 ^{+3.54} _{−3.52}
041.4−09.6	Pa 13	4289787771600957824	1.00	295.33764	+3.12162	16.6	0.119	0.058	...
041.5+01.7	PM 1-273	4310136536377607040	0.93	285.27384	+8.42665	21.1	...	...	...
041.5−04.6	IPHAS J192348.79+052759.9	4293002400007096832	0.98	290.95331	+5.46653	18.5	0.391	0.188	...
041.8+04.4	K 3-15	4311505638850116096	0.99	282.92309	+9.91454	15.8	−0.480	0.258	...
041.8−02.9	NGC 6781	4294123077230164736	1.00	289.61703	+6.53873	16.7	2.004	0.068	0.49 ^{+0.02} _{−0.02}
042.0+05.4	K 3-14	4503757445981896832	1.00	282.13670	+10.59740	15.0	0.008	0.040	...
042.0−02.2	Pa J1916.3+0702	4306174446223256960	0.84	289.09816	+7.03988	17.5	−0.069	0.344	...
042.2+01.1	IPHASX J190417.9+084916	4307548389086262656	0.88	286.07461	+8.82110	19.7	0.196	1.265	...
042.5−14.5	NGC 6852	4237745794618477440	1.00	300.16337	+1.72801	17.9	0.390	0.117	3.82 ^{+1.27} _{−1.02}
042.6+01.3	IPHASX J190432.9+091656	4310668974884821248	0.54	286.13751	+9.28224	19.9	0.034	0.547	...
042.7+00.8	[GKF2010] MN102	4307651880622158208	0.25	286.64027	+9.12240	19.9	−0.686	0.487	...
043.0+01.7	IPHASX J190340.7+094639	4310749346635888640	0.75	285.91976	+9.77747	17.5	0.272	0.102	...
043.1+03.8	M 1-65	4311868924367555200	0.89	284.14013	+10.86929	14.5	0.152	0.022	5.61 ^{+0.74} _{−0.60}
043.1+37.7	NGC 6210	1299564195037054592	1.00	251.12297	+23.79980	12.5	0.486	0.032	1.95 ^{+0.13} _{−0.11}
043.2−02.0	PM 2-40	4308012932750878720	0.99	289.46067	+8.25231	15.5	0.515	0.190	...
043.3+02.2	PM 1-276	4311037792327567744	0.64	285.57416	+10.29245	17.3	0.306	0.091	3.55 ^{+0.99} _{−0.76}
043.3+10.4	Kn 2	4508624498600685440	1.00	278.16668	+13.96732	17.3	0.107	0.079	6.43 ^{+1.39} _{−1.25}
043.3+11.6	M 3-27	4509558434941251584	1.00	276.95109	+14.48499	13.1	0.147	0.051	...
043.5−13.4	Abell 67	4241183550857632896	1.00	299.61257	+3.04997	19.5	0.556	0.327	3.88 ^{+1.19} _{−1.16}
044.0+05.2	K 3-16	4504427250399940864	0.93	283.25663	+12.26661	18.2	0.789	0.235	...
044.1+01.5	PM 1-281	4312523473047613568	0.97	286.63392	+10.72321	20.6	...	...	...
044.1+05.8	CTSS 2	4504643171308707072	0.99	282.69526	+12.62494	16.5	0.114	0.050	...
044.3+10.4	We 3-1	4509807233807831936	1.00	278.51105	+14.82205	15.2	0.313	0.079	2.48 ^{+0.35} _{−0.31}
044.3−04.1	IPHAS J192717.94+081429.4	4296182638654046592	1.00	291.82477	+8.24147	17.6	0.347	0.093	...
044.3−05.6	K 3-36	4295152602412852480	1.00	293.16468	+7.46442	17.1	0.178	0.092	7.54 ^{+2.38} _{−2.09}
044.4+03.1	IPHASX J190115.5+114150	4313447582543796480	0.45	285.31447	+11.69761	20.3	−0.108	1.063	...
044.6+00.4	IRAS 19089+1032	4312377345401979008	0.63	287.82142	+10.62615	19.1	0.072	0.361	...
044.9+00.8	IPHASX J191022.1+110538	4312451631147640960	0.96	287.59210	+11.09411	20.9	...	...	...
044.9+02.5	IPHAS J190414.21+115206.6	4313495308224822528	1.00	286.05921	+11.86848	21.0	...	...	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
045.0–12.4	WHTZ 3	4248349003725092608	0.99	299.49724	+4.79214	20.1	−0.617	0.694	4.74 ^{+1.26} _{−1.23}
045.1–20.9	DSH J2027.7+0042	4230632362398259712	1.00	306.93266	+0.71174	13.0	1.447	0.018	...
045.3+00.9	Pa 127	4312855667292920960	0.56	287.71269	+11.49728	20.8	...	...	...
045.4–02.7	Vy 2-2	4308704598615929728	0.99	291.09257	+9.89893	12.8	...	...	...
045.6+24.3	K 1-14	4556040392088374912	1.00	265.65281	+21.45011	16.1	0.561	0.121	2.54 ^{+1.20} _{−0.68}
045.7–04.5	NGC 6804	4296362443149857920	1.00	292.89639	+9.22532	14.0	1.417	0.067	0.70 ^{+0.03} _{−0.03}
045.9–01.9	K 3-33	4309563832565090432	0.98	290.61110	+10.68922	18.8	0.600	0.351	...
046.3–03.1	PB 9	4314739847970750976	0.98	291.93671	+10.40573	17.3	0.070	0.088	5.38 ^{+1.11} _{−0.99}
046.4–04.1	NGC 6803	4314488781356419456	0.99	292.81867	+10.05598	16.8	0.934	0.410	4.05 ^{+1.50} _{−1.54}
046.6–01.4	Pa 131	4315858566694277504	0.82	290.52500	+11.54467	18.4	−0.010	0.148	...
046.7–13.7	Pa J2005.8+0535	4248742109181848704	0.75	301.45527	+5.58447	18.8	0.536	0.211	...
046.8+03.8	Sh 2-78	4506484097383382272	1.00	285.79198	+14.11631	17.6	1.432	0.104	0.70 ^{+0.05} _{−0.05}
046.9+24.3	PaGo 2	4556431199748103936	1.00	266.06398	+22.60756	17.1	1.685	0.069	...
047.0+42.4	Abell 39	1305573511415857536	1.00	246.89046	+27.90927	15.6	0.850	0.042	1.19 ^{+0.06} _{−0.06}
047.1+03.9	IPHASX	4506633764087096704	1.00	285.82930	+14.42347	20.6	...	...	...
	J190319.0+142524								
047.1–02.6	Fr 2-28	4314870419308920832	0.98	291.78462	+11.38087	14.1	0.905	0.021	...
047.1–04.2	Abell 62	4314617943916816384	1.00	293.32452	+10.61656	18.6	0.186	0.213	1.98 ^{+0.36} _{−0.32}
047.2+01.7	PM 1-286	4314096397510483456	0.88	287.89931	+13.51980	18.3	−0.427	0.327	...
048.0–02.3	PB 10	4315832144050466304	0.99	292.06002	+12.32674	19.0	0.233	0.404	3.71 ^{+1.11} _{−1.05}
048.0–04.4	IPHASX	4315045722705910528	1.00	293.88379	+11.35434	19.2	0.207	0.278	...
	J193532.1+112115								
048.1+01.1	K 3-29	4320225109682166784	0.98	288.87737	+14.06385	19.4	...	...	...
048.1–03.2	IPHASX	4315370731432156160	0.86	292.86256	+11.94006	20.3	0.135	0.642	...
	J193127.0+115622								
048.2+01.9	IPHASX	4320501361909209728	0.46	288.23090	+14.54679	21.1	...	...	...
	J191255.4+143248								
048.5+04.2	K 4-16	4512994821132127360	0.98	286.21425	+15.79350	20.1	...	...	...
048.7+01.9	M 4-13	4320554035406988672	0.99	288.41008	+14.98862	17.7	−0.124	0.130	4.82 ^{+0.93} _{−0.85}
048.8+08.4	Kn 66	4511470416959624576	0.98	282.47857	+17.95415	17.7	−0.201	0.137	...
048.9+04.3	IPHASX	4513118103860843392	1.00	286.30206	+16.22984	20.1	0.147	0.477	...
	J190512.4+161347								
048.9+04.3a	Pa 19	4513118413125457792	1.00	286.28602	+16.25572	16.9	0.129	0.061	...
049.4+02.4	Hen 2-428	4513170261953875840	0.76	288.27270	+15.77770	15.5	0.224	0.075	3.38 ^{+0.59} _{−0.51}
049.6–07.7	Pa 54	4303586921715070592	1.00	297.60195	+11.04404	19.9	0.541	0.703	...
050.0+01.7	IPHAS	4321039328043783040	0.94	289.25551	+15.99662	17.2	0.024	0.080	...
	J191701.33+155947.8								
050.2–11.9	Pa 144	4299561781443125504	1.00	301.63254	+9.43910	18.4	0.087	0.182	...
050.4+05.2	Abell 52	4514604677947726976	1.00	286.13473	+17.95213	17.7	0.338	0.114	4.04 ^{+1.25} _{−1.03}
050.4–01.6	K 4-28	4321218380945757568	0.92	292.56936	+14.78936	19.5	−0.249	0.907	...
050.8+02.3	IPHAS	4513368517631376128	1.00	289.08932	+16.94411	21.3	...	...	...
	J191621.43+165638.9								
051.0+03.0	Hen 2-430	4513645762039397760	0.95	288.51722	+17.52584	17.6	−1.024	0.469	5.64 ^{+1.45} _{−1.38}
051.0–04.5	PC 22	4317178603426318720	1.00	295.51449	+13.84372	18.0	−0.104	0.143	6.18 ^{+1.38} _{−1.24}
051.3+01.8	PM 1-295	4514868732516293760	0.34	289.82793	+17.19690	14.4	0.409	0.019	...
051.4+09.6	Hu 2-1	4530814090658118656	1.00	282.44817	+20.84424	12.8	0.419	0.066	2.51 ^{+0.51} _{−0.37}
051.5+00.2	KLW 1	4322399045963388160	0.43	291.41868	+16.55159	20.6	−0.528	0.833	...
051.5+05.1	Kn 4	4514801073882782336	1.00	286.81597	+18.87788	18.0	0.046	0.118	...
051.5+06.1	K 1-17	4517888747373052800	0.84	285.90567	+19.35623	20.5	...	...	...
051.8+01.7	IRAS 19183+1727	4514907211117285504	0.97	290.13175	+17.54692	21.1	...	...	...
051.9–02.5	IPHASX	4318746640156604416	0.49	294.13987	+15.56264	19.0	0.647	0.223	...
	J193633.5+153345								
051.9–03.8	M 1-73	4318420669299100288	0.93	295.28872	+14.94970	14.5	0.222	0.026	4.00 ^{+0.43} _{−0.36}
052.2+07.6	K 4-10	4518973106345424000	1.00	284.76565	+20.61696	16.9	−0.010	0.074	8.54 ^{+1.71} _{−1.57}
052.4–09.9	Kn 5	1805970255468857728	1.00	300.93443	+12.37377	20.2	0.476	0.610	...
052.5–02.9	Me 1-1	4318785810234714752	0.98	294.79091	+15.94673	12.5	0.270	0.020	3.70 ^{+0.30} _{−0.26}
052.9+02.7	K 3-31	4515390553873264896	1.00	289.76102	+19.03917	19.6	...	...	...
052.9–02.7	K 3-41	4318903049992391552	1.00	294.81614	+16.34678	18.1	0.101	0.144	15.37 ^{+4.50} _{−4.43}
053.2–01.5	K 3-38	4322208834752173952	0.95	293.82640	+17.21682	...	...	...	...
053.3+03.0	Abell 59	4516549404740191488	0.90	289.66670	+19.57574	20.6	−0.791	1.140	2.00 ^{+0.65} _{−0.60}
053.3+24.0	Vy 1-2	4584066702954631552	0.83	268.59602	+27.99918	16.9	...	...	...
053.8–03.0	Abell 63	1820963913284517504	1.00	295.54286	+17.08732	15.0	0.365	0.026	2.56 ^{+0.18} _{−0.16}
053.9–33.2	Fr 2-21	2691081097260836480	1.00	321.58819	+0.97608	14.2	0.611	0.056	...
054.1–12.1	NGC 6891	1803234906762692736	1.00	303.78685	+12.70431	12.3	0.388	0.032	2.42 ^{+0.20} _{−0.17}
054.2–03.4	IPHASX	1820974088126464384	0.98	295.99796	+17.15025	17.7	0.171	0.098	...
	J194359.5+170901								
054.3–03.8	StDr 26	1820914366568717312	1.00	296.54551	+17.10250	19.2	0.397	0.226	...
054.4–02.5	M 1-72	1824067323576290304	1.00	295.39155	+17.75485	15.0	0.485	0.345	...
054.6+00.7a	StDr 85	2017614183546741120	0.93	292.45977	+19.57229	20.0	0.171	0.593	...
055.0–15.1	Fr 2-15	1755635540865117568	1.00	306.80204	+11.88552	13.7	0.653	0.030	...
055.2+02.8	Hen 2-432	2018764096614237440	0.73	290.85335	+21.13342	18.1	0.517	0.201	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
055.3+02.7	Hen 1-1	2018762967094831488	0.41	290.94546	+21.11090	21.6	...	...	...
055.3+06.6	Abell 54	4521168453101490048	0.30	287.16495	+22.98337	...	0.521	0.744	4.63 ^{+1.42} _{-1.41}
055.4+16.0	Abell 46	4585381817643702528	0.99	277.82745	+26.93670	15.0	0.404	0.029	2.43 ^{+0.18} _{-0.16}
055.5-00.5	M 1-71	1825515616543459584	0.92	294.11217	+19.70667	17.4	-0.342	0.393	3.26 ^{+0.82} _{-0.78}
055.6+02.1	Hen 1-2	2018024881202947200	0.95	291.65725	+21.15747	15.3	0.099	0.026	7.02 ^{+1.08} _{-0.90}
056.0+02.0	K 3-35	2018131400729448960	0.96	291.93352	+21.50113	20.5	...	...	...
056.1-03.8	RaMul 2	1821559921653783552	1.00	297.47376	+18.67077	15.6	0.108	0.035	...
056.4-00.9	K 3-42	1825749743804313600	0.98	294.89911	+20.31717	20.1	...	...	...
056.6-00.8	StDr 30	1825965492917941376	0.47	294.94963	+20.56945	21.1	...	...	...
056.8-06.9	K 3-51	1821791540605697152	1.00	300.65142	+17.61411	17.2	0.172	0.084	6.61 ^{+2.06} _{-1.71}
056.9-11.7	Pa 26	1805339376318567040	1.00	304.94233	+15.23533	16.9	-0.082	0.074	...
057.0+07.8	Pa 20	2035653626010277376	0.97	286.88256	+24.99934	12.2	0.619	0.014	...
057.2-08.9	NGC 6879	1809552460055588608	1.00	302.61120	+16.92255	14.7	0.125	0.040	6.90 ^{+1.53} _{-1.24}
057.6+01.8	PM 1-305	2019351991760108672	0.94	292.92205	+22.72740	19.2	0.444	0.247	...
057.9+01.7	K 4-30	2019455895594998784	1.00	293.28760	+22.97600	20.1	0.553	0.602	...
057.9-01.5	Hen 2-447	1827414443108647168	1.00	296.34234	+21.33441	17.7	1.030	0.344	6.11 ^{+2.98} _{-3.65}
057.9-09.8	Alves 6	1809885066631267072	1.00	303.79164	+17.05029	13.4	0.597	0.019	1.59 ^{+0.05} _{-0.05}
058.1-03.7	IPHASX	1826327227947840512	0.42	298.43216	+20.44304	20.4	-1.622	0.757	...
	J195343.7+202635								
058.2+04.5	Kn 8	2023015633218874880	0.98	290.66130	+24.55055	20.7	0.169	0.904	...
058.3-02.9	IPHAS	1826560255678412672	1.00	297.81739	+20.99838	20.2	0.035	0.629	...
	J195116.18+205954.2								
058.3-08.2	Pa 23	1810256976445430656	1.00	302.58938	+18.19724	18.7	0.270	0.209	...
058.3-10.9	IC 4997	1808888702934248704	1.00	305.03648	+16.73156	11.7	0.140	0.049	5.46 ^{+1.10} _{-0.91}
058.5-13.3	Pa 146	1805554841937332096	1.00	307.28922	+15.61682	17.2	0.327	0.088	...
058.6+00.9	PM 1-309	2020219403339189760	0.99	294.37223	+23.16293	21.3	...	...	...
058.6+06.1	Abell 57	2024098484670541952	0.95	289.27356	+25.62577	17.5	0.470	0.074	2.31 ^{+0.51} _{-0.36}
058.6-03.6	V458 Vul	1826449965231860608	1.00	298.60262	+20.88113	18.1	0.193	0.113	9.70 ^{+3.00} _{-2.89}
058.6-05.5	WeSb 5	1823095492701560704	1.00	300.42505	+19.91115	18.1	...	...	...
058.8+07.4	Dr 24	1822392423722386432	1.00	302.14089	+19.02348	15.0	0.788	0.034	...
058.8-16.9	Kn 121	1762118192700900736	1.00	310.50805	+13.85416	15.6	0.783	0.043	...
058.9+01.3	K 3-40	2021005760309552256	0.93	294.09096	+23.66323	17.6	-0.318	0.087	9.32 ^{+1.61} _{-1.49}
058.9+09.0	Si 1-2	2036937138334923648	1.00	286.52986	+27.21621	19.1	0.498	0.201	4.88 ^{+1.68} _{-1.61}
059.0-01.7	Hen 1-3	1827574864387670400	1.00	297.10999	+22.14368	19.1	-0.272	0.273	8.05 ^{+1.61} _{-2.09}
059.1+03.3	IPHASX	2022884520783629312	0.99	292.26061	+24.77961	19.9	-0.459	0.430	...
	J192902.5+244646								
059.1-00.7	Kn 9	1827853320031235712	1.00	296.24636	+22.76318	16.2	2.550	0.045	...
059.2+01.0	Ou 3	2020279846433107200	0.96	294.57305	+23.76350	20.5	0.476	0.948	...
059.4+02.3	K 3-37	2021325275814159360	0.99	293.44477	+24.54081	19.8	-1.360	0.453	9.84 ^{+2.70} _{-2.58}
059.7-00.8	IPHASX	2020051560320985856	0.77	296.63748	+23.28316	15.5	0.309	0.034	...
	J194633.0+231659								
059.7-01.0	IPHASX	1827892485806779776	0.46	296.86484	+23.13783	19.2	-0.366	0.279	...
	J194727.5+230816								
059.7-18.7	Abell 72	1761341417799128320	1.00	312.50856	+13.55817	16.0	0.548	0.064	1.93 ^{+0.26} _{-0.21}
059.8-00.5	2MASS	2020070320738847232	0.99	296.38709	+23.46956	20.8	...	...	...
	J19453289+2328105								
059.9+00.6	PM 1-311	2020400444804204544	0.48	295.31917	+24.22404	20.6	1.188	0.926	...
059.9+02.0	K 3-39	2021426048629219072	0.96	293.97681	+24.91392	16.7	0.056	0.067	...
060.0-04.3	Abell 68	1826936121144576896	1.00	300.04417	+21.71553	18.8	0.482	0.187	...
060.3-01.4	IPHAS	1828288000756444672	0.99	297.48992	+23.43347	20.9	...	...	...
	J194957.59+232600.6								
060.3-02.0	IPHAS	1828035525404444416	0.96	298.10283	+23.14891	20.5	0.436	0.753	...
	J195224.67+230856.2								
060.3-05.0	Kn 12	1823929193070538624	1.00	300.84391	+21.59786	18.4	0.334	0.165	...
060.3-07.3	Hen 1-5	1828750899461025408	0.98	302.98357	+20.33452	19.3	0.682	0.223	2.92 ^{+1.23} _{-1.03}
060.4+01.5	HuDo 1	2021265455564470144	0.41	294.71710	+25.09233	17.0	0.006	0.077	18.21 ^{+5.21} _{-4.95}
060.5+01.8	Hen 2-440	2021459171418312832	0.99	294.53482	+25.26134	17.6	0.074	0.141	...
060.5+05.6	Pa 21	2025814135133944064	0.98	290.81254	+27.12613	19.7	7.646	1.297	...
060.5-05.8	Kn 13	1829680085557106176	0.89	301.70482	+21.35701	20.0	-0.487	0.440	...
060.7-00.5	IPHAS	2020543724912372352	0.81	296.86454	+24.25054	20.4	0.837	0.775	...
	J194727.51+241502.1								
060.8-03.6	NGC 6853	1827256624493300096	1.00	299.90156	+22.72121	14.0	2.570	0.037	0.39 ^{+0.01} _{-0.01}
060.8-07.9	Pa 25	1828581643391652992	1.00	303.75730	+20.42257	18.3	0.120	0.138	...
060.9-00.5	IRAS 19461+2419	2020643612977496704	0.92	297.05950	+24.45749	18.6	-0.479	0.253	...
061.0+08.0	K 3-27	2038257376937231488	1.00	288.62483	+28.67924	17.3	0.125	0.063	7.55 ^{+1.71} _{-1.52}
061.2+04.0	StDr 86	2024908721680108672	1.00	292.74205	+26.97875	21.0	...	...	...
061.4-09.5	NGC 6905	1816547660416810880	1.00	305.59577	+20.10450	14.6	0.368	0.028	2.57 ^{+0.18} _{-0.16}
061.5-02.6	...	1834171384397003264	0.70	299.34681	+23.88008	18.1	0.213	0.107	...
061.8+03.0	Pa 134	2025050524351107584	0.24	294.06395	+26.95914	20.2	0.820	0.736	...
061.9+02.9	CGMW 5-11005	2025146800299621888	0.91	294.14962	+27.06917	21.1	...	...	...
061.9+41.3	DdDm 1	1331566790929938432	1.00	250.07562	+38.70556	15.2	0.078	0.091	17.07 ^{+5.02} _{-4.88}

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
062.0+02.5	IPHASX J193827.8+265752	2025098146936552576	1.00	294.61613	+26.96447	18.2	0.146	0.109	...
062.1+03.1	IPHASX J193617.5+272051	2025166763313254400	1.00	294.07331	+27.34781	20.2	-0.605	0.491	...
062.4+09.5	NGC 6765	2039515046435901440	1.00	287.77732	+30.54545	17.6	0.276	0.078	3.87 ^{+0.93} _{-0.74}
062.4+00.2	M 2-48	2026955977938203264	0.97	297.61893	+25.90850	22.0	...	...	...
062.7+00.0	IPHASX J194940.9+261521	2027015592098419200	0.71	297.42040	+26.25573	20.9	...	...	...
062.7-00.7	IPHASX J195248.8+255359	2026853242333963904	0.84	298.20345	+25.90007	21.0	...	...	...
062.9-25.2	Fr 2-16	1746496503290277888	1.00	319.57805	+12.02556	16.4	1.921	0.068	...
063.1+13.9	NGC 6720	2090486618786534784	1.00	283.39625	+33.02915	15.6	1.270	0.044	0.78 ^{+0.03} _{-0.03}
063.2+02.3	Pa 53	2031177518533766016	0.83	295.45302	+27.86731	17.1	0.094	0.058	...
063.2-04.9	Kn 14	1833636265835954048	0.99	302.42580	+24.12752	20.0	0.195	0.407	...
063.3+02.2	IPHASX J194240.5+275109	2031165664373595648	0.43	295.66939	+27.85244	21.0	...	...	...
063.3+15.8	PaStDr 5	2091480508577583488	1.00	281.42226	+33.93456	16.7	1.674	0.048	...
063.7+00.7	IPHASX J194930.9+273028	2027999723751718400	0.34	297.37876	+27.50757	20.9	...	...	...
063.8+00.1	K 3-48	2027934401557339520	0.78	298.03791	+27.30853	18.9	0.475	0.179	...
063.8-03.3	K 3-54	1834720521736114816	0.99	301.24430	+25.44367	17.9	-0.041	0.130	...
063.9-01.2	Te 1	2027268853416275456	1.00	299.34289	+26.65228	20.1	0.860	0.425	1.71 ^{+0.51} _{-0.46}
064.1-04.9	IPHASX J201144.3+245006	1833780718479339264	0.96	302.93473	+24.83512	19.8	0.333	0.329	...
064.5+03.4	Kn 15	2031657180462828288	1.00	295.16806	+29.50288	17.7	0.171	0.087	...
064.5-06.9	Kn 16	1831949378782925952	0.99	305.04808	+24.07696	20.7	0.478	1.175	...
064.6+48.2	NGC 6058	1380199049219990784	1.00	241.11060	+40.68302	13.7	0.360	0.029	2.83 ^{+0.26} _{-0.22}
064.6-04.7	Pa 145	1835499250843571712	1.00	303.06571	+25.37050	20.6	0.614	1.164	...
064.7+05.0	BD+30 3639	2032744769234150016	1.00	293.68846	+30.51634	10.3	0.618	0.032	1.58 ^{+0.09} _{-0.08}
064.9+15.5	M 1-64	2093171999835941504	1.00	282.50874	+35.24322	19.3	0.797	0.248	...
064.9-02.1	K 3-53	1835203619659154688	0.99	300.84355	+27.01520	18.4	...	...	...
064.9-09.1a	Pa 15	1830887113098897920	1.00	307.28160	+23.18599	16.7	0.268	0.072	...
065.2+02.2	Pa 1	2031795718947429248	0.94	296.76113	+29.50702	21.3	...	...	...
065.2-05.6	Hen 1-6	1835268185902868992	0.84	304.33904	+25.36308	20.6	-1.878	1.152	3.78 ^{+1.04} _{-1.01}
065.4+03.1	TaWe 2	2032079697828332544	0.38	295.94960	+30.23537	20.9	2.450	1.803	13.02 ^{+4.05} _{-4.08}
065.4+20.2	StDr 29	2096246444804803328	1.00	277.25865	+37.33494	17.8	1.371	0.088	...
065.7+04.8	Kn 17	2033168076901487744	0.51	294.34508	+31.24935	19.2	0.210	0.261	...
065.9+00.5	NGC 6842	2028777318992611072	1.00	298.75964	+29.28828	16.1	0.456	0.038	2.11 ^{+0.18} _{-0.15}
066.5+15.1	Ra 1	2093708870751911040	1.00	283.69115	+36.50334	18.7	-0.042	0.131	...
066.5-14.8	Kn 45	1814597642173959168	1.00	313.26642	+21.00303	18.5	0.484	0.175	2.72 ^{+0.73} _{-0.63}
066.7-28.2	NGC 7094	1770058865674512896	1.00	324.22072	+12.78859	13.5	0.604	0.034	1.62 ^{+0.09} _{-0.08}
066.8+02.9	IPHASX J194751.9+311818	2033745393571783808	0.99	296.96630	+31.30504	16.5	0.046	0.043	...
066.9-05.2	Hen 1-7	1835909441720893952	0.99	304.90885	+27.00310	17.8	-0.094	0.141	...
066.9-07.8	Kn 19	1832550223218972800	1.00	307.33582	+25.54421	19.9	0.176	0.468	3.60 ^{+0.98} _{-0.95}
067.5+02.8	Pa 137	2033791985369345152	0.98	297.47533	+31.89961	21.0	...	...	...
067.6+01.4	IPHAS J195549.80+311340.0	2033545522920043904	0.96	298.95744	+31.22777	19.7	-0.356	0.304	...
067.9-00.2	K 3-52	2030592853188209408	0.95	300.79761	+30.54270	19.3	...	...	...
068.0+00.7	StDr 92	2030916109598082560	0.32	299.91612	+31.23545	19.7	0.971	0.293	...
068.1+11.0	ETHOS 1	2050526964622031744	1.00	289.13119	+36.16321	17.2	0.067	0.051	9.81 ^{+2.07} _{-1.87}
068.2+00.9	IPHASX J195919.0+312534	2030933937990031232	0.63	299.82948	+31.42608	19.7	0.214	0.308	...
068.2-16.0	Kn 44	1837961057377917056	1.00	315.33532	+21.66836	18.2	0.318	0.152	...
068.3+02.6	Ou 7	2033917432781399808	0.72	298.18896	+32.42782	18.2	0.551	0.110	...
068.3-02.7	Hen 2-459	1837452503203933184	0.98	303.49120	+29.56548	15.8	0.991	0.300	1.83 ^{+4.03} _{-0.83}
068.6+01.1	Hen 1-4	2033978627428592000	0.90	299.82597	+31.91056	20.4	0.257	0.663	2.31 ^{+0.75} _{-0.69}
068.6-00.2	IPHASX J200457.3+311416	2030777017063842176	0.99	301.24082	+31.23820	19.0	0.059	0.193	...
068.7+01.9	K 4-41	2034043051976038400	1.00	299.14176	+32.37027	18.7	-0.047	0.206	9.98 ^{+3.29} _{-3.07}
068.7+14.8	Sp 4-1	2100120299148175872	0.99	285.11060	+38.35201	15.7	0.090	0.081	...
069.2+01.2	KLW 5	2034099745530098432	0.89	300.17525	+32.46142	20.5	0.704	0.706	...
069.2+02.8	K 3-49	2035106004835235712	0.98	298.50255	+33.37011	16.5	-0.500	0.151	...
069.4-02.6	NGC 6894	2053683628140774528	0.99	304.09980	+30.56501	18.2	0.686	0.113	1.51 ^{+0.25} _{-0.20}
069.6+15.7	Kn J1857.7+3931	2103243049609815296	1.00	284.42598	+39.51670	15.6	0.447	0.037	...
069.6-00.9	PM 1-319	2054027397321560960	0.99	302.65695	+31.63247	21.2	...	...	...
070.0+01.8a	IRAS 19581+3320	2034409361147890432	0.92	300.02871	+33.48359	15.5	0.031	0.029	...
070.2+01.6	2MASS J20011443+3331220	2058239110989583744	0.92	300.31019	+33.52279	20.8	1.453	1.160	...
070.2+02.2	IPHAS J195912.66+335003.9	2034477359075364992	0.99	299.80275	+33.83440	20.3	-0.557	0.578	...
070.2-08.7	Kn 21	1856444397601252224	1.00	310.32522	+27.58500	19.0	-0.040	0.227	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
070.5+11.0	Kn 61	2052811676760671872	1.00	290.41223	+38.31588	18.2	0.139	0.111	5.88 ^{+1.35} _{-1.24}
070.9+02.2	PM 1-316	2058539140238094208	0.98	300.22048	+34.47280	16.2	0.092	0.039	...
071.3-00.6	IPHASX J201339.0+331507	2055401576400630528	0.96	303.41264	+33.25194	16.5	0.229	0.038	...
071.3-05.8	Pa 40	1860817881199485696	1.00	308.40456	+30.27254	20.7	1.491	0.928	...
071.6-02.3	M 3-35	2054325021390284032	1.00	305.26568	+32.48998	16.6	1.005	0.307	2.20 ^{+1.54} _{-1.00}
072.0-24.6	Pa 165	1786272195418292992	1.00	324.72018	+18.67099	12.9	0.699	0.040	...
072.1+00.1	K 3-57	2055672679038891520	0.23	303.19919	+34.34212	21.6	...	...	...
072.3-05.3	Kn 23	1862554383714292608	0.55	308.60943	+31.30901	20.3	-0.398	0.605	...
072.7-17.1	Abell 74	1840395547924993152	1.00	319.21807	+24.14751	17.0	1.520	0.086	0.67 ^{+0.04} _{-0.04}
073.0+03.6	NeVe 2	2060147622645380224	0.99	300.07781	+36.99279	20.9	-1.377	1.273	...
073.0-02.4	K 3-76	2055990571034870016	0.99	306.27029	+33.58068	18.0	0.187	0.102	...
073.4+01.5	IRAS 20084+3604	2059170912744153216	0.34	302.57493	+36.21924	16.6	0.119	0.043	...
073.7+00.0	IPHAS J201714.26+353927.4	2057383136875448192	0.96	304.30945	+35.65765	20.4	-0.506	0.670	...
075.0-07.2	Pa 27	1859955657931121536	1.00	312.24320	+32.30410	12.3	0.686	0.011	...
075.3+05.5	Pa 22	2072773550888053888	1.00	299.55449	+39.91134	20.1	-1.381	0.487	...
075.5+01.7	Ju 1	2060926897208561280	1.00	303.83939	+38.04550	19.3	0.876	0.241	1.65 ^{+0.56} _{-0.43}
075.7+35.8	Sa 4-1	1414294114523211904	1.00	258.45980	+49.26971	13.7	0.183	0.028	5.87 ^{+1.17} _{-0.84}
075.9+11.6	AMU 1	2125895669204184832	1.00	292.78700	+43.41602	13.6	0.630	0.026	1.58 ^{+0.07} _{-0.06}
076.3+14.1	Pa 5	2127040806264002944	1.00	289.87708	+44.76183	15.7	0.434	0.042	2.35 ^{+0.23} _{-0.20}
076.3-02.5	MaCCo 2	2056719860792120192	1.00	308.81675	+36.19729	12.7	0.313	0.010	...
076.4+01.8	KjPn 3	2061352305127905280	1.00	304.31442	+38.83993	17.5	0.223	0.076	12.72 ^{+6.06} _{-5.80}
076.6+05.7	DSH J2000.7+4109	2075178839939632128	0.45	300.17382	+41.15800	20.4	2.244	0.612	...
076.8-08.1	Pa 28	1865874672618774656	1.00	314.54561	+33.14254	18.8	0.295	0.163	...
077.5+03.7	KjPn 1	2062501642691193984	0.99	303.10009	+40.75815	19.7	-1.673	0.545	7.13 ^{+1.78} _{-0.19}
077.6+14.7	Abell 61	2127684982639844224	1.00	289.79251	+46.24777	17.3	0.641	0.061	1.69 ^{+0.19} _{-0.16}
077.7+03.1	KjPn 2	2062521502600693376	0.71	303.84241	+40.57921	21.6	...	...	...
078.4-07.2	Pa 29	1866682878077985920	0.98	314.93108	+34.90647	20.7	-0.130	1.301	...
078.5+18.7	NGC 6742	2131594128728400128	1.00	284.83272	+48.46537	19.6	0.243	0.290	4.96 ^{+1.51} _{-1.44}
079.1-02.1	StDr 27	2063541643232593408	0.96	310.53166	+38.63572	20.5	1.038	0.618	...
079.6+05.8	M 4-17	2081048892007659648	0.99	302.25800	+43.72867	20.5	0.329	0.551	...
079.8+08.6	Kn 27	2079241535416131712	0.87	299.00363	+45.38786	17.8	0.285	0.081	...
079.8-10.2	Alves 1	1866922365452368768	1.00	318.77773	+33.97186	18.3	0.604	0.127	1.83 ^{+0.36} _{-0.29}
079.9+06.4	K 3-56	2081894618310233856	1.00	301.73070	+44.23855	20.4	0.692	0.699	...
080.3-10.4	MWP 1	1855295171732158080	1.00	319.28448	+34.20766	13.0	1.991	0.035	0.50 ^{+0.01} _{-0.01}
081.2-14.9	Abell 78	1850685091269441792	1.00	323.87241	+31.69596	13.1	0.588	0.028	1.66 ^{+0.08} _{-0.07}
082.1+07.0	NGC 6884	2082491657427348352	0.97	302.59850	+46.46098	16.5	-0.465	0.119	4.93 ^{+0.36} _{-0.34}
082.1-07.8	Kn 24	1868658082001121664	1.00	318.40706	+37.26046	19.3	0.534	0.241	1.76 ^{+0.39} _{-0.34}
082.5+02.4	StDr Objet 2	2069825901942263936	0.96	308.37967	+44.14585	16.0	0.764	0.033	...
082.5+11.3	NGC 6833	2086764737566091136	1.00	297.44402	+48.96112	13.0	1.014	0.384	17.05 ^{+5.28} _{-5.56}
082.5-06.2	Kn 25	1872003075545516032	0.93	317.33438	+38.60184	20.8	...	...	...
083.3+02.9	IPHAS J203346.47+450840.1	2070731860869105920	1.00	308.44366	+45.14443	20.9	...	...	...
083.5+12.7	NGC 6826	2135352396915239808	1.00	296.20056	+50.52502	10.6	0.771	0.036	1.29 ^{+0.06} _{-0.06}
083.9-08.4	K 3-81	1964102533181902080	1.00	320.56404	+38.12088	15.7	0.170	0.039	...
084.2-04.2	K 3-80	1969244880344005888	1.00	316.91528	+40.96454	17.7	0.150	0.080	8.82 ^{+3.04} _{-2.64}
084.6-07.9	Kn 26	1965268354805776896	1.00	320.78888	+38.97003	17.1	0.445	0.063	...
084.9+04.4	Abell 71	2071605220993676544	0.98	308.09665	+47.34726	19.2	1.027	0.208	1.11 ^{+0.25} _{-0.19}
084.9-03.4	NGC 7027	1969656406922355072	1.00	316.75735	+42.23603	15.8	2.166	0.341	0.53 ^{+0.12} _{-0.09}
085.3+52.3	Jacoby 1	1595941441250636672	1.00	230.44399	+52.36779	15.6	1.295	0.041	0.78 ^{+0.03} _{-0.02}
086.1+05.4	We 1-10	2179832585761932032	1.00	307.96817	+48.88048	18.0	0.490	0.082	2.07 ^{+0.31} _{-0.26}
086.5-08.8	Hu 1-2	1965932567203447296	0.97	323.28461	+39.63598	17.4	-0.614	0.220	6.07 ^{+1.18} _{-1.01}
086.9-03.4	Ou 5	1970016153397634048	1.00	318.58346	+43.69333	18.6	-0.013	0.109	7.35 ^{+1.61} _{-1.50}
088.7+04.6	K 3-78	2168422854828955776	1.00	311.34454	+50.37773	20.4	1.740	0.823	14.24 ^{+4.15} _{-4.22}
088.7-01.6	NGC 7048	2164192930525717248	1.00	318.56328	+46.28807	19.0	0.627	0.212	1.78 ^{+0.45} _{-0.37}
089.0+00.3	NGC 7026	2165238733564304768	1.00	316.57737	+47.85187	15.5	0.313	0.030	2.74 ^{+0.20} _{-0.18}
089.1+08.7	Pa 39	2181841672689968128	1.00	306.39402	+53.21242	14.7	0.161	0.020	...
089.3+12.8	Pa 4	2233941236591666688	0.41	300.61788	+55.55523	19.1	0.457	0.190	...
089.3-02.2	M 1-77	1971995510535755648	1.00	319.78069	+46.31309	11.9	0.344	0.010	2.65 ^{+0.07} _{-0.07}
089.8-00.6	Sh 1-89	2164519416761365248	1.00	318.53146	+47.77253	20.0	0.532	0.403	1.89 ^{+0.46} _{-0.46}
089.8-05.1	IC 5117	1971049178931721600	0.20	323.12881	+44.59699	18.5	...	...	...
090.8+06.1	Pa 3	2182418607053195776	1.00	311.54434	+52.95147	15.9	0.986	0.028	...
091.0+20.0	WPS 28	2239709863001566848	0.99	289.59958	+59.99820	14.8	9.440	0.033	...
091.0-06.3	Sh2-123	1973817302524302080	1.00	325.56460	+44.46788	18.1	1.504	0.108	...
091.6-04.8	K 3-84	1977145043182913408	1.00	324.70416	+46.00768	19.4	-0.977	0.376	9.38 ^{+2.37} _{-2.28}
093.3-00.9	K 3-82	2170991623233531264	0.87	322.71446	+50.00233	19.2	-0.119	0.208	3.96 ^{+0.93} _{-0.82}
093.3-02.4	M 1-79	1978860762361597312	1.00	324.25540	+48.93445	19.1	0.602	0.187	2.21 ^{+0.56} _{-0.56}
093.4+05.4	NGC 7008	2188752549939971200	1.00	315.13687	+54.54317	13.7	1.554	0.075	0.64 ^{+0.03} _{-0.03}
093.4-03.2	StDr 2	1978028088466446848	1.00	325.09209	+48.36450	17.9	1.552	0.089	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
093.9–00.1	IRAS 21282+5050	2171652769005709568	0.70	322.49360	+51.06675	13.8	0.268	0.019	3.40 ^{+0.23} _{–0.20}
094.0+27.4	K 1-16	2160562927224840576	1.00	275.46708	+64.36482	15.0	0.589	0.035	1.75 ^{+0.12} _{–0.10}
094.5–00.8a	LDu 1	2171509218320989440	1.00	324.02398	+50.90258	21.1	...	...	...
095.2+00.7	K 3-62	2172595604536445184	1.00	322.95910	+52.56432	18.7	0.257	0.242	6.90 ^{+2.40} _{–2.29}
095.2+07.8	Abell 73	2190074983250182400	0.98	314.11231	+57.43414	20.7	0.640	1.638	2.53 ^{+0.74} _{–0.73}
095.2+25.4	Kn 59	2256870662532650624	1.00	280.42456	+65.19950	20.9	...	...	...
095.7–00.7	Pa J2141.2+5146	2173012693091458304	0.95	325.31122	+51.76638	17.8	0.332	0.087	...
096.3+02.3	K 3-61	2177492137825896576	0.97	322.50313	+54.45755	18.1	0.108	0.110	7.83 ^{+2.16} _{–1.99}
096.4+29.9	NGC 6543	1633325248915154176	1.00	269.63918	+66.63296	11.2	0.732	0.029	1.31 ^{+0.05} _{–0.05}
097.4+12.3	KnFe 1	2195278765626033024	1.00	309.53828	+61.91747	20.4	–0.784	0.737	...
097.6–02.4	M 2-50	1981056379700822144	0.97	329.42409	+51.69424	18.4	0.001	0.146	6.95 ^{+1.70} _{–1.59}
098.1+02.4	K 3-63	2174674334350252416	0.84	324.79956	+55.76784	18.6	0.062	0.168	8.51 ^{+2.65} _{–2.47}
098.1–28.5	Fr 2-18	1885477727979289088	1.00	347.86713	+29.49273	15.4	3.947	0.045	...
098.2+04.9	K 3-60	2178857907371556864	0.79	321.86068	+57.65149	19.1	...	...	...
098.3–04.9	Pa 41	1976783887984709120	1.00	332.55684	+50.07593	17.4	0.469	0.072	...
099.1+05.7	KTC 1	2179544655458448512	0.91	322.04572	+58.87639	17.4	0.196	0.061	6.22 ^{+1.97} _{–1.83}
099.7–08.8	HaWe 15	1986574557983855104	1.00	337.63930	+47.52314	18.3	0.830	0.122	1.35 ^{+0.24} _{–0.18}
100.0–08.7	Me 2-2	1986956260321582720	1.00	337.93198	+47.80107	14.1	...	...	...
100.3+02.8	Cr 1	2202260634408052224	1.00	327.29870	+57.45547	17.2	0.733	0.063	1.33 ^{+0.12} _{–0.10}
100.4+04.6	PM 1-333	2179381824658713856	1.00	325.24607	+58.97845	18.9	0.415	0.176	2.66 ^{+0.70} _{–0.60}
100.6–05.4	IC 5217	2000514441288746752	0.99	335.98212	+50.96678	15.6	0.189	0.073	4.83 ^{+1.06} _{–0.91}
101.4–01.9	StDr 43	2005036900103208704	1.00	334.07596	+54.31167	18.9	0.769	0.177	...
101.8+04.3	Pa 57	2202763076866529024	0.63	327.75694	+59.59041	16.5	0.131	0.047	...
101.8+08.7	NGC 7076	2216998964996270208	0.98	321.59815	+62.89241	17.1	0.294	0.052	3.07 ^{+0.43} _{–0.36}
101.9+17.0	ETHOS 4	2250116087725032192	0.77	305.90560	+68.12069	18.8	...	...	...
102.5+02.6	...	2199751926819942144	0.71	330.77463	+58.65315	20.6	–0.473	0.912	...
102.7+03.7	IPHAS	2202908173733325312	0.98	329.82979	+59.66938	20.1	0.058	0.419	...
	J215919.15+594009.9								
102.8–05.0	Abell 80	2002155050070646912	1.00	338.69003	+52.43494	19.6	0.621	0.287	2.12 ^{+0.60} _{–0.53}
102.9–02.3	Abell 79	2004936573978252672	0.99	336.57192	+54.82728	16.6	0.224	0.047	3.67 ^{+0.51} _{–0.43}
103.2+00.6	M 2-51	2198557685406698368	0.76	334.01667	+57.47584	19.8	0.283	0.367	1.95 ^{+0.47} _{–0.43}
103.7+07.2	Kn 30	2216463232261024896	0.98	326.85124	+63.08598	20.1	–0.165	0.502	...
103.9+05.5	Dr 5	2204179277897545856	1.00	329.39798	+61.85803	20.4	–0.176	0.498	...
103.9–03.7	StDr 96	2003108635889408384	0.40	339.25172	+54.04738	20.8	–0.771	1.463	...
104.1+01.0	Bl 2-1	2200102945912268800	0.81	335.06939	+58.23786	19.5	...	...	...
104.1+07.9	NGC 7139	2216734669893916800	1.00	326.53564	+63.79140	18.7	0.117	0.301	2.23 ^{+0.49} _{–0.45}
104.2–29.6	Jn 1	2871119705335735552	1.00	353.97219	+30.46843	16.0	1.011	0.065	0.99 ^{+0.07} _{–0.06}
104.4–01.6	M 2-53	2006751661516849536	0.98	338.07381	+56.17383	20.8	...	...	...
105.4–14.0	Kn 130	1941078175572093696	1.00	348.27200	+45.43838	16.5	0.497	0.054	...
105.9–20.0	Fr 1-6	1923253820774422272	1.00	351.81644	+40.02323	14.8	0.702	0.034	...
106.5–17.6	NGC 7662	1924818288379268736	1.00	351.47430	+42.53494	13.9	0.569	0.033	1.65 ^{+0.09} _{–0.08}
107.0+21.3	K 1-6	2288467186442571008	1.00	301.05949	+74.42665	12.3	3.864	0.030	0.26 ^{+0.00} _{–0.00}
107.2+14.9	Dr 21	1938255660503776000	1.00	350.95788	+45.28171	17.5	0.648	0.095	...
107.4–02.6	K 3-87	2004012155267889792	0.98	343.77888	+56.70861	19.9	0.071	0.372	11.56 ^{+3.55} _{–3.51}
107.6–13.3	Vy 2-3	1941633699525901440	1.00	350.74125	+46.89946	14.6	0.161	0.031	5.98 ^{+1.27} _{–0.94}
107.7+07.8	IsWe 2	2218688261534278912	1.00	333.34383	+65.89871	18.1	1.221	0.095	0.77 ^{+0.05} _{–0.05}
107.8+02.3	NGC 7354	2201080755349789568	1.00	340.08277	+61.28574	17.3	0.476	0.069	1.81 ^{+0.19} _{–0.13}
109.4+07.7	Kn 31	2218796151111558016	1.00	336.91327	+66.73599	20.1	0.590	0.409	3.80 ^{+1.13} _{–1.11}
110.1+01.9	PM 1-339	2206963279991284224	0.50	344.71540	+61.96186	21.4	...	...	...
110.2+03.3	IPHASX	2208061000617183872	0.30	343.72194	+63.30734	20.2	1.418	0.472	...
	J225453.2+631827								
110.6–12.9	K 1-20	1940269720990515584	1.00	354.79512	+48.20822	20.6	–1.008	1.106	...
111.2+07.0	KjPn 6	2212671428967795840	0.96	342.25906	+67.02729	16.8	0.082	0.053	...
111.8–02.8	Hb 12	2009637806507452672	1.00	351.56177	+58.18182	11.8	...	...	...
112.9–10.2	Abell 84	1944244047502655232	1.00	356.93355	+51.39920	18.5	0.418	0.142	2.22 ^{+0.43} _{–0.37}
113.3+06.4	Kn 32	2212362019520749312	0.71	347.43169	+67.39398	20.3	...	...	...
114.0–04.6	Abell 82	1998212476247082880	0.58	356.44893	+57.06622	14.4	0.522	0.017	1.81 ^{+0.06} _{–0.05}
114.4+00.0	IPHASX	2012536875076571776	0.92	354.67157	+61.69606	20.0	0.252	0.359	...
	J233841.2+614146								
114.7–01.2	IPHASX	2011797217286839168	0.23	356.01663	+60.54490	15.4	0.592	0.026	...
	J234403.8+603242								
116.0–04.8	IPHASX	422587471554771968	1.00	0.08912	+57.36880	16.7	0.126	0.050	...
	J000021.4+572207								
116.2+08.5	M 2-55	2215132685747021056	0.98	352.96454	+70.37042	19.7	–0.425	0.291	3.01 ^{+0.61} _{–0.57}
117.5+05.3	Dr 27	422428519103328128	1.00	2.76432	+57.17670	17.7	1.008	0.091	...
117.5+18.9	IC 1454	2286089355109979008	1.00	340.60251	+80.44201	18.8	–0.131	0.170	5.75 ^{+1.27} _{–1.18}
117.9+01.6	IRAS 00032+6348	431675381825745408	0.99	1.47282	+64.08769	19.2	0.627	0.239	...
118.0–08.6	PN VV 2	419326659360627968	1.00	4.67573	+53.87216	14.1	0.196	0.031	...
118.8–74.7	NGC 246	2376592910265354368	1.00	11.76385	–11.87198	11.8	1.799	0.079	0.54 ^{+0.02} _{–0.02}
119.1+12.4	Kn 50	2229266628545001984	1.00	358.54726	+74.92611	19.3	0.083	0.245	2.89 ^{+0.63} _{–0.58}

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
119.6–06.1	Hu 1-1	421287436486020608	0.99	7.06489	+55.96518	19.3	1.522	0.541	5.31 ^{+1.84} _{-2.05}
120.0+09.8	NGC 40	537481007814722688	1.00	3.25413	+72.52195	11.5	0.561	0.017	1.62 ^{+0.05} _{-0.04}
120.2–05.3	Sh 2-176	421836329014389248	0.38	7.97199	+57.38022	18.5	0.901	0.145	0.97 ^{+0.11} _{-0.09}
120.4–01.3	Ou 2	430204780732841600	1.00	7.73643	+61.40952	19.3	0.768	0.218	...
121.7+11.4	Hu 2	538591274040363520	1.00	8.48961	+74.31093	20.2	0.437	0.504	...
122.1–04.9	Abell 2	425100439735384192	1.00	11.39479	+57.95980	19.9	0.637	0.422	3.99 ^{+1.22} _{-1.21}
123.0+04.6	Pa 30	526287189172936320	1.00	13.29666	+67.50066	15.4	0.407	0.026	2.33 ^{+0.15} _{-0.13}
123.6+09.9	Pa 154	535212951548319616	0.98	15.35452	+72.76480	20.9	...	...	...
123.6+34.5	IC 3568	1720138697015345024	1.00	188.27862	+82.56393	12.9	0.441	0.037	2.20 ^{+0.19} _{-0.16}
124.0+02.9	KLSS 2-7	525857348844254208	0.99	15.60190	+65.77569	21.2	...	...	...
124.3–07.7	WeSb 1	423384961080344960	1.00	15.22543	+55.06667	14.8	0.271	0.024	3.21 ^{+0.24} _{-0.21}
125.4+08.9	Dr 36	411078093067339136	1.00	16.91690	+53.87332	18.8	0.851	0.196	...
126.3+02.9	K 3-90	525275913347840512	1.00	21.24421	+65.64336	18.8	0.405	0.168	5.92 ^{+2.42} _{-2.23}
126.6+01.3	IPHASX J012507.9+635652	512781539949346816	1.00	21.28314	+63.94799	18.9	0.326	0.198	...
126.7–15.4	Fr 2-30	401414034397108352	0.23	18.32132	+47.23320	19.4	1.198	0.267	...
127.6–01.1	IPHASX J013108.9+612258	510742396851462400	1.00	22.78751	+61.38302	20.5	0.177	0.640	...
127.6–13.5	PaStDr 3	400211958948711552	1.00	19.87035	+49.01925	13.4	1.240	0.033	...
128.0–04.1	Sh 2-188	509206447837376128	1.00	22.63829	+58.41396	17.4	1.060	0.073	0.85 ^{+0.05} _{-0.04}
129.2–02.0	We 2-5	509636112062310016	1.00	25.65783	+60.16310	20.3	0.221	0.568	2.09 ^{+0.54} _{-0.51}
129.6+03.4	IPHASX J015624.9+652830	518353624360945152	0.99	29.10449	+65.47513	18.8	0.761	0.176	...
129.6–05.6	KLSS 2-8	409721566300550656	1.00	25.02435	+56.58183	19.8	1.127	0.318	3.06 ^{+1.63} _{-1.57}
130.2+01.3	IC 1747	511904404556131200	1.00	29.39870	+63.32180	15.8	0.262	0.038	3.48 ^{+0.45} _{-0.38}
130.3–11.7	M 1-1	405830570741274752	0.96	24.33067	+50.46982	17.7	0.144	0.125	8.32 ^{+0.31} _{-2.32}
130.9–10.5	NGC 650/1	406328443354164480	0.90	25.58192	+51.57541	17.4	0.294	0.203	1.36 ^{+0.19} _{-0.17}
131.0+03.7	Fe 8	515511318086256768	1.00	32.54356	+65.42064	19.3	0.511	0.219	...
131.4–05.4	BV 5-3	504819018483991168	1.00	28.26254	+56.40537	20.5	0.264	0.724	5.44 ^{+1.57} _{-1.55}
131.5+02.6	Abell 3	515007024509005440	0.30	33.02775	+64.15065	17.2	0.436	0.066	2.27 ^{+0.36} _{-0.28}
132.8+02.0	IPHASX J022045.0+631134	513965507818493312	0.97	35.18811	+63.19284	20.2	0.759	0.691	...
134.3–43.2	Pre 8	2786087079519147520	1.00	21.65025	+18.85510	18.1	0.215	0.152	...
135.6+01.0	WeBo 1	465640807845756160	1.00	40.05989	+61.15465	13.8	0.635	0.023	1.49 ^{+0.05} _{-0.05}
135.9+55.9	TS 1	846615127231002880	1.00	178.35307	+59.66584	18.0	0.026	0.117	...
136.1+04.9	Abell 6	467936205865972352	1.00	44.67447	+64.50172	18.4	0.869	0.143	1.20 ^{+0.21} _{-0.17}
136.3+05.5	HFG 1	468033345145186816	1.00	45.94596	+64.90984	14.0	1.413	0.015	0.69 ^{+0.01} _{-0.01}
136.6+61.9	PN G136.7+61.9	1573011744729727104	1.00	181.86839	+54.02471	15.9	0.873	0.055	1.17 ^{+0.08} _{-0.07}
136.8–13.2	Kn 58	354941216942517504	1.00	33.11600	+47.45280	19.5	0.153	0.344	5.76 ^{+1.57} _{-1.53}
137.6–30.0	Fr 2-22	304311150320629376	1.00	27.72617	+31.12964	14.3	1.371	0.037	...
138.1+04.1	Sh 2-200	466746538582576640	1.00	47.74525	+62.79858	16.2	1.106	0.286	0.88 ^{+0.17} _{-0.14}
138.8+02.8	IC 289	463228376251556224	1.00	47.58040	+61.31690	16.4	0.634	0.049	1.54 ^{+0.13} _{-0.11}
139.0+03.2	IPHASX J031345.5+613707	463616778732232064	1.00	48.43800	+61.61833	20.6	2.493	0.920	...
139.3+04.8	KK 26	463781877277363712	0.71	50.77212	+62.78515	16.3	0.562	0.062	...
141.7–07.8	Abell 5	440314343470162304	0.98	43.06289	+50.59830	19.7	0.581	0.385	2.98 ^{+1.02} _{-0.95}
142.1+03.4	K 3-94	450339621774948736	0.98	54.03368	+60.06273	20.9	...	...	...
143.5+38.7	WPS 46	1071088328781771392	1.00	141.96402	+69.23905	10.7	1.030	0.017	...
144.1+06.1	NGC 1501	473712872456844544	1.00	61.74749	+60.92061	14.2	0.579	0.019	1.63 ^{+0.05} _{-0.05}
144.3–15.5	Abell 4	337112571475961344	1.00	41.34855	+42.55127	19.7	–0.078	0.519	7.76 ^{+2.53} _{-2.28}
144.8+65.8	LTNF 1	786919754746647424	1.00	179.43686	+48.93836	15.1	0.708	0.026	1.36 ^{+0.05} _{-0.05}
145.4+05.7	Dr 26	470580325172742912	1.00	61.70656	+59.72939	19.0	0.900	0.246	...
146.1–08.1	Fr 2-23	435527383380748416	1.00	48.69130	+48.20162	14.3	4.320	0.039	...
146.7+07.6	M 4-18	471908436438311680	1.00	66.46182	+60.12021	13.7	0.153	0.016	5.52 ^{+0.55} _{-0.46}
147.1–09.0	HaWe 3	434853485833190528	1.00	49.14183	+46.89369	17.9	0.106	0.111	7.62 ^{+1.99} _{-1.85}
147.2+08.3	Kn 33	471551198232719744	0.74	68.15899	+60.33732	19.6	1.008	0.323	...
147.4–02.3	M 1-4	443728125217394688	1.00	55.43092	+52.28340	18.1	0.161	0.202	5.29 ^{+1.48} _{-1.39}
147.8+04.1	M 2-2	469056092819323392	0.99	63.31262	+56.94957	15.8	0.211	0.053	4.68 ^{+1.08} _{-0.84}
148.4+57.0	NGC 3587	843950873117830528	1.00	168.69880	+55.01903	15.7	1.235	0.046	0.81 ^{+0.03} _{-0.03}
149.0+04.4	K 4-47	276843494433439872	0.98	65.18842	+56.30337	21.8	...	...	...
149.4–09.2	HaWe 4	241918950690107264	1.00	51.81422	+45.40569	17.1	1.092	0.071	0.92 ^{+0.06} _{-0.06}
149.7–03.3	IsWe 1	250358801943821952	1.00	57.27473	+50.00410	16.5	2.350	0.057	0.43 ^{+0.01} _{-0.01}
150.0–00.3	Te 5	251042010983671936	1.00	60.87305	+52.14056	21.0	...	...	...
150.1–04.5	IPHASX J034659.8+484900	248726366476289280	0.45	56.74863	+48.81681	16.6	0.449	0.061	...
150.9–10.1	Bode 1	238540495056450048	0.99	52.80000	+43.90422	12.6	2.306	0.041	...
151.0–00.4	Ou 1	250719647917343232	1.00	61.83989	+51.40621	19.3	0.697	0.294	...
153.7+22.8	Abell 16	1004051581576523008	1.00	100.98093	+61.79018	18.6	0.762	0.173	1.82 ^{+0.62} _{-0.44}
155.9+07.7	Pa 153	266157955103568256	1.00	77.28176	+53.17450	17.9	0.436	0.122	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
156.3+12.5	HaWe 6	268129413812162816	1.00	84.48446	+55.53763	16.5	3.413	0.066	...
157.1+04.4	IPHASX J045627.6+501720	259560266863352576	0.34	74.11753	+50.28823	19.6	1.948	0.356	...
157.3+10.3	Hu 4	263363241360588288	0.28	82.08892	+53.52180	18.6	3.931	0.723	...
158.3+05.6a	Sh 2-215	229213505415604864	0.99	64.36590	+42.60117	18.9	0.112	0.252	...
158.6+00.7	Sh 2-216	254092090595748096	1.00	70.83874	+46.70156	12.6	7.840	0.048	0.13 ^{+0.00} _{-0.00}
158.8+37.1	Abell 28	1040417211407001984	1.00	130.39817	+58.23007	16.5	2.606	0.071	0.39 ^{+0.01} _{-0.01}
158.9+17.8	PuWe 1	997854527884948992	1.00	94.89142	+55.61210	15.5	2.535	0.059	0.39 ^{+0.01} _{-0.01}
159.0+15.1	IC 351	219833434282576000	1.00	56.88742	+35.04684	16.4	0.305	0.094	4.69 ^{+1.53} _{-1.25}
160.5+00.5	We 1-2	204885577998383872	1.00	71.67934	+44.46706	20.8	...	...	...
161.2+14.8	IC 2003	218544737933650944	1.00	59.09162	+33.87520	16.1	0.049	0.070	5.57 ^{+0.96} _{-0.86}
161.9+44.0	Fr 2-2	24913597751278976	1.00	40.19729	+10.35067	9.2	3.253	0.105	...
162.1+47.9	WPS 54	1020641700210987520	1.00	147.85829	+53.15853	15.3	3.177	0.045	...
162.9+01.6	Weinberger 92	203426487411436160	1.00	72.57369	+41.91474	19.7	1.194	0.573	...
163.1+00.8	We 1-3	204926805386682752	1.00	73.62916	+42.27801	21.0	...	...	...
164.8+31.1	JnEr 1	936605992140011392	1.00	119.46507	+53.42137	17.1	1.065	0.079	0.97 ^{+0.08} _{-0.07}
164.8+09.8	Kn 51	176269718435866112	1.00	66.36192	+35.10217	18.2	1.042	0.184	...
165.4+05.2	Kn 37	175340665471792000	1.00	71.15732	+37.65421	19.0	0.321	0.286	...
165.5+06.5	K 3-67	175182924208301824	0.93	69.94965	+36.76194	17.4	...	...	...
165.5+15.2	NGC 1514	168937010969340160	1.00	62.32074	+30.77598	9.3	2.203	0.017	0.45 ^{+0.00} _{-0.00}
165.5+27.6	Kn 67	58511404626001152	1.00	53.06231	+21.66189	20.3	-1.963	0.807	...
166.1+10.4	IC 2149	196996680850087936	1.00	89.09955	+46.10474	11.3	0.535	0.037	1.72 ^{+0.12} _{-0.10}
166.6+14.7	Kn 132	165965786951040640	0.79	63.58859	+30.39184	18.9	0.820	0.336	...
167.0+00.9	Abell 8	188439147494309632	1.00	76.66008	+39.13572	20.1	0.703	0.657	3.40 ^{+1.10} _{-1.08}
167.4+09.1	K 3-66	172188296914590208	1.00	69.15516	+33.65835	15.3	0.255	0.128	7.05 ^{+1.44} _{-2.27}
168.4+01.6	CoMaC 2	187946497564416384	1.00	80.48764	+39.51735	15.2	0.205	0.036	...
169.4+03.8	Dr 32	191146557438088064	1.00	83.52788	+39.93421	19.2	0.387	0.309	...
170.3+15.8	NGC 2242	965066369588651648	1.00	98.53062	+44.77716	16.8	0.338	0.075	4.09 ^{+1.40} _{-0.97}
170.7+04.6	K 3-69	190211633254265472	1.00	85.34221	+39.25222	17.1	4.237	0.479	...
171.3+25.8	Ba 1	50865027106484096	1.00	58.40166	+19.49402	18.0	0.744	0.169	2.09 ^{+1.05} _{-0.62}
173.5+03.2	Pu 2	3455834079110379648	1.00	85.64230	+36.15204	19.5	0.026	0.389	6.96 ^{+1.96} _{-1.31}
173.7+05.8	K 2-1	156455900431326976	1.00	76.78460	+30.82179	18.1	0.448	0.172	2.04 ^{+0.34} _{-0.37}
173.7+09.2	...	155075188702503424	1.00	73.64034	+28.82471	18.9	-0.003	0.268	...
174.2+14.6	H 3-29	147952487953283712	1.00	69.34764	+25.04414	18.2	0.137	0.171	3.75 ^{+0.86} _{-0.79}
174.5+03.0	IPHASX J052015.87+314938.8	180731845860251264	1.00	80.06613	+31.82740	19.2	0.785	0.358	...
174.6+05.2	IPHASX J051152.2+302751	156214321404677376	1.00	77.96756	+30.46425	17.3	0.264	0.088	...
175.6+11.4	Kn 62	955255358615209856	1.00	95.98093	+38.25402	18.6	0.252	0.191	...
176.7+33.8	Alves 3	36321786805002880	1.00	55.80988	+10.49393	16.5	6.887	0.071	...
177.0+00.5	Te 2	3447765931507028864	1.00	85.18648	+31.74202	20.9	...	...	...
177.5+03.1	IPHASX J055226.2+323724	3451205783698632704	1.00	88.10914	+32.62356	19.2	1.020	0.315	...
178.1+04.0	IPHASX J052531.1+281945	3445383766552820352	0.85	81.37996	+28.32918	19.8	0.847	0.741	...
178.3+02.5	K 3-68	3445837383814681472	1.00	82.89939	+28.97812	19.3	-0.598	0.434	7.75 ^{+2.04} _{-1.98}
181.5+00.9	Pu 1	3431140972097482368	1.00	88.20190	+28.09977	20.8	...	...	...
183.0+00.0	IPHASX J055242.8+262116	3430688759283627776	1.00	88.17840	+26.35445	17.1	0.357	0.087	...
184.0+02.1	M 1-5	3428522004121565568	1.00	86.70838	+24.36745	15.9	0.200	0.086	5.92 ^{+1.83} _{-1.54}
184.6+00.6	K 3-70	3429576298334956800	1.00	89.68898	+25.31220	20.8	...	...	...
185.1+03.8	IPHASX J054310.5+223111	3403487704903666048	1.00	85.79350	+22.51951	20.9	...	...	...
188.6+04.4	HoCr 1	3377578125711130752	0.97	95.42076	+23.58720	20.7	...	...	...
189.0+00.3	Ra 30	3422942188768395264	1.00	91.13333	+20.95022	20.5	1.784	1.376	...
189.1+19.8	NGC 2371-72	885587110718845568	1.00	111.39453	+29.49064	14.8	0.581	0.046	1.70 ^{+0.14} _{-0.12}
189.1+07.6	Pa 9	3397405992554648960	1.00	84.49151	+17.10514	20.4	0.122	0.799	5.06 ^{+1.40} _{-1.39}
189.8+07.7	M 1-7	3382861038566672000	0.99	99.33717	+24.00983	19.8	1.376	1.217	6.45 ^{+1.96} _{-1.98}
190.3+17.7	J 320	3291783576991686784	1.00	76.39283	+10.70637	14.5	0.306	0.058	3.40 ^{+0.87} _{-0.59}
191.0+18.3	Kn 68	872908298540811520	1.00	110.51297	+27.22583	19.6	1.075	0.431	...
191.4+33.1	TK 1	708990321934310784	1.00	126.77302	+31.50225	15.7	1.814	0.058	0.55 ^{+0.02} _{-0.02}
192.5+07.2	HaWe 8	3378885131503804544	1.00	100.04035	+21.41713	18.8	0.829	0.286	...
192.8+24.7	WPS 62	3281864642080410112	1.00	71.76880	+4.97804	16.2	2.271	0.062	...
193.0+04.5	KLSS 1-5	3348734254928894208	1.00	89.28330	+15.42532	20.0	1.051	0.503	3.88 ^{+1.26} _{-0.24}
193.6+09.5	H 3-75	3340384082588168960	0.74	85.18738	+12.35625	13.8	0.249	0.019	3.47 ^{+0.24} _{-0.21}
194.2+02.5	J 900	3370531286968467200	1.00	96.48864	+17.79087	17.1	-0.819	0.289	4.84 ^{+1.03} _{-0.97}
195.4+04.0	IPHASX J060416.2+133250	3345072060869540352	1.00	91.06777	+13.54732	15.0	0.166	0.030	...
196.6+10.9	NGC 2022	3336140414380977664	1.00	85.52579	+9.08627	15.7	0.438	0.053	2.20 ^{+0.28} _{-0.22}
197.0+05.8	KLSS 1-6	3358740704094434176	1.00	100.85885	+16.81428	18.5	1.439	0.214	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
197.2–14.2	Abell 10	3333922699432278656	1.00	82.94037	+6.93389	18.7	−0.060	0.231	4.48 ^{+1.06} _{−0.99}
197.4–06.4	WeDe 1	3341996555048041856	1.00	89.85361	+10.69455	17.2	1.725	0.101	0.58 ^{+0.04} _{−0.03}
197.8+17.3	NGC 2392	865037169677723904	1.00	112.29486	+20.91180	10.7	0.545	0.047	1.73 ^{+0.13} _{−0.12}
197.8–03.3	Abell 14	3330404266518636416	0.98	92.78607	+11.77884	15.1	0.218	0.029	4.06 ^{+0.55} _{−0.44}
198.6–06.3	Abell 12	3329653849828221696	1.00	90.58333	+9.65380	18.7	0.773	0.220	1.81 ^{+0.65} _{−0.48}
198.6–06.7	Kn 40	3329655597880433536	1.00	90.19664	+9.47775	17.5	0.193	0.111	...
198.9+00.7	PM 1-20	3331504774574698752	1.00	97.01653	+12.77247	19.1	...	...	...
200.5–13.1	Kn 63	3320608713128049280	1.00	85.52796	+4.71742	17.5	0.767	0.095	1.36 ^{+0.20} _{−0.16}
200.7+08.4	Abell 19	3353841417717450112	0.81	104.98736	+14.60947	12.5	4.137	0.018	0.24 ^{+0.00} _{−0.00}
202.9+07.4	Kn 60	3160750653143994880	1.00	105.02763	+12.24479	19.7	−0.215	0.441	...
204.0–08.5	Abell 13	3318052348593263488	1.00	91.19955	+3.94319	19.6	−0.002	0.424	1.98 ^{+0.46} _{−0.43}
204.4–00.4	StDr 13	3325917503163188096	1.00	98.59440	+7.37224	18.1	0.837	0.162	...
205.0+04.4	CaVa 1	3158200679523220096	0.32	103.21414	+9.05932	18.2	0.796	0.158	...
205.1+14.2	Abell 21	3163546505053645056	1.00	112.26128	+13.24679	15.9	1.689	0.069	0.58 ^{+0.02} _{−0.02}
205.8–26.7	MaC 2-1	3211200438511961088	1.00	75.92439	−6.16751	15.8	0.085	0.080	12.66 ^{+4.44} _{−4.00}
206.4–40.5	NGC 1535	3189152962633165056	1.00	63.56572	−12.73943	12.1	0.728	0.059	1.32 ^{+0.11} _{−0.10}
208.5+33.2	Abell 30	660071056749861888	1.00	131.72274	+17.87954	14.4	0.452	0.033	2.12 ^{+0.16} _{−0.14}
208.9–07.8	TaWe 1	3121886520577421568	1.00	94.06408	−0.00694	18.6	0.592	0.194	2.26 ^{+0.64} _{−0.54}
209.1–08.2	PHR J0615-0025	3121659647518519552	1.00	93.83483	−0.43044	20.2	0.101	0.843	3.35 ^{+0.98} _{−0.96}
209.4+09.4	EGB 9	3154775735159860096	1.00	109.74140	+7.37308	13.0	0.275	0.025	...
210.0+03.9	We 2-34	3128416245256794496	1.00	105.11827	+4.34182	20.0	0.941	0.733	1.95 ^{+0.59} _{−0.57}
210.8–02.7	IPHAS J063750.80+003644.0	3119819065057501056	1.00	99.46169	+0.61222	20.2	−0.624	0.983	...
211.2–03.5	M 1-6	3119667469890795008	1.00	98.93801	−0.09373	15.5	0.127	0.044	5.88 ^{+1.24} _{−1.00}
211.4+18.4	HaWe 10	3147206692815926528	1.00	118.79710	+9.55255	17.8	0.701	0.149	2.13 ^{+1.00} _{−0.57}
212.0+04.3	M 1-9	3115628448289044992	1.00	106.33000	+2.78318	15.5	0.111	0.066	8.54 ^{+2.40} _{−2.10}
212.6–00.0	PHR J0650+0013	3113542949610601216	0.32	102.66843	+0.22832	16.5	0.179	0.064	4.95 ^{+1.16} _{−0.95}
214.9+07.8	Abell 20	3135710272253699584	1.00	110.74028	+1.75944	16.4	0.542	0.057	1.94 ^{+0.25} _{−0.20}
215.2–24.2	IC 418	2985789113026163584	1.00	81.86753	−12.69729	10.1	0.734	0.029	1.33 ^{+0.05} _{−0.05}
215.5–30.8	Abell 7	2986220396462236032	1.00	75.78136	−15.60629	15.4	1.933	0.045	0.51 ^{+0.01} _{−0.01}
215.6+03.6	NGC 2346	3109444657456300288	1.00	107.34383	−0.80656	11.2	0.722	0.018	1.31 ^{+0.03} _{−0.03}
215.6+11.1	Abell 22	3135504732298169600	1.00	114.03299	+2.70764	19.4	1.171	0.393	2.16 ^{+0.90} _{−0.83}
215.7–03.9	BMP J0642-0417	3103822540968315264	1.00	100.57666	−4.29689	18.8	1.458	0.272	0.80 ^{+0.20} _{−0.14}
216.0+07.4	PHR J0723+0036	3110803653827201280	0.98	110.95198	+0.60890	13.8	0.195	0.022	4.32 ^{+0.14} _{−0.37}
216.2–19.9	Pa 155	3009232453276290944	1.00	86.34965	−11.76363	15.4	0.555	0.038	...
216.3–04.4	We 1-5	3103708191756172160	1.00	100.39412	−5.04321	18.6	0.684	0.209	2.66 ^{+2.51} _{−1.11}
216.9–05.2	MPA J0639-0554	3100542667721862912	0.99	99.99219	−5.91587	18.9	−0.068	0.284	...
217.1+14.7	Abell 24	3088991026757468800	1.00	117.90645	+3.00587	17.4	1.391	0.097	0.75 ^{+0.06} _{−0.05}
217.2+00.9	PHR J0702-0324	3108618546264558080	0.25	105.64345	−3.40943	19.6	1.065	0.479	...
217.4+02.0	St 3-1	3107985566868370432	0.96	106.71213	−3.08588	20.8	...	...	...
218.9–10.7	HaWe 7	3001563840710096512	1.00	95.90480	−10.22330	16.1	0.928	0.045	...
219.1+31.2	Abell 31	597324024095840512	1.00	133.55481	+8.89800	15.5	1.842	0.055	0.54 ^{+0.02} _{−0.02}
219.2+07.5	RWT 152	3061893528332536192	1.00	112.49365	−2.11045	13.0	0.265	0.039	3.62 ^{+0.64} _{−0.77}
219.3+01.1	K 1-9	3053413132594418688	0.93	106.81502	−5.16876	16.9	0.604	0.071	1.67 ^{+0.23} _{−0.18}
219.5+02.8	BMP J0713-0432	3059502709018185856	0.78	108.46255	−4.54761	20.7	...	...	...
220.3–53.9	NGC 1360	5084896688945791232	1.00	53.31104	−25.87154	11.2	2.520	0.065	0.39 ^{+0.01} _{−0.01}
221.0–01.4	PHR J0701-0749	3052395775097859072	1.00	105.28920	−7.82329	13.1	0.319	0.015	...
221.3–12.3	IC 2165	2999839084924027776	1.00	95.42827	−12.98723	17.5	0.802	0.343	2.83 ^{+0.97} _{−0.92}
221.6+46.4	EGB 6	615161091995252864	0.96	148.24571	+13.74296	16.0	1.330	0.146	0.77 ^{+0.09} _{−0.08}
222.1+03.9	PFP 1	3058094200264637312	0.60	110.57372	−6.36281	15.8	1.872	0.074	0.53 ^{+0.02} _{−0.02}
222.5+02.9	WHI B0717-07	3054938425794291072	1.00	109.91777	−7.21978	20.6	0.207	0.991	4.52 ^{+1.26} _{−1.25}
222.5+07.6	BMP J0736-0500	3056940091011171456	1.00	114.09601	−5.00567	20.9	...	...	...
222.8–04.2	PM 1-23	3049278041153797760	1.00	103.55598	−10.76063	13.9	0.044	0.016	9.48 ^{+1.11} _{−0.77}
224.3+15.3	Abell 25	3070613063558890240	1.00	121.69375	−2.87642	18.4	0.386	0.163	3.06 ^{+0.68} _{−0.43}
224.3–05.5	PHR J0652-1240	2952721193446226432	1.00	103.08226	−12.67813	19.7	0.145	0.440	1.82 ^{+0.40} _{−0.40}
224.9+01.0	We 1-6	3047204259149524480	0.98	109.35852	−10.17694	15.8	0.702	0.041	1.37 ^{+0.08} _{−0.07}
225.2+00.1	PHR J0714-1051	3047045306696310912	0.96	108.62018	−10.86219	21.0	...	...	...
225.4+00.4	PN We 2-37	3047000364157035648	0.99	109.03396	−10.88365	21.0	...	...	...
225.5–02.5	MPA J0705-1224	3045709473089381120	1.00	106.40511	−12.41442	17.5	−0.080	0.094	...
226.4–01.3	PHR J0711-1238	3045081308353307392	0.51	107.93554	−12.63442	21.2	...	...	...
226.4–03.7	PB 1	2948658394900229504	1.00	105.69484	−13.70986	16.4	0.194	0.097	5.82 ^{+1.59} _{−1.40}
226.4–15.1	...	2943388096370398720	1.00	95.01051	−18.62574	17.4	0.117	0.085	...
227.2–03.4	PHR J0705-1419	2948376958586005376	0.87	106.41140	−14.31776	17.2	0.038	0.080	...
227.3+12.9	AlvKn 1	3067010689807609472	1.00	121.01861	−6.51578	16.1	1.214	0.077	...
228.2–22.1	LoTr 1	2917223705359238016	0.78	88.77753	−22.90066	12.4	0.550	0.017	1.79 ^{+0.06} _{−0.05}
228.8+05.3	M 1-17	3040003385691479424	0.98	115.09239	−11.54161	18.0	...	...	...
229.2–36.3	Fr 2-3	4880286371109059712	1.00	74.30576	−28.13126	13.9	7.964	0.281	...
229.3+00.0	PHR J0722-1434	3031820167323763712	0.86	110.56220	−14.58046	20.8	...	...	...
230.8+04.7	FP J0742-1338	3030427734631010304	0.82	115.56768	−13.64186	20.2	0.595	0.532	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
231.1+03.9	BMP J0739-1418	3030005560828868096	1.00	114.96064	-14.30718	15.6	0.458	0.042	2.12 ^{+0.21} _{-0.17}
231.4+04.3	M 1-18	3029611626418190080	1.00	115.51719	-14.35447	20.5	-0.720	0.740	5.25 ^{+1.35} _{-0.59}
231.8+04.1	NGC 2438	3029214290412318720	1.00	115.46047	-14.73540	17.1	1.383	0.222	0.84 ^{+0.39} _{-0.14}
232.0+05.7	SaSt 2-3	3029668728008670208	1.00	117.01530	-14.12789	13.7	0.087	0.022	9.62 ^{+2.54} _{-1.75}
232.4-01.8	M 1-13	2931504604759238912	0.83	110.31218	-18.14337	19.5	-0.680	0.559	4.23 ^{+1.08} _{-1.04}
232.6-01.0	PHR J0724-1757	3027558047942245376	1.00	111.18050	-17.96138	20.9	...	...	...
232.8-04.7	M 1-11	2931008523160833280	1.00	107.81956	-19.85079	13.8	0.217	0.028	3.98 ^{+0.46} _{-0.38}
233.0+03.5	StDr 20	3028738476748576768	1.00	115.57857	-16.14476	17.8	0.851	0.097	...
233.0-10.1	SaWe 1	2925763887047836416	1.00	102.66964	-22.43652	20.6	0.317	0.699	...
233.5-16.3	Abell 15	2924036760440812160	1.00	96.75851	-25.38045	15.9	0.166	0.042	5.90 ^{+1.26} _{-1.01}
234.3-07.2	MPA J0704-2221	2928626633072247680	0.99	106.09575	-22.36442	19.4	0.654	0.318	2.33 ^{+0.70} _{-0.64}
234.8+02.4	NGC 2440	5716990599321527552	0.51	115.48057	-18.20864	17.5	-1.473	0.451	1.76 ^{+0.30} _{-0.28}
234.9-01.4	M 1-14	5620439768860185856	1.00	111.98545	-20.22295	14.3	0.097	0.036	6.11 ^{+0.91} _{-0.80}
234.9-09.7	MPA J0656-2356	2922355602864621568	1.00	103.99977	-23.94705	19.1	0.322	0.199	2.93 ^{+0.71} _{-0.64}
235.3-03.9	M 1-12	2929602385226601344	1.00	109.83945	-21.73205	14.0	0.219	0.028	4.09 ^{+0.55} _{-0.43}
235.7+07.1	PHR J0800-1635	5718155802460841472	1.00	120.24626	-16.59371	19.6	-0.109	0.353	3.46 ^{+0.83} _{-0.80}
235.9+23.2	Pa 156	5756008831004996864	1.00	134.21994	-8.06505	16.7	1.169	0.065	...
236.0-10.6	HaWe 9	2921083334772992896	1.00	103.58666	-25.40933	19.6	0.557	0.297	1.93 ^{+0.50} _{-0.45}
236.9+08.6	PHR J0809-1650	5721124453798128640	1.00	122.25611	-16.83391	17.6	0.273	0.104	...
237.0+00.7	PHR J0740-2055	5715387335262528640	0.91	115.09539	-20.93177	18.1	0.655	0.122	1.79 ^{+0.42} _{-0.37}
237.3-08.4	BMP J0705-2528	5611419577328099840	1.00	106.43973	-25.48043	18.7	0.560	0.148	3.76 ^{+1.36} _{-1.36}
237.4-09.6	BMP J0700-2607	2920762925913505024	1.00	105.21587	-26.12179	19.0	0.718	0.182	2.31 ^{+0.94} _{-0.68}
238.0+34.8	Abell 33	3827045525522912128	0.93	144.78802	-2.80843	15.9	1.005	0.059	1.00 ^{+0.06} _{-0.06}
238.9+07.3	Sa 2-21	5713819779576751488	1.00	122.18439	-19.23381	19.5	0.140	0.396	4.38 ^{+1.19} _{-1.19}
239.6+13.9	NGC 2610	5709928951521751168	1.00	128.34757	-16.14936	15.9	0.578	0.060	1.77 ^{+0.21} _{-0.17}
239.6-12.0	ESO 427-19	5608770995551017600	1.00	103.80099	-29.12468	20.2	0.293	0.454	7.07 ^{+2.07} _{-2.06}
240.1-01.0	Pa 60	5615067658135032960	1.00	115.04359	-24.49758	16.3	0.218	0.046	...
240.3+07.0	Y-C 2-5	5701379385324474240	1.00	122.67350	-20.52564	15.6	0.154	0.046	...
240.3-07.6	M 3-2	5609860130542365824	0.58	108.70801	-27.83978	16.3	0.077	0.041	9.86 ^{+2.40} _{-2.05}
240.6-07.7	BMP J0715-2805	5609834734391604736	1.00	108.75948	-28.09558	18.1	0.200	0.105	...
241.0+02.3	M 3-4	5710725616423348352	1.00	118.79749	-23.63683	15.2	0.270	0.028	3.35 ^{+0.35} _{-0.29}
242.3-02.4	FP J0739-2709	5612254965642151808	1.00	114.90882	-27.15841	18.9	0.329	0.168	1.72 ^{+0.26} _{-0.24}
242.6-04.4	PHR J0732-2825	5611737443573911168	0.86	113.07313	-28.42162	18.4	-0.036	0.127	...
242.6-11.6	M 3-1	5604523410329326720	0.78	105.70792	-31.59143	15.6	-0.014	0.047	6.73 ^{+0.93} _{-0.85}
243.0+36.5	WPS 75	3822583947855569280	1.00	148.59553	-5.03607	18.2	2.492	0.156	...
243.3-01.0	NGC 2452	5601582285451511040	0.98	116.85942	-27.33521	17.2	0.342	0.079	3.13 ^{+0.67} _{-0.54}
243.8-37.1	PRTM 1	4814231938760137856	1.00	75.75722	-39.76237	15.5	0.130	0.035	7.78 ^{+1.73} _{-1.40}
244.2+06.2	PHR J0816-2410	5699342883632418432	0.97	124.22171	-24.18194	20.8	1.773	1.283	...
244.5+12.5	Abell 29	5703415268543295744	1.00	130.07883	-20.91015	18.2	0.940	0.127	1.11 ^{+0.15} _{-0.13}
245.0+02.2	BMP J0803-2706	5697057243772021120	1.00	120.97602	-27.10053	20.6	-0.567	0.795	2.44 ^{+0.64} _{-0.61}
245.1-05.5	BMP J0733-3108	5593164110894267904	1.00	113.35038	-31.13458	18.4	0.851	0.118	1.19 ^{+0.15} _{-0.13}
247.5-04.7	HFG 2	5594969135329315072	1.00	115.59902	-32.79746	17.0	0.528	0.052	1.91 ^{+0.20} _{-0.17}
247.8+04.9	FP J0821-2755	5693172325603777408	0.97	125.32640	-27.92669	17.4	0.132	0.072	3.62 ^{+0.52} _{-0.47}
248.0-05.3	Dr 2	5588907974395422720	0.99	115.22935	-33.55665	20.4	0.058	0.540	...
248.5+10.5	PHR J0843-2514	5653202604024938880	1.00	130.83248	-25.24118	19.4	0.318	0.349	5.54 ^{+1.58} _{-1.55}
248.7+29.5	Abell 34	5690534730341025408	1.00	146.39725	-13.17111	16.4	0.845	0.066	1.22 ^{+0.11} _{-0.09}
248.8-08.5	M 4-2	5589719276543497216	1.00	112.22426	-35.75388	18.8	0.957	0.220	1.79 ^{+0.14} _{-0.09}
249.3-05.4	Abell 23	5588562590306924416	0.99	115.82585	-34.75310	20.5	0.167	0.623	3.00 ^{+0.85} _{-0.82}
249.8+07.1	PHR J0834-2819	5645669433248890496	1.00	128.57531	-28.31760	18.8	0.257	0.162	3.43 ^{+0.86} _{-0.76}
250.5+01.9	BMP J0816-3150	5547940441729900800	0.89	124.08688	-31.84989	19.7	-0.175	0.352	...
250.6+09.3	BMP J0844-2737	5645989184974881536	1.00	131.15768	-27.62070	19.3	0.173	0.266	4.08 ^{+1.05} _{-0.99}
252.5-01.6	Pre 50	5544890332054286208	0.99	121.81582	-35.44412	17.8	0.073	0.078	...
253.5+10.7	K 1-2	5647809392112960000	1.00	134.44150	-28.96015	17.0	0.358	0.073	3.02 ^{+0.68} _{-0.52}
253.9+05.7	M 3-6	5639472001599302528	1.00	130.16761	-32.37598	13.2	0.346	0.033	2.68 ^{+0.26} _{-0.22}
254.7-18.2	Fr 2-24	5558802624472332928	1.00	103.61871	-44.97574	15.3	0.398	0.019	2.06 ^{+0.07} _{-0.07}
255.3-03.6	WRAY 15-158	5540866394373376384	0.97	121.61802	-38.89009	17.0	-0.226	0.264	...
255.3-59.6	Lo 1	4755520010701141504	1.00	44.24360	-44.17156	15.1	1.238	0.039	0.80 ^{+0.03} _{-0.03}
255.7+03.3	Wray 16-22	5638577690630389888	0.96	129.06882	-35.25053	20.9	...	...	...
255.8+10.9	FP J0905-3033	5635240088724202496	1.00	136.27225	-30.55336	16.4	1.300	0.048	0.77 ^{+0.03} _{-0.03}
257.8-05.4	KLSS 1-10	5533596865866854144	0.83	121.39033	-41.93792	20.5	2.090	1.469	...
258.0-03.2	BMP J0815-4053	5539487911728155520	1.00	123.98685	-40.88548	20.0	0.046	0.360	...
258.0-15.7	Lo 3	5509004952576699904	1.00	108.70594	-46.96087	16.7	0.467	0.074	2.18 ^{+0.35} _{-0.28}
258.1-00.3	Hen 2-9	5528078623162786688	1.00	127.11648	-39.39444	16.3	0.203	0.051	4.00 ^{+0.64} _{-0.54}
258.5-01.3	RCW 24	5527934587141415168	1.00	126.44808	-40.21942	18.2	1.186	0.102	0.83 ^{+0.07} _{-0.06}
259.1+00.9	Hen 2-11	5528673875570999680	1.00	129.28478	-39.41896	17.5	0.611	0.071	1.37 ^{+0.11} _{-0.10}
259.2+02.9	St 45	5528999017473732736	1.00	131.32454	-38.30306	19.7	1.021	0.295	...
259.6+13.2	Pa 163	5631349393807930752	1.00	141.23000	-31.75046	17.8	0.482	0.102	...
260.9-08.5	Dr 1	5519032361187182848	1.00	119.95456	-46.17954	19.6	0.428	0.295	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
261.0+32.0	NGC 3242	5668874905325843456	1.00	156.19220	-18.64230	12.2	0.745	0.050	1.27 ^{+0.08} _{-0.07}
261.2-04.6	PHR J0819-4423	5520199316680704128	0.31	124.83183	-44.38491	19.5	0.655	0.323	...
261.6+03.0	Hen 2-15	5525558890406420224	0.94	133.37867	-40.06188	21.3	...	...	...
261.9+08.5	NGC 2818	5623380240906854656	0.30	139.00619	-36.62707	19.0	0.032	0.211	2.64 ^{+0.52} _{-0.47}
261.9-05.3	BMP J0818-4517	5519846442169441408	1.00	124.57008	-45.29912	19.9	1.073	0.387	...
262.6-04.6	Wray 17-18	5516878589711567360	1.00	125.97416	-45.51927	20.2	0.741	0.481	5.22 ^{+1.82} _{-1.36}
263.0-05.5	PB 2	5516695417937365376	0.91	125.16744	-46.38291	15.8	0.251	0.066	5.44 ^{+1.62} _{-1.25}
264.1-08.1	Hen 2-7	5516068971190925184	0.97	122.88287	-48.72138	17.2	0.170	0.085	4.02 ^{+0.73} _{-0.65}
264.4-12.7	Hen 2-5	5492948986137201664	1.00	116.83350	-51.25094	14.7	0.088	0.042	7.64 ^{+1.52} _{-1.31}
264.5+05.0	FP J0911-4051	5428634329076290944	1.00	137.94013	-40.86624	18.9	1.014	0.160	...
264.6+03.8	BMP J0907-4146	5428189503611241984	1.00	136.85124	-41.77053	18.9	1.120	0.155	0.98 ^{+0.17} _{-0.13}
265.1-02.2	Hen 2-13	5329858293258344448	1.00	130.86707	-46.11110	18.3	...	...	...
265.1-04.2	LoTr 3	5521499734013832448	1.00	128.52842	-47.27736	20.6	0.506	1.013	4.45 ^{+1.37} _{-1.37}
265.4+04.2	PHR J0911-4205	5427382290279252736	0.48	137.95240	-42.08628	19.9	0.850	0.347	...
265.6+09.5	MPA J0932-3827	5429861276680613248	1.00	143.07440	-38.45799	19.0	-0.035	0.192	...
265.7+04.1	NGC 2792	5427326253844953216	1.00	138.11090	-42.42773	16.7	0.397	0.058	2.58 ^{+0.41} _{-0.32}
268.2+03.1	PHR J0918-4454	5423882514704132096	0.36	139.50650	-44.91056	21.0	...	...	...
268.9-00.4	BRAN 229	5327072405662519808	0.68	136.42096	-47.90141	12.1	0.647	0.011	...
269.7-03.6	PB 3	5324856717933777792	0.98	133.57649	-50.53961	20.1	...	...	...
270.1+24.8	K 1-28	5455506530699796608	1.00	158.62755	-29.18758	16.5	0.490	0.067	2.28 ^{+0.45} _{-0.32}
270.1-02.9	Wray 17-23	5325030612573630464	0.97	134.76218	-50.39451	20.3	...	...	...
272.1+12.3	NGC 3132	5420219732228461184	0.81	151.75731	-40.43643	10.0	1.320	0.034	0.75 ^{+0.02} _{-0.02}
272.4-05.9	MeWe 1-1	5317493563454092288	1.00	133.40345	-54.08562	19.1	-0.028	0.239	2.61 ^{+0.52} _{-0.48}
272.8+01.0	PHR J0928-4936	5313911079687293440	1.00	142.17070	-49.61296	16.9	0.411	0.056	...
272.8-02.3	PM 1-47	5311937623810283776	1.00	138.38765	-52.04489	20.1	...	...	...
272.9-21.7	Kn 69	5286831276515953664	1.00	107.42271	-62.23992	17.7	0.231	0.076	...
273.2-00.3	PHR J0924-5053	5313376648321659264	0.39	141.02787	-50.89056	20.0	-0.196	0.378	...
273.2-03.7	Hen 2-18	5311360105332008448	0.99	137.16688	-53.32050	20.9	...	...	...
273.4+00.7	Pa 168	5313831944902282880	0.98	142.60424	-50.27523	21.0	...	...	...
273.6+06.1	HbDs 1	5411328565822822528	1.00	148.18549	-46.27978	12.4	1.341	0.042	...
274.2-09.7	Fr 2-6	5314960460454288768	0.25	130.06838	-57.91238	14.7	1.017	0.032	...
274.3+09.1	Lo 4	5414927915911816704	1.00	151.44074	-44.35931	16.6	0.330	0.052	3.49 ^{+0.79} _{-0.56}
274.6+02.1	Hen 2-35	5409038794190643840	0.96	145.40621	-49.96626	16.0	0.090	0.048	8.49 ^{+2.00} _{-1.71}
274.6+03.5	Hen 2-37	5409429846673479424	1.00	146.85330	-48.97073	20.6	2.145	0.851	3.63 ^{+1.33} _{-1.45}
274.8-04.2	MPA J0913-5445	5310271421338065024	0.98	138.33598	-54.76019	20.0	0.176	0.401	...
275.0-04.1	PB 4	5310278598198854016	1.00	138.78224	-54.87883	16.3	0.191	0.045	4.51 ^{+0.74} _{-0.62}
275.1-03.5	PHR J0918-5431	5310620069579969664	0.36	139.61061	-54.52651	18.0	0.018	0.104	...
275.2-02.9	Hen 2-28	5310734178295067008	0.91	140.52821	-54.16094	16.5	0.186	0.044	5.35 ^{+1.16} _{-0.91}
275.5-01.3	Pe 2-4	5312206939763090304	0.97	142.70158	-53.16653	20.0	-0.803	0.730	4.32 ^{+1.36} _{-1.29}
275.7-04.9	PHR J0914-5555	5310074162075205248	0.98	138.51469	-55.92230	16.5	0.108	0.037	...
275.8-02.9	Hen 2-29	5310519051961769984	0.99	141.19098	-54.60431	21.0	...	...	...
276.1-11.9	MPA J0835-6039	5302075627283541760	1.00	128.78036	-60.66185	17.0	0.129	0.047	...
276.2-06.6	PHR J0907-5722	5303880196458455808	0.38	136.96246	-57.38130	18.7	0.703	0.152	1.60 ^{+0.34} _{-0.27}
276.5+03.1	MPA J0954-5026	5406067501454862592	1.00	148.65607	-50.44912	19.6	0.045	0.289	...
277.1+03.3	MeWe 2-2	5405299634331490944	0.73	149.54284	-50.65941	20.7	...	...	...
277.1-01.5	Wray 16-55	5308757256383765504	0.83	144.46587	-54.45240	18.1	-0.088	0.282	...
277.1-03.8	NGC 2899	5307241888842877696	0.61	141.76315	-56.10570	15.9	0.446	0.028	2.03 ^{+0.12} _{-0.10}
277.2-03.0	PHR J0931-5535	5307358711931763456	0.25	142.85857	-55.59527	21.0	...	...	...
277.2-36.0	RP 4785	4662151269979497216	0.56	74.22729	-66.47339	20.5	3.825	0.737	...
277.7-03.5	Wray 17-31	5307054800062198400	1.00	142.83547	-56.29431	17.9	0.736	0.084	1.44 ^{+0.19} _{-0.15}
278.1-05.9	NGC 2867	5300450617836957312	0.99	140.35572	-58.31127	15.8	0.345	0.056	2.61 ^{+0.34} _{-0.29}
278.2-33.4	HD 269404	4658744330153413760	1.00	80.37383	-67.85189	14.8	-1.577	0.355	...
278.3-04.3	PHR J0930-5716	5306569636249042944	0.71	142.70513	-57.27235	19.0	0.581	0.226	...
278.7-28.9	RP 4791	5282784004280482816	0.98	92.36173	-68.65654	20.2	-0.268	0.372	...
278.8+04.9	PB 6	5358679035649615232	1.00	153.31648	-50.33320	17.1	0.149	0.064	5.93 ^{+1.32} _{-1.13}
279.0+00.6	PHR J0957-5357	5308313122421945472	0.82	149.35980	-53.95239	16.4	0.261	0.040	...
279.1-00.4	IRAS 09517-5438	5308167437119835136	0.99	148.36275	-54.87773	20.4	-0.483	0.798	...
279.6+02.2	PHR J1007-5304	5356821582547892352	0.92	151.80082	-53.07903	18.6	0.253	0.144	...
279.6-03.1	Hen 2-36	5306043043221261568	1.00	145.85675	-57.28207	11.2	0.246	0.013	3.70 ^{+0.17} _{-0.16}
280.0+02.9	Sa 2-56	5356894356478901760	1.00	152.99033	-52.63806	17.7	0.201	0.088	6.26 ^{+1.80} _{-1.57}
280.1-05.1	BMP J0936-5905	5305458103016583552	1.00	144.18165	-59.08801	20.8	-0.751	1.270	3.00 ^{+0.81} _{-0.80}
281.0-05.6	IC 2501	5257233312554459392	0.86	144.69659	-60.09187	14.4	0.133	0.054	4.12 ^{+0.80} _{-0.50}
282.6-00.4	PM 1-51	5258954533593291136	1.00	153.33198	-56.92563	20.8	...	...	...
282.9+03.8	Hen 2-48	5357078902646466432	0.99	157.88328	-53.55846	19.6	-0.392	0.451	...
283.3-03.4	PHR I004-5946	5256731110621038336	0.88	151.17454	-59.78092	17.4	0.082	0.069	...
283.4+01.1	PHR J1024-5600	5354962720694112768	0.96	156.14092	-56.00881	20.3	0.899	0.558	...
283.4+02.8	PHR J1030-5437	5352520220035609600	1.00	157.73224	-54.63287	20.3	0.851	0.506	...
283.4-01.3	MeWe 1-2	5258596741332679040	1.00	153.60030	-58.19776	18.8	0.425	0.187	1.75 ^{+0.32} _{-0.28}
283.6+25.3	K 1-22	5399388969045865344	0.83	171.68244	-34.36970	16.7	0.724	0.461	1.38 ^{+0.35} _{-0.32}
283.7-05.1	PHR J0958-6126	5256159162714165376	0.84	149.63393	-61.44519	17.6	0.122	0.069	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
283.8+02.2	My 60	5352413567402723328	1.00	157.88927	-55.34743	17.9	0.406	0.131	3.42 ^{+1.08} _{-0.88}
283.8-04.2	Hen 2-39	5256396485463285504	0.93	150.95497	-60.73006	15.7	0.068	0.030	8.05 ^{+1.37} _{-1.17}
283.9+09.7	DS 1	5362804330246457344	1.00	163.66888	-48.78408	12.1	1.226	0.031	0.79 ^{+0.02} _{-0.02}
284.2-05.3	PHR J1001-6152	5255947536784791936	1.00	150.32822	-61.86771	16.7	0.268	0.048	...
284.4+07.8	PHR J1052-5042	5360264943724607360	0.32	163.11089	-50.69953	16.3	0.470	0.038	...
284.5+03.8	PHR J1040-5417	5353877945092382336	1.00	160.18824	-54.30347	16.6	0.406	0.047	2.34 ^{+0.26} _{-0.22}
284.6-04.5	PHR J1007-6124	5256301476452488320	0.88	151.96390	-61.40672	19.8	0.022	0.393	...
285.4+01.2	Pe 1-2	5351224999667770880	0.98	159.88620	-57.10391	19.2	1.235	0.608	4.44 ^{+2.89} _{-2.67}
285.4+01.5	Pe 1-1	5352007199082209792	0.83	159.61494	-56.78534	17.9	...	...	...
285.4-05.3	IC 2553	5252805514840414592	0.99	152.33688	-62.61347	16.2	0.268	0.124	3.48 ^{+0.80} _{-0.70}
285.4-12.2	Kn 70	5246931889329817344	1.00	141.78244	-67.85693	20.4	0.733	0.531	...
285.5-03.3	BRAN 303	5254677364660203648	0.69	154.86439	-60.98622	18.0	0.282	0.119	...
285.6-02.7	My 59	5254793942926363392	0.99	155.78805	-60.54503	12.9	0.223	0.023	4.22 ^{+0.43} _{-0.36}
285.7-14.9	IC 2448	5222772389050179840	1.00	136.77625	-69.94183	14.2	0.280	0.032	3.18 ^{+0.27} _{-0.27}
286.0-06.5	Hen 2-41	5252614990078889216	1.00	151.84841	-63.90835	15.5	...	...	...
286.0-19.9	Kn 71	5220864014824048384	1.00	124.17697	-72.99339	17.9	0.124	0.088	...
286.1-02.0	MPA J1029-6014	5255143179642882304	0.99	157.28156	-60.23428	18.8	-0.029	0.172	...
286.2-06.9	Wray 17-40	5246408689299887488	1.00	151.74826	-64.36384	16.5	0.388	0.044	2.60 ^{+0.30} _{-0.25}
286.3+02.8	Hen 2-55	5352847947540781568	1.00	162.18008	-56.05267	17.0	0.229	0.059	4.42 ^{+1.16} _{-0.86}
286.3-03.1	PHR J1025-6115	5254617681813177472	0.56	156.44257	-61.25654	17.2	0.287	0.057	...
286.3-04.8	NGC 3211	5252991607174388736	0.97	154.45965	-62.67069	17.5	0.413	0.099	2.81 ^{+0.68} _{-0.54}
286.4-30.9	...	4648624798759687040	1.00	84.12871	-75.11777	19.8	0.069	0.296	...
286.5+11.6	Lo 5	5374348102823679744	1.00	168.47573	-47.95008	16.9	0.695	0.064	1.50 ^{+0.16} _{-0.13}
286.8-29.5	K 1-27	4648434175230114048	1.00	89.25908	-75.67288	16.0	0.253	0.035	4.18 ^{+0.67} _{-0.52}
288.2+00.4	MPA J1053-5903	5338812711647438848	0.91	163.38315	-59.05072	19.5	0.449	0.257	...
288.4+00.3	Hf 38	5338808043069762816	0.44	163.64649	-59.16297	20.0	-0.896	0.531	2.66 ^{+0.65} _{-0.61}
288.7+08.1	ESO 216-2	5348444781415074432	1.00	169.54068	-52.16739	15.6	0.277	0.036	3.62 ^{+0.57} _{-0.44}
288.8-05.2	Hen 2-51	5251802141752703360	0.49	158.94042	-64.31987	15.1	0.275	0.027	3.32 ^{+0.33} _{-0.27}
289.0+03.3	PHR J1107-5642	5340787645002807424	1.00	166.92854	-56.70751	20.0	-0.535	0.388	2.15 ^{+0.27} _{-0.41}
289.5-03.8	MPA J1046-6328	5241401655115772800	1.00	161.69054	-63.46975	17.2	-0.009	0.057	...
289.7+06.9	MPA J1121-5339	5346800736642214144	0.90	170.47306	-53.65142	18.3	0.380	0.116	...
289.8+07.7	Hen 2-63	5348165093140615808	0.55	171.00434	-52.85521	19.1	...	...	...
290.1-02.5	MPA J1057-6233	5241688387109076608	0.89	164.29036	-62.56129	19.9	0.356	0.348	...
290.5+07.9	Fg 1	5348195948185156736	1.00	172.15084	-52.93445	14.5	0.391	0.027	2.38 ^{+0.15} _{-0.14}
290.8+00.5	Pre 43	5337772681029635840	0.99	168.11382	-59.97729	20.8	1.044	1.384	...
290.9-00.6	DeGaPe 27	5337295660486717568	0.61	167.35721	-61.06934	19.9	0.624	0.421	...
291.3+03.7	PHR J1124-5711	5339786505301392256	0.26	171.21139	-57.18573	20.9	...	...	...
291.3+08.4	PHR J1134-5243	5345597458614614400	1.00	173.66061	-52.72555	13.0	0.040	0.018	9.73 ^{+1.18} _{-1.05}
291.4+19.2	LoTr 4	5380413425574962944	1.00	178.12186	-42.29416	16.5	0.147	0.066	6.96 ^{+1.79} _{-1.53}
291.4-00.3	NDK 1	5337430973471180160	0.40	168.63304	-61.00064	17.6	0.050	0.077	...
291.6-04.8	IC 2621	5240291148370061952	0.93	165.08366	-65.24948	14.5	...	...	...
291.7+03.7	Hen 2-64	534277253833839824	1.00	171.85106	-57.29969	15.5	0.225	0.071	5.62 ^{+2.13} _{-1.54}
292.3+00.5	PHR J1123-6030	5337515429719994240	0.72	170.96294	-60.51382	17.9	...	...	...
292.4+04.1	PB 8	5342835824697866880	0.95	173.32417	-57.10414	14.3	0.170	0.026	5.06 ^{+0.68} _{-0.59}
292.6+01.2	NGC 3699	5336133687170599040	1.00	171.99097	-59.95790	17.6	0.733	0.081	1.44 ^{+0.79} _{-0.15}
292.7+01.9	Wray 16-93	5336505352135928448	1.00	172.70201	-59.28498	18.4	0.438	0.129	4.92 ^{+3.11} _{-2.10}
292.8+01.1	He 2-67	5336037857882804736	0.69	172.19741	-60.11048	17.6	...	...	...
292.9+01.0	PHR J1129-6012	5335989479389919104	0.35	172.45944	-60.20221	17.2	0.345	0.063	...
293.1-00.0	BMP J1128-6121	5334404876960214656	0.95	172.05363	-61.35083	18.9	...	...	...
293.2-09.5	Fr 2-7	5231586379205084416	1.00	163.61411	-70.21998	17.4	0.209	0.068	...
293.4+00.1	PHR J1130-6114	5334421541393316480	0.98	172.74558	-61.24748	19.2	0.372	0.202	...
293.6+01.2	Hen 2-70	5335879596943573888	0.98	173.79564	-60.28361	15.7	0.110	0.038	4.74 ^{+0.59} _{-0.52}
293.6+10.9	BlDz 1	5369311141281715072	1.00	178.27780	-50.84912	18.3	0.737	0.128	1.54 ^{+0.34} _{-0.25}
294.1+14.4	Lo 6	6142985384373962496	1.00	180.17948	-47.55300	19.7	0.529	0.362	3.42 ^{+1.02} _{-0.98}
294.1+43.6	NGC 4361	3519614068578061568	1.00	186.12811	-18.78492	13.1	0.965	0.044	1.01 ^{+0.05} _{-0.04}
294.2+01.3	PHR J1140-6022	5335831424542410368	0.81	175.15336	-60.36937	20.9	...	...	...
294.6+04.7	NGC 3918	5342260406474812416	0.71	177.57403	-57.18250	15.4	0.220	0.074	2.49 ^{+0.28} _{-0.25}
294.9-00.6	Hf 69	5333350548355207168	1.00	175.40533	-62.48189	19.4	0.430	0.248	1.89 ^{+0.44} _{-0.39}
294.9-04.3	Hen 2-68	5237194683112374400	0.89	172.93936	-65.97059	15.2	0.132	0.044	7.34 ^{+1.88} _{-1.51}
295.3-09.3	Hen 2-62	5228539671146215552	1.00	169.42977	-70.82561	14.9	0.292	0.410	10.81 ^{+3.15} _{-3.15}
296.0-06.2	MPA J1137-6806	5234306472200493568	1.00	174.31494	-68.11237	20.3	-0.128	0.570	2.87 ^{+0.74} _{-0.71}
296.2-01.9	PaMo 1	5333115321569621760	0.50	177.43152	-63.98079	20.9	...	...	...
296.3-03.0	Hen 2-73	5332582092827700224	0.42	177.15873	-65.14346	17.5	...	...	...
296.4-06.9	Hen 2-71	5234243559525347968	1.00	174.79659	-68.86915	13.8	0.076	0.062	7.45 ^{+1.68} _{-1.48}
296.6-20.0	NGC 3195	5198687896083997312	1.00	152.33683	-80.85842	17.7	0.369	0.079	2.53 ^{+0.40} _{-0.34}
297.0+06.5	BMP J1209-5553	6075587378880414976	1.00	182.37135	-55.89275	19.1	-0.059	0.225	14.00 ^{+3.85} _{-3.78}
297.4+03.7	Hen 2-78	6071280561769960576	0.99	182.29248	-58.71035	15.5	0.038	0.028	14.56 ^{+3.80} _{-3.15}
298.3+06.6	Po 1	6072903883317795968	1.00	184.63642	-55.90128	18.0	0.627	0.155	...
298.3-04.8	NGC 4071	5860341901722274688	1.00	181.06113	-67.31013	18.5	0.376	0.153	2.22 ^{+0.44} _{-0.38}

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
298.7-07.5	PHR J1202-7001	5855902039382099968	0.21	180.73111	-70.01583	19.9	0.322	0.384	...
299.0+18.4	K 1-23	6133278036730727296	1.00	187.71903	-44.23781	18.7	0.325	0.217	3.01 ^{+0.76} _{-0.69}
299.1-08.4	MPA J1205-7101	5854994461239756800	1.00	181.41673	-71.03245	17.5	0.077	0.079	...
299.2+01.0	PHR J1220-6134	6057925446869129600	0.38	185.03673	-61.57128	20.9	-0.892	1.278	9.10 ^{+2.78} _{-2.75}
299.2-04.1	PHR J1213-6643	5860474835237734144	0.84	183.39899	-66.72021	18.7	0.444	0.152	...
299.5+02.4	Hen 2-82	6058295295126423936	0.89	185.97308	-60.22027	20.9	...	...	...
299.7+00.1	PHR J1223-6236	6054613271184095232	0.21	185.98972	-62.60614	21.1	...	...	...
299.7-01.5	MPA J1221-6413	6053490910387217920	0.97	185.46606	-64.21819	20.7	...	...	...
299.8-01.3	Hen 2-81	6053503382938739584	0.50	185.75581	-64.02936	21.2	...	...	...
300.1+04.1	BMP J1229-5839	6059295438380078592	1.00	187.49004	-58.65166	19.9	0.489	0.374	...
300.2+00.6	Hen 2-83	6054755761030163328	0.98	187.18321	-62.09309	17.2	0.298	0.104	4.29 ^{+1.64} _{-1.21}
300.4-00.9	Hen 2-84	6053533482078258304	0.99	187.19519	-63.74363	19.2	2.022	0.592	1.96 ^{+1.69} _{-1.26}
300.5-01.1	Hen 2-85	6053470775539684736	0.79	187.53185	-63.88354	18.0	0.916	0.200	1.53 ^{+0.95} _{-0.43}
300.7-02.0	He 2-86	5861205190154456192	1.00	187.62681	-64.86825	17.4	...	...	...
300.8-03.4	ESO 95-12	5860136258689477632	1.00	187.60217	-66.24049	20.1	-0.457	0.479	...
301.1-01.4	PM 1-68	5861374033935241088	0.94	188.65005	-64.30470	18.6	...	...	...
301.2-04.0	PHR J1234-6651	5859816060266111616	0.24	188.56938	-66.86372	21.0	...	...	...
301.3+09.0	MPA J1240-5347	6074692891815161728	1.00	190.18471	-53.79069	19.5	0.330	0.343	...
301.8+25.6	qparker-3	4040067691446079616	0.37	266.60532	-37.21349	17.6	0.917	0.384	...
301.9-02.1	MPA J1242-6459	5860308641513003136	0.73	190.60125	-64.99017	19.8	...	...	...
302.0-01.6	MPA J1243-6428	5862586520319889920	0.85	190.83088	-64.46704	18.4	-0.587	0.297	...
302.1+00.3	RCW 69	6055200341668022400	1.00	191.11426	-62.52191	19.4	0.607	0.268	1.32 ^{+0.27} _{-0.23}
302.1-05.3	Y-C 2-14	5856545180665018496	0.97	190.83902	-68.21141	18.5	0.179	0.124	...
302.2+02.5	Wray 16-120	6056638537222985472	0.93	191.47734	-60.33768	20.5	...	...	...
302.3-00.5	Wray 17-56	5862901770945929472	0.91	191.61209	-63.40775	16.8	0.270	0.056	...
303.7-01.9	Pre 22	5861683164163760896	0.74	194.71141	-64.80956	20.2	0.283	0.540	...
304.2+05.9	Wray 16-122	6060618082125746816	1.00	195.17175	-56.89460	18.9	-0.073	0.204	5.17 ^{+1.46} _{-1.31}
304.5-04.8	IC 4191	5857187746464509696	0.96	197.19711	-67.64376	17.2	...	...	...
304.7-02.1	PHR J1309-6457	5858960227897169024	0.36	197.25581	-64.95659	21.0	...	...	...
304.8+05.1	Hen 2-88	6057322738402565632	1.00	196.45091	-57.65680	14.8	0.143	0.026	6.05 ^{+1.28} _{-0.88}
304.8-01.4	MPA J1309-6415	5862040715937754240	0.78	197.37886	-64.25899	21.1	...	...	...
305.1+17.1	ETHOS 3	6134553470225876096	1.00	195.92000	-45.62303	16.8	0.087	0.075	...
305.3+03.0	Wray 17-58	6055932925675151616	0.66	197.58203	-59.75309	17.4	0.195	0.076	...
305.6-13.1	ESO 40-11	5790663302917359872	1.00	203.55954	-75.77540	15.7	0.432	0.039	2.30 ^{+0.23} _{-0.19}
305.7-03.4	Wray 17-59	5857924556722638208	1.00	199.87455	-66.15226	15.9	0.211	0.033	...
305.9+04.6	PHR J1314-5806	6063021270982325248	0.87	198.51805	-58.10794	17.3	0.234	0.077	...
305.9-01.6	MPA J1319-6418	5859084610246081280	0.97	199.85016	-64.31485	21.0	...	...	...
306.4-00.6	Th 2-A	5865192156852977536	0.99	200.64144	-63.35056	17.1	0.448	0.086	2.37 ^{+0.48} _{-0.37}
306.5-31.1	Fr 1-4	6343834891409105664	1.00	335.46109	-84.91065	16.0	0.639	0.043	...
306.7+06.6	PHR J1318-5601	6063529314064047616	0.33	199.57663	-56.01955	20.5	1.756	0.636	2.16 ^{+0.94} _{-0.96}
306.7-01.5	MPA J1326-6407	5864899201285839616	0.38	201.63608	-64.11972	20.1	...	...	...
306.9-00.7	[GKF2010] MN12	5865160167931372672	0.90	201.82434	-63.32441	19.5	-0.810	0.465	...
307.0-02.0	MPA J1330-6438	5864092335920241536	0.40	202.54619	-64.64092	18.2	0.595	0.241	...
307.2-03.4	NGC 5189	5863702868275424384	0.99	203.38685	-65.97419	14.5	0.681	0.018	1.39 ^{+0.04} _{-0.03}
307.2-05.3	MPA J1337-6751	5850553155864892032	1.00	204.34326	-67.85183	20.0	0.649	0.397	...
307.2-09.0	Hen 2-97	5840002203581948160	1.00	206.34318	-71.48226	13.9	...	...	...
307.3+02.0	PHR J1327-6032	5869500043300991232	0.75	201.80847	-60.53524	20.8	1.395	1.202	1.62 ^{+0.50} _{-0.49}
307.3+02.0a	MPA J1327-6031	5869499631021431936	0.95	201.87690	-60.53297	19.0	...	...	...
307.3+05.0	Wray 16-128	6062769826395293440	1.00	201.09135	-57.52212	18.2	0.383	0.130	...
307.3-01.6	PHR J1332-6412	5864859623191472384	0.35	203.02318	-64.20791	19.8	0.716	0.434	...
307.5-04.9	MyCn 18	5851342841411810304	1.00	204.89601	-67.38105	14.2	0.247	0.079	3.21 ^{+0.56} _{-0.48}
307.7-03.1	PHR J1337-6535	5863831854666599424	1.00	204.46303	-65.58841	19.8	0.415	0.350	...
307.8-02.5	PKP1338-6456	5863912359619754624	0.97	204.60887	-64.94512	18.7	0.143	0.169	...
308.2+03.5	PHR J1332-5851	5870222594291491840	0.44	203.05846	-58.86088	19.6	-1.648	0.346	...
308.2+07.7	MeWe 1-3	6064085976174124544	1.00	202.02048	-54.69970	17.2	0.140	0.082	7.63 ^{+2.11} _{-1.88}
308.2-02.1	PHR J1341-6427	5863958161112598912	0.34	205.28141	-64.46515	19.5	-0.517	0.862	...
308.4+02.4	PHR J1335-5956	5869171117546506368	0.22	203.84780	-59.94232	21.1	...	...	...
308.4-00.1	2MASS J13395637-6230325	5865477578769818368	0.76	204.98485	-62.50907	19.3	0.133	0.254	...
308.5+02.5	PHR J1336-5953	5869170013686928000	1.00	204.09599	-59.89011	19.0	0.209	0.198	...
308.6-12.2	Hen 2-105	5796437220731788288	1.00	213.85311	-74.21281	14.6	0.271	0.032	3.36 ^{+0.35} _{-0.30}
309.0+00.8	Hen 2-96	5865873853960686208	0.99	205.65063	-61.37468	17.5	3.314	0.695	0.36 ^{+0.39} _{-0.31}
309.0-04.2	Hen 2-99	5851865148069389568	1.00	208.12778	-66.39072	13.2	0.207	0.013	4.03 ^{+0.91} _{-0.19}
309.1-04.3	NGC 5315	5851109332606802432	0.98	208.48733	-66.51414	13.1	1.037	0.200	1.17 ^{+0.37} _{-0.24}
309.2+01.3	VBRC 5	5868906135192925696	0.45	205.99924	-60.82895	20.8	0.744	1.122	...
309.5-02.9	MaC 1-2	5852194829861430272	0.85	208.61411	-64.99230	19.1	...	...	...
309.6-04.8	MPA J1400-6647	5850867753619609216	1.00	210.15443	-66.79952	20.6	0.353	0.765	4.56 ^{+1.31} _{-1.30}
309.8-01.6	MPA J1354-6337	5864421983242008832	0.96	208.59329	-63.62163	20.4	-0.017	0.817	...
310.1-03.7	PHR J1402-6535	5851256431021374208	0.92	210.54134	-65.59258	19.5	0.343	0.303	...
310.3+24.7	Lo 8	6162542191540458112	1.00	201.40622	-37.60408	12.9	0.670	0.061	1.47 ^{+0.15} _{-0.12}
310.6+01.4	WKG 3	5867401487901832832	1.00	208.60258	-60.45619	18.2	0.517	0.113	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
310.7–02.9	Hen 2-103	5852071439644421504	0.49	211.40322	–64.68368	20.5	–0.356	1.100	3.46 ^{+1.05} _{–1.02}
310.8–05.9	LoTr 7	5847795443251442304	1.00	213.85047	–67.53176	19.4	–0.154	0.252	...
311.0+02.4	SuWt 2	5870592987893097984	0.99	208.93010	–59.37773	11.9	0.443	0.015	2.09 ^{+0.07} _{–0.06}
311.1–06.0	WRAY 16-150	5847622201453884672	0.90	214.78111	–67.53673	17.2	0.061	0.079	...
311.4+02.8	Hen 2-102	5870632570311652608	1.00	209.55786	–58.90879	17.1	0.121	0.076	5.10 ^{+1.00} _{–0.88}
311.5–02.7	WRAY 16-146	5853602028546852352	0.79	212.94274	–64.27333	15.0	0.058	0.114	...
311.7+07.3	PHR J1351-5429	6064797940000480512	1.00	207.94352	–54.49483	17.7	0.257	0.122	6.69 ^{+2.19} _{–2.03}
312.0+04.1	PHR J1359-5728	5871340243484051456	0.96	209.91576	–57.48050	18.8	0.252	0.195	...
312.3+05.7	BMP J1358-5552	5872363137226865536	0.90	209.69027	–55.87967	18.4	0.310	0.214	...
312.3+10.5	NGC 5307	6093370471935953152	1.00	207.76350	–51.20581	14.7	0.288	0.056	3.19 ^{+0.53} _{–0.43}
312.6–01.8	Hen 2-107	5854138766383247232	0.65	214.68051	–63.11948	14.6	0.259	0.021	3.43 ^{+0.27} _{–0.23}
312.7+09.5	Pa 42	6090071387288211968	0.52	208.70704	–52.08019	20.8	...	...	...
313.0+03.2	MPA J1408-5804	5868135858621005440	0.96	212.20597	–58.07353	19.2	–0.281	0.270	...
313.1+02.1	PM 1-79	5867815316585092608	0.81	214.21576	–58.88612	19.6	...	...	...
313.3+00.3	CGR 1	5866663749945999360	0.29	214.61441	–60.78638	21.1	...	...	...
313.3+01.1	WRAY 17-66	5866938490411910528	0.67	213.97198	–60.02715	20.5	...	...	...
313.4+06.2	MPA J1405-5507	5896420348532980608	1.00	211.38445	–55.12918	16.5	0.031	0.068	...
313.7–37.1	Pa 162	6357229863612184448	1.00	333.06473	–76.43430	15.1	0.292	0.032	...
313.8+10.3	Fr 2-8	6090256513264898816	1.00	210.17371	–51.04106	16.1	0.461	0.045	2.08 ^{+0.21} _{–0.17}
313.8–01.7	MPA J1428-6234	5853510704716141184	0.30	217.21192	–62.57044	19.5	0.145	0.337	...
313.8–05.7	BMP J1442-6615	5848879424277154176	0.95	220.69393	–66.25074	20.3	–0.565	0.628	5.01 ^{+1.32} _{–1.29}
313.8–12.6	LoTr 11	5795257990207545984	1.00	230.29353	–72.22385	18.3	0.665	0.116	1.91 ^{+0.55} _{–0.37}
313.9+02.8	PHR J1416-5809	5891918673080594176	0.99	214.15699	–58.15893	16.2	0.171	0.047	...
314.0+10.6	MeWe 2-4	6090271154808162048	1.00	210.31417	–50.66927	17.9	0.848	0.109	1.25 ^{+0.18} _{–0.15}
314.4+02.2	PM 1-81	5891103385192215296	0.75	215.33286	–58.63937	16.2	0.701	0.045	...
315.0–00.3	Hen 2-111	5878442989838460416	0.94	218.32696	–60.82677	16.5	0.358	0.054	2.53 ^{+0.33} _{–0.28}
315.1–13.0	Hen 2-131	5794858077215766656	1.00	234.29665	–71.91471	10.9	0.368	0.030	2.56 ^{+0.20} _{–0.18}
315.4–08.4	PHR J1510-6754	5800264758167606144	1.00	227.59173	–67.90670	15.5	0.888	0.026	1.08 ^{+0.03} _{–0.03}
315.7+02.1	St 58	5890988417518712064	0.82	217.68456	–58.26072	19.2	0.682	0.294	...
315.7+05.5	LoTr 8	5895881038094691200	0.98	215.49969	–55.03803	18.1	0.687	0.214	3.95 ^{+2.53} _{–1.95}
315.7+42.0	EC 13290-1933	6292958495525136768	1.00	202.94284	–19.80717	14.4	0.803	0.040	...
315.7–04.2	Wray 16-158	5873884758224326144	0.79	223.15061	–64.03949	19.8	...	...	...
315.9+08.2	MeWe 1-4	5897337302564816384	0.33	214.37685	–52.43920	18.6	1.010	0.277	1.60 ^{+0.63} _{–0.47}
316.0+02.9	MPA J1430-5721	5891638606833232640	0.78	217.60431	–57.36280	19.8	0.435	0.418	...
316.1+08.4	Hen 2-108	5897352631316651264	1.00	214.53700	–52.17764	12.7	0.239	0.022	3.64 ^{+0.31} _{–0.26}
316.2+00.8	GLMP 387	5879195502480164864	0.96	219.58332	–59.19617	19.8	...	...	...
316.3+08.8	PHR J1418-5144	5897438771177986432	1.00	214.60745	–51.74406	17.2	0.857	0.081	1.19 ^{+0.12} _{–0.10}
316.7+01.6	MPA J1439-5816	5879307068557653120	0.90	219.85434	–58.26712	21.1	...	...	...
316.7–05.8	MPA J1508-6455	5872884511895152768	1.00	227.02695	–64.93023	13.5	0.216	0.017	4.01 ^{+0.30} _{–0.26}
316.9+01.8	MPA J1440-5802	5879404203516670592	0.78	220.11401	–58.03873	20.6	1.222	1.388	...
316.9+03.7	Pa 61	5891821366296551808	0.97	218.64216	–56.30914	20.2	0.006	0.570	...
316.9+04.1	PHR J1433-5557	5892592020849979136	0.99	218.36112	–55.95531	18.1	0.342	0.123	...
317.1–05.7	NGC 5844	5873264285765311232	1.00	227.66986	–64.67387	17.9	0.716	0.105	1.44 ^{+0.22} _{–0.18}
317.2+08.6	PHR J1424-5138	5898716231900175616	0.96	216.13476	–51.64421	13.0	0.403	0.036	2.34 ^{+0.21} _{–0.18}
317.3–03.8	PHR J1503-6257	5873669043473542016	0.41	225.99495	–62.96201	19.1	0.796	0.231	...
318.2–02.3	PHR J1504-6113	5874664140219303808	0.61	226.16528	–61.21960	20.1	–0.274	0.514	...
318.3–02.0	Hen 2-114	5876361167674415104	1.00	226.03588	–60.88894	20.6	2.337	1.386	3.24 ^{+1.21} _{–1.24}
318.3–02.5	Hen 2-116	5876147965487613056	1.00	226.50780	–61.35571	19.9	0.440	0.416	2.48 ^{+0.69} _{–0.65}
318.4+41.4	Abell 36	6292074655679874688	1.00	205.17236	–19.88201	11.5	2.391	0.061	0.41 ^{+0.01} _{–0.01}
318.4–03.0	ESO 135-04	5876077734143104768	0.98	227.18150	–61.73699	20.7	–0.596	1.482	...
318.5–02.0	WRAY 16-161	5876367043212127616	0.79	226.38496	–60.81421	19.7	...	...	...
318.5–02.3	Pre 37	5876172841955547392	0.92	226.57760	–61.07269	20.5	1.968	1.067	...
319.0–02.7	MPA J1511-6108	5876133465670724864	0.98	227.83731	–61.14797	18.1	0.303	0.157	...
319.1+02.1	PHR1454-5648	5881036394197872384	0.99	223.53883	–56.80473	11.3	0.735	0.025	...
319.2+06.8	Hen 2-112	5895030978161528192	0.96	220.12888	–52.58248	18.3	...	...	...
319.3–02.6	BMP J1513-6052	5876220911242751488	0.44	228.40182	–60.86768	21.1	...	...	...
319.5–01.1	PrePa 3	5876600410193992960	0.97	227.23505	–59.55450	20.9	...	...	...
319.6+15.7	IC 4406	6102472263541814272	1.00	215.60891	–44.15061	17.2	0.876	0.117	1.24 ^{+0.21} _{–0.16}
320.0+03.9	PHR J1453-5448	5893638201857294464	0.96	223.42114	–54.80256	19.1	0.012	0.273	...
320.1–02.7	PHR J1519-6032	5875878722577809280	0.37	229.85483	–60.54419	21.0	...	...	...
320.1–09.6	Hen 2-138	5822458022416453120	1.00	239.00700	–66.15259	10.9	0.203	0.026	4.41 ^{+0.50} _{–0.42}
320.3–28.8	Hen 2-434	6367469439307095936	1.00	293.45563	–74.54963	14.1	0.143	0.040	6.26 ^{+1.40} _{–1.10}
320.6–04.8	PHR J1532-6203	5827410630783549312	0.96	233.24741	–62.05096	16.6	0.062	0.051	10.52 ^{+2.57} _{–2.29}
320.7+04.2	BMP J1457-5413	5893724513518808832	0.98	224.25950	–54.23281	18.7	0.564	0.212	...
320.7–11.4	Kn 72	5821376785848327552	1.00	243.30298	–67.08312	17.6	0.100	0.077	...
320.8+01.6	Pa 65	5880534364018604672	0.89	226.63646	–56.43468	20.8	...	...	...
320.9+00.0	IRAS 15093-5732	5880168742050611456	0.44	228.30424	–57.72442	19.9	–0.872	0.823	...
320.9+02.0	Hen 2-117	5881321133340445696	1.00	226.49663	–55.98795	17.8	0.794	0.205	1.71 ^{+0.73} _{–0.46}
321.0+01.4	Pa 179	5880493815227788160	0.68	227.12938	–56.55035	19.5	0.010	0.300	...
321.0+03.9	Hen 2-113	5899715786733345536	0.70	224.97280	–54.30209	11.6	0.482	0.027	1.97 ^{+0.11} _{–0.10}

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
321.0+08.3	MeWe 1-5	5904325489235726464	1.00	221.64627	-50.39020	19.4	...	...	...
321.0-00.6	[GKF2010] MN18	5877088151005347072	0.96	229.17079	-58.37389	12.2	0.171	0.019	...
321.0-03.8	HaTr 2	5875572813518489856	1.00	232.57741	-61.02759	18.3	0.061	0.148	...
321.2-01.9	MPA J1522-5917	5876787705124856320	0.92	230.74254	-59.29567	19.7	0.339	0.433	...
321.3+02.8	Hen 2-115	5887420772835970944	0.93	226.31996	-55.18625	16.7	-0.395	0.198	$5.94^{+1.28}_{-1.20}$
321.3-16.7	He 2-185	5808014459690304000	1.00	255.32179	-70.10091	16.0	-0.472	0.386	...
321.4-05.1	MPA J1539-6147	5827334493954740992	0.99	234.96814	-61.78960	17.1	0.114	0.064	...
321.6+02.2	CVMP 1	5886591161255356416	1.00	227.35484	-55.55159	20.2	0.145	0.655	$1.41^{+0.35}_{-0.32}$
321.8+01.9	Hen 2-120	5886595490588171392	1.00	227.98431	-55.66298	20.2	0.071	0.625	$2.42^{+0.74}_{-0.69}$
322.1-06.6	My 91	5832448803513249792	0.96	238.04457	-62.51297	19.0	...	...	...
322.2-00.4	BMP J1522-5729	5883150961168950144	0.59	230.74519	-57.49984	21.7	...	...	...
322.4-00.1	Pe 2-8	5883255655307867008	0.98	230.92868	-57.15701	17.8	...	...	...
322.4-02.6	Mz 1	5881838006914886784	1.00	233.56927	-59.15228	18.1	0.794	0.128	$1.41^{+0.29}_{-0.22}$
322.5-05.2	NGC 5979	5833343531156787840	1.00	236.92156	-61.21822	16.3	0.263	0.051	$3.46^{+0.52}_{-0.44}$
322.6-04.2	PM 1-101	5833618615230285440	0.99	235.78017	-60.42256	18.6	...	...	...
322.7-01.4	MPA J1530-5801	5882224618322318208	0.96	232.71210	-58.02467	19.8	0.241	0.473	...
323.1-02.5	Hen 2-132	5881952420494531328	1.00	234.50510	-58.74515	16.9	0.269	0.065	$3.53^{+0.74}_{-0.58}$
323.6-04.5	KFW 11	5833546803381125632	1.00	237.62063	-59.98047	14.9	-0.162	0.134	...
323.7-04.8	PHR J1552-6009	5833868479190000768	0.86	238.09743	-60.15500	18.5	0.222	0.157	...
323.9+00.2	GLIPN J1530-5557	5883716385032254720	0.90	232.67322	-55.95766	17.8	0.264	0.140	...
323.9+02.4	Hen 2-123	5887196472462012928	0.99	230.58071	-54.13687	16.7	0.178	0.073	$4.24^{+0.80}_{-0.69}$
324.0+03.5	PM 1-89	5888049732191403904	0.43	229.78650	-53.16382	14.8	0.299	0.024	...
324.0-01.6	PHR J1539-5727	5882594058567764224	0.99	234.89496	-57.45063	16.3	0.353	0.048	...
324.1+09.0	ESO 223-10	5903448633025639936	1.00	225.41955	-48.35078	16.7	0.263	0.072	$5.85^{+2.90}_{-1.84}$
324.2+02.5	Hen 2-125	5887229462174068608	0.83	230.90140	-53.85783	15.9	0.114	0.045	$7.11^{+1.66}_{-1.37}$
324.3-11.9	Kn 73	5816227639772060032	1.00	249.88137	-64.80274	16.4	0.096	0.054	...
324.4+03.8	PHR J1520-5243	5888086084760690432	0.69	230.11440	-52.72341	20.8	...	...	...
324.8-01.1	Hen 2-133	5882747955832834944	1.00	235.49503	-56.60714	18.9	1.369	0.605	...
325.0+03.2	Hen 2-129	5888795544644516608	0.94	231.38603	-52.84388	17.6	-0.478	0.160	$8.69^{+1.92}_{-1.78}$
325.4-04.0	Hen 2-141	5835567460898896128	0.99	239.78649	-58.39769	18.1	0.174	0.137	$4.35^{+1.05}_{-0.95}$
325.7+02.2	BMP J1533-5319	5888601549601893632	0.72	233.33609	-53.31693	16.8	0.128	0.064	...
325.8+04.5	Hen 2-128	5889777649042432256	0.99	231.28264	-51.32838	15.8	-0.692	0.165	...
325.8-05.4	BMP J1608-5913	5834543476289552768	1.00	242.03954	-59.22859	18.7	0.077	0.189	...
325.8-12.8	Hen 2-182	5817579661117922688	1.00	253.64639	-64.24129	13.1	-0.120	0.056	$9.15^{+1.44}_{-1.33}$
325.9+09.4	BMP J1509-4707	5903941763984739072	1.00	227.43509	-47.11880	15.8	0.113	0.044	...
326.0-02.4	FP J1554-5651	5836034414070315136	0.96	238.71239	-56.86606	20.3	-0.263	0.805	$3.15^{+0.84}_{-0.82}$
326.0-06.5	Hen 2-151	5831451649598626560	1.00	243.92618	-59.90029	12.7	0.318	0.136	$10.94^{+4.10}_{-4.25}$
326.1-01.9	vBe 3	5836064513277457664	0.96	238.24591	-56.40724	20.1	0.461	0.617	$7.99^{+2.41}_{-2.41}$
326.1-03.3	WRAY 16-197	5835757577647289856	0.98	239.94778	-57.50159	17.4	-0.709	0.263	...
326.4+01.5	PHR J1539-5325	5885927846499087360	0.25	234.95531	-53.42356	20.1	0.694	0.697	...
326.4+07.0	NeVe 3-2	5902564934924665984	1.00	229.93283	-48.99859	15.3	0.245	0.030	$3.55^{+0.40}_{-0.33}$
326.5-03.4	PHR J1602-5714	5835747059266833664	0.43	240.61516	-57.23538	20.4	-2.828	0.834	...
326.6+05.7	BMP J1525-4957	5890463813006531840	0.96	231.30861	-49.96119	19.9	-0.102	0.527	...
326.6+42.2	IC 972	6291509197468092672	0.54	211.10797	-17.22794	17.3	0.449	0.105	$2.79^{+0.93}_{-0.64}$
326.9+02.2	PM 1-97	5886032300143619328	0.26	234.92930	-52.60939	17.0	0.189	0.064	...
327.1-01.8	He 2-140	5836494250511506432	0.85	239.53371	-55.69735	16.1	0.083	0.054	...
327.1-02.2	Hen 2-142	5836438239720535040	0.98	239.99012	-55.92585	14.8	0.273	0.040	$3.41^{+0.53}_{-0.41}$
327.1-09.2	PHR J1637-6059	5830575338803704448	0.79	249.42643	-60.98411	17.9	0.169	0.105	...
327.2-02.5	MPA J1601-5608	5836233490046582912	0.90	240.44834	-56.14047	17.8	-0.042	0.110	...
327.3-02.5	MPA J1602-5603a	5836239919701660672	0.67	240.52982	-56.06174	20.8	-2.596	2.321	...
327.5+13.3	Hen 2-118	6004438325045425664	1.00	226.55714	-42.99903	14.5	...	...	...
327.5-02.2	MPA J1602-5543	5836526376829511808	0.96	240.54660	-55.72516	15.9	0.191	0.038	...
327.7-05.4	KoRe 1	5835120578152346240	1.00	244.79327	-57.98203	18.8	0.444	0.194	$14.77^{+5.10}_{-5.39}$
327.8+10.0	NGC 5882	6000019147299399936	1.00	229.20812	-45.64963	13.3	0.462	0.030	$1.99^{+0.12}_{-0.11}$
327.8-01.6	He 2-143	5836606709883180160	0.96	240.24649	-55.09438	18.2	...	...	...
327.8-06.1	Hen 2-158	5832053288628607488	0.99	245.87767	-58.32302	14.9	-0.007	0.056	$15.14^{+3.70}_{-3.44}$
327.8-07.2	Hen 2-163	5831765457042662528	0.94	247.37994	-59.15705	20.2	0.554	0.609	$4.74^{+1.60}_{-1.58}$
328.0-01.6	PM 1-105	5836638797516192256	0.49	240.46188	-54.89448	18.6	0.084	0.467	...
328.2+01.3	Lo 10	5981924591832069888	0.98	237.37094	-52.50487	20.1	0.122	0.604	...
328.2+14.3	Mu 1	6004659807917992320	1.00	226.57130	-41.75515	18.1	0.196	0.155	$4.50^{+1.12}_{-1.02}$
328.2-03.9	BMP J1613-5633	5835460572057022336	0.53	243.46524	-56.55452	20.2	...	...	...
328.4-02.8	PM 1-106	5932373141911732352	0.70	242.33415	-55.60285	18.9	...	...	...
328.5+06.0	PHR J1533-4834	5986526735217715456	1.00	233.39162	-48.57347	18.7	0.822	0.244	$2.60^{+1.14}_{-0.95}$
328.5+06.2	PHR J1533-4824	5986532468951904128	1.00	233.27861	-48.41239	19.3	0.468	0.321	$2.68^{+0.77}_{-0.71}$
328.7-04.6	MPA J1619-5638	5931322799003585024	1.00	244.97872	-56.63736	20.5	0.184	0.872	...
328.8+13.5	Pa 33	6003852732024802816	1.00	227.80480	-42.17312	18.1	0.708	0.145	$2.14^{+1.01}_{-0.57}$
329.0+01.9	Sp 1	5982072132545824128	1.00	237.92059	-51.52461	13.7	0.718	0.017	$1.32^{+0.03}_{-0.03}$
329.1-01.4	MPA J1606-5407	5932794976387644288	0.99	241.66145	-54.12251	19.9	...	...	...
329.3-02.8	Mz 2	5931763045992356736	0.98	243.63499	-54.95130	16.8	0.109	0.075	$3.24^{+0.43}_{-0.39}$
329.4-02.7	Hen 2-149	5931790744348033792	0.90	243.60070	-54.79413	18.3	0.304	0.691	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
329.5+01.7	VBRC 7	5982091545782770944	0.67	238.71184	-51.37643	19.3	0.820	0.365	1.53 ^{+0.44} _{-0.38}
329.5-02.2	HeFa 1	5932562670265887616	0.96	243.14107	-54.39455	15.3	0.311	0.039	3.00 ^{+0.41} _{-0.32}
329.6-02.7	PHR J1615-5437	5931796379368641792	0.85	243.83473	-54.62317	17.8	0.092	0.144	...
329.7+06.9	PHR J1536-4711	5987071543201574784	0.99	234.01556	-47.19256	20.8	...	...	...
329.8-02.1	BMP J1613-5406	5932573046823712256	1.00	243.25850	-54.10898	20.0	1.942	0.894	1.53 ^{+0.52} _{-0.52}
329.9+03.7	BMP J1548-4936	5982837598830962048	0.93	237.21726	-49.61340	19.6	0.095	0.479	...
330.1+02.6	MPA J1554-5022	5982575983753257344	0.90	238.53719	-50.37765	18.9	-0.500	0.314	...
330.2+04.2	PHR J1548-4903	5985891251822728320	0.53	237.11030	-49.05922	20.8	...	...	...
330.2+05.9	Lo 9	5986249726990491520	0.82	235.55424	-47.67923	20.4	1.255	0.730	...
330.5-01.4	IRAS 16097-5257	5933051471867770240	0.99	243.42349	-53.08092	21.1	...	...	...
330.6-02.1	Hen 2-153	5933070468426290944	0.62	244.30984	-53.53489	20.2	0.973	0.957	4.27 ^{+1.68} _{-1.67}
330.6-03.6	Hen 2-159	5931925601916493312	0.97	246.08906	-54.60090	16.1	0.157	0.206	4.84 ^{+1.31} _{-1.23}
330.9+04.3	Wray 16-189	5983021831411466240	1.00	237.83272	-48.43544	18.5	0.444	0.189	4.12 ^{+1.77} _{-1.70}
331.0-02.7	Hen 2-157	5932279305469535360	0.92	245.55967	-53.68173	16.8	0.210	0.103	7.25 ^{+1.00} _{-2.47}
331.1-05.7	PC 11	5928675582979093376	1.00	249.42787	-55.70736	11.8	0.032	0.233	...
331.3+16.8	NGC 5873	6199243477361421440	0.98	228.21189	-38.12545	16.2	-0.156	0.117	6.65 ^{+1.30} _{-1.21}
331.3-12.1	Hen 3-1357	5915762510400725760	0.98	259.08777	-59.48987	15.4	-3.501	0.746	6.36 ^{+1.56} _{-1.50}
331.4+00.5	Pe 1-4	5983038839485182592	0.26	242.24509	-51.03231	18.7	0.452	0.185	...
331.4-03.5	Hen 2-162	5933514606761839872	0.99	246.96216	-54.02459	12.8	-0.150	0.076	...
331.5-02.7	Hen 2-161	5933777110776156928	1.00	246.15773	-53.37608	16.7	0.178	0.066	4.45 ^{+0.85} _{-0.76}
331.5-03.9	Hen 2-165	5933495227888260352	1.00	247.49880	-54.15743	19.0	0.355	1.124	2.47 ^{+0.70} _{-0.69}
331.7-01.0	Mz 3	5934701559547878144	0.98	244.30577	-51.98633	13.2	0.366	0.086	...
332.0+04.2	PHR J1556-4753	5984598157441661952	0.47	239.15041	-47.89465	20.3	1.046	0.681	...
332.0-03.3	Hen 2-164	5933557517709071872	0.98	247.47202	-53.38737	17.8	0.281	0.113	3.75 ^{+0.95} _{-0.81}
332.0-04.3	PHR J1634-5405	5930511221989592448	0.82	248.58558	-54.08445	19.2	-1.249	0.519	...
332.1+01.0	DeGaPe 64	5934781415925167104	0.91	244.76411	-51.70235	20.7	...	...	...
332.1-05.8	PHR J1642-5501	5930256749426536064	0.45	250.73268	-55.03109	17.9	0.955	0.123	...
332.2+03.5	Wra 16-199	5984378392554625280	0.90	240.09181	-48.25988	17.6	0.184	0.101	...
332.3+07.0	PHR J1547-4533	5988081337237556608	0.94	236.93698	-45.54740	17.1	0.441	0.127	2.46 ^{+0.61} _{-0.49}
332.3-04.2	Hen 2-170	5930562899068086272	1.00	248.83846	-53.83650	14.6	...	...	...
332.4-01.4	BMP J1622-5144	5934018728455510528	0.91	245.64181	-51.74885	18.6	0.413	0.167	...
332.5-16.9	HaTr 7	5911656865276078080	1.00	268.53934	-60.83274	14.8	0.587	0.034	1.65 ^{+0.10} _{-0.09}
332.8-16.4	HaTr 6	5911772863745103872	1.00	267.97007	-60.38937	19.8	0.340	0.458	8.61 ^{+2.50} _{-2.50}
332.9-09.9	Hen 3-1333	5917195002285834240	0.99	257.25385	-56.91332	11.4	0.678	0.047	1.45 ^{+0.11} _{-0.09}
333.2-00.6	PHR J1622-5038	5935234242865345280	0.34	245.66894	-50.64462	20.9	...	...	...
333.4+01.1	Pe 1-5	5935593302133958528	0.24	243.83305	-49.22217	20.1	...	...	...
333.4-04.0	HaTr 3	5931008441737475840	1.00	249.90624	-52.82020	19.2	0.516	0.291	...
333.4-04.3	PHR J1641-5302	5930814309267559552	1.00	250.26825	-53.04021	16.4	0.099	0.067	8.63 ^{+2.32} _{-2.05}
333.7-05.9	PHR J1650-5350	5929999296203805056	0.36	252.54944	-53.83970	18.1	0.256	0.122	...
334.2-06.2	PHR J1654-5338	5929832131772573440	1.00	253.60439	-53.64558	18.6	-0.180	0.212	...
334.3-09.3	IC 4642	5923374773032038528	1.00	257.93834	-55.40050	15.9	0.243	0.061	3.55 ^{+0.62} _{-0.51}
334.3-13.4	PHR J1736-5736	5918991329378768640	0.98	264.14017	-57.60592	18.4	0.423	0.211	...
334.4+02.3	BMP J1614-4742	5989858079305553152	0.29	243.71748	-47.70300	19.9	0.361	0.669	...
334.6+01.3	Kn 82	5941689643134631424	0.63	245.06765	-48.25626	20.8	-0.856	1.695	...
334.6-06.7	MPA J1658-5341	5935774927750122112	1.00	254.57100	-53.69588	16.0	0.081	0.043	...
334.8-03.6	BMP J1643-5129	5937189621284937216	0.85	250.84857	-51.49133	16.4	0.084	0.055	...
334.8-07.4	Hen 3-1312	5923760667266961408	0.99	255.76195	-53.93168	11.1	0.159	0.052	...
334.9-12.8	PHR J1734-5649	5919316887904278528	1.00	263.74707	-56.82350	20.4	0.467	0.728	...
335.2-03.6	HaTr 4	5937103069115240192	1.00	251.25075	-51.20586	16.8	0.302	0.061	3.30 ^{+0.67} _{-0.52}
335.4+09.2	K 1-31	5995639350115110656	1.00	238.30185	-41.84063	20.5	4.345	1.684	5.89 ^{+1.90} _{-1.98}
335.4-01.1	Hen 2-169	5940494061671568896	0.78	248.55584	-49.35340	22.0	...	...	...
335.5+12.4	DS 2	6008325614048284416	1.00	235.77093	-39.30411	12.3	1.217	0.048	0.80 ^{+0.03} _{-0.03}
335.6+01.7	Kn 83	5941903811721563008	0.80	245.57319	-47.22916	15.4	0.305	0.034	...
335.6-04.0	MeWe 1-8	5937073863334704896	1.00	252.16701	-51.15544	17.8	0.012	0.122	...
335.7+01.7	Kn 84	5941857288593503104	0.76	245.68426	-47.20285	18.7	0.058	0.207	...
335.8-01.6	MPA J1638-4927	5940454414906570624	0.96	249.50747	-49.45528	20.1	...	...	...
335.9-01.3	MPA J1637-4911	5940883018248096640	0.93	249.30909	-49.18778	17.2	-0.057	0.109	...
335.9-03.6	MeWe 1-7	5937506104459267840	0.99	251.98776	-50.71327	18.4	0.001	0.181	...
336.0-00.4	PHR1633-4831	5941113533392568192	0.47	248.35879	-48.53309	18.5	0.551	0.198	...
336.0-02.3	VRMF 104	5937798510171668480	0.96	250.52608	-49.75159	18.3	-0.155	0.187	...
336.1+03.2	MPA J1618-4551	5990431204071731328	0.97	244.60710	-45.85676	17.1	0.139	0.084	...
336.1+04.1	PM 2-17	5990663544616290304	0.21	243.76087	-45.19810	22.0	...	...	...
336.2+01.9	Pe 1-6	5942251600953774208	0.94	245.97736	-46.70393	19.6	-0.625	0.557	4.90 ^{+1.32} _{-1.27}
336.2-06.9	PC 14	5924318978646258304	0.97	256.56150	-52.50016	16.9	0.464	0.224	5.33 ^{+1.90} _{-1.84}
336.3+08.0	PHR J1601-4209	5995171263094143360	0.94	240.25765	-42.15000	19.0	0.196	0.308	...
336.3+21.4	Pa J1519.5-3138	6207958343963986176	0.74	229.89692	-31.63232	20.0	-0.250	0.595	...
336.3-05.6	Hen 2-186	5936426147853199104	0.90	254.90028	-51.70182	17.4	...	...	...
336.5+05.5	MPA J1611-4356	5991591150152485376	0.99	242.80373	-43.93945	17.6	0.183	0.115	...
336.5-05.8	MPA J1700-5136	5936471674477724160	1.00	255.24466	-51.61187	19.0	0.297	0.255	...
336.8-07.2	K 2-17	5924383368793138560	0.95	257.39944	-52.21734	17.2	0.094	0.083	5.64 ^{+1.20} _{-1.07}
336.9+08.3	WRAY 15-1407	5995280428294970880	1.00	240.55435	-41.56003	15.4	0.144	0.044	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
336.9–11.5	MeWe 1-10	5921422315225774336	1.00	263.61752	−54.48270	18.8	0.665	0.235	3.41 ^{+1.23} _{−1.14}
337.0+08.4	PHR J1602-4127	5995289705424137472	0.98	240.57562	−41.44712	16.7	1.497	0.081	0.66 ^{+0.04} _{−0.03}
337.1−05.2	PHR J1700-5047	5936569462322610688	0.85	255.15733	−50.79001	17.3	0.110	0.115	...
337.2−04.6	MPA J1657-5017	5938282810641197184	0.92	254.49894	−50.29217	18.9	0.474	0.241	...
337.3+47.4	Fr 2-9	6328952378754074368	1.00	215.66797	−9.28956	12.0	2.938	0.060	...
337.3−02.3	MPA J1647-4846	5939408092078163712	0.82	251.82061	−48.77985	19.9	−0.258	0.693	...
337.4+01.6	Pe 1-7	5943697901113034368	0.97	247.60776	−46.04748	15.6	−0.319	0.160	...
337.4+02.6	PHR J1625-4523	5942477172668108032	0.83	246.46192	−45.37747	17.1	0.678	0.083	...
337.4−09.1	Wray 16-266	5924816851223108864	1.00	260.65414	−52.77630	17.8	0.408	0.131	...
337.5−05.1	Hen 2-187	5938103104921060224	1.00	255.40417	−50.38266	12.5	0.204	0.021	4.21 ^{+0.40} _{−0.34}
337.8+01.5	MPA J1632-4547	5943683440033135616	0.44	248.03103	−45.79951	18.2	...	...	...
337.9+43.5	Fr 1-5	6324298665725984512	1.00	218.08641	−12.38006	16.0	0.441	0.054	...
338.0+02.4	PHR J1629-4505	5943952511091634048	0.63	247.27113	−45.09591	21.0	...	...	...
338.1−04.8	PHR J1702-4943	5938219382596554240	0.73	255.67484	−49.72259	20.5	1.787	1.502	...
338.1−08.3	NGC 6326	5925023250182476416	0.99	260.19335	−51.75435	16.6	0.199	0.061	3.93 ^{+0.63} _{−0.55}
338.4+03.6	Kn 86	5992188940881265024	0.87	246.48239	−43.96522	17.9	0.034	0.140	...
338.4−02.0	MPA J1650-4747	5939391388953453696	0.97	252.54091	−47.78469	20.6	−1.580	1.430	...
338.4−02.7	MPA J1653-4812	5939320062437196160	0.89	253.30147	−48.20187	20.6	...	...	...
338.5−02.1	Kn 87	5939388502731608704	0.76	252.79331	−47.77850	20.2	0.374	0.721	...
338.6+01.1	BMP J1636-4529	5943035346640784000	0.95	249.24483	−45.49144	18.9	...	...	...
338.8+01.7	MPA J1635-4458	5943816996281726848	0.90	248.79317	−44.97801	20.1	...	...	...
338.8+05.6	IC 4599	5992575625377163264	1.00	244.84670	−42.26020	16.5	0.226	0.075	3.45 ^{+0.59} _{−0.51}
338.9+04.6	PHR J1624-4252	5992302744664872064	0.28	246.00337	−42.88014	20.5	1.679	1.068	...
339.1+03.0	MPA J1631-4354	5944477287388543360	0.94	247.77940	−43.90857	19.7	...	...	...
339.2+03.9	PHR J1627-4309	5944573151050162816	0.95	246.92174	−43.15080	20.7	...	...	...
339.4−03.7	PHR J1701-4803	5938982512368905344	0.86	255.45500	−48.06402	19.5	0.104	0.536	...
339.4−09.5	PHR J1721-5122	5925231465889406720	1.00	262.82857	−51.36675	16.2	0.187	0.073	...
339.9+88.4	LoTr 5	3958428334589607552	1.00	193.89048	+25.89184	8.6	2.198	0.047	0.45 ^{+0.01} _{−0.01}
340.0+02.9	PM 1-112	5944416569412103424	0.36	248.67999	−43.29991	18.1	0.190	0.131	...
340.1−02.2a	MPA J1657-4633	5939874800405169024	0.94	254.27651	−46.56656	...	−1.586	0.861	...
340.2+06.4	PHR J1621-4040	5993876558082591104	0.99	245.43250	−40.67334	19.7	0.375	0.458	...
340.4−07.6	PHR J1724-4930	5949601561341432064	0.72	261.14463	−49.51464	18.9	1.003	0.251	...
340.4−14.1	Sa 1-6	6701733382321164928	0.99	270.24781	−52.73889	16.0	0.123	0.048	...
340.8+10.8	Lo 12	5998464201638224640	1.00	242.10967	−37.14654	19.6	0.863	0.378	2.56 ^{+0.91} _{−0.85}
340.8+12.3	Lo 11	6010827896356669824	1.00	240.84258	−36.01494	18.6	0.247	0.198	3.79 ^{+0.99} _{−0.91}
340.9−04.6	WRAY 15-1633	5950881255412836608	0.55	257.86419	−47.41722	18.7	...	...	...
341.0−02.6	Kn 89	5963209701330219136	0.91	255.66466	−46.13373	18.5	−0.165	0.210	...
341.2−24.6	Lo 18	6643159820922279936	1.00	287.44914	−55.58622	20.8	0.569	1.169	5.71 ^{+1.64} _{−1.64}
341.5+12.1	Sand 3	6010805807350513920	1.00	241.61864	−35.75345	13.9	0.817	0.024	...
341.5−09.1	Hen 2-248	5946831685377720576	1.00	264.02892	−49.42927	15.4	−0.077	0.087	...
341.6+13.7	NGC 6026	6011169161583903488	1.00	240.33800	−34.54328	13.1	0.345	0.019	2.59 ^{+0.13} _{−0.12}
341.6−03.8	Kn 91	5963338962666591104	0.49	257.54050	−46.28270	15.9	0.130	0.041	...
341.7−01.3	Kn 92	5964462526103087488	0.27	254.76290	−44.71346	21.0	...	...	...
341.7−06.0	SB 26	5950984089819027200	1.00	260.26225	−47.59098	17.6	0.105	0.113	...
341.8+05.4	NGC 6153	6017034570775817984	0.93	247.87736	−40.25352	15.3	0.719	0.046	1.32 ^{+0.08} _{−0.07}
341.8−05.6	Kn 93	5951003850951220480	0.48	259.85790	−47.26322	20.1	0.211	0.631	...
342.0−01.7	PHR J1702-4443	5963723654320289152	0.83	255.51794	−44.72210	20.6	0.082	1.163	...
342.1+10.8	NGC 6072	6022549519257057280	1.00	243.24320	−36.22983	18.6	1.086	0.200	1.03 ^{+0.21} _{−0.17}
342.1+27.5	Me 2-1	6251122593490273792	1.00	230.58031	−23.62542	18.3	−0.116	0.340	5.62 ^{+1.47} _{−1.41}
342.2−02.0	Kn 94	5963673901427848320	0.52	255.98732	−44.83662	17.4	0.228	0.131	...
342.3−06.0	SB 28	5950344590663972736	0.77	260.71873	−47.04595	19.8	0.253	0.494	...
342.5−05.4	PHR J1720-4628	5951141186824828032	0.38	260.14683	−46.55520	19.6	−0.602	0.392	...
342.5−14.3	Sp 3	6702910375160462720	1.00	271.81582	−51.01951	13.1	−0.092	0.104	3.28 ^{+0.44} _{−0.40}
342.7−02.3	MPA J1706-4434	5963598821057669760	0.72	256.70565	−44.57624	20.0	0.434	0.519	...
342.8−06.6	Cn 1-4	5951803883085737216	0.84	261.95325	−46.92820	17.0	...	...	...
342.9+05.6	Kn 96	6017471287373503616	0.88	248.62633	−39.31711	18.7	0.239	0.279	...
342.9−02.0	Pe 1-8	5963798451140343936	0.60	256.59396	−44.21972	19.6	0.118	0.354	2.33 ^{+0.57} _{−0.52}
342.9−02.3	WRAY 16-251	5963605319383850624	0.98	256.87751	−44.38065	21.1	...	...	...
343.0−01.7	Vd 1-9	5965317327666432768	0.99	256.41217	−43.93894	20.0	...	...	...
343.2−10.8	BMP J1749-4848	5947532001244332032	1.00	267.45736	−48.80893	15.3	0.043	0.052	...
343.3+05.9	PHR J1634-3848	6017697919880338432	0.99	248.72517	−38.80858	16.6	0.000	0.059	...
343.3−07.5	BMP J1733-4657	5951662286640985216	0.62	263.36568	−46.96631	16.3	0.449	0.067	...
343.4+11.9	H 1-1	6022980081133498368	1.00	243.36738	−34.59430	17.1	0.050	0.128	14.20 ^{+3.90} _{−3.79}
343.5−07.8	PC 17	5948679547781501184	0.84	263.92388	−46.99704	15.2	0.184	0.055	...
343.6+01.1	PHR J1654-4143	5966511431669118848	0.78	253.71222	−41.73059	14.6	0.663	0.022	...
343.6+03.7	SuWt 3	5969207331126400384	0.98	251.10060	−40.05566	18.8	−0.111	0.283	6.54 ^{+1.86} _{−1.77}
343.6+03.7a	MPA J1644-4002	5969208087047630848	1.00	251.08510	−40.03703	20.4	−0.160	1.036	...
343.9+00.8	H 1-5	5966477793490248960	0.94	254.34896	−41.63284	20.1	−0.053	1.080	...
343.9−05.8	SB 30	5951996160198892544	0.58	261.75955	−45.54399	19.0	...	...	...
344.0+02.5	MPA J1650-4030	5969819892206749312	0.85	252.58417	−40.50097	19.4	0.405	0.410	...
344.2+01.6	IRAS 16515-4050	5969663491005942912	0.96	253.75191	−40.92628	20.6	...	...	...
344.2+04.7	Vd 1-1	5971001081288748032	0.98	250.63935	−38.90890	15.3	−0.124	0.156	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
344.2–01.2	H 1-6	5965494928876093824	0.57	256.74622	−42.68569	18.6	0.708	0.194	...
344.4+01.8	MPA J1654-4041	5969680670842881664	0.98	253.67992	−40.69625	19.8	1.964	0.922	...
344.4+02.8	Vd 1-5	5969867381677383552	0.46	252.89007	−40.04856	20.4	...	...	...
344.4−03.5	MPA J1717-4351	5953484898925238272	0.98	259.47181	−43.86617	21.1	...	...	...
344.4−06.1	Wray 16-278	5952198676546036096	1.00	262.51615	−45.38078	16.6	0.170	0.080	...
344.5−12.5	Kn 99	6707279971809736960	1.00	270.75778	−48.49457	13.4	0.125	0.030	...
344.6−04.5	MPA J1723-4419	5953237508824133376	0.90	260.77521	−44.32128	18.7	0.056	0.227	...
344.8+03.4	Vd 1-3	5970789253440454016	0.97	252.38699	−39.35257	17.8	0.274	0.130	...
344.8+06.2	PKP J1638-3731	6019357224689844096	1.00	249.69173	−37.52860	18.5	0.066	0.201	...
344.8−02.6	MPA J1715-4303	5953602718496619776	0.92	258.81646	−43.06505	19.9	−0.013	0.596	...
344.8−03.5	MPA J1719-4336	595333539982068736	0.90	259.80694	−43.60963	19.2	0.121	0.281	...
344.9+03.0	BMP J1651-3930	5970024611844351616	1.00	252.92211	−39.50765	19.0	0.615	0.213	1.52 ^{+0.32} _{−0.27}
344.9−01.9	PM 1-131	5965643642122666880	0.91	258.09186	−42.51153	19.7	0.723	0.597	...
345.0+03.4	Vd 1-4	5970798427549713792	0.93	252.60563	−39.13864	17.2	...	...	...
345.0+04.3	Vd 1-2	5971070556654899456	0.99	251.68807	−38.61613	14.6	−0.017	0.054	...
345.0−04.9	Cn 1-3	5952577144700811136	0.99	261.55130	−44.19043	13.6	−0.333	0.228	8.99 ^{+2.30} _{−2.19}
345.1−13.6	StWr 2-37	6706413247400610048	1.00	272.64709	−48.43009	16.4	0.067	0.138	...
345.2−01.2	H 1-7	5965810351256669952	0.99	257.61409	−41.88040	17.0	0.958	0.095	1.05 ^{+0.12} _{−0.10}
345.2−08.8	IC 1266	5954912374289120896	1.00	266.39702	−46.08996	11.3	0.267	0.034	3.12 ^{+0.33} _{−0.28}
345.3−10.2	MeWe 1-11	5954082414802884736	0.64	268.19623	−46.69969	17.7	0.191	0.112	4.73 ^{+1.16} _{−1.03}
345.4+00.1	IC 4637	5966769881320062208	0.99	256.29363	−40.88557	12.5	0.693	0.015	1.38 ^{+0.03} _{−0.03}
345.4+04.0	Kn 100	5970911127486802816	0.91	252.25673	−38.46201	17.1	1.504	0.229	...
345.4−02.3	CBF 3	5953717720528712704	0.31	258.94526	−42.40189	19.4	1.151	0.418	...
345.5+15.1	Lo 13	6036783899864816768	1.00	242.44141	−30.91883	17.8	0.414	0.127	3.63 ^{+1.17} _{−0.95}
345.5−08.1	Kn 101	5955009955937563136	0.98	265.82551	−45.47803	19.0	1.121	0.253	...
345.6+05.1	Pa J1645.4-3737	5971174421816752000	0.98	251.36865	−37.61904	18.2	0.403	0.145	...
345.6+06.7	Hen 2-175	6019559637912934912	0.99	249.86712	−36.57128	19.2	...	...	...
345.6−07.4	MPA J1740-4504	5955219790876459264	1.00	265.02631	−45.07264	18.9	0.881	0.263	...
345.9+03.0	Vd 1-6	5970446510755965440	0.44	253.61401	−38.73630	19.0	0.398	0.271	3.71 ^{+1.60} _{−1.33}
346.1+02.8	MPA J1656-3841	5970420676566203392	0.97	254.00730	−38.69741	20.0	0.483	0.507	...
346.2−05.5	Kn 103	5958481320307081472	1.00	263.13916	−43.49477	18.9	0.052	0.245	...
346.2−08.2	IC 4663	5955085238132418048	0.99	266.36929	−44.90502	16.6	0.386	0.079	2.87 ^{+0.66} _{−0.50}
346.5+02.7	PPA J1657-3826	5970512829351531520	0.90	254.43689	−38.44672	20.3	−0.127	0.908	...
346.5+13.5	PHR J1618-3119	6037404849053055488	1.00	244.62596	−31.33098	14.8	0.228	0.030	...
346.7−04.4	Sa 2-202	5958744133656575232	0.99	262.29154	−42.54598	16.3	−0.003	0.107	...
346.8−00.7	MPA J1713-4015	5972109938708943360	0.85	258.29517	−40.26559	20.8	...	...	...
346.9+12.4	Abell 38	6025240677023518336	0.92	245.82919	−31.74962	19.7	−0.294	0.402	...
346.9−08.9	PHR J1750-4438	5954720062822377216	1.00	267.69057	−44.63943	17.8	0.070	0.146	...
347.0+12.9	BMP J1621-3121	6037321732830715264	0.66	245.40793	−31.35785	19.9	0.350	0.515	...
347.3+05.0	PHR J1651-3621	5971717997197736704	0.90	252.86172	−36.35999	19.2	0.108	0.307	...
347.4+01.6	PPA J1704-3824	5973285041764508032	0.78	256.24639	−38.40124	20.8	...	...	...
347.4+05.8	H 1-2	6019844995543616256	0.99	252.22544	−35.78582	14.7	...	...	...
347.6−02.8	RPZM 15	5960049533140204800	0.21	261.16841	−40.87233	21.0	...	...	...
347.6−14.5	Kn 105	6707772449939066240	1.00	275.33478	−46.56157	16.2	0.353	0.048	...
347.7+02.0	Vd 1-8	5976336220892300032	0.99	256.14078	−37.88746	19.1	...	...	...
347.7−00.7	RPZM 8	5972248958280794240	0.57	258.96506	−39.55223	20.9	...	...	...
347.8−03.9	Kn 106	5959225105593657856	0.54	262.56643	−41.36030	18.7	0.325	0.191	...
347.9−06.0	SB 31	5955984123273721984	0.83	265.01407	−42.40165	18.5	−0.136	0.281	...
348.0+06.3	WRAY 15-1537	6020091664096478976	0.68	252.20219	−35.01617	19.6	−0.062	0.787	...
348.0−13.8	IC 4699	6708047083020633472	1.00	274.63352	−45.98383	15.3	0.150	0.050	6.01 ^{+1.40} _{−1.14}
348.4+04.9	MPA J1655-3535	5977790526875496064	0.99	253.84188	−35.58998	16.3	−0.041	0.091	...
348.4−04.1	H 1-21	5959304437876436224	0.97	263.19920	−40.97465	16.9	0.693	0.156	...
348.5−04.0	Kn 109	5959362063504880000	0.36	263.16821	−40.74954	20.7	...	...	...
348.7−02.5	MPA J1726-3950	5960387839148474368	0.32	261.64282	−39.83921	19.8	0.689	0.481	...
348.8−09.0	Hen 2-306	5956267659817411712	0.98	269.14045	−43.05535	15.5	0.135	0.061	...
348.9+04.6	KLSS 1-15	5977832621856619392	0.87	254.48803	−35.41494	20.3	−2.111	0.879	...
349.2−03.5	H 2-14	5961654029849113728	0.91	263.08368	−39.85629	18.2	0.362	0.175	...
349.3+02.4	K 6-18	5976931365924778624	0.33	256.86909	−36.39526	21.1	...	...	...
349.3+07.4	PHR J1648-3318	6027007008100377856	1.00	252.18831	−33.31570	19.6	0.344	0.394	...
349.3−00.5	Pre 68	5972784416074384640	0.75	259.96432	−38.16089	17.4	0.373	0.098	...
349.3−00.6	PreMo 2	5972785176284635904	0.97	260.15160	−38.21379	21.3	...	...	...
349.3−01.1	NGC 6337	5972577055062637056	0.91	260.56530	−38.48383	15.6	0.594	0.039	1.57 ^{+0.10} _{−0.09}
349.3−04.2	Lo 16	5960852520245103744	0.55	263.92450	−40.19070	16.0	0.549	0.045	1.67 ^{+0.12} _{−0.11}
349.5+02.0	PHR J1709-3629	5976873641579140608	0.37	257.39154	−36.49011	21.1	...	...	...
349.6+03.1	PHR J1706-3544	5977201364758715136	0.85	256.50777	−35.74349	20.6	...	...	...
349.7+06.2	PPA J1654-3343	6026276240884866432	0.99	253.53443	−33.73298	19.2	−0.124	0.310	...
349.8+04.4	M 2-4	5978248095516721280	0.97	255.27591	−34.82741	16.7	0.141	0.155	7.67 ^{+2.23} _{−2.11}
349.9+02.6	WRAY 15-1624	5977166249135940096	0.84	257.14250	−35.80188	20.6	...	...	...
350.1−03.9	H 1-26	5961023459912201088	0.90	264.12458	−39.36578	16.8	0.010	0.092	3.76 ^{+0.57} _{−0.52}
350.3+06.4	MPA J1655-3310	6026680968535085440	0.97	253.75526	−33.16982	18.6	0.167	0.197	...
350.4+07.6	PM 1-115	6027575936660117888	0.98	252.77636	−32.38348	18.0	...	...	...
350.5+03.0	K 5-24	5977294509695487104	0.80	257.26795	−35.08807	20.2	−2.198	0.970	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
350.8–02.4	H 1-22	5962119947915694976	0.99	263.09229	–37.95661	18.0	0.678	0.197	3.00 ^{+3.78} _{–1.40}
350.8–03.6	MPA J1737-3837	5961828950941856896	0.68	264.27178	–38.62157	19.1	–0.820	0.459	...
350.8–07.4	Kn 110	5957121808565782144	1.00	268.57226	–40.61717	19.6	–0.223	0.374	...
350.9+04.4	H 2-1	5978397113707361536	0.98	256.15103	–33.98856	13.0	0.340	0.025	2.70 ^{+0.20} _{–0.17}
350.9–03.7	PHR J1738-3839	5961451925866334720	0.67	264.50221	–38.65395	20.4	...	...	...
351.0+05.8	PHR J1659-3258	6026595515973923712	0.45	254.85661	–32.97617	20.9	...	...	...
351.0–10.4	HaTr 9	6725198815882935168	1.00	272.24535	–41.81042	18.2	1.189	0.193	1.02 ^{+0.27} _{–0.18}
351.1+02.6	PHR J1712-3452	5978810843677667840	0.61	258.07932	–34.86868	18.2	0.672	0.173	...
351.1+04.8	M 1-19	5978493325390055296	0.96	255.94517	–33.49570	16.1	0.102	0.071	6.83 ^{+1.59} _{–1.40}
351.2+05.2	M 2-5	5978493286612599424	0.94	255.57953	–33.16804	15.9	–0.080	0.105	7.03 ^{+1.59} _{–1.44}
351.3+07.6	H 1-4	6027623799797947776	1.00	253.40447	–31.67589	15.6	0.201	0.092	...
351.5+02.5	PM 1-134	5978633684806915328	0.82	258.43085	–34.64070	19.4	–0.314	0.424	...
351.5–06.5	SB 34	4036440466993936640	0.99	268.03923	–39.53750	18.0	–0.145	0.138	10.38 ^{+2.49} _{–2.36}
351.6–06.2	H 1-37	5958174178599344768	0.51	267.68581	–39.29074	19.3	–0.021	0.435	...
351.7–06.6	SB 35	4036448129216710272	0.96	268.26196	–39.40252	15.6	0.106	0.037	8.46 ^{+2.44} _{–1.85}
351.7–10.9	Wray 16-385	6724822782927554176	1.00	273.22057	–41.50744	16.2	0.044	0.077	...
351.9+02.4	K 5-26	5978668800481153792	0.66	258.75022	–34.29384	20.5	...	...	...
351.9+03.9	PHR J1709-3327	5979760271980432384	0.74	257.34093	–33.46301	20.5	...	...	...
351.9+09.0	PC 13	6031037577201941888	1.00	252.57115	–30.33203	16.6	0.122	0.082	7.33 ^{+1.85} _{–1.67}
351.9–01.9	Wray 16-286	5974600744893097472	0.84	263.25281	–36.73137	18.5	...	...	...
352.0–04.6	H 1-30	5961349568244600192	0.71	266.27821	–38.14726	18.6	...	...	...
352.1+05.1	M 2-8	5980037005287502976	0.22	256.37807	–32.53540	18.6	...	...	...
352.1–02.6	PHR J1736-3659	5962549410293600128	0.41	264.07190	–36.99645	15.6	0.225	0.038	...
352.2+14.6	Kn J1631.3-2629	6045582879087358720	0.41	247.84933	–26.49297	19.8	–0.646	0.802	...
352.2–04.3	PHR J1743-3749	5961559158294341760	0.71	265.95420	–37.83004	19.1	0.645	0.286	...
352.2–05.1	PHR J1747-3811	4039801437840555648	0.35	266.91649	–38.19534	20.2	0.316	0.808	...
352.3+12.2	MPA J1640-2757	6032515045967171072	1.00	250.04385	–27.95930	18.6	–0.641	0.249	...
352.4+04.0	WRAY 16-255	5979871322676296192	0.98	257.55718	–32.98082	14.7	0.067	0.032	...
352.4–02.7	PPA J1737-3650	5962633587289077504	0.64	264.40685	–36.83842	18.3	–0.381	0.193	...
352.6+00.1	H 1-12	5975747702989704064	0.99	261.60121	–35.02818	19.1	0.149	0.331	2.69 ^{+0.75} _{–0.67}
352.6+02.2	PPA J1717-3349	5978801356020553344	0.83	259.48437	–33.82414	19.5	–1.233	0.582	...
352.6–04.9	SB 37	4039816242659008256	0.56	266.96957	–37.80077	19.4	–2.546	1.254	...
352.7+02.6	PM 1-136	5978994359012496000	0.61	259.10908	–33.55664	20.3	...	...	...
352.7–01.7	PPA J1734-3600	5974750244145839744	0.97	263.59283	–36.01323	19.2	...	...	...
352.7–02.5	PPA J1737-3627	5962683516372855424	0.90	264.40257	–36.45164	17.7	0.012	0.127	...
352.7–08.4	SB 38	4035884049752727808	1.00	270.87169	–39.35783	17.2	0.050	0.110	...
352.8+03.0	PPA J1715-3313	5979063834398849024	0.72	258.79339	–33.22986	21.0	...	...	...
352.8+08.4	MPA J1654-3000	6029558076932364672	1.00	253.71922	–30.01448	18.2	–0.082	0.164	...
352.8–00.2	H 1-13	5975007147549090432	1.00	262.11491	–35.12547	18.3	0.591	0.229	1.76 ^{+0.48} _{–0.39}
352.8–04.6	PPA J1746-3725	4040049957552482560	0.43	266.74873	–37.42677	17.1	–0.011	0.095	...
352.9+02.6	PPA J1717-3323	5979377397030664960	0.46	259.34798	–33.39833	17.5	1.311	0.126	...
352.9+11.4	K 2-16	6033785806546839936	1.00	251.20437	–28.06799	12.1	0.175	0.024	4.82 ^{+0.62} _{–0.50}
352.9–07.5	Fg 3	4035783611879028736	0.98	270.04922	–38.83129	14.1	–0.214	0.206	6.34 ^{+1.30} _{–1.41}
352.9–09.8	WRAY 16-376	6726004757944446848	1.00	272.65646	–39.88740	15.0	–0.037	0.040	...
353.0+08.3	MyCn 26	6029584057264295168	0.85	253.94703	–29.83850	15.7	...	...	...
353.2+05.7	K 5-22	6028295326608856832	0.98	256.54711	–31.30075	18.5	0.098	0.225	...
353.2–10.4	Kn 74	6725816913248112128	1.00	273.54523	–39.92316	16.9	0.271	0.081	...
353.3+06.3	M 2-6	6028519485121240832	0.62	256.07637	–30.89138	16.3	0.066	0.095	...
353.3–01.1	RPZM 23	5975047043518702208	0.89	263.34440	–35.18452	21.0	...	...	...
353.3–02.9	PHR J1740-3607	4041146552967012864	0.61	265.20919	–36.12968	20.9	...	...	...
353.3–08.3	SB 39	4036109209068689024	0.90	271.13258	–38.79375	18.0	0.573	0.155	2.66 ^{+1.04} _{–0.75}
353.4–04.5	K 6-13	4040170633255266816	0.93	267.00393	–36.83553	19.9	–0.158	0.611	...
353.5+06.9	K 5-21	6028619407659071232	1.00	255.64603	–30.32085	18.8	–0.022	0.224	...
353.5–03.3	IRAS 17393-3612	4040965648903119488	0.26	265.71080	–36.22624	20.8	...	...	...
353.5–05.0	JaFu 2	4039968048311942400	0.27	267.54514	–37.05707	16.4	2.201	0.446	0.51 ^{+0.21} _{–0.10}
353.6–01.3	MPA J1735-3502	4053328935619251200	0.74	263.81986	–35.04723	17.8	0.142	0.140	...
353.6–02.6	PN RPZM 31	4041193591374943360	0.89	265.18997	–35.73276	17.7	0.125	0.173	...
353.6–03.6	K 6-11	4040919984780241024	0.73	266.14826	–36.23402	17.4	0.242	0.121	...
353.7+06.3	M 2-7	6028553986629499136	0.98	256.30795	–30.53878	17.2	...	...	...
353.7–01.1	PPA J1734-3449	4053525713754450816	0.59	263.62617	–34.81754	18.7	–0.186	0.289	...
353.7–12.8	Wray 16-411	6726303683327171200	1.00	276.67378	–40.49808	17.3	0.207	0.092	5.91 ^{+1.62} _{–1.43}
353.9+02.7	PM 1-140	5979532810495670784	0.98	259.93939	–32.50897	19.9	0.876	0.759	...
353.9+03.6	PHR J1715-3159	5980277660869506048	0.47	258.95132	–31.98935	20.3	0.312	0.936	...
354.0+04.8	MPA J1711-3112	5980610190085763456	0.72	257.90439	–31.20599	17.1	–0.734	0.262	...
354.0–01.3	PPA J1736-3444	4053343121809563904	0.54	264.02382	–34.73522	18.1	0.007	0.193	...
354.2+04.3	M 2-10	5980550511636230656	0.53	258.52925	–31.32863	17.2	0.378	0.101	3.60 ^{+1.82} _{–1.04}
354.3–06.8	K 5-38	4037053105525701248	0.60	270.01825	–37.28365	18.8	0.345	0.301	...
354.4+05.4	K 6-21	6028694758571537664	0.88	257.68085	–30.54121	21.0	...	...	...
354.4–07.8	H 1-52	4036334471597172352	0.94	271.24005	–37.63543	19.5	0.270	0.396	...
354.5+03.3	Th 3-4	5980371256845517056	0.92	259.71641	–31.65184	18.2	...	...	...
354.5–02.0	PPA J1740-3438	4053388996355024768	0.60	265.03640	–34.63750	20.4	...	...	...
354.5–02.0a	PPA J1740-3437	4053394700090930688	0.85	265.12721	–34.62149	20.7	0.231	1.386	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
354.5–03.9	Sab 41	4041043675655024128	0.53	267.06814	–35.64182	17.7	0.789	0.131	$1.46^{+0.36}_{-0.25}$
354.6+04.9	Terz N 139	5980734233101949696	0.29	258.22279	–30.66898	20.1	...	...	...
354.6+05.2	PM 1-130	6028777801634423808	0.69	257.92058	–30.48045	14.7	0.130	0.059	...
354.6–01.4	PPA J1737-3414	4053473585749584384	0.74	264.47466	–34.24101	20.3	–4.024	1.230	...
354.6–04.5	PPA J1750-3548	4040652696144746752	0.26	267.73395	–35.81385	19.5	–7.033	1.391	...
354.6–11.4	Pa 48	6726675833653416832	1.00	275.37430	–39.13824	14.9	–0.845	0.249	...
354.7+00.3	PPA J1731-3312	4054490672673910016	0.94	262.78231	–33.20388	16.6	0.831	0.076	...
354.7–03.9	MPA J1748-3530	4041421362193585152	0.61	267.20261	–35.50814	19.4	0.681	0.919	...
354.7–07.2	SB 40	4037160548451676416	0.48	270.73220	–37.13733	17.6	0.342	0.146	...
354.7–10.0	SB 41	6727598809253337088	1.00	273.91268	–38.46570	18.4	0.363	0.197	...
354.8+01.6	PHR J1726-3221	405777030969460032	0.98	261.60747	–32.36387	15.2	0.705	0.078	...
354.8+04.2	K 5-28	5980676371346246144	0.28	259.05943	–30.92682	17.2	–0.046	0.089	...
354.8+05.1	PHR J1712-3021	6028785605595920768	0.62	258.16288	–30.36081	20.1	...	...	...
354.9+03.5	Th 3-6	5980423277494359040	0.80	259.83432	–31.21138	19.4	0.438	0.447	...
354.9–05.7	K 5-36	4040437604099840896	0.98	269.25259	–36.25452	18.5	0.208	0.205	...
355.0–03.7	K 5-18	4041450327354434304	0.93	267.12329	–35.09133	19.6	–0.188	0.785	...
355.0–06.1	PN PM 1-196	4037422026077765376	0.97	269.72648	–36.35458	17.9	1.021	0.432	...
355.1+02.3	Th 3-11	4058037456681232512	0.94	261.10970	–31.72220	19.5	0.118	0.539	...
355.2–02.0	PPA J1741-3405	4053444556158195712	0.43	265.49614	–34.09294	20.0	–1.024	0.636	...
355.2–02.5	H 1-29	4041789389356118272	0.62	266.05776	–34.29249	17.0	–1.441	0.193	$12.79^{+2.69}_{-2.52}$
355.2–03.1	SP J1746-3436	4041711392643900672	0.68	266.70100	–34.60082	14.9	0.121	0.086	...
355.3+03.1	PPA J1721-3110	4058127852814158208	0.61	260.41208	–31.17627	18.2	–0.099	0.164	...
355.3+03.8	MPA J1719-3043	4058948024160146176	1.00	259.83362	–30.72787	15.5	0.639	0.040	...
355.3–03.2	PPA J1747-3435	4041711044735017856	0.92	266.78472	–34.59532	18.8	–0.789	0.229	$9.14^{+2.04}_{-1.93}$
355.3–07.5	SB 42	4038618088434289664	1.00	271.46903	–36.76014	18.1	0.032	0.153	...
355.3–12.9	PaKn 1	6726848525705542016	1.00	277.52031	–39.16982	18.0	0.188	0.135	...
355.4–02.4	M 3-14	4041797566848828288	0.75	266.08599	–34.11134	18.9	...	...	...
355.4–04.0	Hf 2-1	4041465647722562688	0.81	267.80074	–34.92311	17.4	0.073	0.249	$4.95^{+1.32}_{-1.25}$
355.4–04.3	K 5-34	4040802611953843584	0.81	268.09613	–35.07160	19.3	–0.416	0.637	...
355.4–05.7	MPA J1757-3547	4040485952573587456	0.21	269.49820	–35.79939	20.0	4.572	1.130	...
355.5+03.6	PHR J1720-3041	4058951288267947136	0.23	260.12618	–30.69615	19.2	0.256	0.442	...
355.5–02.8	MPA J1746-3412	4041758053185606656	0.96	266.57697	–34.21034	15.5	0.097	0.046	...
355.5–03.7	PHR J1749-3438	4041487500447313152	0.31	267.49522	–34.64403	19.8	0.087	2.364	...
355.6+01.4	PPA J1729-3152	405789074055388848	0.85	262.29583	–31.87920	21.2	...	...	...
355.6+05.1	MPA J1714-2946	4107290561090116224	0.95	258.70138	–29.77974	17.5	–0.217	0.133	...
355.6–02.3	PHR J1744-3355	4041804473208281088	0.35	266.11632	–33.92221	16.6	0.258	0.139	$4.20^{+1.37}_{-1.13}$
355.6–02.7	H 1-32	4041808145324509312	0.73	266.52637	–34.06276	16.1	...	...	...
355.6–02.9	SP J1746-3413	4041755579283791744	0.99	266.70024	–34.22842	19.7	0.211	0.691	...
355.7–03.0	H 1-33	4041751181235246720	0.96	266.95591	–34.13475	18.3	...	...	...
355.7–03.4	H 2-23	4041553853231641728	0.93	267.24171	–34.36479	18.5	...	...	...
355.7–03.5	H 1-35	4041552891219095552	0.95	267.30802	–34.38135	14.5	0.318	0.186	...
355.8+04.5	PHR J1717-2954	4059257536673042944	0.98	259.43341	–29.90828	19.4	0.183	0.441	...
355.8–08.7	SB 43	4037722639347789056	0.75	273.09832	–36.88063	20.5	...	...	...
355.9+00.7	PPA J1732-3201	4054847803471988608	0.94	263.18535	–32.01875	18.7	...	...	...
355.9+02.7	Th 3-10	4058241003761354112	0.95	261.17023	–30.86642	20.5	...	...	...
355.9+03.6	H 1-9	4058987022459300096	0.70	260.38293	–30.34686	14.8	0.012	0.231	$6.02^{+1.77}_{-1.66}$
355.9+04.1	PHR J1719-3003	4059196170135477120	0.23	259.94674	–30.06534	20.7	...	...	...
355.9+06.1	Terz N 7	4107592338352252544	0.98	257.99778	–28.85951	17.7	–0.121	0.124	...
355.9–01.4	PN RPZM 33	4054095707502385408	0.26	265.36772	–33.17268	18.3	...	...	...
355.9–02.3	RPZM 37	4053847832044717824	0.98	266.28642	–33.60223	18.9	–1.206	0.452	...
355.9–04.2	M 1-30	4040819138994544384	0.97	268.24558	–34.63969	16.3	0.197	0.080	$5.96^{+1.83}_{-1.51}$
355.9–04.4	PHR J1753-3443	4040837487046953344	0.41	268.41591	–34.72778	17.7	0.493	0.116	...
356.0+02.8	PN PBOZ 3	4058250212203025792	0.96	261.24316	–30.71783	20.1	...	...	...
356.0–01.8	PPA J1743-3315	4053915250171942016	0.31	265.77975	–33.26505	20.6	...	...	...
356.0–04.2	PHR J1753-3428	4041594668305141888	0.94	268.27046	–34.47757	18.6	0.312	0.196	$7.65^{+2.37}_{-2.34}$
356.0–07.4a	SB 44	4038767175336290560	0.98	271.78264	–36.04588	18.9	...	...	...
356.0–07.4b	SB 45	4038672754819227264	1.00	271.71884	–36.11127	17.4	–0.017	0.101	...
356.1+02.7	Th 3-13	4058250070404444416	0.65	261.33070	–30.67836	17.5	...	...	...
356.1–02.1	PHR J1744-3319	4053868039851669760	0.97	266.21574	–33.32498	21.0	...	...	...
356.1–03.3	H 2-26	4041661463727363072	0.24	267.46165	–34.00846	17.4	–0.533	0.123	$15.60^{+3.59}_{-3.35}$
356.1–03.4	CTIOJ175006.71-340258.6	4041660334055294976	0.98	267.52792	–34.04961	17.5	0.089	0.094	...
356.1–08.6	SB 46	4037941579558523776	1.00	273.16613	–36.53041	18.2	–0.010	0.195	...
356.2–00.3	Th 3-34	4054958446132297600	0.99	264.43704	–32.25830	19.6	...	...	...
356.2–03.2	PHR J1749-3347	4041855806630398208	0.53	267.34929	–33.79483	18.2	...	...	...
356.2–03.6	PPA J1751-3401	4041669950493674240	0.67	267.77879	–34.02818	20.4	...	...	...
356.2–05.1	K 5-37	4042264240781873792	0.75	269.31518	–34.79289	16.8	0.092	0.075	...
356.2–08.9	PHR J1814-3635	4037753460036201088	1.00	273.55668	–36.59319	15.1	0.089	0.046	...
356.4+03.7	K 5-31	4059107728241232768	0.29	260.55377	–29.87686	19.4	...	...	...
356.4–04.0	CTIOJ175323.14-340653.7	4041622263451048064	0.24	268.34627	–34.11487	20.0	...	...	...
356.4–06.8	SB 48	4039031333003460736	1.00	271.31002	–35.46883	17.5	0.053	0.206	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
356.5+01.5	Th 3-55	4058329239618656896	0.86	262.74524	-31.01829	18.6	0.252	0.234	...
356.5+19.1	Pa 43	6052674037595549440	1.00	247.10258	-20.38565	18.9	0.281	0.226	...
356.5-01.8	PPA J1744-3252	4054021662258469248	0.54	266.11670	-32.86994	19.9	0.378	0.504	...
356.5-02.3	M 1-27	4053955824662571648	0.69	266.68948	-33.14310	13.9	0.270	0.022	3.23 ^{+0.25} _{-0.22}
356.5-03.4	MPA J1751-3339	4041696613843327488	0.39	267.83645	-33.65358	20.9	...	...	...
356.5-03.6	H 2-27	4041691086085898112	0.27	267.96069	-33.79345	18.2	0.186	0.199	8.70 ^{+2.71} _{-2.64}
356.5-03.9	H 1-39	4043128594411861120	0.95	268.33758	-33.93293	15.5	0.031	0.045	10.88 ^{+2.64} _{-2.29}
356.5-04.1	PPA J1754-3358	4043113059511396480	0.92	268.51219	-33.98112	17.8	0.250	0.115	...
356.6+05.9	Kn 124	4107710952444522496	0.93	258.59338	-28.45761	17.4	0.280	0.091	...
356.6+07.5	K 6-20	4108539434533747840	0.95	257.18728	-27.51743	18.0	1.198	0.368	...
356.6-04.7	PHR J1756-3414	4042344019826411520	0.24	269.20123	-34.24223	19.7	...	...	...
356.6-07.8	H 1-57	4038787447691293696	0.74	272.45529	-35.73686	20.9	...	...	...
356.7+05.4	Kn 125	4107508367466356224	0.36	259.15387	-28.63996	15.5	0.108	0.036	...
356.7-02.6	MGE 356.7274-02.6316	4041970220238068608	0.34	267.05305	-33.09772	19.8	-0.340	0.523	...
356.7-04.7	MPA J1757-3410	4042368797554199936	0.98	269.25233	-34.17806	18.8	-0.351	0.313	...
356.7-04.8	H 1-41	4042368312133298816	0.91	269.32961	-34.16359	16.3	0.262	0.088	4.75 ^{+1.40} _{-1.14}
356.7-06.4	H 1-51	4039109982533108736	0.62	271.12207	-34.96680	20.1	...	...	...
356.8+03.3	Th 3-12	4059078758577969792	0.49	261.27551	-29.75474	17.3	0.423	0.464	16.11 ^{+4.95} _{-4.98}
356.8-03.0	K 5-20	4041908991157987072	0.94	267.54481	-33.23837	18.4	0.366	0.248	...
356.8-03.6	PHR J1752-3330	4043198031104721664	0.97	268.12174	-33.50121	14.8	0.039	0.032	...
356.8-05.4	H 2-35	4042115119631704064	0.23	270.07608	-34.46121	20.6	...	...	...
356.8-11.7	Lo 17	6727251191784579072	0.98	276.96217	-37.26527	18.3	0.283	0.157	2.89 ^{+0.61} _{-0.55}
356.9+00.9	PPA J1734-3102	4055336089712420480	0.85	263.64321	-31.03548	20.5	...	...	...
356.9+02.2	MPA J1729-3016	4058603017938390528	0.37	262.34649	-30.28002	19.8	...	...	...
356.9+04.4	M 3-38	4059407207673857024	0.66	260.26862	-29.04992	16.9	...	...	...
356.9+04.5	M 2-11	4059405489712017280	0.72	260.13854	-29.01087	17.4	...	...	...
357.0+00.5	SSTGLMC	4055278919404314624	0.50	264.08282	-31.12861	20.8	...	...	...
357.0-04.4	PHR J1756-3342	4042399682594893056	0.25	269.16512	-33.70913	18.4	0.655	0.225	6.30 ^{+2.67} _{-1.85}
357.1+03.6	M 3-7	4059510458668468992	0.84	261.14353	-29.40550	16.2	0.172	0.054	5.25 ^{+1.85} _{-0.94}
357.1+04.4	Terz N 18	4059409887739353472	0.93	260.40827	-28.92073	20.5	...	...	...
357.1-04.7	H 1-43	4042380857826322176	0.96	269.56016	-33.79381	15.0	0.571	0.061	1.68 ^{+0.20} _{-0.16}
357.1-06.1	M 3-50	4042158138029882752	0.72	271.02171	-34.47694	20.7	...	...	...
357.2+01.4	Al 2-H	4058374899352518784	0.80	263.32094	-30.44148	19.9	3.109	0.649	...
357.2+07.2	Terz N 5	4108636668226400384	0.54	257.81191	-27.19207	20.0	-3.609	0.887	...
357.2+07.4	M 4-3	4108648286156728192	0.84	257.67406	-27.14560	17.1	0.361	0.302	9.29 ^{+2.80} _{-2.82}
357.2-04.5	H 1-42	4042401439317575168	0.86	269.35488	-33.59532	16.5	...	...	...
357.2-09.8	SB 49	4038191134317113856	0.97	275.03853	-36.12261	16.9	0.416	0.127	...
357.3+02.3	K 6-25	4058647238955402112	0.97	262.47244	-29.95287	20.1	2.660	1.538	...
357.3+02.8	PHR J1728-2936	4058717053628807424	0.84	262.03717	-29.61497	20.2	0.556	1.141	...
357.3+03.3	M 3-41	4059513619827242496	0.94	261.49916	-29.36394	15.6	-1.932	0.568	6.47 ^{+1.63} _{-1.56}
357.3+04.0	H 2-7	4059722355127230080	0.98	260.85388	-28.98501	18.7	0.007	0.254	7.46 ^{+2.25} _{-2.14}
357.3+05.7	PHR J1717-2759	4107751084656945408	0.94	259.25667	-27.99151	20.0	0.037	0.715	...
357.3-02.0	PPA J1747-3215	4055565445282016512	0.79	266.86885	-32.26290	19.4	0.783	0.396	...
357.3-06.5	SB 50	4039144990809866880	0.97	271.53428	-34.55831	18.9	-0.018	0.329	...
357.4+22.8	KnPa 2	6246462897568952192	1.00	244.65458	-17.40417	16.8	0.183	0.092	...
357.4-03.1	PHR J1752-3244	4043447104964040064	0.68	268.00216	-32.73572	20.6	...	...	...
357.4-03.2	M 2-16	4043444738331539200	0.69	268.14321	-32.76412	18.4	...	...	...
357.4-03.5	M 2-18	4043426149764410240	0.99	268.40768	-32.97999	16.7	0.067	0.190	9.80 ^{+2.77} _{-2.69}
357.4-04.6	M 2-22	4042499910043679232	0.55	269.63572	-33.47690	17.1	-0.086	0.110	8.63 ^{+2.08} _{-1.92}
357.4-07.2	SB 51	4039268243468439168	0.38	272.31982	-34.79715	18.9	0.042	0.265	8.79 ^{+2.42} _{-2.36}
357.5+03.1	Th 3-16	4059487265900104704	0.33	261.85150	-29.35408	15.2	0.093	0.037	...
357.5+04.5	PPA J1722-2831	4059811376916989952	0.66	260.54359	-28.52617	17.1	0.469	0.088	...
357.5-05.1	PPA J1800-3341	4042420440156985472	0.71	270.17961	-33.69990	16.7	0.154	0.066	...
357.5-05.5	PPA J1802-3350	4042248469749871488	0.28	270.59899	-33.84689	18.7	0.171	0.218	...
357.6-03.0	PHR J1752-3233	4043502875085890688	1.00	268.04917	-32.55210	19.0	0.299	0.423	...
357.6-03.3	H 2-29	4043451880845295744	0.88	268.32007	-32.67739	19.1	0.953	0.447	5.32 ^{+3.00} _{-2.94}
357.6-06.5	PHR J1806-3416	4039537795681073664	0.82	271.69709	-34.26776	20.6	...	...	...
357.7+01.4	PPA J1734-3004	4058480869169238272	0.55	263.69438	-30.07248	21.0	...	...	...
357.7-04.8	BMP J1759-3321	4042513447762858880	1.00	269.93838	-33.35352	18.1	1.137	0.137	0.90 ^{+0.12} _{-0.10}
357.8+04.9	PPA J1721-2805	4107887316685844736	0.80	260.38855	-28.08899	19.0	-0.059	0.337	...
357.9+01.7	PPA J1733-2945	4058548072417571584	0.34	263.40998	-29.75853	20.0	1.076	0.910	...
357.9-03.8	H 2-30	4043347083815456384	0.90	269.05805	-32.62284	18.7	-2.383	0.341	8.30 ^{+1.75} _{-1.66}
357.9-05.1	M 1-34	4042471361358211584	0.53	270.34250	-33.29547	20.3	...	...	...
358.0+05.5	Kn J1719.5-2734	4107975110191710208	0.27	259.89577	-27.57920	20.8	...	...	...
358.0+09.3	Th 3-1	4112252931941023104	0.98	256.43583	-25.41709	17.2	0.086	0.098	...
358.0-02.4	PPA J1750-3152	4055650107657556736	0.46	267.70231	-31.87393	19.2	0.636	0.441	...
358.0-02.7	PN Al 2-O	4043622756199128064	0.25	267.93871	-32.05112	16.0	0.152	0.063	...
358.0-04.6	Sa 3-107	4042539909060351104	0.80	269.97915	-32.98663	16.7	0.030	0.074	...
358.0-05.1	Pe 1-11	4042468784326847872	0.40	270.42840	-33.25679	20.6	...	...	...
358.1+03.5	PNG358.10+03.51	4059663874932471552	0.57	261.86157	-28.63864	17.5	-0.020	0.202	...

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
358.2+001.0	Kn J1737.3-2952	4059999638214891392	0.87	264.33052	-29.87128	19.7	0.291	0.385	...
358.2+01.4	MGE	4058565153580197760	0.26	263.93162	-29.63954	18.9	-0.362	0.303	...
	358.2600+01.4563								
358.2+03.5	H 2-10	4059671537243938944	0.93	261.88692	-28.51860	19.1	-1.589	0.486	8.97 ^{+2.39} _{-2.29}
358.2+04.2	M 3-8	4059931331159092736	0.74	261.21707	-28.09854	18.1	0.467	0.278	6.19 ^{+2.04} _{-2.03}
358.3+03.0	H 1-17	4059627659823489024	0.92	262.41914	-28.67287	16.7	...	...	...
358.3+07.3	SB 52	4039592182712537728	0.27	272.91656	-34.00643	18.8	-0.226	0.402	...
358.3+21.6	IC 1297	6714803311390242048	1.00	289.34769	-39.61287	15.7	0.225	0.054	3.92 ^{+0.71} _{-0.58}
358.4+01.6	JaSt 3	4060084777353646976	0.23	263.84438	-29.37158	19.7	-0.264	0.505	7.20 ^{+2.30} _{-2.37}
358.4+01.7	JaSt 2	4060087530475429504	0.21	263.75379	-29.37095	20.3	2.267	1.015	8.23 ^{+4.12} _{-4.51}
358.4+02.7	PHR J1731-2850	4058860024479453184	0.39	262.80953	-28.84373	17.3	0.786	0.108	...
358.4+03.3	Th 3-19	4059684456483740800	0.75	262.17418	-28.45548	18.4	...	...	...
358.4+04.5	K 6-38	4043676185562267520	0.97	269.99596	-32.59953	16.4	0.045	0.063	...
358.4+05.5	PHR J1804-3306	4042860481114840832	0.64	271.06250	-33.10841	20.0	...	...	...
358.5+02.6	M 3-57	4058868309558781952	0.99	262.94739	-28.70072	18.3	0.217	0.218	1.99 ^{+0.39} _{-0.35}
358.5+02.9	Al 2-F	4059634527341796480	0.98	262.62682	-28.59859	19.0	1.294	0.397	10.67 ^{+5.08} _{-7.61}
358.5+01.7	JaSt 64	4055921240421711744	0.94	267.23341	-31.11189	20.0	1.559	0.888	...
358.5+02.5	PN M 4-7	4055661893097358208	0.35	267.93623	-31.60027	18.9	0.143	0.242	...
358.5+04.2	H 1-46	4043695079072981248	0.94	269.76046	-32.36209	15.1	-0.447	0.242	7.85 ^{+1.91} _{-1.82}
358.5+07.3	NGC 6563	4039600536544395392	0.94	273.01075	-33.86850	17.3	1.071	0.129	1.00 ^{+0.16} _{-0.12}
358.6+07.8	M 3-36	4109362831302119552	0.99	258.16317	-25.72710	16.8	-0.032	0.073	...
358.6+01.1	JaSt 58	4056008823359403904	0.27	266.71736	-30.62824	21.1	...	...	...
358.6+02.4	K 6-16	4055693053035857152	0.25	268.00152	-31.29739	19.2	0.146	0.327	...
358.6+05.5	M 3-51	4042869590720165888	0.92	271.23428	-32.90031	18.6	0.360	0.206	5.27 ^{+1.96} _{-1.80}
358.7+05.2	M 3-40	4108085748534671744	0.96	260.61787	-27.14513	16.9	0.152	0.084	...
358.7+03.0	K 6-34	4043664881255111552	0.41	268.67153	-31.52876	17.3	0.110	0.124	5.34 ^{+1.28} _{-1.16}
358.7+05.1	SB 53	4042933568622953344	0.33	270.86890	-32.62374	19.8	...	...	...
358.7+05.2	H 1-50	4042891061192838400	0.70	270.97295	-32.69500	15.6	...	...	...
358.7+08.8	Pa 46	4044593693643693312	1.00	274.79702	-34.33849	18.7	0.107	0.189	...
358.8+01.2	MGE	4060102820566222080	0.56	264.46951	-29.22020	21.3	...	...	...
	358.8655+01.2862								
358.8+01.7	JaSt 5	4060288397548604160	0.53	263.96786	-28.97428	20.5	-0.506	0.833	7.60 ^{+2.22} _{-2.19}
358.8+04.0	Th 3-15	4059922328851552768	0.99	261.79441	-27.73268	19.1	1.964	0.429	...
358.8+04.1	SAWe 2	4059970363790649600	0.92	261.75150	-27.67610	20.4	...	...	...
358.8+06.0	MPA J1807-3254	4042759051082040960	0.58	271.84153	-32.90860	16.5	0.009	0.080	...
358.9+03.2	H 1-20	4061195563412585344	0.98	262.68254	-28.06857	20.0	...	...	...
358.9+03.4	H 1-19	4061211506326213760	0.68	262.51064	-27.98836	18.4	...	...	...
358.9+04.7	PHR J1724-2716	4108036407947330176	0.67	261.22755	-27.27306	20.3	...	...	...
358.9+00.7	M 1-26	4056786556015410816	0.98	266.49027	-30.20024	12.6	0.423	0.029	2.26 ^{+0.16} _{-0.14}
358.9+01.5	JaSt 65	4055974360527366272	0.27	267.33339	-30.60168	17.7	-1.169	0.566	...
358.9+01.9	MB 4403	4055764113306052608	0.94	267.71299	-30.86853	19.2	-0.752	0.471	...
358.9+02.1	PHR J1751-3059	4055764285137097728	0.93	267.91158	-30.99831	20.7	...	...	...
358.9+03.7	H 1-44	4043963707852231808	1.00	269.54434	-31.71557	18.6	0.481	0.270	8.50 ^{+2.88} _{-2.94}
359.0+02.8a	Kn 127	4061135949134377984	0.23	263.07691	-28.26190	17.2	0.052	0.079	...
359.0+03.9	Kn 126	4061424669711218304	0.87	262.02501	-27.65479	17.3	0.004	0.090	...
359.0+09.0	K 5-25	4112488399242497792	0.83	257.35735	-24.72103	16.2	0.071	0.053	...
359.0+04.1	M 3-48	4043780192529755520	0.27	269.98666	-31.90795	19.9	...	...	...
359.0+04.9	PHR J1803-3218	4042959407107886464	0.32	270.82107	-32.30677	20.3	...	...	...
359.1+15.1	Abell 40	4127291600965496320	1.00	252.14368	-21.01403	18.8	-0.033	0.220	5.44 ^{+1.39} _{-1.30}
359.1+02.3	M 3-16	4056131006637615488	0.50	268.19186	-30.82643	17.1	0.015	0.113	5.17 ^{+1.11} _{-1.00}
359.2+04.7	Th 3-14	4109555589418641408	0.65	261.43367	-26.96334	15.3	0.064	0.037	11.45 ^{+3.32} _{-2.70}
359.2+03.1	PHR J1756-3112	4044074140098515840	0.84	269.12009	-31.21073	19.8	...	...	...
359.2+33.5	Hen 3-1863	6680314483486887552	1.00	304.86959	-41.52434	10.7	0.336	0.040	...
359.3+03.6	Al 2-E	4061439208263407616	0.24	262.56015	-27.50566	20.4	...	...	...
359.3+00.9	Hb 5	4056807274938145024	0.51	266.98401	-29.99424	17.7	...	...	...
359.3+01.8	M 3-44	4056355822397882880	0.52	267.82884	-30.39811	16.0	0.083	0.062	6.27 ^{+1.51} _{-1.25}
359.3+03.1	M 3-17	4044076167334983808	0.60	269.10688	-31.07147	16.2	0.195	0.062	6.18 ^{+2.49} _{-1.68}
359.4+03.2a	CTIOJ175709.24-310503.8	4044065099116926976	0.53	269.28859	-31.08428	19.5	1.531	0.818	...
359.4+03.3	PHR J1757-3106	4044067061987628032	0.70	269.46543	-31.10301	17.5	-0.007	0.142	...
359.4+03.4	H 2-33	4044019130131217408	0.78	269.55225	-31.13511	18.8	-0.894	0.407	8.28 ^{+2.62} _{-2.44}
359.4+05.6	BMP J1807-3215	4043004693207939584	0.37	271.77936	-32.25613	17.6	0.422	0.118	...
359.4+06.3	PPA J1809-3233	4042752973769893504	0.94	272.47010	-32.56233	17.1	0.130	0.079	...
359.4+08.5	SB 55	4044653651432842752	1.00	274.86079	-33.61864	15.8	0.166	0.059	6.62 ^{+2.13} _{-1.65}
359.5+01.2	JaSt 66	4056429038638084736	0.99	267.34209	-29.99097	20.3	-0.272	0.945	8.42 ^{+2.65} _{-2.62}
359.6+02.2	Al 2-K	4060495277524140504	0.92	264.05911	-28.01286	19.2	0.696	0.363	...
359.6+04.8	H 2-36	4043846678596007168	0.50	271.03227	-31.65304	19.1	0.308	0.332	6.92 ^{+2.02} _{-2.00}
359.7+06.0	BMP J1721-2554	4109913205565555072	0.99	260.49193	-25.90677	19.3	0.434	0.301	...
359.7+01.4	JaSt 73	4056423373608448000	0.44	267.69925	-29.88721	17.8	-0.127	0.137	22.64 ^{+7.59} _{-7.18}
359.7+01.7	RPZM 43	4056393407631404416	0.60	267.95338	-30.04274	18.0	0.058	0.153	...
359.7+01.8	M 3-45	4056389975989346816	0.58	268.02484	-30.08727	17.7	0.135	0.126	5.02 ^{+1.47} _{-1.25}

Table A.1: continued.

PN G	PN name	<i>Gaia</i> source ID	reliability	RA (deg)	Dec (deg)	G (mag)	ω (mas)	σ_ω (mas)	distance (kpc)
359.7–02.6	H 1-40	4056120934862926848	0.56	268.90021	–30.55902	15.9	–1.344	0.326	$9.82^{+2.93}_{-2.68}$
359.7–04.4a	PPA J1802-3124	4043892067774459264	0.40	270.62622	–31.40457	19.5	–0.138	0.462	...
359.7–05.0	PHR J1805-3140	4043098907643388928	0.85	271.37581	–31.67117	17.1	0.051	0.102	...
359.8+02.4	Th 3-33	4060520527559308800	0.99	263.95053	–27.72234	19.3	...	...	...
359.8+03.5	PHR J1731-2709	4061545139294728448	0.84	262.94898	–27.15521	20.8	...	...	...
359.8+03.7	Th 3-25	4061467932992418304	0.47	262.69470	–27.09997	18.1	0.172	0.220	$8.00^{+2.53}_{-2.45}$
359.8+05.2	Terz N 19	4109665712365779968	0.86	261.34842	–26.19806	19.0	–1.284	0.353	...
359.8+05.6	M 2-12	4109870908774509184	0.96	261.00612	–25.98981	14.2	0.170	0.032	$5.20^{+1.02}_{-0.75}$
359.8–07.2	M 2-32	4045707288433971072	0.99	273.71084	–32.61535	15.6	–0.052	0.065	$9.19^{+1.77}_{-1.62}$
359.9+05.1	M 3-9	4109665059557150592	1.00	261.43071	–26.19874	17.7	0.653	0.131	$1.93^{+0.75}_{-0.44}$
359.9–01.8	MPA J1752-2953	4056399076974094208	0.60	268.20472	–29.88356	19.2	–0.710	0.701	...
359.9–04.5	M 2-27	4043876228021661696	0.63	270.96905	–31.29643	17.9	...	...	...
359.9–05.4	KFL 9	4049041248260620800	0.90	271.83060	–31.71563	18.0	–0.294	0.275	...
359.9–07.4	SB 56	4045704990671786112	0.53	273.88528	–32.63350	17.4	0.170	0.125	...
J16	...	4688984022393506432	1.00	12.90273	–72.53528	20.4	–0.454	0.628	...