DESY 21–008
DO–TH 21/03
TTP 21–008
RISC Report Series 21-06
SAGEX 21–02–E
May 2021

arXiv:2105.09572v1 [hep-ph] 20 May 2021

The Logarithmic Contributions to the Polarized $O(\alpha_s^3)$ Asymptotic Massive Wilson Coefficients and Operator Matrix Elements in Deeply Inelastic Scattering

J. Blümlein[a], A. De Freitas[a], M. Saragnese[a], C. Schneider[c]
and K. Schönwald[a,b],

[a] *Deutsches Elektronen Synchrotron, DESY,*
Platanenallee 6, D–15738 Zeuthen, Germany

[b] *Institut für Theoretische Teilchenphysik Campus Süd,*
Karlsruher Institut für Technologie (KIT) D-76128 Karlsruhe, Germany

[c] *Johannes Kepler University Linz, Research Institute for Symbolic Computation (RISC),*
Altenberger Straße 69, A–4040, Linz, Austria

Abstract

We compute the logarithmic contributions to the polarized massive Wilson coefficients for deep-inelastic scattering in the asymptotic region $Q^2 \gg m^2$ to 3-loop order in the fixed-flavor number scheme and present the corresponding expressions for the polarized massive operator matrix elements needed in the variable flavor number scheme. The calculation is performed in the Larin scheme. For the massive operator matrix elements $A_{qq,Q}^{(3),\rm PS}$ and $A_{qg,Q}^{(3),\rm S}$ the complete results are presented. The expressions are given in Mellin-N space and in momentum fraction z-space.

1 Introduction

At leading twist the scaling violations of deeply–inelastic structure functions obtain corrections from the massless scale evolution of the parton densities, the massive Wilson coefficients, and target–mass corrections, cf. [1], provided that the electroweak radiative corrections are properly removed [2–4]. At low scales of the virtuality $Q^2 = -q^2$, all kind of other dynamical contributions, such as dynamical higher twist effects, particular small-x effects, with x the Bjorken variable, and particular hadronic contributions due to vector meson dominance etc. are present. For these reasons one usually applies respective cuts of the kind $Q^2 > 10$ GeV$^2, W^2 = Q^2(1-x)/x > 15$ GeV^2 [5] to eliminate these effects in order to obtain clean twist–2 data for which a dedicated QCD analysis is going to be performed. The target mass effects can be accounted for analytically [1, 6–8]. Furthermore, for a precision measurement of the strong coupling constant $\alpha_s(M_Z^2) = g_s^2/(4\pi)$, one should use targets with no or only soft nuclear binding, such as the case for p and d targets. In the latter case still nuclear corrections have to be performed.

Under these circumstances the largest source of scaling violations next to the massless higher order corrections are implied by the heavy quark corrections, in the form of single and two–mass corrections. Both in the unpolarized and polarized cases the scaling violations due to the heavy flavor Wilson coefficients turn out to be different from those of the massless corrections in very wide kinematic regions covered by the present experiments. Therefore, one can not model these effects by just adding more quasi–massless flavors in massless higher order corrections. In the future analysis of the polarized structure functions[1] at the EIC operating at high luminosity [10] these corrections are important for precision measurements of the strong coupling constant [11] and the charm quark mass, cf. [12].

In the polarized case, the leading order corrections were derived in [13,14], the next-to-leading order (NLO) asymptotic corrections in [15–18], the complete NLO corrections in analytic form for the non-singlet and pure singlet corrections in [15, 19, 20] and numerically in [21]. At 3–loop order, the massive operator matrix elements (OMEs) for the non-singlet $A_{qq,Q}^{(3),\rm NS}$, pure singlet $A_{Qq}^{(3),\rm PS}$, and the OME $A_{gq,Q}^{(3)}$ have been calculated in [22–24]. Furthermore, two-mass corrections to different OMEs at 3–loop order were calculated in [24–27]. The 3–loop heavy flavor non–singlet contributions at leading twist to the structure functions $g_1(x,Q^2)$ and $g_2(x,Q^2)$ were computed in [28]. Likewise, in the unpolarized case the leading order corrections were obtained in [29–34] at NLO in numerical form in [35] and in analytic form in the non-singlet and pure singlet cases in [19, 36, 37] and in the asymptotic case in [19, 36, 38–41]. At 3–loop order a series of moments has been computed in [42] for all massive OMEs. A series of 3–loop massive OMEs has been calculated in Refs. [22, 43–47] and first analytic results for $A_{Qg}^{(3)}$ have been given in [48]. Two-mass 3–loop corrections were calculated in Refs. [25, 49, 50].

In the present paper we calculate the 3–loop logarithmic corrections to the polarized massive OMEs A_{ij} both in Mellin N and momentum fraction z-space in the single mass case. These OMEs appear as building blocks of the variable flavor number scheme (VFNS) at 3–loop oder, through which the matching of parton distribution functions at N_F and $N_F + 1$ massless heavy flavors can be obtained [38]. Because of the close values of the heavy quark masses m_c and m_b two-mass decoupling has been considered and implemented in the VFNS in [18, 25, 51]. In the present paper we will consider the heavy quark masses in the on-shell scheme.[2] The OMEs determine also the polarized massive Wilson coefficients in the region of large virtualities $Q^2 \gg m_Q^2$, with m_Q the corresponding heavy quark mass $m_Q = m_c(m_b)$ of charm and bottom quarks, which we

[1] For a review on the theory and phenomenology of polarized deep–inelastic structure functions see Ref. [9].

[2] The transformation to the $\overline{\rm MS}$-scheme is straightforward.

derive for the structure function $g_1(x,Q^2)$. It turns out that all functions can either be expressed in terms of harmonic sums [52, 53] or harmonic polylogarithms [54]. The analytic continuation to z-space in Mellin-space evolution have been studied in [55, 56] in the case of harmonic sums. The expressions for the different OMEs and massive Wilson coefficients turn out to be rather long both in N and z space. As they are at present, they can be used to study the corrections at the logarithmic level and the expressions provide the frame for the final results.

The paper is organized as follows. In Section 2, we summarize the basic formalism. It widely follows the representation in the unpolarized case [57] and resumes the representations of the structure functions and the relations for the single mass variable flavor number scheme. We then present the complete polarized massive operator matrix elements (OMEs) $A_{qq,Q}^{(3),\rm PS}$ and $A_{qg,Q}^{(3),\rm S}$ beyond the logarithmic terms in Section 3. In Section 4 the polarized OME $A_{Qg}^{(3),\rm S}$ is given in N–space, followed by the expressions for the OMEs $A_{gg,Q}^{(3),\rm S}$ in Section 5. The OMEs $A_{qq,Q}^{(3),\rm NS}$, $A_{Qq}^{(3),\rm PS}$ and $A_{gq,Q}^{(3),\rm S}$ have already been published before in Refs. [22–24] in complete form. In Sections 6, 7 and 8 we present the polarized 3–loop Wilson coefficients $L_q^{\rm PS}$, $L_g^{\rm S}$, $H_{Qq}^{\rm PS}$ and $H_{Qg}^{\rm S}$. The logarithmic contributions can be represented in terms of harmonic sums and a large number of polynomials. Section 9 contains the conclusions. In Appendix A the corresponding expressions for the OMEs in momentum fraction z-space and in Appendix B the corresponding expressions for the polarized Wilson coefficients are presented. Here the yet unknown constant parts of the polarized massive OMEs $a_{Qg}^{(3)}$ and $a_{gg,Q}^{(3)}$ and the yet missing 3–loop polarized massless Wilson coefficients are left as symbols. In Refs. [22, 28] the flavor non–singlet contributions were presented in the $\overline{\rm MS}$ scheme to 3–loop order. For a consistent treatment, we present the transformation for the massive OME $A_{qq,Q}^{\rm NS}$ and the asymptotic massive Wilson coefficient L_q^{NS} in the Larin scheme in Appendix C.

2 The Formalism

The explicit expressions showing the principal structure of the different massive OMEs have been derived in Refs. [42, 57], as well as for the asymptotic massive Wilson coefficients. The different polarized massive OMEs obey the following expansion in the strong coupling constant

$$A_{ij}^{(k)} = \delta_{ij} + \sum_{l=1}^{\infty} a_s^l A_{ij}^{(l),k}, \tag{1}$$

with $a_s = \alpha_s/(4\pi)$, the indices $i,j = q,g$ label the partonic channels, and k denotes the different OMEs. Here and in the following we use the shorthand notations [42]

$$\hat{f}(N_F) = f(N_F+1) - f(N_F) \tag{2}$$

$$\tilde{f}(N_F) = \frac{1}{N_F} f(N_F). \tag{3}$$

The heavy flavor Wilson coefficients, accounting for the single mass contributions to the structure function $g_1(x,Q^2)$, are given by

$$\begin{aligned} L_{q,(1)}^{\rm NS,Q}(N_F+1) &= a_s^2 \Big[A_{qq,Q}^{(2),\rm NS}(N_F+1) + \hat{C}_{q,(1)}^{(2),\rm NS}(N_F) \Big] \\ &+ a_s^3 \Big[A_{qq,Q}^{(3),\rm NS}(N_F+1) + A_{qq,Q}^{(2),\rm NS}(N_F+1) C_{q,(1)}^{(1),\rm NS}(N_F+1) \\ &\quad + \hat{C}_{q,(1)}^{(3),\rm NS}(N_F) \Big], \end{aligned} \tag{4}$$

$$
\begin{aligned}
L_{q,(1)}^{\mathsf{PS}}(N_F+1) &= a_s^3\Big[A_{qq,Q}^{(3),\mathsf{PS}}(N_F+1) + A_{gq,Q}^{(2)}(N_F+1)\ \ N_F\tilde{C}_{g,(1)}^{(1)}(N_F+1) \\
&\quad + N_F\hat{\tilde{C}}_{q,(1)}^{(3),\mathsf{PS}}(N_F)\Big]\,, \qquad (5)\\
L_{g,(1)}^{\mathsf{S}}(N_F+1) &= a_s^2 A_{gg,Q}^{(1)}(N_F+1)N_F\tilde{C}_{g,(2,L)}^{(1)}(N_F+1) \\
&+ a_s^3\Big[A_{qg,Q}^{(3)}(N_F+1) + A_{gg,Q}^{(1)}(N_F+1)\ \ N_F\tilde{C}_{g,(2,L)}^{(2)}(N_F+1) \\
&\quad + A_{gg,Q}^{(2)}(N_F+1)\ \ N_F\tilde{C}_{g,(2,L)}^{(1)}(N_F+1) \\
&\quad + A_{Qg}^{(1)}(N_F+1)\ \ N_F\tilde{C}_{q,(2,L)}^{(2),\mathsf{PS}}(N_F+1) + N_F\hat{\tilde{C}}_{g,(2,L)}^{(3)}(N_F)\Big]\,, \qquad (6)\\
H_{q,(1)}^{\mathsf{PS}}(N_F+1) &= a_s^2\Big[A_{Qq}^{(2),\mathsf{PS}}(N_F+1) + \tilde{C}_{q,(2,L)}^{(2),\mathsf{PS}}(N_F+1)\Big] \qquad (7)\\
&+ a_s^3\Big[A_{Qq}^{(3),\mathsf{PS}}(N_F+1) + \tilde{C}_{q,(2,L)}^{(3),\mathsf{PS}}(N_F+1) \\
&\quad + A_{gq,Q}^{(2)}(N_F+1)\,\tilde{C}_{g,(2,L)}^{(1)}(N_F+1) + A_{Qq}^{(2),\mathsf{PS}}(N_F+1)\,C_{q,(2,L)}^{(1),\mathsf{NS}}(N_F+1)\Big]\,, \\
H_{g,(1)}^{\mathsf{S}}(N_F+1) &= a_s\Big[A_{Qg}^{(1)}(N_F+1) + \tilde{C}_{g,(2,L)}^{(1)}(N_F+1)\Big] \\
&+ a_s^2\Big[A_{Qg}^{(2)}(N_F+1) + A_{Qg}^{(1)}(N_F+1)\,C_{q,(2,L)}^{(1),\mathsf{NS}}(N_F+1) \\
&\quad + A_{gg,Q}^{(1)}(N_F+1)\,\tilde{C}_{g,(2,L)}^{(1)}(N_F+1) + \tilde{C}_{g,(2,L)}^{(2)}(N_F+1)\Big] \\
&+ a_s^3\Big[A_{Qg}^{(3)}(N_F+1) + A_{Qg}^{(2)}(N_F+1)\,C_{q,(2,L)}^{(1),\mathsf{NS}}(N_F+1) \\
&\quad + A_{gg,Q}^{(2)}(N_F+1)\,\tilde{C}_{g,(2,L)}^{(1)}(N_F+1) \\
&\quad + A_{Qg}^{(1)}(N_F+1)\Big\{C_{q,(2,L)}^{(2),\mathsf{NS}}(N_F+1) + \tilde{C}_{q,(2,L)}^{(2),\mathsf{PS}}(N_F+1)\Big\} \\
&\quad + A_{gg,Q}^{(1)}(N_F+1)\,\tilde{C}_{g,(2,L)}^{(2)}(N_F+1) + \tilde{C}_{g,(2,L)}^{(3)}(N_F+1)\Big]\,, \qquad (8)
\end{aligned}
$$

with $\beta_{0,Q} = -(4/3)T_F$. The QCD color factors are given by $C_A = N_c, C_F = (N_c^2-1)/(2N_c), T_F = 1/2$ for $SU(N_c)$ and $N_c = 3$. N_F denotes the number of massless flavors. Here the massive OMEs A_{ij} depend on m^2/μ^2 and the massless Wilson coefficients depend on Q^2/μ^2. Note that we extended the original notion in Refs. [38, 42].

The argument (N_F+1) in the massive OMEs signals that these functions depend on N_F massless and one massive flavor, while the setting of N_F in the massless Wilson coefficients is a functional one. The massless Wilson coefficients are labeled by $C_i^{(l),k}$, where i refers to the parton species and l to the expansion-order in the strong coupling constant. The massless Wilson coefficients are known to 2–loop order [20,58–61] and in the non–singlet case to 3–loop order [62].

In the present paper we express all relations in the Larin scheme [63,64], which is a consistent scheme also in the massive case. The anomalous dimensions were calculated to 2–loop order [65,66] and to 3–loop order in [67,68].

The twist–2 contributions to the structure function $g_1(x,Q^2)$ in the single mass case for pure virtual photon exchange[3] are given by

$$
\begin{aligned}
\frac{1}{x}g_1(x,Q^2) &= \sum_{k=1}^{N_F} e_k^2\Bigg\{ L_{q,(2,L)}^{\mathsf{NS}}\left(x,N_F+1,\frac{Q^2}{\mu^2},\frac{m^2}{\mu^2}\right)\otimes\Big[\Delta f_k(x,\mu^2,N_F) + \Delta f_{\overline{k}}(x,\mu^2,N_F)\Big] \\
&\quad + \frac{1}{N_F}L_{q,(2,L)}^{\mathsf{PS}}\left(x,N_F+1,\frac{Q^2}{\mu^2},\frac{m^2}{\mu^2}\right)\otimes\Delta\Sigma(x,\mu^2,N_F)
\end{aligned}
$$

[3]For the structure of electroweak gauge boson exchange see e.g. [6, 69].

$$+\frac{1}{N_F} L^{\mathsf{S}}_{g,(2,L)}\left(x, N_F+1, \frac{Q^2}{\mu^2}, \frac{m^2}{\mu^2}\right) \otimes \Delta G(x,\mu^2,N_F)\Bigg\}$$

$$+ \quad e_Q^2 \Bigg[H^{\mathsf{PS}}_{q,(2,L)}\left(x, N_F+1, \frac{Q^2}{\mu^2}, \frac{m^2}{\mu^2}\right) \otimes \Delta\Sigma(x,\mu^2,N_F)$$

$$+H^{\mathsf{S}}_{g,(2,L)}\left(x, N_F+1, \frac{Q^2}{\mu^2}, \frac{m^2}{\mu^2}\right) \otimes \Delta G(x,\mu^2,N_F)\Bigg] . \tag{9}$$

Here, the polarized quark and antiquark densities are denoted by Δf_k and $\Delta f_{\bar{k}}$, ΔG denotes the polarized gluon density and the polarized singlet distribution is given by

$$\Delta\Sigma = \sum_{k=1}^{N_F} \left[\Delta f_k + \Delta f_{\bar{k}}\right] . \tag{10}$$

The structure function $g_2(x,Q^2)$ at twist–2 is obtained by the Wandzura–Wilczek relation [6, 7, 69–71]

$$g_2(x,Q^2) \;=\; -g_1(x,Q^2) + \int_x^1 \frac{dz}{z} g_1(z,Q^2). \tag{11}$$

Besides the Wilson coefficients (4–8) the massive OMEs determine the relations of the matching of parton distributions in the VFNS at large enough scales μ^2, [38, 42]. Here, the PDFs for N_F+1 massless quarks are related to the former N_F massless quarks process independently. The corresponding relations to 3–loop order read, cf. also [38][4]

$$\begin{aligned}
\Delta f_k(N_F+1,\mu^2) + \Delta f_{\overline{k}}(N_F+1,\mu^2) &= A^{\mathsf{NS}}_{qq,Q}\Big(N_F,\frac{\mu^2}{m^2}\Big) \otimes \Delta\left[f_k(N_F,\mu^2) + \Delta f_{\overline{k}}(N_F,\mu^2)\right] \\
&\quad + \tilde{A}^{\mathsf{PS}}_{qq,Q}\Big(N_F,\frac{\mu^2}{m^2}\Big) \otimes \Delta\Sigma(N_F,\mu^2) \\
&\quad + \tilde{A}^{\mathsf{S}}_{qg,Q}\Big(N_F,\frac{\mu^2}{m^2}\Big) \otimes \Delta G(N_F,\mu^2) \qquad (12) \\
\Delta f_{Q+\bar{Q}}(N_F+1,\mu^2) &= A^{\mathsf{PS}}_{Qq}\Big(N_F,\frac{\mu^2}{m^2}\Big) \otimes \Delta\Sigma(N_F,\mu^2) + A^{\mathsf{S}}_{Qg}\Big(N_F,\frac{\mu^2}{m^2}\Big) \\
&\quad \otimes \Delta G(N_F,\mu^2) \qquad (13) \\
\Delta G(N_F+1,\mu^2) &= A^{\mathsf{S}}_{gq,Q}\Big(N_F,\frac{\mu^2}{m^2}\Big) \otimes \Delta\Sigma(N_F,\mu^2) + A^{S}_{gg,Q}\Big(N_F,\frac{\mu^2}{m^2}\Big) \\
&\quad \otimes \Delta G(N_F,\mu^2) \qquad (14) \\
\Delta\Sigma(N_F+1,\mu^2) &= \left[A^{\mathsf{NS}}_{qq,Q}\left(N_F,\frac{\mu^2}{m^2}\right) + N_F \tilde{A}^{\mathsf{PS}}_{qq,Q}\left(N_F,\frac{\mu^2}{m^2}\right) + A^{\mathsf{PS}}_{Qq}\left(N_F,\frac{\mu^2}{m^2}\right)\right] \\
&\quad \otimes \Delta\Sigma(N_F,\mu^2) \\
&\quad + \left[N_F \tilde{A}^{\mathsf{S}}_{qg,Q}\left(N_F,\frac{\mu^2}{m^2}\right) + A^{\mathsf{S}}_{Qg}\left(N_F,\frac{\mu^2}{m^2}\right)\right] \otimes \Delta G(N_F,\mu^2). \\
& \qquad (15)
\end{aligned}$$

The N_F-dependence of the OMEs is understood as functional and μ^2 denotes the matching scale, which for the heavy-to-light transitions is normally much larger than the mass scale m^2, [72]. The corresponding matching equations in the two–mass case are given in Ref. [25].

[4]Here, we have corrected some typographical errors in (13–15) in [38], in accordance with the appendix of Ref. [38].

The results of the calculations presented in the subsequent sections have been obtained making mutual use of the packages `HarmonicSums.m` [52–54, 56, 73, 74] and `Sigma.m` [75, 76], which is based on algorithms in difference-ring theory [77].

In the subsequent expressions we abbreviate the following logarithms by

$$L_Q = \ln\left(\frac{Q^2}{\mu^2}\right) \quad \text{and} \quad L_M = \ln\left(\frac{m^2}{\mu^2}\right) \;, \tag{16}$$

where we set the renormalization and factorization scales equal $\mu \equiv \mu_F = \mu_R$.

3 $A_{qq,Q}^{(3),\rm PS}$ and $A_{qg,Q}^{(3),\rm S}$

In what follows, the OMEs $A_{qq,Q}^{(3),\rm PS}$ and $A_{qg,Q}^{(3),\rm S}$ are presented in complete form in the following analytically, where the $O(\varepsilon^0)$ contribution to the unrenormalized OMEs, $a_{ij,Q}^{(3)}$, are given separately. Up to 3–loop order the massive OMEs $A_{qq,Q}^{\rm PS}$ and $A_{qg,Q}^{\rm S}$ do not yet receive double mass contributions. The OMEs are expressed in terms of harmonic sums [52, 53] $S_{\vec{a}}(N) \equiv S_{\vec{a}}$, which are defined by

$$S_{b,\vec{a}}(N) \;=\; \sum_{k=1}^{N} \frac{(\mathrm{sign}(b))^k}{k^{|b|}} S_{\vec{a}}(k), \quad S_\emptyset = 1, b, a_i \in \mathbb{Z}\backslash\{0\}. \tag{17}$$

The OME $A_{qq,Q}^{PS(3)}$ is given by

$$\begin{aligned}
A_{qq,Q}^{PS(3)} \;=\; & a_s^3 \Bigg\{ a_{qq,Q}^{PS(3)} + C_F N_F T_F^2 \Bigg\{ -\frac{32 L_M^3 (N-1)(2+N)}{9N^2(1+N)^2} \\
& + \frac{32(N-1)(2+N)\big(98+369N+408N^2+164N^3\big)}{81N^2(1+N)^5} \\
& + L_M^2 \left[-\frac{32(2+N)\big(3+4N-3N^2+8N^3\big)}{9N^3(1+N)^3} + \frac{32(N-1)(2+N)}{3N^2(1+N)^2} S_1 \right] \\
& + L_M \left[-\frac{32(2+N)P_1}{27N^4(1+N)^4} + \frac{64(2+N)\big(3+4N-3N^2+8N^3\big)}{9N^3(1+N)^3} S_1 \right. \\
& \left. - \frac{32(N-1)(2+N)}{3N^2(1+N)^2} S_1^2 - \frac{32(N-1)(2+N)}{3N^2(1+N)^2} S_2 \right] \\
& + \left[-\frac{32(N-1)(2+N)\big(22+41N+28N^2\big)}{27N^2(1+N)^4} - \frac{16(N-1)(2+N)S_2}{3N^2(1+N)^2} \right] S_1 \\
& + \frac{16(N-1)(2+N)(2+5N)}{9N^2(1+N)^3} (S_1^2 + S_2) - \frac{16(N-1)(2+N)}{9N^2(1+N)^2} (S_1^3 + 2S_3) \\
& + \left[\frac{16(2+N)\big(3+2N-6N^2+13N^3\big)}{9N^3(1+N)^3} - \frac{32(N-1)(2+N)S_1}{3N^2(1+N)^2} \right] \zeta_2 \\
& \left. + \frac{32(N-1)(2+N)}{9N^2(1+N)^2} \zeta_3 \right\} \Bigg\},
\end{aligned} \tag{18}$$

with

$$P_1 = 86N^5 + 38N^4 + 40N^3 - 8N^2 - 15N - 9. \tag{19}$$

Here $\zeta_k, \quad k \geq 2, k \in \mathbb{N}$ denotes the Riemann ζ function at integer arguments.

Likewise, the OME $A_{qg,Q}^{(3)}$ is obtained by

$$
\begin{aligned}
A_{qg,Q}^{(3)} &= a_s^3 \Bigg\{ a_{qg,Q}^{(3)} + C_A N_F T_F^2 \Bigg\{ -\frac{8(N-1)P_8}{81N^5(1+N)^5} + L_M^3 \left[-\frac{64(N-1)}{9N^2(1+N)^2} + \frac{32(N-1)}{9N(1+N)} S_1 \right] \\
&+ L_M^2 \left[\frac{8P_4}{9N^3(1+N)^3} + \frac{32\big(1+5N^2\big)}{9N(1+N)^2} S_1 - \frac{16(N-1)}{3N(1+N)} (S_1^2 + S_2) - \frac{32(N-1)}{3N(1+N)} S_{-2} \right] \\
&+ L_M \left[\frac{16P_7}{27N^4(1+N)^4} + \left[\frac{16\big(-1+44N+67N^2+94N^3\big)}{27N(1+N)^3} - \frac{16(N-1)S_2}{3N(1+N)} \right] S_1 \right. \\
&- \frac{32\big(-2+5N^2\big)}{9N(1+N)^2} S_1^2 + \frac{16(N-1)}{9N(1+N)} S_1^3 - \frac{32\big(-2+6N+5N^2\big)}{9N(1+N)^2} S_2 + \frac{32(N-1)}{9N(1+N)} S_3 \\
&\left. - \frac{64(-2+5N)}{9N(1+N)} S_{-2} + \frac{64(N-1)}{3N(1+N)} S_{-3} + \frac{64(N-1)}{3N(1+N)} S_{2,1} \right] \\
&- \frac{16(N-1)\big(283+584N+328N^2\big)}{81N(1+N)^3} S_1 - \frac{8(N-1)}{3N(1+N)^2} S_1^2 + \frac{8(N-1)(1+2N)}{3N(1+N)^2} S_2 \\
&+ \left[-\frac{8P_3}{9N^3(1+N)^3} - \frac{32\big(-2+5N^2\big)}{9N(1+N)^2} S_1 + \frac{8(N-1)S_1^2}{3N(1+N)} \right. \\
&\left. + \frac{8(N-1)S_2}{3N(1+N)} + \frac{16(N-1)S_{-2}}{3N(1+N)} \right] \zeta_2 + \left[\frac{64(N-1)}{9N^2(1+N)^2} - \frac{32(N-1)S_1}{9N(1+N)} \right] \zeta_3 \Bigg\} \\
&+ C_F N_F T_F^2 \Bigg\{ -\frac{(N-1)P_{10}}{81N^6(1+N)^6} + L_M^3 \left[\frac{8(N-1)P_2}{9N^3(1+N)^3} - \frac{32(N-1)}{9N(1+N)} S_1 \right] \\
&+ L_M^2 \left[\frac{4(N-1)P_6}{9N^4(1+N)^4} - \frac{32(N-1)(3+5N)}{9N^2(1+N)} S_1 + \frac{16(N-1)}{3N(1+N)} (S_1^2 + S_2) \right] \\
&+ L_M \left[\frac{4P_9}{27N^5(1+N)^5} + \left[-\frac{16\big(-24-52N+103N^2\big)}{27N^2(1+N)} - \frac{16(N-1)}{3N(1+N)} S_2 \right] S_1 \right. \\
&+ \frac{16(N-1)(3+10N)}{9N^2(1+N)} S_1^2 - \frac{16(N-1)}{9N(1+N)} S_1^3 + \frac{16\big(-3+5N+10N^2\big)}{9N^2(1+N)} S_2 \\
&\left. + \frac{64(N-1)}{9N(1+N)} S_3 \right] + \frac{5248(N-1)S_1}{81N(1+N)} - \frac{896(N-1)S_2}{27N(1+N)} + \frac{160(N-1)S_3}{9N(1+N)} \\
&- \frac{32(N-1)}{3N(1+N)} S_4 + \left[-\frac{4(N-1)P_5}{9N^4(1+N)^4} + \frac{16(N-1)(3+10N)}{9N^2(1+N)} S_1 \right. \\
&\left. \left. - \frac{8(N-1)S_1^2}{3N(1+N)} - \frac{8(N-1)S_2}{N(1+N)} \right] \zeta_2 + \left[-\frac{8(N-1)P_2}{9N^3(1+N)^3} + \frac{32(N-1)S_1}{9N(1+N)} \right] \zeta_3 \Bigg\} \Bigg\}, \qquad (20)
\end{aligned}
$$

with the polynomials

$$
\begin{aligned}
P_2 &= 3N^4 + 6N^3 - N^2 - 4N + 12, &(21)\\
P_3 &= 6N^5 + 6N^4 - 67N^3 + 6N^2 + 43N - 18, &(22)\\
P_4 &= 9N^5 + 9N^4 - 79N^3 + 15N^2 + 22N - 24, &(23)\\
P_5 &= 18N^6 + 54N^5 + 5N^4 - 20N^3 + 95N^2 - 132N - 108, &(24)\\
P_6 &= 33N^6 + 99N^5 + 41N^4 - 11N^3 + 86N^2 - 216N - 144, &(25)
\end{aligned}
$$

$$P_7 = 99N^7 + 198N^6 - 410N^5 - 344N^4 + 128N^3 - 130N^2 - 39N + 90, \tag{26}$$

$$P_8 = 255N^8 + 1020N^7 - 532N^6 - 4536N^5 - 4344N^4 - 1138N^3 + 3N^2 + 36N + 108, \tag{27}$$

$$P_9 = 159N^9 + 477N^8 - 220N^7 - 710N^6 + 117N^5 - 1081N^4 + 2536N^3 + 1026N^2 - 1800N - 1080, \tag{28}$$

$$P_{10} = 1551N^{10} + 7755N^9 + 10982N^8 + 1910N^7 + 2427N^6 + 14975N^5 + 13952N^4 - 1488N^3 - 7488N^2 - 6912N - 2592. \tag{29}$$

The $O(\varepsilon^0)$ parts of the unrenormalized massive OMEs, $a_{qq,Q}^{(3),\rm PS}$ and $a_{qg,Q}^{(3)}$ are given by

$$\begin{aligned} a_{qq,Q}^{(3),\rm PS} &= C_F T_F^2 N_F \left\{ \frac{32(2+N)R_2}{243N^5(1+N)^5} + \left(-\frac{64(2+N)R_1}{81N^4(1+N)^4} - \frac{128(N-1)(2+N)}{9N^2(1+N)^2} S_2 \right) S_1 \right. \\ &+ \frac{64(2+N)\big(3+2N-6N^2+13N^3\big)}{27N^3(1+N)^3}[S_1^2+S_2] - \frac{128(N-1)(2+N)}{27N^2(1+N)^2}[S_1^3+2S_3] \\ &+ \left(\frac{16(2+N)\big(3+2N-6N^2+13N^3\big)}{9N^3(1+N)^3} - \frac{32(N-1)(2+N)}{3N^2(1+N)^2} S_1 \right) \zeta_2 \\ &\left. - \frac{224(N-1)(2+N)}{9N^2(1+N)^2} \zeta_3 \right\} \end{aligned} \tag{30}$$

$$\begin{aligned} a_{qg,Q}^{(3)} &= C_F T_F^2 N_F \\ &\times \left\{ \frac{112(N-1)R_3}{9N^3(1+N)^3}\zeta_3 - \frac{8(N-1)R_6}{9N^4(1+N)^4}\zeta_2 - \frac{16R_8}{243N^6(1+N)^6} + \frac{(N-1)(3+10N)}{N^2(1+N)} \right. \\ &\times \left(\frac{32}{81}S_1^3 + \frac{32}{27}S_1S_2 + \frac{32}{9}S_1\zeta_2 \right) + \frac{N-1}{N(1+N)} \left(-\frac{8}{27}S_1^4 - \frac{16}{9}S_1^2S_2 - \frac{8}{9}S_2^2 - \frac{64}{27}S_1S_3 \right. \\ &\left. - \frac{80}{9}S_4 - 16\left(\frac{1}{3}S_1^2 + S_2\right)\zeta_2 - \frac{448}{9}S_1\zeta_3 \right) - \frac{32\big(420+2399N-555N^2-2507N^3\big)}{243N^2(1+N)^2} \\ &\times S_1 - \frac{16\big(-24-164N+215N^2\big)}{81N^2(1+N)}S_1^2 - \frac{16\big(-8-148N+221N^2\big)}{27N^2(1+N)}S_2 \\ &\left. + \frac{64(-3+5N)(1+8N)}{81N^2(1+N)}S_3 \right\} \\ &+ C_A T_F^2 N_F \left\{ -\frac{32R_4}{243N(1+N)^4}S_1 - \frac{16R_5}{9N^3(1+N)^3}\zeta_2 - \frac{32R_7}{243N^5(1+N)^5} + \frac{-2+5N^2}{N(1+N)^2} \right. \\ &\times \left(-\frac{64}{81}S_1^3 + \frac{64}{27}S_1S_2 - \frac{128}{81}S_3 - \frac{256}{27}S_{2,1} - \frac{64}{9}S_1\zeta_2 \right) + \frac{N-1}{N(1+N)} \left(\left(-\frac{320}{27}S_3 \right. \right. \\ &\left. \left. + \frac{128}{9}S_{2,1} \right) S_1 + \frac{8}{27}S_1^4 - \frac{16}{9}S_1^2S_2 + \frac{8}{9}S_2^2 + \frac{112}{9}S_4 + \frac{256}{9}S_{-4} + \frac{256}{9}S_{3,1} - \frac{128}{9}S_{2,1,1} \right. \\ &\left. + \left(\frac{16}{3}[S_2+S_1^2] + \frac{32}{3}S_{-2} \right)\zeta_2 + \frac{448}{9}S_1\zeta_3 \right) + \frac{16\big(-59-68N+125N^2+206N^3\big)}{81N(1+N)^3}S_1^2 \\ &\left. - \frac{16\big(131+26N-509N^2-332N^3\big)}{81N(1+N)^3}S_2 - \frac{256}{9(1+N)^2}S_3 - \frac{64(7-11N)(10+11N)}{81N(1+N)^2} \right. \end{aligned}$$

$$\times S_{-2} - \frac{256(-2+5N)}{27N(1+N)} S_{-3} - \frac{896(N-1)}{9N^2(1+N)^2}\zeta_3 \Bigg\}, \tag{31}$$

with

$$\begin{aligned}
R_1 &= 142N^5 + 64N^4 + 2N^3 - 52N^2 - 15N - 9, && (32)\\
R_2 &= 1648N^7 + 2444N^6 + 777N^5 - 1091N^4 - 106N^3 + 201N^2 + 72N + 27 && (33)\\
R_3 &= 3N^4 + 6N^3 - N^2 - 4N + 12, && (34)\\
R_4 &= 2228N^4 + 3601N^3 + 669N^2 - 2191N - 1055, && (35)\\
R_5 &= 6N^5 + 6N^4 - 67N^3 + 6N^2 + 43N - 18, && (36)\\
R_6 &= 18N^6 + 54N^5 + 5N^4 - 20N^3 + 95N^2 - 132N - 108, && (37)\\
R_7 &= 2040N^9 + 6120N^8 - 4816N^7 - 16208N^6 - 1776N^5 + 7268N^4 + 2443N^3 + 756N^2 \\
&\quad -225N - 810, && (38)\\
R_8 &= 2322N^{11} + 9288N^{10} + 5975N^9 - 11499N^8 - 7124N^7 + 4346N^6 + 522N^5 \\
&\quad -20360N^4 - 12027N^3 + 5193N^2 + 11880N + 4860. && (39)
\end{aligned}$$

4 $A_{Qg}^{(3),\mathrm{S}}$

The logarithmic contributions to the massive OME $A_{Qg}^{(3),\mathrm{S}}$ are given by

$$\begin{aligned}
A_{Qg} &= -a_s \frac{4L_M(N-1)}{N(1+N)} T_F + a_s^2 \Bigg\{ -\frac{16L_M^2(N-1)T_F^2}{3N(1+N)} \\
&+C_F T_F \Bigg\{ \frac{2P_{95}}{N^4(1+N)^4(2+N)} + L_M^2 \left[\frac{2(N-1)\big(2+3N+3N^2\big)}{N^2(1+N)^2} - \frac{8(N-1)S_1}{N(1+N)} \right] \\
&+L_M \left[-\frac{4(N-1)P_{23}}{N^3(1+N)^3} + \frac{16(N-1)S_1}{N^2(1+N)} - \frac{8(N-1)S_1^2}{N(1+N)} + \frac{8(N-1)S_2}{N(1+N)} \right] \\
&+\left[\frac{4\big(-36-22N-2N^2+N^3\big)}{N^2(1+N)(2+N)} - \frac{4(N-1)S_2}{N(1+N)} \right] S_1 + \frac{4\big(-2+3N+3N^2\big)}{N^2(1+N)(2+N)} S_1^2 \\
&-\frac{4(N-1)S_1^3}{3N(1+N)} + \frac{4P_{16}}{N^2(1+N)^2(2+N)} S_2 + \frac{16(N-1)S_3}{3N(1+N)} \Bigg\} \\
&+C_A T_F \Bigg\{ \frac{4P_{92}}{N^4(1+N)^4(2+N)} + L_M^2 \left[-\frac{16(N-1)}{N^2(1+N)^2} + \frac{8(N-1)S_1}{N(1+N)} \right] \\
&+L_M \left[-\frac{8P_{43}}{N^3(1+N)^3} - \frac{32S_1}{N(1+N)^2} + \frac{8(N-1)S_1^2}{N(1+N)} + \frac{8(N-1)S_2}{N(1+N)} \right. \\
&\left. +\frac{16(N-1)S_{-2}}{N(1+N)} \right] + \left[-\frac{4P_{14}}{N(1+N)^3(2+N)} + \frac{12(N-1)S_2}{N(1+N)} \right] S_1 \\
&-\frac{4\big(5+4N+N^2\big)}{N(1+N)^2(2+N)} S_1^2 + \frac{4(N-1)S_1^3}{3N(1+N)} - \frac{4\big(-16+15N+24N^2+7N^3\big)}{N^2(1+N)^2(2+N)} S_2 \\
&+\frac{32(N-1)S_3}{3N(1+N)} + \left[\frac{16(N-1)}{N(1+N)^2} + \frac{16(N-1)S_1}{N(1+N)} \right] S_{-2} + \frac{8(N-1)S_{-3}}{N(1+N)} \\
&-\frac{16(N-1)S_{-2,1}}{N(1+N)} \Bigg\} \Bigg\} + a_s^3 \Bigg\{ a_{Qg}^{(3)} + C_A T_F^2 \Bigg\{ \frac{8P_{106}}{81N^5(1+N)^5(2+N)}
\end{aligned}$$

$$+L_M^3\left[-\frac{448(N-1)}{9N^2(1+N)^2}+\frac{224(N-1)S_1}{9N(1+N)}\right]+L_M^2\left[-\frac{8P_{53}}{9N^3(1+N)^3}\right.$$
$$\left.+\frac{32\big(-23+5N^2\big)}{9N(1+N)^2}S_1+\frac{16(N-1)S_1^2}{N(1+N)}+\frac{16(N-1)S_2}{N(1+N)}+\frac{32(N-1)S_{-2}}{N(1+N)}\right]$$
$$+L_M\left[\frac{16P_{97}}{27N^4(1+N)^4(2+N)}+\left[\frac{16P_{39}}{27N(1+N)^3(2+N)}\right.\right.$$
$$\left.+\frac{80(N-1)S_2}{3N(1+N)}\right]S_1-\frac{32\big(11+10N+13N^2+5N^3\big)}{9N(1+N)^2(2+N)}S_1^2+\frac{16(N-1)S_1^3}{3N(1+N)}$$
$$-\frac{32P_{25}}{9N^2(1+N)^2(2+N)}S_2+\frac{32(N-1)S_3}{N(1+N)}+\left[-\frac{64\big(4-3N+5N^2\big)}{9N(1+N)^2}\right.$$
$$\left.\left.+\frac{128(N-1)S_1}{3N(1+N)}\right]S_{-2}+\frac{128(N-1)S_{-3}}{3N(1+N)}+\frac{64(N-1)S_{2,1}}{3N(1+N)}-\frac{128(N-1)S_{-2,1}}{3N(1+N)}\right]$$
$$+\left[-\frac{16P_{60}}{81N(1+N)^4(2+N)}-\frac{32\big(-13+3N^2\big)}{3N(1+N)^2(2+N)}S_2-\frac{640(N-1)S_3}{9N(1+N)}\right.$$
$$\left.+\frac{256(N-1)S_{-2,1}}{3N(1+N)}\right]S_1+\left[\frac{8P_{18}}{3N(1+N)^3(2+N)}-\frac{80(N-1)S_2}{3N(1+N)}\right]S_1^2$$
$$+\frac{32\big(5+4N+N^2\big)}{9N(1+N)^2(2+N)}S_1^3-\frac{8(N-1)S_1^4}{9N(1+N)}+\frac{8P_{66}}{3N^3(1+N)^3(2+N)}S_2-\frac{8(N-1)S_2^2}{3N(1+N)}$$
$$+\frac{256\big(-6+8N+7N^2+N^3\big)}{9N^2(1+N)^2(2+N)}S_3-\frac{48(N-1)S_4}{N(1+N)}+\left[\frac{128\big(3+N^2\big)}{3N(1+N)^3}\right.$$
$$\left.-\frac{256(N-1)S_1}{3N(1+N)^2}-\frac{128(N-1)S_1^2}{3N(1+N)}-\frac{128(N-1)S_2}{3N(1+N)}\right]S_{-2}$$
$$+\left[-\frac{128(N-1)}{3N(1+N)^2}-\frac{128(N-1)S_1}{3N(1+N)}\right]S_{-3}-\frac{64(N-1)S_{-4}}{3N(1+N)}+\frac{64(N-1)S_{3,1}}{3N(1+N)}$$
$$+\frac{256(N-1)S_{-2,1}}{3N(1+N)^2}+\frac{128(N-1)S_{-2,2}}{3N(1+N)}+\frac{128(N-1)S_{-3,1}}{3N(1+N)}+\frac{64(N-1)S_{2,1,1}}{3N(1+N)}$$
$$-\frac{256(N-1)S_{-2,1,1}}{3N(1+N)}+\left[\frac{4P_{56}}{9N^3(1+N)^3}-\frac{160(-2+N)(2+N)S_1}{9N(1+N)^2}\right.$$
$$\left.-\frac{40(N-1)S_1^2}{3N(1+N)}-\frac{40(N-1)S_2}{3N(1+N)}-\frac{80(N-1)S_{-2}}{3N(1+N)}\right]\zeta_2+\left[\frac{448(N-1)}{9N^2(1+N)^2}\right.$$
$$\left.\left.-\frac{224(N-1)S_1}{9N(1+N)}\right]\zeta_3\right\}+C_AN_FT_F^2\left\{\frac{16P_{102}}{3N^5(1+N)^5(2+N)}+L_M^3\left[-\frac{64(N-1)}{9N^2(1+N)^2}\right.\right.$$
$$\left.+\frac{32(N-1)S_1}{9N(1+N)}\right]+L_M^2\left[-\frac{8P_{48}}{9N^3(1+N)^3}-\frac{32\big(1+5N^2\big)}{9N(1+N)^2}S_1+\frac{16(N-1)S_1^2}{3N(1+N)}\right.$$
$$\left.+\frac{16(N-1)S_2}{3N(1+N)}+\frac{32(N-1)S_{-2}}{3N(1+N)}\right]+L_M\left[\frac{8P_{98}}{27N^4(1+N)^4(2+N)}\right.$$
$$+\left[\frac{16P_{36}}{27N(1+N)^3(2+N)}+\frac{32(N-1)S_2}{3N(1+N)}\right]S_1-\frac{16\big(7+8N+23N^2+10N^3\big)}{9N(1+N)^2(2+N)}S_1^2$$
$$\left.+\frac{32(N-1)S_1^3}{9N(1+N)}-\frac{16P_{29}}{9N^2(1+N)^2(2+N)}S_2+\frac{160(N-1)S_3}{9N(1+N)}+\left[-\frac{64\big(1+5N^2\big)}{9N(1+N)^2}\right.\right.$$

$$+\frac{64(N-1)S_1}{3N(1+N)}\Bigg]S_{-2}+\frac{32(N-1)S_{-3}}{N(1+N)}+\frac{64(N-1)S_{2,1}}{3N(1+N)}-\frac{64(N-1)S_{-2,1}}{3N(1+N)}\Bigg]$$
$$+\Bigg[-\frac{16P_{45}}{3N(1+N)^4(2+N)}-\frac{16\big(-13+3N^2\big)}{3N(1+N)^2(2+N)}S_2-\frac{320(N-1)S_3}{9N(1+N)}$$
$$+\frac{128(N-1)S_{-2,1}}{3N(1+N)}\Bigg]S_1+\Bigg[\frac{8P_{13}}{3N(1+N)^3(2+N)}-\frac{40(N-1)S_2}{3N(1+N)}\Bigg]S_1^2$$
$$+\frac{16\big(5+4N+N^2\big)}{9N(1+N)^2(2+N)}S_1^3-\frac{4(N-1)S_1^4}{9N(1+N)}+\frac{8P_{62}}{3N^3(1+N)^3(2+N)}S_2$$
$$-\frac{4(N-1)S_2^2}{3N(1+N)}+\frac{128\big(-6+8N+7N^2+N^3\big)}{9N^2(1+N)^2(2+N)}S_3-\frac{24(N-1)S_4}{N(1+N)}$$
$$+\Bigg[\frac{64\big(3+N^2\big)}{3N(1+N)^3}-\frac{128(N-1)S_1}{3N(1+N)^2}-\frac{64(N-1)S_1^2}{3N(1+N)}-\frac{64(N-1)S_2}{3N(1+N)}\Bigg]S_{-2}$$
$$+\Bigg[-\frac{64(N-1)}{3N(1+N)^2}-\frac{64(N-1)S_1}{3N(1+N)}\Bigg]S_{-3}-\frac{32(N-1)S_{-4}}{3N(1+N)}+\frac{32(N-1)S_{3,1}}{3N(1+N)}$$
$$+\frac{128(N-1)S_{-2,1}}{3N(1+N)^2}+\frac{64(N-1)S_{-2,2}}{3N(1+N)}+\frac{64(N-1)S_{-3,1}}{3N(1+N)}+\frac{32(N-1)S_{2,1,1}}{3N(1+N)}$$
$$-\frac{128(N-1)S_{-2,1,1}}{3N(1+N)}+\Bigg[\frac{4P_{49}}{9N^3(1+N)^3}+\frac{16\big(7+5N^2\big)}{9N(1+N)^2}S_1-\frac{16(N-1)S_1^2}{3N(1+N)}$$
$$-\frac{16(N-1)S_2}{3N(1+N)}-\frac{32(N-1)S_{-2}}{3N(1+N)}\Bigg]\zeta_2+\Bigg[\frac{64(N-1)}{9N^2(1+N)^2}-\frac{32(N-1)S_1}{9N(1+N)}\Bigg]\zeta_3\Bigg\}$$
$$+C_FN_FT_F^2\Bigg\{-\frac{4P_{111}}{3N^6(1+N)^6(2+N)}+L_M^3\Bigg[\frac{8(N-1)P_{20}}{9N^3(1+N)^3}-\frac{32(N-1)S_1}{9N(1+N)}\Bigg]$$
$$+L_M^2\Bigg[-\frac{4(N-1)P_{72}}{9N^4(1+N)^4}+\frac{32(N-1)(3+5N)}{9N^2(1+N)}S_1-\frac{16(N-1)S_1^2}{3N(1+N)}-\frac{16(N-1)S_2}{3N(1+N)}\Bigg]$$
$$+L_M\Bigg[\frac{2P_{107}}{27N^5(1+N)^5(2+N)}+\Bigg[-\frac{32\big(138+91N+58N^2+19N^3\big)}{27N^2(1+N)(2+N)}$$
$$-\frac{32(N-1)S_2}{3N(1+N)}\Bigg]S_1+\frac{32\big(-6-4N+11N^2+5N^3\big)}{9N^2(1+N)(2+N)}S_1^2-\frac{32(N-1)S_1^3}{9N(1+N)}$$
$$+\frac{16P_{63}}{3N^3(1+N)^3(2+N)}S_2+\frac{224(N-1)S_3}{9N(1+N)}\Bigg]+\Bigg[\frac{16P_{17}}{3N^2(1+N)^2(2+N)}$$
$$-\frac{16\big(-2+3N+3N^2\big)}{3N^2(1+N)(2+N)}S_2+\frac{32(N-1)S_3}{9N(1+N)}+\frac{64(N-1)S_{2,1}}{3N(1+N)}\Bigg]S_1$$
$$+\Bigg[-\frac{8\big(-36-22N-6N^2+N^3\big)}{3N^2(1+N)(2+N)}+\frac{8(N-1)S_2}{3N(1+N)}\Bigg]S_1^2-\frac{16\big(-2+3N+3N^2\big)}{9N^2(1+N)(2+N)}S_1^3$$
$$+\frac{4(N-1)S_1^4}{9N(1+N)}-\frac{8P_{94}}{3N^4(1+N)^4(2+N)}S_2+\frac{4(N-1)S_2^2}{3N(1+N)}-\frac{16P_{65}}{9N^3(1+N)^3(2+N)}S_3$$
$$-\frac{8(N-1)S_4}{N(1+N)}+\frac{64S_{2,1}}{3N^2}+\frac{64(N-1)S_{3,1}}{3N(1+N)}-\frac{128(N-1)S_{2,1,1}}{3N(1+N)}$$
$$+\Bigg[-\frac{2(N-1)P_{84}}{9N^4(1+N)^4}-\frac{16(N-1)(6+5N)}{9N^2(1+N)}S_1+\frac{16(N-1)S_1^2}{3N(1+N)}\Bigg]\zeta_2$$

$$+\left[-\frac{8(N-1)P_{20}}{9N^3(1+N)^3}+\frac{32(N-1)S_1}{9N(1+N)}\right]\zeta_3\Bigg\}+C_FT_F^2\Bigg\{-\frac{2P_{112}}{3N^6(1+N)^6(2+N)}$$
$$+L_M^3\left[\frac{16(N-1)P_{27}}{9N^3(1+N)^3}-\frac{128(N-1)S_1}{9N(1+N)}\right]+L_M^2\left[-\frac{4(N-1)P_{79}}{9N^4(1+N)^4}\right.$$
$$\left.+\frac{32(N-1)(9+5N)}{9N^2(1+N)}S_1-\frac{16(N-1)S_1^2}{N(1+N)}+\frac{16(N-1)S_2}{3N(1+N)}\right]$$
$$+L_M\left[\frac{2P_{109}}{27N^5(1+N)^5(2+N)}+\left[-\frac{16\big(600+380N+134N^2+29N^3\big)}{27N^2(1+N)(2+N)}\right.\right.$$
$$\left.-\frac{16(N-1)S_2}{N(1+N)}\right]S_1+\frac{16\big(-18+N+31N^2+10N^3\big)}{9N^2(1+N)(2+N)}S_1^2-\frac{16(N-1)S_1^3}{3N(1+N)}$$
$$\left.+\frac{16P_{19}}{3N^2(1+N)^2(2+N)}S_2+\frac{32(N-1)S_3}{N(1+N)}\right]+\left[\frac{32P_{17}}{3N^2(1+N)^2(2+N)}\right.$$
$$-\frac{32\big(-2+3N+3N^2\big)}{3N^2(1+N)(2+N)}S_2+\frac{64(N-1)S_3}{9N(1+N)}+\frac{128(N-1)S_{2,1}}{3N(1+N)}\Bigg]S_1$$
$$+\left[-\frac{16\big(-36-22N-6N^2+N^3\big)}{3N^2(1+N)(2+N)}+\frac{16(N-1)S_2}{3N(1+N)}\right]S_1^2$$
$$-\frac{32\big(-2+3N+3N^2\big)}{9N^2(1+N)(2+N)}S_1^3+\frac{8(N-1)S_1^4}{9N(1+N)}-\frac{16P_{64}}{3N^3(1+N)^3(2+N)}S_2$$
$$+\frac{8(N-1)S_2^2}{3N(1+N)}-\frac{32P_{22}}{9N^2(1+N)^2(2+N)}S_3-\frac{16(N-1)S_4}{N(1+N)}+\frac{128S_{2,1}}{3N^2}+\frac{128(N-1)S_{3,1}}{3N(1+N)}$$
$$-\frac{256(N-1)S_{2,1,1}}{3N(1+N)}+\left[\frac{2(N-1)P_{82}}{9N^4(1+N)^4}-\frac{80(N-1)(3+N)S_1}{9N^2(1+N)}+\frac{40(N-1)S_1^2}{3N(1+N)}\right.$$
$$\left.-\frac{8(N-1)S_2}{N(1+N)}\right]\zeta_2+\left[-\frac{16(N-1)P_{27}}{9N^3(1+N)^3}+\frac{128(N-1)S_1}{9N(1+N)}\right]\zeta_3\Bigg\}$$
$$+C_AC_FT_F\Bigg\{\frac{P_{113}}{3N^6(1+N)^6(2+N)}+L_M^3\left[-\frac{2(N-1)\big(2+3N+3N^2\big)}{9N^3(1+N)^3}\right.$$
$$\left.\times\big(-48+11N+11N^2\big)-\frac{8(N-1)\big(60+7N+7N^2\big)}{9N^2(1+N)^2}S_1+\frac{64(N-1)S_1^2}{3N(1+N)}\right]$$
$$+L_M^2\left[-\frac{8S_1P_{52}}{9N^3(1+N)^3}+\frac{P_{61}}{9N^3(1+N)^3}+\frac{8\big(27-40N-12N^2+N^3\big)}{3N^2(1+N)^2}S_1^2\right.$$
$$+\frac{32(N-1)S_1^3}{N(1+N)}+\frac{8(N-1)\big(9+N+N^2\big)}{3N^2(1+N)^2}S_2-\frac{16(N-1)S_3}{N(1+N)}-\frac{24(N-1)S_{-2}}{N(1+N)}$$
$$\left.-\frac{16(N-1)S_{-3}}{N(1+N)}+\frac{32(N-1)S_{-2,1}}{N(1+N)}\right]+L_M\left[\frac{P_{100}}{54N^5(1+N)^5(2+N)}\right.$$
$$+\left[\frac{8P_{90}}{27N^4(1+N)^3(2+N)}-\frac{8P_{34}}{3N^2(1+N)^2(2+N)}S_2+\frac{128(N-1)S_3}{N(1+N)}\right.$$
$$\left.-\frac{192(N-1)S_{2,1}}{N(1+N)}-\frac{64(N-1)S_{-2,1}}{N(1+N)}\right]S_1+\left[-\frac{4P_{77}}{9N^3(1+N)^3(2+N)}\right.$$
$$\left.\left.+\frac{144(N-1)S_2}{N(1+N)}\right]S_1^2+\frac{8P_{30}}{9N^2(1+N)^2(2+N)}S_1^3+\frac{16(N-1)S_1^4}{N(1+N)}\right.$$

$$+\frac{4P_{71}}{3N^3(1+N)^3(2+N)}S_2-\frac{32(N-1)S_2^2}{N(1+N)}-\frac{8(N-1)\big(216+41N+77N^2\big)}{9N^2(1+N)^2}S_3$$
$$+\Bigg[-\frac{32P_{46}}{N^3(1+N)^3(2+N)}-\frac{16(N-1)\big(20+4N+N^2+3N^3\big)}{N^2(1+N)^2(2+N)}S_1$$
$$+\frac{160(N-1)S_1^2}{N(1+N)}\Bigg]S_{-2}+\frac{48(N-1)S_{-2}^2}{N(1+N)}+\Bigg[\frac{8(N-1)(3+N)(-2+3N)}{N^2(1+N)^2}$$
$$+\frac{32(N-1)S_1}{N(1+N)}\Bigg]S_{-3}+\frac{80(N-1)S_{-4}}{N(1+N)}+\frac{48(N-1)\big(4+N+N^2\big)}{N^2(1+N)^2}S_{2,1}$$
$$+\frac{32(N-1)S_{3,1}}{N(1+N)}+\frac{16(N-1)\big(6-N+3N^2\big)}{N^2(1+N)^2}S_{-2,1}$$
$$+\frac{32(N-1)S_{-2,2}}{N(1+N)}+\frac{96(N-1)S_{2,1,1}}{N(1+N)}-\frac{128(N-1)S_{-2,1,1}}{N(1+N)}$$
$$+\Bigg[-\frac{96(N-1)\big(-5+3N+3N^2\big)}{N^2(1+N)^2}-\frac{96(N-1)S_1}{N(1+N)}\Bigg]\zeta_3\Bigg]+\Bigg[\frac{8P_{105}}{3N^5(1+N)^5(2+N)}$$
$$+\frac{8P_{55}}{3N^2(1+N)^3(2+N)}S_2-\frac{8(N-1)S_2^2}{N(1+N)}+\frac{8P_{40}}{9N^2(1+N)^2(2+N)}S_3-\frac{48(N-1)S_4}{N(1+N)}$$
$$-\frac{16\big(36-11N+12N^2+11N^3\big)}{3N^2(1+N)^2}S_{2,1}-\frac{32(N-1)S_{3,1}}{N(1+N)}$$
$$-\frac{32(N-1)\big(2-N+3N^2\big)}{N^2(1+N)^2}S_{-2,1}+\frac{64(N-1)S_{-2,2}}{N(1+N)}$$
$$+\frac{64(N-1)S_{-3,1}}{N(1+N)}+\frac{160(N-1)S_{2,1,1}}{N(1+N)}-\frac{128(N-1)S_{-2,1,1}}{N(1+N)}\Bigg]S_1$$
$$+\Bigg[-\frac{4P_{89}}{3N^3(1+N)^4(2+N)}+\frac{4P_{35}}{3N^2(1+N)^2(2+N)}S_2-\frac{352(N-1)S_3}{3N(1+N)}$$
$$-\frac{64(N-1)S_{2,1}}{N(1+N)}+\frac{128(N-1)S_{-2,1}}{N(1+N)}\Bigg]S_1^2+\Bigg[\frac{8P_{74}}{9N^3(1+N)^3(2+N)}-\frac{48(N-1)S_2}{N(1+N)}\Bigg]S_1^3$$
$$-\frac{2P_{12}}{9N^2(1+N)^2(2+N)}S_1^4-\frac{8(N-1)S_1^5}{3N(1+N)}-\frac{4P_{96}}{3N^4(1+N)^4(2+N)}S_2$$
$$-\frac{2(N-1)\big(-15+N+N^2\big)}{3N^2(1+N)^2}S_2^2+\frac{4P_{83}}{9N^3(1+N)^3(2+N)}S_3$$
$$+\frac{4(N-1)\big(-3+19N+19N^2\big)}{N^2(1+N)^2}S_4+\Bigg[-\frac{16P_{47}}{N^2(1+N)^4}+\Bigg[\frac{32P_{26}}{N^2(1+N)^3}$$
$$-\frac{64(N-1)S_2}{N(1+N)}\Bigg]S_1+\frac{16(N-1)^2(-2+3N)}{N^2(1+N)^2}S_1^2-\frac{64(N-1)S_1^3}{N(1+N)}$$
$$+\frac{16(N-1)\big(2+3N+3N^2\big)}{N^2(1+N)^2}S_2\Bigg]S_{-2}$$
$$+\Bigg[\frac{16(N-1)\big(2+9N+15N^2+6N^3\big)}{N^2(1+N)^3}+\frac{16(N-1)\big(2-N+3N^2\big)}{N^2(1+N)^2}S_1$$
$$-\frac{64(N-1)S_1^2}{N(1+N)}\Bigg]S_{-3}+\Bigg[\frac{8(N-1)\big(2+3N+3N^2\big)}{N^2(1+N)^2}-\frac{32(N-1)S_1}{N(1+N)}\Bigg]S_{-4}$$

$$
-\frac{16\big(-24+11N+11N^2\big)}{3N^3(1+N)}S_{2,1}-\frac{8(N-1)\big(-42+31N+31N^2\big)}{3N^2(1+N)^2}S_{3,1}
$$
$$
-\frac{32(N-1)\big(2+9N+15N^2+6N^3\big)}{N^2(1+N)^3}S_{-2,1}-\frac{16(N-1)\big(2+3N+3N^2\big)}{N^2(1+N)^2}S_{-2,2}
$$
$$
-\frac{16(N-1)\big(2+3N+3N^2\big)}{N^2(1+N)^2}S_{-3,1}+\frac{8(N-1)\big(-102+35N+35N^2\big)}{3N^2(1+N)^2}S_{2,1,1}
$$
$$
+\frac{32(N-1)\big(2+3N+3N^2\big)}{N^2(1+N)^2}S_{-2,1,1}+\Big(\frac{192\ln(2)(N-1)}{N(1+N)}+\frac{4S_1P_{59}}{9N^3(1+N)^3}
$$
$$
+\frac{P_{86}}{18N^4(1+N)^4}-\frac{8\big(27-40N-12N^2+N^3\big)}{3N^2(1+N)^2}S_1^2-\frac{32(N-1)S_1^3}{N(1+N)}
$$
$$
+\frac{12(N-1)^2(2+N)}{N^2(1+N)^2}S_2+\frac{8(N-1)S_3}{N(1+N)}+\Bigg[\frac{8(N-1)\big(1+3N+3N^2\big)}{N^2(1+N)^2}
$$
$$
-\frac{16(N-1)S_1}{N(1+N)}\Bigg]S_{-2}+\frac{8(N-1)S_{-3}}{N(1+N)}-\frac{16(N-1)S_{-2,1}}{N(1+N)}\Big)\zeta_2+\Bigg[-\frac{2(N-1)P_{42}}{9N^3(1+N)^3}
$$
$$
+\frac{8(N-1)\big(60+7N+7N^2\big)}{9N^2(1+N)^2}S_1-\frac{64(N-1)S_1^2}{3N(1+N)}\Bigg]\zeta_3\Bigg\}+C_F^2T_F\Bigg\{\frac{P_{110}}{N^6(1+N)^6}
$$
$$
+L_M^3\Bigg[-\frac{2(N-1)\big(2+3N+3N^2\big)^2}{3N^3(1+N)^3}+\frac{16(N-1)\big(2+3N+3N^2\big)}{3N^2(1+N)^2}S_1-\frac{32(N-1)S_1^2}{3N(1+N)}\Bigg]
$$
$$
+L_M^2\Bigg[\frac{(N-1)P_{73}}{N^4(1+N)^4}+\Bigg[-\frac{8(N-1)P_{24}}{N^3(1+N)^3}+\frac{48(N-1)S_2}{N(1+N)}\Bigg]S_1
$$
$$
+\frac{4(N-1)(2+N)(5+3N)}{N^2(1+N)^2}S_1^2-\frac{16(N-1)S_1^3}{N(1+N)}-\frac{12(N-1)\big(2+3N+3N^2\big)}{N^2(1+N)^2}S_2
$$
$$
+\frac{32(N-1)S_3}{N(1+N)}+\Bigg[-\frac{32(N-1)}{N^2(1+N)^2}+\frac{64(N-1)S_1}{N(1+N)}\Bigg]S_{-2}+\frac{32(N-1)S_{-3}}{N(1+N)}
$$
$$
-\frac{64(N-1)S_{-2,1}}{N(1+N)}\Bigg]+L_M\Bigg[\frac{P_{101}}{2N^5(1+N)^5(2+N)}+\Bigg[\frac{8P_{93}}{N^4(1+N)^4(2+N)}
$$
$$
+\frac{16P_{15}}{N^2(1+N)^2(2+N)}S_2-\frac{96(N-1)S_3}{N(1+N)}+\frac{128(N-1)S_{2,1}}{N(1+N)}\Bigg]S_1
$$
$$
+\Bigg[-\frac{8P_{67}}{N^3(1+N)^3(2+N)}-\frac{16(N-1)S_2}{N(1+N)}\Bigg]S_1^2+\frac{64\big(-1+N+N^2\big)}{N^2(1+N)(2+N)}S_1^3-\frac{8(N-1)S_1^4}{N(1+N)}
$$
$$
+\frac{4P_{70}}{N^3(1+N)^3(2+N)}S_2-\frac{24(N-1)S_2^2}{N(1+N)}-\frac{8(N-1)\big(-6+11N+3N^2\big)}{N^2(1+N)^2}S_3
$$
$$
-\frac{80(N-1)S_4}{N(1+N)}+\Bigg[\frac{32P_{44}}{N^2(1+N)^3(2+N)}-\frac{128(N-1)S_1}{N(1+N)^2}-\frac{64(N-1)S_2}{N(1+N)}\Bigg]S_{-2}
$$
$$
-\frac{32(N-1)S_{-2}^2}{N(1+N)}+\Bigg[-\frac{64(N-1)^2}{N^2(1+N)^2}-\frac{128(N-1)S_1}{N(1+N)}\Bigg]S_{-3}-\frac{160(N-1)S_{-4}}{N(1+N)}
$$
$$
-\frac{64(N-1)S_{2,1}}{N^2(1+N)^2}+\frac{32(N-1)S_{3,1}}{N(1+N)}+\frac{128(N-1)S_{-2,1}}{N(1+N)^2}+\frac{64(N-1)S_{-2,2}}{N(1+N)}
$$
$$
+\frac{128(N-1)S_{-3,1}}{N(1+N)}-\frac{96(N-1)S_{2,1,1}}{N(1+N)}+\frac{48(N-1)\big(-2+3N+3N^2\big)}{N^2(1+N)^2}\zeta_3\Bigg]
$$

$$+\Bigg[-\frac{4P_{103}}{N^5(1+N)^5(2+N)}-\frac{4P_{69}}{N^3(1+N)^3(2+N)}S_2+\frac{4(N-1)S_2^2}{N(1+N)}$$
$$-\frac{8P_{28}}{3N^2(1+N)^2(2+N)}S_3-\frac{24(N-1)S_4}{N(1+N)}-\frac{16\big(-6-9N-4N^2+3N^3\big)}{N^2(1+N)^2}S_{2,1}$$
$$+\frac{64(N-1)S_{3,1}}{N(1+N)}-\frac{128(N-1)S_{2,1,1}}{N(1+N)}\Bigg]S_1+\Bigg[\frac{2P_{54}}{N^3(1+N)^2(2+N)}$$
$$-\frac{2P_{21}}{N^2(1+N)^2(2+N)}S_2+\frac{32(N-1)S_3}{3N(1+N)}+\frac{64(N-1)S_{2,1}}{N(1+N)}\Bigg]S_1^2$$
$$+\Bigg[-\frac{4P_{50}}{3N^3(1+N)^2(2+N)}+\frac{8(N-1)S_2}{N(1+N)}\Bigg]S_1^3+\frac{P_{11}}{3N^2(1+N)^2(2+N)}S_1^4$$
$$+\frac{4(N-1)S_1^5}{3N(1+N)}+\frac{2P_{91}}{N^4(1+N)^4(2+N)}S_2-\frac{(N-1)\big(2+3N+3N^2\big)}{N^2(1+N)^2}S_2^2$$
$$+\frac{4P_{76}}{3N^3(1+N)^3(2+N)}S_3+\frac{6(N-1)\big(2+3N+3N^2\big)}{N^2(1+N)^2}S_4-\frac{16\big(2+3N+3N^2\big)}{N^3(1+N)}S_{2,1}$$
$$-\frac{16(N-1)\big(2+3N+3N^2\big)}{N^2(1+N)^2}S_{3,1}+\frac{32(N-1)\big(2+3N+3N^2\big)}{N^2(1+N)^2}S_{2,1,1}$$
$$+\Bigg[-\frac{384\ln(2)(N-1)}{N(1+N)}+\frac{(N-1)P_{85}}{2N^4(1+N)^4}+\Bigg[-\frac{8(N-1)P_{33}}{N^3(1+N)^3}-\frac{32(N-1)S_2}{N(1+N)}\Bigg]S_1$$
$$-\frac{4(N-1)(2+N)(5+3N)}{N^2(1+N)^2}S_1^2+\frac{16(N-1)S_1^3}{N(1+N)}+\frac{8(N-1)\big(2+3N+3N^2\big)}{N^2(1+N)^2}S_2$$
$$-\frac{16(N-1)S_3}{N(1+N)}+\Bigg[\frac{16(N-1)}{N^2(1+N)^2}-\frac{32(N-1)S_1}{N(1+N)}\Bigg]S_{-2}-\frac{16(N-1)S_{-3}}{N(1+N)}$$
$$+\frac{32(N-1)S_{-2,1}}{N(1+N)}\Bigg]\zeta_2+\Bigg[\frac{2(N-1)P_{41}}{3N^3(1+N)^3}-\frac{16(N-1)\big(2+3N+3N^2\big)}{3N^2(1+N)^2}S_1$$
$$+\frac{32(N-1)S_1^2}{3N(1+N)}\Bigg]\zeta_3\Bigg\}$$
$$+C_A^2T_F\Bigg\{-\frac{4\big(-24+11N+11N^2\big)P_{102}}{3N^6(1+N)^6(2+N)}+L_M^3\Bigg[\frac{16(N-1)\big(-24+11N+11N^2\big)}{9N^3(1+N)^3}$$
$$-\frac{8(N-1)\big(-48+11N+11N^2\big)}{9N^2(1+N)^2}S_1-\frac{32(N-1)S_1^2}{3N(1+N)}\Bigg]$$
$$+L_M^2\Bigg[\frac{16P_{87}}{9N^4(1+N)^4}+\Bigg[\frac{8P_{57}}{9N^3(1+N)^3}-\frac{48(N-1)S_2}{N(1+N)}\Bigg]S_1$$
$$-\frac{4\big(24-83N+11N^3\big)}{3N^2(1+N)^2}S_1^2-\frac{16(N-1)S_1^3}{N(1+N)}-\frac{4(N-1)\big(-72+11N+11N^2\big)}{3N^2(1+N)^2}S_2$$
$$-\frac{16(N-1)S_3}{N(1+N)}+\Bigg[-\frac{8(N-1)\big(-48+11N+11N^2\big)}{3N^2(1+N)^2}-\frac{64(N-1)S_1}{N(1+N)}\Bigg]S_{-2}$$
$$-\frac{16(N-1)S_{-3}}{N(1+N)}+\frac{32(N-1)S_{-2,1}}{N(1+N)}\Bigg]+L_M\Bigg[-\frac{4P_{108}}{27N^5(1+N)^5(2+N)}$$
$$+\Bigg[-\frac{8P_{99}}{27N^4(1+N)^4(2+N)}-\frac{8P_{32}}{3N^2(1+N)^2(2+N)}S_2-\frac{160(N-1)S_3}{N(1+N)}$$

$$+\frac{64(N-1)S_{2,1}}{N(1+N)}+\frac{320(N-1)S_{-2,1}}{N(1+N)}\Big]S_1+\Big[\frac{4P_{80}}{9N^3(1+N)^3(2+N)}-\frac{128(N-1)S_2}{N(1+N)}\Big]S_1^2$$
$$-\frac{8\big(-184-119N+4N^2+11N^3\big)}{9N(1+N)^2(2+N)}S_1^3-\frac{8(N-1)S_1^4}{N(1+N)}+\frac{4P_{81}}{9N^3(1+N)^3(2+N)}S_2$$
$$-\frac{8(N-1)S_2^2}{N(1+N)}-\frac{8\big(441-568N+55N^3\big)}{9N^2(1+N)^2}S_3-\frac{16(N-1)S_4}{N(1+N)}+\Big[\frac{16P_{78}}{9N^3(1+N)^3(2+N)}$$
$$-\frac{16\big(54-113N+24N^2+11N^3\big)}{3N^2(1+N)^2}S_1-\frac{160(N-1)S_1^2}{N(1+N)}-\frac{64(N-1)S_2}{N(1+N)}\Big]S_{-2}$$
$$-\frac{48(N-1)S_{-2}^2}{N(1+N)}+\Big[-\frac{8\big(54-73N+11N^3\big)}{N^2(1+N)^2}-\frac{288(N-1)S_1}{N(1+N)}\Big]S_{-3}-\frac{176(N-1)S_{-4}}{N(1+N)}$$
$$-\frac{16(N-1)\big(24+11N+11N^2\big)}{3N^2(1+N)^2}S_{2,1}-\frac{64(N-1)S_{3,1}}{N(1+N)}+\frac{16\big(66-101N+11N^3\big)}{3N^2(1+N)^2}S_{-2,1}$$
$$+\frac{224(N-1)S_{-2,2}}{N(1+N)}+\frac{256(N-1)S_{-3,1}}{N(1+N)}-\frac{384(N-1)S_{-2,1,1}}{N(1+N)}$$
$$+\Big[\frac{48(N-1)\big(-8+3N+3N^2\big)}{N^2(1+N)^2}+\frac{96(N-1)S_1}{N(1+N)}\Big]\zeta_3\Big]+\Big[-\frac{4P_{104}}{3N^5(1+N)^5(2+N)}$$
$$-\frac{4P_{68}}{3N^3(1+N)^3(2+N)}S_2+\frac{4(N-1)S_2^2}{N(1+N)}+\frac{16P_{37}}{9N^2(1+N)^2(2+N)}S_3+\frac{72(N-1)S_4}{N(1+N)}$$
$$-\frac{32(N-1)S_{3,1}}{N(1+N)}-\frac{32(N-1)\big(-24+23N+11N^2\big)}{3N^2(1+N)^2}S_{-2,1}-\frac{64(N-1)S_{-2,2}}{N(1+N)}$$
$$-\frac{64(N-1)S_{-3,1}}{N(1+N)}-\frac{32(N-1)S_{2,1,1}}{N(1+N)}+\frac{128(N-1)S_{-2,1,1}}{N(1+N)}\Big]S_1+\Big[\frac{2P_{75}}{3N^2(1+N)^4(2+N)}$$
$$+\frac{2P_{38}}{3N^2(1+N)^2(2+N)}S_2+\frac{320(N-1)S_3}{3N(1+N)}-\frac{128(N-1)S_{-2,1}}{N(1+N)}\Big]S_1^2$$
$$+\Big[-\frac{4P_{51}}{9N^2(1+N)^3(2+N)}+\frac{40(N-1)S_2}{N(1+N)}\Big]S_1^3+\frac{P_{31}}{9N^2(1+N)^2(2+N)}S_1^4$$
$$+\frac{4(N-1)S_1^5}{3N(1+N)}-\frac{2\big(-24+11N+11N^2\big)P_{62}}{3N^4(1+N)^4(2+N)}S_2+\frac{(N-1)\big(-24+11N+11N^2\big)}{3N^2(1+N)^2}S_2^2$$
$$-\frac{32\big(-24+11N+11N^2\big)\big(-6+8N+7N^2+N^3\big)}{9N^3(1+N)^3(2+N)}S_3$$
$$+\frac{6(N-1)\big(-24+11N+11N^2\big)}{N^2(1+N)^2}S_4+\Big[-\frac{16\big(3+N^2\big)\big(-24+11N+11N^2\big)}{3N^2(1+N)^4}$$
$$+\Big[\frac{32(-3+N)\big(-8+15N+5N^2\big)}{3N^2(1+N)^3}+\frac{64(N-1)S_2}{N(1+N)}\Big]S_1$$
$$+\frac{16(N-1)\big(-24+35N+11N^2\big)}{3N^2(1+N)^2}S_1^2+\frac{64(N-1)S_1^3}{N(1+N)}$$
$$+\frac{16(N-1)\big(-24+11N+11N^2\big)}{3N^2(1+N)^2}S_2\Big]S_{-2}+\Big[\frac{16(N-1)\big(-24+11N+11N^2\big)}{3N^2(1+N)^3}$$
$$+\frac{16(N-1)\big(-24+23N+11N^2\big)}{3N^2(1+N)^2}S_1+\frac{64(N-1)S_1^2}{N(1+N)}\Big]S_{-3}$$

$$
\begin{aligned}
&+\left[\frac{8(N-1)\big(-24+11N+11N^2\big)}{3N^2(1+N)^2}+\frac{32(N-1)S_1}{N(1+N)}\right]S_{-4}\\
&-\frac{8(N-1)\big(-24+11N+11N^2\big)}{3N^2(1+N)^2}S_{3,1}-\frac{32(N-1)\big(-24+11N+11N^2\big)}{3N^2(1+N)^3}S_{-2,1}\\
&-\frac{16(N-1)\big(-24+11N+11N^2\big)}{3N^2(1+N)^2}S_{-2,2}-\frac{16(N-1)\big(-24+11N+11N^2\big)}{3N^2(1+N)^2}S_{-3,1}\\
&-\frac{8(N-1)\big(-24+11N+11N^2\big)}{3N^2(1+N)^2}S_{2,1,1}+\frac{32(N-1)\big(-24+11N+11N^2\big)}{3N^2(1+N)^2}S_{-2,1,1}\\
&+\left[-\frac{2P_{88}}{9N^4(1+N)^4}+\left[-\frac{4P_{58}}{9N^3(1+N)^3}+\frac{32(N-1)S_2}{N(1+N)}\right]S_1+\frac{4\big(24-83N+11N^3\big)}{3N^2(1+N)^2}S_1^2\right.\\
&+\frac{16(N-1)S_1^3}{N(1+N)}+\frac{4(N-1)\big(-48+11N+11N^2\big)}{3N^2(1+N)^2}S_2+\frac{8(N-1)S_3}{N(1+N)}\\
&+\left[\frac{8(N-1)\big(-36+11N+11N^2\big)}{3N^2(1+N)^2}+\frac{48(N-1)S_1}{N(1+N)}\right]S_{-2}+\frac{8(N-1)S_{-3}}{N(1+N)}\\
&\left.-\frac{16(N-1)S_{-2,1}}{N(1+N)}\right]\zeta_2+\left[-\frac{16(N-1)\big(-24+11N+11N^2\big)}{9N^3(1+N)^3}\right.\\
&\left.+\frac{8(N-1)\big(-48+11N+11N^2\big)}{9N^2(1+N)^2}S_1+\frac{32(N-1)S_1^2}{3N(1+N)}\right]\zeta_3\Bigg\}\\
&+T_F^3\left[-\frac{64L_M^3(N-1)}{9N(1+N)}+\frac{64(N-1)\zeta_3}{9N(1+N)}\right]\Bigg\},
\end{aligned}
\tag{40}
$$

and the polynomials P_i read

$$
\begin{aligned}
P_{11} &= -3N^4-54N^3-95N^2-12N+36, && (41)\\
P_{12} &= N^4-94N^3-256N^2-161N+78, && (42)\\
P_{13} &= N^4+2N^3-5N^2-12N+2, && (43)\\
P_{14} &= N^4+4N^3-N^2-10N+2, && (44)\\
P_{15} &= N^4+10N^3+27N^2+30N+4, && (45)\\
P_{16} &= N^4+17N^3+43N^2+33N+2, && (46)\\
P_{17} &= 2N^4-4N^3-3N^2+20N+12, && (47)\\
P_{18} &= 2N^4+3N^3-12N^2-23N+6, && (48)\\
P_{19} &= 2N^4+39N^3+100N^2+73N+2, && (49)\\
P_{20} &= 3N^4+6N^3-N^2-4N+12, && (50)\\
P_{21} &= 3N^4+30N^3+47N^2+4N-20, && (51)\\
P_{22} &= 3N^4+48N^3+123N^2+98N+8, && (52)\\
P_{23} &= 5N^4+10N^3+8N^2+7N+2, && (53)\\
P_{24} &= 5N^4+13N^3+14N^2+16N+6, && (54)\\
P_{25} &= 5N^4+37N^3+82N^2+41N-48, && (55)\\
P_{26} &= 6N^4+11N^3-6N^2-N-2, && (56)\\
P_{27} &= 6N^4+12N^3+7N^2+N+6, && (57)\\
P_{28} &= 9N^4+102N^3+245N^2+192N+12, && (58)
\end{aligned}
$$

$$P_{29} = 10N^4 + 53N^3 + 92N^2 + 37N - 48, \quad (59)$$
$$P_{30} = 11N^4 - 68N^3 - 263N^2 - 184N + 72, \quad (60)$$
$$P_{31} = 11N^4 - 26N^3 - 227N^2 - 286N + 48, \quad (61)$$
$$P_{32} = 11N^4 + 4N^3 - 239N^2 - 304N + 240, \quad (62)$$
$$P_{33} = 13N^4 + 23N^3 + 4N^2 - 14N - 5, \quad (63)$$
$$P_{34} = 13N^4 + 140N^3 + 365N^2 + 190N - 276, \quad (64)$$
$$P_{35} = 17N^4 + 34N^3 + 82N^2 + 161N - 78, \quad (65)$$
$$P_{36} = 29N^4 + 60N^3 + 149N^2 + 336N + 74, \quad (66)$$
$$P_{37} = 55N^4 + 86N^3 - 343N^2 - 422N + 384, \quad (67)$$
$$P_{38} = 55N^4 + 182N^3 - 175N^2 - 542N + 240, \quad (68)$$
$$P_{39} = 76N^4 + 183N^3 + 196N^2 + 267N - 38, \quad (69)$$
$$P_{40} = 97N^4 + 494N^3 + 1079N^2 + 898N - 408, \quad (70)$$
$$P_{41} = 153N^4 + 306N^3 + 165N^2 + 12N + 4, \quad (71)$$
$$P_{42} = 183N^4 + 366N^3 + 305N^2 + 122N + 96, \quad (72)$$
$$P_{43} = N^5 + N^4 - 4N^3 + 3N^2 - 7N - 2, \quad (73)$$
$$P_{44} = 2N^5 + 6N^4 + 3N^3 + 11N + 2, \quad (74)$$
$$P_{45} = 2N^5 + 10N^4 + 29N^3 + 64N^2 + 67N + 8, \quad (75)$$
$$P_{46} = 3N^5 + 8N^4 + 6N^3 + 10N^2 + 7N + 2, \quad (76)$$
$$P_{47} = 8N^5 + 7N^4 - 9N^3 + 7N^2 + 13N + 6, \quad (77)$$
$$P_{48} = 9N^5 + 9N^4 - 79N^3 + 15N^2 + 22N - 24, \quad (78)$$
$$P_{49} = 15N^5 + 15N^4 - 103N^3 + 33N^2 - 20N - 36, \quad (79)$$
$$P_{50} = 18N^5 - 15N^4 - 198N^3 - 381N^2 - 216N + 4, \quad (80)$$
$$P_{51} = 18N^5 + 47N^4 - 35N^3 - 141N^2 - 5N - 120, \quad (81)$$
$$P_{52} = 40N^5 + 73N^4 - 142N^3 - 163N^2 - 150N + 54, \quad (82)$$
$$P_{53} = 45N^5 + 45N^4 - 47N^3 + 27N^2 - 190N - 24, \quad (83)$$
$$P_{54} = 51N^5 + 89N^4 + 6N^3 - 66N^2 - 104N - 72, \quad (84)$$
$$P_{55} = 66N^5 + 336N^4 + 627N^3 + 415N^2 - 10N - 194, \quad (85)$$
$$P_{56} = 69N^5 + 69N^4 - 55N^3 + 51N^2 - 338N - 36, \quad (86)$$
$$P_{57} = 85N^5 + 85N^4 - 73N^3 + 197N^2 - 342N - 108, \quad (87)$$
$$P_{58} = 103N^5 + 103N^4 - 79N^3 + 317N^2 - 612N - 144, \quad (88)$$
$$P_{59} = 337N^5 + 403N^4 - 541N^3 - 583N^2 - 300N + 108, \quad (89)$$
$$P_{60} = 436N^5 + 1780N^4 + 2689N^3 + 2782N^2 + 2167N - 134, \quad (90)$$
$$P_{61} = 489N^5 + 489N^4 - 1187N^3 - 57N^2 - 742N - 144, \quad (91)$$
$$P_{62} = N^6 + 18N^5 + 63N^4 + 84N^3 + 30N^2 - 64N - 16, \quad (92)$$
$$P_{63} = N^6 + 23N^5 + 73N^4 + 85N^3 + 58N^2 + 24N - 24, \quad (93)$$
$$P_{64} = 3N^6 + 30N^5 + 107N^4 + 124N^3 + 48N^2 + 20N + 8, \quad (94)$$
$$P_{65} = 3N^6 + 51N^5 + 153N^4 + 185N^3 + 160N^2 + 80N - 72, \quad (95)$$
$$P_{66} = 4N^6 + 41N^5 + 126N^4 + 163N^3 + 58N^2 - 128N - 32, \quad (96)$$
$$P_{67} = 5N^6 + 26N^5 + 77N^4 + 168N^3 + 159N^2 + 19N - 22, \quad (97)$$
$$P_{68} = 6N^6 + 75N^5 + 345N^4 + 719N^3 + 323N^2 - 696N - 96, \quad (98)$$

$$P_{69} = 18N^6 + 87N^5 + 199N^4 + 185N^3 + 63N^2 + 44N + 20, \quad (99)$$
$$P_{70} = 23N^6 + 39N^5 - 89N^4 - 219N^3 - 172N^2 - 130N - 28, \quad (100)$$
$$P_{71} = 25N^6 - 118N^5 - 662N^4 - 500N^3 + 421N^2 + 186N - 264, \quad (101)$$
$$P_{72} = 33N^6 + 99N^5 + 41N^4 - 11N^3 + 86N^2 - 216N - 144, \quad (102)$$
$$P_{73} = 33N^6 + 99N^5 + 137N^4 + 157N^3 + 62N^2 + 8N - 16, \quad (103)$$
$$P_{74} = 36N^6 + 48N^5 - 297N^4 - 977N^3 - 976N^2 - 362N + 24, \quad (104)$$
$$P_{75} = 37N^6 + 207N^5 + 753N^4 + 1771N^3 + 1598N^2 - 118N + 48, \quad (105)$$
$$P_{76} = 57N^6 + 297N^5 + 567N^4 + 615N^3 + 468N^2 + 220N + 16, \quad (106)$$
$$P_{77} = 80N^6 + 201N^5 - 775N^4 - 3495N^3 - 4405N^2 - 2238N - 72, \quad (107)$$
$$P_{78} = 94N^6 + 282N^5 + 79N^4 + 42N^3 + 286N^2 - 585N - 18, \quad (108)$$
$$P_{79} = 129N^6 + 387N^5 + 509N^4 + 349N^3 + 50N^2 + 240N + 144, \quad (109)$$
$$P_{80} = 170N^6 + 543N^5 + 221N^4 - 15N^3 + 425N^2 - 864N - 288, \quad (110)$$
$$P_{81} = 170N^6 + 873N^5 + 1547N^4 + 951N^3 - 1717N^2 - 2976N + 864, \quad (111)$$
$$P_{82} = 243N^6 + 729N^5 + 923N^4 + 583N^3 + 14N^2 + 300N + 216, \quad (112)$$
$$P_{83} = 321N^6 + 1353N^5 + 1521N^4 - 713N^3 - 2842N^2 - 2216N + 96, \quad (113)$$
$$P_{84} = 333N^6 + 999N^5 + 1075N^4 + 389N^3 - 68N^2 + 384N + 216, \quad (114)$$
$$P_{85} = 633N^6 + 1899N^5 + 1967N^4 + 697N^3 - 4N^2 - 48N + 8, \quad (115)$$
$$P_{86} = -891N^7 - 1782N^6 - 3712N^5 - 3058N^4 + 6775N^3 + 7144N^2 + 276N - 144, \quad (116)$$
$$P_{87} = 9N^7 + 18N^6 - 124N^5 - 109N^4 + 199N^3 - 191N^2 + 138N + 72, \quad (117)$$
$$P_{88} = 69N^7 + 138N^6 - 667N^5 - 541N^4 + 952N^3 - 1277N^2 + 990N + 432, \quad (118)$$
$$P_{89} = 95N^7 + 378N^6 + 853N^5 + 1832N^4 + 2190N^3 + 364N^2 - 780N - 432, \quad (119)$$
$$P_{90} = 251N^7 + 1335N^6 + 1745N^5 + 243N^4 - 529N^3 - 4161N^2 - 5400N - 756, \quad (120)$$
$$P_{91} = N^8 + 427N^7 + 2161N^6 + 4081N^5 + 3554N^4 + 1404N^3 + 228N^2 + 64N + 16, \quad (121)$$
$$P_{92} = 2N^8 + 10N^7 + 22N^6 + 36N^5 + 29N^4 + 4N^3 + 33N^2 + 12N + 4, \quad (122)$$
$$P_{93} = 2N^8 + 29N^7 + 135N^6 + 297N^5 + 333N^4 + 204N^3 + 28N^2 - 44N - 24, \quad (123)$$
$$P_{94} = 3N^8 + 33N^7 + 149N^6 + 267N^5 + 196N^4 + 104N^3 + 64N^2 - 88N - 48, \quad (124)$$
$$P_{95} = 12N^8 + 52N^7 + 60N^6 - 25N^4 - 2N^3 + 3N^2 + 8N + 4, \quad (125)$$
$$P_{96} = 36N^8 + 348N^7 + 1210N^6 + 2229N^5 + 2168N^4 + 505N^3 - 424N^2 - 68N + 48, \quad (126)$$
$$P_{97} = 111N^8 + 480N^7 + 286N^6 - 468N^5 + 82N^4 + 246N^3 + 295N^2 + 228N + 252, \quad (127)$$
$$P_{98} = 201N^8 + 840N^7 + 565N^6 - 699N^5 - 344N^4 - 645N^3 - 314N^2 + 324N + 360, \quad (128)$$
$$P_{99} = 296N^8 + 1184N^7 + 2744N^6 + 5900N^5 + 4088N^4 + 476N^3 + 9477N^2 + 4725N + 702, \quad (129)$$
$$P_{100} = -7299N^{10} - 39375N^9 - 79900N^8 - 85198N^7 - 17323N^6 + 129917N^5 + 137090N^4 + 25904N^3 + 12072N^2 + 30672N + 8640, \quad (130)$$
$$P_{101} = -149N^{10} - 793N^9 - 1404N^8 - 1170N^7 - 1341N^6 - 1221N^5 + 1710N^4$$

$$+2800N^3 + 2256N^2 + 368N - 32, \tag{131}$$

$$P_{102} = 4N^{10} + 22N^9 + 45N^8 + 36N^7 - 11N^6 - 15N^5 + 25N^4 - 41N^3 - 21N^2 - 16N - 4, \tag{132}$$

$$P_{103} = 10N^{10} + 62N^9 + 403N^8 + 1523N^7 + 2997N^6 + 3197N^5 + 1812N^4 + 478N^3 + 46N^2 + 24N + 8, \tag{133}$$

$$P_{104} = 26N^{10} + 132N^9 + 159N^8 - 351N^7 - 877N^6 + 531N^5 + 1820N^4 - 300N^3 - 252N^2 - 192N - 48, \tag{134}$$

$$P_{105} = 28N^{10} + 139N^9 + 444N^8 + 803N^7 + 451N^6 + 3N^5 + 490N^4 + 219N^3 + 51N^2 - 60N - 12, \tag{135}$$

$$P_{106} = 435N^{10} + 2391N^9 + 6946N^8 + 11512N^7 + 4822N^6 - 7016N^5 - 5369N^4 - 6743N^3 - 2406N^2 - 1764N - 216, \tag{136}$$

$$P_{107} = 531N^{10} + 2799N^9 + 4124N^8 + 446N^7 - 3445N^6 - 5245N^5 + 4358N^4 + 18128N^3 - 1968N^2 - 10800N - 4320, \tag{137}$$

$$P_{108} = 939N^{10} + 4893N^9 + 5386N^8 - 5198N^7 - 10400N^6 - 17636N^5 - 18137N^4 + 7177N^3 - 21672N^2 - 14112N - 4104, \tag{138}$$

$$P_{109} = 1773N^{10} + 9153N^9 + 14204N^8 + 2930N^7 - 9151N^6 - 8431N^5 - 250N^4 + 13772N^3 + 1920N^2 - 8928N - 4320, \tag{139}$$

$$P_{110} = -23N^{11} - 92N^{10} - 53N^9 + 322N^8 + 465N^7 - 348N^6 - 929N^5 - 384N^4 + 132N^3 + 102N^2 + 32N + 8, \tag{140}$$

$$P_{111} = 87N^{12} + 490N^{11} + 949N^{10} + 368N^9 - 1285N^8 - 2214N^7 - 1591N^6 - 126N^5 + 644N^4 - 86N^3 - 268N^2 - 184N - 48, \tag{141}$$

$$P_{112} = 385N^{12} + 2182N^{11} + 4181N^{10} + 1458N^9 - 5589N^8 - 8414N^7 - 5041N^6 - 1754N^5 - 760N^4 - 176N^3 + 152N^2 + 224N + 96, \tag{142}$$

$$P_{113} = 1623N^{12} + 9602N^{11} + 20093N^{10} + 15520N^9 - 3305N^8 - 13494N^7 - 5099N^6 + 9414N^5 + 10456N^4 + 5270N^3 + 1624N^2 + 40N - 96. \tag{143}$$

5 $A_{gg,Q}^{(3),\mathrm{S}}$

For the logarithmic contributions to the OME $A_{gg,Q}^{(3),\mathrm{S}}$ we obtain

$$\begin{aligned} A_{gg,Q} = {} & \frac{4a_s L_M T_F}{3} + a_s^2 \left\{ \frac{16 L_M^2 T_F^2}{9} + C_F T_F \left[\frac{4 L_M P_{147}}{N^3(1+N)^3} + \frac{P_{166}}{N^4(1+N)^4} \right.\right. \\ & \left. + \frac{4 L_M^2 (N-1)(2+N)}{N^2(1+N)^2} \right] + C_A T_F \left\{ \frac{2 P_{155}}{27 N^3 (1+N)^3} + L_M \left[\frac{16 P_{134}}{9 N^2 (1+N)^2} - \frac{80}{9} S_1 \right] \right. \\ & \left.\left. + L_M^2 \left[\frac{16}{3N(1+N)} - \frac{8}{3} S_1 \right] - \frac{4(47+56N) S_1}{27(1+N)} \right\} \right\} + a_s^3 \left\{ \frac{64 L_M^3}{27} T_F^3 \right. \\ & + C_F T_F^2 \left\{ \frac{2 P_{177}}{9 N^5 (1+N)^5} + \frac{80 L_M^3 (N-1)(2+N)}{9 N^2 (1+N)^2} + L_M^2 \left[\frac{8 P_{153}}{9 N^3 (1+N)^3} \right.\right. \\ & \left.\left. + \frac{32 (N-1)(2+N) S_1}{3 N^2 (1+N)^2} \right] + L_M \left[- \frac{8 P_{173}}{27 N^4 (1+N)^4} \right. \right. \end{aligned}$$

$$+\frac{32(N-1)(2+N)\big(-6-8N+N^2\big)}{9N^3(1+N)^3}S_1+\frac{16(N-1)(2+N)S_1^2}{3N^2(1+N)^2}$$
$$-\frac{16(N-1)(2+N)S_2}{N^2(1+N)^2}\Bigg]+\Bigg[-\frac{8P_{154}}{9N^3(1+N)^3}-\frac{16(N-1)(2+N)S_1}{3N^2(1+N)^2}\Bigg]\zeta_2$$
$$-\frac{80(N-1)(2+N)\zeta_3}{9N^2(1+N)^2}\Bigg\}+C_FN_FT_F^2\Bigg\{\frac{2P_{178}}{81N^5(1+N)^5}+\frac{64L_M^3(N-1)(2+N)}{9N^2(1+N)^2}$$
$$+L_M\Bigg[-\frac{4P_{171}}{9N^4(1+N)^4}-\frac{32(N-1)(2+N)\big(4+6N+N^2\big)}{3N^3(1+N)^3}S_1$$
$$+\frac{16(N-1)(2+N)S_1^2}{N^2(1+N)^2}-\frac{80(N-1)(2+N)S_2}{3N^2(1+N)^2}\Bigg]$$
$$+\Bigg[\frac{32(N-1)(2+N)\big(22+41N+28N^2\big)}{27N^2(1+N)^4}+\frac{16(N-1)(2+N)S_2}{3N^2(1+N)^2}\Bigg]S_1$$
$$-\frac{16(N-1)(2+N)(2+5N)}{9N^2(1+N)^3}S_1^2+\frac{16(N-1)(2+N)S_1^3}{9N^2(1+N)^2}$$
$$-\frac{16(N-1)(2+N)(2+5N)}{9N^2(1+N)^3}S_2+\frac{32(N-1)(2+N)S_3}{9N^2(1+N)^2}+\Bigg[\frac{4P_{162}}{9N^3(1+N)^3}$$
$$+\frac{16(N-1)(2+N)S_1}{3N^2(1+N)^2}\Bigg]\zeta_2-\frac{64(N-1)(2+N)\zeta_3}{9N^2(1+N)^2}\Bigg\}+C_A^2T_F\Bigg\{-\frac{4P_{174}}{243N^4(1+N)^4}$$
$$+L_M^3\Bigg[-\frac{352}{27N(1+N)}+\frac{176}{27}S_1\Bigg]+L_M^2\Bigg[-\frac{2P_{149}}{9N^3(1+N)^3}+\Bigg[-\frac{8P_{140}}{9N^2(1+N)^2}$$
$$+\frac{64}{3}S_2\Bigg]S_1-\frac{128S_2}{3N(1+N)}+\frac{32}{3}S_3+\Bigg[-\frac{128}{3N(1+N)}+\frac{64}{3}S_1\Bigg]S_{-2}+\frac{32}{3}S_{-3}$$
$$-\frac{64}{3}S_{-2,1}\Bigg]+L_M\Bigg[\frac{16S_2P_{133}}{9N^2(1+N)^2}+\frac{16S_{-3}P_{139}}{9N^2(1+N)^2}-\frac{32S_{-2,1}P_{139}}{9N^2(1+N)^2}+\frac{8S_3P_{142}}{9N^2(1+N)^2}$$
$$+\frac{P_{183}}{81(N-1)N^5(1+N)^5(2+N)}+\Bigg[-\frac{4P_{176}}{81(N-1)N^4(1+N)^4(2+N)}$$
$$+\frac{640}{9}S_2-\frac{32}{3}S_3\Bigg]S_1+\Bigg[-\frac{16P_{163}}{9(N-1)N^3(1+N)^3(2+N)}$$
$$+\frac{32P_{157}}{9(N-1)N^2(1+N)^2(2+N)}S_1\Bigg]S_{-2}+\frac{32}{3}S_{-2}^2$$
$$+\Bigg[\frac{64\big(-3+2N+2N^2\big)}{N^2(1+N)^2}-64S_1\Bigg]\zeta_3\Bigg]-\frac{8\big(2339+4876N+2834N^2\big)}{243(1+N)^2}S_1-\frac{44S_1^2}{9(1+N)}$$
$$+\frac{44(1+2N)S_2}{9(1+N)}+\Bigg[\frac{4P_{160}}{27N^3(1+N)^3}+\Big(\frac{16\big(36+72N+N^2+2N^3+N^4\big)}{27N^2(1+N)^2}-\frac{32}{3}S_2\Big)S_1$$
$$+\frac{64S_2}{3N(1+N)}-\frac{16}{3}S_3+\Bigg[\frac{64}{3N(1+N)}-\frac{32}{3}S_1\Bigg]S_{-2}-\frac{16}{3}S_{-3}+\frac{32}{3}S_{-2,1}\Bigg]\zeta_2$$
$$+\Bigg[\frac{352}{27N(1+N)}-\frac{176}{27}S_1\Bigg]\zeta_3\Bigg\}+C_AN_FT_F^2\Bigg\{\frac{16P_{172}}{243N^4(1+N)^4}+L_M\Bigg[-\frac{16S_1P_{145}}{81N^2(1+N)^2}$$
$$-\frac{4P_{164}}{81N^3(1+N)^3}\Bigg]+L_M^3\Bigg[\frac{128}{27N(1+N)}-\frac{64}{27}S_1\Bigg]+\frac{32\big(283+584N+328N^2\big)}{243(1+N)^2}S_1$$

$$
+\frac{16S_1^2}{9(1+N)} - \frac{16(1+2N)S_2}{9(1+N)} + \left[-\frac{4P_{137}}{27N^2(1+N)^2} + \frac{160}{27}S_1\right]\zeta_2
$$
$$
+\left[-\frac{128}{27N(1+N)} + \frac{64}{27}S_1\right]\zeta_3\Bigg\} + C_A T_F^2\Bigg\{-\frac{8P_{167}}{81N^4(1+N)^4} + L_M\left[-\frac{8S_1P_{141}}{9N^2(1+N)^2}\right.
$$
$$
\left.-\frac{2P_{159}}{27N^3(1+N)^3}\right] + L_M^2\left[\frac{8P_{143}}{27N^2(1+N)^2} - \frac{640}{27}S_1\right] + L_M^3\left[\frac{448}{27N(1+N)} - \frac{224}{27}S_1\right]
$$
$$
+\frac{16\big(283+584N+328N^2\big)}{81(1+N)^2}S_1 + \frac{8S_1^2}{3(1+N)} - \frac{8(1+2N)S_2}{3(1+N)}
$$
$$
+\left[-\frac{4P_{144}}{27N^2(1+N)^2} + \frac{560}{27}S_1\right]\zeta_2 + \left[-\frac{448}{27N(1+N)} + \frac{224}{27}S_1\right]\zeta_3\Bigg\}
$$
$$
+C_F^2 T_F\Bigg\{\frac{8S_3P_{136}}{3N^3(1+N)^3} + \frac{4S_2P_{151}}{N^4(1+N)^4} + \frac{P_{180}}{N^6(1+N)^6}
$$
$$
+L_M^3\left[-\frac{4(N-1)(2+N)\big(2+3N+3N^2\big)}{3N^3(1+N)^3} + \frac{16(N-1)(2+N)S_1}{3N^2(1+N)^2}\right]
$$
$$
+L_M^2\left[-\frac{8(N-1)(2+N)\big(-2-3N+N^3+2N^4\big)}{N^4(1+N)^4} + \frac{8(N-1)^2(2+N)(2+3N)}{N^3(1+N)^3}S_1\right.
$$
$$
\left.-\frac{16(N-1)(2+N)S_2}{N^2(1+N)^2}\right] + L_M\left[-\frac{4S_2P_{138}}{N^3(1+N)^3} - \frac{2P_{181}}{(N-1)N^5(1+N)^5(2+N)}\right.
$$
$$
+\left[-\frac{8P_{152}}{N^4(1+N)^4} + \frac{24(N-1)(2+N)S_2}{N^2(1+N)^2}\right]S_1 + \frac{4\big(-6-13N+3N^3\big)}{N^2(1+N)^3}S_1^2
$$
$$
-\frac{8(N-1)(2+N)S_1^3}{3N^2(1+N)^2} + \frac{16\big(14+5N+5N^2\big)}{3N^2(1+N)^2}S_3 + \left[-\frac{32\big(10+N+N^2\big)}{(N-1)N(1+N)(2+N)}\right.
$$
$$
\left.+\frac{256S_1}{N^2(1+N)^2}\right]S_{-2} + \frac{128S_{-3}}{N^2(1+N)^2} - \frac{32(N-1)(2+N)S_{2,1}}{N^2(1+N)^2} - \frac{256S_{-2,1}}{N^2(1+N)^2}
$$
$$
\left.-\frac{96\big(2+N+N^2\big)\zeta_3}{N^2(1+N)^2}\right] + \left[-\frac{8P_{132}}{N^3(1+N)^3} + \frac{8\big(-2+3N+3N^2\big)}{N^3(1+N)^2}S_2\right.
$$
$$
\left.-\frac{16(N-1)(2+N)S_3}{3N^2(1+N)^2} - \frac{32(N-1)(2+N)S_{2,1}}{N^2(1+N)^2}\right]S_1
$$
$$
+\left[\frac{4\big(-36-22N-6N^2+N^3\big)}{N^3(1+N)^2} - \frac{4(N-1)(2+N)S_2}{N^2(1+N)^2}\right]S_1^2
$$
$$
+\frac{8\big(-2+3N+3N^2\big)}{3N^3(1+N)^2}S_1^3 - \frac{2(N-1)(2+N)S_1^4}{3N^2(1+N)^2} - \frac{2(N-1)(2+N)S_2^2}{N^2(1+N)^2}
$$
$$
+\frac{12(N-1)(2+N)S_4}{N^2(1+N)^2} - \frac{32(2+N)S_{2,1}}{N^3(1+N)} - \frac{32(N-1)(2+N)S_{3,1}}{N^2(1+N)^2}
$$
$$
+\frac{64(N-1)(2+N)S_{2,1,1}}{N^2(1+N)^2} + \left[128\ln(2) - \frac{2P_{170}}{N^4(1+N)^4}\right.
$$
$$
-\frac{4(N-1)(2+N)\big(-4-3N+3N^2\big)}{N^3(1+N)^3}S_1 - \frac{4(N-1)(2+N)S_1^2}{N^2(1+N)^2}
$$
$$
\left.+\frac{12(N-1)(2+N)S_2}{N^2(1+N)^2}\right]\zeta_2 + \left[-\frac{4P_{158}}{3N^3(1+N)^3} - \frac{16(N-1)(2+N)S_1}{3N^2(1+N)^2}\right]\zeta_3\Bigg\}
$$

$$
+C_A C_F T_F \Bigg\{ -\frac{4 S_2 P_{148}}{N^4 (1+N)^4} + \frac{P_{179}}{18 N^6 (1+N)^6}
$$
$$
+ L_M^3 \left[-\frac{8 (N-1)(2+N)\big(-12+11N+11N^2\big)}{9 N^3 (1+N)^3} - \frac{16 (N-1)(2+N) S_1}{3 N^2 (1+N)^2} \right]
$$
$$
+ L_M^2 \left[-\frac{8 S_1 P_{150}}{3 N^3 (1+N)^3} - \frac{2 P_{169}}{9 N^4 (1+N)^4} - \frac{16 (N-1)(2+N) S_2}{N^2 (1+N)^2} \right.
$$
$$
\left. - \frac{32 (N-1)(2+N) S_{-2}}{N^2 (1+N)^2} \right] + L_M \left[\frac{4 S_2 P_{135}}{N^3 (1+N)^3} + \frac{8 P_{182}}{27 (N-1) N^5 (1+N)^5 (2+N)} \right.
$$
$$
+ \left[-\frac{8 P_{175}}{9 (N-1) N^4 (1+N)^4 (2+N)} - \frac{40 (N-1)(2+N) S_2}{N^2 (1+N)^2} \right] S_1
$$
$$
- \frac{4\big(-12-16N+5N^2+11N^3\big)}{3 N^3 (1+N)^2} S_1^2 + \frac{8 (N-1)(2+N) S_1^3}{3 N^2 (1+N)^2} - \frac{16\big(26+5N+5N^2\big)}{3 N^2 (1+N)^2} S_3
$$
$$
+ \left[-\frac{16 P_{146}}{(N-1) N^2 (1+N)^3 (2+N)} + \frac{32 P_{130}}{(N-1) N^2 (1+N)^2 (2+N)} S_1 \right] S_{-2} +
$$
$$
\frac{16\big(-22+5N+5N^2\big)}{N^2 (1+N)^2} S_{-3} + \frac{32 (N-1)(2+N) S_{2,1}}{N^2 (1+N)^2} - \frac{32\big(-14+N+N^2\big) S_{-2,1}}{N^2 (1+N)^2}
$$
$$
\left. + \left[-\frac{32 (-3+N)(4+N)}{N^2 (1+N)^2} + 64 S_1 \right] \zeta_3 \right] + \left[-\frac{2 P_{165}}{9 N^2 (1+N)^5} + \frac{8\big(-13+3N^2\big)}{N^2 (1+N)^3} S_2 \right.
$$
$$
\left. + \frac{160 (N-1)(2+N) S_3}{3 N^2 (1+N)^2} - \frac{64 (N-1)(2+N) S_{-2,1}}{N^2 (1+N)^2} \right] S_1 + \left[-\frac{4 P_{131}}{N^2 (1+N)^4} \right.
$$
$$
\left. + \frac{20 (N-1)(2+N) S_2}{N^2 (1+N)^2} \right] S_1^2 - \frac{8\big(5+4N+N^2\big)}{3 N^2 (1+N)^3} S_1^3 + \frac{2 (N-1)(2+N) S_1^4}{3 N^2 (1+N)^2}
$$
$$
+ \frac{2 (N-1)(2+N) S_2^2}{N^2 (1+N)^2} - \frac{64\big(-6+8N+7N^2+N^3\big)}{3 N^3 (1+N)^3} S_3 + \frac{36 (N-1)(2+N) S_4}{N^2 (1+N)^2}
$$
$$
+ \left[-\frac{32 (2+N)\big(3+N^2\big)}{N^2 (1+N)^4} + \frac{64 (N-1)(2+N) S_1}{N^2 (1+N)^3} + \frac{32 (N-1)(2+N) S_1^2}{N^2 (1+N)^2} \right.
$$
$$
\left. + \frac{32 (N-1)(2+N) S_2}{N^2 (1+N)^2} \right] S_{-2} + \left[\frac{32 (N-1)(2+N)}{N^2 (1+N)^3} + \frac{32 (N-1)(2+N) S_1}{N^2 (1+N)^2} \right] S_{-3}
$$
$$
+ \frac{16 (N-1)(2+N) S_{-4}}{N^2 (1+N)^2} - \frac{16 (N-1)(2+N) S_{3,1}}{N^2 (1+N)^2} - \frac{64 (N-1)(2+N) S_{-2,1}}{N^2 (1+N)^3}
$$
$$
- \frac{32 (N-1)(2+N) S_{-2,2}}{N^2 (1+N)^2} - \frac{32 (N-1)(2+N) S_{-3,1}}{N^2 (1+N)^2} - \frac{16 (N-1)(2+N) S_{2,1,1}}{N^2 (1+N)^2}
$$
$$
+ \frac{64 (N-1)(2+N) S_{-2,1,1}}{N^2 (1+N)^2} + \left[-64 \ln(2) - \frac{4 S_1 P_{161}}{3 N^3 (1+N)^3} + \frac{4 P_{168}}{9 N^4 (1+N)^4} \right.
$$
$$
\left. + \frac{4 (N-1)(2+N) S_1^2}{N^2 (1+N)^2} + \frac{12 (N-1)(2+N) S_2}{N^2 (1+N)^2} + \frac{24 (N-1)(2+N) S_{-2}}{N^2 (1+N)^2} \right] \zeta_2
$$
$$
\left. + \left[\frac{8 P_{156}}{9 N^3 (1+N)^3} + \frac{16 (N-1)(2+N) S_1}{3 N^2 (1+N)^2} \right] \zeta_3 \right\} - \frac{64}{27} T_F^3 \zeta_3 + a_{gg,Q}^{(3)} \Bigg\}. \tag{144}
$$

The polynomials P_i read

$$
P_{130} = N^4 + 2N^3 - 7N^2 - 8N + 28, \tag{145}
$$
$$
P_{131} = N^4 + 2N^3 - 5N^2 - 12N + 2, \tag{146}
$$

$$P_{132} = 2N^4 - 4N^3 - 3N^2 + 20N + 12, \quad (147)$$
$$P_{133} = 3N^4 + 6N^3 - 89N^2 - 92N + 12, \quad (148)$$
$$P_{134} = 3N^4 + 6N^3 + 16N^2 + 13N - 3, \quad (149)$$
$$P_{135} = 3N^4 + 32N^3 + 65N^2 - 16N - 60, \quad (150)$$
$$P_{136} = 3N^4 + 48N^3 + 123N^2 + 98N + 8, \quad (151)$$
$$P_{137} = 9N^4 + 18N^3 + 113N^2 + 104N - 24, \quad (152)$$
$$P_{138} = 11N^4 + 36N^3 + 43N^2 + 46N + 8, \quad (153)$$
$$P_{139} = 20N^4 + 40N^3 + 11N^2 - 9N + 54, \quad (154)$$
$$P_{140} = 23N^4 + 46N^3 + 23N^2 + 96N + 48, \quad (155)$$
$$P_{141} = 40N^4 + 74N^3 + 25N^2 - 9N + 16, \quad (156)$$
$$P_{142} = 40N^4 + 80N^3 + 73N^2 + 33N + 54, \quad (157)$$
$$P_{143} = 63N^4 + 126N^3 + 271N^2 + 208N - 48, \quad (158)$$
$$P_{144} = 99N^4 + 198N^3 + 463N^2 + 364N - 84, \quad (159)$$
$$P_{145} = 136N^4 + 254N^3 + 37N^2 - 81N + 144, \quad (160)$$
$$P_{146} = 3N^5 + 7N^4 - 29N^3 - 51N^2 - 2N - 8, \quad (161)$$
$$P_{147} = N^6 + 3N^5 + 5N^4 + N^3 - 8N^2 + 2N + 4, \quad (162)$$
$$P_{148} = N^6 + 18N^5 + 63N^4 + 84N^3 + 30N^2 - 64N - 16, \quad (163)$$
$$P_{149} = 3N^6 + 9N^5 - 163N^4 - 341N^3 + 164N^2 - 432N - 192, \quad (164)$$
$$P_{150} = 3N^6 + 9N^5 + 20N^4 + 25N^3 - 11N^2 - 46N - 12, \quad (165)$$
$$P_{151} = 3N^6 + 30N^5 + 107N^4 + 124N^3 + 48N^2 + 20N + 8, \quad (166)$$
$$P_{152} = 6N^6 + 23N^5 - 14N^4 - 121N^3 - 114N^2 - 20N + 8, \quad (167)$$
$$P_{153} = 15N^6 + 45N^5 + 49N^4 - 13N^3 - 64N^2 + 40N + 48, \quad (168)$$
$$P_{154} = 15N^6 + 45N^5 + 56N^4 + N^3 - 68N^2 + 29N + 42, \quad (169)$$
$$P_{155} = 15N^6 + 45N^5 + 374N^4 + 601N^3 + 161N^2 - 24N + 36, \quad (170)$$
$$P_{156} = 18N^6 + 54N^5 + 65N^4 + 40N^3 - 23N^2 - 34N + 24, \quad (171)$$
$$P_{157} = 20N^6 + 60N^5 + 11N^4 - 78N^3 - 13N^2 + 36N - 108, \quad (172)$$
$$P_{158} = 24N^6 + 72N^5 + 69N^4 + 18N^3 + N^2 + 4N + 4, \quad (173)$$
$$P_{159} = 27N^6 + 81N^5 - 1247N^4 - 2341N^3 - 720N^2 + 32N - 240, \quad (174)$$
$$P_{160} = 27N^6 + 81N^5 + 148N^4 + 161N^3 + 253N^2 - 390N - 144, \quad (175)$$
$$P_{161} = 30N^6 + 90N^5 + 79N^4 + 8N^3 + 23N^2 + 70N + 12, \quad (176)$$
$$P_{162} = 63N^6 + 189N^5 + 157N^4 + 35N^3 + 80N^2 + 4N - 24, \quad (177)$$
$$P_{163} = 95N^6 + 285N^5 + 92N^4 - 291N^3 - 97N^2 + 96N - 36, \quad (178)$$
$$P_{164} = 297N^6 + 891N^5 - 461N^4 - 2119N^3 - 872N^2 - 96N - 432, \quad (179)$$
$$P_{165} = 233N^7 + 1093N^6 + 1970N^5 + 1538N^4 - 167N^3 - 2143N^2 - 2412N - 288, \quad (180)$$
$$P_{166} = -15N^8 - 60N^7 - 82N^6 - 44N^5 - 15N^4 - 4N^2 - 12N - 8, \quad (181)$$
$$P_{167} = 3N^8 + 12N^7 + 2080N^6 + 5568N^5 + 4602N^4 + 1138N^3 - 3N^2 - 36N - 108, \quad (182)$$
$$P_{168} = 15N^8 + 60N^7 + 242N^6 + 417N^5 + 344N^4 + 285N^3 + 185N^2 + 456N + 108, \quad (183)$$

$$
\begin{aligned}
P_{169} &= 33N^8 + 132N^7 - 82N^6 - 840N^5 - 571N^4 + 564N^3 + 308N^2 \\
&\quad +984N + 288, \qquad (184)\\
P_{170} &= 40N^8 + 160N^7 + 205N^6 + 61N^5 + 18N^4 + 113N^3 + 75N^2 \\
&\quad -20N - 12, \qquad (185)\\
P_{171} &= 67N^8 + 268N^7 + 194N^6 - 508N^5 - 533N^4 + 480N^3 \\
&\quad +616N^2 + 344N + 144, \qquad (186)\\
P_{172} &= 126N^8 + 504N^7 - 1306N^6 - 5052N^5 - 4473N^4 - 1138N^3 \\
&\quad +3N^2 + 36N + 108, \qquad (187)\\
P_{173} &= 219N^8 + 876N^7 + 1142N^6 + 288N^5 - 217N^4 + 240N^3 \\
&\quad +410N^2 + 366N + 180, \qquad (188)\\
P_{174} &= 1386N^8 + 5544N^7 - 11270N^6 - 46284N^5 - 39915N^4 \\
&\quad -9422N^3 + 33N^2 + 396N + 1188, \qquad (189)\\
P_{175} &= 15N^{10} + 75N^9 + 2N^8 - 469N^7 - 506N^6 + 524N^5 \\
&\quad +781N^4 + 26N^3 - 1192N^2 - 1128N - 432, \qquad (190)\\
P_{176} &= 310N^{10} + 1748N^9 + 4811N^8 + 14192N^7 + 24974N^6 + 3194N^5 \\
&\quad -29393N^4 - 16866N^3 + 8694N^2 + 7128N + 1944, \qquad (191)\\
P_{177} &= 391N^{10} + 1955N^9 + 3622N^8 + 3046N^7 + 1595N^6 + 1327N^5 \\
&\quad +1152N^4 + 216N^3 - 288N^2 - 360N - 144, \qquad (192)\\
P_{178} &= 1593N^{10} + 7965N^9 + 11578N^8 + 1594N^7 - 1379N^6 + 12793N^5 \\
&\quad +17152N^4 + 4432N^3 - 1728N^2 - 2160N - 864, \qquad (193)\\
P_{179} &= -3135N^{12} - 18810N^{11} - 42713N^{10} - 44692N^9 - 22145N^8 \\
&\quad -9290N^7 - 8167N^6 - 4136N^5 - 960N^4 + 11232N^3 \\
&\quad +6720N^2 + 3360N + 576, \qquad (194)\\
P_{180} &= -39N^{12} - 234N^{11} - 521N^{10} - 492N^9 - 85N^8 - 42N^7 - 883N^6 \\
&\quad -1660N^5 - 1324N^4 - 492N^3 - 52N^2 + 48N + 16, \qquad (195)\\
P_{181} &= N^{12} + 6N^{11} - 3N^{10} - 58N^9 - 21N^8 + 222N^7 + 609N^6 \\
&\quad +1144N^5 + 1122N^4 + 142N^3 - 180N^2 + 40N + 48, \qquad (196)\\
P_{182} &= 276N^{12} + 1656N^{11} + 3334N^{10} + 869N^9 - 6591N^8 - 7395N^7 \\
&\quad +7452N^6 + 13479N^5 + 3167N^4 + 7303N^3 + 1110N^2 - 5004N \\
&\quad -2376, \qquad (197)\\
P_{183} &= 2493N^{12} + 14958N^{11} + 42317N^{10} + 75910N^9 + 45511N^8 - 60782N^7 \\
&\quad -29777N^6 + 17194N^5 - 130384N^4 - 115536N^3 + 25776N^2 \\
&\quad +24192N + 5184. \qquad (198)
\end{aligned}
$$

Next we turn to the polarized massive Wilson coefficients in the asymptotic region $Q^2 \gg m^2$ in the single mass case.

6 The polarized Wilson coefficients $L_q^{\rm PS}$ and $L_g^{\rm S}$

The massive Wilson coefficients (5) and (6) are related to the expansion coefficients of the massive OMEs and the massless Wilson coefficients. In presenting the Wilson coefficients for

the structure function $g_1(x,Q^2)$ we leave the 3–loop massive OMEs, calculated in the previous sections and Ref. [23] and the 3–loop contribution to the polarized massless Wilson coefficients symbolic. The latter depend also on the logarithmic terms L_Q (16). In the non–singlet case the complete asymptotic Wilson coefficient to the structure function $g_1(x,Q^2)$ has already been calculated in Ref. [28].

For $L_q^{\sf PS}$ we obtain

$$
\begin{aligned}
L_q^{PS} &= \frac{1}{2}\left[1-(-1)^N\right]\\
&\times\Bigg\{a_s^3\Bigg\{C_F N_F T_F^2\Bigg\{-\frac{32(N-1)^2(2+N)\big(22+41N+28N^2\big)}{27N^3(1+N)^4}\\
&+L_M\Bigg[-\frac{64(N-1)^2(2+N)(2+5N)}{9N^3(1+N)^3}+(N-1)\Bigg[-\frac{64(2+N)\big(3+2N+2N^2\big)}{9N^3(1+N)^3}S_1\\
&+\frac{64(2+N)S_1^2}{3N^2(1+N)^2}\Bigg]\Bigg]+L_M^2\Bigg[-\frac{32(N-1)^2(2+N)}{3N^3(1+N)^2}-\frac{32(N-1)(2+N)S_1}{3N^2(1+N)^2}\Bigg]\\
&+(N-1)\Bigg[L_Q\Bigg[\frac{32L_M^2(2+N)}{3N^2(1+N)^2}+\frac{32(2+N)\big(22+41N+28N^2\big)}{27N^2(1+N)^4}+L_M\Bigg[\frac{64(2+N)(2+5N)}{9N^2(1+N)^3}\\
&-\frac{64(2+N)S_1}{3N^2(1+N)^2}\Bigg]-\frac{32(2+N)(2+5N)}{9N^2(1+N)^3}S_1+\frac{16(2+N)S_1^2}{3N^2(1+N)^2}+\frac{16(2+N)S_2}{3N^2(1+N)^2}\Bigg]\\
&+\Bigg[-\frac{32(2+N)\big(6+37N+35N^2+13N^3\big)}{27N^3(1+N)^4}-\frac{16(2+N)S_2}{3N^2(1+N)^2}\Bigg]S_1\\
&+\frac{16(2+N)\big(3+4N+7N^2\big)}{9N^3(1+N)^3}S_1^2-\frac{16(2+N)S_1^3}{3N^2(1+N)^2}\Bigg]-\frac{16(N-1)^2(2+N)}{3N^3(1+N)^2}S_2\Bigg\}\\
&+A_{qq,Q}^{PS(3)}+N_F\hat{\tilde{C}}_q^{PS(3)}\left(L_Q,N_F\right)\Bigg\}\Bigg\}. \qquad (199)
\end{aligned}
$$

$L_g^{\sf S}$ is given by

$$
\begin{aligned}
L_g^S &= \frac{1}{2}\left[1-(-1)^N\right]\\
&\times\Bigg\{a_s^2 N_F T_F^2\Bigg\{\frac{16L_M L_Q(N-1)}{3N(1+N)}+L_M\Bigg[-\frac{16(N-1)^2}{3N^2(1+N)}-\frac{16(N-1)S_1}{3N(1+N)}\Bigg]\Bigg\}\\
&+a_s^3\Bigg\{N_F T_F^3\Bigg\{\frac{64L_M^2 L_Q(N-1)}{9N(1+N)}+L_M^2\Bigg[-\frac{64(N-1)^2}{9N^2(1+N)}-\frac{64(N-1)S_1}{9N(1+N)}\Bigg]\Bigg\}\\
&+C_A N_F T_F^2\Bigg\{-\frac{8(N-1)^2Q_9}{27N^5(1+N)^4}+L_Q\Bigg[(N-1)\Bigg[\frac{8Q_9}{27N^4(1+N)^4}+L_M^2\Bigg[\frac{64}{3N^2(1+N)^2}\\
&-\frac{32S_1}{3N(1+N)}\Bigg]-\frac{16(47+56N)S_1}{27N(1+N)^2}\Bigg]+L_M\Bigg[\frac{32Q_5}{9N^3(1+N)^3}+(N-1)\Bigg[\frac{32S_1^2}{3N(1+N)}\\
&-\frac{32S_2}{3N(1+N)}-\frac{64S_{-2}}{3N(1+N)}\Bigg]-\frac{64\big(-9-2N+3N^2+2N^3\big)}{9N^2(1+N)^2}S_1\Bigg]\Bigg]+L_M^2\Bigg[-\frac{64(N-1)^2}{3N^3(1+N)^2}
\end{aligned}
$$

$$
+(N-1)\left[\frac{32\big(-3+N^2\big)S_1}{3N^2(1+N)^2}+\frac{32S_1^2}{3N(1+N)}\right]\Bigg]+(N-1)\Bigg[\frac{8S_1Q_{10}}{27N^4(1+N)^4}
$$

$$
+L_ML_Q^2\left[\frac{64}{3N^2(1+N)^2}-\frac{32S_1}{3N(1+N)}\right]+\frac{16(47+56N)S_1^2}{27N(1+N)^2}\Bigg]
$$

$$
+L_M\Bigg[-\frac{16Q_{13}}{9(N-1)N^4(1+N)^4(2+N)^2}+(N-1)\left[-\frac{16S_1^3}{9N(1+N)}-\frac{64S_{2,1}}{3N(1+N)}\right]
$$

$$
+\left[-\frac{16Q_8}{9N^3(1+N)^3(2+N)}+\frac{80(N-1)S_2}{3N(1+N)}\right]S_1+\frac{32\big(-9-10N+3N^2+7N^3\big)}{9N^2(1+N)^2}S_1^2
$$

$$
+\frac{32\big(3-2N+N^2+N^3\big)}{3N^2(1+N)^2}S_2+\frac{32\big(2+5N+5N^2\big)}{9N(1+N)(2+N)}S_3
$$

$$
+\left[\frac{64Q_3}{3(N-1)N(1+N)^2(2+N)^2}+\frac{64\big(2+N+N^2\big)}{3N(1+N)(2+N)}S_1\right]S_{-2}-\frac{64\big(-4+N+N^2\big)}{3N(1+N)(2+N)}S_{-3}
$$

$$
-\frac{256S_{-2,1}}{3N(1+N)(2+N)}-\frac{32\big(2+N+N^2\big)}{N(1+N)(2+N)}\zeta_3\Bigg]\Bigg\}+C_FN_FT_F^2\Bigg\{\frac{4(N-1)^2Q_{12}}{N^6(1+N)^5}
$$

$$
+(N-1)\left[\frac{4S_1Q_{12}}{N^5(1+N)^5}+L_ML_Q^2\left[\frac{8Q_2}{3N^3(1+N)^3}-\frac{32S_1}{3N(1+N)}\right]\right]
$$

$$
+L_Q\Bigg[\frac{16L_M^2(N-1)^2(2+N)}{N^3(1+N)^3}+(N-1)\Bigg[-\frac{4Q_{12}}{N^5(1+N)^5}+L_M\Bigg[\frac{16S_1Q_1}{3N^3(1+N)^3}
$$

$$
-\frac{16Q_6}{3N^4(1+N)^4}+\frac{64S_1^2}{3N(1+N)}-\frac{64S_2}{3N(1+N)}\Bigg]\Bigg]\Bigg]+L_M^2\left[-\frac{16(N-1)^3(2+N)}{N^4(1+N)^3}\right.
$$

$$
\left.-\frac{16(N-1)^2(2+N)}{N^3(1+N)^3}S_1\right]+L_M\Bigg[\frac{8S_2Q_4}{3N^3(1+N)^3}-\frac{8Q_{14}}{3(N-1)N^5(1+N)^5(2+N)^2}
$$

$$
+(N-1)\left[-\frac{8\big(-4+2N+3N^2\big)\big(3+2N+3N^2\big)}{3N^3(1+N)^3}S_1^2-\frac{80S_1^3}{9N(1+N)}+\frac{64S_{2,1}}{3N(1+N)}\right]
$$

$$
+\left[-\frac{32Q_{11}}{3N^4(1+N)^4(2+N)}+\frac{16(N-1)S_2}{N(1+N)}\right]S_1-\frac{256\big(1+N+N^2\big)}{9N(1+N)(2+N)}S_3
$$

$$
+\left[\frac{64Q_7}{3(N-1)N^2(1+N)^2(2+N)^2}-\frac{512S_1}{3N(1+N)(2+N)}\right]S_{-2}-\frac{256S_{-3}}{3N(1+N)(2+N)}
$$

$$
\left.+\frac{512S_{-2,1}}{3N(1+N)(2+N)}+\frac{64\big(2+N+N^2\big)}{N(1+N)(2+N)}\zeta_3\right]\Bigg\}+A_{qg,Q}^{(3)}+N_F\hat{\tilde{C}}_g^{S(3)}\left(L_Q,N_F\right)\Bigg\}\Bigg\}, \tag{200}
$$

with the polynomials Q_i given by

$$
\begin{aligned}
Q_1 &= 3N^4+2N^3-N^2-12, && (201)\\
Q_2 &= 3N^4+6N^3-N^2-4N+12, && (202)\\
Q_3 &= N^5+3N^4-3N^3-9N^2-8N-8, && (203)\\
Q_4 &= 9N^5-N^4-23N^3-15N^2-14N+12, && (204)\\
Q_5 &= 9N^5+9N^4-4N^3+15N^2-41N-12, && (205)\\
Q_6 &= N^6-19N^4-22N^3+22N^2-34N-36, && (206)\\
Q_7 &= N^6+3N^5+13N^4+21N^3+22N^2+12N-24, && (207)
\end{aligned}
$$

$$
\begin{aligned}
Q_{8} &= 13N^6 + 44N^5 + 71N^4 + 94N^3 - 90N^2 - 288N - 72, && (208)\\
Q_{9} &= 15N^6 + 45N^5 + 374N^4 + 601N^3 + 161N^2 - 24N + 36, && (209)\\
Q_{10} &= 97N^6 + 161N^5 - 392N^4 - 807N^3 - 255N^2 + 24N - 36, && (210)\\
Q_{11} &= N^8 + 3N^7 + 11N^6 + 20N^5 - 15N^4 - 17N^3 + 49N^2 - 20N - 36 && (211)\\
Q_{12} &= 15N^8 + 60N^7 + 82N^6 + 44N^5 + 15N^4 + 4N^2 + 12N + 8, && (212)\\
Q_{13} &= 24N^{10} + 102N^9 + 58N^8 - 210N^7 - 209N^6 + 23N^5 + 529N^4 \\
&\quad +1109N^3 + 234N^2 - 388N - 120, && (213)\\
Q_{14} &= 8N^{12} + 50N^{11} + 122N^{10} + 98N^9 - 457N^8 - 1398N^7 - 1232N^6 \\
&\quad -634N^5 - 793N^4 + 388N^3 + 1128N^2 - 16N - 336. && (214)
\end{aligned}
$$

7 The polarized Wilson coefficients $H_{Qq}^{(3),\rm PS}$

The next Wilson coefficient is $H_{Qq}^{(3),\rm PS}$. It is given by

$$
\begin{aligned}
H_q^{PS} &= \frac{1}{2}\left[1-(-1)^N\right]\\
&\times\Biggl\{a_s^2 C_F T_F\Biggl\{\frac{8Q_{16}}{(N-1)N^4(1+N)^4(2+N)} + (2+N)\Biggl[\frac{8L_M\bigl(1+2N+N^3\bigr)}{N^3(1+N)^3}\\
&+L_Q\Biggl[-\frac{8\bigl(2+N-N^2+2N^3\bigr)}{N^3(1+N)^3} - \frac{8(N-1)S_1}{N^2(1+N)^2}\Biggr] + (N-1)\Biggl[-\frac{4L_M^2}{N^2(1+N)^2} + \frac{4L_Q^2}{N^2(1+N)^2}\\
&+\frac{4S_1^2}{N^2(1+N)^2} - \frac{12S_2}{N^2(1+N)^2}\Biggr] + \frac{8\bigl(2+N-N^2+2N^3\bigr)}{N^3(1+N)^3}S_1\Biggr]\\
&-\frac{64}{(N-1)N(1+N)(2+N)}S_{-2}\Biggr\} + a_s^3\Biggl\{C_F^2 T_F(2+N)\Biggl\{\frac{8S_2Q_{15}}{N^4(1+N)^4}\\
&+\frac{4\bigl(-1-3N-4N^2+4N^3\bigr)\bigl(-2+5N+6N^2+9N^3\bigr)}{N^6(1+N)^5}\\
&+L_Q\Biggl[-\frac{4\bigl(2+3N+3N^2\bigr)\bigl(-1-3N-4N^2+4N^3\bigr)}{N^5(1+N)^5}\\
&+L_M\Biggl[\frac{8\bigl(2+3N+3N^2\bigr)\bigl(1+2N+N^3\bigr)}{N^4(1+N)^4} - \frac{32\bigl(1+2N+N^3\bigr)}{N^3(1+N)^3}S_1\Biggr]\\
&+(N-1)\Biggl[L_M^2\Biggl[-\frac{4\bigl(2+3N+3N^2\bigr)}{N^3(1+N)^3} + \frac{16S_1}{N^2(1+N)^2}\Biggr] - \frac{8\bigl(2+3N+3N^2\bigr)}{N^3(1+N)^3}S_2\Biggr]\\
&+\Biggl[\frac{16\bigl(-1-3N-4N^2+4N^3\bigr)}{N^4(1+N)^4} + \frac{32(N-1)S_2}{N^2(1+N)^2}\Biggr]S_1\Biggr]\\
&+L_M\Biggl[-\frac{8\bigl(1+2N+N^3\bigr)\bigl(-2+5N+6N^2+9N^3\bigr)}{N^5(1+N)^4}\\
&+\frac{8\bigl(-2+3N+3N^2\bigr)\bigl(1+2N+N^3\bigr)}{N^4(1+N)^4}S_1 + \frac{16\bigl(1+2N+N^3\bigr)}{N^3(1+N)^3}S_1^2 - \frac{16\bigl(1+2N+N^3\bigr)}{N^3(1+N)^3}S_2\Biggr]
\end{aligned}
$$

$$
+(N-1)\Bigg[L_M^2\Bigg[\frac{4\big(-2+5N+6N^2+9N^3\big)}{N^4(1+N)^3}-\frac{4\big(-2+3N+3N^2\big)}{N^3(1+N)^3}S_1-\frac{8S_1^2}{N^2(1+N)^2}
+\frac{8S_2}{N^2(1+N)^2}\Bigg]+\frac{16S_2^2}{N^2(1+N)^2}\Bigg]+\Bigg[-\frac{4\big(-2+3N+3N^2\big)\big(-1-3N-4N^2+4N^3\big)}{N^5(1+N)^5}
-\frac{8(N-1)\big(-2+3N+3N^2\big)}{N^3(1+N)^3}S_2\Bigg]S_1+\Bigg[-\frac{8\big(-1-3N-4N^2+4N^3\big)}{N^4(1+N)^4}-\frac{16(N-1)S_2}{N^2(1+N)^2}\Bigg]S_1^2\Bigg\}
+C_FT_F^2(2+N)\Bigg\{-\frac{32(N-1)^2\big(22+41N+28N^2\big)}{27N^3(1+N)^4}+L_M\Bigg[-\frac{64(N-1)^2(2+5N)}{9N^3(1+N)^3}
+(N-1)\Bigg[-\frac{64\big(3+2N+2N^2\big)}{9N^3(1+N)^3}S_1+\frac{64S_1^2}{3N^2(1+N)^2}\Bigg]\Bigg]+L_M^2\Bigg[-\frac{32(N-1)^2}{3N^3(1+N)^2}
-\frac{32(N-1)S_1}{3N^2(1+N)^2}\Bigg]+(N-1)\Bigg[L_Q\Bigg[\frac{32L_M^2}{3N^2(1+N)^2}+\frac{32\big(22+41N+28N^2\big)}{27N^2(1+N)^4}
+L_M\Bigg[\frac{64(2+5N)}{9N^2(1+N)^3}-\frac{64S_1}{3N^2(1+N)^2}\Bigg]-\frac{32(2+5N)S_1}{9N^2(1+N)^3}+\frac{16S_1^2}{3N^2(1+N)^2}+\frac{16S_2}{3N^2(1+N)^2}\Bigg]
+\Bigg[-\frac{32\big(6+37N+35N^2+13N^3\big)}{27N^3(1+N)^4}-\frac{16S_2}{3N^2(1+N)^2}\Bigg]S_1+\frac{16\big(3+4N+7N^2\big)}{9N^3(1+N)^3}S_1^2
-\frac{16S_1^3}{3N^2(1+N)^2}\Bigg]-\frac{16(N-1)^2S_2}{3N^3(1+N)^2}\Bigg\}+A_{Qq}^{PS(3)}+\tilde{C}_q^{PS(3)}\left(L_Q,N_F+1\right)\Bigg\}\Bigg\}, \tag{215}
$$

where

$$
Q_{15} = 9N^5+6N^4-12N^2-8N+1, \tag{216}
$$

$$
Q_{16} = 3N^8+10N^7-N^6-22N^5-14N^4-18N^3-30N^2+8. \tag{217}
$$

The polarized massive OME $A_{Qq}^{(3),\rm PS}$ has been calculated in Ref. [23].

8 The polarized Wilson coefficient $H_{Qg}^{(3),\rm S}$

Finally, $H_{Qg}^{(3),\rm S}$, (8), is obtained by

$$
H_g^S = \frac{1}{2}\left[1-(-1)^N\right]
\times\Bigg\{a_sT_F\Bigg\{-\frac{4(N-1)^2}{N^2(1+N)}+(N-1)\Bigg[-\frac{4L_M}{N(1+N)}+\frac{4L_Q}{N(1+N)}-\frac{4S_1}{N(1+N)}\Bigg]\Bigg\}
+a_s^2\Bigg\{C_AT_F\Bigg\{-\frac{8Q_{78}}{(N-1)N^4(1+N)^4(2+N)^2}+L_M\Bigg[-\frac{8Q_{42}}{N^3(1+N)^3}
+(N-1)\Bigg[\frac{8S_1^2}{N(1+N)}+\frac{8S_2}{N(1+N)}+\frac{16S_{-2}}{N(1+N)}\Bigg]-\frac{32S_1}{N(1+N)^2}\Bigg]
+L_Q\Bigg[\frac{8(-2+N)Q_{19}}{N^3(1+N)^3}+(N-1)\Bigg[\frac{8S_1^2}{N(1+N)}-\frac{8S_2}{N(1+N)}-\frac{16S_{-2}}{N(1+N)}\Bigg]
$$

$$+\frac{16\big(3-N-N^2+N^3\big)}{N^2(1+N)^2}S_1\Bigg] + (N-1)\Bigg[L_Q^2\Bigg[\frac{16}{N^2(1+N)^2} - \frac{8S_1}{N(1+N)}\Bigg]$$
$$+L_M^2\Bigg[-\frac{16}{N^2(1+N)^2} + \frac{8S_1}{N(1+N)}\Bigg] - \frac{16S_{2,1}}{N(1+N)}\Bigg] + \Bigg[-\frac{16Q_{55}}{N^3(1+N)^3(2+N)}$$
$$+\frac{32(N-1)S_2}{N(1+N)}\Bigg]S_1 - \frac{4\big(12-N+N^2+2N^3\big)}{N^2(1+N)(2+N)}S_1^2 + \frac{4Q_{21}}{N^2(1+N)^2(2+N)}S_2$$
$$+\frac{8\big(-2+3N+3N^2\big)}{N(1+N)(2+N)}S_3 + \Bigg[\frac{16Q_{18}}{(N-1)N(1+N)(2+N)^2} + \frac{32S_1}{2+N}\Bigg]S_{-2}$$
$$-\frac{8(-2+N)(3+N)}{N(1+N)(2+N)}S_{-3} - \frac{16\big(2+N+N^2\big)}{N(1+N)(2+N)}S_{-2,1} - \frac{24\big(2+N+N^2\big)}{N(1+N)(2+N)}\zeta_3\Bigg\}$$
$$+C_FT_F\Bigg\{\frac{4Q_{79}}{(N-1)N^4(1+N)^4(2+N)^2} + (N-1)\Bigg[L_M^2\Bigg[\frac{2\big(2+3N+3N^2\big)}{N^2(1+N)^2} - \frac{8S_1}{N(1+N)}\Bigg]$$
$$+L_Q^2\Bigg[\frac{2\big(2+3N+3N^2\big)}{N^2(1+N)^2} - \frac{8S_1}{N(1+N)}\Bigg] + L_Q\Bigg[-\frac{4Q_{27}}{N^3(1+N)^3} + L_M\Bigg[-\frac{4\big(2+3N+3N^2\big)}{N^2(1+N)^2}$$
$$+\frac{16S_1}{N(1+N)}\Bigg] + \frac{4\big(-6-N+3N^2\big)}{N^2(1+N)^2}S_1 + \frac{16S_1^2}{N(1+N)} - \frac{16S_2}{N(1+N)}\Bigg] + L_M\Bigg[\frac{4Q_{27}}{N^3(1+N)^3}$$
$$-\frac{4\big(-6-N+3N^2\big)}{N^2(1+N)^2}S_1 - \frac{16S_1^2}{N(1+N)} + \frac{16S_2}{N(1+N)}\Bigg] - \frac{8S_1^3}{N(1+N)} + \frac{16S_{2,1}}{N(1+N)}\Bigg]$$
$$+\Bigg[\frac{4Q_{54}}{N^3(1+N)^3(2+N)} + \frac{8(N-1)S_2}{N(1+N)}\Bigg]S_1 - \frac{2Q_{30}}{N^2(1+N)^2(2+N)}S_1^2$$
$$+\frac{2Q_{34}}{N^2(1+N)^2(2+N)}S_2 - \frac{16\big(2+N+N^2\big)}{N(1+N)(2+N)}S_3 + \Bigg[\frac{16\big(10+N+N^2\big)}{(N-1)(2+N)^2}$$
$$-\frac{128S_1}{N(1+N)(2+N)}\Bigg]S_{-2} - \frac{64S_{-3}}{N(1+N)(2+N)} + \frac{128S_{-2,1}}{N(1+N)(2+N)}$$
$$+\frac{48\big(2+N+N^2\big)}{N(1+N)(2+N)}\zeta_3\Bigg\} + T_F^2\Bigg\{(N-1)\Bigg[-\frac{16L_M^2}{3N(1+N)} + \frac{16L_ML_Q}{3N(1+N)}\Bigg]$$
$$+L_M\Bigg[-\frac{16(N-1)^2}{3N^2(1+N)} - \frac{16(N-1)S_1}{3N(1+N)}\Bigg]\Bigg\}\Bigg\} + a_s^3\Bigg\{C_FN_FT_F^2\Bigg\{(N-1)\Bigg[L_ML_Q^2\Bigg[-\frac{8Q_{24}}{3N^3(1+N)^3}$$
$$+\frac{32S_1}{3N(1+N)}\Bigg] + (L_ML_Q)\Bigg[-\frac{16S_1Q_{36}}{9N^3(1+N)^3} + \frac{8Q_{62}}{9N^4(1+N)^4} - \frac{32S_1^2}{3N(1+N)} + \frac{32S_2}{N(1+N)}\Bigg]\Bigg]$$
$$+L_M\Bigg[-\frac{2Q_{84}}{27N^5(1+N)^5(2+N)} + (N-1)\Bigg[\frac{8S_1^2Q_{36}}{9N^3(1+N)^3} - \frac{8S_2Q_{39}}{9N^3(1+N)^3} + \Bigg[\frac{8Q_{64}}{27N^4(1+N)^4}$$
$$-\frac{32S_2}{3N(1+N)}\Bigg]S_1 + \frac{32S_1^3}{9N(1+N)} + \frac{352S_3}{9N(1+N)} - \frac{64S_{2,1}}{3N(1+N)}\Bigg] + \frac{256S_{-2}}{N^2(1+N)^2(2+N)}\Bigg]\Bigg\}$$
$$+C_AT_F^2\Bigg\{-\frac{8(N-1)^2Q_{58}}{27N^5(1+N)^4} + L_Q\Bigg[(N-1)\Bigg[\frac{8Q_{58}}{27N^4(1+N)^4} + L_M^2\Bigg[\frac{64}{3N^2(1+N)^2}$$

$$-\frac{32S_1}{3N(1+N)}\Big] - \frac{16(47+56N)S_1}{27N(1+N)^2}\Big] + L_M\Big[\frac{32Q_{48}}{9N^3(1+N)^3} + (N-1)\Big[\frac{32S_1^2}{3N(1+N)}$$
$$-\frac{32S_2}{3N(1+N)} - \frac{64S_{-2}}{3N(1+N)}\Big] - \frac{64\big(-9-2N+3N^2+2N^3\big)}{9N^2(1+N)^2}S_1\Big]\Big] + L_M^2\Big[-\frac{64(N-1)^2}{3N^3(1+N)^2}$$
$$+(N-1)\Big[\frac{32\big(-3+N^2\big)S_1}{3N^2(1+N)^2} + \frac{32S_1^2}{3N(1+N)}\Big]\Big] + (N-1)\Big[\frac{8S_1Q_{63}}{27N^4(1+N)^4}$$
$$+L_ML_Q^2\Big[\frac{64}{3N^2(1+N)^2} - \frac{32S_1}{3N(1+N)}\Big] + \frac{16(47+56N)S_1^2}{27N(1+N)^2}\Big]$$
$$+L_M\Big[-\frac{16Q_{82}}{9(N-1)N^4(1+N)^4(2+N)^2} + (N-1)\Big[-\frac{16S_1^3}{9N(1+N)} - \frac{64S_{2,1}}{3N(1+N)}\Big]$$
$$+\Big[-\frac{16Q_{57}}{9N^3(1+N)^3(2+N)} + \frac{80(N-1)S_2}{3N(1+N)}\Big]S_1 + \frac{32\big(-9-10N+3N^2+7N^3\big)}{9N^2(1+N)^2}S_1^2$$
$$+\frac{32\big(3-2N+N^2+N^3\big)}{3N^2(1+N)^2}S_2 + \frac{32\big(2+5N+5N^2\big)}{9N(1+N)(2+N)}S_3 + \Big[\frac{64Q_{43}}{3(N-1)N(1+N)^2(2+N)^2}$$
$$+\frac{64\big(2+N+N^2\big)}{3N(1+N)(2+N)}S_1\Big]S_{-2} - \frac{64\big(-4+N+N^2\big)}{3N(1+N)(2+N)}S_{-3} - \frac{256S_{-2,1}}{3N(1+N)(2+N)}$$
$$-\frac{32\big(2+N+N^2\big)}{N(1+N)(2+N)}\zeta_3\Big]\Big\} + C_FT_F^2\Big\{\frac{4(N-1)^2Q_{76}}{N^6(1+N)^5} + (N-1)\Big[\frac{4S_1Q_{76}}{N^5(1+N)^5}$$
$$+L_ML_Q^2\Big[\frac{8\big(2+3N+3N^2\big)}{3N^2(1+N)^2} - \frac{32S_1}{3N(1+N)}\Big] + L_Q\Big[-\frac{4Q_{76}}{N^5(1+N)^5} + L_M^2\Big[-\frac{16Q_{22}}{3N^3(1+N)^3}$$
$$+\frac{64S_1}{3N(1+N)}\Big] + L_M\Big[-\frac{16Q_{53}}{3N^4(1+N)^4} + \frac{16\big(-6-N+3N^2\big)}{3N^2(1+N)^2}S_1 + \frac{64S_1^2}{3N(1+N)}$$
$$-\frac{64S_2}{3N(1+N)}\Big]\Big] + L_M^2\Big[-\frac{16S_1Q_{23}}{3N^3(1+N)^3} + \frac{16Q_{49}}{3N^4(1+N)^3} - \frac{32S_1^2}{3N(1+N)} + \frac{32S_2}{3N(1+N)}\Big]\Big]$$
$$+L_M\Big[-\frac{8Q_{86}}{3(N-1)N^5(1+N)^4(2+N)^2} + (N-1)\Big[-\frac{8\big(-8+3N+9N^2\big)}{3N^2(1+N)^2}S_1^2$$
$$-\frac{80S_1^3}{9N(1+N)} + \frac{64S_{2,1}}{3N(1+N)}\Big] + \Big[-\frac{32Q_{70}}{3N^4(1+N)^4(2+N)} + \frac{16(N-1)S_2}{N(1+N)}\Big]S_1$$
$$+\frac{8\big(4-19N-10N^2+9N^3\big)}{3N^2(1+N)^2}S_2 - \frac{256\big(1+N+N^2\big)}{9N(1+N)(2+N)}S_3 + \Big[\frac{64\big(10+N+N^2\big)}{3(N-1)(2+N)^2}$$
$$-\frac{512S_1}{3N(1+N)(2+N)}\Big]S_{-2} - \frac{256S_{-3}}{3N(1+N)(2+N)} + \frac{512S_{-2,1}}{3N(1+N)(2+N)}$$
$$+\frac{64\big(2+N+N^2\big)}{N(1+N)(2+N)}\zeta_3\Big]\Big\} + C_AC_FT_F\Big\{-\frac{4\big(-2+5N+6N^2+9N^3\big)Q_{72}}{N^6(1+N)^5(2+N)}$$
$$+L_M^2\Big[(N-1)\Big[\frac{16\big(-2+5N+6N^2+9N^3\big)}{N^4(1+N)^3} + \Big[-\frac{8Q_{32}}{N^3(1+N)^3} - \frac{16S_2}{N(1+N)}\Big]S_1$$

$$+\frac{16S_1^3}{N(1+N)}+\frac{32S_2}{N^2(1+N)^2}\Big]+\frac{24(N-1)^2(2+N)}{N^2(1+N)^2}S_1^2\Big]+L_Q\Big[\frac{4\big(2+3N+3N^2\big)Q_{72}}{N^5(1+N)^5(2+N)}$$
$$+L_M\Big[-\frac{2Q_{68}}{9N^4(1+N)^4}+(N-1)\Big[-\frac{32S_1^3}{N(1+N)}-\frac{16\big(-1+4N+4N^2\big)}{N^2(1+N)^2}S_2+\frac{32S_3}{N(1+N)}$$
$$+\frac{48S_{-2}}{N(1+N)}+\frac{32S_{-3}}{N(1+N)}-\frac{64S_{-2,1}}{N(1+N)}\Big]+\Big[\frac{4Q_{51}}{9N^3(1+N)^3}-\frac{32(N-1)S_2}{N(1+N)}\Big]S_1$$
$$+\frac{16\big(-3+17N+10N^3\big)}{3N^2(1+N)^2}S_1^2\Big]+(N-1)\Big[L_M^2\Big[-\frac{16\big(2+3N+3N^2\big)}{N^3(1+N)^3}$$
$$+\frac{8\big(10+3N+3N^2\big)}{N^2(1+N)^2}S_1-\frac{32S_1^2}{N(1+N)}\Big]-\frac{16S_1^4}{3N(1+N)}+\frac{32\big(2+3N+3N^2\big)}{3N^2(1+N)^2}S_3$$
$$+\Big[\frac{16\big(2+3N+3N^2\big)}{N^2(1+N)^3}+\frac{16\big(2-N+3N^2\big)}{N^2(1+N)^2}S_1-\frac{64S_1^2}{N(1+N)}\Big]S_{-2}+\Big[\frac{8\big(2+3N+3N^2\big)}{N^2(1+N)^2}$$
$$-\frac{32S_1}{N(1+N)}\Big]S_{-3}-\frac{16\big(2+3N+3N^2\big)}{N^2(1+N)^2}S_{-2,1}\Big]+\Big[-\frac{4Q_{74}}{N^4(1+N)^4(2+N)}$$
$$+(N-1)\Big[-\frac{128S_3}{3N(1+N)}+\frac{64S_{-2,1}}{N(1+N)}\Big]+\frac{4Q_{33}}{N^2(1+N)^2(2+N)}S_2\Big]S_1$$
$$+\Big[\frac{4Q_{46}}{N^2(1+N)^3(2+N)}-\frac{48(N-1)S_2}{N(1+N)}\Big]S_1^2+\frac{4Q_{25}}{3N^2(1+N)^2(2+N)}S_1^3$$
$$-\frac{4\big(2+3N+3N^2\big)\big(-16+15N+24N^2+7N^3\big)}{N^3(1+N)^3(2+N)}S_2\Big]+L_M\Big[\frac{2S_2Q_{52}}{9N^3(1+N)^3}$$
$$+\frac{Q_{85}}{54N^5(1+N)^5(2+N)}+(N-1)\Big[\Big[-\frac{2Q_{41}}{9N^3(1+N)^3}-\frac{16S_2}{N(1+N)}\Big]S_1^2+\frac{16S_1^4}{N(1+N)}$$
$$-\frac{8\big(-36+121N+121N^2\big)}{9N^2(1+N)^2}S_3+\frac{32S_4}{N(1+N)}+\frac{48S_{-2}^2}{N(1+N)}+\Big[-\frac{32}{N^2(1+N)^2}$$
$$+\frac{32S_1}{N(1+N)}\Big]S_{-3}+\frac{80S_{-4}}{N(1+N)}+\frac{16\big(-6+11N+11N^2\big)}{3N^2(1+N)^2}S_{2,1}+\frac{96S_{3,1}}{N(1+N)}-\frac{32S_{-2,2}}{N(1+N)}$$
$$-\frac{64S_{-3,1}}{N(1+N)}-\frac{96S_{2,1,1}}{N(1+N)}-\frac{24(1+3N)(2+3N)}{N^2(1+N)^2}\zeta_3\Big]+\Big[-\frac{2Q_{69}}{27N^4(1+N)^4}$$
$$+(N-1)\Big[-\frac{96S_3}{N(1+N)}+\frac{64S_{2,1}}{N(1+N)}+\frac{64S_{-2,1}}{N(1+N)}+\frac{192\zeta_3}{N(1+N)}\Big]+\frac{32\big(1+5N^2\big)}{3N(1+N)^2}S_2\Big]S_1$$
$$+\frac{16\big(9-53N+8N^3\big)}{9N^2(1+N)^2}S_1^3+\Big[-\frac{16Q_{56}}{N^3(1+N)^3(2+N)}+(N-1)\Big[\frac{48S_1}{N(1+N)}$$
$$-\frac{32S_1^2}{N(1+N)}\Big]\Big]S_{-2}\Big]+(N-1)\Big[L_ML_Q^2\Big[\frac{22\big(2+3N+3N^2\big)}{3N^2(1+N)^2}-\frac{88S_1}{3N(1+N)}\Big]+\frac{8S_1^5}{3N(1+N)}$$
$$-\frac{32\big(-2+5N+6N^2+9N^3\big)}{3N^3(1+N)^2}S_3+\Big[-\frac{16\big(-2+5N+6N^2+9N^3\big)}{N^3(1+N)^3}+\Big[-\frac{16Q_{31}}{N^3(1+N)^3}$$

$$-\frac{32S_2}{N(1+N)}\Big]S_1+\frac{16(2+N)(-1+3N)}{N^2(1+N)^2}S_1^2+\frac{32S_1^3}{N(1+N)}-\frac{32S_2}{N(1+N)^2}\Big]S_{-2}$$
$$+\Big[-\frac{8\big(-2+5N+6N^2+9N^3\big)}{N^3(1+N)^2}+\frac{8\big(-2+3N+3N^2\big)}{N^2(1+N)^2}S_1+\frac{16S_1^2}{N(1+N)}-\frac{16S_2}{N(1+N)}\Big]S_{-3}$$
$$+\frac{16\big(-2+5N+6N^2+9N^3\big)}{N^3(1+N)^2}S_{-2,1}\Big]+\Big[\frac{4Q_{80}}{N^5(1+N)^5(2+N)}+(N-1)\Big[-\frac{24S_2^2}{N(1+N)}$$
$$+\frac{32\big(-2+3N+3N^2\big)}{3N^2(1+N)^2}S_3-\frac{16\big(-2+3N+3N^2\big)}{N^2(1+N)^2}S_{-2,1}\Big]-\frac{4Q_{61}}{N^3(1+N)^3(2+N)}S_2\Big]S_1$$
$$+\Big[\frac{4Q_{71}}{N^4(1+N)^4(2+N)}+(N-1)\Big[\frac{64S_3}{3N(1+N)}-\frac{32S_{-2,1}}{N(1+N)}\Big]+\frac{4Q_{29}}{N^2(1+N)^2(2+N)}S_2\Big]S_1^2$$
$$+\Big[-\frac{4Q_{59}}{3N^3(1+N)^3(2+N)}+\frac{64(N-1)S_2}{3N(1+N)}\Big]S_1^3+\frac{4\big(4-38N-29N^2+3N^4\big)}{3N^2(1+N)^2(2+N)}S_1^4$$
$$+\Big[-\frac{4Q_{73}}{N^4(1+N)^4(2+N)}+(N-1)\Big[-\frac{64S_3}{3N(1+N)}+\frac{32S_{-2,1}}{N(1+N)}\Big]\Big]S_2$$
$$+\frac{8\big(-16+15N+24N^2+7N^3\big)}{N^2(1+N)^2(2+N)}S_2^2\Big\}+C_F^2T_F\Big\{-\frac{2\big(-2+5N+6N^2+9N^3\big)Q_{75}}{N^6(1+N)^5(2+N)}$$
$$+L_M^2\Big[(N-1)\Big[-\frac{2\big(2+3N+3N^2\big)\big(-2+5N+6N^2+9N^3\big)}{N^4(1+N)^3}+\Big[\frac{2Q_{38}}{N^3(1+N)^3}$$
$$+\frac{16S_2}{N(1+N)}\Big]S_1-\frac{16S_1^3}{N(1+N)}-\frac{4\big(2+3N+3N^2\big)}{N^2(1+N)^2}S_2\Big]-\frac{12(N-1)^2(2+N)}{N^2(1+N)^2}S_1^2\Big]$$
$$+L_Q\Big[\frac{2\big(2+3N+3N^2\big)Q_{75}}{N^5(1+N)^5(2+N)}+(N-1)\Big[L_M^2\Big[\frac{2\big(2+3N+3N^2\big)^2}{N^3(1+N)^3}-\frac{16\big(2+3N+3N^2\big)}{N^2(1+N)^2}S_1$$
$$+\frac{32S_1^2}{N(1+N)}\Big]+L_M\Big[\frac{2Q_{60}}{N^4(1+N)^4}+\Big[-\frac{4Q_{35}}{N^3(1+N)^3}-\frac{128S_2}{N(1+N)}\Big]S_1-\frac{64(2+N)S_1^2}{N^2(1+N)^2}$$
$$+\frac{64S_1^3}{N(1+N)}+\frac{32\big(2+3N+3N^2\big)}{N^2(1+N)^2}S_2-\frac{64S_3}{N(1+N)}+\Big[\frac{64}{N^2(1+N)^2}-\frac{128S_1}{N(1+N)}\Big]S_{-2}$$
$$-\frac{64S_{-3}}{N(1+N)}+\frac{128S_{-2,1}}{N(1+N)}\Big]+\frac{16S_1^4}{3N(1+N)}+\frac{16\big(2+3N+3N^2\big)}{3N^2(1+N)^2}S_3\Big]$$
$$+\Big[-\frac{4Q_{77}}{N^4(1+N)^4(2+N)}-\frac{4Q_{28}}{N^2(1+N)^2(2+N)}S_2-\frac{64(N-1)S_3}{3N(1+N)}\Big]S_1$$
$$+\Big[-\frac{4Q_{45}}{N^3(1+N)^2(2+N)}+\frac{16(N-1)S_2}{N(1+N)}\Big]S_1^2-\frac{4Q_{26}}{3N^2(1+N)^2(2+N)}S_1^3$$
$$+\frac{4\big(2+3N+3N^2\big)Q_{20}}{N^3(1+N)^3(2+N)}S_2\Big]+(N-1)\Big[L_ML_Q^2\Big[-\frac{2\big(2+3N+3N^2\big)^2}{N^3(1+N)^3}$$
$$+\frac{16\big(2+3N+3N^2\big)}{N^2(1+N)^2}S_1-\frac{32S_1^2}{N(1+N)}\Big]-\frac{8S_1^5}{3N(1+N)}-\frac{16\big(-2+5N+6N^2+9N^3\big)}{3N^3(1+N)^2}S_3\Big]$$

$$
+L_M\Bigg[\frac{Q_{83}}{2N^5(1+N)^5(2+N)}+(N-1)\Bigg[-\frac{2S_2Q_{40}}{N^3(1+N)^3}+\Bigg[\frac{2Q_{37}}{N^3(1+N)^3}+\frac{112S_2}{N(1+N)}\Bigg]S_1^2
$$

$$
-\frac{24S_1^4}{N(1+N)}-\frac{40S_2^2}{N(1+N)}+\frac{8\big(-2+9N+9N^2\big)}{N^2(1+N)^2}S_3-\frac{48S_4}{N(1+N)}-\frac{96S_{-2}^2}{N(1+N)}
$$

$$
+\Bigg[\frac{64}{N^2(1+N)^2}-\frac{64S_1}{N(1+N)}\Bigg]S_{-3}-\frac{160S_{-4}}{N(1+N)}-\frac{16\big(-2+3N+3N^2\big)}{N^2(1+N)^2}S_{2,1}-\frac{160S_{3,1}}{N(1+N)}
$$

$$
+\frac{64S_{-2,2}}{N(1+N)}+\frac{128S_{-3,1}}{N(1+N)}+\frac{96S_{2,1,1}}{N(1+N)}+\frac{288\zeta_3}{N(1+N)}\Bigg]+\Bigg[\frac{2Q_{66}}{N^4(1+N)^4}
$$

$$
+(N-1)\Bigg[\frac{32\big(-4+2N+3N^2\big)}{N^2(1+N)^2}S_2+\frac{96S_3}{N(1+N)}-\frac{64S_{2,1}}{N(1+N)}-\frac{128S_{-2,1}}{N(1+N)}
$$

$$
-\frac{192\zeta_3}{N(1+N)}\Bigg]\Bigg]S_1-\frac{16(N-1)^2(4+3N)}{N^2(1+N)^2}S_1^3+\Bigg[\frac{32Q_{44}}{N^2(1+N)^3(2+N)}
$$

$$
+(N-1)\Bigg[-\frac{64S_1}{N^2(1+N)^2}+\frac{128S_1^2}{N(1+N)}-\frac{64S_2}{N(1+N)}\Bigg]\Bigg]S_{-2}\Bigg]+\Bigg[\frac{2Q_{81}}{N^5(1+N)^5(2+N)}
$$

$$
+(N-1)\Bigg[\frac{8S_2^2}{N(1+N)}+\frac{16\big(-2+3N+3N^2\big)}{3N^2(1+N)^2}S_3\Bigg]+\frac{8Q_{47}}{N^2(1+N)^3(2+N)}S_2\Bigg]S_1
$$

$$
+\Bigg[\frac{4Q_{65}}{N^3(1+N)^4(2+N)}-\frac{4Q_{17}}{N^2(1+N)^2(2+N)}S_2+\frac{32(N-1)S_3}{3N(1+N)}\Bigg]S_1^2
$$

$$
+\Bigg[\frac{4Q_{50}}{3N^3(1+N)^2(2+N)}-\frac{16(N-1)S_2}{3N(1+N)}\Bigg]S_1^3-\frac{4\big(-8-5N+N^2\big)\big(-2+3N+3N^2\big)}{3N^2(1+N)^2(2+N)}S_1^4
$$

$$
+\Bigg[-\frac{4Q_{67}}{N^3(1+N)^4(2+N)}-\frac{32(N-1)S_3}{3N(1+N)}\Bigg]S_2-\frac{8Q_{20}}{N^2(1+N)^2(2+N)}S_2^2\Bigg\}
$$

$$
+T_F^3\Bigg\{\frac{64L_M^2L_Q(N-1)}{9N(1+N)}+L_M^2\Bigg[-\frac{64(N-1)^2}{9N^2(1+N)}-\frac{64(N-1)S_1}{9N(1+N)}\Bigg]\Bigg\}
$$

$$
+A_{Qg}^{(3)}+\tilde{C}_g^{S(3)}\left(L_Q,N_F+1\right)\Bigg\}\Bigg\}, \tag{218}
$$

with the polynomials Q_i

$$
\begin{aligned}
Q_{17} &= N^4-22N^3-79N^2-72N-4, && (219)\\
Q_{18} &= N^4+3N^3-4N^2-8N-4, && (220)\\
Q_{19} &= N^4+3N^3-2N^2+3N+3, && (221)\\
Q_{20} &= N^4+17N^3+43N^2+33N+2, && (222)\\
Q_{21} &= 2N^4-N^3-24N^2-17N+28, && (223)\\
Q_{22} &= 3N^4+6N^3+2N^2-N+6, && (224)\\
Q_{23} &= 3N^4+6N^3+4N^2+N-6, && (225)\\
Q_{24} &= 3N^4+6N^3+11N^2+8N-12, && (226)\\
Q_{25} &= 3N^4+18N^3+47N^2+56N-4, && (227)\\
Q_{26} &= 3N^4+42N^3+71N^2+8N-28, && (228)\\
Q_{27} &= 4N^4+5N^3+3N^2-4N-4, && (229)\\
Q_{28} &= 7N^4+74N^3+171N^2+128N+4, && (230)
\end{aligned}
$$

$$
\begin{aligned}
Q_{29} &= 9N^4 + 6N^3 - 55N^2 - 44N + 44, && (231)\\
Q_{30} &= 9N^4 + 6N^3 - 35N^2 - 16N + 20, && (232)\\
Q_{31} &= 9N^4 + 12N^3 + 8N^2 + 5N - 2, && (233)\\
Q_{32} &= 9N^4 + 15N^3 + 17N^2 + 9N - 6, && (234)\\
Q_{33} &= 9N^4 + 46N^3 + 93N^2 + 48N - 76, && (235)\\
Q_{34} &= 11N^4 + 42N^3 + 47N^2 + 32N + 12, && (236)\\
Q_{35} &= 25N^4 + 26N^3 - 3N^2 - 52N - 36, && (237)\\
Q_{36} &= 29N^4 + 58N^3 + 5N^2 - 24N + 36, && (238)\\
Q_{37} &= 43N^4 + 86N^3 + 107N^2 - 8N - 56, && (239)\\
Q_{38} &= 45N^4 + 78N^3 + 53N^2 + 12N - 12, && (240)\\
Q_{39} &= 85N^4 + 170N^3 + 61N^2 - 24N + 36, && (241)\\
Q_{40} &= 111N^4 + 198N^3 + 135N^2 + 24N - 32, && (242)\\
Q_{41} &= 763N^4 + 1418N^3 + 985N^2 + 978N + 72, && (243)\\
Q_{42} &= N^5 + N^4 - 4N^3 + 3N^2 - 7N - 2, && (244)\\
Q_{43} &= N^5 + 3N^4 - 3N^3 - 9N^2 - 8N - 8, && (245)\\
Q_{44} &= 2N^5 + 6N^4 + N^3 - 6N^2 + 11N + 10, && (246)\\
Q_{45} &= 4N^5 - 13N^4 - 114N^3 - 241N^2 - 144N + 4, && (247)\\
Q_{46} &= 4N^5 + 13N^4 - 19N^3 - 69N^2 - 15N - 10, && (248)\\
Q_{47} &= 5N^5 + 39N^4 + 118N^3 + 171N^2 + 93N + 2, && (249)\\
Q_{48} &= 9N^5 + 9N^4 - 4N^3 + 15N^2 - 41N - 12, && (250)\\
Q_{49} &= 9N^5 + 15N^4 + 8N^3 + 3N^2 + 7N - 6, && (251)\\
Q_{50} &= 15N^5 + 36N^4 - 97N^3 - 366N^2 - 264N + 16, && (252)\\
Q_{51} &= 439N^5 + 439N^4 - 937N^3 - 367N^2 - 582N - 144, && (253)\\
Q_{52} &= 815N^5 + 923N^4 - 1349N^3 - 491N^2 - 258N - 216, && (254)\\
Q_{53} &= N^6 - 7N^4 - 4N^3 + 16N^2 - 10N - 12, && (255)\\
Q_{54} &= 2N^6 + 5N^5 - 22N^4 - 95N^3 - 114N^2 - 24N + 16, && (256)\\
Q_{55} &= 2N^6 + 5N^5 - 3N^4 - 7N^3 + 2N^2 - 11N - 8, && (257)\\
Q_{56} &= 11N^6 + 30N^5 + 9N^4 - 22N^3 - 10N^2 + 2N + 4, && (258)\\
Q_{57} &= 13N^6 + 44N^5 + 71N^4 + 94N^3 - 90N^2 - 288N - 72, && (259)\\
Q_{58} &= 15N^6 + 45N^5 + 374N^4 + 601N^3 + 161N^2 - 24N + 36, && (260)\\
Q_{59} &= 15N^6 + 57N^5 + 47N^4 - N^3 + 12N^2 - 38N + 4, && (261)\\
Q_{60} &= 21N^6 + 45N^5 + 55N^4 - 13N^3 - 12N^2 - 8N + 8, && (262)\\
Q_{61} &= 25N^6 + 85N^5 + 119N^4 + 75N^3 - 118N^2 - 102N + 44, && (263)\\
Q_{62} &= 57N^6 + 153N^5 + 233N^4 + 163N^3 - 70N^2 + 120N + 144, && (264)\\
Q_{63} &= 97N^6 + 161N^5 - 392N^4 - 807N^3 - 255N^2 + 24N - 36, && (265)\\
Q_{64} &= 247N^6 + 795N^5 + 555N^4 - 71N^3 + 210N^2 - 360N - 432, && (266)\\
Q_{65} &= 15N^7 + 28N^6 - 116N^5 - 453N^4 - 575N^3 - 221N^2 + 114N + 88, && (267)\\
Q_{66} &= 21N^7 - 52N^6 - 86N^5 - 60N^4 + 17N^3 + 176N^2 + 24N - 40, && (268)\\
Q_{67} &= 21N^7 + 220N^6 + 713N^5 + 1132N^4 + 1010N^3 + 486N^2 + 38N - 52, && (269)\\
Q_{68} &= 753N^7 + 1308N^6 - 44N^5 - 1118N^4 - 1549N^3 - 766N^2 - 600N - 288, && (270)
\end{aligned}
$$

$$
\begin{aligned}
Q_{69} &= 3479N^7 + 7444N^6 - 5160N^5 - 13414N^4 - 8111N^3 - 5478N^2 \\
&\quad +1368N + 864, \qquad (271)\\
Q_{70} &= N^8 + 3N^7 + 5N^6 + 5N^5 - 9N^4 - 8N^3 + 19N^2 - 8N - 12, \qquad (272)\\
Q_{71} &= N^8 + 14N^7 + 88N^6 + 229N^5 + 202N^4 + 47N^3 + 77N^2 + 14N + 8, \qquad (273)\\
Q_{72} &= 2N^8 + 10N^7 + 22N^6 + 36N^5 + 29N^4 + 4N^3 + 33N^2 + 12N + 4, \qquad (274)\\
Q_{73} &= 4N^8 - 43N^7 - 277N^6 - 500N^5 - 308N^4 + 25N^3 + 245N^2 + 102N - 24, \qquad (275)\\
Q_{74} &= 11N^8 + 55N^7 + 99N^6 + 119N^5 + 90N^4 + 2N^3 + 136N^2 + 48N + 16, \qquad (276)\\
Q_{75} &= 12N^8 + 52N^7 + 60N^6 - 25N^4 - 2N^3 + 3N^2 + 8N + 4, \qquad (277)\\
Q_{76} &= 15N^8 + 60N^7 + 82N^6 + 44N^5 + 15N^4 + 4N^2 + 12N + 8, \qquad (278)\\
Q_{77} &= 21N^8 + 101N^7 + 193N^6 + 321N^5 + 528N^4 + 550N^3 + 302N^2 + 88N + 8, \qquad (279)\\
Q_{78} &= N^{10} + 3N^9 - 15N^8 - 56N^7 - 8N^6 + 90N^5 + 60N^4 + 67N^3 + 86N^2 \\
&\quad -12N - 24, \qquad (280)\\
Q_{79} &= 5N^{10} + 23N^9 + 31N^8 - N^7 + 54N^6 + 268N^5 + 342N^4 + 98N^3 - 60N^2 \\
&\quad -8N + 16, \qquad (281)\\
Q_{80} &= 15N^{10} + 87N^9 + 154N^8 + 96N^7 + 18N^6 - 64N^5 + 47N^4 + 153N^3 - 22N^2 \\
&\quad -12N - 8, \qquad (282)\\
Q_{81} &= 18N^{10} + 162N^9 + 740N^8 + 2296N^7 + 4511N^6 + 5341N^5 + 3593N^4 \\
&\quad +1065N^3 - 130N^2 - 148N - 8, \qquad (283)\\
Q_{82} &= 24N^{10} + 102N^9 + 58N^8 - 210N^7 - 209N^6 + 23N^5 + 529N^4 + 1109N^3 \\
&\quad +234N^2 - 388N - 120, \qquad (284)\\
Q_{83} &= 29N^{10} + 229N^9 + 620N^8 + 1434N^7 + 2173N^6 + 505N^5 - 86N^4 + 712N^3 \\
&\quad +704N^2 - 16N - 160, \qquad (285)\\
Q_{84} &= 1371N^{10} + 6171N^9 + 10220N^8 + 5678N^7 - 9493N^6 - 17113N^5 - 9154N^4 \\
&\quad -10864N^3 - 10656N^2 + 1872N + 4320, \qquad (286)\\
Q_{85} &= 20283N^{10} + 92379N^9 + 127804N^8 + 11278N^7 - 154181N^6 - 222809N^5 \\
&\quad -170666N^4 - 111392N^3 - 62568N^2 + 5040N + 8640, \qquad (287)\\
Q_{86} &= 8N^{11} + 42N^{10} + 44N^9 - 102N^8 - 415N^7 - 539N^6 - 195N^5 - 241N^4 \\
&\quad -414N^3 + 268N^2 + 104N - 96. \qquad (288)
\end{aligned}
$$

9 Conclusions

We have calculated the logarithmic contributions to the massive operator matrix elements A_{ij} and the massive Wilson coefficients in the asymptotic region in the polarized case to 3–loop order, also referring to previous results in the literature. These quantities provide important corrections to the deep–inelastic scattering structure functions $g_1(x,Q^2)$ and $g_2(x,Q^2)$, as well as the matching functions in the polarized variable flavor number scheme to 3–loop order. Here the OMEs $A_{qq,Q}^{(3),\rm PS}$ and $A_{qg,Q}^{(3),\rm S}$ are new quantities, which haven been calculated in complete form. At present, except of the massless flavor non–singlet Wilson coefficients [62], the polarized massless 3–loop Wilson coefficients are not yet known. Therefore, we have given them only symbolically in the corresponding expressions. Similarly, the calculation of the constant part of the unrenormalized polarized massive OMEs $A_{Qg}^{(3)}$ and $A_{gg,Q}^{(3)}$ is still underway. However, the logarithmic contributions are already available for use. These contributions, unlike the case for

the non–logarithmic parts, can all be represented in terms of harmonic sums in Mellin N space or by harmonic polylogarithms in momentum fraction z space. One has to finally know these expressions to 3–loop order, because this is requested by the experimental accuracy expected in future high–luminosity deep–inelastic scattering experiments. Likewise, the matrix elements for the polarized variable flavor number scheme are needed to describe the decoupling of heavy flavors at polarized hadron colliders, to give full account on these QCD corrections. Working in the Larin scheme provides an alternative to other schemes in matching the massive OMEs with the massless Wilson coefficients and polarized parton densities, which would also be described in this scheme. This implies a modification for their evolution, but maintains their universality and leads to the same predictions of all observables. The analytic expressions for the massive operator matrix elements and Wilson coefficients in the asymptotic regions are lengthy, as expected for single differential 3–loop quantities, cf. also [62]. For this reason we also provide computer-readable files as attachments to this paper.

In addition to the single mass corrections, on which we have concentrated in the present paper, there are double mass corrections due to charm and bottom quarks of the polarized massive OMEs starting with 3–loop order. They have been calculated for all OMEs but $A_{Qg}^{(3)}$ by now in Refs. [25–27], in complete analytic form and the calculation of $A_{Qg}^{(3)}$ maintaining the leading terms in the mass expansion m_c^2/m_b^2 is underway. We also presented the non–singlet OME and the associated Wilson coefficient in the Larin scheme since it previously has been given in the $\overline{\mathsf{MS}}$ scheme only [22, 28].

A The z-Space Expressions for the massive OMEs

The massive OMEs in z-space decompose into the three contributions A_δ, A_+ and $A_{\rm reg}$. Their convolutions with regular functions, such as parton distribution functions, are given by [78]

$$A_\delta(z) \otimes f(z) = f(1) \tag{289}$$

$$A_+(z) \otimes f(z) = \int_z^1 \frac{dy}{y} A_+(y) \left[f\left(\frac{z}{y}\right) - f(z) \right] - f(z) \int_0^z dy A_+(y) \tag{290}$$

$$A_{\rm reg}(z) \otimes f(z) = \int_z^1 \frac{dy}{y} A_{\rm reg}(y) f\left(\frac{z}{y}\right). \tag{291}$$

The following terms can all be expressed by harmonic polylogarithms [54]. They correspond to words out of letters of the three-letter alphabet

$$\mathfrak{A} = \left\{ f_0(x) = \frac{1}{x}, f_1(x) = \frac{1}{1-x}, f_{-1}(x) = \frac{1}{1+x} \right\} \tag{292}$$

and perform algebraic reductions, cf. [73]. The harmonic polylogarithms are given by

$$H_{b,\vec{a}}(x) = \int_0^x dy f_a(y) H_{\vec{a}}(y), \quad H_\emptyset = 1, a, a_i \in \{0, 1, -1\}. \tag{293}$$

With the exception of $A_{gg,Q}^{(3)}$ and $A_{qq,Q}^{(3),\rm NS}$, all OMEs shown in the following have only regular contributions. For the OME $A_{qq,Q}^{(3),\rm PS}$ they read

$A_{qq,Q}^{PS}(z) =$

$$
\begin{aligned}
&a_s^3\Biggl\{C_F N_F T_F^2\Biggl\{L_M^3\Biggl[\frac{160}{9}(z-1)-\frac{64}{9}(1+z)H_0\Biggr]\\
&+L_M^2\Biggl[-\frac{32}{9}(z-1)\Bigl(-1+15H_1\Bigr)+(1+z)\Bigl(-\frac{32}{3}H_0^2+\frac{64}{3}H_{0,1}-\frac{64}{3}\zeta_2\Bigr)\\
&-\frac{32}{9}(7+z)H_0\Biggr]+L_M\Biggl[(1+z)\Bigl(-\frac{176}{9}H_0^2-\frac{32}{9}H_0^3+\frac{128}{3}H_{0,0,1}-\frac{128}{3}H_{0,1,1}\Bigr)\\
&-\frac{32}{27}(55+31z)H_0+(z-1)\Bigl(\frac{5312}{27}-\frac{64}{9}H_1+\frac{160}{3}H_1^2\Bigr)+\frac{64}{9}(7+z)H_{0,1}\\
&+\Biggl[-\frac{64}{9}(7+z)-\frac{128}{3}(1+z)H_0\Biggr]\zeta_2\Biggr]+(1+z)\Bigl(-\frac{64}{3}H_{0,1,1,1}+\frac{448}{15}\zeta_2^2\Bigr)\\
&+\frac{128}{81}(49+82z)H_0+(z-1)\Bigl(-\frac{10880}{81}+\frac{3712}{27}H_1-\frac{64}{9}H_1^2+\frac{80}{9}H_1^3\Bigr)-\frac{128}{27}(11+14z)H_{0,1}\\
&+\frac{64}{9}(2+5z)H_{0,1,1}+\Biggl[\frac{16}{27}(103+97z)+(1+z)\Bigl(\frac{176}{9}H_0+\frac{16}{3}H_0^2-\frac{64}{3}H_{0,1}\Bigr)\\
&+\frac{160}{3}(z-1)H_1\Biggr]\zeta_2+\Biggl[-\frac{32}{9}(-1+15z)+\frac{64}{9}(1+z)H_0\Biggr]\zeta_3\Biggr\}+a_{qq,Q}^{PS(3)}\Biggr\}. \qquad (294)
\end{aligned}
$$

The contributions to $A_{qg,Q}^{(3)}$ are given by

$$
\begin{aligned}
&A_{qg,Q}=\\
&\quad a_s^3\Biggl\{C_F N_F T_F^2\Biggl\{\frac{1}{27}(58501-59018z)+L_M^3\Biggl[\frac{8}{3}(-41+42z)\\
&\quad+(-1+2z)\Bigl(\frac{16}{3}H_0^2-\frac{32}{9}H_1\Bigr)-\frac{32}{9}(13+19z)H_0\Biggr]+L_M^2\Biggl[\frac{4}{3}(-285+296z)\\
&\quad+(-1+2z)\Bigl(\frac{32}{3}H_0^3+\frac{16}{3}H_1^2+\frac{32}{3}H_{0,1}-\frac{32}{3}\zeta_2\Bigr)-\frac{8}{9}(425+2z)H_0-16(7+6z)H_0^2\\
&\quad-\frac{32}{9}(1+4z)H_1\Biggr]+L_M\Biggl[\frac{212}{9}(-69+70z)+(-1+2z)\Bigl(\frac{20}{3}H_0^4-\frac{16}{9}H_1^3+\frac{32}{3}H_{0,0,1}\\
&\quad-\frac{32}{3}H_{0,1,1}+\frac{32}{3}\zeta_3\Bigr)+\Biggl[-\frac{8}{27}(4103+1565z)+\frac{64}{3}(z-1)H_1-\frac{32}{3}(-1+2z)H_{0,1}\Biggr]H_0\\
&\quad+\Biggl[\frac{4}{3}(-343+10z)+\frac{16}{3}(-1+2z)H_1\Biggr]H_0^2-\frac{16}{9}(50+23z)H_0^3-\frac{16}{27}(-28+131z)H_1\\
&\quad+\frac{32}{9}(-2+7z)H_1^2+\frac{64}{9}(1+4z)H_{0,1}-\frac{64}{9}(-2+7z)\zeta_2\Biggr]+(-1+2z)\Bigl(-\frac{4}{15}H_0^5\\
&\quad+\frac{5248}{81}H_1-\frac{896}{27}H_{0,1}+\frac{160}{9}H_{0,0,1}-\frac{32}{3}H_{0,0,0,1}+\frac{16}{3}\zeta_2^2\Bigr)+\Biggl[\frac{16}{81}(7333+4195z)\\
&\quad+(-1+2z)\Bigl(\frac{896}{27}H_1-\frac{160}{9}H_{0,1}+\frac{32}{3}H_{0,0,1}\Bigr)\Biggr]H_0+\Biggl[\frac{8}{27}(1331+140z)\\
&\quad+(-1+2z)\Bigl(\frac{80}{9}H_1-\frac{16}{3}H_{0,1}\Bigr)\Biggr]H_0^2+\Biggl[-\frac{16}{27}(-101+28z)+\frac{16}{9}(-1+2z)H_1\Biggr]H_0^3\\
&\quad+\frac{4}{9}(13+7z)H_0^4+\Biggl[-\frac{4}{3}(-299+305z)+(-1+2z)\Bigl(-8H_0^3-\frac{8}{3}H_1^2-\frac{32}{3}H_{0,1}\Bigr)\Biggr.
\end{aligned}
$$

$$
+\left[\frac{4}{9}(757+178z)+\frac{16}{3}(-1+2z)H_1\right]H_0+\frac{8}{3}(34+25z)H_0^2+\frac{32}{9}(-2+7z)H_1\Bigg]\zeta_2
$$
$$
+\left[-\frac{8}{3}(-41+42z)+(-1+2z)\left(-\frac{16}{3}H_0^2+\frac{32}{9}H_1\right)+\frac{32}{9}(13+19z)H_0\right]\zeta_3\Bigg\}
$$
$$
+C_AN_FT_F^2\Bigg\{-\frac{8}{27}(-4028+4113z)+L_M^3\left[\frac{64}{3}(z-1)-\frac{64}{9}(1+z)H_0\right.
$$
$$
\left.+\frac{32}{9}(-1+2z)H_1\right]+L_M^2\left[\frac{8}{3}(-65+68z)+\left[-\frac{16}{9}(47+38z)-\frac{32}{3}(1+2z)H_{-1}\right]H_0\right.
$$
$$
\left.-\frac{32}{3}H_0^2+\frac{32}{9}(1+4z)H_1-\frac{16}{3}(-1+2z)H_1^2+\frac{32}{3}(1+2z)H_{0,-1}-\frac{32}{3}\zeta_2\right]
$$
$$
+L_M\left[\frac{16}{9}(-514+547z)+(-1+2z)\left(\frac{16}{9}H_1^3+\frac{32}{3}H_{0,0,1}+32H_{0,1,1}\right)\right.
$$
$$
+\left[-\frac{32}{27}(463+211z)+(-1+2z)\left(\frac{16}{3}H_1^2-\frac{32}{3}H_{0,1}\right)-\frac{64}{9}(2+7z)H_{-1}\right.
$$
$$
\left.+\frac{64}{3}(1+2z)H_{0,-1}\right]H_0+\left[-\frac{8}{9}(133+72z)+\frac{16}{3}(-1+2z)H_1-\frac{32}{3}(1+2z)H_{-1}\right]H_0^2
$$
$$
+\frac{16}{9}(-5+6z)H_0^3+\left[\frac{16}{27}(-1+95z)-\frac{64}{3}(-1+2z)H_{0,1}\right]H_1-\frac{32}{9}(-2+7z)H_1^2
$$
$$
+\frac{64}{3}zH_{0,1}+\frac{64}{9}(2+7z)H_{0,-1}-\frac{64}{3}(1+2z)H_{0,0,-1}+\left[-\frac{64}{9}(2+3z)\right.
$$
$$
\left.+\frac{32}{3}(-1+2z)H_1\right]\zeta_2+32\zeta_3\Bigg]+\left[\frac{8}{81}(5836+4771z)-\frac{16}{3}(-1+2z)H_1\right]H_0
$$
$$
-\frac{4}{27}(-649+128z)H_0^2+\frac{16}{27}(17+2z)H_0^3-\frac{4}{9}(-1+2z)H_0^4-\frac{16}{81}(-283+611z)H_1
$$
$$
-\frac{8}{3}(z-1)H_1^2-\frac{16}{9}(3+10z)H_{0,1}+\frac{32}{3}zH_{0,1,1}+\left[-\frac{8}{9}(-231+205z)\right.
$$
$$
+\left[\frac{8}{9}(97+100z)+\frac{16}{3}(1+2z)H_{-1}\right]H_0-\frac{8}{3}(-3+2z)H_0^2-\frac{32}{9}(-2+7z)H_1
$$
$$
\left.+\frac{8}{3}(-1+2z)H_1^2-\frac{16}{3}(1+2z)H_{0,-1}\right]\zeta_2+\frac{16}{3}\zeta_2^2+\left[-\frac{32}{3}(-2+3z)+\frac{64}{9}(1+z)H_0\right.
$$
$$
\left.-\frac{32}{9}(-1+2z)H_1\right]\zeta_3\Bigg\}+a_{qg,Q}^{(3)}\Bigg\} \tag{295}
$$

and the functions $a_{qq,Q}^{(3)}(z)$ and $a_{qg,Q}^{(3)}(z)$ are

$$
\begin{aligned}
a_{qq,Q}^{(3),\rm PS}(z) &= C_FT_F^2N_F\Bigg\{(1-z)\left(\frac{85504}{243}-\frac{25472}{81}H_1+\frac{320}{27}H_1^2-\frac{640}{27}H_1^3-\frac{160}{3}H_1\zeta_2\right)\\
&+(1+z)\left[\left(\frac{54592}{243}-64\zeta_3\right)H_0+\frac{2288}{81}H_0^2+\frac{176}{81}H_0^3+\frac{8}{27}H_0^4-\frac{9152}{81}H_{0,1}\right.\\
&\left.-\frac{704}{27}H_{0,0,1}+\frac{1408}{27}H_{0,1,1}-\frac{128}{9}H_{0,0,0,1}+\frac{256}{9}H_{0,0,1,1}-\frac{512}{9}H_{0,1,1,1}(z)\right.
\end{aligned}
$$

$$+\left(\frac{1232}{27}H_0+\frac{112}{9}H_0^2-\frac{64}{3}H_{0,1}\right)\zeta_2+\frac{704}{15}\zeta_2^2\Bigg]+\frac{16}{81}(617+527z)\zeta_2$$
$$+\frac{32}{27}(-127+83z)\zeta_3\Bigg\} \tag{296}$$

$$\begin{aligned}
a_{qg,Q}^{(3)}(z) &= C_F T_F^2 N_F\Bigg\{-\frac{16}{81}(-49511+50285z)-(1-2z)\left(-\frac{8}{3}H_0^5+\frac{32}{27}H_0^3H_1-\frac{8}{27}H_1^4\right.\\
&-\frac{32}{9}H_0^2H_{0,1}+\frac{64}{9}H_0H_{0,0,1}-\frac{64}{9}H_{0,0,0,1}-\frac{64}{9}H_{0,1,1,1}\Big)+\frac{16}{243}(107935\\
&+46408z)H_0+\frac{8}{81}(21955+3853z)H_0^2-\frac{8}{81}(-3997+1118z)H_0^3+\frac{8}{27}(160\\
&+61z)H_0^4+\left(\frac{32}{243}(-1559+4066z)+\frac{896}{81}(-5+13z)H_0+\frac{64}{27}(-2+7z)H_0^2\right)H_1\\
&-\frac{80}{81}(-28+71z)H_1^2+\frac{64}{81}(-2+7z)H_1^3+\left(-\frac{1792}{81}(-5+13z)\right.\\
&\left.-\frac{128}{27}(-2+7z)H_0\right)H_{0,1}+\frac{128}{27}(-2+7z)[H_{0,0,1}+H_{0,1,1}]+\left(-\frac{8}{81}(-7513\right.\\
&+6779z)-(1-2z)\left(-16H_0^3+\frac{32}{3}H_0H_1-\frac{16}{3}H_1^2-\frac{64}{3}H_{0,1}\right)+\frac{8}{9}(757+178z)H_0\\
&\left.+\frac{16}{3}(34+25z)H_0^2+\frac{64}{9}(-2+7z)H_1\right)\zeta_2-\frac{608}{45}(1-2z)\zeta_2^2+\left(\frac{16}{27}(-2567\right.\\
&\left.+2590z)+(-1+2z)\left(\frac{224}{3}H_0^2-\frac{448}{9}H_1\right)-\frac{448}{9}(13+19z)H_0\right)\zeta_3\Bigg\}\\
&+C_A T_F^2 N_F\Bigg\{-\frac{4352}{81}(-104+109z)-(1-2z)\left(-\frac{32}{9}H_0^3H_1-\frac{16}{9}H_0^2H_1^2+\frac{32}{27}H_0H_1^3\right.\\
&+\frac{8}{27}H_1^4+\left(\frac{32}{3}H_0^2-\frac{64}{9}H_1^2\right)H_{0,1}-\frac{64}{9}H_{0,1}^2+\left(-\frac{64}{3}H_0+\frac{128}{9}H_1\right)H_{0,0,1}\\
&\left.+\left(\frac{64}{9}H_0+\frac{128}{9}H_1\right)H_{0,1,1}+\frac{64}{3}H_{0,0,0,1}-\frac{64}{9}H_{0,0,1,1}-\frac{64}{9}H_{0,1,1,1}\right)+(1+2z)\\
&\left(\frac{128}{27}H_{-1}H_0^3-\frac{128}{9}H_0^2H_{0,-1}-\frac{256}{9}H_{0,0,0,-1}+\frac{256}{27}H_{0,0,-1}\left(2+3H_0\right)\right)\\
&+\left(\frac{32}{243}(23638+13471z)+\frac{64}{81}(70+191z)H_{-1}\right)H_0+\left(\frac{16}{81}(3423+680z)\right.\\
&\left.+\frac{128}{27}(2+7z)H_{-1}\right)H_0^2+\frac{80}{81}(85+8z)H_0^3-\frac{8}{27}(-15+26z)H_0^4+\left(-\frac{32}{243}\right.
\end{aligned}$$

$$\times(-1055+3283z)-\frac{32}{9}(-4+11z)H_0-\frac{64}{27}(-2+7z)H_0^2\Bigg)H_1+\Bigg(\frac{16}{81}(-59$$
$$+265z)-\frac{64}{27}(-2+7z)H_0\Bigg)H_1^2-\frac{64}{81}(-2+7z)H_1^3+\Bigg(-\frac{128}{27}(3+26z)$$
$$+\frac{64}{27}(-4+17z)H_0+\frac{256}{27}(-2+7z)H_1\Bigg)H_{0,1}+\Bigg(-\frac{64}{81}(70+191z)-\frac{128}{27}(4$$
$$+11z)H_0\Bigg)H_{0,-1}-\frac{64}{27}(-4+35z)H_{0,0,1}-\frac{128}{9}(-2+3z)H_{0,1,1}+\Bigg(-\frac{16}{81}(-2359$$
$$+1311z)-(1-2z)\Big(-\frac{64}{9}H_0H_1+\frac{80}{9}H_1^2+\frac{64}{9}H_{0,1}\Bigg)+(1+2z)\Bigg(\frac{32}{3}H_{-1}H_0$$
$$-\frac{32}{3}H_{0,-1}\Bigg)+\frac{16}{9}(97+120z)H_0-\frac{16}{3}(-3+2z)H_0^2-\frac{320}{27}(-2+7z)H_1\Bigg)\zeta_2$$
$$+\frac{1376}{45}\zeta_2^2+\Bigg(\frac{128}{9}(-23+22z)-\frac{896}{9}(1+z)H_0-\frac{320}{9}(1-2z)H_1\Bigg)\zeta_3\Bigg\}. \tag{297}$$

The single mass contributions to the OME $A_{Qg}^{(3)}$ read

$$A_{Qg}=$$
$$-4a_sL_M(-1+2z)T_F+a_s^2\Bigg\{-\frac{16}{3}L_M^2(-1+2z)T_F^2+C_FT_F\Bigg\{2(-11+23z)$$
$$+L_M^2\Big[6+(-1+2z)\Big(-4H_0-8H_1\Big)\Big]+L_M\Big[-4(2+3z)+(-1+2z)\Big(-4H_0^2$$
$$-8H_1^2+16\zeta_2\Big)+\Big[-4(-1+16z)-16(-1+2z)H_1\Big]H_0-32(z-1)H_1\Big]$$
$$+(-1+2z)\Big(\Big(5+2z+4H_1\Big)H_0^2+\frac{2}{3}H_0^3-\frac{4}{3}H_1^3+24H_{0,0,1}-8H_{0,1,1}-8\zeta_3\Big)$$
$$+\Big(-2(8+25z)+4\Big(-11+8z+2z^2\Big)H_1-16(-1+2z)H_{0,1}\Big)H_0$$
$$-4(-16+15z)H_1-4(z-1)(3+z)H_1^2-4\Big(-29+12z+4z^2\Big)H_{0,1}$$
$$+8\Big(-9+2z+z^2\Big)\zeta_2\Bigg\}+C_AT_F\Bigg\{4(-51+53z)+L_M^2\Big[48(z-1)-16(1+z)H_0$$
$$+8(-1+2z)H_1\Big]+(1+z)\Big(-16H_{0,-1}-64H_{0,0,1}\Big)+(-1+2z)\Big(\frac{4}{3}H_1^3+8H_{0,1,1}\Big)$$
$$+(1+2z)\Big(-8H_{-1}^2H_0-\frac{4}{3}H_0^3+8H_{0,0,-1}-16H_{0,-1,-1}\Big)$$
$$+L_M\Big[8(-12+11z)+(1+2z)\Big(16H_{-1}H_0+8H_0^2-16H_{0,-1}\Big)$$
$$-8(1+8z)H_0+32(z-1)H_1+8(-1+2z)H_1^2+16\zeta_2\Big]$$
$$+\Big[-4(14+37z)-4(z-1)(25+z)H_1-4(-1+2z)H_1^2+32(1+z)H_{0,1}$$
$$-8(1+2z)H_{0,-1}\Big]H_0-2\Big(3+z^2\Big)H_0^2-4H_1+2(z-1)(5+z)H_1^2$$
$$+\Big[(1+2z)\Big(4H_0^2+16H_{0,-1}-8\zeta_2\Big)+16(1+z)H_0\Big]H_{-1}+4\Big(-25+28z+2z^2\Big)H_{0,1}$$

$$
-4\Big(-4+4z+z^2\Big)\zeta_2+8(7+8z)\zeta_3\Big\}\Big\}+a_s^3\Big\{T_F^3(-1+2z)\Big(-\frac{64L_M^3}{9}+\frac{64\zeta_3}{9}\Big)
$$
$$
+C_AT_F^2\Big\{-\frac{8}{27}(-7758+7613z)+L_M^3\Big[\frac{448}{3}(z-1)-\frac{448}{9}(1+z)H_0+\frac{224}{9}(-1+2z)H_1\Big]
$$
$$
+(1+z)\Big(-\frac{128}{3}H_{0,0,-1}+\frac{256}{3}H_{0,-1,-1}\Big)+(-1+2z)\Big(-\frac{8}{9}H_1^4+\frac{64}{3}H_{0,1}^2+\frac{320}{3}H_{0,0,1,1}
$$
$$
+\frac{64}{3}H_{0,1,1,1}\Big)+(1+2z)\Big(-\frac{128}{9}H_{-1}^3H_0-\frac{64}{3}H_{0,0,0,-1}+\frac{256}{3}H_{0,0,1,-1}
$$
$$
+\frac{256}{3}H_{0,0,-1,1}-\frac{128}{3}H_{0,0,-1,-1}+\frac{128}{3}H_{0,-1,0,1}+\frac{256}{3}H_{0,-1,-1,-1}\Big)
$$
$$
+L_M^2\Big[\frac{8}{3}(-151+136z)+(1+2z)\Big(32H_{-1}H_0-32H_{0,-1}\Big)-\frac{16}{9}(59+134z)H_0
$$
$$
+\frac{32}{3}(1+4z)H_0^2+\frac{32}{9}(-23+28z)H_1+16(-1+2z)H_1^2+32\zeta_2\Big]
$$
$$
+L_M\Big[\frac{16}{9}(-812+849z)+(-1+2z)\Big(\frac{16}{3}H_1^3+\frac{160}{3}H_{0,1,1}\Big)+(1+2z)\Big(-\frac{64}{3}H_{-1}^2H_0
$$
$$
-\frac{128}{3}H_{0,-1,-1}\Big)+\Big[-\frac{32}{27}(589+544z)-\frac{32}{3}(z-1)(25+z)H_1-\frac{16}{3}(-1+2z)H_1^2
$$
$$
+32(3+2z)H_{0,1}\Big]H_0+\Big[-\frac{8}{9}\Big(151+72z+6z^2\Big)+\frac{16}{3}(-1+2z)H_1\Big]H_0^2
$$
$$
+\frac{16}{9}(-7+2z)H_0^3+\Big[\frac{304}{27}(-1+5z)+(-1+2z)\Big(-\frac{64H_{0,1}}{3}+\frac{32\zeta_2}{3}\Big)\Big]H_1
$$
$$
+\frac{16}{9}\Big(-11-2z+3z^2\Big)H_1^2+\Big[(1+2z)\Big(\frac{128H_{0,-1}}{3}-\frac{64\zeta_2}{3}\Big)-\frac{64}{9}(-4+z)H_0\Big]H_{-1}
$$
$$
+\frac{32}{3}\Big(-25+30z+2z^2\Big)H_{0,1}+\frac{64}{9}(-4+z)H_{0,-1}-\frac{32}{3}(17+14z)H_{0,0,1}
$$
$$
-\frac{32}{9}\Big(-8+18z+3z^2\Big)\zeta_2+\frac{32}{3}(17+16z)\zeta_3\Big]+\Big[\frac{8}{81}(7672+14815z)
$$
$$
+(-1+2z)\Big(\frac{64}{9}H_1^3-\frac{320}{3}H_{0,1,1}\Big)+(1+2z)\Big(\frac{64}{3}H_{0,0,-1}-\frac{128}{3}H_{0,1,-1}-\frac{128}{3}H_{0,-1,1}
$$
$$
+\frac{128}{3}H_{0,-1,-1}\Big)+\Big[-\frac{16}{3}\Big(63-66z+4z^2\Big)+64(-1+2z)H_{0,1}\Big]H_1
$$
$$
+\frac{64}{3}(z-1)H_1^2+\frac{32}{3}\Big(-27+8z+z^2\Big)H_{0,1}+\frac{128}{3}(1+z)H_{0,-1}-\frac{128}{3}(3+2z)H_{0,0,1}
$$
$$
+\frac{8}{9}(115+244z)\zeta_2+\frac{64}{9}(19+31z)\zeta_3\Big]H_0+\Big[-\frac{4}{27}\Big(-577+1244z+72z^2\Big)
$$
$$
-\frac{16}{3}(z-1)(25+z)H_1-\frac{16}{3}(-1+2z)H_1^2+\frac{128}{3}(1+z)H_{0,1}-\frac{32}{3}(1+2z)H_{0,-1}
$$
$$
-\frac{8}{3}(3+14z)\zeta_2\Big]H_0^2-\frac{16}{27}(-2+z)(4+3z)H_0^3-\frac{4}{9}(1+6z)H_0^4+\Big[-\frac{16}{81}(-67+503z)
$$
$$
+(-1+2z)\Big(-\frac{320}{3}H_{0,0,1}-\frac{64}{3}H_{0,1,1}+\frac{160}{9}\zeta_3\Big)-\frac{160}{9}(-4+5z)\zeta_2\Big]H_1
$$

$$
+\left[\frac{8}{3}\left(3-5z+4z^2\right)-\frac{40}{3}(-1+2z)\zeta_2\right]H_1^2-\frac{16}{9}(z-1)(5+z)H_1^3
$$
$$
+\Bigg[(1+z)\left(-\frac{64}{3}H_0^2-\frac{256}{3}H_{0,-1}+\frac{128}{3}\zeta_2\right)
$$
$$
+(1+2z)\left(\frac{32}{9}H_0^3-\frac{256}{3}H_{0,0,1}+\frac{128}{3}H_{0,0,-1}-\frac{256}{3}H_{0,-1,-1}+64\zeta_3\right)
$$
$$
+\left[-128(1+z)+(1+2z)\left(\frac{128}{3}H_{0,1}-\frac{128}{3}H_{0,-1}-\frac{80}{3}\zeta_2\right)\right]H_0\Bigg]H_{-1}
$$
$$
+\left[(1+2z)\left(\frac{32}{3}H_0^2+\frac{128}{3}H_{0,-1}-\frac{64}{3}\zeta_2\right)+\frac{128}{3}(1+z)H_0\right]H_{-1}^2
$$
$$
+\frac{16}{9}\left(189-238z+24z^2\right)H_{0,1}+\left[128(1+z)+\frac{80}{3}(1+2z)\zeta_2\right]H_{0,-1}
$$
$$
-\frac{32}{3}\left(-29-8z+z^2\right)H_{0,0,1}-\frac{32}{3}\left(-4+7z+z^2\right)H_{0,1,1}+128H_{0,0,0,1}
$$
$$
-\frac{4}{9}\left(-561+620z+48z^2\right)\zeta_2-\frac{432}{5}\zeta_2^2+\frac{32}{3}\left(14-43z+z^2\right)\zeta_3\Bigg\}
$$
$$
+C_A N_F T_F^2\Bigg\{-\frac{32}{3}(-53+51z)+L_M^3\left[\frac{64}{3}(z-1)-\frac{64}{9}(1+z)H_0+\frac{32}{9}(-1+2z)H_1\right]
$$
$$
+(1+z)\left(-\frac{64}{3}H_{0,0,-1}+\frac{128}{3}H_{0,-1,-1}\right)+(-1+2z)\left(-\frac{4}{9}H_1^4+\frac{32}{3}H_{0,1}^2+\frac{160}{3}H_{0,0,1,1}\right.
$$
$$
\left.+\frac{32}{3}H_{0,1,1,1}\right)+(1+2z)\left(-\frac{64}{9}H_{-1}^3H_0-\frac{4}{9}H_0^4-\frac{32}{3}H_{0,0,0,-1}+\frac{128}{3}H_{0,0,1,-1}\right.
$$
$$
\left.+\frac{128}{3}H_{0,0,-1,1}-\frac{64}{3}H_{0,0,-1,-1}+\frac{64}{3}H_{0,-1,0,1}+\frac{128}{3}H_{0,-1,-1,-1}\right)
$$
$$
+L_M^2\left[-\frac{8}{3}(-65+68z)+(1+2z)\left(\frac{32}{3}H_{-1}H_0-\frac{32}{3}H_{0,-1}\right)+\frac{16}{9}(47+38z)H_0+\frac{32}{3}H_0^2\right.
$$
$$
\left.-\frac{32}{9}(1+4z)H_1+\frac{16}{3}(-1+2z)H_1^2+\frac{32}{3}\zeta_2\right]+L_M\Bigg[\frac{8}{9}(-778+845z)+(-1+2z)\left(\frac{32}{9}H_1^3\right.
$$
$$
\left.+\frac{128}{3}H_{0,1,1}\right)+(1+2z)\left(-\frac{32}{3}H_{-1}^2H_0-\frac{32}{3}H_{0,0,-1}-\frac{64}{3}H_{0,-1,-1}\right)
$$
$$
+\left[-\frac{8}{27}(1319+866z)-\frac{16}{3}(z-1)(25+z)H_1+\frac{32}{3}(5+2z)H_{0,1}+\frac{32}{3}(1+2z)H_{0,-1}\right]H_0
$$
$$
+\left[-\frac{8}{9}\left(108+68z+3z^2\right)+\frac{16}{3}(-1+2z)H_1\right]H_0^2+\frac{16}{9}(-5+2z)H_0^3+\Bigg[-\frac{16}{27}(-37+8z)
$$
$$
+(-1+2z)\left(-\frac{64H_{0,1}}{3}+\frac{32\zeta_2}{3}\right)\Bigg]H_1+\frac{8}{9}\left(-7-16z+3z^2\right)H_1^2+\Bigg[(1+2z)\left(-\frac{16}{3}H_0^2\right.
$$
$$
\left.+\frac{64}{3}H_{0,-1}-\frac{32}{3}\zeta_2\right)-\frac{64}{9}(-1+4z)H_0\Bigg]H_{-1}+\frac{16}{3}\left(-25+30z+2z^2\right)H_{0,1}
$$
$$
+\frac{64}{9}(-1+4z)H_{0,-1}-32(3+2z)H_{0,0,1}-\frac{16}{9}\left(-4+18z+3z^2\right)\zeta_2+\frac{64}{3}(5+4z)\zeta_3\Bigg]
$$
$$
+\Bigg[\frac{16}{3}(17+93z)+(-1+2z)\left(\frac{32}{9}H_1^3-\frac{160}{3}H_{0,1,1}\right)+(1+2z)\left(\frac{32}{3}H_{0,0,-1}-\frac{64}{3}H_{0,1,-1}\right.
$$

$$
-\frac{64}{3}H_{0,-1,1}+\frac{64}{3}H_{0,-1,-1}\Big)+\Big[-\frac{32}{3}(-16+z)(z-1)+32(-1+2z)H_{0,1}\Big]H_1
$$
$$
+\frac{32}{3}(z-1)H_1^2+\frac{16}{3}\big(-27+8z+z^2\big)H_{0,1}+\frac{64}{3}(1+z)H_{0,-1}-\frac{64}{3}(3+2z)H_{0,0,1}
$$
$$
-\frac{16}{9}(22+7z)\zeta_2+\frac{64}{9}(7+13z)\zeta_3\Big]H_0+\Big[-\frac{8}{3}\big(2+31z+2z^2\big)-\frac{8}{3}(z-1)(25+z)H_1
$$
$$
-\frac{8}{3}(-1+2z)H_1^2+\frac{64}{3}(1+z)H_{0,1}-\frac{16}{3}(1+2z)H_{0,-1}-\frac{8}{3}(3+2z)\zeta_2\Big]H_0^2
$$
$$
-\frac{8}{9}\big(3+z^2\big)H_0^3+\Big[\frac{32}{3}(-2+z)+(-1+2z)\Big(-\frac{160}{3}H_{0,0,1}-\frac{32}{3}H_{0,1,1}+\frac{160}{9}\zeta_3\Big)
$$
$$
-\frac{16}{9}(-7+2z)\zeta_2\Big]H_1+\Big[\frac{8}{3}\big(1-2z+2z^2\big)-\frac{16}{3}(-1+2z)\zeta_2\Big]H_1^2-\frac{8}{9}(z-1)(5+z)H_1^3
$$
$$
+\Big[(1+z)\Big(-\frac{32}{3}H_0^2-\frac{128}{3}H_{0,-1}+\frac{64}{3}\zeta_2\Big)+(1+2z)\Big(\frac{16}{9}H_0^3-\frac{128}{3}H_{0,0,1}+\frac{64}{3}H_{0,0,-1}
$$
$$
-\frac{128}{3}H_{0,-1,-1}+32\zeta_3\Big)+\Big[-64(1+z)+(1+2z)\Big(\frac{64}{3}H_{0,1}-\frac{64}{3}H_{0,-1}-\frac{32}{3}\zeta_2\Big)\Big]H_0\Big]H_{-1}
$$
$$
+\Big[(1+2z)\Big(\frac{16}{3}H_0^2+\frac{64}{3}H_{0,-1}-\frac{32}{3}\zeta_2\Big)+\frac{64}{3}(1+z)H_0\Big]H_{-1}^2+\frac{32}{3}\big(16-19z+2z^2\big)H_{0,1}
$$
$$
+\Big[64(1+z)+\frac{32}{3}(1+2z)\zeta_2\Big]H_{0,-1}-\frac{16}{3}\big(-29-8z+z^2\big)H_{0,0,1}-\frac{16}{3}\big(-4+8z+z^2\big)H_{0,1,1}
$$
$$
+64H_{0,0,0,1}-\frac{4}{3}\big(89-62z+8z^2\big)\zeta_2-\frac{608}{15}\zeta_2^2+\frac{16}{3}\big(4-32z+z^2\big)\zeta_3\Big\}
$$
$$
+C_FT_F^2\Big\{-\frac{22}{3}(-339+374z)+L_M^3\Big[\frac{16}{3}(-19+21z)+(-1+2z)\Big(\frac{16}{3}H_0^2-\frac{128}{9}H_1\Big)
$$
$$
-\frac{16}{9}(23+44z)H_0\Big]+L_M^2\Big[\frac{4}{3}(-287+244z)+(-1+2z)\Big(\frac{32}{3}H_0^3-16H_1^2-\frac{32}{3}H_{0,1}+32\zeta_2\Big)
$$
$$
+\Big[-\frac{8}{9}(433+94z)-\frac{64}{3}(-1+2z)H_1\Big]H_0-\frac{320}{3}(1+z)H_0^2-\frac{32}{9}(-13+8z)H_1\Big]
$$
$$
+L_M\Big[\frac{2}{9}(-7895+8486z)+(-1+2z)\Big(\frac{20}{3}H_0^4-\frac{16}{3}H_1^3+\frac{256}{3}H_{0,0,1}-32H_{0,1,1}-\frac{32}{3}\zeta_3\Big)
$$
$$
+\Big[-\frac{8}{27}(4285+1843z)+\frac{64}{9}\big(-22+20z+3z^2\big)H_1-64(-1+2z)H_{0,1}\Big]H_0
$$
$$
+\Big[\frac{4}{9}\big(-1069+128z+24z^2\big)+\frac{64}{3}(-1+2z)H_1\Big]H_0^2-\frac{8}{9}(103+40z)H_0^3
$$
$$
-\frac{16}{27}(-260+289z)H_1-\frac{32}{9}\big(-7-z+3z^2\big)H_1^2-\frac{64}{9}\big(-47+19z+6z^2\big)H_{0,1}
$$
$$
+\frac{64}{9}\big(-25-z+3z^2\big)\zeta_2\Big]+(-1+2z)\Big(-\frac{4}{15}H_0^5+\frac{8}{9}H_1^4-\frac{128}{3}H_{0,1}^2-\frac{64}{3}H_{0,0,0,1}
$$
$$
-\frac{320}{3}H_{0,1,1,1}-\frac{976}{15}\zeta_2^2\Big)+\Big[\frac{16}{3}(261+155z)+(-1+2z)\Big(\frac{128}{3}H_{0,0,1}+\frac{256}{3}H_{0,1,1}\Big)
$$

$$+\left[\frac{32}{3}\left(2-5z+4z^2\right)+(-1+2z)\left(-\frac{128H_{0,1}}{3}+\frac{64\zeta_2}{3}\right)\right]H_1-\frac{64}{3}\left(-2+8z+z^2\right)H_{0,1}$$
$$+\frac{4}{9}(769+316z)\zeta_2-\frac{16}{9}(-47+4z)\zeta_3\Bigg]H_0+\Bigg[\frac{8}{3}\left(142-11z+8z^2\right)$$
$$+(-1+2z)\left(-\frac{64H_{0,1}}{3}-\frac{16\zeta_3}{3}\right)+\frac{16}{3}\left(-11+8z+2z^2\right)H_1+\frac{4}{3}(65+56z)\zeta_2\Bigg]H_0^2$$
$$+\left[\frac{8}{9}\left(64-19z+4z^2\right)+(-1+2z)\left(\frac{32H_1}{9}-8\zeta_2\right)\right]H_0^3+\frac{2}{9}(25+16z)H_0^4+\Bigg[\frac{32}{3}(-5+7z)$$
$$+(-1+2z)\left(\frac{256}{3}H_{0,0,1}+\frac{256}{3}H_{0,1,1}-\frac{640}{9}\zeta_3\right)+\frac{80}{9}(-5+4z)\zeta_2\Bigg]H_1$$
$$+\left[-\frac{16}{3}\left(16-19z+4z^2\right)+(-1+2z)\left(-\frac{64H_{0,1}}{3}+\frac{104\zeta_2}{3}\right)\right]H_1^2+\frac{32}{9}(z-1)(3+z)H_1^3$$
$$+\left[-\frac{32}{3}\left(8-31z+8z^2\right)+48(-1+2z)\zeta_2\right]H_{0,1}+\frac{32}{3}\left(3+24z+2z^2\right)H_{0,0,1}+$$
$$\frac{64}{3}\left(-9+2z+z^2\right)H_{0,1,1}+\frac{2}{3}\left(685-924z+64z^2\right)\zeta_2-\frac{16}{3}\left(-27+61z+4z^2\right)\zeta_3\Bigg\}$$
$$+C_FN_FT_F^2\Bigg\{-\frac{4}{3}(-827+914z)+L_M^3\left[\frac{8}{3}(-41+42z)+(-1+2z)\left(\frac{16}{3}H_0^2-\frac{32}{9}H_1\right)\right.$$
$$\left.-\frac{32}{9}(13+19z)H_0\right]+L_M^2\Bigg[-\frac{4}{3}(-285+296z)+(-1+2z)\left(-\frac{32}{3}H_0^3-\frac{16}{3}H_1^2-\frac{32}{3}H_{0,1}\right.$$
$$\left.+\frac{32}{3}\zeta_2\right)+\frac{8}{9}(425+2z)H_0+16(7+6z)H_0^2+\frac{32}{9}(1+4z)H_1\Bigg]+L_M\Bigg[\frac{2}{9}(-8933+9110z)$$
$$+(-1+2z)\left(\frac{20}{3}H_0^4-\frac{32}{9}H_1^3-\frac{64}{3}H_{0,1,1}+192H_{0,0,0,1}-\frac{384}{5}\zeta_2^2\right)+\Bigg[-\frac{8}{27}(3349+3562z)$$
$$+(-1+2z)\left(-64H_{0,0,1}-128\zeta_3\right)+\frac{16}{9}\left(323-322z+6z^2\right)H_1+\frac{32}{3}(31+28z)H_{0,1}\Bigg]H_0$$
$$+\left[\frac{8}{9}\left(-401+34z+6z^2\right)+16(-1+2z)H_1\right]H_0^2-16(5+3z)H_0^3-\frac{32}{27}(-58+77z)H_1$$
$$-\frac{16}{9}\left(-5-8z+3z^2\right)H_1^2-\frac{16}{9}\left(277-338z+12z^2\right)H_{0,1}-\frac{32}{3}(59+62z)H_{0,0,1}$$
$$+\frac{32}{9}\left(-23-8z+3z^2\right)\zeta_2+192(3+4z)\zeta_3\Bigg]+(-1+2z)\left(\frac{4}{15}H_0^5+\frac{4}{9}H_1^4-\frac{64}{3}H_{0,1}^2\right.$$
$$\left.-\frac{160}{3}H_{0,1,1,1}-128H_{0,0,0,0,1}+128\zeta_5\right)+\Bigg[\frac{8}{3}(-111+479z)+(-1+2z)\left(\frac{128}{3}H_{0,1,1}\right.$$
$$\left.+128H_{0,0,0,1}\right)+\left[\frac{16}{3}\left(-10+7z+4z^2\right)+(-1+2z)\left(-\frac{64H_{0,1}}{3}+\frac{16\zeta_2}{3}\right)\right]H_1$$
$$-\frac{32}{3}\left(46-34z+z^2\right)H_{0,1}-\frac{32}{3}(41+44z)H_{0,0,1}+\frac{8}{9}(-259+86z)\zeta_2+\frac{32}{9}(109+151z)\zeta_3\Bigg]H_0$$
$$+\Bigg[\frac{4}{3}\left(-116-437z+8z^2\right)+(-1+2z)\left(-32H_{0,0,1}-\frac{208\zeta_3}{3}\right)+\frac{8}{3}\left(115-118z+2z^2\right)H_1$$

$$+\frac{16}{3}(29+32z)H_{0,1}-\frac{232}{3}(1+z)\zeta_2\Big]H_0^2+\Big[\frac{4}{9}\big(-59+50z+4z^2\big)$$
$$+(-1+2z)\Big(\frac{16H_1}{9}+8\zeta_2\Big)\Big]H_0^3-\frac{4}{9}(8+11z)H_0^4+\Big[\frac{16}{3}(-5+7z)+(-1+2z)\Big(\frac{128}{3}H_{0,0,1}$$
$$+\frac{128}{3}H_{0,1,1}-\frac{352}{9}\zeta_3\Big)+\frac{16}{9}(-7+2z)\zeta_2\Big]H_1+\Big[-\frac{8}{3}\big(16-19z+4z^2\big)$$
$$+(-1+2z)\Big(-\frac{32H_{0,1}}{3}+16\zeta_2\Big)\Big]H_1^2+\frac{16}{9}(z-1)(3+z)H_1^3+\Big[-\frac{16}{3}\big(-4-19z+8z^2\big)$$
$$+\frac{80}{3}(-1+2z)\zeta_2\Big]H_{0,1}+\frac{16}{3}\big(69-18z+2z^2\big)H_{0,0,1}+\frac{32}{3}\big(-9+2z+z^2\big)H_{0,1,1}$$
$$+\frac{32}{3}(37+34z)H_{0,0,0,1}+\frac{2}{3}\big(-77-194z+32z^2\big)\zeta_2-\frac{64}{15}(29+50z)\zeta_2^2$$
$$-\frac{8}{3}\big(-169+250z+4z^2\big)\zeta_3\Big\}+C_F^2T_F\Big\{451-474z+L_M^3\Big[(-1+2z)\Big(-6-\frac{4}{3}H_0^2-\frac{32}{3}H_1^2$$
$$+\frac{32}{3}\zeta_2\Big)+\Big[-\frac{8}{3}(z-1)-\frac{32}{3}(-1+2z)H_1\Big]H_0+16H_1\Big]+(1+2z)\big(16H_{-1}^2H_0\zeta_2$$
$$+16H_{0,0,-1}\zeta_2+32H_{0,-1,-1}\zeta_2\big)+L_M^2\Big[-439+472z+(-1+2z)\big(-16H_1^3+48H_{0,0,1}$$
$$+16H_{0,1,1}\big)+(1+2z)\Big(-32H_{-1}^2H_0-\frac{8}{3}H_0^3-32H_{0,0,-1}-64H_{0,-1,-1}\Big)+\Big[-2(101+138z)$$
$$+(-1+2z)\big(-48H_1^2-32H_{0,1}\big)-16(-7+4z)H_1$$
$$+16(-1+6z)\zeta_2\Big]H_0+\Big[-4(11+10z)-16(-1+2z)H_1\Big]H_0^2+\Big[-8(-4+9z)$$
$$+64(-1+2z)\zeta_2\Big]H_1-4(-19+16z)H_1^2+\Big[(1+2z)\big(16H_0^2+64H_{0,-1}-32\zeta_2\big)$$
$$+96(1+z)H_0\Big]H_{-1}-16(3+7z)H_{0,1}-96(1+z)H_{0,-1}+16(2+11z)\zeta_2+16(1+6z)\zeta_3\Big]$$
$$+L_M\big(\frac{1}{2}(3633-3782z)+(-1+2z)\big(-8H_1^4-32H_{0,1}^2+32H_{0,-1}^2-80H_{0,0,1,1}$$
$$-32H_{0,1,1,1}-64H_{0,-1,0,1}\big)+\Big[2(209+350z)+(1+2z)\big(-96H_{0,-1}-96H_{0,0,-1}\big)$$
$$+(-1+2z)\Big(-\frac{32}{3}H_1^3+160H_{0,1,1}-64H_{0,1,-1}-64H_{0,-1,1}\Big)$$
$$+\Big[-12(-15+26z)+(-1+2z)\big(-96H_{0,1}+64H_{0,-1}+192\zeta_2\big)\Big]H_1-8(-5+6z)H_1^2$$
$$-8\big(-21+22z+4z^2\big)H_{0,1}-16(1+14z)H_{0,0,1}-256zH_{0,-1,-1}+32(-7+12z)\zeta_2$$
$$+16(-11+10z)\zeta_3\Big]H_0+\Big[2\big(-21-220z+24z^2\big)+(-1+2z)\big(-24H_1^2+48\zeta_2\big)$$
$$+4\big(19-28z+4z^2\big)H_1+8(3+2z)H_{0,1}+16(1+6z)H_{0,-1}\Big]H_0^2+\Big[\frac{4}{3}\big(-17-23z+4z^2\big)$$
$$-\frac{32}{3}(-1+2z)H_1\Big]H_0^3+\frac{1}{3}(-1-6z)H_0^4+\Big[-8(-83+81z)+(-1+2z)\big(96H_{0,0,1}$$
$$-128H_{0,0,-1}+96H_{0,1,1}+224\zeta_3\big)-192(z-1)H_{0,1}+16(-21+22z)\zeta_2\Big]H_1$$

$$+\Big[-8(-39+44z)+(-1+2z)\big(-64H_{0,1}+96\zeta_2\big)\Big]H_1^2-16(z-1)(5+z)H_1^3$$
$$+\Big[(1+z)\big(64H_0^2-128H_{0,-1}+64\zeta_2\big)+\Big[-32\big(2+3z+3z^2\big)+64(1+2z)H_{0,-1}\Big]H_0$$
$$+\frac{16}{3}(1+2z)H_0^3\Big]H_{-1}+\Big[64(1+z)H_0-32(1+2z)H_0^2\Big]H_{-1}^2+\Big[-4(-23+38z)$$
$$-128z\zeta_2\Big]H_{0,1}+\Big[32\big(2+3z+3z^2\big)+64(-1+2z)H_{0,1}-128z\zeta_2\Big]H_{0,-1}$$
$$+8\big(-29+24z+4z^2\big)H_{0,0,1}+64(1+4z)H_{0,0,-1}-16\big(-19+3z+6z^2\big)H_{0,1,1}$$
$$+128(1+z)H_{0,-1,-1}+64(-1+8z)H_{0,0,0,1}-32(-5+2z)H_{0,0,0,-1}-16\big(21-29z+6z^2\big)\zeta_2$$
$$-\frac{8}{5}(-47+126z)\zeta_2^2+16\big(-62+37z+6z^2\big)\zeta_3\big)+(-1+2z)\Big(\frac{1}{15}H_0^5+\frac{4}{3}H_1^5-112H_{0,0,0,0,1}$$
$$+160H_{0,0,0,1,1}+96H_{0,0,1,0,1}-432H_{0,0,1,1,1}-224H_{0,1,0,1,1}-144H_{0,1,1,1,1}+64\zeta_5\Big)$$
$$+\Big[-2(91+33z)+(-1+2z)\Big(\frac{4}{3}H_1^4-32H_{0,1}^2+48H_{0,0,0,1}-160H_{0,1,1,1}\Big)$$
$$+\Big[4\big(-214+215z+24z^2\big)+(-1+2z)\Big(96H_{0,0,1}+192H_{0,1,1}-\frac{448}{3}\zeta_3\Big)$$
$$-32\big(-7+4z+z^2\big)H_{0,1}-4\big(-19+16z+8z^2\big)\zeta_2\Big]H_1+\Big[112(z-1)$$
$$+(-1+2z)\big(-64H_{0,1}+72\zeta_2\big)\Big]H_1^2+\frac{16}{3}(z-1)(3+z)H_1^3+\Big[-8(3+2z)(-7+4z)$$
$$+152(-1+2z)\zeta_2\Big]H_{0,1}-8\big(-19-18z+4z^2\big)H_{0,0,1}+32\big(-21+2z+2z^2\big)H_{0,1,1}$$
$$-2(-143+12z)\zeta_2-\frac{8}{5}(-37+94z)\zeta_2^2-\frac{8}{3}\big(-20+95z+24z^2\big)\zeta_3\Big]H_0+\Big[-128+263z$$
$$+48z^2+(-1+2z)\Big(8H_{0,0,1}+64H_{0,1,1}-\frac{68}{3}\zeta_3\Big)+\Big[2\big(-27+42z+16z^2\big)$$
$$-48(-1+2z)H_{0,1}\Big]H_1+4\big(-11+8z+2z^2\big)H_1^2-4(1+22z)H_{0,1}-2\big(-21-3z$$
$$+8z^2\big)\zeta_2\Big]H_0^2+\Big[\frac{1}{3}\big(-39+50z+32z^2\big)+(-1+2z)\big(\frac{8}{3}H_1^2-8H_{0,1}\big)$$
$$+\frac{4}{3}\big(-25+16z+4z^2\big)H_1-\frac{2}{3}(-5+2z)\zeta_2\Big]H_0^3+\Big[\frac{1}{3}\big(-2+5z+4z^2\big)+\frac{4}{3}(-1+2z)H_1\Big]H_0^4$$
$$+\Big[-4(-159+169z)+(-1+2z)\Big(-64H_{0,1}^2-\frac{1056}{5}\zeta_2^2\Big)$$
$$+\Big[-32(z-1)+64(-1+2z)\zeta_2\Big]H_{0,1}+64\big(-7+4z+z^2\big)H_{0,0,1}$$
$$-96H_{0,1,1}-104(-3+4z)\zeta_2-32\big(-11+6z+2z^2\big)\zeta_3\Big]H_1$$
$$+\Big[-2\big(56-131z+24z^2\big)+(-1+2z)\Big(96H_{0,0,1}+64H_{0,1,1}-\frac{112}{3}\zeta_3\Big)+24H_{0,1}$$
$$-4\big(13-8z+4z^2\big)\zeta_2\Big]H_1^2+\Big[-\frac{8}{3}\big(44-47z+12z^2\big)+(-1+2z)\Big(-\frac{64H_{0,1}}{3}+32\zeta_2\Big)\Big]H_1^3$$

$$+\frac{1}{3}\Big(-51+32z+16z^2\Big)H_1^4+\Big[(1+2z)\Big(-8H_0^2\zeta_2-32H_{0,-1}\zeta_2+16\zeta_2^2\Big)-48(1+z)H_0\zeta_2\Big]H_{-1}$$
$$+\Big[-4\Big(-364+97z+48z^2\Big)+(-1+2z)\Big(-32H_{0,0,1}+96H_{0,1,1}+160\zeta_3\Big)$$
$$+4(73+74z)\zeta_2\Big]H_{0,1}-8\Big(-13+8z+2z^2\Big)H_{0,1}^2+\Big[4\Big(-85-40z+16z^2\Big)$$
$$-200(-1+2z)\zeta_2\Big]H_{0,0,1}+\Big[-8\Big(-1-85z+24z^2\Big)-128(-1+2z)\zeta_2\Big]H_{0,1,1}$$
$$+16\Big(-17+2z+6z^2\Big)H_{0,0,0,1}-32\Big(-30-z+2z^2\Big)H_{0,0,1,1}+8\Big(-83+20z+12z^2\Big)H_{0,1,1,1}$$
$$+\Big[-384\ln(2)(-1+2z)+\frac{1}{2}\Big(-1005-506z+192z^2\Big)+\frac{16}{3}(-7+2z)\zeta_3\Big]\zeta_2$$
$$+48(1+z)H_{0,-1}\zeta_2-\frac{8}{5}\Big(-46+251z+42z^2\Big)\zeta_2^2+2\Big(141-154z+96z^2\Big)\zeta_3\Big\}$$
$$+C_A^2T_F\Big\{\frac{8}{3}(-6427+6405z)+(1+z)\Big(-128H_{0,1,-1,-1}-128H_{0,-1,1,-1}-128H_{0,-1,-1,1}\Big)$$
$$+(-7+10z)\Big(-32H_{0,0,0,0,-1}+32H_{0,0,-1,0,1}\Big)+(-1+4z)\Big(-64H_{0,0,-1,0,-1}-512H_{0,0,-1,-1,-1}$$
$$-256H_{0,-1,0,-1,-1}\Big)+(1+2z)\Big(-16H_{-1}^4H_0-128H_{0,0,1,1,-1}-128H_{0,0,1,-1,1}-192H_{0,0,1,-1,-1}$$
$$-128H_{0,0,-1,1,1}-192H_{0,0,-1,1,-1}-192H_{0,0,-1,-1,1}-128H_{0,1,-1,-1,-1}-64H_{0,-1,0,1,1}$$
$$-128H_{0,-1,0,1,-1}-128H_{0,-1,0,-1,1}-128H_{0,-1,1,-1,-1}-128H_{0,-1,-1,0,1}-128H_{0,-1,-1,1,-1}$$
$$-128H_{0,-1,-1,-1,1}-384H_{0,-1,-1,-1,-1,-1}\Big)+L_M^3\Big[-\frac{1328}{3}(z-1)+\Big[\frac{16}{9}(107+59z)$$
$$-\frac{32}{3}(-1+2z)H_1\Big]H_0-\frac{32}{3}(-2+z)H_0^2-\frac{8}{9}(-155+166z)H_1-\frac{32}{3}(-1+2z)H_1^2$$
$$+32(1+2z)H_{0,1}-\frac{128}{3}(1+z)\zeta_2\Big]+L_M^2\Big[-\frac{16}{3}(-301+298z)+(1+2z)\Big(32H_{-1}^2H_0$$
$$+16H_{0,0,1}+32H_{0,1,-1}+32H_{0,-1,1}+64H_{0,-1,-1}\Big)+\Big[\frac{368}{9}(1+28z)+128(z-1)H_1$$
$$-48(1+2z)H_{0,1}+16(-5+14z)H_{0,-1}+32(-1+4z)\zeta_2\Big]H_0+\Big[-\frac{16}{3}(25+33z)$$
$$+8(-1+2z)H_1\Big]H_0^2+\frac{64}{3}(z-1)H_0^3+\Big[-\frac{40}{9}(-115+98z)+32(-1+2z)\zeta_2\Big]H_1$$
$$-\frac{4}{3}(-131+142z)H_1^2-16(-1+2z)H_1^3+\Big[(1+2z)\Big(-24H_0^2-32H_{0,1}-64H_{0,-1}$$
$$+64\zeta_2\Big)-\frac{8}{3}(155+166z)H_0\Big]H_{-1}+16(9+4z)H_{0,1}+\frac{8}{3}(155+166z)H_{0,-1}$$
$$-16(-13+22z)H_{0,0,-1}+64(1+z)H_{0,1,1}-\frac{8}{3}(161+72z)\zeta_2+16(-17+8z)\zeta_3\Big]$$
$$+L_M\Big[-\frac{4}{9}(-33406+33719z)+(1+z)\Big(-64H_{0,1,-1}-64H_{0,-1,1}\Big)+(-1+2z)\Big(-8H_1^4$$
$$+32H_{0,1,1,1}\Big)+(1+2z)\Big(-\frac{160}{3}H_{-1}^3H_0+368H_{0,0,0,-1}-32H_{0,0,1,-1}-32H_{0,0,-1,1}$$
$$+160H_{0,0,-1,-1}+64H_{0,1,1,-1}+64H_{0,1,-1,1}+64H_{0,-1,1,1}+320H_{0,-1,-1,-1}\Big)$$

$$+\Big[\frac{8}{27}(13987+34141z)+(-1+2z)\Big(\frac{80}{3}H_1^3-96H_{0,1,-1}-96H_{0,-1,1}\Big)$$
$$+\Big[\frac{4}{3}(z-1)(2363+11z)+(-1+2z)\big(64H_{0,1}+96H_{0,-1}+160\zeta_2\big)\Big]H_1+480(z-1)H_1^2$$
$$-\frac{8}{3}\big(574+181z+6z^2\big)H_{0,1}+\frac{8}{3}(-275+26z)H_{0,-1}-64(5+7z)H_{0,0,1}-64(4+3z)H_{0,0,-1}$$
$$-64(2+11z)H_{0,1,1}-128(-1+5z)H_{0,-1,-1}+8(-29+15z)\zeta_2-96(11+6z)\zeta_3\Big]H_0$$
$$+\Big[\frac{2}{9}\big(2817-3380z+141z^2\big)+\frac{4}{3}\big(62-79z+6z^2\big)H_1+16(-1+2z)H_1^2+4(-1+46z)H_{0,1}$$
$$-32(-2+z)H_{0,-1}-4(11+2z)\zeta_2\Big]H_0^2+\Big[\frac{4}{9}\big(235+254z+6z^2\big)-\frac{40}{3}(-1+2z)H_1\Big]H_0^3$$
$$-\frac{2}{3}(-19+20z)H_0^4+\Big[-\frac{4}{27}(-2629+3221z)+(-1+2z)\big(-256H_{0,0,1}-192H_{0,0,-1}$$
$$+544\zeta_3\big)-\frac{16}{3}(-61+50z)H_{0,1}-\frac{8}{3}(-17+28z)\zeta_2\Big]H_1+\Big[-\frac{2}{9}\big(-1217+844z+33z^2\big)$$
$$+(-1+2z)\big(-32H_{0,1}+32\zeta_2\big)\Big]H_1^2-\frac{8}{9}\big(-92+94z+9z^2\big)H_1^3+\Big[(1+2z)\Big(\frac{8}{3}H_0^3$$
$$+32H_{0,0,1}-160H_{0,0,-1}-64H_{0,1,1}-320H_{0,-1,-1}+192\zeta_3\Big)+\Big[-\frac{16}{9}\big(1097+1030z+27z^2\big)$$
$$+(1+2z)\big(64H_{0,-1}+64\zeta_2\big)\Big]H_0+\frac{4}{3}(101+112z)H_0^2+64(1+z)H_{0,1}-\frac{16}{3}(221+232z)H_{0,-1}$$
$$+\frac{8}{3}(197+208z)\zeta_2\Big]H_{-1}+\big((1+2z)\big(8H_0^2+160H_{0,-1}-80\zeta_2\big)+\frac{8}{3}(221+232z)H_0\big)H_{-1}^2$$
$$+\Big[-\frac{4}{3}\big(-2009+2064z+22z^2\big)-16(-13+18z)\zeta_2\Big]H_{0,1}+32(-1+8z)H_{0,1}^2$$
$$+\Big[\frac{16}{9}\big(1097+1030z+27z^2\big)+96(-1+2z)H_{0,1}-16(-1+26z)\zeta_2\Big]H_{0,-1}$$
$$+32(-3+8z)H_{0,-1}^2+8\big(333+132z+2z^2\big)H_{0,0,1}-\frac{8}{3}(-449+164z)H_{0,0,-1}$$
$$-\frac{16}{3}\big(-46+44z+9z^2\big)H_{0,1,1}+\frac{16}{3}(221+232z)H_{0,-1,-1}+16(63+26z)H_{0,0,0,1}$$
$$+64(1+9z)H_{0,0,1,1}-128(z-1)H_{0,-1,0,1}-\frac{4}{9}\big(3326+864z+75z^2\big)\zeta_2-\frac{4}{5}(879+490z)\zeta_2^2$$
$$+\frac{16}{3}\big(-946+100z+9z^2\big)\zeta_3\Big]+\Big[-\frac{4}{3}(2971+8427z)+(1+2z)\big(-64H_{0,0,1,-1}$$
$$-64H_{0,0,-1,1}-96H_{0,0,-1,-1}+64H_{0,1,1,-1}+64H_{0,1,-1,1}+64H_{0,1,-1,-1}+64H_{0,-1,1,1}$$
$$+64H_{0,-1,1,-1}+64H_{0,-1,-1,1}\big)+\Big[\frac{8}{3}\big(1388-1387z+11z^2\big)+(-1+2z)\Big(32H_{0,0,1}$$
$$+224H_{0,1,1}-\frac{160}{3}\zeta_3\Big)-8\big(-141+150z+2z^2\big)H_{0,1}-16(z-1)(27+z)\zeta_2\Big]H_1$$

$$+\Big[-\frac{8}{3}(-200+203z)+(-1+2z)\big(-96H_{0,1}-8\zeta_2\big)\Big]H_1^2+\frac{8}{9}\big(92-106z+3z^2\big)H_1^3$$
$$-\frac{20}{3}(-1+2z)H_1^4+\Big[-\frac{4}{3}\big(-2301+412z+35z^2\big)+8(19+22z)\zeta_2\Big]H_{0,1}$$
$$+48(3+4z)H_{0,1}^2+\Big[-\frac{16}{3}(71+131z)-24(-1+10z)\zeta_2\Big]H_{0,-1}-32(-1+4z)H_{0,-1}^2$$
$$-\frac{16}{3}\big(-330-118z+3z^2\big)H_{0,0,1}-\frac{8}{3}(155+118z)H_{0,0,-1}+\frac{8}{3}\big(-577+782z$$
$$+12z^2\big)H_{0,1,1}+\frac{16}{3}(83+94z)H_{0,1,-1}+\frac{16}{3}(83+94z)H_{0,-1,1}-\frac{16}{3}(119+106z)H_{0,-1,-1}$$
$$-64(-7+4z)H_{0,0,0,1}+32(-5+8z)H_{0,0,0,-1}-32(7+18z)H_{0,0,1,1}-32(-7+2z)H_{0,1,1,1}$$
$$+128(z-1)H_{0,-1,0,1}-768zH_{0,-1,-1,-1}-\frac{2}{9}(-667+5468z)\zeta_2-\frac{32}{5}(-31+19z)\zeta_2^2$$
$$-\frac{16}{9}\big(344+695z+18z^2\big)\zeta_3\Big]H_0+\Big[\frac{2}{3}\big(-218+1781z+22z^2\big)+(1+2z)\big(32H_{0,1,-1}$$
$$+32H_{0,-1,1}\big)+\Big[\frac{2}{3}(z-1)(1559+35z)+(-1+2z)\big(-32H_{0,1}-4\zeta_2\big)\Big]H_1$$
$$+\frac{2}{3}\big(-209+214z+6z^2\big)H_1^2-\frac{8}{3}(139+154z)H_{0,1}+\frac{4}{3}(107+94z)H_{0,-1}$$
$$+32(-1+4z)H_{0,0,1}-48(-1+2z)H_{0,0,-1}-144H_{0,1,1}+16(-1+10z)H_{0,-1,-1}$$
$$-\frac{2}{3}\big(-87-226z+12z^2\big)\zeta_2+\frac{16}{3}(-31+20z)\zeta_3\Big]H_0^2+\Big[\frac{2}{9}\big(201+324z+35z^2\big)$$
$$+\frac{8}{3}(z-1)(25+z)H_1+\frac{8}{3}(-1+2z)H_1^2-\frac{64}{3}(1+z)H_{0,1}+\frac{16}{3}(-1+4z)H_{0,-1}$$
$$-\frac{16}{3}(-2+5z)\zeta_2\Big]H_0^3+\frac{1}{9}\big(71+94z+6z^2\big)H_0^4-\frac{8}{15}(z-1)H_0^5+\Big[\frac{8}{3}(-752+739z)$$
$$+(-1+2z)\big(-80H_{0,1}^2+64H_{0,0,0,1}-96H_{0,0,1,1}+128H_{0,1}\zeta_2-184\zeta_2^2\big)$$
$$+\frac{8}{3}\big(-763+806z+12z^2\big)H_{0,0,1}+\frac{8}{3}(-83+94z)H_{0,1,1}+\frac{4}{9}(-2189+2122z)\zeta_2$$
$$-\frac{8}{9}\big(-919+938z+36z^2\big)\zeta_3\Big]H_1+\Big[-\frac{2}{3}\big(167-226z+22z^2\big)+(-1+2z)\big(176H_{0,0,1}$$
$$+16H_{0,1,1}-\frac{208}{3}\zeta_3\big)-\frac{4}{3}\big(101-118z+6z^2\big)\zeta_2\Big]H_1^2+\Big[-\frac{2}{9}\big(415-440z+61z^2\big)$$
$$+\frac{32}{3}(-1+2z)\zeta_2\Big]H_1^3+\frac{1}{9}\big(-203+190z+24z^2\big)H_1^4+\frac{4}{3}(-1+2z)H_1^5$$
$$+\Big[(1+z)\big(128H_{0,1,-1}+128H_{0,-1,1}-\frac{2576}{3}\zeta_2\big)+(1+2z)\Big(-\frac{4}{3}H_0^4-32H_{0,0,0,1}$$
$$-160H_{0,0,0,-1}+128H_{0,0,1,1}+192H_{0,0,1,-1}+192H_{0,0,-1,1}+128H_{0,1,-1,-1}+128H_{0,-1,0,1}$$
$$+128H_{0,-1,1,-1}+128H_{0,-1,-1,1}+384H_{0,-1,-1,-1}-\frac{376}{5}\zeta_2^2\Big)+\Big[1712(1+z)$$
$$+(1+2z)\big(64H_{0,0,1}+96H_{0,0,-1}-64H_{0,1,1}-64H_{0,1,-1}-64H_{0,-1,1}+128H_{0,-1,-1}-64\zeta_3\big)$$
$$-\frac{16}{3}(83+94z)H_{0,1}+\frac{16}{3}(95+106z)H_{0,-1}+\frac{8}{3}(71+82z)\zeta_2\Big]H_0+\Big[\frac{1144(1+z)}{3}$$

$$+(1+2z)\big(-32H_{0,1}-16H_{0,-1}+36\zeta_2\big)\Big]H_0^2-\frac{4}{9}(59+70z)H_0^3+\Big[192(1+z)$$
$$+96(1+2z)\zeta_2\Big]H_{0,1}+\Big[\frac{4000(1+z)}{3}-16(1+2z)\zeta_2\Big]H_{0,-1}+\frac{32}{3}(89+100z)H_{0,0,1}$$
$$-\frac{16}{3}(71+82z)H_{0,0,-1}+\frac{32}{3}(107+118z)H_{0,-1,-1}-8(111+122z)\zeta_3\Big]H_{-1}$$
$$+\Big[(1+2z)\Big(-\frac{8}{3}H_0^3-96H_{0,0,1}-64H_{0,1,-1}-64H_{0,-1,1}-192H_{0,-1,-1}+160\zeta_3\Big)$$
$$+\Big[-\frac{2000}{3}(1+z)+(1+2z)\big(32H_{0,1}-64H_{0,-1}+40\zeta_2\big)\Big]H_0-\frac{4}{3}(119+130z)H_0^2$$
$$-64(1+z)H_{0,1}-\frac{16}{3}(107+118z)H_{0,-1}+\frac{8}{3}(131+142z)\zeta_2\Big]H_{-1}^2+\Big[(1+2z)\Big(\frac{64}{3}H_0^2$$
$$+\frac{64}{3}H_{0,1}+64H_{0,-1}-\frac{160}{3}\zeta_2\Big)+\frac{16}{9}(107+118z)H_0\Big]H_{-1}^3+\Big[-\frac{8}{3}\big(1442-779z+22z^2\big)$$
$$-96(5+8z)H_{0,0,1}+160(-1+2z)H_{0,1,1}-32(17+2z)\zeta_2+160(1+2z)\zeta_3\Big]H_{0,1}$$
$$-\frac{8}{3}\big(-170+178z+3z^2\big)H_{0,1}^2+\Big[-1712(1+z)+(-1+4z)\big(64H_{0,0,-1}+128H_{0,-1,-1}\big)$$
$$-32(-7+10z)H_{0,0,1}-\frac{8}{3}(119+106z)\zeta_2+64(-2+5z)\zeta_3\Big]H_{0,-1}+64H_{0,-1}^2$$
$$+\Big[\frac{4}{3}\big(-3019-472z+35z^2\big)-8(23+14z)\zeta_2\Big]H_{0,0,1}+\Big[\frac{16}{3}(-1+119z)$$
$$+24(-5+14z)\zeta_2\Big]H_{0,0,-1}+\Big[-\frac{4}{3}\big(824-1048z+61z^2\big)-16(-11+34z)\zeta_2\Big]H_{0,1,1}$$
$$+\Big[-192(1+z)-96(1+2z)\zeta_2\Big]H_{0,1,-1}+\Big[-192(1+z)-96(1+2z)\zeta_2\Big]H_{0,-1,1}$$
$$+\Big[-\frac{4000}{3}(1+z)-16(-5+14z)\zeta_2\Big]H_{0,-1,-1}+16\big(-163+12z+3z^2\big)H_{0,0,0,1}$$
$$+\frac{8}{3}(203+142z)H_{0,0,0,-1}-\frac{8}{3}\big(-517+926z+12z^2\big)H_{0,0,1,1}-\frac{32}{3}(89+100z)H_{0,0,1,-1}$$
$$-\frac{32}{3}(89+100z)H_{0,0,-1,1}+\frac{16}{3}(71+82z)H_{0,0,-1,-1}+\frac{8}{3}\big(5+2z+18z^2\big)H_{0,1,1,1}$$
$$-\frac{16}{3}(95+106z)H_{0,-1,0,1}-\frac{32}{3}(107+118z)H_{0,-1,-1,-1}+32(-27+2z)H_{0,0,0,0,1}$$
$$+32(83+128z)H_{0,0,0,1,1}+128(-5+8z)H_{0,0,0,1,-1}+128(-5+8z)H_{0,0,0,-1,1}$$
$$-32(-11+14z)H_{0,0,0,-1,-1}+32(29+44z)H_{0,0,1,0,1}+32(-7+10z)H_{0,0,1,0,-1}$$
$$-256(-2+7z)H_{0,0,1,1,1}-32(-7+20z)H_{0,1,0,1,1}-32(1+4z)H_{0,1,1,1,1}$$
$$+\Big[\frac{2}{3}\big(344+4849z+44z^2\big)+\frac{8}{3}(139+166z)\zeta_3\Big]\zeta_2-\frac{8}{15}\big(-3215-348z+63z^2\big)\zeta_2^2$$
$$+\frac{4}{3}\big(1156+2164z+61z^2\big)\zeta_3-544(-2+z)\zeta_5\Big\}+C_AC_FT_F\Big\{\frac{1}{3}(-1555+3178z)$$
$$+(1+z)\big(128H_{0,1,-1,-1}+128H_{0,-1,1,-1}+128H_{0,-1,-1,1}\big)+(1+2z)\big(16H_{-1}^4H_0$$
$$-32H_{0,0,0,0,-1}+64H_{0,0,0,1,-1}+64H_{0,0,0,-1,1}-64H_{0,0,0,-1,-1}+32H_{0,0,1,0,-1}+128H_{0,0,1,1,-1}$$

$$+128H_{0,0,1,-1,1}+192H_{0,0,1,-1,-1}+32H_{0,0,-1,0,1}+32H_{0,0,-1,0,-1}+128H_{0,0,-1,1,1}$$
$$+192H_{0,0,-1,1,-1}+192H_{0,0,-1,-1,1}+256H_{0,0,-1,-1,-1}+128H_{0,1,-1,-1,-1}+64H_{0,-1,0,1,1}$$
$$+128H_{0,-1,0,1,-1}+128H_{0,-1,0,-1,1}+128H_{0,-1,0,-1,-1}+128H_{0,-1,1,-1,-1}+128H_{0,-1,-1,0,1}$$
$$+128H_{0,-1,-1,1,-1}+128H_{0,-1,-1,-1,1}+384H_{0,-1,-1,-1,-1}\big)+L_M^3\bigg[\frac{2}{3}(-155+144z)$$
$$+\bigg[\frac{4}{9}(-131+214z)+\frac{64}{3}(-1+2z)H_1\bigg]H_0-\frac{32}{3}(1+z)H_0^2+\frac{8}{9}(-173+166z)H_1$$
$$+\frac{64}{3}(-1+2z)H_1^2-32(1+2z)H_{0,1}+\frac{32}{3}(5+2z)\zeta_2\bigg]+L_M^2\bigg[\frac{1}{3}(435-272z)$$
$$+(-1+2z)\Big(32H_1^3-\frac{128}{3}H_{0,1}\Big)+(1+2z)\Big[\big(-24H_0+8H_0^2+32H_{0,1}-32\zeta_2\big)H_{-1}+24H_{0,-1}$$
$$+16H_{0,0,-1}-48H_{0,1,1}-32H_{0,1,-1}-32H_{0,-1,1}\Big]+\bigg[\frac{2}{9}(155+3026z)+320(z-1)H_1$$
$$+48(-1+2z)H_1^2-16(5+2z)H_{0,1}-16(1+2z)H_{0,-1}-16(-3+2z)\zeta_2\bigg]H_0+\Big[-8(1+6z)$$
$$+8(-1+2z)H_1\Big]H_0^2+\bigg[\frac{8}{9}(-611+571z)-96(-1+2z)\zeta_2\bigg]H_1+\frac{8}{3}(-94+95z)H_1^2$$
$$+64(2+z)H_{0,0,1}-\frac{8}{3}(-95+88z)\zeta_2-16(-1+8z)\zeta_3\bigg]+L_M\bigg[\frac{1}{18}(-57083+54650z)$$
$$+(1+z)\Big[-32(7+3z)H_{0,1,-1}-32(7+3z)H_{0,-1,1}\Big]+(1+2z)\Big(\frac{160}{3}H_{-1}^3H_0-96H_{0,0,1,-1}$$
$$-96H_{0,0,-1,1}-32H_{0,0,-1,-1}-64H_{0,1,1,-1}-64H_{0,1,-1,1}-256H_{0,1,-1,-1}-64H_{0,-1,1,1}$$
$$-256H_{0,-1,1,-1}-256H_{0,-1,-1,1}-320H_{0,-1,-1,-1}\Big)+\bigg[\frac{2}{27}(-15607+7346z)$$
$$+\bigg[-\frac{4}{9}\big(-1979+2068z+66z^2\big)+(-1+2z)\big(32H_{0,1}-96H_{0,-1}-256\zeta_2\big)\bigg]H_1$$
$$-8(-43+39z)H_1^2-16(-1+2z)H_1^3+\frac{8}{3}\big(-65+34z+18z^2\big)H_{0,1}+8(-41+44z)H_{0,-1}$$
$$+16(-7+30z)H_{0,0,1}-16(-1+22z)H_{0,0,-1}+48(5+6z)H_{0,1,1}+32(-5+2z)H_{0,1,-1}$$
$$+32(-5+2z)H_{0,-1,1}-128(1+z)H_{0,-1,-1}+24\big(17+28z+8z^2\big)\zeta_2+16(45+32z)\zeta_3\bigg]H_0$$
$$+\bigg[-\frac{2}{9}\big(68+3197z+390z^2\big)-4\big(-59+56z+6z^2\big)H_1-24(-1+2z)H_1^2$$
$$-16(-5+4z)H_{0,1}-16(3+4z)H_{0,-1}-8(5+18z)\zeta_2\bigg]H_0^2+\bigg[-\frac{2}{3}\big(-39+46z+36z^2\big)$$
$$+\frac{8}{3}(-1+2z)H_1\bigg]H_0^3+\frac{2}{3}(5+8z)H_0^4+\bigg[\frac{8}{27}(-8663+8914z)+(-1+2z)\big(160H_{0,0,1}$$
$$+192H_{0,0,-1}-96H_{0,1,1}-672\zeta_3\big)+48(-11+10z)H_{0,1}+8\big(13-18z+6z^2\big)\zeta_2\bigg]H_1$$
$$+\bigg[\frac{4}{9}\big(-1435+1322z+33z^2\big)+(-1+2z)\big(96H_{0,1}-128\zeta_2\big)\bigg]H_1^2+\frac{8}{9}\big(-182+166z$$

$$+27z^2\big)H_1^3+16(-1+2z)H_1^4+\Big[(1+2z)\Big(\frac{104}{3}H_0^3+96H_{0,0,1}+32H_{0,0,-1}+64H_{0,1,1}$$
$$+256H_{0,1,-1}+256H_{0,-1,1}+320H_{0,-1,-1}-384\zeta_3\Big)+\Big[16(1+z)(1+9z)$$
$$+(1+2z)\big(64H_{0,1}+128H_{0,-1}-352\zeta_2\big)\Big]H_0+4\big(41+44z+12z^2\big)H_0^2$$
$$+32(1+z)(7+3z)H_{0,1}+48\big(11+12z+2z^2\big)H_{0,-1}-8\big(61+76z+18z^2\big)\zeta_2\Big]H_{-1}$$
$$+\Big[(1+2z)\big(-72H_0^2-128H_{0,1}-160H_{0,-1}+208\zeta_2\big)-24\big(11+12z+2z^2\big)H_0\Big]H_{-1}^2$$
$$+\Big[\frac{4}{9}\big(-4939+1742z+132z^2\big)+64(-4+3z)\zeta_2\Big]H_{0,1}-192zH_{0,1}^2+\Big[-16(1+z)(1+9z)$$
$$-96(-1+2z)H_{0,1}+16(13+14z)\zeta_2\Big]H_{0,-1}-64zH_{0,-1}^2-\frac{16}{3}\big(100+76z+27z^2\big)H_{0,0,1}$$
$$-8\big(-41+132z+12z^2\big)H_{0,0,-1}+\frac{8}{3}\big(-193+62z+54z^2\big)H_{0,1,1}$$
$$-48\big(11+12z+2z^2\big)H_{0,-1,-1}-16(1+50z)H_{0,0,0,1}+32(1+32z)H_{0,0,0,-1}$$
$$-32(3+10z)H_{0,0,1,1}+64(-3+4z)H_{0,-1,0,1}+\frac{8}{9}\big(1498+163z+129z^2\big)\zeta_2+\frac{24}{5}(25+38z)\zeta_2^2$$
$$+16\big(221-94z+6z^2\big)\zeta_3\Big]+\Big[-\frac{2}{3}(-627+3853z)+(-1+2z)\Big(\frac{16}{3}H_1^4+288H_{0,1,1,1}\Big)$$
$$+(1+2z)\big(16H_{0,-1}^2+16H_{0,0,0,-1}+64H_{0,0,1,-1}+64H_{0,0,-1,1}+96H_{0,0,-1,-1}-64H_{0,1,1,-1}$$
$$-64H_{0,1,-1,1}-64H_{0,1,-1,-1}+32H_{0,-1,0,1}-64H_{0,-1,1,1}-64H_{0,-1,1,-1}-64H_{0,-1,-1,1}$$
$$+192H_{0,-1,-1,-1}\big)+\Big[-\frac{4}{3}\big(-872+851z+80z^2\big)+(-1+2z)\Big(-128H_{0,0,1}-416H_{0,1,1}$$
$$+\frac{608}{3}\zeta_3\Big)+\frac{8}{3}\big(-433+404z+18z^2\big)H_{0,1}+\frac{4}{3}\big(-181+122z+36z^2\big)\zeta_2\Big]H_1$$
$$+\Big[8(-16+11z)+(-1+2z)\big(160H_{0,1}-64\zeta_2\big)\Big]H_1^2-8z^2H_1^3+\Big[\frac{8}{3}\big(-43+406z+47z^2\big)$$
$$-24(-3+14z)\zeta_2\Big]H_{0,1}-8(19+10z)H_{0,1}^2+\Big[-80(z-1)+48(1+2z)\zeta_2\Big]H_{0,-1}$$
$$+\frac{16}{3}\big(-22-118z+9z^2\big)H_{0,0,1}+8(3+8z)H_{0,0,-1}-\frac{8}{3}\big(-791+712z+36z^2\big)H_{0,1,1}$$
$$-48H_{0,1,-1}-48H_{0,-1,1}+16(3+4z)H_{0,-1,-1}+64(5+4z)H_{0,0,0,1}+32(7+18z)H_{0,0,1,1}$$
$$-\frac{2}{9}(2590+5197z)\zeta_2-\frac{8}{5}(131+28z)\zeta_2^2+\frac{4}{9}\big(-631-58z+216z^2\big)\zeta_3\Big]H_0$$
$$+\Big[\frac{1}{3}\big(556+1519z-160z^2\big)+(1+2z)\big(-32H_{0,1,-1}-32H_{0,-1,1}-32H_{0,-1,-1}\big)$$
$$+\Big[-\frac{2}{3}\big(-433+340z+94z^2\big)+(-1+2z)\big(80H_{0,1}+4\zeta_2\big)\Big]H_1-2\big(-67+56z+6z^2\big)H_1^2$$
$$+\frac{4}{3}(-109+266z)H_{0,1}+4H_{0,-1}-64(2+3z)H_{0,0,1}-8(-23+22z)H_{0,1,1}$$
$$+\frac{1}{3}\big(83+218z+72z^2\big)\zeta_2+\frac{8}{3}(-5+22z)\zeta_3\Big]H_0^2+\Big[\frac{1}{9}\big(241-2020z-188z^2\big)$$

$$
-\frac{4}{9}\big(-299+286z+18z^2\big)H_1-\frac{16}{3}(-1+2z)H_1^2+\frac{32}{3}(2+5z)H_{0,1}-\frac{8}{3}(1+2z)H_{0,-1}
$$
$$
+4(1+4z)\zeta_2\Big]H_0^3+\Big[\frac{1}{18}\big(83-70z-36z^2\big)-\frac{4}{3}(-1+2z)H_1\Big]H_0^4+\frac{2}{15}H_0^5
$$
$$
+\Big[-\frac{32}{3}(-215+208z)+(-1+2z)\Big(144H_{0,1}^2-64H_{0,0,0,1}+96H_{0,0,1,1}+\frac{1976}{5}\zeta_2^2\Big)
$$
$$
+\Big[128(z-1)-192(-1+2z)\zeta_2\Big]H_{0,1}-\frac{8}{3}\big(-857+808z+36z^2\big)H_{0,0,1}
$$
$$
-\frac{8}{3}(-341+376z)H_{0,1,1}-\frac{4}{9}(-1649+1348z)\zeta_2+\frac{8}{9}\big(-1759+1718z+108z^2\big)\zeta_3\Big]H_1
$$
$$
+\Big[\frac{4}{3}\big(709-844z+40z^2\big)+(-1+2z)\Big(-272H_{0,0,1}-80H_{0,1,1}+\frac{320}{3}\zeta_3\Big)
$$
$$
+\frac{8}{3}(-83+94z)H_{0,1}+8\big(48-55z+3z^2\big)\zeta_2\Big]H_1^2+\Big[\frac{4}{9}\big(477-502z+97z^2\big)
$$
$$
+(-1+2z)\Big(\frac{64H_{0,1}}{3}-\frac{128\zeta_2}{3}\Big)\Big]H_1^3-\frac{2}{9}\big(-178+143z+36z^2\big)H_1^4-\frac{8}{3}(-1+2z)H_1^5
$$
$$
+\Big[(1+z)\big(-128H_{0,1,-1}-128H_{0,-1,1}\big)+(1+2z)\Big(\frac{4}{3}H_0^4+32H_{0,0,0,1}+160H_{0,0,0,-1}
$$
$$
-128H_{0,0,1,1}-192H_{0,0,1,-1}-192H_{0,0,-1,1}-128H_{0,1,-1,-1}-128H_{0,-1,0,1}-128H_{0,-1,1,-1}
$$
$$
-128H_{0,-1,-1,1}-384H_{0,-1,-1,-1}+\frac{296}{5}\zeta_2^2\Big)+\Big[-16(11+19z)+(1+2z)\big(-64H_{0,0,1}
$$
$$
-96H_{0,0,-1}+64H_{0,1,1}+64H_{0,1,-1}+64H_{0,-1,1}-128H_{0,-1,-1}+64\zeta_3\big)+48H_{0,1}
$$
$$
-16(7+4z)H_{0,-1}+8(16+19z)\zeta_2\Big]H_0+\Big[-8(11+5z)+(1+2z)\big(32H_{0,1}+16H_{0,-1}
$$
$$
-28\zeta_2\big)\Big]H_0^2-\frac{4}{3}(5+8z)H_0^3+\Big[-192(1+z)-96(1+2z)\zeta_2\Big]H_{0,1}+\Big[32(-5+z)
$$
$$
+48(1+2z)\zeta_2\Big]H_{0,-1}-32(5+2z)H_{0,0,1}-16(1+4z)H_{0,0,-1}
$$
$$
-32(11+8z)H_{0,-1,-1}+16(17+11z)\zeta_2+8(37+28z)\zeta_3\Big]H_{-1}+\Big[(1+2z)\Big(\frac{8}{3}H_0^3+96H_{0,0,1}
$$
$$
+64H_{0,1,-1}+64H_{0,-1,1}+192H_{0,-1,-1}-160\zeta_3\Big)+\Big[-16(-5+z)+(1+2z)\big(-32H_{0,1}
$$
$$
+64H_{0,-1}-56\zeta_2\big)\Big]H_0+12(5+4z)H_0^2+64(1+z)H_{0,1}+16(11+8z)H_{0,-1}
$$
$$
-8(19+16z)\zeta_2\Big]H_{-1}^2+\Big[(1+2z)\Big(-\frac{64}{3}H_0^2-\frac{64}{3}H_{0,1}-64H_{0,-1}+\frac{160}{3}\zeta_2\Big)
$$
$$
-\frac{16}{3}(11+8z)H_0\Big]H_{-1}^3+\Big[\frac{4}{3}\big(-272+421z+160z^2\big)+16(25+46z)H_{0,0,1}
$$
$$
-32(-5+22z)H_{0,1,1}-\frac{4}{3}(-253+482z)\zeta_2-32(3+26z)\zeta_3\Big]H_{0,1}
$$
$$
+\frac{8}{3}\big(-247+296z+9z^2\big)H_{0,1}^2+\big(16(11+19z)+(1+2z)\big(-32H_{0,0,1}-32H_{0,0,-1}
$$
$$
-64H_{0,-1,-1}-16\zeta_3\big)-8(12+11z)\zeta_2\big)H_{0,-1}+32H_{0,-1}^2+\Big[-\frac{4}{3}\big(93+1146z+94z^2\big)
$$
$$
+8(1+70z)\zeta_2\Big]H_{0,0,1}+\Big[16(1+15z)-40(1+2z)\zeta_2\Big]H_{0,0,-1}+\Big[\frac{8}{3}\big(774-577z+97z^2\big)
$$

$$+16(-13+62z)\zeta_2\Big]H_{0,1,1}+\Big[192(1+z)+96(1+2z)\zeta_2\Big]H_{0,1,-1}+\Big[192(1+z)$$
$$+96(1+2z)\zeta_2\Big]H_{0,-1,1}+\Big[-32(-5+z)-16(1+2z)\zeta_2\Big]H_{0,-1,-1}$$
$$-\frac{8}{3}\big(-157-172z+54z^2\big)H_{0,0,0,1}-8(7+16z)H_{0,0,0,-1}+8\big(-187+142z+12z^2\big)H_{0,0,1,1}$$
$$+32(5+2z)H_{0,0,1,-1}+32(5+2z)H_{0,0,-1,1}+16(1+4z)H_{0,0,-1,-1}$$
$$-\frac{8}{3}\big(79-332z+54z^2\big)H_{0,1,1,1}+16(7+4z)H_{0,-1,0,1}+32(11+8z)H_{0,-1,-1,-1}$$
$$-16(19+2z)H_{0,0,0,0,1}-48(49+86z)H_{0,0,0,1,1}-16(55+106z)H_{0,0,1,0,1}$$
$$+64(-8+55z)H_{0,0,1,1,1}+16(-13+98z)H_{0,1,0,1,1}+16(-7+26z)H_{0,1,1,1,1}$$
$$+\Big[192\ln(2)(-1+2z)+\frac{1}{6}\big(-11243+8530z-640z^2\big)-\frac{4}{3}(151+178z)\zeta_3\Big]\zeta_2$$
$$+\frac{8}{15}\big(-1831+1325z+189z^2\big)\zeta_2^2-\frac{2}{3}\big(1289-2624z+388z^2\big)\zeta_3+8(7+22z)\zeta_5\Big\}$$
$$+a_{Qg}^{(3)}\Big\}. \tag{298}$$

Finally, the single mass contributions to the OME $A_{gg,Q}^{(3)}$ are given by

$$A_{gg,Q}^{(\delta)} =$$
$$\Big\{a_s\frac{4L_M}{3}T_F+a_s^2\Big[C_FT_F(-15+4L_M)+C_AT_F\frac{2}{9}(5+24L_M)+\frac{16L_M^2}{9}T_F^2\Big]$$
$$+a_s^3\Big\{\frac{64L_M^3}{27}T_F^3+C_AN_FT_F^2\Big[\frac{224}{27}-\frac{44L_M}{3}-\frac{4\zeta_2}{3}\Big]+C_FN_FT_F^2\Big[\frac{118}{3}$$
$$-\frac{268L_M}{9}+28\zeta_2\Big]+C_AT_F^2\Big[-\frac{8}{27}-2L_M+\frac{56L_M^2}{3}-\frac{44}{3}\zeta_2\Big]+C_FT_F^2\Big[\frac{782}{9}$$
$$-\frac{584L_M}{9}+\frac{40L_M^2}{3}-\frac{40}{3}\zeta_2\Big]+C_A^2T_F\Big[-\frac{616}{27}+L_M\Big(\frac{277}{9}+\frac{16}{3}\zeta_2^2+\frac{160}{9}\zeta_3\Big)$$
$$+L_M^2\Big(-\frac{2}{3}+\frac{16\zeta_3}{3}\Big)+\Big(4-\frac{8\zeta_3}{3}\Big)\zeta_2\Big]+C_F^2T_F\Big[-39-2L_M+16\Big[-5+8\ln(2)\Big]\zeta_2$$
$$-32\zeta_3\Big]+C_AC_FT_F\Big[-\frac{1045}{6}+\frac{736L_M}{9}-\frac{22L_M^2}{3}-\frac{4}{3}\Big[-5+48\ln(2)\Big]\zeta_2+16\zeta_3\Big]$$
$$-\frac{64}{27}T_F^3\zeta_3+a_{gg,Q}^{(3),\delta}\Big\}\Big\}\delta(1-z) \tag{299}$$

$$A_{gg,Q}^{(+)} =$$
$$-a_s^2\frac{8\big(28+30L_M+9L_M^2\big)}{27(z-1)}C_AT_F+a_s^3\Big\{C_AN_FT_F^2\Big[\frac{1}{z-1}\Big[-\frac{2176L_M}{81}-\frac{64L_M^3}{27}$$
$$-\frac{4}{243}\big(-2624-441\zeta_2+81z\zeta_2-144\zeta_3\big)+\frac{32}{9}H_0\Big]+\frac{4}{3}\zeta_2\Big]+C_AT_F^2\Big[\frac{1}{z-1}\Big[-\frac{320L_M}{9}$$

$$
-\frac{640L_M^2}{27}-\frac{224L_M^3}{27}-\frac{4}{81}\Big(-1312-717\zeta_2+297z\zeta_2-168\zeta_3\Big)+\frac{16}{3}H_0\Big]+\frac{44}{3}\zeta_2\Big]
$$

$$
+C_A^2T_F\Big\{\frac{1}{z-1}\Big[\frac{176L_M^3}{27}-\frac{4}{243}\Big(5668+207\zeta_2-243z\zeta_2+324\zeta_2^2+396\zeta_3-162\zeta_2\zeta_3
$$

$$
+162z\zeta_2\zeta_3\Big)+\Big(-\frac{88}{9}+\frac{32H_1\zeta_2}{3}\Big)H_0+\frac{8}{3}H_0^2\zeta_2\Big]+L_M\Big[\frac{1}{z-1}\Big[-\frac{16}{9}H_0^2\Big(10+3H_1\Big)
$$

$$
+\frac{8}{81}\Big(-155+360\zeta_2-54\zeta_2^2+54z\zeta_2^2-1044\zeta_3+180z\zeta_3\Big)+\Big(-\frac{16}{3}-\frac{640}{9}H_1
$$

$$
+\frac{32}{3}H_{0,1}-\frac{64}{3}H_{0,-1}\Big)H_0-\frac{64}{3}H_{0,0,1}+\frac{128}{3}H_{0,0,-1}\Big]-\frac{16}{3}\zeta_2^2-\frac{160}{9}\zeta_3\Big]
$$

$$
+L_M^2\Big[\frac{1}{z-1}\Big[\frac{8}{9}\Big(-23+12\zeta_2-6\zeta_3+6z\zeta_3\Big)-\frac{16}{3}H_0^2-\frac{64}{3}H_0H_1\Big]-\frac{16}{3}\zeta_3\Big]
$$

$$
+\Big(-4+\frac{8\zeta_3}{3}\Big)\zeta_2\Big\}+C_AC_FT_F\Big\{\frac{1}{z-1}\Big[-\frac{2}{9}\Big(233+210\zeta_2-288\ln(2)\zeta_2
$$

$$
-30z\zeta_2+288\ln(2)z\zeta_2+72\zeta_3-72z\zeta_3\Big)+\frac{8}{3}L_M\Big(-5+24\zeta_3\Big)-8L_M^2\Big]
$$

$$
+\frac{4}{3}\Big[-5+48\ln(2)\Big]\zeta_2-16\zeta_3\Big\}+C_F^2T_F\Big\{16\Big[-5\zeta_2+8\ln(2)\zeta_2-2\zeta_3\Big]
$$

$$
-16\Big[-5+8\ln(2)\Big]\zeta_2+32\zeta_3\Big\}+a_{gg,Q}^{(3),(+)}\Big\} \tag{300}
$$

$$
A_{gg,Q}^{reg}=
$$

$$
a_s^2\Big\{C_FT_F\Big\{-56(z-1)+L_M^2\Big[-20(z-1)+8(1+z)H_0\Big]+L_M\Big[-40(z-1)
$$

$$
-8(-5+z)H_0+8(1+z)H_0^2\Big]+12(3+z)H_0-2(-5+z)H_0^2+\frac{4}{3}(1+z)H_0^3\Big\}
$$

$$
+C_AT_F\Big\{-\frac{8}{3}L_M^2(-1+2z)-\frac{2}{27}(-337+449z)+L_M\Big[-\frac{16}{9}(-14+19z)+\frac{16}{3}(1+z)H_0\Big]
$$

$$
+\frac{4}{9}(22+z)H_0+\frac{4}{3}(1+z)H_0^2+\frac{4}{3}zH_1\Big\}\Big\}+a_s^3\Big\{C_FT_F^2\Big\{(z-1)\Big(\frac{776\zeta_2}{9}+\frac{80H_1\zeta_2}{3}\Big)
$$

$$
+L_M^3\Big[-\frac{400}{9}(z-1)+\frac{160}{9}(1+z)H_0\Big]+L_M^2\Big[-\frac{32}{9}(z-1)\Big(26+15H_1\Big)+(1+z)\Big(\frac{64}{3}H_0^2
$$

$$
+\frac{64}{3}H_{0,1}-\frac{64}{3}\zeta_2\Big)-\frac{64}{9}(-13+8z)H_0\Big]+L_M\Big[-\frac{16}{9}(z-1)H_1\Big(52+15H_1\Big)+(1+z)\Big(\frac{80}{9}H_0^3
$$

$$
-\frac{128}{3}H_{0,0,1}+\frac{64}{3}H_{0,1,1}\Big)+\frac{32}{27}\Big(335-335z+18\zeta_3+18z\zeta_3\Big)+\Big[\frac{16}{27}(373+55z)
$$

$$
+(1+z)\Big(\frac{128H_{0,1}}{3}-\frac{128\zeta_2}{3}\Big)-\frac{320}{3}(z-1)H_1\Big]H_0-\frac{8}{9}(-59+55z)H_0^2+\frac{64}{9}(-2+7z)H_{0,1}+
$$

$$\frac{64}{9}(-13+8z)\zeta_2\Big] + (1+z)\Big(-\frac{4}{3}H_0^4 - \frac{32}{3}H_{0,1}\zeta_2 + \frac{32}{3}\zeta_2^2\Big) + \frac{16}{9}\big(-216+216z-25\zeta_3$$
$$+25z\zeta_3\big) + \Big[-\frac{32}{9}\big(81+9z+5\zeta_3+5z\zeta_3\big) + \frac{8}{9}(-97+41z)\zeta_2\Big]H_0 + \Big[-24(3+z)$$
$$-\frac{56}{3}(1+z)\zeta_2\Big]H_0^2 + \frac{8}{3}(-5+z)H_0^3\Big\} + C_F N_F T_F^2\Big\{L_M^3\Big[-\frac{320}{9}(z-1) + \frac{128}{9}(1+z)H_0\Big]$$
$$+(z-1)\Big[\Big(-\frac{3712}{27} - \frac{80\zeta_2}{3}\Big)H_1 + \frac{64}{9}H_1^2 - \frac{80}{9}H_1^3\Big] + L_M\Big[-\frac{16}{3}(z-1)H_1\big(32+15H_1\big)$$
$$+(1+z)\Big(\frac{32}{3}H_0^3 - \frac{256}{3}H_{0,0,1} + 64H_{0,1,1}\Big) + \frac{64}{9}\big(89-89z+3\zeta_3+3z\zeta_3\big) + \Big[\frac{32}{9}(85+19z)$$
$$+(1+z)\big(\frac{256H_{0,1}}{3} - \frac{256\zeta_2}{3}\big) - \frac{640}{3}(z-1)H_1\Big]H_0 - \frac{16}{9}(-29+49z)H_0^2 + \frac{64}{3}(-2+3z)H_{0,1}$$
$$+\frac{64}{3}(-8+7z)\zeta_2\Big] + (1+z)\Big(-\frac{8}{9}H_0^4 + \frac{64}{3}H_{0,1,1,1} - \frac{96}{5}\zeta_2^2\Big) + \frac{64}{81}\big(-494+494z-27\zeta_3$$
$$+90z\zeta_3\big) + \Big[-\frac{64}{81}\big(341+191z+18\zeta_3+18z\zeta_3\big) - \frac{16}{9}(19+7z)\zeta_2\Big]H_0 + \Big[-16(3+z)$$
$$-\frac{16}{3}(1+z)\zeta_2\Big]H_0^2 + \frac{16}{9}(-5+z)H_0^3 + \Big[\frac{128}{27}(11+14z) + \frac{32}{3}(1+z)\zeta_2\Big]H_{0,1}$$
$$-\frac{64}{9}(2+5z)H_{0,1,1} - \frac{80}{27}(29+11z)\zeta_2\Big\} + C_A N_F T_F^2\Big\{-\frac{64}{27}L_M^3(-1+2z)$$
$$+L_M\Big[-\frac{32}{81}(-329+397z) + (1+z)\Big(\frac{32}{3}H_0^2 + \frac{256}{9}H_{0,1} - \frac{256}{9}\zeta_2\Big) - \frac{80}{27}(-20+13z)H_0$$
$$-\frac{16}{9}(-41+39z)H_1\Big] + \frac{32}{243}\big(-1147+1475z-18\zeta_3+36z\zeta_3\big) + \Big[-\frac{16}{81}(295+31z)$$
$$-\frac{32}{9}(1+z)\zeta_2\Big]H_0 - \frac{16}{27}(22+z)H_0^2 - \frac{32}{27}(1+z)H_0^3 - \frac{256}{27}zH_1 + \frac{16}{9}zH_1^2$$
$$+\frac{32}{27}(-14+19z)\zeta_2\Big\} + C_A T_F^2\Big\{-\frac{224}{27}L_M^3(-1+2z) + L_M^2\Big[-\frac{128}{27}(-14+19z)$$
$$+\frac{128}{9}(1+z)H_0\Big] + L_M\Big[-\frac{32}{9}(-37+47z) + (1+z)\Big(\frac{80}{9}H_0^2 + \frac{128}{9}H_{0,1} - \frac{128}{9}\zeta_2\Big)$$
$$-\frac{8}{27}(-188+61z)H_0 - \frac{8}{9}(-41+35z)H_1\Big] + \frac{16}{81}\big(-1147+1475z-42\zeta_3+84z\zeta_3\big)$$
$$+\Big[-\frac{8}{27}(295+31z) - \frac{112}{9}(1+z)\zeta_2\Big]H_0 - \frac{8}{9}(22+z)H_0^2 - \frac{16}{9}(1+z)H_0^3 - \frac{128}{9}zH_1 + \frac{8}{3}zH_1^2$$
$$+\frac{112}{27}(-14+19z)\zeta_2\Big\} + C_A^2 T_F\Big\{\frac{176}{27}L_M^3(-1+2z) + L_M\Big[(1+z)\Big[\frac{16\big(2-35z+2z^2\big)H_{-1}^2H_0}{3z}$$
$$+\Big(-\frac{1832}{9} + 96\zeta_2\Big)H_{0,1} + \frac{32\big(2-35z+2z^2\big)H_{0,-1,-1}}{3z} - 192H_{0,0,0,1} + 192H_{0,0,0,-1}\Big]$$
$$-\frac{4}{81}\big(39029-38719z-10512\zeta_3+6696z\zeta_3+1080z^2\zeta_3\big) + \Big[-\frac{4}{27}\big(2870+7703z-1296\zeta_3\big)$$

$$-\frac{64}{9}(-19+29z)H_1-\frac{8}{3}(-37+17z)H_{0,1}+\frac{64\big(1+2z^2\big)H_{0,-1}}{3z}+96(1+z)H_{0,0,1}$$
$$+32(-5+z)H_{0,0,-1}+192(z-1)H_{0,-1,-1}-\frac{8\big(-59-2z+69z^2+16z^3\big)}{3(1+z)}\zeta_2\Bigg]H_0$$
$$+\Bigg[\frac{4\big(84+169z+81z^2+36z^3\big)}{9(1+z)}+\frac{4}{3}(-29+25z)H_1-24(1+z)H_{0,1}-48(z-1)H_{0,-1}$$
$$+8(5+3z)\zeta_2\Bigg]H_0^2+\frac{8}{9}\big(1-12z+4z^2\big)H_0^3-\frac{4}{3}H_0^4+\Bigg[\frac{4}{9}(-1087+1065z)$$
$$-\frac{16(z-1)\big(2+35z+2z^2\big)}{3z}\zeta_2\Bigg]H_1+\Bigg[(1+z)\Bigg[-\frac{8\big(4-31z+4z^2\big)H_0^2}{3z}$$
$$-\frac{32\big(2-35z+2z^2\big)H_{0,-1}}{3z}+\frac{16\big(2-9z+2z^2\big)\zeta_2}{z}\Bigg]-\frac{16}{9z(1+z)}\big(18-233z-462z^2$$
$$-233z^3+18z^4\big)H_0-\frac{64(1+z)^3H_{0,1}}{3z}\Bigg]H_{-1}+\Bigg[\frac{16}{9z(1+z)}\big(18-233z-462z^2$$
$$-233z^3+18z^4\big)+96(z-1)\zeta_2\Bigg]H_{0,-1}-96(z-1)H_{0,-1}^2+\frac{16}{3}\big(-23+31z+4z^2\big)H_{0,0,1}$$
$$+\frac{16(1+4z)\big(-4-11z+z^2\big)}{3z}H_{0,0,-1}+\frac{64(1+z)^3H_{0,1,-1}}{3z}+\frac{64(1+z)^3H_{0,-1,1}}{3z}$$
$$-\frac{8\big(-539-960z-425z^2+36z^3\big)}{9(1+z)}\zeta_2-\frac{24}{5}(13+23z)\zeta_2^2-\frac{160}{9}\zeta_3\Bigg]$$
$$+L_M^2\Bigg[\frac{8}{9}\big(-100+77z+6\zeta_3\big)+\Bigg[-\frac{32}{3}(-3+13z)-\frac{64}{3}(-1+2z)H_1\Bigg]H_0$$
$$+\frac{64\big(2+3z+2z^2\big)}{3(1+z)}H_{-1}H_0+\frac{16(3+4z)H_0^2}{3(1+z)}-\frac{64\big(2+3z+2z^2\big)}{3(1+z)}H_{0,-1}+\frac{32(1+2z)^2\zeta_2}{3(1+z)}$$
$$-\frac{16}{3}\zeta_3\Bigg]-\frac{8}{243}\big(-11843+14677z-198\zeta_3+396z\zeta_3\big)+\Bigg[\frac{44}{81}(295+31z)+\frac{8}{9}(-7+89z)\zeta_2$$
$$+\frac{32}{3}(-1+2z)H_1\zeta_2\Bigg]H_0+\Bigg[\frac{44(22+z)}{27}-\frac{8(3+4z)\zeta_2}{3(1+z)}\Bigg]H_0^2+\frac{88}{27}(1+z)H_0^3+\frac{704}{27}zH_1$$
$$-\frac{44}{9}zH_1^2+\Bigg[-\frac{4}{27}\big(-563+559z+18\zeta_3\big)+\frac{8}{3}\zeta_3\Bigg]\zeta_2-\frac{32\big(2+3z+2z^2\big)}{3(1+z)}H_{-1}H_0\zeta_2$$
$$+\frac{32\big(2+3z+2z^2\big)}{3(1+z)}H_{0,-1}\zeta_2-\frac{16(1+2z)^2\zeta_2^2}{3(1+z)}\Bigg\}+C_AC_FT_F\Bigg\{L_M^3\Bigg[\frac{8}{9}(z-1)\big(223+30H_1\big)$$
$$+(1+z)\Big(-\frac{32H_{0,1}}{3}+\frac{32\zeta_2}{3}\Big)-\frac{16}{9}(53+38z)H_0+\frac{16}{3}(-2+z)H_0^2\Bigg]+(1+z)\Bigg[-\frac{160}{3}H_{-1}^3H_0$$
$$+\big(224H_0+40H_0^2+160H_{0,-1}-80\zeta_2\big)H_{-1}^2+320H_{0,0,1,-1}+320H_{0,0,-1,1}-160H_{0,0,-1,-1}$$
$$+160H_{0,-1,0,1}+320H_{0,-1,-1,-1}-864H_{0,0,0,1,1}-288H_{0,0,1,0,1}+128H_{0,0,1,1,1}+32H_{0,1,0,1,1}$$
$$+32H_{0,1,1,1,1}\Bigg]+(z-1)\Bigg[\frac{4}{15}H_0^5+\big(-80-20\zeta_2\big)H_1^2-\frac{88}{3}H_1^3-\frac{10}{3}H_1^4+80H_{0,1}^2$$
$$+128H_{0,0,0,0,-1}-384H_{0,0,0,1,-1}-384H_{0,0,0,-1,1}+192H_{0,0,0,-1,-1}-128H_{0,0,1,0,-1}$$

$$-128H_{0,0,-1,0,1}+64H_{0,0,-1,0,-1}+512H_{0,0,-1,-1,-1}+256H_{0,-1,0,-1,-1}\Big]$$
$$+L_M^2\Big[(1+z)\big(160H_{-1}H_0-160H_{0,-1}-32H_{0,0,1}\big)+(z-1)\Big(-\frac{32}{3}H_0^3+\frac{440}{3}H_1+128H_{0,0,-1}\Big)$$
$$-\frac{8}{9}\big(862-853z-144\zeta_3+72z\zeta_3\big)+\Big[-\frac{8}{9}(187+571z)+(z-1)\big(-80H_1-64H_{0,-1}-32\zeta_2\big)$$
$$+32(1+z)H_{0,1}\Big]H_0+\frac{56}{3}(1+4z)H_0^2-\frac{32}{3}(10+z)H_{0,1}+\frac{16}{3}(35+17z)\zeta_2\Big]$$
$$+L_M\Big[(z-1)\Big[\Big[-\frac{7720}{9}+160H_{0,1}+\frac{32\big(2+47z+2z^2\big)\zeta_2}{3z}\Big]H_1+\frac{4}{3}H_1^2-\frac{40}{3}H_1^3+224H_{0,-1}^2\Big]$$
$$+(1+z)\Big[-\frac{16\big(4-79z+4z^2\big)H_{-1}^2H_0}{3z}-32H_{0,1}^2-\frac{32\big(4-79z+4z^2\big)H_{0,-1,-1}}{3z}-32H_{0,0,1,1}$$
$$+32H_{0,1,1,1}\Big]+\frac{8}{27}\big(3845-3890z+990\zeta_3+2016z\zeta_3+360z^2\zeta_3\big)+\Big[(z-1)\Big(-\frac{2960}{3}H_1$$
$$-120H_1^2-448H_{0,-1,-1}\Big)-\frac{8}{27}\big(-4205+2956z+216\zeta_3+324z\zeta_3\big)+\frac{16}{3}(38+107z)H_{0,1}$$
$$-\frac{16\big(8+9z+93z^2\big)H_{0,-1}}{3z}-192(1+2z)H_{0,0,1}+64(3+z)H_{0,0,-1}+96(1+z)H_{0,1,1}$$
$$+\frac{64}{3}\big(-11+13z+4z^2\big)\zeta_2\Big]H_0+\Big[-\frac{4}{9}\big(-1261+659z+108z^2\big)$$
$$+(z-1)\big(-232H_1+48H_{0,-1}\big)+(1+z)\big(112H_{0,1}-96\zeta_2\big)\Big]H_0^2-\frac{16}{9}\big(-79-31z+4z^2\big)H_0^3$$
$$-\frac{4}{3}(-11+7z)H_0^4+\Big[(1+z)\Big[\frac{16\big(18-37z+18z^2\big)H_0}{3z}+\frac{8\big(8-11z+8z^2\big)H_0^2}{3z}$$
$$+\frac{32\big(4-79z+4z^2\big)H_{0,-1}}{3z}-\frac{16\big(4-21z+4z^2\big)\zeta_2}{z}\Big]+\frac{128(1+z)^3H_{0,1}}{3z}\Big]H_{-1}$$
$$+\Big[\frac{272}{9}(-19+44z)-256(1+z)\zeta_2\Big]H_{0,1}+\Big[-\frac{16(1+z)\big(18-37z+18z^2\big)}{3z}$$
$$-224(z-1)\zeta_2\Big]H_{0,-1}-\frac{16}{3}\big(131+179z+8z^2\big)H_{0,0,1}-\frac{16\big(-8-21z-189z^2+8z^3\big)}{3z}H_{0,0,-1}$$
$$-\frac{16}{3}(-19+29z)H_{0,1,1}-\frac{128(1+z)^3H_{0,1,-1}}{3z}-\frac{128(1+z)^3H_{0,-1,1}}{3z}+96(1+7z)H_{0,0,0,1}$$
$$-96(3+5z)H_{0,0,0,-1}+\frac{16}{9}\big(-289-193z+54z^2\big)\zeta_2+\frac{16}{5}(89+73z)\zeta_2^2\Big]-\frac{2}{9}\big(-34613$$
$$+34846z+3860\zeta_3+6472z\zeta_3+2520\zeta_5-1080z\zeta_5\big)+\Big[(1+z)\big(-48H_{0,1}^2-160H_{0,1,-1}$$
$$-160H_{0,-1,1}+128H_{0,0,1,1}-64H_{0,1,1,1}\big)+(z-1)\Big[\big(1344+240H_{0,1}+40\zeta_2\big)H_1+112H_1^2$$
$$+\frac{80}{3}H_1^3+32H_{0,-1}^2-96H_{0,0,0,-1}-64H_{0,-1,0,1}+128H_{0,-1,-1,-1}\Big]+\frac{8}{9}\big(2676+5541z$$
$$+178\zeta_3+598z\zeta_3\big)+\Big[224(-6+z)-16(1+z)\zeta_2\Big]H_{0,1}+\Big[32(1+8z)+48(z-1)\zeta_2\Big]H_{0,-1}$$

$$
-32(29+11z)H_{0,0,1}+16(13+5z)H_{0,0,-1}-16(-21+25z)H_{0,1,1}+32(9+5z)H_{0,-1,-1}
$$
$$
+64(-5+2z)H_{0,0,0,1}+\frac{4}{9}(127+745z)\zeta_2+\frac{16}{5}(-38+5z)\zeta_2^2\Big]H_0+\Big[(z-1)\big(-424H_1
$$
$$
-20H_1^2+32H_{0,0,-1}-32H_{0,-1,-1}\big)-\frac{4}{3}\big(-192+441z-56\zeta_3+52z\zeta_3\big)+8(29+19z)H_{0,1}
$$
$$
-8(9+5z)H_{0,-1}-32(-2+z)H_{0,0,1}+16(1+z)H_{0,1,1}-\frac{8}{3}(-2+19z)\zeta_2\Big]H_0^2
$$
$$
+\Big[-\frac{4}{9}(-28+5z)+(z-1)\Big(-\frac{16}{3}H_{0,-1}+8\zeta_2\Big)\Big]H_0^3-\frac{2}{9}(1+4z)H_0^4
$$
$$
+\Big[(z-1)\Big(-400H_{0,0,1}-80H_{0,1,1}-\frac{460}{3}\zeta_2\Big)+\frac{8}{3}\big(81-75z-50\zeta_3+50z\zeta_3\big)\Big]H_1
$$
$$
+\Big[(1+z)\Big[\big(-672+160H_{0,1}-160H_{0,-1}-120\zeta_2\big)H_0-112H_0^2+\frac{40}{3}H_0^3-448H_{0,-1}
$$
$$
-320H_{0,0,1}+160H_{0,0,-1}-320H_{0,-1,-1}+224\zeta_2\Big]+240\big(\zeta_3+z\zeta_3\big)\Big]H_{-1}+\Big[-\frac{40}{3}\big(-96+93z
$$
$$
+4\zeta_3+4z\zeta_3\big)+160(1+z)H_{0,0,1}+\frac{8}{3}(32+5z)\zeta_2\Big]H_{0,1}+\Big[-96\big(-7-7z-\zeta_3+z\zeta_3\big)
$$
$$
+(z-1)\big(128H_{0,0,1}-64H_{0,0,-1}-128H_{0,-1,-1}\big)+8(23+15z)\zeta_2\Big]H_{0,-1}-64H_{0,-1}^2
$$
$$
+\Big[16(115+29z)+16(1+z)\zeta_2\Big]H_{0,0,1}+\Big[-32(-5+9z)-96(z-1)\zeta_2\Big]H_{0,0,-1}
$$
$$
+\Big[-8(-30+31z)+16(1+z)\zeta_2\Big]H_{0,1,1}+\Big[448(1+z)+64(z-1)\zeta_2\Big]H_{0,-1,-1}
$$
$$
+48(29+3z)H_{0,0,0,1}-16(17+5z)H_{0,0,0,-1}+16(-17+28z)H_{0,0,1,1}+96zH_{0,1,1,1}
$$
$$
-128(-4+z)H_{0,0,0,0,1}-\frac{4}{9}\big(-487+2179z+258\zeta_3+222z\zeta_3\big)\zeta_2-\frac{8}{15}(1402+229z)\zeta_2^2
$$
$$
-16\zeta_3\Big\}+C_F^2T_F\Big\{L_M^3\Big[-\frac{4}{3}(z-1)\big(13+20H_1\big)+(1+z)\Big(\frac{8}{3}H_0^2+\frac{32}{3}H_{0,1}-\frac{32}{3}\zeta_2\Big)
$$
$$
-\frac{16}{3}(-2+3z)H_0\Big]+(z-1)\Big[\big(280-80H_{0,1}+100\zeta_2\big)H_1^2+24H_1^3+\frac{10}{3}H_1^4\Big]
$$
$$
+(1+z)\Big(-\frac{2}{15}H_0^5-32H_{0,0,1,1}+192H_{0,0,0,0,1}+768H_{0,0,0,1,1}+320H_{0,0,1,0,1}-416H_{0,0,1,1,1}
$$
$$
-192H_{0,1,0,1,1}-32H_{0,1,1,1,1}\Big)+L_M^2\Big[(1+z)\Big(\frac{16}{3}H_0^3-32H_{0,0,1}\Big)+8\big(25-25z+4\zeta_3+4z\zeta_3\big)
$$
$$
+\Big[-8(-19+7z)+(1+z)\big(32H_{0,1}-32\zeta_2\big)-80(z-1)H_1\Big]H_0-16(-3+2z)H_0^2
$$
$$
-120(z-1)H_1+16(1+5z)H_{0,1}-96\zeta_2\Big]+L_M\Big[(z-1)\Big[\big(-200-160H_{0,1}-256\zeta_2\big)H_1
$$
$$
-20H_1^2+\frac{40}{3}H_1^3-128H_{0,-1}^2\Big]+(1+z)\Big[-256H_{-1}^2H_0+2H_0^4+\Big[-\frac{32\big(2+3z+2z^2\big)H_0}{z}
$$
$$
+128H_0^2+512H_{0,-1}-256\zeta_2\Big]H_{-1}+32H_{0,1}^2-512H_{0,-1,-1}-416H_{0,0,0,1}+384H_{0,0,0,-1}
$$

$$
-32H_{0,1,1,1}\Big] + 8\big(-31+31z-70\zeta_3+54z\zeta_3\big) + \Big[(1+z)\big(288H_{0,0,1}-64H_{0,1,1}\big)
$$
$$
+(z-1)\big(168H_1+80H_1^2+256H_{0,-1}+256H_{0,-1,-1}\big) - 4\big(-13+133z-16\zeta_3+48z\zeta_3\big)
$$
$$
-64(-3+4z)H_{0,1}-256H_{0,0,-1}-416\zeta_2\Big]H_0 + \Big[2\big(69+73z+16z^2\big)
$$
$$
+(z-1)\big(128H_1-64H_{0,-1}\big)+(1+z)\big(-64H_{0,1}-32\zeta_2\big)\Big]H_0^2 - \frac{8}{3}(-11+5z)H_0^3
$$
$$
+\Big[-8(-67+41z)+128(1+z)\zeta_2\Big]H_{0,1} + \Big[\frac{32(1+z)\big(2+3z+2z^2\big)}{z}+128(z-1)\zeta_2\Big]H_{0,-1}
$$
$$
+32(9+8z)H_{0,0,1}-256(-1+3z)H_{0,0,-1}+16(-7+13z)H_{0,1,1}-16\big(33-10z+4z^2\big)\zeta_2
$$
$$
-\frac{32}{5}(13+23z)\zeta_2^2\Big] - \frac{4}{3}\big(-660+660z-323\zeta_3+17z\zeta_3+120\zeta_5+120z\zeta_5\big)
$$
$$
+\Big[(z-1)\Big[\big(168-160H_{0,1}+80\zeta_2\big)H_1+320H_{0,1,1}\Big]+(1+z)\Big(32H_{0,1}^2-160H_{0,0,0,1}
$$
$$
-128H_{0,0,1,1}+\frac{448}{5}\zeta_2^2\Big) - \frac{8}{3}\big(-51-282z-32\zeta_3+6z\zeta_3\big)+\Big[-16(-17+27z)
$$
$$
-32(1+z)\zeta_2\Big]H_{0,1}+16(9+19z)H_{0,0,1}+2(83+255z)\zeta_2\Big]H_0+\Big[\frac{2}{3}\big(-51-201z+44\zeta_3
$$
$$
+44z\zeta_3\big)+140(z-1)H_1-8(5+13z)H_{0,1}+48(1+z)H_{0,0,1}+4(-7+3z)\zeta_2\Big]H_0^2
$$
$$
+\Big[\frac{2}{3}(1+83z)+(1+z)\Big(-\frac{16H_{0,1}}{3}-4\zeta_2\Big)+\frac{40}{3}(z-1)H_1\Big]H_0^3+\frac{2}{3}(-3+z)H_0^4
$$
$$
+\Big[(z-1)\big(-32H_{0,1}+320H_{0,0,1}+320H_{0,1,1}+148\zeta_2\big)-\frac{8}{3}\big(27-27z-110\zeta_3+110z\zeta_3\big)\Big]H_1
$$
$$
+\Big[(1+z)\big(-128H_{0,0,1}+64H_{0,1,1}\big)+\frac{8}{3}\big(15+174z+44\zeta_3+44z\zeta_3\big)+8(-5+13z)\zeta_2\Big]H_{0,1}
$$
$$
-32(-3+5z)H_{0,1}^2+\Big[8(-45+43z)-32(1+z)\zeta_2\Big]H_{0,0,1}
$$
$$
+\Big[8(-58+5z)-80(1+z)\zeta_2\Big]H_{0,1,1}-16(7+23z)H_{0,0,0,1}-16(-23+27z)H_{0,1,1,1}
$$
$$
+\frac{2}{3}\big(633-1389z+40\zeta_3+40z\zeta_3\big)\zeta_2-\frac{8}{5}(-163+23z)\zeta_2^2+32\zeta_3\Big\}+a_{gg,Q}^{(3),reg}\Big\}. \tag{301}
$$

B The z-Space expressions for the asymptotic massive Wilson coefficients

Here we list the z-space contributions to the massive Wilson coefficient $L_q^{\mathsf{PS}}, L_g^{\mathsf{S}}$ and H_g^{S}.

For $L_q^{\mathsf{PS}}(z)$ we obtain

$$
L_q^{PS}(z) =
$$
$$
a_s^3 C_F N_F T_F^2 \Big\{ L_M^2 \Big[\frac{32}{3}(z-1)\big(12+5H_1\big)+(1+z)\Big(-\frac{32}{3}H_0^2-\frac{64}{3}H_{0,1}+\frac{64}{3}\zeta_2\Big)
$$

$$
+\frac{32}{3}(-7+z)H_0\Big] + (z-1)\Big[\frac{3296}{9} - \frac{32}{27}H_1\big(-125+12H_0\big) + \frac{16}{9}H_1^2\big(28+15H_0\big) + \frac{80}{3}H_1^3\Big]
$$
$$
+L_Q\Big[(1+z)\Big(\frac{64}{3}H_{0,1,1} - \frac{64\zeta_3}{3}\Big) + L_M^2\Big[-\frac{160}{3}(z-1) + \frac{64}{3}(1+z)H_0\Big]
$$
$$
+L_M\Big[\frac{64}{9}(z-1)\big(-4+15H_1\big) + (1+z)\Big(-\frac{128H_{0,1}}{3} + \frac{128\zeta_2}{3}\Big) + \frac{128}{9}(2+5z)H_0\Big]
$$
$$
+\frac{128}{27}(11+14z)H_0 + (z-1)\Big(-\frac{3712}{27} + \frac{128}{9}H_1 - \frac{80}{3}H_1^2\Big) - \frac{64}{9}(2+5z)H_{0,1}
$$
$$
+\frac{64}{9}(2+5z)\zeta_2\Big] + L_M\Big[(z-1)\Big[-\frac{64}{3} - \frac{64}{9}H_1\big(32+15H_0\big) - \frac{320}{3}H_1^2\Big]
$$
$$
+(1+z)\Big[\frac{128}{9}H_{0,1}\big(1+3H_0\big) - \frac{128}{3}H_{0,0,1} + \frac{256}{3}H_{0,1,1} - \frac{128}{3}\zeta_3\Big] - \frac{512}{9}(1+2z)H_0
$$
$$
-\frac{64}{9}(2+5z)H_0^2 + \Big[\frac{64}{9}(-17+13z) - \frac{128}{3}(1+z)H_0\Big]\zeta_2\Big] + (1+z)\Big(\frac{64}{3}H_{0,0,1,1} - 64H_{0,1,1,1}
$$
$$
+\frac{32}{15}\zeta_2^2\Big) + \frac{128}{27}(-40+z)H_0 - \frac{64}{27}(11+14z)H_0^2 + \big(\frac{128}{27}(-8+z) + \frac{64}{9}(2+5z)H_0\big)H_{0,1}
$$
$$
-\frac{64}{9}(2+5z)H_{0,0,1} + \Big[\frac{64}{9}(1+4z) - \frac{64}{3}(1+z)H_0\Big]H_{0,1,1} + \Big[\frac{128}{27}(5+2z) - \frac{64}{9}(2+5z)H_0
$$
$$
-\frac{160}{3}(z-1)H_1 + \frac{64}{3}(1+z)H_{0,1}\Big]\zeta_2 + \Big[-\frac{32}{9}(-17+13z) + \frac{64}{3}(1+z)H_0\Big]\zeta_3
$$
$$
+A_{qq,Q}^{PS(3)}(z) + N_F\hat{\tilde{C}}_q^{PS(3)}(L_Q, N_F, z)\Big\}. \tag{302}
$$

For $L_g^{\mathsf{S}}(z)$ we obtain

$$
L_g^S(z) =
$$
$$
a_s^2 N_F T_F^2\Big\{\frac{16}{3}L_M L_Q(2z-1) + L_M\Big[-\frac{16}{3}(-3+4z) + (2z-1)\Big(-\frac{16}{3}H_0 - \frac{16}{3}H_1\Big)\Big]\Big\}
$$
$$
+a_s^3\Big\{N_F T_F^3\Big\{\frac{64}{9}L_M^2 L_Q(2z-1) + L_M^2\Big[-\frac{64}{9}(-3+4z) + (2z-1)\Big(-\frac{64}{9}H_0 - \frac{64}{9}H_1\Big)\Big]\Big\}
$$
$$
+C_A N_F T_F^2\Big\{\frac{8}{27}(-3943+3928z) + L_M L_Q^2\Big[-64(z-1) + \frac{64}{3}(1+z)H_0 - \frac{32}{3}(2z-1)H_1\Big]
$$
$$
+L_M^2\Big[\frac{512}{3}(z-1) + (1+z)\Big(-\frac{32}{3}H_0^2 - \frac{64}{3}H_{0,1}\Big) + \Big[\frac{64}{3}(-4+z) + \frac{32}{3}(2z-1)H_1\Big]H_0
$$
$$
+\frac{32}{3}(-9+10z)H_1 + \frac{32}{3}(2z-1)H_1^2 + 32\zeta_2\Big] + L_Q\Big[-\frac{40}{9}(-108+107z)
$$
$$
+L_M^2\Big[-64(z-1) + \frac{64}{3}(1+z)H_0 - \frac{32}{3}(2z-1)H_1\Big] + L_M\Big[-\frac{32}{3}(-22+19z)
$$
$$
+\Big[\frac{32}{9}(5+98z) + \frac{64}{3}(2z-1)H_1\Big]H_0 - \frac{64}{3}(1+2z)H_{-1}H_0 - \frac{64}{3}(1+3z)H_0^2
$$

$$+\frac{128}{9}(-8+7z)H_1+\frac{32}{3}(2z-1)H_1^2-\frac{128}{3}(1+z)H_{0,1}+\frac{64}{3}(1+2z)H_{0,-1}+\frac{128}{3}\zeta_2\Big]$$
$$+\frac{8}{27}(785+644z)H_0+\frac{16}{9}(17+2z)H_0^2-\frac{16}{9}(2z-1)H_0^3-\frac{16}{27}(-47+103z)H_1-\frac{32}{3}zH_{0,1}$$
$$+\frac{32}{3}z\zeta_2\Big]+(2z-1)\Big(\frac{4}{9}H_0^4+\frac{32}{3}H_{0,0,0,1}-\frac{64}{15}\zeta_2^2\Big)+L_M\Big[\frac{16}{9}(-325+301z)$$
$$+\Big[\frac{32}{9}\big(-58-42z+3z^2\big)-\frac{128}{9}(-8+7z)H_1-16(2z-1)H_1^2-\frac{32}{3}\big(-3-6z+2z^2\big)H_{0,1}$$
$$+\frac{64}{3}\big(-1-2z+z^2\big)H_{0,-1}\Big]H_0+\frac{32}{3}\big(1+2z+2z^2\big)H_{-1}^2H_0+\Big[\frac{8}{9}\big(23-124z+44z^2\big)$$
$$+\frac{16}{3}\big(3-6z+2z^2\big)H_1\Big]H_0^2+\frac{16}{9}(5+14z)H_0^3+\Big[\frac{16}{9}\big(-180+161z+6z^2\big)$$
$$+\frac{64}{3}(2z-1)H_{0,1}\Big]H_1-\frac{32}{9}(-8+z)H_1^2-\frac{16}{9}(2z-1)H_1^3$$
$$+\Big[-\frac{64\big(2+6z+12z^2+11z^3\big)}{9z}H_0-\frac{32}{3}\big(-1-2z+z^2\big)H_0^2+\frac{64}{3}(1+2z)H_{0,1}$$
$$-\frac{64}{3}\big(1+2z+2z^2\big)H_{0,-1}\Big]H_{-1}-\frac{32}{9}(41+62z)H_{0,1}+\frac{64\big(2+6z+12z^2+11z^3\big)}{9z}H_{0,-1}$$
$$+\frac{32}{3}\big(-3+2z+2z^2\big)H_{0,0,1}-\frac{64}{3}\big(-1-2z+z^2\big)H_{0,0,-1}-\frac{32}{3}(-7+2z)H_{0,1,1}$$
$$-\frac{64}{3}(1+2z)H_{0,1,-1}-\frac{64}{3}(1+2z)H_{0,-1,1}+\frac{64}{3}\big(1+2z+2z^2\big)H_{0,-1,-1}$$
$$+\Big[-\frac{32}{9}\big(3-90z+22z^2\big)-\frac{64}{3}(3+4z)H_0-\frac{64}{3}(z-1)^2H_1+\frac{32}{3}\big(-1-2z+2z^2\big)H_{-1}\Big]\zeta_2$$
$$-\frac{64}{3}\big(2+z+2z^2\big)\zeta_3\Big]+\Big[\frac{8}{27}(-2405+413z)+\frac{16}{27}(-47+103z)H_1+\frac{32}{3}zH_{0,1}\Big]H_0$$
$$-\frac{4}{27}(989+764z)H_0^2+\frac{160}{27}(-2+z)H_0^3+\frac{8}{27}(-1884+1981z)H_1+\frac{16}{27}(-47+103z)H_1^2$$
$$-\frac{8}{27}(785+572z)H_{0,1}-\frac{32}{9}(17+5z)H_{0,0,1}+\frac{64}{3}zH_{0,1,1}+\Big[\frac{8}{9}(293+122z)-\frac{32}{9}(-17+z)H_0$$
$$-\frac{16}{3}(2z-1)H_0^2\Big]\zeta_2+\Big[-\frac{32}{9}(-17+z)-\frac{32}{3}(2z-1)H_0\Big]\zeta_3\Big\}+C_FN_FT_F^2\Big\{4(-889+904z)$$
$$+L_ML_Q^2\Big[8(-41+42z)+(2z-1)\Big(16H_0^2-\frac{32}{3}H_1\Big)-\frac{32}{3}(13+19z)H_0\Big]$$
$$+L_Q\Big[-20(-67+70z)+L_M^2\Big[-336(z-1)+48(3+4z)H_0-16(2z-1)H_0^2\Big]$$
$$+L_M\Big[-\frac{16}{3}(-472+473z)+(2z-1)\Big(-32H_0^3+\frac{64}{3}H_1^2-64H_{0,0,1}+64\zeta_3\Big)$$
$$+\Big[\frac{32}{3}(156+25z)+\frac{128}{3}(2z-1)H_1\Big]H_0+\frac{16}{3}(73+52z)H_0^2-\frac{16}{3}(-109+106z)H_1$$

$$
+\frac{64}{3}(14+17z)H_{0,1}+\Big[-64(4+7z)+64(2z-1)H_0\Big]\zeta_2\Big]+32(23+17z)H_0
$$

$$
-8(-23+9z)H_0^2+\frac{8}{3}(9+4z)H_0^3-\frac{4}{3}(2z-1)H_0^4\Big]+L_M^2\Big[928(z-1)
$$

$$
+(2z-1)\Big(\frac{16}{3}H_0^3+32H_{0,0,1}-32\zeta_3\Big)-16(30+7z)H_0-8(11+4z)H_0^2
$$

$$
+336(z-1)H_1-48(3+4z)H_{0,1}+\Big[48(3+4z)-32(2z-1)H_0\Big]\zeta_2\Big]
$$

$$
+L_M\Big[\frac{8}{9}(-8533+8509z)+(1+z)^2\Big(-\frac{128}{3}H_{-1}^2H_0-\frac{256}{3}H_{0,-1,-1}\Big)+(2z-1)\Big(\frac{28}{3}H_0^4
$$

$$
-\frac{80}{9}H_1^3+64H_{0,0,1,1}-\frac{32}{5}\zeta_2^2\Big)+\Big[-\frac{8}{9}\big(5606+209z+24z^2\big)+(2z-1)\Big(-\frac{64}{3}H_1^2
$$

$$
+64H_{0,0,1}\Big)+48(-11+10z)H_1+\frac{32}{3}\big(-25-40z+4z^2\big)H_{0,1}
$$

$$
-\frac{128}{3}\big(-2+4z+z^2\big)H_{0,-1}\Big]H_0+\Big[-\frac{4}{9}\big(3063+462z+32z^2\big)-\frac{16}{3}\big(-1+2z+4z^2\big)H_1\Big]H_0^2
$$

$$
-\frac{16}{9}(104+17z)H_0^3+\Big[-\frac{32}{3}\big(229-230z+2z^2\big)-\frac{64}{3}(2z-1)H_{0,1}\Big]H_1+24(-11+10z)H_1^2
$$

$$
+\Big[(1+z)^2\Big(\frac{64}{3}H_0^2+\frac{256}{3}H_{0,-1}\Big)+\frac{64\big(4+45z+48z^2+4z^3\big)}{9z}H_0\Big]H_{-1}-\frac{16}{3}(203+156z)H_{0,1}
$$

$$
-\frac{64\big(4+45z+48z^2+4z^3\big)}{9z}H_{0,-1}-\frac{64}{3}(z-1)(-11+2z)H_{0,0,1}
$$

$$
+\frac{128}{3}\big(-5+6z+z^2\big)H_{0,0,-1}-\frac{32}{3}(31+28z)H_{0,1,1}+\Big[\frac{32}{9}\big(543+99z+8z^2\big)
$$

$$
+\frac{32}{3}(83+56z)H_0-96(2z-1)H_0^2+\frac{64}{3}\big(-1+2z+2z^2\big)H_1-\frac{128}{3}(1+z)^2H_{-1}\Big]\zeta_2
$$

$$
+\Big[\frac{64}{3}\big(33-4z+4z^2\big)-128(2z-1)H_0\Big]\zeta_3\Big]+(2z-1)\Big(\frac{4}{15}H_0^5+32H_{0,0,0,0,1}-32\zeta_5\Big)
$$

$$
+4(-519+10z)H_0-8(69+8z)H_0^2-\frac{8}{3}(32+3z)H_0^3+\frac{2}{3}(-11+4z)H_0^4+20(-67+70z)H_1
$$

$$
-32(23+17z)H_{0,1}+16(-23+9z)H_{0,0,1}-16(9+4z)H_{0,0,0,1}+\Big[32(23+17z)
$$

$$
-16(-23+9z)H_0+8(9+4z)H_0^2-\frac{16}{3}(2z-1)H_0^3\Big]\zeta_2+\Big[\frac{32}{5}(9+4z)-\frac{64}{5}(2z-1)H_0\Big]\zeta_2^2
$$

$$
+\Big[-16(-23+9z)+16(9+4z)H_0-16(2z-1)H_0^2\Big]\zeta_3\Big\}
$$

$$
+A_{qg,Q}^{(3)}+N_F\hat{\tilde{C}}_g^{S(3)}\left(L_Q,N_F,z\right)\Big\}. \tag{303}
$$

For $H_q^{\mathsf{PS}}(z)$ we obtain

$$
H_q^{PS}=
$$

$$
a_s^2 C_F T_F \Bigg\{ -\frac{4}{3}(z-1)\Big(148+66H_1+15H_1^2\Big) + L_Q\Big[8(z-1)\Big(11+5H_1\Big)
$$
$$
+(1+z)\Big(-16H_0^2-16H_{0,1}+16\zeta_2\Big)+32(-2+z)H_0\Big] + L_M^2\Big[20(z-1)-8(1+z)H_0\Big]
$$
$$
+L_Q^2\Big[-20(z-1)+8(1+z)H_0\Big] + L_M\Big[8(z-1)-8(-1+3z)H_0+8(1+z)H_0^2\Big]
$$
$$
+(1+z)\Big(\frac{16}{3}H_0^3-32H_{0,0,1}+16H_{0,1,1}+16\zeta_3\Big) + \Big[-\frac{256}{3}(-2+z)-80(z-1)H_1
$$
$$
-\frac{32(1+z)^3H_{-1}}{3z}+32(1+z)H_{0,1}\Big]H_0+\frac{8}{3}\Big(21+2z^2\Big)H_0^2+16(-1+3z)H_{0,1}
$$
$$
+\frac{32(1+z)^3H_{0,-1}}{3z}+\Big[-\frac{32}{3}\Big(9-3z+z^2\Big)-32(1+z)H_0\Big]\zeta_2\Bigg\}
$$
$$
+a_s^3\Bigg\{C_F T_F^2\Bigg\{L_M^2\Big[\frac{32}{3}(z-1)\Big(12+5H_1\Big)+(1+z)\Big(-\frac{32}{3}H_0^2-\frac{64}{3}H_{0,1}+\frac{64}{3}\zeta_2\Big)
$$
$$
+\frac{32}{3}(-7+z)H_0\Big]+L_Q\Big[(1+z)\Big(\frac{64}{3}H_{0,1,1}-\frac{64\zeta_3}{3}\Big)+L_M^2\Big[-\frac{160}{3}(z-1)+\frac{64}{3}(1+z)H_0\Big]
$$
$$
+L_M\Big[\frac{64}{9}(z-1)\Big(-4+15H_1\Big)+(1+z)\Big(-\frac{128H_{0,1}}{3}+\frac{128\zeta_2}{3}\Big)+\frac{128}{9}(2+5z)H_0\Big]
$$
$$
+\frac{128}{27}(11+14z)H_0+(z-1)\Big(-\frac{3712}{27}+\frac{128}{9}H_1-\frac{80}{3}H_1^2\Big)-\frac{64}{9}(2+5z)H_{0,1}
$$
$$
+\frac{64}{9}(2+5z)\zeta_2\Big]+L_M\Big[(1+z)\Big(\frac{128}{9}H_{0,1}-\frac{128}{3}H_{0,0,1}+\frac{256}{3}H_{0,1,1}-\frac{128}{3}\zeta_3\Big)
$$
$$
+\Big[-\frac{512}{9}(1+2z)-\frac{320}{3}(z-1)H_1+\frac{128}{3}(1+z)H_{0,1}\Big]H_0-\frac{64}{9}(2+5z)H_0^2
$$
$$
+(z-1)\Big(-\frac{64}{3}-\frac{2048}{9}H_1-\frac{320}{3}H_1^2\Big)+\Big[\frac{64}{9}(-17+13z)-\frac{128}{3}(1+z)H_0\Big]\zeta_2\Big]
$$
$$
+(1+z)\Big(\frac{64}{3}H_{0,0,1,1}-64H_{0,1,1,1}+\frac{32}{15}\zeta_2^2\Big)+\Big[\frac{128}{27}(-40+z)+\frac{16}{9}(z-1)H_1\Big(-8+15H_1\Big)
$$
$$
+\frac{64}{9}(2+5z)H_{0,1}-\frac{64}{3}(1+z)H_{0,1,1}\Big]H_0-\frac{64}{27}(11+14z)H_0^2+(z-1)\Big(\frac{3296}{9}+\frac{4000}{27}H_1
$$
$$
+\frac{448}{9}H_1^2+\frac{80}{3}H_1^3\Big)+\frac{128}{27}(-8+z)H_{0,1}-\frac{64}{9}(2+5z)H_{0,0,1}+\frac{64}{9}(1+4z)H_{0,1,1}
$$
$$
+\Big[\frac{128}{27}(5+2z)-\frac{64}{9}(2+5z)H_0-\frac{160}{3}(z-1)H_1+\frac{64}{3}(1+z)H_{0,1}\Big]\zeta_2
$$
$$
+\Big[-\frac{32}{9}(-17+13z)+\frac{64}{3}(1+z)H_0\Big]\zeta_3\Bigg\}+C_F^2 T_F\Bigg\{(z-1)\Big[2656+8H_1\Big(103+40H_{0,0,1}\Big)
$$
$$
+\frac{8}{3}H_0^4+144H_1^2-80H_{0,1}^2+160H_{0,1,1,1}\Big]+L_M^2\Big[4(z-1)\Big(92+43H_1+10H_1^2\Big)
$$
$$
+(1+z)\Big(-\frac{8}{3}H_0^3+48H_{0,0,1}-32H_{0,1,1}-16\zeta_3\Big)+\Big[-4(51+7z)+80(z-1)H_1
$$
$$
-32(1+z)H_{0,1}\Big]H_0+8(-6+5z)H_0^2-80zH_{0,1}+\Big[80+16(1+z)H_0\Big]\zeta_2\Big]
$$

$$
+L_Q\Big[L_M^2\Big[-4(z-1)\big(13+20H_1\big)+(1+z)\big(8H_0^2+32H_{0,1}-32\zeta_2\big)-16(-2+3z)H_0\Big]
$$
$$
+(z-1)\big(-392-288H_1-160H_{0,1,1}\big)+L_M\Big[-8(z-1)\big(5+4H_1\big)
$$
$$
+(1+z)\Big(-8H_0-\frac{16}{3}H_0^3-64H_{0,0,1}+64\zeta_3\Big)+32zH_0^2+32(-1+3z)H_{0,1}
$$
$$
+\Big[-32(-1+3z)+64(1+z)H_0\Big]\zeta_2\Big]+(1+z)\Big(\frac{2}{3}H_0^4-64H_{0,0,0,1}+128H_{0,0,1,1}-\frac{256}{5}\zeta_2^2\Big)
$$
$$
+\Big[-52(-3+z)+8(z-1)H_1\big(13+10H_1\big)+(1+z)\big(96H_{0,0,1}-64H_{0,1,1}\big)
$$
$$
-32(-3+2z)H_{0,1}\Big]H_0+\Big[6(3+19z)+80(z-1)H_1-32(1+z)H_{0,1}\Big]H_0^2-\frac{16}{3}zH_0^3
$$
$$
+8(19+17z)H_{0,1}-16(1+5z)H_{0,0,1}+\Big[-48(1+5z)+(1+z)\big(-16H_0^2+64H_{0,1}\big)
$$
$$
+16(-1+3z)H_0-160(z-1)H_1\Big]\zeta_2+\Big[48(-3+5z)-96(1+z)H_0\Big]\zeta_3\Big]
$$
$$
+L_M\Big[(z-1)\Big(312-\frac{64}{3}H_0^3+88H_1+16H_1^2\Big)+(1+z)\Big(\frac{4}{3}H_0^4-160H_{0,0,0,1}+64H_{0,0,1,1}
$$
$$
+\frac{288}{5}\zeta_2^2\Big)+\Big[-8(-2+21z)+32(z-1)H_1-32(-1+3z)H_{0,1}+64(1+z)H_{0,0,1}\Big]H_0
$$
$$
+4(7+13z)H_0^2-8(-11+21z)H_{0,1}+32(1+7z)H_{0,0,1}-32(-1+3z)H_{0,1,1}
$$
$$
+\Big[8(-7+17z)-32(3+z)H_0-16(1+z)H_0^2\Big]\zeta_2+\Big[-64(1+2z)+32(1+z)H_0\Big]\zeta_3\Big]
$$
$$
+(1+z)\Big(-\frac{2}{15}H_0^5-80H_{0,0,0,0,1}+832H_{0,0,0,1,1}+256H_{0,0,1,0,1}-128H_{0,0,1,1,1}+80\zeta_5\Big)
$$
$$
+\Big[-4(263+195z)+(z-1)\Big[-32H_1\big(14+5H_{0,1}\big)-172H_1^2-\frac{80}{3}H_1^3\Big]
$$
$$
+(1+z)\big(32H_{0,1}^2+96H_{0,0,0,1}-224H_{0,0,1,1}+64H_{0,1,1,1}\big)+16(1+10z)H_{0,1}
$$
$$
-16(-1+17z)H_{0,0,1}+160(-2+3z)H_{0,1,1}\Big]H_0+\Big[-6(26+15z)-4(z-1)H_1\big(43+10H_1\big)
$$
$$
+(1+z)\big(-48H_{0,0,1}+32H_{0,1,1}\big)+80zH_{0,1}\Big]H_0^2+\Big[-2(5+23z)-\frac{80}{3}(z-1)H_1
$$
$$
+\frac{32}{3}(1+z)H_{0,1}\Big]H_0^3+\Big[4(-169+35z)-128(1+z)H_{0,0,1}\Big]H_{0,1}-4(109+33z)H_{0,0,1}
$$
$$
+8(-49+13z)H_{0,1,1}+32(-8+15z)H_{0,0,0,1}-144(-1+3z)H_{0,0,1,1}+\Big[4(57+77z)
$$
$$
+8(z-1)H_1\big(43+10H_1\big)+(1+z)\Big(\frac{8}{3}H_0^3+96H_{0,0,1}-64H_{0,1,1}-96\zeta_3\Big)+\Big[12(5+13z)
$$
$$
+160(z-1)H_1-64(1+z)H_{0,1}\Big]H_0+8(3+z)H_0^2-160zH_{0,1}\Big]\zeta_2+\Big[-\frac{8}{5}(-145+83z)
$$
$$
+\frac{48}{5}(1+z)H_0\Big]\zeta_2^2+\Big[4(207+7z)+(1+z)\big(24H_0^2+128H_{0,1}\big)-32(-13+8z)H_0
$$

$$-320(z-1)H_1\Big]\zeta_3\Big\} + A_{Qq}^{PS(3)} + \tilde{C}^{PS(3)}(L_Q, N_F+1)\Big\}. \tag{304}$$

Finally, $H^{\mathsf{S}}(z)$ reads

$$\begin{aligned}
H_g^S =\\
&a_s T_F\Big\{-4(-3+4z) + (2z-1)\big(-4L_M + 4L_Q - 4H_0 - 4H_1\big)\Big\}\\
&+a_s^2\Big\{C_A T_F\Big\{-\frac{8}{3}(-101+104z) + L_Q^2\Big[-48(z-1)\\
&+16(1+z)H_0 - 8(2z-1)H_1\Big] + L_M^2\Big[48(z-1) - 16(1+z)H_0 + 8(2z-1)H_1\Big]\\
&+(1+2z)\big(-16H_{0,1,-1} - 16H_{0,-1,1}\big) + L_M\Big[8(-12+11z) + (1+2z)\big(16H_{-1}H_0 + 8H_0^2\\
&-16H_{0,-1}\big) - 8(1+8z)H_0 + 32(z-1)H_1 + 8(2z-1)H_1^2 + 16\zeta_2\Big] + L_Q\Big[8(-20+21z)\\
&+(1+2z)\big(-16H_{-1}H_0 + 16H_{0,-1}\big) + \Big[24(-5+4z) + 16(2z-1)H_1\Big]H_0 - 8(3+4z)H_0^2\\
&+16(-7+8z)H_1 + 8(2z-1)H_1^2 - 32(1+z)H_{0,1} + 32\zeta_2\Big] + \Big[\frac{4}{3}\big(194 - 163z + 6z^2\big)\\
&-4\big(-53+56z+z^2\big)H_1 - 16(2z-1)H_1^2 - 8\big(-7-10z+2z^2\big)H_{0,1}\\
&+8\big(-3-6z+2z^2\big)H_{0,-1}\Big]H_0 + 16z^2H_{-1}^2H_0 + \Big[\frac{2}{3}\big(126 - 48z + 41z^2\big)\\
&+4\big(3-6z+2z^2\big)H_1\Big]H_0^2 + \frac{8}{3}(3+4z)H_0^3 + \Big[4\big(43-53z+2z^2\big) + 16(2z-1)H_{0,1}\Big]H_1\\
&+2\big(19-24z+z^2\big)H_1^2 + \Big[-\frac{16\big(2+3z+9z^2+11z^3\big)}{3z}H_0 - 4\big(-3-6z+2z^2\big)H_0^2\\
&+16(1+2z)H_{0,1} - 32z^2H_{0,-1}\Big]H_{-1} + 4\big(-19+28z+2z^2\big)H_{0,1}\\
&+\frac{16\big(2+3z+9z^2+11z^3\big)}{3z}H_{0,-1} + 8\big(-9-10z+2z^2\big)H_{0,0,1} - 8\big(-3-6z+2z^2\big)H_{0,0,-1}\\
&+48H_{0,1,1} + 32z^2H_{0,-1,-1} + \Big[-\frac{4}{3}\big(114-84z+47z^2\big) - 32(2+z)H_0\\
&-16(z-1)^2H_1 + 16\big(-1-2z+z^2\big)H_{-1}\Big]\zeta_2 - 8\big(-1-10z+4z^2\big)\zeta_3\Big\}\\
&+C_F T_F\Big\{-\frac{20}{3}(-20+17z) + L_M^2\big(6 + (2z-1)\big(-4H_0 - 8H_1\big)\big)\\
&+L_Q^2\Big[6 + (2z-1)\big(-4H_0 - 8H_1\big)\Big] + L_M\big(-4(-17+13z) + (2z-1)\big(-8H_0^2 - 16H_1^2\\
&+8H_{0,1} + 24\zeta_2\big) + \Big[-16(-3+2z) - 32(2z-1)H_1\Big]H_0 - 4(-17+20z)H_1\big)\\
&+L_Q\Big[4(-17+13z) + L_M\Big[-12 + (2z-1)\big(8H_0 + 16H_1\big)\Big] + (2z-1)\big(8H_0^2 + 16H_1^2\\
&-8H_{0,1} - 24\zeta_2\big) + \Big[16(-3+2z) + 32(2z-1)H_1\Big]H_0 + 4(-17+20z)H_1\Big]
\end{aligned}$$

$$+(2z-1)\Big(-\frac{8}{3}H_0^3-8H_1^3+24H_{0,1,1}\Big)+(1+z)^2\big(-32H_{-1}^2H_0-64H_{0,-1,-1}\big)$$
$$+\Big[-\frac{8}{3}\big(-46+53z+6z^2\big)+8\big(8-14z+z^2\big)H_1-16(2z-1)H_1^2+32(z-1)^2H_{0,1}$$
$$-32(z-1)^2H_{0,-1}\Big]H_0+\Big[-\frac{4}{3}\big(-27+6z+23z^2\big)-16z^2H_1\Big]H_0^2+\Big[-4\big(-47+41z+4z^2\big)$$
$$-16(2z-1)H_{0,1}\Big]H_1-2\big(-33+40z+2z^2\big)H_1^2+\Big[(1+z)^2\big(16H_0^2+64H_{0,-1}\big)$$
$$+\frac{16\big(4+12z^2+13z^3\big)}{3z}H_0\Big]H_{-1}-16\big(-6+z^2\big)H_{0,1}-\frac{16\big(4+12z^2+13z^3\big)}{3z}H_{0,-1}$$
$$-32(z-1)^2H_{0,0,1}+32\big(1-6z+z^2\big)H_{0,0,-1}+\Big[\frac{8}{3}\big(-60+42z+29z^2\big)+32(2z-1)H_0$$
$$+16\big(-1+2z+2z^2\big)H_1-32(1+z)^2H_{-1}\Big]\zeta_2+8\big(1+14z+8z^2\big)\zeta_3\Big\}$$
$$+T_F^2\Big\{(2z-1)\Big(-\frac{16L_M^2}{3}+\frac{16L_ML_Q}{3}\Big)+L_M\Big[-\frac{16}{3}(-3+4z)$$
$$+(2z-1)\Big(-\frac{16}{3}H_0-\frac{16}{3}H_1\Big)\Big]\Big\}\Big\}$$
$$+a_s^3\Big\{C_FN_FT_F^2\Big\{L_ML_Q^2\Big[8(-43+42z)+(2z-1)\Big(16H_0^2+\frac{32}{3}H_1\Big)-\frac{32}{3}(14+17z)H_0\Big]$$
$$+(L_ML_Q)\Big[-\frac{8}{3}(-709+690z)+(2z-1)\Big(-\frac{64}{3}H_0^3-\frac{32}{3}H_1^2-64H_{0,0,1}+64\zeta_3\Big)$$
$$+\Big[-\frac{16}{9}(-673+26z)-\frac{128}{3}(2z-1)H_1\Big]H_0+\frac{32}{3}(25+16z)H_0^2-\frac{16}{9}(-425+454z)H_1$$
$$+64(4+7z)H_{0,1}+\Big[-\frac{64}{3}(14+17z)+64(2z-1)H_0\Big]\zeta_2\Big]+L_M\Big[\frac{2}{9}(-29415+28958z)$$
$$+(1+z)\Big[-64(-5+z)H_{-1}H_0+64(-5+z)H_{0,-1}\Big]+(2z-1)\Big(\frac{20}{3}H_0^4+\frac{32}{9}H_1^3$$
$$+256H_{0,0,-1}-64H_{0,0,0,1}+64H_{0,0,1,1}+\frac{96}{5}\zeta_2^2\Big)+\Big[-\frac{8}{27}(13571+1958z)$$
$$+(2z-1)\Big(\frac{32}{3}H_1^2-128H_{0,-1}+64H_{0,0,1}\Big)+\frac{16}{3}(-151+170z)H_1-\frac{32}{3}(23+44z)H_{0,1}\Big]H_0$$
$$+\Big[8\big(-129+18z+4z^2\big)+\frac{80}{3}(2z-1)H_1\Big]H_0^2-\frac{304}{9}(4+z)H_0^3+\Big[\frac{104}{27}(-523+542z)$$
$$+\frac{64}{3}(2z-1)H_{0,1}\Big]H_1+\frac{8}{9}(-425+454z)H_1^2-\frac{704}{9}(5+11z)H_{0,1}+\frac{32}{3}(1+46z)H_{0,0,1}$$
$$-\frac{64}{3}(11+23z)H_{0,1,1}+\Big[-\frac{16}{9}\big(-853+26z+36z^2\big)+(2z-1)\Big(-64H_0^2-\frac{128}{3}H_1\Big)$$
$$+\frac{64}{3}(31+16z)H_0\Big]\zeta_2+\Big[-\frac{64}{3}(-20+19z)-64(2z-1)H_0\Big]\zeta_3\Big]\Big\}+C_AT_F^2\Big\{\frac{8}{27}(-3943$$

$$+3928z) + L_M L_Q^2 \Big[-64(z-1) + \frac{64}{3}(1+z)H_0 - \frac{32}{3}(2z-1)H_1\Big] + L_M^2 \Big[\frac{512}{3}(z-1)$$
$$+(1+z)\Big(-\frac{32}{3}H_0^2 - \frac{64}{3}H_{0,1}\Big) + \Big[\frac{64}{3}(-4+z) + \frac{32}{3}(2z-1)H_1\Big]H_0 + \frac{32}{3}(-9+10z)H_1$$
$$+\frac{32}{3}(2z-1)H_1^2 + 32\zeta_2\Big] + L_Q\Big[-\frac{40}{9}(-108+107z) + L_M^2\Big[-64(z-1) + \frac{64}{3}(1+z)H_0$$
$$-\frac{32}{3}(2z-1)H_1\Big] + L_M\Big[-\frac{32}{3}(-22+19z) + (1+2z)\Big(-\frac{64}{3}H_{-1}H_0 + \frac{64}{3}H_{0,-1}\Big)$$
$$+\Big[\frac{32}{9}(5+98z) + \frac{64}{3}(2z-1)H_1\Big]H_0 - \frac{64}{3}(1+3z)H_0^2 + \frac{128}{9}(-8+7z)H_1 + \frac{32}{3}(2z-1)H_1^2$$
$$-\frac{128}{3}(1+z)H_{0,1} + \frac{128}{3}\zeta_2\Big] + \frac{8}{27}(785+644z)H_0 + \frac{16}{9}(17+2z)H_0^2 - \frac{16}{9}(2z-1)H_0^3$$
$$-\frac{16}{27}(-47+103z)H_1 - \frac{32}{3}zH_{0,1} + \frac{32}{3}z\zeta_2\Big] + (2z-1)\Big(\frac{4}{9}H_0^4 + \frac{32}{3}H_{0,0,0,1} - \frac{64}{15}\zeta_2^2\Big)$$
$$+L_M\Big[\frac{16}{9}(-325+301z) + (1+2z)\Big(-\frac{64}{3}H_{0,1,-1} - \frac{64}{3}H_{0,-1,1}\Big) + \Big[\frac{32}{9}\big(-58-42z+3z^2\big)$$
$$-\frac{128}{9}(-8+7z)H_1 - 16(2z-1)H_1^2 - \frac{32}{3}\big(-3-6z+2z^2\big)H_{0,1}$$
$$+\frac{64}{3}\big(-1-2z+z^2\big)H_{0,-1}\Big]H_0 + \frac{32}{3}\big(1+2z+2z^2\big)H_{-1}^2H_0 + \Big[\frac{8}{9}\big(23-124z+44z^2\big)$$
$$+\frac{16}{3}\big(3-6z+2z^2\big)H_1\Big]H_0^2 + \frac{16}{9}(5+14z)H_0^3 + \Big[\frac{16}{9}\big(-180+161z+6z^2\big)$$
$$+\frac{64}{3}(2z-1)H_{0,1}\Big]H_1 - \frac{32}{9}(-8+z)H_1^2 - \frac{16}{9}(2z-1)H_1^3 + \Big[-\frac{64\big(2+6z+12z^2+11z^3\big)}{9z}H_0$$
$$-\frac{32}{3}\big(-1-2z+z^2\big)H_0^2 + \frac{64}{3}(1+2z)H_{0,1} - \frac{64}{3}\big(1+2z+2z^2\big)H_{0,-1}\Big]H_{-1}$$
$$-\frac{32}{9}(41+62z)H_{0,1} + \frac{64\big(2+6z+12z^2+11z^3\big)}{9z}H_{0,-1} + \frac{32}{3}\big(-3+2z+2z^2\big)H_{0,0,1}$$
$$-\frac{64}{3}\big(-1-2z+z^2\big)H_{0,0,-1} - \frac{32}{3}(-7+2z)H_{0,1,1} + \frac{64}{3}\big(1+2z+2z^2\big)H_{0,-1,-1}$$
$$+\Big[-\frac{32}{9}\big(3-90z+22z^2\big) - \frac{64}{3}(3+4z)H_0 - \frac{64}{3}(z-1)^2H_1 + \frac{32}{3}\big(-1-2z+2z^2\big)H_{-1}\Big]\zeta_2$$
$$-\frac{64}{3}\big(2+z+2z^2\big)\zeta_3\Big] + \Big[\frac{8}{27}(-2405+413z) + \frac{16}{27}(-47+103z)H_1 + \frac{32}{3}zH_{0,1}\Big]H_0$$
$$-\frac{4}{27}(989+764z)H_0^2 + \frac{160}{27}(-2+z)H_0^3 + \frac{8}{27}(-1884+1981z)H_1 + \frac{16}{27}(-47+103z)H_1^2$$
$$-\frac{8}{27}(785+572z)H_{0,1} - \frac{32}{9}(17+5z)H_{0,0,1} + \frac{64}{3}zH_{0,1,1} + \Big[\frac{8}{9}(293+122z) - \frac{32}{9}(-17+z)H_0$$
$$-\frac{16}{3}(2z-1)H_0^2\Big]\zeta_2 + \Big[-\frac{32}{9}(-17+z) - \frac{32}{3}(2z-1)H_0\Big]\zeta_3\Big\} + C_F T_F^2\Big\{4(-889+904z)$$

$$+L_M L_Q^2\Big[8+(2z-1)\Big(-\frac{16}{3}H_0-\frac{32}{3}H_1\Big)\Big]+L_Q\Big[-20(-67+70z)+L_M^2\Big[-16(-20+21z)$$
$$+(2z-1)\Big(-16H_0^2+\frac{64}{3}H_1\Big)+\frac{80}{3}(5+8z)H_0\Big]+L_M\Big[-\frac{16}{3}(-136+137z)$$
$$+(2z-1)\Big(-\frac{32}{3}H_0^3+\frac{64}{3}H_1^2-\frac{32}{3}H_{0,1}-32\zeta_2\Big)+\Big[\frac{32}{3}(51+25z)+\frac{128}{3}(2z-1)H_1\Big]H_0$$
$$+\frac{16}{3}(25+16z)H_0^2+\frac{16}{3}(-17+20z)H_1\Big]+32(23+17z)H_0-8(-23+9z)H_0^2$$
$$+\frac{8}{3}(9+4z)H_0^3-\frac{4}{3}(2z-1)H_0^4\Big]+L_M^2\Big[\frac{16}{3}(-155+164z)+(2z-1)\Big(\frac{16}{3}H_0^3-\frac{32}{3}H_1^2$$
$$+32H_{0,0,1}-32\zeta_3\Big)+\Big[-\frac{16}{3}(79+13z)-\frac{64}{3}(2z-1)H_1\Big]H_0-\frac{8}{3}(31+16z)H_0^2$$
$$+16(-18+17z)H_1-\frac{16}{3}(29+32z)H_{0,1}+\big(\frac{80}{3}(5+8z)-32(2z-1)H_0\big)\zeta_2\Big]$$
$$+L_M\Big[\frac{8}{9}(-1549+1525z)+(1+z)^2\Big(-\frac{128}{3}H_{-1}^2H_0-\frac{256}{3}H_{0,-1,-1}\Big)+(2z-1)\Big(\frac{8}{3}H_0^4$$
$$-\frac{80}{9}H_1^3+\frac{128}{3}H_{0,1,1}+64H_{0,0,0,1}-\frac{128}{5}\zeta_2^2\Big)+\Big[-\frac{8}{9}\big(1394-547z+24z^2\big)-48(-3+4z)H_1$$
$$-\frac{64}{3}(2z-1)H_1^2+\frac{64}{3}\big(1-2z+2z^2\big)H_{0,1}-\frac{128}{3}(z-1)^2H_{0,-1}\Big]H_0$$
$$+\Big[-\frac{4}{9}\big(885+732z+104z^2\big)-\frac{16}{3}\big(-1+2z+4z^2\big)H_1\Big]H_0^2+\frac{8}{9}(-61+14z)H_0^3$$
$$+\Big[-\frac{32}{3}\big(61-62z+2z^2\big)-\frac{64}{3}(2z-1)H_{0,1}\Big]H_1-24(-3+4z)H_1^2$$
$$+\Big[(1+z)^2\Big(\frac{64}{3}H_0^2+\frac{256}{3}H_{0,-1}\Big)+\frac{64\big(4+12z^2+13z^3\big)}{9z}H_0\Big]H_{-1}-\frac{16}{3}(119+30z)H_{0,1}$$
$$-\frac{64\big(4+12z^2+13z^3\big)}{9z}H_{0,-1}-\frac{64}{3}\big(14+5z+2z^2\big)H_{0,0,1}+\frac{128}{3}\big(1-6z+z^2\big)H_{0,0,-1}$$
$$+\Big[\frac{32}{9}\big(138+99z+26z^2\big)+\frac{32}{3}(23+20z)H_0-32(2z-1)H_0^2+\frac{64}{3}\big(-1+2z+2z^2\big)H_1$$
$$-\frac{128}{3}(1+z)^2H_{-1}\Big]\zeta_2+\Big[\frac{32}{3}\big(27+28z+8z^2\big)-64(2z-1)H_0\Big]\zeta_3\Big]$$
$$+(2z-1)\Big(\frac{4}{15}H_0^5+32H_{0,0,0,0,1}-32\zeta_5\Big)+4(-519+10z)H_0-8(69+8z)H_0^2$$
$$-\frac{8}{3}(32+3z)H_0^3+\frac{2}{3}(-11+4z)H_0^4+20(-67+70z)H_1-32(23+17z)H_{0,1}$$
$$+16(-23+9z)H_{0,0,1}-16(9+4z)H_{0,0,0,1}+\Big[32(23+17z)-16(-23+9z)H_0$$
$$+8(9+4z)H_0^2-\frac{16}{3}(2z-1)H_0^3\Big]\zeta_2+\Big[\frac{32}{5}(9+4z)-\frac{64}{5}(2z-1)H_0\Big]\zeta_2^2$$

$$+\Big[-16(-23+9z)+16(9+4z)H_0-16(2z-1)H_0^2\Big]\zeta_3\Big\}+C_F^2T_F\Big\{-2(101+7z)$$
$$+L_ML_Q^2\Big[(2z-1)\big(-18-4H_0^2-32H_1^2+32\zeta_2\big)+\Big[-8(z-1)-32(2z-1)H_1\Big]H_0+48H_1\Big]$$
$$+L_M^2\Big[-2(-67+94z)+(2z-1)\Big(-\frac{4}{3}H_0^3-16H_1^3+8H_{0,0,1}+16H_{0,1,1}+8\zeta_3\Big)$$
$$+\Big[-2(-31+58z)-96(z-1)H_1-32(2z-1)H_1^2\Big]H_0+\Big[4(5+3z)-16(2z-1)H_1\Big]H_0^2$$
$$-2(-103+58z)H_1-12(-7+8z)H_1^2+8(3+13z)H_{0,1}+\Big[-8(15+z)$$
$$+(2z-1)\big(24H_0+64H_1\big)\Big]\zeta_2\Big]+L_Q\Big[2(23+13z)+L_M^2\Big[(2z-1)\big(18+4H_0^2+32H_1^2-32\zeta_2\big)$$
$$+\Big[8(z-1)+32(2z-1)H_1\Big]H_0-48H_1\Big]+(2z-1)\Big(\frac{16}{3}H_1^4+16H_{0,1}^2+16H_{0,0,0,1}-80H_{0,0,1,1}$$
$$+80H_{0,1,1,1}+\frac{184}{5}\zeta_2^2\Big)+L_M\Big[-2(-305+284z)+(2z-1)\big(64H_1^3-112H_{0,0,1}-64H_{0,1,1}\big)$$
$$+(1+2z)\big(64H_{-1}^2H_0+64H_{0,0,-1}+128H_{0,-1,-1}\big)+\Big[56(5+14z)+(2z-1)\big(160H_1^2+64H_{0,1}\big)$$
$$+32(-13+10z)H_1\Big]H_0+\Big[8(6+7z)+64(2z-1)H_1\Big]H_0^2+\frac{8}{3}(1+6z)H_0^3$$
$$+4(-119+94z)H_1+320(z-1)H_1^2+\Big[(1+2z)\big(-32H_0^2-128H_{0,-1}\big)-192(1+z)H_0\Big]H_{-1}$$
$$+16(3+z)H_{0,1}+192(1+z)H_{0,-1}+\Big[-16(-11+21z)-16(-5+18z)H_0-256(2z-1)H_1$$
$$+64(1+2z)H_{-1}\Big]\zeta_2-16(1+14z)\zeta_3\Big]+\Big[2(28+37z)+(2z-1)\Big(\frac{16}{3}H_1^3-48H_{0,0,1}$$
$$+32H_{0,1,1}\Big)+\Big[4(-53+46z)+32(2z-1)H_{0,1}\Big]H_1-8(-5+4z)H_1^2+8\Big[-49+14z$$
$$+4z^2\Big]H_{0,1}\Big]H_0+\Big[15+14z+(2z-1)\big(-8H_1^2+24H_{0,1}\big)-4\big(-25+16z+4z^2\big)H_1\Big]H_0^2$$
$$+\Big[-\frac{4}{3}\big(-2+5z+4z^2\big)-\frac{16}{3}(2z-1)H_1\Big]H_0^3+\frac{1}{3}(1-2z)H_0^4+\Big[12(-10+3z)$$
$$-64(2z-1)H_{0,0,1}\Big]H_1+16(-17+16z)H_1^2+4\big(-13+8z+4z^2\big)H_1^3+4(55+46z)H_{0,1}$$
$$-32\big(-15+4z+z^2\big)H_{0,0,1}+8\big(-87+28z+12z^2\big)H_{0,1,1}+\Big[-8(1+46z)$$
$$+(2z-1)\big(8H_0^2-16H_1^2-96H_{0,1}\big)+\big(8(13+4z)+32(2z-1)H_1\big)H_0+16(-5+4z)H_1\Big]\zeta_2$$
$$+\Big[-16\big(-21+10z+6z^2\big)+32(2z-1)H_0\Big]\zeta_3\Big]+L_M\Big[\frac{1}{2}(-2757+2786z)$$
$$+(1+z)\big(-192H_{0,1,-1}-192H_{0,-1,1}-192H_{0,-1,-1}\big)+(2z-1)\big(-24H_1^4-16H_{0,1}^2$$
$$-288H_{0,0,0,-1}-192H_{0,0,1,1}+224H_{0,1,1,1}-192H_{0,-1,0,1}\big)+(1+2z)\Big(\frac{128}{3}H_{-1}^3H_0+80H_{0,1,1}$$
$$-64H_{0,0,1,-1}-64H_{0,0,-1,1}-64H_{0,0,-1,-1}-128H_{0,1,-1,-1}-128H_{0,-1,1,-1}-128H_{0,-1,-1,1}$$
$$-256H_{0,-1,-1,-1}\Big)+\Big[-6(149+196z)+(2z-1)\Big(-\frac{256}{3}H_1^3+224H_{0,1,1}-192H_{0,1,-1}$$

$$
\begin{aligned}
&-192H_{0,-1,1}\Big) + \Big[-4(-307+230z) + (2z-1)\big(-160H_{0,1}+192H_{0,-1}\big)\Big]H_1 \\
&-8(-67+82z)H_1^2 + 8(25+18z)H_{0,1} - 224(1+2z)H_{0,-1} - 16(3+10z)H_{0,0,1} \\
&-32(5+2z)H_{0,0,-1} - 256zH_{0,-1,-1}\Big]H_0 + \big(4\big(-64-125z+12z^2\big) - 4(-67+76z)H_1 \\
&-56(2z-1)H_1^2 + 8(3+2z)H_{0,1} + 16(1+6z)H_{0,-1}\big)H_0^2 + \Big[\frac{4}{3}(-27+z) - \frac{64}{3}(2z-1)H_1\Big]H_0^3 \\
&+\frac{1}{3}(-5-14z)H_0^4 + \Big[-2(-353+332z) + (2z-1)\big(224H_{0,0,1} - 384H_{0,0,-1} - 96H_{0,1,1}\big) \\
&+48(-3+4z)H_{0,1}\Big]H_1 + \Big[-2(-365+322z) + 32(2z-1)H_{0,1}\Big]H_1^2 - 16(-13+16z)H_1^3 \\
&+\Big[(1+z)\big(192H_0^2 + 192H_{0,1} + 192H_{0,-1}\big) + (1+2z)\big(16H_0^3 + 64H_{0,0,1} + 64H_{0,0,-1} \\
&+128H_{0,1,-1} + 128H_{0,-1,1} + 256H_{0,-1,-1}\big) + \Big[-32\big(-12-11z+3z^2\big) \\
&+128(1+2z)H_{0,-1}\Big]H_0\Big]H_{-1} + \Big[(1+2z)\big(-80H_0^2 - 64H_{0,1} - 128H_{0,-1}\big) - 96(1+z)H_0\Big]H_{-1}^2 \\
&-12(49+6z)H_{0,1} + \Big[32\big(-12-11z+3z^2\big) + 192(2z-1)H_{0,1}\Big]H_{0,-1} - 64H_{0,-1}^2 \\
&+8(-71+18z)H_{0,0,1} + 64(1+8z)H_{0,0,-1} + 16(-3+22z)H_{0,0,0,1} + \Big[-32\big(8-31z+3z^2\big) \\
&+\Big[16(-13+11z) + 320(2z-1)H_1\Big]H_0 + 8(-5+18z)H_0^2 + 64(-13+16z)H_1 \\
&+160(2z-1)H_1^2 + \Big[-288(1+z) - 64(1+2z)H_0\Big]H_{-1} + 128(1+2z)H_{-1}^2 \\
&-64(-1+4z)H_{0,1} - 32(1+6z)H_{0,-1}\Big]\zeta_2 + \frac{48}{5}(13+2z)\zeta_2^2 + \Big[16(-6+31z) \\
&+16(-3+26z)H_0 + 256(2z-1)H_1 - 224(1+2z)H_{-1}\Big]\zeta_3\Big] + (2z-1)\Big(\frac{1}{15}H_0^5 - \frac{8}{3}H_1^5 \\
&+104H_{0,0,0,0,1} - 656H_{0,0,0,1,1} - 192H_{0,0,1,0,1} + 32H_{0,0,1,1,1} - 64H_{0,1,0,1,1} - 128H_{0,1,1,1,1} - 72\zeta_5\Big) \\
&+\Big[-2(159+625z) + (2z-1)\Big(-\frac{16}{3}H_1^4 - 24H_{0,1}^2 - 80H_{0,0,0,1} + 192H_{0,0,1,1} - 144H_{0,1,1,1}\Big) \\
&+\big(-4\big(-11-43z+18z^2\big) + 8\big(-13+4z+4z^2\big)H_{0,1} + 32(2z-1)H_{0,1,1}\big)H_1 \\
&+\Big[-10(-19+18z) - 16(2z-1)H_{0,1}\Big]H_1^2 - \frac{4}{3}\big(-23+20z+8z^2\big)H_1^3 \\
&-16\big(-14+39z+3z^2\big)H_{0,1} + 16\big(-30+43z+4z^2\big)H_{0,0,1} \\
&-16\big(-61+31z+8z^2\big)H_{0,1,1}\Big]H_0 + \Big[-103+287z-36z^2 + (2z-1)\big(32H_{0,0,1} - 40H_{0,1,1}\big) \\
&+2\big(-51+22z+12z^2\big)H_1 + 2(-19+20z)H_1^2 - 8(z-1)(25+2z)H_{0,1}\Big]H_0^2 \\
&+\Big[\frac{1}{3}\big(-53-6z+24z^2\big) + (2z-1)\Big(\frac{8}{3}H_1^2 - 8H_{0,1}\Big) + \frac{4}{3}\big(-31+28z+4z^2\big)H_1\Big]H_0^3 \\
&+\Big[\frac{1}{3}\big(-6+z+4z^2\big) + \frac{4}{3}(2z-1)H_1\Big]H_0^4 + \Big[-2(-593+575z) - 16(2z-1)H_{0,1}^2 \\
&-16\big(-13+4z+4z^2\big)H_{0,0,1}\Big]H_1 + \Big[4\big(172-166z+9z^2\big) + 32(2z-1)H_{0,0,1}\Big]H_1^2
\end{aligned}
$$

$$
-\frac{4}{3}\big(-181+148z+18z^2\big)H_1^3-4\big(-9+8z+2z^2\big)H_1^4+\Big[2\big(226-423z+72z^2\big)
$$
$$
+(2z-1)\big(96H_{0,0,1}+32H_{0,1,1}\big)\Big]H_{0,1}+4\big(-13+4z+4z^2\big)H_{0,1}^2+2\big(149+562z+24z^2\big)H_{0,0,1}
$$
$$
-4\big(-187+104z+36z^2\big)H_{0,1,1}-8\big(-74+141z+16z^2\big)H_{0,0,0,1}
$$
$$
+8\big(-155+100z+16z^2\big)H_{0,0,1,1}-8\big(-129+44z+16z^2\big)H_{0,1,1,1}
$$
$$
+\Big[-2\big(248-337z+36z^2\big)+(2z-1)\Big(-\frac{4}{3}H_0^3+\frac{64}{3}H_1^3-96H_{0,0,1}+80H_{0,1,1}\Big)
$$
$$
+\Big[2(-271+18z)-8(-19+20z)H_1+80(2z-1)H_{0,1}\Big]H_0+\Big[-4(13+7z)
$$
$$
-16(2z-1)H_1\Big]H_0^2+\Big[20(-19+18z)+32(2z-1)H_{0,1}\Big]H_1+4\big(-23+20z+8z^2\big)H_1^2
$$
$$
+16\big(-48+27z+4z^2\big)H_{0,1}\Big]\zeta_2+\Big[\frac{16}{5}\big(25+74z+14z^2\big)-16(2z-1)H_0\Big]\zeta_2^2
$$
$$
+\Big[2\big(-815-130z+72z^2\big)+(2z-1)\big(-4H_0^2+32H_1^2-32H_{0,1}\big)
$$
$$
+\Big[8\big(-39+33z+16z^2\big)+32(2z-1)H_1\Big]H_0+32\big(-17+12z+4z^2\big)H_1\Big]\zeta_3\Big\}
$$
$$
+C_AC_FT_F\Big\{4(-1921+1903z)+L_ML_Q^2\Big[22+(2z-1)\Big(-\frac{44}{3}H_0-\frac{88}{3}H_1\Big)\Big]
$$
$$
+(1+z)\big(-176H_{0,1,-1}-176H_{0,-1,1}-64H_{0,1,1,-1}-64H_{0,1,-1,1}-64H_{0,-1,1,1}+512H_{0,0,1,0,1}\big)
$$
$$
+(2z-1)\Big(\frac{8}{3}H_1^5-128H_{0,1,0,1,1}+32H_{0,1,1,1,1}\Big)+(1+2z)\Big(-8H_{-1}^4H_0-\frac{2}{15}H_0^5+64H_{0,0,0,0,-1}
$$
$$
-80H_{0,0,0,1,-1}-80H_{0,0,0,-1,1}+144H_{0,0,0,-1,-1}-48H_{0,0,1,0,-1}-32H_{0,0,1,1,-1}-32H_{0,0,1,-1,1}
$$
$$
+32H_{0,0,1,-1,-1}-32H_{0,0,-1,0,1}+48H_{0,0,-1,0,-1}-32H_{0,0,-1,1,1}+32H_{0,0,-1,1,-1}+32H_{0,0,-1,-1,1}
$$
$$
-352H_{0,0,-1,-1,-1}-64H_{0,1,1,-1,-1}-64H_{0,1,-1,1,-1}-64H_{0,1,-1,-1,1}-128H_{0,1,-1,-1,-1}
$$
$$
-32H_{0,-1,0,1,1}+32H_{0,-1,0,1,-1}+32H_{0,-1,0,-1,1}-128H_{0,-1,0,-1,-1}-64H_{0,-1,1,1,-1}
$$
$$
-64H_{0,-1,1,-1,1}-128H_{0,-1,1,-1,-1}+64H_{0,-1,-1,0,1}-64H_{0,-1,-1,1,1}-128H_{0,-1,-1,1,-1}
$$
$$
-128H_{0,-1,-1,-1,1}-192H_{0,-1,-1,-1,-1}\Big)+L_M^2\Big[992(z-1)+\Big[32(-16+z)
$$
$$
+24(-11+12z)H_1+32(2z-1)H_1^2-48(1+2z)H_{0,1}\Big]H_0+\Big[8(-13+12z)
$$
$$
+16(2z-1)H_1\Big]H_0^2-\frac{16}{3}(1+z)H_0^3+8(-73+64z)H_1+24(-7+8z)H_1^2+16(2z-1)H_1^3
$$
$$
-320zH_{0,1}+16(5+8z)H_{0,0,1}-32(1+4z)H_{0,1,1}+\Big[8(33+4z)+48H_0-64(2z-1)H_1\Big]\zeta_2
$$
$$
-16(1+4z)\zeta_3\Big]+L_M\Big[\frac{1}{18}(-15897+22658z)+(2z-1)\big(16H_1^4-16H_{0,-1}^2-224H_{0,1,1,1}\big)
$$
$$
+(1+2z)\Big[-\frac{32}{3}H_{-1}^3H_0+\big(-24H_0+24H_0^2+32H_{0,-1}\big)H_{-1}^2-48H_{0,1,-1}
$$
$$
-48H_{0,-1,1}-48H_{0,-1,-1}+96H_{0,0,1,-1}+96H_{0,0,-1,1}-32H_{0,0,-1,-1}-64H_{0,1,1,-1}
$$
$$
-64H_{0,1,-1,1}-64H_{0,-1,1,1}+64H_{0,-1,-1,-1}\Big]+\Big[-\frac{2}{27}(-7111+4982z)
$$
$$
+(2z-1)\Big(\frac{112}{3}H_1^3-80H_{0,1,1}\Big)+\Big[-\frac{4}{3}(211+52z)+(2z-1)\big(64H_{0,1}-96H_{0,-1}\big)\Big]H_1
$$

$$+\frac{8}{3}(-73+71z)H_1^2+\frac{80}{3}(-5+z)H_{0,1}-48(-3+2z)H_{0,-1}+16(5+14z)H_{0,0,1}$$
$$+16(7+6z)H_{0,0,-1}+32(-5+2z)H_{0,1,-1}+32(-5+2z)H_{0,-1,1}+32(1+6z)H_{0,-1,-1}\Big]H_0$$
$$+\Big[-2\big(-146-91z+12z^2\big)-\frac{20}{3}(-5+16z)H_1-16H_{0,1}-8(3+10z)H_{0,-1}\Big]H_0^2$$
$$+\Big[-\frac{10}{9}(-59+70z)-8(2z-1)H_1\Big]H_0^3+\frac{2}{3}(5+4z)H_0^4+\Big[\frac{2}{27}(-10201+6722z)$$
$$+(2z-1)\big(-96H_{0,0,1}+192H_{0,0,-1}+96H_{0,1,1}\big)-\frac{16}{3}(-29+40z)H_{0,1}\Big]H_1$$
$$+\Big[\frac{2}{9}(-2279+1516z)-32(2z-1)H_{0,1}\Big]H_1^2+\frac{16}{9}(-71+79z)H_1^3+\Big[(1+2z)\Big(\frac{8}{3}H_0^3+48H_{0,1}$$
$$+48H_{0,-1}-96H_{0,0,1}+32H_{0,0,-1}+64H_{0,1,1}-64H_{0,-1,-1}\Big)+\Big[16\big(7-z+3z^2\big)$$
$$+(1+2z)\big(64H_{0,1}-64H_{0,-1}\big)\Big]H_0-24H_0^2\Big]H_{-1}-\frac{8}{9}(-124+71z)H_{0,1}+\Big[-16\big(7-z+3z^2\big)$$
$$-96(2z-1)H_{0,1}\Big]H_{0,-1}+\frac{8}{3}(133+40z)H_{0,0,1}+48(-5+4z)H_{0,0,-1}-\frac{8}{3}(85+76z)H_{0,1,1}$$
$$-128(1+4z)H_{0,0,0,1}+16(-13+10z)H_{0,0,0,-1}+64(-1+6z)H_{0,0,1,1}+64(-1+4z)H_{0,-1,0,1}$$
$$+\Big[\frac{4}{9}\big(637+298z+108z^2\big)+(1+2z)\big(-8H_{-1}\big(9+8H_0\big)-16H_0^2-16H_{-1}^2\big)$$
$$+\Big[\frac{16}{3}(-11+10z)-64(2z-1)H_1\Big]H_0-\frac{8}{3}(-97+80z)H_1-64(2z-1)H_1^2$$
$$+16(-3+10z)H_{0,1}+64(1+3z)H_{0,-1}\Big]\zeta_2+\frac{16}{5}(15+22z)\zeta_2^2+\Big[-\frac{16}{3}(-71+94z)+80H_0$$
$$-112(2z-1)H_1+16(1+2z)H_{-1}\Big]\zeta_3\Big]+L_Q\Big[-4(-281+275z)+(1+z)\big(80H_{0,-1}$$
$$+64H_{0,1,-1}+64H_{0,-1,1}\big)+(2z-1)\Big(-\frac{16}{3}H_1^4+16H_{0,1}^2-48H_{0,1,1,1}\Big)+(1+2z)\Big(-\frac{64}{3}H_{-1}^3H_0$$
$$+\frac{2}{3}H_0^4+16H_{0,-1}^2-16H_{0,0,0,-1}+192H_{0,0,1,1}+32H_{0,0,1,-1}+32H_{0,0,-1,1}+32H_{0,0,-1,-1}$$
$$+64H_{0,1,-1,-1}+32H_{0,-1,0,1}+64H_{0,-1,1,-1}+64H_{0,-1,-1,1}+128H_{0,-1,-1,-1}\Big)$$
$$+L_M^2\Big[-144(z-1)+\Big[-16(-5+8z)-32(2z-1)H_1\Big]H_0+16(1+z)H_0^2$$
$$-24(-9+8z)H_1-32(2z-1)H_1^2+48(1+2z)H_{0,1}-16(5+2z)\zeta_2\Big]$$
$$+L_M\Big[\frac{2}{3}(-425+174z)+(2z-1)\big(-32H_1^3+32H_{0,1,1}\big)+(1+2z)\Big[\big(48H_0-16H_0^2$$
$$-64H_{0,1}\big)H_{-1}+56H_{0,1}-48H_{0,-1}-32H_{0,0,-1}+64H_{0,1,-1}+64H_{0,-1,1}\Big]$$
$$+\Big[-\frac{4}{9}(623+566z)+(2z-1)\big(-32H_1^2-32H_{0,1}\big)+\frac{32}{3}(1+10z)H_1+32(1+2z)H_{0,-1}\Big]H_0$$

$$+\Big[\frac{8}{3}(-23+58z)+16(2z-1)H_1\Big]H_0^2-\frac{32}{3}(1+z)H_0^3-\frac{4}{9}(-515+76z)H_1$$
$$-\frac{16}{3}(-23+13z)H_1^2-32(3+2z)H_{0,0,1}+\Big[-\frac{8}{3}(7+82z)+(1+2z)\big(64H_0+64H_{-1}\big)$$
$$+64(2z-1)H_1\Big]\zeta_2+192z\zeta_3\Big]+\Big[-8(-49+24z)+\Big[16(-15+16z)+32(2z-1)H_{0,1}\Big]H_1$$
$$+4(-43+40z)H_1^2+\frac{16}{3}(2z-1)H_1^3-8\big(-29+26z+2z^2\big)H_{0,1}+56H_{0,-1}+192(1+z)H_{0,0,1}$$
$$-48(1+6z)H_{0,1,1}\Big]H_0+\Big[2(29+148z)+8(z-1)(25+z)H_1+8(2z-1)H_1^2-64(1+z)H_{0,1}$$
$$+8(1+2z)H_{0,-1}\Big]H_0^2+\frac{8}{3}\big(1+z^2\big)H_0^3+\Big[-44(-20+21z)-64(2z-1)H_{0,0,1}\Big]H_1$$
$$-8(-5+3z)H_1^2-4\big(-11+8z+2z^2\big)H_1^3+\Big[(1+2z)\Big(-\frac{16}{3}H_0^3-32H_{0,0,1}-32H_{0,0,-1}$$
$$-64H_{0,1,-1}-64H_{0,-1,1}-128H_{0,-1,-1}\Big)+\Big[-80(1+z)-32(1+2z)H_{0,-1}\Big]H_0$$
$$-4(11+8z)H_0^2-64(1+z)H_{0,1}-16(7+4z)H_{0,-1}\Big]H_{-1}+\Big[(1+2z)\big(24H_0^2+32H_{0,1}$$
$$+64H_{0,-1}\big)+8(7+4z)H_0\Big]H_{-1}^2+8(59+43z)H_{0,1}+16\big(-1+z+z^2\big)H_{0,0,1}$$
$$+8(-3+8z)H_{0,0,-1}-16\big(-24+31z+3z^2\big)H_{0,1,1}+16(7+4z)H_{0,-1,-1}$$
$$-32(5+4z)H_{0,0,0,1}+\Big[-24(13+25z)+(1+2z)\big(-16H_0^2-64H_{-1}^2-48H_{0,-1}\big)$$
$$+16(-5+z)H_0-288(z-1)H_1+16(2z-1)H_1^2+\Big[24(5+4z)+64(1+2z)H_0\Big]H_{-1}$$
$$+128(1+z)H_{0,1}\Big]\zeta_2-\frac{144}{5}(3+2z)\zeta_2^2+\Big[16\big(-28+28z+3z^2\big)-48(3+4z)H_0$$
$$+48(2z-1)H_1+112(1+2z)H_{-1}\Big]\zeta_3\Big]+\Big[-20(143+100z)+(1+z)\big(-64H_{0,1,-1}$$
$$-64H_{0,-1,1}\big)+(1+2z)\big(-8H_{0,-1}^2-32H_{0,0,0,-1}-32H_{0,0,1,-1}-32H_{0,0,-1,1}-64H_{0,0,-1,-1}$$
$$-64H_{0,1,-1,-1}-32H_{0,-1,0,1}-64H_{0,-1,1,-1}-64H_{0,-1,-1,1}-96H_{0,-1,-1,-1}\big)$$
$$+\Big[4\big(231-235z+9z^2\big)+(2z-1)\big(32H_{0,0,1}+64H_{0,1,1}\big)-8\big(-59+60z+2z^2\big)H_{0,1}\Big]H_1$$
$$+\Big[-4(-101+96z)-32(2z-1)H_{0,1}\Big]H_1^2+\frac{4}{3}\big(29-36z+4z^2\big)H_1^3+\frac{4}{3}(2z-1)H_1^4$$
$$+8\big(-6+47z+3z^2\big)H_{0,1}+24(3+2z)H_{0,1}^2-40(3+2z)H_{0,-1}-8\big(-7+96z+4z^2\big)H_{0,0,1}$$
$$+8(-9+28z)H_{0,0,-1}+32\big(-29+49z+2z^2\big)H_{0,1,1}+8(-9+28z)H_{0,-1,-1}$$
$$+32(7+6z)H_{0,0,0,1}-16(25+34z)H_{0,0,1,1}+16(7+10z)H_{0,1,1,1}\Big]H_0$$
$$+\Big[2\big(-223-174z+9z^2\big)+(1+2z)\big(8H_{0,0,-1}+24H_{0,-1,-1}\big)+\Big[-4\big(-105+104z+3z^2\big)$$
$$-16(2z-1)H_{0,1}\Big]H_1-2(-49+52z)H_1^2-\frac{8}{3}(2z-1)H_1^3+4\big(-5+50z+2z^2\big)H_{0,1}$$

$$-8(1+10z)H_{0,-1}-96(1+z)H_{0,0,1}+24(1+6z)H_{0,1,1}\Big]H_0^2+\Big[-2\big(17+56z+2z^2\big)$$
$$-\frac{8}{3}(z-1)(25+z)H_1-\frac{8}{3}(2z-1)H_1^2+\frac{64}{3}(1+z)H_{0,1}-\frac{8}{3}(1+2z)H_{0,-1}\Big]H_0^3$$
$$-\frac{2}{3}\big(5-4z+z^2\big)H_0^4+\Big[4(-697+712z)-32(2z-1)H_{0,1}^2+16\big(-59+60z+2z^2\big)H_{0,0,1}\Big]H_1$$
$$+\Big[-2\big(337-348z+9z^2\big)+64(2z-1)H_{0,0,1}\Big]H_1^2+\frac{4}{3}\big(-88+64z+9z^2\big)H_1^3$$
$$+4\big(-8+8z+z^2\big)H_1^4+\Big[(1+z)\big(176H_{0,1}+64H_{0,1,1}\big)+(1+2z)\Big(\frac{4}{3}H_0^4-64H_{0,0,0,1}$$
$$+32H_{0,0,1,1}-32H_{0,0,1,-1}-32H_{0,0,-1,1}+96H_{0,0,-1,-1}+64H_{0,1,1,-1}+64H_{0,1,-1,1}$$
$$+128H_{0,1,-1,-1}-32H_{0,-1,0,1}+64H_{0,-1,1,1}+128H_{0,-1,1,-1}+128H_{0,-1,-1,1}+192H_{0,-1,-1,-1}\Big)$$
$$+\Big[64(1+z)\big(8+H_{0,1}\big)+(1+2z)\big(32H_{0,0,1}+32H_{0,0,-1}+64H_{0,1,-1}+64H_{0,-1,1}$$
$$+32H_{0,-1,-1}\big)+24(3+4z)H_{0,-1}\Big]H_0+4(41+32z)H_0^2+\frac{4}{3}(17+20z)H_0^3$$
$$+48(10+7z)H_{0,-1}+8(1+4z)H_{0,0,1}+8(17+20z)H_{0,0,-1}+16(13+16z)H_{0,1,-1}$$
$$+16(13+16z)H_{0,-1,1}+32(11+14z)H_{0,-1,-1}\Big]H_{-1}+\Big[(1+2z)\big(-8H_0^3+16H_{0,0,1}$$
$$-48H_{0,0,-1}-32H_{0,1,1}-64H_{0,1,-1}-64H_{0,-1,1}-96H_{0,-1,-1}\big)+\Big[-24(10+7z)$$
$$+(1+2z)\big(-32H_{0,1}-16H_{0,-1}\big)\Big]H_0-2(35+44z)H_0^2-8(13+16z)H_{0,1}$$
$$-16(11+14z)H_{0,-1}\Big]H_{-1}^2+\Big[(1+2z)\Big(\frac{40}{3}H_0^2+\frac{64}{3}H_{0,1}+32H_{0,-1}\Big)+\frac{16}{3}(11+14z)H_0\Big]H_{-1}^3$$
$$+\Big[-4\big(437-86z+18z^2\big)-256(1+z)H_{0,0,1}+64(2z-1)H_{0,1,1}\Big]H_{0,1}$$
$$-4\big(-59+60z+2z^2\big)H_{0,1}^2+\Big[-512(1+z)+(1+2z)\big(48H_{0,0,1}-16H_{0,0,-1}$$
$$+64H_{0,-1,-1}\big)\Big]H_{0,-1}-160zH_{0,-1}^2-4\big(235+166z+6z^2\big)H_{0,0,1}-8(11+12z)H_{0,0,-1}$$
$$+8\big(-157+52z+9z^2\big)H_{0,1,1}-48(10+7z)H_{0,-1,-1}+64\big(-8+22z+z^2\big)H_{0,0,0,1}$$
$$-32(-4+11z)H_{0,0,0,-1}-16\big(-27+105z+4z^2\big)H_{0,0,1,1}-8(1+4z)H_{0,0,1,-1}$$
$$-8(1+4z)H_{0,0,-1,1}-8(17+20z)H_{0,0,-1,-1}+8\big(-55+70z+8z^2\big)H_{0,1,1,1}$$
$$-16(13+16z)H_{0,1,-1,-1}-8(5+4z)H_{0,-1,0,1}-16(13+16z)H_{0,-1,1,-1}$$
$$-16(13+16z)H_{0,-1,-1,1}-32(11+14z)H_{0,-1,-1,-1}-16(17+10z)H_{0,0,0,0,1}$$
$$+64(26+27z)H_{0,0,0,1,1}-16(-7+62z)H_{0,0,1,1,1}+\Big[4\big(334+149z+9z^2\big)$$
$$+(1+2z)\Big(\frac{8}{3}H_0^3-\frac{112}{3}H_{-1}^3-16H_{0,0,-1}-32H_{0,-1,-1}\Big)+\Big[4(101+186z)+288(z-1)H_1$$
$$-16(2z-1)H_1^2-128(1+z)H_{0,1}+32(1+2z)H_{0,-1}\Big]H_0+8(6+5z)H_0^2+\Big[8(-71+75z)$$
$$+64(2z-1)H_{0,1}\Big]H_1-4\big(7-8z+4z^2\big)H_1^2-\frac{64}{3}(2z-1)H_1^3+\Big[-8(52+43z)$$
$$+(1+2z)\big(-32H_0^2-32H_{0,-1}\big)-48(5+6z)H_0\Big]H_{-1}+\Big[48(4+5z)+80(1+2z)H_0\Big]H_{-1}^2$$
$$-16\big(1+28z+2z^2\big)H_{0,1}+8(13+32z)H_{0,-1}+192(1+z)H_{0,0,1}-16(1+22z)H_{0,1,1}$$

$$-32(7+3z)\zeta_3\Big]\zeta_2+\Big[-\frac{4}{5}\Big(-587+302z+28z^2\Big)-\frac{32}{5}(-7+4z)H_0-48(2z-1)H_1$$
$$+\frac{64}{5}(1+2z)H_{-1}\Big]\zeta_2^2+\Big[-4\Big(-597-112z+18z^2\Big)+(1+2z)\Big(104H_{-1}^2+24H_{0,-1}\Big)$$
$$+\Big[-32\Big(-27+19z+2z^2\Big)-48(2z-1)H_1\Big]H_0+48(1+z)H_0^2$$
$$-4\Big(-267+260z+16z^2\Big)H_1-88(2z-1)H_1^2+\Big[-12(29+36z)-80(1+2z)H_0\Big]H_{-1}$$
$$+8(29+38z)H_{0,1}\Big]\zeta_3-4(-73+46z)\zeta_5\Big\}+T_F^3\Big\{\frac{64}{9}L_M^2L_Q(2z-1)+L_M^2\Big[-\frac{64}{9}(-3+4z)$$
$$+(2z-1)\Big(-\frac{64}{9}H_0-\frac{64}{9}H_1\Big)\Big]\Big\}+A_{Qg}^{(3)}+\tilde{C}_g^{(3)}(N_F+1)\Big\}. \tag{305}$$

C The transformation between the $\overline{\rm MS}$ and the Larin scheme in the non–singlet case

In Refs. [22, 25] the massive OME $A_{qq,Q}^{(3),\rm NS}$ has been given in the MS-scheme. This also applies to the 3–loop heavy flavor massive non–singlet Wilson coefficient in [28], related to the associated 3–loop massless Wilson coefficient [79]. As we present here all OMEs in the Larin scheme, we also provide $A_{qq,Q}^{(3),\rm NS}$ in this scheme. We first decompose $A_{qq,Q}^{(3),\rm NS}$ into its single and double mass pieces

$$A_{qq,Q}^{(3),\rm NS}=A_{qq,Q}^{(3),\rm NS,s}+\tilde{A}_{qq,Q}^{(3),\rm NS}. \tag{306}$$

The renormalized single mass OME [22] is given by

$$A_{qq,Q}^{(2),\rm NS,L} = A_{qq,Q}^{(2),\rm NS,M}+\frac{1}{2}\left[\hat{\gamma}_{qq}^{(1),\rm NS,L}-\hat{\gamma}_{qq}^{(1),\rm NS,M}\right]L+a_{qq,Q}^{(2),\rm NS,L}-a_{qq,Q}^{(2),\rm NS,M}, \tag{307}$$

$$\begin{aligned}A_{qq,Q}^{(3),\rm NS,L,s} &= A_{qq,Q}^{(3),\rm NS,M,s}+\frac{1}{2}\Bigg[\left(\gamma_{qq}^{(1),\rm NS,L}-\gamma_{qq}^{(1),\rm NS,M}\right)\beta_{0,Q}-\left(\hat{\gamma}_{qq}^{(1),\rm NS,L}-\hat{\gamma}_{qq}^{(1),\rm NS,M}\right)\\
&\times(\beta_0+\beta_{0,Q})\Bigg]L^2+\frac{1}{2}\Bigg[\hat{\gamma}_{qq}^{(2),\rm NS,L}-\hat{\gamma}_{qq}^{(2),\rm NS,M}-4\left(a_{qq,Q}^{(2),\rm NS,L}-a_{qq,Q}^{(2),\rm NS,M}\right)\\
&\times(\beta_0+\beta_{0,Q})\Bigg]L+4\left(\overline{a}_{qq,Q}^{(2),\rm NS,L}-\overline{a}_{qq,Q}^{(2),\rm NS,M}\right)-\frac{\beta_{0,Q}\zeta_2}{4}\left[\gamma_{qq}^{(1),\rm NS,L}-\gamma_{qq}^{(1),\rm NS,M}\right]\\
&+\delta m_1^{(0)}\left[\hat{\gamma}_{qq}^{(1),\rm NS,L}-\hat{\gamma}_{qq}^{(1),\rm NS,M}\right]+2\delta m_1^{(-1)}\left(a_{qq,Q}^{(2),\rm NS,L}-a_{qq,Q}^{(2),\rm NS,M}\right)\\
&+a_{qq,Q}^{(3),\rm NS,L}-a_{qq,Q}^{(3),\rm NS,M},\end{aligned} \tag{308}$$

where the formula applies structurally in N- and z-space. In z-space products have to be understood as convolutions. The constant part of the unrenormalized OME $A_{qq,Q}^{(3),\rm NS,L}$, $a_{qq,Q}^{(3),\rm NS,L}$, is related to the corresponding expression in the M-scheme by

$$a_{qq,Q}^{(3),\rm NS,L} = a_{qq,Q}^{(3),\rm NS,M}+C_F\Bigg\{T_F^2\Bigg[-\frac{128W_2}{81N^3(1+N)^3}-N_F\left(\frac{128W_3}{81N^3(1+N)^3}+\frac{64}{9N(1+N)}\zeta_2\right)$$

$$
-\frac{128}{9N(1+N)}\zeta_2\Bigg] + C_A T_F \Bigg[\frac{32W_1}{9N^3(1+N)^3}S_1 - \frac{16W_4}{81N^4(1+N)^4} + \frac{64}{3N(1+N)}S_3
$$
$$
-\frac{128\big(-3+4N+10N^2\big)}{27N^2(1+N)^2}S_{-2} + \frac{128}{9N(1+N)}S_{-3} + \frac{256}{9N(1+N)}S_{-2,1}
$$
$$
+\frac{176\zeta_2}{9N(1+N)} - \frac{128\zeta_3}{3N(1+N)}\Bigg]\Bigg\} + C_F^2 T_F \Bigg[-\frac{128\big(12+17N-14N^3+3N^4\big)}{27N^3(1+N)^3}S_1
$$
$$
\frac{32W_5}{27N^4(1+N)^4} + \frac{256\big(-3-N+5N^2\big)}{27N^2(1+N)^2}S_2 + \frac{256\big(-3+4N+10N^2\big)}{27N^2(1+N)^2}S_{-2}
$$
$$
-\frac{512}{9N(1+N)}S_3 - \frac{256}{9N(1+N)}S_{-3} - \frac{512}{9N(1+N)}S_{-2,1} + \frac{128}{3N(1+N)}\zeta_3\Bigg], \tag{309}
$$

with the polynomials

$$
W_1 = 3N^4+6N^3+5N^2+2N+2, \tag{310}
$$
$$
W_2 = 29N^4+38N^3+17N^2+8N+6, \tag{311}
$$
$$
W_3 = 30N^4+50N^3+24N^2+4N+3, \tag{312}
$$
$$
W_4 = 13N^6-113N^5-107N^4-255N^3-136N^2-294N-144, \tag{313}
$$
$$
W_5 = 115N^6+198N^5+199N^4+28N^3+72N^2+16N-12. \tag{314}
$$

Here the expansion coefficients of the QCD-β function [41, 80] are

$$
\beta_0 = \frac{11}{3}C_A - \frac{4}{3}T_F N_F \tag{315}
$$
$$
\beta_1 = \frac{34}{3}C_A^2 - 4\left(\frac{5}{3}C_A + C_F\right)T_F N_F \tag{316}
$$

and the expansion parameters of the unrenormalized heavy quark mass [41, 81] are

$$
\delta m_1^{(-1)} = 6C_F \tag{317}
$$
$$
\delta m_1^{(0)} = -4C_F. \tag{318}
$$

Furthermore, the transformation relation of the asymptotic massive Wilson coefficient is

$$
L_{qq,Q}^{(2),\rm NS,L} = L_{qq,Q}^{(2),\rm NS,M} + A_{qq,Q}^{(2),\rm NS,L} - A_{qq,Q}^{(2),\rm NS,M} + \hat{C}_q^{(2),\rm NS,L} - \hat{C}_q^{(2),\rm NS,M} \tag{319}
$$
$$
L_{qq,Q}^{(3),\rm NS,L} = L_{qq,Q}^{(3),\rm NS,M} + A_{qq,Q}^{(3),\rm NS,L} - A_{qq,Q}^{(3),\rm NS,M} + A_{qq,Q}^{(2),\rm NS,L}C_q^{(1),\rm NS,L} - A_{qq,Q}^{(2),\rm NS,M}C_q^{(1),\rm NS,M}
$$
$$
+C_q^{(3),\rm NS,L} - C_q^{(3),\rm NS,M}, \tag{320}
$$

which structurally again applies for Mellin N- and z-space. Here the following functions contribute

$$
C_q^{(1),\rm NS,L} = C_q^{(1),\rm NS,M} - C_F\frac{8}{N(N+1)} \tag{321}
$$
$$
\hat{C}_q^{(2),\rm NS,L} = \hat{C}_q^{(2),\rm NS,M} - C_F T_F\frac{16\big(3+N-5N^2\big)}{9N^2(1+N)^2} \tag{322}
$$
$$
\gamma_{qq}^{(1),\rm NS,L} = \gamma_{qq}^{(1),\rm NS,M} - 2\beta_0 z_{qq}^{(1)} \tag{323}
$$

$$a_{qq,Q}^{(2),\rm NS,L} = a_{qq,Q}^{(2),\rm NS,M} - 16 C_F T_F \frac{5N^2-N-3}{9N^2(N+1)^2} \tag{324}$$

$$\bar{a}_{qq,Q}^{(2),\rm NS,L} = \bar{a}_{qq,Q}^{(2),\rm NS,M} - C_F T_F \left[\frac{8(9+12N+10N^2+26N^3+28N^4)}{27N^3(N+1)^3} + \frac{8\zeta_2}{3N(N+1)} \right] \tag{325}$$

$$\gamma_{qq}^{(2),\rm NS,L} = \gamma_{qq}^{(2),\rm NS,M} + 2\beta_0 \left[\left(z_{qq}^{(1)}\right)^2 - 2 z_{qq}^{(2),\rm NS} \right] - 2\beta_1 z_{qq}^{(1)}. \tag{326}$$

The functions $z_{ij}^{(k)}$ are given in Refs. [64, 67, 68].

$$z_{qq}^{(1)} = -\frac{8C_F}{N(N+1)}, \tag{327}$$

$$\begin{aligned} z_{qq}^{(2),\rm NS} &= C_F T_F N_F \frac{16\left(-3-N+5N^2\right)}{9N^2(1+N)^2} + C_A C_F \left\{ -\frac{4W_6}{9N^3(1+N)^3} - \frac{16}{N(1+N)} S_{-2} \right\} \\ &+ C_F^2 \left\{ \frac{8\left(2+5N+8N^2+N^3+2N^4\right)}{N^3(1+N)^3} + \frac{16(1+2N)}{N^2(1+N)^2} S_1 + \frac{16}{N(1+N)} S_2 \right. \\ &\left. + \frac{32}{N(1+N)} S_{-2} \right\}, \end{aligned} \tag{328}$$

with

$$W_6 = 103N^4 + 140N^3 + 58N^2 + 21N + 36. \tag{329}$$

The corresponding expressions in z space read

$$\begin{aligned} a_{qq,Q}^{(3),\rm NS,L}(z) &= a_{qq,Q}^{(3),\rm NS,M}(z) + C_F \left\{ T_F^2 \left[N_F \left((1-z) \left(-\frac{1280}{27} - \frac{640}{81} H_0 - \frac{64}{27} H_0(z)^2 \right) \right. \right. \right. \\ &\left. - \frac{64(1-z)}{9} \zeta_2 \right) + (1-z) \left(-\frac{3712}{81} - \frac{1280}{81} H_0 - \frac{128}{27} H_0^2 \right) - \frac{128}{9} (1-z) \zeta_2 \Big] \\ &+ C_A T_F \left[(1-z) \left(-\frac{3664}{81} + \frac{352}{9} H_1 + \frac{32}{3} H_0^2 H_1 - \frac{64}{3} H_0 H_{0,1} \right) \right. \\ &+ (1+z) \left(\frac{1280}{27} H_{-1} H_0 + \frac{64}{9} H_{-1} H_0^2 - \frac{1280}{27} H_{0,-1} - \frac{128}{9} H_{0,0,-1} + \frac{256}{9} H_{0,1,-1} \right. \\ &\left. + \frac{256}{9} H_{0,-1,1} - \frac{128}{9} H_{0,1} \left(-1 + 2H_{-1} \right) \right) - \frac{32}{81} (200+7z) H_0 - \frac{16}{27} (47+53z) H_0^2 \\ &- \frac{128}{27} H_0^3 + \frac{256}{9} H_{0,0,1} + \left(-\frac{16}{27} (-89+57z) - \frac{64}{9} (-1+3z) H_0 \right. \\ &\left. \left. + \frac{256}{9} (1+z) H_{-1} \right) \zeta_2 + \frac{128}{3} (-2+z) \zeta_3 \right] \Big\} + C_F^2 T_F \left[(1-z) \left(\frac{4480}{27} \right. \right. \\ &\left. - \frac{896}{9} H_1 - \frac{1280}{27} H_0 H_1 - \frac{256}{9} H_0^2 H_1 + \frac{256}{9} H_0 H_{0,1} \right) + (1+z) \left(-\frac{2560}{27} H_{-1} H_0 \right. \end{aligned}$$

$$
\begin{aligned}
&-\frac{128}{9}H_{-1}H_0^2+\frac{2560}{27}H_{0,-1}+\frac{256}{9}H_{0,0,-1}-\frac{512}{9}H_{0,1,-1}-\frac{512}{9}H_{0,-1,1}\\
&+\frac{128}{9}H_{0,1}\Big(-3+4H_{-1}\Big)\Bigg)-\frac{32}{27}(-112+3z)H_0+\frac{256}{27}(4+7z)H_0^2\\
&+\frac{64}{27}(1+3z)H_0^3-\frac{512}{9}H_{0,0,1}+\left(\frac{256}{9}H_0+(1+z)\left(-\frac{128}{27}-\frac{512}{9}H_{-1}\right)\right)\zeta_2\\
&-\frac{256}{9}(-4+z)\zeta_3\Bigg] \qquad (330)
\end{aligned}
$$

and

$$
\begin{aligned}
C_q^{(1),\rm NS,L}(z) &= C_q^{(2),\rm NS,M}(z)-8C_F(1-z), &(331)\\
\hat{C}_q^{(2),\rm NS,L} &= \hat{C}_q^{(2),\rm NS,M}+\frac{16}{9}C_FT_F(1-z)(5+3H_0), &(332)\\
\gamma_{qq}^{(1),\rm NS,L} &= \gamma_{qq}^{(1),\rm NS,M}(z)+16\beta_0C_F(1-z), &(333)\\
a_{qq,Q}^{(2),\rm NS,L} &= a_{qq,Q}^{(2),\rm NS,M}-\frac{16}{9}C_FT_F(1-z)(5+3H_0), &(334)\\
\bar{a}_{qq,Q}^{(2),\rm NS,L} &= \bar{a}_{qq,Q}^{(2),\rm NS,M}-(1-z)C_FT_F\left(\frac{224}{27}+\frac{8}{3}\zeta_2+\frac{40}{9}H_0+\frac{4}{3}H_0^2\right), &(335)\\
\hat{\gamma}_{qq}^{(2),\rm NS,L} &= \hat{\gamma}_{qq}^{(2),\rm NS,M}+C_AC_FT_F\Bigg[-\frac{19904}{27}-\left(\frac{256}{9}(10-z)-\frac{256}{3}(1+z)H_{-1}\right)H_0\\
&-\frac{128}{3}H_0^2-\frac{256}{3}(1+z)H_{0,-1}+\frac{256}{3}\zeta_2\Bigg]+C_F^2T_F\Bigg[\frac{1472}{3}+\Bigg(\frac{128}{3}(5+6z)\\
&-\frac{512}{3}(1+z)H_{-1}\Bigg)H_0+\frac{128}{3}(1+z)H_0^2-\frac{256}{3}(1-z)H_0H_1+\frac{512}{3}(1+z)H_{0,-1}\\
&-\frac{256}{3}(1+z)\zeta_2\Bigg]+C_FT_F^2(1-2N_F)(1-z)\Bigg[\frac{1280}{27}+\frac{256}{9}H_0\Bigg]. &(336)
\end{aligned}
$$

For the double mass contributions [25] we obtain

$$
\begin{aligned}
\tilde{A}_{qq,Q}^{(3),\rm NS,L} &= \tilde{A}_{qq,Q}^{(3),\rm NS,M}+\frac{1}{2}\beta_{0,Q}\left(\hat{\gamma}_{qq}^{(1),\rm NS,L}-\hat{\gamma}_{qq}^{(1),\rm NS,M}\right)\left(L_1^2+L_2^2\right)\\
&+4\left(a_{qq,Q}^{(2),\rm NS,L}-a_{qq,Q}^{(2),\rm NS,M}\right)(L_1+L_2)+8\beta_{0,Q}\left(\bar{a}_{qq,Q}^{(2),\rm NS,L}-\bar{a}_{qq,Q}^{(2),\rm NS,M}\right)\\
&+\tilde{a}_{qq,Q}^{(3),\rm NS,L}-\tilde{a}_{qq,Q}^{(3),\rm NS,M}, \qquad (337)
\end{aligned}
$$

with

$$
\begin{aligned}
\tilde{a}_{qq,Q}^{(3),\rm NS,L}(N) &= \tilde{a}_{qq,Q}^{(3),\rm NS,M}(N)+C_FT_F^2\Bigg\{-\frac{256}{9N(N+1)}\left(L_1^2+L_1L_2+L_2^2+\zeta_2\right)\\
&+\frac{256(3+N+5N^2)}{27N^2(N+1)^2}(L_1+L_2)-\frac{256(6+8N+17N^2+38N^3+29N^4)}{81N^3(N+1)^3}\Bigg\}, \qquad (338)\\
\tilde{a}_{qq,Q}^{(3),\rm NS,L}(z) &= \tilde{a}_{qq,Q}^{(3),\rm NS,M}(z)+C_FT_F^2(1-z)\Bigg\{-\frac{256}{9}\left(L_1^2+L_1L_2+L_2^2+\zeta_2\right)\\
&-\frac{256}{27}(5+3H_0)(L_1+L_2)-\frac{256}{27}H_0^2-\frac{2560}{81}H_0-\frac{7424}{81}\Bigg\}. \qquad (339)
\end{aligned}
$$

Acknowledgment. We would like thank A. Behring for discussions. This project has received funding from the European Union's Horizon 2020 research and innovation programme under the Marie Skłodowska–Curie grant agreement No. 764850, SAGEX and from the Austrian Science Fund (FWF) grant SFB F50 (F5009-N15). The larger formulae have been typesetted using `SigmaToTeX` [75, 76].

References

[1] J. Blümlein, Prog. Part. Nucl. Phys. **69** (2013) 28–84 [arXiv:1208.6087 [hep-ph]].

[2] A. Kwiatkowski, H. Spiesberger and H.J. Möhring, Comput. Phys. Commun. **69** (1992) 155–172.

[3] A. Arbuzov, D.Y. Bardin, J. Blümlein, L. Kalinovskaya and T. Riemann, Comput. Phys. Commun. **94** (1996) 128–184 [arXiv:hep-ph/9511434 [hep-ph]].

[4] D.Y. Bardin, J. Blümlein, P. Christova and L. Kalinovskaya, Nucl. Phys. B **506** (1997) 295–328 [arXiv:hep-ph/9612435 [hep-ph]].

[5] S. Alekhin, J. Blümlein and S. Moch, Phys. Rev. D **86** (2012) 054009 [arXiv:1202.2281 [hep-ph]].

[6] J. Blümlein and A. Tkabladze, Nucl. Phys. B **553** (1999) 427–464 [arXiv:hep-ph/9812478 [hep-ph]].

[7] A. Piccione and G. Ridolfi, Nucl. Phys. B **513** (1998) 301–316 [arXiv:hep-ph/9707478 [hep-ph]].

[8] I. Schienbein, V.A. Radescu, G.P. Zeller, M.E. Christy, C.E. Keppel, K.S. McFarland, W. Melnitchouk, F.I. Olness, M.H. Reno and F. Steffens, *et al.* J. Phys. G **35** (2008) 053101 [arXiv:0709.1775 [hep-ph]];
F.M. Steffens, M.D. Brown, W. Melnitchouk and S. Sanches, Phys. Rev. C **86** (2012) 065208 [arXiv:1210.4398 [hep-ph]].

[9] B. Lampe and E. Reya, Phys. Rept. **332** (2000) 1–163 [arXiv:hep-ph/9810270 [hep-ph]].

[10] D. Boer, M. Diehl, R. Milner, R. Venugopalan, W. Vogelsang, D. Kaplan, H. Montgomery, S. Vigdor, A. Accardi and E. C. Aschenauer, *et al. Gluons and the quark sea at high energies: Distributions, polarization, tomography*, [arXiv:1108.1713 [nucl-th]].

[11] S. Bethke et al., *Workshop on Precision Measurements of* α_s, arXiv:1110.0016 [hep-ph];
S. Alekhin, J. Blümlein and S.O. Moch, Mod. Phys. Lett. A **28** (2013) no.26, 1360018 [arXiv:1307.1219 [hep-ph]];
S. Moch, S. Weinzierl, et al. *High precision fundamental constants at the TeV scale*, arXiv:1405.4781 [hep-ph].

[12] S. Alekhin, J. Blümlein, K. Daum, K. Lipka and S. Moch, Phys. Lett. B **720** (2013) 172–176 [arXiv:1212.2355 [hep-ph]].

[13] A.D. Watson, Z. Phys. C **12** (1982) 123–125.

[14] W. Vogelsang, Z. Phys. C **50** (1991) 275–284.

[15] M. Buza, Y. Matiounine, J. Smith and W. L. van Neerven, Nucl. Phys. B **485** (1997) 420–456 [hep-ph/9608342].

[16] I. Bierenbaum, J. Blümlein and S. Klein, *Two-loop massive operator matrix elements for polarized and unpolarized deep-inelastic scattering* arXiv:0706.2738 [hep-ph].

[17] I. Bierenbaum, J. Blümlein, A. De Freitas, S. Klein, and K. Schönwald, *The $O(\alpha_s^2)$ Polarized Heavy Flavor Corrections to Deep-Inelastic Scattering at $Q^2 \gg m^2$*, DESY 15–004.

[18] J. Blümlein, A. De Freitas, A. Goedicke, C. Schneider and K. Schönwald, *The Polarized Variable Flavor Number Scheme at Next-to-Leading Order*, DESY 19–061.

[19] J. Blümlein, G. Falcioni and A. De Freitas, Nucl. Phys. B **910** (2016) 568–617 [arXiv:1605.05541 [hep-ph]].

[20] J. Blümlein, C. Raab and K. Schönwald, Nucl. Phys. B **948** (2019) 114736 [arXiv:1904.08911 [hep-ph]].

[21] F. Hekhorn and M. Stratmann, Phys. Rev. D **98** (2018) no.1, 014018 [arXiv:1805.09026 [hep-ph]].

[22] J. Ablinger, A. Behring, J. Blümlein, A. De Freitas, A. Hasselhuhn, A. von Manteuffel, M. Round, C. Schneider and F. Wißbrock, Nucl. Phys. B **886** (2014) 733–823 [arXiv:1406.4654 [hep-ph]];
J. Ablinger, J. Blümlein, S. Klein, C. Schneider and F. Wißbrock, Nucl. Phys. B **844** (2011) 26–54 [arXiv:1008.3347 [hep-ph]].

[23] J. Ablinger, A. Behring, J. Blümlein, A. De Freitas, A. von Manteuffel, C. Schneider and K. Schönwald, Nucl. Phys. B **953** (2020) 114945 [arXiv:1912.02536 [hep-ph]].

[24] A. Behring, J. Blümlein, A. De Freitas, A. von Manteuffel, K. Schönwald and C. Schneider, Nucl. Phys. B **964** (2021) 115331 [arXiv:2101.05733 [hep-ph]].

[25] J. Ablinger, J. Blümlein, A. De Freitas, A. Hasselhuhn, C. Schneider and F. Wißbrock, Nucl. Phys. B **921** (2017) 585–688 [arXiv:1705.07030 [hep-ph]].

[26] J. Ablinger, J. Blümlein, A. De Freitas, A. Goedicke, M. Saragnese, C. Schneider and K. Schönwald, Nucl. Phys. B **955** (2020) 115059 [arXiv:2004.08916 [hep-ph]].

[27] J. Ablinger, J. Blümlein, A. De Freitas, M. Saragnese, C. Schneider and K. Schönwald, Nucl. Phys. B **952** (2020) 114916 [arXiv:1911.11630 [hep-ph]].

[28] A. Behring, J. Blümlein, A. De Freitas, A. von Manteuffel and C. Schneider, Nucl. Phys. B **897** (2015) 612–644 [arXiv:1504.08217 [hep-ph]].

[29] E. Witten, Nucl. Phys. B **104** (1976) 445–476.

[30] J. Babcock, D.W. Sivers, and S. Wolfram, Phys. Rev. D **18** (1978) 162–181.

[31] M.A. Shifman, A. I. Vainshtein, and V. I. Zakharov, Nucl. Phys. B **136** (1978) 157–176.

[32] J.P. Leveille and T.J. Weiler, Nucl. Phys. **B147** (1979) 147–173.

[33] M. Glück and E. Reya, Phys. Lett. B **83** (1979) 98–102.

[34] M. Glück, E. Hoffmann, and E. Reya, Z. Phys. C **13** (1982) 119–130.

[35] E. Laenen, S. Riemersma, J. Smith, W.L. van Neerven, Nucl. Phys. **B392** (1993) 162–228; 229–250.
S. Riemersma, J. Smith, W. L. van Neerven, Phys. Lett. **B347** (1995) 143–151 [hep-ph/9411431];
Precise representations in Mellin space to $O(a_s^2)$ were derived in : S. I. Alekhin and J. Blümlein, Phys. Lett. B **594** (2004) 299–307 [arXiv:hep-ph/0404034].

[36] M. Buza, Y. Matiounine, J. Smith, R. Migneron and W.L. van Neerven, Nucl. Phys. B **472** (1996) 611–658 [hep-ph/9601302].

[37] J. Blümlein, A. De Freitas, C.G. Raab and K. Schönwald, Nucl. Phys. B **945** (2019) 114659 [arXiv:1903.06155 [hep-ph]].

[38] M. Buza, Y. Matiounine, J. Smith and W. L. van Neerven, Eur. Phys. J. C **1** (1998) 301–320 [hep-ph/9612398].

[39] I. Bierenbaum, J. Blümlein and S. Klein, Nucl. Phys. B **780** (2007) 40–75 [hep-ph/0703285].

[40] I. Bierenbaum, J. Blümlein, S. Klein and C. Schneider, Nucl. Phys. B **803** (2008) 1–41 [hep-ph/0803.0273].

[41] I. Bierenbaum, J. Blümlein and S. Klein, Phys. Lett. B **672** (2009) 401–406 [hep-ph/0901.0669].

[42] I. Bierenbaum, J. Blümlein and S. Klein, Nucl. Phys. B **820** (2009) 417–482 [arXiv:0904.3563 [hep-ph]].

[43] J. Ablinger, A. Behring, J. Blümlein, A. De Freitas, A. von Manteuffel and C. Schneider, Nucl. Phys. B **890** (2014) 48–151 [arXiv:1409.1135 [hep-ph]].

[44] J. Ablinger, J. Blümlein, A. De Freitas, A. Hasselhuhn, A. von Manteuffel, M. Round and C. Schneider, Nucl. Phys. B **885** (2014) 280–317 [arXiv:1405.4259 [hep-ph]].

[45] J. Blümlein, A. Hasselhuhn, S. Klein and C. Schneider, Nucl. Phys. B **866** (2013) 196–211 [arXiv:1205.4184 [hep-ph]].

[46] J. Ablinger et al., DESY 15–112.

[47] J. Ablinger, J. Blümlein, A. De Freitas, A. Hasselhuhn, A. von Manteuffel, M. Round, C. Schneider and F. Wißbrock, Nucl. Phys. B **882** (2014) 263–288 [arXiv:1402.0359 [hep-ph]].

[48] J. Blümlein, J. Ablinger, A. Behring, A. De Freitas, A. von Manteuffel, C. Schneider and C. Schneider, PoS (QCDEV2017) 031 [arXiv:1711.07957 [hep-ph]].

[49] J. Ablinger, J. Blümlein, A. De Freitas, C. Schneider and K. Schönwald, Nucl. Phys. B **927** (2018) 339–367 [arXiv:1711.06717 [hep-ph]].

[50] J. Ablinger, J. Blümlein, A. De Freitas, A. Goedicke, C. Schneider and K. Schönwald, Nucl. Phys. B **932** (2018) 129–240 [arXiv:1804.02226 [hep-ph]].

[51] J. Blümlein, A. De Freitas, C. Schneider and K. Schönwald, Phys. Lett. B **782** (2018) 362–366 [arXiv:1804.03129 [hep-ph]].

[52] J.A.M. Vermaseren, Int. J. Mod. Phys. A **14** (1999) 2037–2076 [arXiv:hep-ph/9806280].

[53] J. Blümlein and S. Kurth, Phys. Rev. D **60** (1999) 014018 [arXiv:hep-ph/9810241].

[54] E. Remiddi and J.A.M. Vermaseren, Int. J. Mod. Phys. A **15** (2000) 725–754 [hep-ph/9905237].

[55] J. Blümlein, Comput. Phys. Commun. **133** (2000) 76–104 [hep-ph/0003100];
J. Blümlein and S.O. Moch, Phys. Lett. B **614** (2005) 53–61 [hep-ph/0503188];
A.V. Kotikov, V.N. Velizhanin, *Analytic continuation of the Mellin moments of deep inelastic structure functions*, [hep-ph/0501274];
S. Albino, Phys. Lett. B **674** (2009) 41–48. [arXiv:0902.2148 [hep-ph]].

[56] J. Blümlein, Comput. Phys. Commun. **180** (2009) 2218–2249 [arXiv:0901.3106 [hep-ph]]; *Structural Relations of Harmonic Sums and Mellin Transforms at Weight $w = 6$*, Clay Math. Proc. **12** (2010) 167–188 [arXiv:0901.0837 [math-ph]].

[57] A. Behring, I. Bierenbaum, J. Blümlein, A. De Freitas, S. Klein and F. Wißbrock, Eur. Phys. J. C **74** (2014) no.9, 3033 [arXiv:1403.6356 [hep-ph]].

[58] W.L. van Neerven and E.B. Zijlstra, Phys. Lett. B **272** (1991) 127–133.

[59] E.B. Zijlstra and W.L. van Neerven, Nucl. Phys. B **417** (1994) 61–100 [Erratum: Nucl. Phys. B **426** (1994) 245; Erratum: Nucl. Phys. B **773** (2007) 105–106; Erratum: Nucl. Phys. B **501** (1997) 599]

[60] S. Moch and J.A.M. Vermaseren, Nucl. Phys. B **573** (2000) 853–907 [arXiv:hep-ph/9912355 [hep-ph]].

[61] A. Vogt, S. Moch, M. Rogal and J.A.M. Vermaseren, Nucl. Phys. B Proc. Suppl. **183** (2008) 155–161 [arXiv:0807.1238 [hep-ph]].

[62] J.A.M. Vermaseren, A. Vogt and S. Moch, Nucl. Phys. B **724** (2005) 3–182 [arXiv:hep-ph/0504242 [hep-ph]].

[63] S.A. Larin, Phys. Lett. B **303** (1993) 113–118 [arXiv:hep-ph/9302240 [hep-ph]].

[64] Y. Matiounine, J. Smith and W.L. van Neerven, Phys. Rev. D **58** (1998) 076002 [arXiv:hep-ph/9803439 [hep-ph]].

[65] R. Mertig and W.L. van Neerven, Z. Phys. C **70** (1996) 637–654 [arXiv:hep-ph/9506451 [hep-ph]].

[66] W. Vogelsang, Phys. Rev. D **54** (1996) 2023–2029 [arXiv:hep-ph/9512218 [hep-ph]]; W. Vogelsang, Nucl. Phys. B **475** (1996) 47–72 [arXiv:hep-ph/9603366 [hep-ph]].

[67] A. Behring, J. Blümlein, A. De Freitas, A. Goedicke, S. Klein, A. von Manteuffel, C. Schneider and K. Schönwald, Nucl. Phys. B **948** (2019) 114753 [arXiv:1908.03779 [hep-ph]].

[68] S. Moch, J.A.M. Vermaseren and A. Vogt, Nucl. Phys. B **889** (2014) 351–400 [arXiv:1409.5131 [hep-ph]].

[69] J. Blümlein and N. Kochelev, Nucl. Phys. B **498** (1997) 285–309 [arXiv:hep-ph/9612318 [hep-ph]].

[70] S. Wandzura and F. Wilczek, Phys. Lett. B **72** (1977) 195–198.

[71] J.D. Jackson, G.G. Ross and R.G. Roberts, Phys. Lett. B **226** (1989) 159–166;
R.G. Roberts and G.G. Ross, Phys. Lett. B **373** (1996) 235–245 [arXiv:hep-ph/9601235 [hep-ph]];
J. Blümlein and N. Kochelev, Phys. Lett. B **381** (1996) 296–304 [arXiv:hep-ph/9603397 [hep-ph]];
J. Blümlein, V. Ravindran and W.L. van Neerven, Phys. Rev. D **68** (2003) 114004 [arXiv:hep-ph/0304292 [hep-ph]];
J. Blümlein and D. Robaschik, Nucl. Phys. B **581** (2000) 449–473 [arXiv:hep-ph/0002071 [hep-ph]]; Phys. Rev. D **65** (2002) 096002 [arXiv:hep-ph/0202077 [hep-ph]];
J. Blümlein, D. Robaschik and B. Geyer, Eur. Phys. J. C **61** (2009) 279–298 [arXiv:0812.1899 [hep-ph]].

[72] S. Alekhin, J. Blümlein, S. Klein and S. Moch, Phys. Rev. D **81** (2010) 014032 [arXiv:0908.2766 [hep-ph]].

[73] J. Blümlein, Comput. Phys. Commun. **159** (2004) 19–54 [arXiv:hep-ph/0311046 [hep-ph]].

[74] J. Ablinger, [arXiv:1011.1176 [math-ph]]. J. Ablinger, J. Blümlein and C. Schneider, J. Math. Phys. **52** (2011) 102301 [arXiv:1105.6063 [math-ph]]; J. Math. Phys. **54** (2013) 082301 [arXiv:1302.0378 [math-ph]];
J. Ablinger, [arXiv:1305.0687 [math-ph]];
J. Ablinger, J. Blümlein and C. Schneider, J. Phys. Conf. Ser. **523** (2014) 012060 [arXiv:1310.5645 [math-ph]];
J. Ablinger, J. Blümlein, C.G. Raab and C. Schneider, J. Math. Phys. **55** (2014) 112301 [arXiv:1407.1822 [hep-th]];
J. Ablinger, PoS (LL2014) 019 [arXiv:1407.6180 [cs.SC]];
J. Ablinger, Exper. Math. **26** (2016) no.1, 62–71 [arXiv:1507.01703 [math.NT]]; PoS (LL2016) 067 [arXiv:1606.02845 [cs.SC]]; PoS (RADCOR2017) 001 [arXiv:1801.01039 [cs.SC]]; PoS (LL2018) 063; Experimental Mathematics (2019) 1–15 arXiv:1902.11001 [math.CO].

[75] C. Schneider, Sém. Lothar. Combin. **56** (2007) 1–36, article B56b.

[76] C. Schneider, Computer Algebra in Quantum Field Theory: Integration, Summation and Special Functions Texts and Monographs in Symbolic Computation eds. C. Schneider and J. Blümlein (Springer, Wien, 2013) 325–360 arXiv:1304.4134 [cs.SC].

[77] M. Karr 1981 J. ACM **28** (1981) 305–350;
C. Schneider, *Symbolic Summation in Difference Fields* Ph.D. Thesis RISC, Johannes Kepler University, Linz technical report 01–17 (2001);
C. Schneider, J. Differ. Equations Appl. **11** (2005) 799–821;
C. Schneider, J. Algebra Appl. **6** (2007) 415–441;
C. Schneider, J. Symbolic Comput. **43** (2008) 611–644 [arXiv:0808.2543v1];
C. Schneider, Appl. Algebra Engrg. Comm. Comput. **21** (2010) 1–32;
C. Schneider, Motives, Quantum Field Theory, and Pseudodifferential Operators (Clay Mathematics Proceedings vol 12) ed Carey A, Ellwood D, Paycha S and Rosenberg S (Amer. Math.

Soc) (2010), 285–308 [arXiv:0808.2543];
C. Schneider, Ann. Comb. **14** (2010) 533–552 [arXiv:0808.2596];
C. Schneider, in : Lecture Notes in Computer Science (LNCS) 8942 (2015) 157–191, eds. J. Guitierrez, J. Schicho, M. Weimann, arXiv:1307.7887 [cs.SC] (2013);
C. Schneider, J. Symb. Comput. **72** (2016) 82–127. arXiv:1408.2776 [cs.SC];
C. Schneider, J. Symb. Comput. **80** (2017) 616–664. arXiv:1603.04285 [cs.SC];
S.A. Abramov, M. Bronstein, M. Petkovšek, Carsten Schneider, J. Symb. Comput. 107 (2021) 23–66. arXiv:2005.04944 [cs.SC].

[78] J. Blümlein, Z. Phys. C **47** (1990) 89–94

[79] S. Moch, J.A.M. Vermaseren and A. Vogt, Nucl. Phys. B **813** (2009) 220–258 [arXiv:0812.4168 [hep-ph]].

[80] O.V. Tarasov, A.A. Vladimirov and A.Y. Zharkov, Phys. Lett. B **93** (1980) 429–432;
S.A. Larin and J.A.M. Vermaseren, Phys. Lett. B **303** (1993) 334–336 [hep-ph/9302208];
T. van Ritbergen, J.A.M. Vermaseren and S.A. Larin, Phys. Lett. B **400** (1997) 379–384 [hep-ph/9701390];
M. Czakon, Nucl. Phys. B **710** (2005) 485–498 [hep-ph/0411261];
P.A. Baikov, K.G. Chetyrkin and J.H. Kühn, Phys. Rev. Lett. **118** (2017) no.8, 082002 [arXiv:1606.08659 [hep-ph]];
F. Herzog, B. Ruijl, T. Ueda, J.A.M. Vermaseren and A. Vogt, JHEP **02** (2017) 090 [arXiv:1701.01404 [hep-ph]];
T. Luthe, A. Maier, P. Marquard and Y. Schröder, JHEP **10** (2017) 166 [arXiv:1709.07718 [hep-ph]];
K.G. Chetyrkin, G. Falcioni, F. Herzog and J.A.M. Vermaseren, JHEP **10** (2017) 179 [arXiv:1709.08541 [hep-ph]].

[81] N. Gray, D. J. Broadhurst, W. Grafe and K. Schilcher, Z. Phys. C **48** (1990) 673–680;
K.G. Chetyrkin and M. Steinhauser, Nucl. Phys. B **573** (2000) 617–651 [hep-ph/9911434];
K. Melnikov and T. v. Ritbergen, Phys. Lett. B **482** (2000) 99–108 [hep-ph/9912391]; Nucl. Phys. B **591** (2000) 515–546 [hep-ph/0005131];
P. Marquard, A.V. Smirnov, V.A. Smirnov and M. Steinhauser, Phys. Rev. Lett. **114** (2015) no.14, 142002 [arXiv:1502.01030 [hep-ph]].